


Rank	Date	NESIS Category	Description
1	Mar 12-14, 1993	13.20 5	Extreme
2	Jan 6-8, 1996	11.78 5	Extreme
3	Feb 15-18, 2003	8.91 4	Crippling
4	Mar 2-5, 1960	8.77 4	Crippling
5	Feb 2-5, 1961	7.06 4	Crippling
6	Jan 11-14, 1964	6.91 4	Crippling
7	Jan 21-24, 2005	6.80 4	Crippling
8	Jan 19-21, 1978	6.53 4	Crippling
9	Dec 25-28, 1969	6.29 4	Crippling
10	Feb 10-12, 1983	6.25 4	Crippling
11	Feb 14-17, 1958	6.25 4	Crippling
12	Jan 29-31, 1966	5.93 3	Major
13	Feb 5-7, 1978	5.78 3	Major
14	Feb 12-15, 2007	5.63 3	Major
15	Jan 21-23, 1987	5.40 3	Major
16	Feb 8-12, 1994	5.39 3	Major
17	Feb 17-19, 1979	4.77 3	Major
18	Feb 18-20, 1972	4.77 3	Major
19	Dec 11-13, 1960	4.53 3	Major
20	Feb 22-28, 1969	4.29 3	Major
21	Feb 12-13, 2006	4.10 3	Major
22	Jan 18-21, 1961	4.04 3	Major
23	Dec 18-21, 2009	4.03 3	Major
24	Dec 23-25, 1966	3.81 2	Significant
25	Feb 8-10, 1969	3.51 2	Significant
26	Mar 18-21, 1958	3.51 2	Significant
27	Feb 5-8, 1967	3.50 2	Significant
28	Apr 6-7, 1982	3.35 2	Significant
29	Mar 15-18, 2007	2.55 2	Significant
30	Jan 24-26, 2000	2.52 2	Significant
31	Dec 30-31, 2000	2.37 1	Notable
32	Mar 31 - Apr 1, 1997	2.29 1	Notable
33	Mar 18-19, 1956	1.87 1	Notable
34	Mar 1-3, 2009	1.65 1	Notable
35	Feb 22-23, 1987	1.46 1	Notable
36	Feb 2-4, 1995	1.43 1	Notable
37	Jan 25-26, 1987	1.19 1	Notable

According to NOAA:

January 2016 snowstorm was a Category 4 event

Susan Osborne

Tuesday, January 26, 2016



RSI 2016 Jan 22-24

Image Credit:

NOAA Climate.gov
Mike Squires - NCEI

From Arkansas up through New Hampshire, the January 22–24, 2016, snowstorm affected nearly 103 million people—around one-third of the entire U.S. population. The storm dumped over 20 inches of snow on 21 million people in the Northeast and over 10 inches on about 5.6 million people in the Southeast. But, how did this snowstorm compare to the most historic storms in these two regions?

The map at right shows snowfall totals for the January storm ranging from less than 2 inches (light gray) to more than 24 inches (red). Many urban areas from the Ohio Valley to the Northeast received more than 6 inches of snow, and several of the Mid-Atlantic's largest cities—including Washington, D.C., Baltimore, and Philadelphia—received well over a foot. Virtually all of West Virginia saw snow totals in the 12-18 inches range, with the eastern mountains and panhandle closer to 2 feet.

These snow totals—and how frequently snow events of that magnitude occur in a particular region—are one of the criteria that scientists at NOAA's National Center for Environmental Information use to place storms into historical context. Their [Regional Snowfall Index](#), which ranks snowstorms on a scale from 1 to 5, also takes into account how large an area was affected, and the population in that area.

The Northeast

In the Northeast, the RSI value for the January 22–24 snowstorm is 17.758, which makes it a Category 4, or “crippling,” event for the region. With that value, the storm ranks sixth out of the 199 snowstorms since 1900 that NCEI has analyzed for the Northeast, and it is the second most severe Category 4 storm to affect the region. Even though the overall footprint of the storm in the Northeast was not large by historic standards, some of the heaviest snow fell on highly populated areas, driving the high RSI value.

Affecting nearly 59 million people, the late February snowstorm of 1969 remains the strongest storm to hit the Northeast, with an RSI value of 34.026 making it a Category 5 or extreme event. The March 1993 “Storm of the Century” remains the second strongest snowstorm to hit the Northeast, with an RSI value of 22.117 also making it a Category 5 event.

The Southeast

In the Southeast, the RSI value for the January 22–24 snowstorm is 12.616, which also makes it a Category 4 or crippling event for the region. With that value, the storm ranks 14th out of the 153 snowstorms since 1900 that we've analyzed for the Southeast. Around 3.4 million people in the region saw over 15 inches of snow—in RSI terms, 15 inches in the Southeast is equivalent to 30 inches or more in the Northeast. As in the Northeast, some of the heaviest snow fell on highly populated areas, driving the high RSI value.

Affecting over 31 million people, the early January snowstorm of 1996 remains the strongest storm to hit the Southeast, with an RSI value of 26.373 making it a Category 5 or extreme event. The March 1993 “Storm of the Century” remains the second strongest snowstorm to hit the Southeast, with an RSI value of 24.433 also making it a Category 5 event.

Learn more about the [Regional Snowfall Index](#) and use NCEI's [interactive mapping tool](#) to see RSI rankings for almost 600 snowstorms since 1900.