

Local Climatological Data
Daily Summary
April 2018

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
 Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Generated on 08/29/2018

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH						
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees				
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
01	71	44	58	4.2	51	39	48	7	0	0555	1832		0.00	0.0	0	29.90	30.06	7.3	19	250	16	260			
02	60	45	53	-1.1	71	42	47	12	0	0554	1833		T	0.0	0	29.84	30.05	10.7	22	350	17	030			
03	64	42	53	-1.4	87	48	50	12	0	0552	1834	RA DZ BR	T	0.0	0	29.85	30.02	7.2	21	170	17	100			
04	79	44	62	7.3	50	42	54	3	0	0551	1835		T	0.0	0	29.56	29.78	19.5	40	220	30	280			
05	58	33	46	-9.1	40	22	37	19	0	0549	1835		0.00	0.0	0	29.96	30.17	6.1	23	230	16	280			
06	73	38	55	-0.4	48	36	48	10	0	0548	1836	RA	0.01	0.0	0	29.78	29.94	16.6	39	220	31	220			
07	59	33	46	-9.7	89	40	42	19	0	0546	1837	RA SN BR	0.30	T	0	29.68	29.89	11.5	30	020	23	020			
08	53	33*	43	-13.0	51	24	35	22	0	0545	1838		0.00	0.0	0	29.77	29.98	9.7	29	340	21	360			
09	52	38	45	-11.3	76	36	41	20	0	0543	1839	RA BR	0.10	0.0	0	29.96	30.16	7.6	18	100	15	110			
10	59	39	49	-7.7	59	33	42	16	0	0542	1840	BR	0.00	0.0	0	29.98	30.18	7.3	23	340	17	340			
11	61	36	48	-9.0	58	32	41	17	0	0541	1841		0.00	0.0	0	29.99	30.18	5.1	21	290	17	280			
12	77	41	59	1.7	47	40	50	6	0	0539	1842		0.00	0.0	0	29.90	30.08	15.9	39	220	31	200			
13	84*	55	70	12.4	45	47	57	0	5	0538	1843		0.00	0.0	0	29.83	30.03	15.8	33	190	25	190			
14	83	61	72	14.1	64	58	64	0	7	0536	1844		0.00	0.0	0	29.83	30.01	14.7	33	210	28	230			
15	79	64	72	13.8	90	67	69	0	7	0535	1844	RA BR	0.02	0.0	0	29.75		12.6	37	150	26	140			
16	72	36	54	-4.5	68	45	51	11	0	0533	1845	TS RA FG BR	1.53	0.0	0	29.42	29.62	15.6	51	200	41	210			
17	55	38	46	-12.8	49	27	38	19	0	0532	1846		0.00	0.0	0	29.65	29.85	11.7	30	280	23	280			
18	74	38	56	-3.0	58	38	46	9	0	0531	1847		0.00	0.0	0	29.67	29.84	6.8	28	160	16	200			
19	70	42	56	-3.3	59	39	47	9	0	0529	1848	RA	0.02	0.0	0	29.62	29.87	12.6	41	300	35	310			
20	64	35	50	-9.6	41	25	40	15	0	0528	1849		0.00	0.0	0	30.09	30.31	9.9	33	340	24	340			
21	65	38	51	-8.9	51	32	43	14	0	0527	1850		0.00	0.0	0	30.22	30.42	4.2	15	080	13	080			
22	69	42	56	-4.2	61	41	48	9	0	0525	1851		0.00	0.0	0	30.18	30.37	7.5	20	130	16	130			
23	70	44	57	-3.4	59	43	50	8	0	0524	1852		0.00	0.0	0	30.19	30.37	10.4	30	140	23	120			
24	59	53	56	-4.7	95	54	55	9	0	0523	1853	RA BR	1.02	0.0	0	29.94	30.09	10.9	29	100	21	110			
25	67	56	61	0.0	97	60	61	4	0	0522	1854	RA DZ FG MIFG BR	0.07	0.0	0	29.57	29.75	5.2	18	310	15	310			
26	74	53	64	2.8	62	49	56	1	0	0520	1854	BR	T	0.0	0	29.66	29.85	5.7	20	190	15	200			
27	72	54	63	1.5	88	58	59	2	0	0519	1855	TS RA BR	0.50	0.0	0	29.58	29.77	5.5	17	320	15	330			
28	79	51	65	3.3	58	48	56	0	0	0518	1856	MIFG BR FG	0.01	0.0	0	29.61	29.81	9.4	33	350	28	350			
29	65	40	52	-10.0	42	31	44	13	0	0517	1857	RA	T	0.0	0	29.88	30.09	12.7	33	300	23	320			
30	73	36	55	-7.3	43	29	45	10	0	0516	1858		0.00	0.0	0	30.00	30.19	7.2	27	270	22	270			
	68.0	43.4	55.7										3.58	T		29.83	30.02	10.1							
	-2.3	-2.7	-2.5										0.31												
	Monthly Averages Totals																								
	Departure from Normal (1981-2010)																								
	Degree Days							Number of days with...																	
	Monthly				Season-to-date			Temperature				Precipitation		Snow		Weather									
	Total	Departure	Total	Departure	Max	Min	>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog										
	Heating	297	57	3753			0	0	0	0	10	5	0												
	Cooling	18	-18	27																					
	Date of 5-sec to 3-sec wind equipment change							Sea Level Pressure				Greatest...													
	N/A							Maximum		Date	Time	24-Hr...		Snow Depth											
								30.50		21	1002	Precip	Snowfall	0											
								29.48		16	0535	1.55	T												
												Date													
												15-16	07-07												
	Station Augmentation																								
	Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																								

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service
Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Local Climatological Data Hourly Observations April 2018

Generated on 08/29/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	BKN:07 300	10.00		49	9.4	42	5.8	34	1.1	56	11	180		29.95	8	+0.04	30.15	FM-15	0.00	30.13
01	0100	4		9.94		49	9.4	42	5.8	34	1.1	56	11	180		29.95	8	+0.04	30.15	FM-12		
01	0154	7	BKN:07 300	10.00		48	8.9	42	5.7	35	1.7	61	11	200		29.94			30.13	FM-15	0.00	30.12
01	0254	7	OVC:08 300	10.00		47	8.3	42	5.4	35	1.7	63	9	200		29.92			30.11	FM-15	0.00	30.10
01	0354	7	SCT:04 180 OVC:08 300	10.00		48	8.9	42	5.7	35	1.7	61	8	200		29.91	6	+0.05	30.10	FM-15	0.00	30.09
01	0454	7	SCT:04 230 OVC:08 300	10.00		44	6.7	40	4.7	36	2.2	73	7	200		29.90			30.09	FM-15	0.00	30.08
01	0554	7	SCT:04 120 SCT:04 230 BKN:07 300	10.00		46	7.8	42	5.3	36	2.2	68	6	200		29.90			30.09	FM-15	0.00	30.08
01	0654	7	BKN:07 110 BKN:07 200 BKN:07 300	10.00		48	8.9	43	5.9	36	2.2	63	7	200		29.91	5	+0.00	30.10	FM-15	0.00	30.09
01	0700	4		9.94		48	8.9	43	5.9	36	2.2	63	7	200		29.91	5	+0.00	30.10	FM-12		
01	0754	7	SCT:04 110 BKN:07 200 OVC:08 300	10.00		50	10.0	44	6.5	36	2.2	59	6	200		29.92			30.11	FM-15	0.00	30.10
01	0854	7	FEW:02 110 SCT:04 200 OVC:08 300	10.00		54	12.2	46	7.8	37	2.8	53	7	220		29.91			30.11	FM-15	0.00	30.09
01	0954	7	SCT:04 120 BKN:07 200 OVC:08 300	10.00		58	14.4	48	9.1	38	3.3	48	10	220		29.91	0	-0.00	30.10	FM-15	0.00	30.09
01	1054	7	FEW:02 120 SCT:04 200 OVC:08 300	10.00		63	17.2	51	10.6	39	3.9	41	6	210		29.89			30.09	FM-15	0.00	30.07
01	1154	7	SCT:04 120 BKN:07 200 OVC:08 300	10.00		66	18.9	52	10.9	37	2.8	34	11	250		29.88			30.07	FM-15	0.00	30.06
01	1254	7	SCT:04 100 BKN:07 200 OVC:08 300	10.00		67	19.4	52	11.4	38	3.3	35	14	250	18	29.88	5	+0.03	30.07	FM-15	0.00	30.06
01	1300	4		9.94		67	19.4	52	11.4	38	3.3	35	14	250		29.88	5	+0.03	30.07	FM-12		
01	1354	7	FEW:02 100 SCT:04 200 OVC:08 300	10.00		68	20.0	53	11.6	38	3.3	33	11	280		29.86			30.06	FM-15	0.00	30.04
01	1454	7	FEW:02 45 SCT:04 120 BKN:07 250	10.00		69	20.6	54	12.1	39	3.9	33	6	270		29.84			30.03	FM-15	0.00	30.02
01	1554	7	FEW:02 90 FEW:02 200 OVC:08 300	10.00		70	21.1	55	12.5	40	4.4	34	6	270		29.84	6	+0.04	30.03	FM-15	0.00	30.02
01	1654	7	SCT:04 75 OVC:08 300	10.00		70	21.1	55	12.5	40	4.4	34	3	VRB		29.83			30.02	FM-15	0.00	30.01
01	1754	7	FEW:02 75 OVC:08 300	10.00		68	20.0	54	12.5	42	5.6	39	3	130		29.83			30.02	FM-15	0.00	30.01
01	1854	7	SCT:04 80 OVC:08 300	10.00		65	18.3	53	11.5	41	5.0	42	5	VRB		29.84	5	+0.00	30.03	FM-15	0.00	30.02
01	1900	4	74	9.94		65	18.3	53	11.5	41	5.0	42	5			29.84	5	+0.00	30.03	FM-12		
01	1954	7	BKN:07 85 OVC:08 300	10.00		60	15.6	51	10.8	43	6.1	53	5	140		29.84			30.03	FM-15	0.00	30.02
01	2054	7	BKN:07 90	10.00		58	14.4	51	10.5	44	6.7	60	5	130		29.84			30.03	FM-15	0.00	30.02

01	2154	7	SCT:04 85 OVC:08 300	10.00		57	13.9	51	10.5	45	7.2	64	0	000		29.82	8	+0.02	30.01	FM-15	0.00	30.00
01	2254	7	OVC:08 90	10.00		56	13.3	50	10.2	45	7.2	67	8	140		29.80			29.99	FM-15	0.00	29.98
01	2354	7	BKN:07 90	10.00		58	14.4	50	10.0	42	5.6	56	9	150		29.78			29.97	FM-15	0.00	29.96
02	0054	7	SCT:04 90 SCT:04 220 BKN:07 300	10.00		55	12.8	49	9.5	43	6.1	64	11	140		29.74	8	+0.08	29.93	FM-15	0.00	29.92
02	0100	4		9.94		55	12.8	49	9.5	43	6.1	64	11	140		29.74	8	+0.08	29.93	FM-12		
02	0154	7	SCT:04 140 OVC:08 190	10.00		56	13.3	50	9.7	43	6.1	62	7	160		29.71			29.90	FM-15	0.00	29.89
02	0254	7	OVC:08 110	10.00		57	13.9	51	10.7	46	7.8	67	9	190		29.69			29.88	FM-15	0.00	29.87
02	0354	7	FEW:02 55 BKN:07 80 OVC:08 110	10.00		59	15.0	54	12.0	49	9.4	69	14	320		29.71	5	+0.03	29.90	FM-15	T	29.89
02	0454	7	FEW:02 60 BKN:07 90 OVC:08 110	10.00		54	12.2	49	9.7	45	7.2	72	11	360		29.74			29.93	FM-15	T	29.92
02	0554	7	BKN:07 110 OVC:08 160	10.00		51	10.6	48	8.9	45	7.2	80	11	360		29.76			29.95	FM-15	0.00	29.94
02	0654	7	BKN:07 95 BKN:07 180 OVC:08 300	10.00		49	9.4	47	8.1	44	6.7	83	10	350		29.80	3	-0.09	29.99	FM-15	0.00	29.98
02	0700	4		9.94		49	9.4	47	8.1	44	6.7	83	10	350		29.80	3	-0.09	29.99	FM-12		
02	0754	7	SCT:04 90 BKN:07 110 OVC:08 300	10.00		50	10.0	47	8.4	44	6.7	80	15	350		29.83			30.02	FM-15	0.00	30.01
02	0852	6	BKN:07 17 BKN:07 80 BKN:07 300	10.00		50	10.0	47	8.1	43	6.0	76	15	360		29.85				FM-16		30.03
02	0854	7	BKN:07 17 BKN:07 80 BKN:07 300	10.00		50	10.0	47	8.1	43	6.1	77	16	360		29.85			30.04	FM-15	0.00	30.03
02	0954	7	BKN:07 18 OVC:08 300	10.00		52	11.1	48	8.7	43	6.1	72	11	360		29.87	1	-0.07	30.06	FM-15	0.00	30.05
02	1052	6	SCT:04 18 SCT:04 100 BKN:07 300	10.00		52	11.0	48	8.7	43	6.0	72	13	040		29.88				FM-16		30.06
02	1054	7	SCT:04 18 SCT:04 100 BKN:07 300	10.00		52	11.1	47	8.4	42	5.6	69	10	040	20	29.88			30.07	FM-15	0.00	30.06
02	1154	7	SCT:04 23 BKN:07 36 BKN:07 100	10.00		53	11.7	47	8.5	41	5.0	64	14	020	20	29.89			30.08	FM-15	0.00	30.07
02	1254	7	FEW:02 26 BKN:07 36 BKN:07 100	10.00		54	12.2	48	8.7	41	5.0	62	11	030	21	29.90	1	-0.03	30.09	FM-15	0.00	30.08
02	1300	4	26	9.94		54	12.2	48	8.7	41	5.0	62	11	030		29.90	1	-0.03	30.09	FM-12		
02	1354	7	SCT:04 39 BKN:07 60 BKN:07 300	10.00		54	12.2	47	8.5	40	4.4	59	13	030		29.90			30.09	FM-15	0.00	30.08
02	1454	7	FEW:02 40 BKN:07 60 OVC:08 300	10.00		54	12.2	47	8.5	40	4.4	59	11	030		29.89			30.08	FM-15	0.00	30.07
02	1554	7	FEW:02 40 BKN:07 55 BKN:07 300	10.00		55	12.8	48	8.8	40	4.4	57	13	040		29.89	5	+0.00	30.09	FM-15	0.00	30.07
02	1654	7	SCT:04 55 BKN:07 110 BKN:07 300	10.00		52	11.1	46	7.7	39	3.9	61	10	050		29.90			30.09	FM-15	0.00	30.08
02	1754	7	BKN:07 75 BKN:07 300	10.00		50	10.0	45	7.2	39	3.9	66	9	070		29.93			30.12	FM-15	0.00	30.11
02	1854	7	SCT:04 80 BKN:07 120 BKN:07 300	10.00		48	8.9	44	6.8	40	4.4	74	9	090		29.93	3	-0.04	30.13	FM-15	0.00	30.11
02	1900	4	74	9.94		48	8.9	44	6.8	40	4.4	74	9	090		29.93	3	-0.04	30.13	FM-12		

02	1954	7	BKN:07 100 OVC:08 300	10.00		47	8.3	44	6.5	40	4.4	77	10	100		29.96			30.15	FM-15	T	30.14
02	2054	7	BKN:07 90 OVC:08 300	10.00		46	7.8	43	6.2	40	4.4	79	9	080		29.97			30.16	FM-15	T	30.15
02	2154	7	FEW:02 20 BKN:07 100 BKN:07 300	10.00		46	7.8	43	6.2	40	4.4	79	6	110		29.99	1	-0.06	30.18	FM-15	0.00	30.17
02	2252	6	BKN:07 18 OVC:08 100	10.00		46	8.0	44	6.5	41	5.0	82	7	090		29.98				FM-16		30.16
02	2254	7	BKN:07 18 OVC:08 100	10.00		45	7.2	43	6.2	41	5.0	86	7	090		29.98			30.18	FM-15	0.00	30.16
02	2354	7	OVC:08 17	10.00		45	7.2	43	6.2	41	5.0	86	6	100		29.99			30.18	FM-15	0.00	30.17
03	0054	7	OVC:08 16	10.00		45	7.2	44	6.4	42	5.6	90	7	090		29.98	6	+0.01	30.17	FM-15	0.00	30.16
03	0100	4	15	9.94		45	7.2	44	6.4	42	5.6	90	7	090		29.98	6	+0.01	30.17	FM-12		
03	0109	7	OVC:08 14	10.00		45	7.2	44	6.4	42	5.6	90	7	090		29.98				FM-16		30.16
03	0139	7	BKN:07 17 OVC:08 110	10.00		44	6.7	43	5.9	41	5.0	89	7	110		29.97				FM-16		30.15
03	0154	7	OVC:08 18	10.00		44	6.7	43	5.9	41	5.0	89	7	100		29.97			30.16	FM-15	0.00	30.15
03	0233	7	SCT:04 16 OVC:08 41	10.00		44	6.7	43	5.9	41	5.0	89	7	110		29.97				FM-16		30.15
03	0254	7	FEW:02 15 OVC:08 40	10.00		43	6.1	42	5.4	40	4.4	89	8	110		29.96			30.16	FM-15	0.00	30.14
03	0349	7	BKN:07 17 OVC:08 37	10.00		43	6.0	41	5.1	39	4.0	87	5	080		29.95				FM-16		30.13
03	0354	7	BKN:07 15 OVC:08 37	10.00		43	6.1	41	5.1	39	3.9	86	6	090		29.95	7	+0.02	30.14	FM-15	0.00	30.13
03	0438	7	BKN:07 13 OVC:08 36	10.00		43	6.1	42	5.4	40	4.4	89	5	070		29.94				FM-16		30.12
03	0454	7	BKN:07 13 OVC:08 37	10.00		43	6.1	41	5.1	39	3.9	86	7	080		29.93			30.13	FM-15	0.00	30.11
03	0554	7	OVC:08 10	10.00		43	6.1	42	5.4	40	4.4	89	3	VRB		29.94			30.14	FM-15	0.00	30.12
03	0617	7	OVC:08 9	9.00		43	6.1	42	5.6	41	5.0	93	3	070		29.94				FM-16		30.12
03	0654	7	OVC:08 8	9.00		43	6.1	43	5.9	42	5.6	97	5	110		29.93	6	+0.01	30.13	FM-15	0.00	30.11
03	0700	4	8	8.70		43	6.1	43	5.9	42	5.6	97	5	110		29.93	6	+0.01	30.13	FM-12		
03	0718	7	BKN:07 7 OVC:08 11	2.00	BR:1	43	6.1	43	6.1	43	6.1	100	5	160		29.94				FM-16		30.12
03	0754	7	OVC:08 5	2.00	BR:1	42	5.6	42	5.6	42	5.6	100	0	000		29.93			30.12	FM-15	0.00	30.11
03	0811	7	OVC:08 5	1.25	BR:1	43	6.1	43	6.1	43	6.1	100	0	000		29.92				FM-16		30.10
03	0825	7	OVC:08 4	1.25	BR:1	43	6.1	43	6.1	43	6.1	100	0	000		29.93				FM-16		30.11
03	0854	7	OVC:08 4	1.25	-DZ:01 BR:1 DZ DZ	44	6.7	44	6.7	44	6.7	100	0	000		29.93			30.12	FM-15	T	30.11
03	0919	7	OVC:08 5	2.00	-DZ:01 BR:1 DZ DZ	44	6.7	44	6.7	44	6.7	100	0	000		29.91				FM-16	T	30.09
03	0954	7	OVC:08 5	2.00	-DZ:01 BR:1 DZ DZ	46	7.8	46	7.8	46	7.8	100	6	140		29.90	8	+0.03	30.09	FM-15	T	30.08
03	1031	7	OVC:08 7	4.00	BR:1	47	8.3	47	8.1	46	7.8	97	5	170		29.90				FM-16	T	30.08
03	1054	7	OVC:08 7	4.00	BR:1	47	8.3	47	8.3	47	8.3	100	6	170		29.89			30.09	FM-15	T	30.07
03	1154	7	OVC:08 9	10.00		51	10.6	49	9.7	48	8.9	89	8	180		29.86			30.05	FM-15	0.00	30.04
03	1223	7	OVC:08 10	10.00		52	11.1	50	10.3	49	9.4	89	9	180		29.83				FM-16		30.01
03	1254	7	OVC:08 12	10.00		54	12.2	51	10.8	49	9.4	83	8	210		29.84	8	+0.06	30.03	FM-15	0.00	30.02
03	1300	4	15	9.94		54	12.2	51	10.8	49	9.4	83	8	210		29.84	8	+0.06	30.03	FM-12		
03	1341	7	OVC:08 15	10.00		55	12.8	52	11.3	50	10.0	83	9	220		29.82				FM-16		30.00
03	1354	7	BKN:07 16 OVC:08 250	10.00		56	13.3	53	11.6	50	10.0	81	9	240		29.81			30.00	FM-15	0.00	29.99
03	1419	7	SCT:04 18 OVC:08 250	10.00		59	15.0	55	12.6	51	10.6	75	10	230		29.79				FM-16		29.97
03	1454	7	FEW:02 20 BKN:07 250	10.00		61	16.1	55	12.8	50	10.0	67	14	240		29.79			29.99	FM-15	0.00	29.97
03	1554	7	BKN:07 250	10.00		63	17.2	56	13.3	50	10.0	63	8	220		29.77	6	+0.07	29.96	FM-15	0.00	29.95
03	1654	7	BKN:07 190 BKN:07 250	10.00		63	17.2	56	13.6	51	10.6	65	11	190		29.76			29.95	FM-15	0.00	29.94
03	1754	7	SCT:04 30 BKN:07 170 BKN:07 250	10.00		61	16.1	56	13.4	52	11.1	72	5	150		29.75			29.94	FM-15	0.00	29.93

03	1854	7	BKN:07 110 OVC:08 160	9.00	-RA:02 RA RA	60	15.6	57	13.7	54	12.2	80	17	100		29.66	8	+0.11	29.85	FM-15	T	29.84
03	1900	4		8.70	RA	60	15.6	57	13.7	54	12.2	80	17	100		29.66	8	+0.11	29.85	FM-12		
03	1954	7	OVC:08 160	10.00		58	14.4	56	13.2	54	12.2	87	3	120		29.69			29.88	FM-15	T	29.87
03	2054	7	OVC:08 200	10.00		57	13.9	56	13.3	55	12.8	93	3	150		29.69			29.88	FM-15	0.00	29.87
03	2154	7	OVC:08 160	10.00		59	15.0	57	14.1	56	13.3	90	8	150		29.67	0	-0.01	29.86	FM-15	0.00	29.85
03	2254	7	SCT:04 180	10.00		61	16.1	59	15.1	58	14.4	90	11	150		29.62			29.81	FM-15	0.00	29.80
03	2354	7	SCT:04 190 OVC:08 300	10.00		62	16.7	61	16.3	61	16.1	96	13	180		29.60			29.79	FM-15	0.00	29.78
04	0054	7	FEW:02 190 OVC:08 300	10.00		64	17.8	63	17.1	62	16.7	93	10	190		29.59	6	+0.08	29.78	FM-15	0.00	29.77
04	0100	4		9.94		64	17.8	63	17.1	62	16.7	93	10	190		29.59	6	+0.08	29.78	FM-12		
04	0154	7	OVC:08 260	10.00		66	18.9	64	17.5	62	16.7	87	16	200		29.56			29.75	FM-15	0.00	29.74
04	0254	7	FEW:02 250 BKN:07 300	10.00		67	19.4	63	17.4	61	16.1	81	17	200		29.55			29.74	FM-15	0.00	29.73
04	0354	7	FEW:02 250 BKN:07 300	10.00		66	18.9	62	16.9	60	15.6	81	23	190	32	29.52	6	+0.07	29.71	FM-15	0.00	29.70
04	0454	7	BKN:07 300	10.00		65	18.3	63	17.0	61	16.1	87	20	200		29.50			29.70	FM-15	0.00	29.68
04	0554	7	FEW:02 20 FEW:02 120 BKN:07 300	10.00		66	18.9	63	17.2	61	16.1	84	18	190	30	29.50			29.69	FM-15	0.00	29.68
04	0654	7	SCT:04 47 BKN:07 120 OVC:08 300	10.00		67	19.4	65	18.1	63	17.2	87	21	210	30	29.52	5	+0.01	29.70	FM-15	0.00	29.69
04	0700	4	41	9.94		67	19.4	65	18.1	63	17.2	87	21	210		29.51	5	+0.01	29.70	FM-12		
04	0747	7	BKN:07 28 BKN:07 38 OVC:08 120	10.00		68	20.0	65	18.3	63	17.2	84	15	220	26	29.49				FM-16		29.67
04	0754	7	BKN:07 28 BKN:07 38 OVC:08 120	10.00		68	20.0	65	18.3	63	17.2	84	16	230		29.48			29.67	FM-15	0.00	29.66
04	0833	7	SCT:04 28 BKN:07 100 OVC:08 300	10.00		71	21.7	66	18.9	63	17.2	76	18	220		29.45				FM-16		29.63
04	0854	7	FEW:02 30 SCT:04 50 BKN:07 100	10.00		72	22.2	66	19.1	63	17.2	73	22	210	32	29.44			29.63	FM-15	0.00	29.62
04	0954	7	FEW:02 30 BKN:07 140 OVC:08 300	10.00		74	23.3	64	17.9	58	14.4	57	18	240	34	29.44	6	+0.08	29.62	FM-15	T	29.61
04	1054	7	SCT:04 30 BKN:07 120 OVC:08 300	10.00		76	24.4	64	17.7	56	13.3	50	26	250	37	29.44			29.62	FM-15	0.00	29.61
04	1154	7	SCT:04 49 BKN:07 70 OVC:08 300	10.00		77	25.0	64	17.9	56	13.3	48	23	250	36	29.44			29.62	FM-15	0.00	29.61
04	1254	7	SCT:04 50 BKN:07 60 BKN:07 85	10.00		74	23.3	62	16.8	54	12.2	50	23	300	34	29.44	3	-0.01	29.62	FM-15	0.00	29.62
04	1300	4	57	9.94		74	23.3	62	16.8	54	12.2	50	23	300		29.44	3	-0.01	29.62	FM-12		
04	1354	7	BKN:07 50 OVC:08 100	10.00		68	20.0	54	12.0	40	4.4	36	28	310	36	29.48			29.67	FM-15	0.00	29.66
04	1454	7	BKN:07 65 BKN:07 300	10.00		67	19.4	47	8.3	20	-6.7	17	26	260	38	29.52			29.71	FM-15	0.00	29.70
04	1554	7	SCT:04 80 BKN:07 300	10.00		65	18.3	47	8.5	25	-3.9	22	23	310	33	29.55	1	-0.12	29.74	FM-15	0.00	29.73
04	1654	7	BKN:07 300	10.00		64	17.8	46	7.5	20	-6.7	18	24	310	33	29.60			29.79	FM-15	0.00	29.78
04	1754	7	SCT:04 300	10.00		60	15.6	43	5.9	16s	-8.9s	18	21	300	34	29.65			29.85	FM-15	0.00	29.83
04	1854	7	FEW:02 300	10.00		55	12.8	41	4.8	18s	-7.8s	23	17	320	28	29.71	3	-0.16	29.91	FM-15	0.00	29.89
04	1900	4		9.94		55	12.8	41	4.8	18s	-7.8s	23	17	320		29.71	3	-0.16	29.91	FM-12		
04	1954	7	FEW:02 300	10.00		53	11.7	40	4.2	18	-7.8	25	24	320	31	29.77			29.96	FM-15	0.00	29.95
04	2054	7	FEW:02 300	10.00		49	9.4	38	3.1	19	-7.2	31	11	320	24	29.82			30.01	FM-15	0.00	30.00
04	2154	7	CLR:00	10.00		47	8.3	36	2.4	18	-7.8	31	14	320		29.85	1	-0.13	30.04	FM-15	0.00	30.03

04	2254	7	CLR:00	10.00		46	7.8	36	2.1	18	-7.8	32	13	320		29.87			30.07	FM-15	0.00	30.05
04	2354	7	CLR:00	10.00		44	6.7	35	1.4	18	-7.8	35	13	310		29.89			30.08	FM-15	0.00	30.07
05	0054	7	CLR:00	10.00		43	6.1	34	1.1	18	-7.8	37	10	310		29.90	1	-0.06	30.10	FM-15	0.00	30.08
05	0100	4		9.94		43	6.1	34	1.1	18	-7.8	37	10	310		29.90	1	-0.06	30.10	FM-12		
05	0154	7	CLR:00	10.00		41	5.0	33	0.6	19	-7.2	41	8	310		29.92			30.11	FM-15	0.00	30.10
05	0254	7	CLR:00	10.00		39	3.9	32	0.0	19	-7.2	45	6	350		29.93			30.12	FM-15	0.00	30.11
05	0354	7	CLR:00	10.00		38	3.3	32	-0.2	20	-6.7	48	9	340		29.95	3	-0.05	30.15	FM-15	0.00	30.13
05	0454	7	FEW:02 300	10.00		36	2.2	30	-0.9	20	-6.7	52	5	030		29.99			30.18	FM-15	0.00	30.17
05	0554	7	SCT:04 300	10.00		36	2.2	30	-0.9	20	-6.7	52	5	330		30.01			30.20	FM-15	0.00	30.19
05	0654	7	FEW:02 300	10.00		37	2.8	33	0.5	26	-3.3	65	0	000		30.03	1	-0.07	30.22	FM-15	0.00	30.21
05	0700	4		9.94		37	2.8	33	0.5	26	-3.3	65	0	000		30.03	1	-0.07	30.22	FM-12		
05	0754	7	FEW:02 300	10.00		42	5.6	35	1.4	22	-5.6	45	6	040		30.04			30.24	FM-15	0.00	30.22
05	0854	7	FEW:02 300	10.00		44	6.7	35	1.9	21	-6.1	40	7	360		30.05			30.24	FM-15	0.00	30.23
05	0954	7	FEW:02 40 FEW:02 300	10.00		46	7.8	37	2.5	21	-6.1	37	8	290		30.05	1	-0.02	30.24	FM-15	0.00	30.23
05	1054	7	FEW:02 40 FEW:02 300	10.00		50	10.0	38	3.3	18	-7.8	28	14	280	20	30.05			30.24	FM-15	0.00	30.23
05	1154	7	SCT:04 300	10.00		51	10.6	39	3.6	18	-7.8	27	10	VRB	18	30.03			30.22	FM-15	0.00	30.21
05	1254	7	FEW:02 300	10.00		54	12.2	41	4.8	20	-6.7	26	6	VRB	23	30.00	8	+0.04	30.20	FM-15	0.00	30.18
05	1300	4		9.94		54	12.2	41	4.8	20	-6.7	26	6			30.00	8	+0.04	30.20	FM-12		
05	1354	7	FEW:02 300	10.00		56	13.3	41	5.2	19	-7.2	24	9	310	21	29.98			30.17	FM-15	0.00	30.16
05	1454	7	FEW:02 300	10.00		56	13.3	41	5.1	18	-7.8	22	10	290	17	29.97			30.16	FM-15	0.00	30.15
05	1554	7	FEW:02 70 FEW:02 300	10.00		58	14.4	42	5.8	19	-7.2	22	9	260		29.95	6	+0.05	30.15	FM-15	0.00	30.13
05	1654	7	FEW:02 300	10.00		57	13.9	42	5.6	20	-6.7	24	0	000		29.94			30.14	FM-15	0.00	30.12
05	1754	7	FEW:02 70 FEW:02 300	10.00		55	12.8	41	4.9	19	-7.2	24	0	000		29.93			30.12	FM-15	0.00	30.11
05	1854	7	FEW:02 150 FEW:02 300	10.00		52	11.1	40	4.3	21	-6.1	30	5	170		29.93	6	+0.03	30.12	FM-15	0.00	30.11
05	1900	4		9.94		52	11.1	40	4.3	21	-6.1	30	5	170		29.93	6	+0.03	30.12	FM-12		
05	1954	7	CLR:00	10.00		47	8.3	39	4.0	28	-2.2	48	5	140		29.93			30.13	FM-15	0.00	30.11
05	2054	7	CLR:00	10.00		44	6.7	38	3.1	28	-2.2	53	6	140		29.93			30.12	FM-15	0.00	30.11
05	2154	7	CLR:00	10.00		44	6.7	38	3.1	28	-2.2	53	3	140		29.93	1	-0.01	30.13	FM-15	0.00	30.11
05	2254	7	CLR:00	10.00		43	6.1	37	2.6	27	-2.8	53	3	120		29.93			30.13	FM-15	0.00	30.11
05	2354	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	3	150		29.94			30.13	FM-15	0.00	30.12
06	0054	7	CLR:00	10.00		40	4.4	37	3.0	34	1.1	79	5	160		29.93	8	+0.01	30.12	FM-15	0.00	30.11
06	0100	4		9.94		40	4.4	37	3.0	34	1.1	79	5	160		29.93	8	+0.01	30.12	FM-12		
06	0154	7	FEW:02 300	10.00		39	3.9	37	3.0	35	1.7	86	6	170		29.92			30.11	FM-15	0.00	30.10
06	0254	7	FEW:02 300	10.00		40	4.4	37	3.0	34	1.1	79	8	190		29.90			30.09	FM-15	0.00	30.08
06	0354	7	FEW:02 300	10.00		41	5.0	38	3.4	34	1.1	76	9	190		29.89	6	+0.04	30.09	FM-15	0.00	30.07
06	0454	7	FEW:02 300	10.00		42	5.6	39	3.9	35	1.7	76	9	190		29.88			30.07	FM-15	0.00	30.06
06	0554	7	BKN:07 140 BKN:07 300	10.00		45	7.2	41	5.2	37	2.8	74	15	200		29.88			30.07	FM-15	0.00	30.06
06	0654	7	SCT:04 140 BKN:07 300	10.00		46	7.8	42	5.8	38	3.3	73	15	210		29.88	5	+0.01	30.07	FM-15	0.00	30.06
06	0700	4		9.94		46	7.8	42	5.8	38	3.3	73	15	210		29.88	5	+0.01	30.07	FM-12		
06	0754	7	FEW:02 140 SCT:04 200 BKN:07 300	10.00		50	10.0	44	6.7	37	2.8	61	17	220	25	29.88			30.07	FM-15	0.00	30.06
06	0854	7	SCT:04 110 SCT:04 180 BKN:07 300	10.00		53	11.7	46	7.5	37	2.8	55	16	210	25	29.86			30.06	FM-15	0.00	30.04
06	0954	7	FEW:02 110 BKN:07 160 BKN:07 300	10.00		60	15.6	49	9.4	37	2.8	42	18	210	25	29.84	8	+0.05	30.03	FM-15	0.00	30.02
06	1054	7	FEW:02 110 FEW:02 160 SCT:04 300	10.00		66	18.9	51	10.7	36	2.2	33	20	210	29	29.80			29.99	FM-15	0.00	29.98
06	1154	7	FEW:02 160 SCT:04 300	10.00		69	20.6	53	11.5	36	2.2	30	18	210	32	29.75			29.95	FM-15	0.00	29.93

06	1254	7	FEW:02 200 BKN:07 300	10.00		72	22.2	52	11.3	31	-0.6	22	22	220	38	29.72	6	+0.12	29.91	FM-15	0.00	29.90
06	1300	4		9.94		72	22.2	52	11.3	31	-0.6	22	22	220		29.72	6	+0.12	29.91	FM-12		
06	1354	7	OVC:08 230	10.00		71	21.7	52	10.8	30	-1.1	22	28	210	37	29.69			29.88	FM-15	0.00	29.87
06	1454	7	BKN:07 250	10.00		72	22.2	53	11.4	32	0.0	23	24	220	29	29.65			29.84	FM-15	0.00	29.83
06	1554	7	FEW:02 200 OVC:08 300	10.00		72	22.2	53	11.6	33	0.6	24	25	200	32	29.63	6	+0.09	29.82	FM-15	0.00	29.81
06	1654	7	BKN:07 300	10.00		72	22.2	53	11.6	33	0.6	24	18	220	26	29.61			29.80	FM-15	0.00	29.79
06	1754	7	FEW:02 150 BKN:07 300	10.00		70	21.1	52	11.3	34	1.1	27	26	200	36	29.60			29.79	FM-15	0.00	29.78
06	1854	7	FEW:02 150 OVC:08 300	10.00		68	20.0	51	10.8	34	1.1	28	18	210		29.59	6	+0.05	29.78	FM-15	0.00	29.77
06	1900	4		9.94		68	20.0	51	10.8	34	1.1	28	18	210		29.59	6	+0.05	29.78	FM-12		
06	1954	7	FEW:02 150 BKN:07 300	10.00		67	19.4	52	11.0	36	2.2	32	23	220	33	29.60			29.79	FM-15	0.00	29.78
06	2054	7	FEW:02 150 BKN:07 300	10.00		65	18.3	51	10.7	37	2.8	36	14	210		29.61			29.80	FM-15	0.00	29.79
06	2154	7	OVC:08 100	10.00		65	18.3	52	10.9	38	3.3	37	16	210	24	29.60	0	-0.01	29.79	FM-15	0.00	29.78
06	2254	7	FEW:02 60 OVC:08 80	10.00	-RA:02 RA RA	61	16.1	55	12.5	49	9.4	65	15	250	25	29.61			29.81	FM-15	T	29.79
06	2354	7	BKN:07 80 OVC:08 100	10.00	-RA:02 RA RA	58	14.4	55	12.6	52	11.1	81	11	240		29.61			29.80	FM-15	0.01	29.79
07	0054	7	BKN:07 70 OVC:08 120	10.00	-RA:02 RA RA	59	15.0	55	12.6	51	10.6	75	16	230		29.60	0	-0.00	29.79	FM-15	T	29.78
07	0100	4	74	9.94	RA	59	15.0	55	12.6	51	10.6	75	16	230		29.60	9	0.00	29.79	FM-12		
07	0154	7	OVC:08 80	10.00		58	14.4	54	12.3	51	10.6	78	10	230		29.59			29.78	FM-15	T	29.77
07	0254	7	OVC:08 80	10.00	-RA:02 RA RA	57	13.9	54	12.1	51	10.6	81	9	250		29.59			29.78	FM-15	T	29.77
07	0354	7	BKN:07 70 OVC:08 85	8.00	-RA:02 RA RA	55	12.8	54	12.2	53	11.7	93	7	230		29.60	5	+0.00	29.79	FM-15	0.01	29.78
07	0454	7	OVC:08 60	5.00	-RA:02 BR:1 RA RA	54	12.2	54	12.2	54	12.2	100	5	VRB		29.60			29.79	FM-15	0.05	29.78
07	0554	7	SCT:04 42 BKN:07 50 OVC:08 65	5.00	RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	8	200		29.61			29.80	FM-15	0.06	29.79
07	0615	7	SCT:04 13 BKN:07 23 OVC:08 47	4.00	RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	6	230		29.62				FM-16	0.03	29.80
07	0638	7	FEW:02 9 BKN:07 23 OVC:08 33	4.00	RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	18	010	24	29.65				FM-16	0.09	29.83
07	0652	6	SCT:04 7 BKN:07 20 OVC:08 25	4.00	-RA:02 BR:1 RA RA	46	8.0	46	7.8	46	8.0	100	22	020	28	29.65				FM-16		29.83
07	0654	7	SCT:04 7 BKN:07 20 OVC:08 25	5.00	-RA:02 BR:1 RA RA	47	8.3	47	8.1	46	7.8	97	20	020		29.65	3	-0.05	29.84	FM-15	0.13	29.83
07	0700	4	8	4.97	RA	47	8.3	47	8.1	46	7.8	97	20	020		29.65	3	-0.05	29.84	FM-12		
07	0701	7	SCT:04 7 OVC:08 22	9.00	-RA:02 RA RA	47	8.3	47	8.1	46	7.8	97	15	020		29.66				FM-16	T	29.84
07	0754	7	FEW:02 7 BKN:07 22 OVC:08 28	9.00	-RA:02 RA RA	45	7.2	45	7.0	44	6.7	97	18	020		29.68			29.88	FM-15	T	29.86
07	0824	7	FEW:02 7 SCT:04 22 OVC:08 30	10.00		44	6.7	42	5.7	40	4.4	85	22	020	29	29.71				FM-16	T	29.89
07	0854	7	OVC:08 33	10.00		44	6.7	42	5.4	39	3.9	83	11	020		29.73			29.92	FM-15	T	29.91
07	0954	7	FEW:02 20 OVC:08 35	10.00		44	6.7	40	4.7	36	2.2	73	13	010		29.75	1	-0.10	29.95	FM-15	T	29.93
07	1054	7	FEW:02 20 OVC:08 37	10.00		43	6.1	39	3.8	33	0.6	68	16	030	25	29.75			29.94	FM-15	T	29.93
07	1154	7	FEW:02 20 OVC:08 38	10.00		42	5.6	38	3.5	33	0.6	71	13	020		29.74			29.94	FM-15	0.00	29.92

07	1254	7	FEW:02 26 BKN:07 32 OVC:08 40	10.00		41	5.0	38	3.6	35	1.7	79	11	020		29.74	8	+0.01	29.93	FM-15	0.00	29.92
07	1300	4	26	9.94		41	5.0	38	3.6	35	1.7	79	11	020		29.74	8	+0.01	29.93	FM-12		
07	1336	7	SCT:04 16 BKN:07 20 OVC:08 41	9.00		41	5.0	39	4.0	37	2.8	86	11	010		29.73				FM-16		29.91
07	1354	7	BKN:07 20 OVC:08 41	10.00		41	5.0	38	3.6	35	1.7	79	9	030		29.72			29.91	FM-15	0.00	29.90
07	1454	7	OVC:08 27	10.00		41	5.0	38	3.1	33	0.6	73	14	020		29.72			29.91	FM-15	0.00	29.90
07	1554	7	OVC:08 25	10.00		39	3.9	36	2.3	32	0.0	76	14	010		29.73	5	+0.01	29.92	FM-15	T	29.91
07	1638	7	BKN:07 12 OVC:08 27	6.00	-RA:02 BR:1 RA RA	37	2.8	36	2.3	35	1.7	93	16	010		29.74				FM-16	T	29.92
07	1652	6	FEW:02 9 BKN:07 12 OVC:08 27	6.00	-RA:02 BR:1 RA RA	36	2.0	36	2.2	36	2.0	100	15	010		29.75				FM-16		29.93
07	1654	7	FEW:02 7 BKN:07 11 OVC:08 25	6.00	-RA:02 BR:1 RA RA	36	2.2	36	2.0	35	1.7	97	15	360		29.75			29.95	FM-15	T	29.93
07	1723	7	FEW:02 10 BKN:07 24 OVC:08 45	2.50	-RA:02 BR:1 RA RA	36	2.2	36	2.0	35	1.7	97	14	010		29.75				FM-16	T	29.93
07	1745	7	FEW:02 9 BKN:07 13 OVC:08 50	2.00	-RA:02 SN:03 BR:1 RA RA RA	35	1.7	35	1.7	35	1.7	100	13	010		29.75				FM-16	0.01	29.93
07	1752	6	BKN:07 9 OVC:08 32	2.00	-RA:02 SN:03 BR:1 RA SN RA	36	2.0	36	2.2	36	2.0	100	13	360		29.76				FM-16		29.94
07	1754	7	BKN:07 7 OVC:08 30	2.00	-RA:02 SN:03 BR:1 RA RA RA	35	1.7	35	1.7	35	1.7	100	10	010		29.76			29.96	FM-15	0.01	29.94
07	1852	6	BKN:07 7 OVC:08 45	3.00	-RA:02 SN:03 BR:1 RA SN RA	34	1.0	34	1.1	34	1.0	100	8	360		29.75				FM-16		29.93
07	1854	7	BKN:07 7 OVC:08 45	3.00	-RA:02 SN:03 BR:1 RA RA RA	34	1.1	34	1.1	34	1.1	100	10	360		29.76	0	-0.03	29.95	FM-15	0.01	29.94
07	1900	4	8	2.98		34	1.1	34	1.1	34	1.1	100	10	360		29.76	9	0.03	29.95	FM-12		
07	1941	7	BKN:07 7 OVC:08 29	2.00	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	9	360		29.75				FM-16	0.01	29.93
07	1954	7	BKN:07 6 OVC:08 29	2.50	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	9	350		29.76				FM-15	0.01	29.94
07	2054	7	BKN:07 7 OVC:08 30	2.00	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	11	360		29.77			29.96	FM-15	0.01	29.95
07	2109	7	BKN:07 7 OVC:08 21	1.50	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	13	360		29.77				FM-16	T	29.95
07	2154	7	BKN:07 5 OVC:08 30	2.00	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	10	350		29.76	0	-0.00	29.96	FM-15	0.01	29.94
07	2229	7	BKN:07 6 OVC:08 45	3.00	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	10	350		29.74				FM-16	T	29.92
07	2245	7	SCT:04 7 OVC:08 60	5.00	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	8	360		29.73				FM-16	T	29.91
07	2254	7	SCT:04 7 OVC:08 60	6.00	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	8	360		29.73			29.92	FM-15	T	29.91
07	2354	7	OVC:08 70	10.00		34	1.1	34	1.1	34	1.1	100	6	350		29.71			29.90	FM-15	0.00	29.89
08	0054	7	BKN:07 55 OVC:08 90	10.00		34	1.1	34	1.1	34	1.1	100	11	330		29.71	6	+0.05	29.90	FM-15	0.00	29.89
08	0100	4	57	9.94		34	1.1	34	1.1	34	1.1	100	11	330		29.71	6	+0.05	29.90	FM-12		
08	0154	7	OVC:08 60	10.00		34	1.1	34	1.1	34	1.1	100	9	330		29.68			29.88	FM-15	0.00	29.86
08	0254	7	SCT:04 60 OVC:08 210	10.00		34	1.1	33	0.5	31	-0.6	89	15	340		29.69				FM-15	0.00	29.87
08	0354	7	FEW:02 60 OVC:08 210	10.00		34	1.1	31	-0.5	26	-3.3	73	18	350		29.70	5	+0.01	29.89	FM-15	0.00	29.88
08	0454	7	OVC:08 210	10.00		34	1.1	30	-1.1	23	-5.0	64	18	340		29.71			29.91	FM-15	0.00	29.89
08	0554	7	BKN:07 210	10.00		33	0.6	29	-1.8	21	-6.1	61	15	350		29.75			29.95	FM-15	0.00	29.93
08	0654	7	FEW:02 200	10.00		35	1.7	30	-1.1	21	-6.1	57	15	350		29.78	3	-0.08	29.97	FM-15	0.00	29.96
08	0700	4		9.94		35	1.7	30	-1.1	21	-6.1	57	15	350		29.78	3	-0.08	29.97	FM-12		

08	0754	7	CLR:00	10.00				38	3.3	32	-0.1	21	-6.1	51	16	360	25	29.80			30.00	FM-15	0.00	29.98
08	0854	7	CLR:00	10.00				41	5.0	34	0.9	21	-6.1	45	13	360	22	29.81			30.01	FM-15	0.00	29.99
08	0954	7	FEW:02 45	10.00				44	6.7	35	1.7	20	-6.7	38	11	020		29.82	1	-0.04	30.01	FM-15	0.00	30.00
08	1054	7	FEW:02 45	10.00				45	7.2	35	1.9	19	-7.2	35	9	310	21	29.82			30.01	FM-15	0.00	30.00
08	1154	7	FEW:02 45	10.00				47	8.3	37	2.7	20	-6.7	34	11	300		29.80			30.00	FM-15	0.00	29.98
08	1254	7	FEW:02 45	10.00				49	9.4	38	3.3	20	-6.7	32	9	290		29.79	8	+0.03	29.98	FM-15	0.00	29.97
08	1300	4	41	9.94				49	9.4	38	3.3	20	-6.7	32	9	290		29.79	8	+0.03	29.98	FM-12		
08	1354	7	FEW:02 45	10.00				49	9.4	38	3.3	20	-6.7	32	8	VRB	20	29.78			29.98	FM-15	0.00	29.96
08	1454	7	FEW:02 70	10.00				51	10.6	39	3.9	20	-6.7	29	10	340		29.77			29.97	FM-15	0.00	29.95
08	1554	7	FEW:02 70 SCT:04 300	10.00				51	10.6	39	3.9	20	-6.7	29	10	240		29.78	5	+0.01	29.97	FM-15	0.00	29.96
08	1654	7	FEW:02 70 BKN:07 300	10.00				52	11.1	40	4.2	20	-6.7	28	7	330	20	29.78			29.98	FM-15	0.00	29.96
08	1754	7	FEW:02 75 BKN:07 300	10.00				51	10.6	39	3.7	19	-7.2	28	7	290		29.80			29.99	FM-15	0.00	29.98
08	1854	7	FEW:02 250 BKN:07 300	10.00				47	8.3	38	3.1	23	-5.0	39	3	180		29.81	1	-0.03	30.00	FM-15	0.00	29.99
08	1900	4		9.94				47	8.3	38	3.1	23	-5.0	39	3	180		29.81	1	-0.03	30.00	FM-12		
08	1954	7	FEW:02 250 BKN:07 300	10.00				42	5.6	36	2.5	28	-2.2	58	3	150		29.83			30.02	FM-15	0.00	30.01
08	2054	7	BKN:07 240 OVC:08 300	10.00				42	5.6	36	2.5	28	-2.2	58	0	000		29.86			30.05	FM-15	0.00	30.04
08	2154	7	BKN:07 200 OVC:08 300	10.00				43	6.1	37	2.8	28	-2.2	56	0	000		29.87	1	-0.06	30.06	FM-15	0.00	30.05
08	2254	7	BKN:07 160 BKN:07 200 OVC:08 300	10.00				40	4.4	36	2.2	30	-1.1	68	7	040		29.89			30.08	FM-15	0.00	30.07
08	2354	7	OVC:08 140	10.00				40	4.4	36	2.4	31	-0.6	70	5	VRB		29.91			30.10	FM-15	0.00	30.09
09	0054	7	BKN:07 140 OVC:08 300	10.00				39	3.9	37	2.5	33	0.6	79	6	040		29.92	1	-0.05	30.12	FM-15	0.00	30.10
09	0100	4		9.94				39	3.9	37	2.5	33	0.6	79	6	040		29.92	1	-0.05	30.12	FM-12		
09	0154	7	SCT:04 120 OVC:08 300	10.00				40	4.4	37	2.8	33	0.6	77	8	050		29.93			30.12	FM-15	0.00	30.11
09	0254	7	SCT:04 120 OVC:08 300	10.00				41	5.0	37	2.5	30	-1.1	65	9	060		29.93			30.12	FM-15	0.00	30.11
09	0354	7	OVC:08 90	10.00				41	5.0	36	2.1	28	-2.2	60	8	070		29.93	0	-0.00	30.12	FM-15	0.00	30.11
09	0454	7	OVC:08 75	10.00				41	5.0	36	2.1	28	-2.2	60	6	050		29.95			30.14	FM-15	0.00	30.13
09	0554	7	OVC:08 46	10.00	-RA:02 RA RA			41	5.0	36	2.1	28	-2.2	60	5	010		29.97			30.17	FM-15	T	30.15
09	0654	7	OVC:08 30	10.00	-RA:02 RA RA			40	4.4	37	2.8	33	0.6	77	9	030		30.02	3	-0.09	30.22	FM-15	0.01	30.20
09	0700	4	26	9.94	RA			40	4.4	37	2.8	33	0.6	77	9	030		30.02	3	-0.09	30.22	FM-12		
09	0732	7	OVC:08 29	10.00	-RA:02 RA RA			40	4.4	37	3.1	34	1.1	79	8	060		30.03				FM-16	0.01	30.21
09	0754	7	OVC:08 26	10.00	-RA:02 RA RA			39	3.9	38	3.2	36	2.2	89	6	070		30.04			30.23	FM-15	0.02	30.22
09	0854	7	OVC:08 15	5.00	-RA:02 BR:1 RA RA			38	3.3	38	3.1	37	2.8	97	8	080		30.05			30.24	FM-15	0.06	30.23
09	0901	7	BKN:07 13 OVC:08 22	5.00	-RA:02 BR:1 RA RA			38	3.3	38	3.1	37	2.8	97	8	070		30.05				FM-16	0.01	30.23
09	0946	7	BKN:07 8 OVC:08 19	10.00	-RA:02 RA RA			40	4.4	40	4.4	40	4.4	100	9	080		30.04				FM-16	0.02	30.22
09	0954	7	OVC:08 8	10.00	-RA:02 RA RA			40	4.4	40	4.4	40	4.4	100	10	070		30.04	0	-0.02	30.24	FM-15	0.01	30.22
09	1052	7	OVC:08 10	10.00				43	6.0	42	5.6	41	5.0	93	8	080		30.01				FM-16	T	30.19
09	1054	7	OVC:08 10	10.00				42	5.6	42	5.3	41	5.0	96	9	080		30.01			30.21	FM-15	T	30.19
09	1130	7	OVC:08 15	10.00				44	6.7	43	5.9	41	5.0	89	11	100		30.01				FM-16		30.19
09	1154	7	BKN:07 17	10.00				45	7.2	43	6.2	41	5.0	86	10	070		29.99			30.19	FM-15	0.00	30.17
09	1236	7	SCT:04 19 SCT:04 26 OVC:08 110	10.00				47	8.3	44	6.5	40	4.4	77	13	110		29.97				FM-16		30.15
09	1254	7	SCT:04 23 SCT:04 47 OVC:08 110	10.00				48	8.9	44	6.8	40	4.4	74	11	110		29.97	8	+0.04	30.17	FM-15	0.00	30.15
09	1300	4	26	9.94				48	8.9	44	6.8	40	4.4	74	11	110		29.97	8	+0.04	30.17	FM-12		

09	1354	7	SCT:04 30 BKN:07 36 OVC:08 44	10.00		49	9.4	44	6.9	39	3.9	69	7	090		29.95			30.15	FM-15	0.00	30.13
09	1454	7	SCT:04 37 BKN:07 48 OVC:08 100	10.00		50	10.0	44	6.7	37	2.8	61	9	110		29.94			30.13	FM-15	0.00	30.12
09	1554	7	FEW:02 35 SCT:04 50 OVC:08 70	10.00		51	10.6	44	6.8	36	2.2	56	9	120		29.93	6	+0.05	30.12	FM-15	0.00	30.11
09	1654	7	BKN:07 70	10.00		50	10.0	43	6.3	35	1.7	57	11	130		29.91			30.11	FM-15	0.00	30.09
09	1754	7	BKN:07 70	10.00		48	8.9	43	6.1	37	2.8	66	8	090		29.92			30.11	FM-15	0.00	30.10
09	1854	7	OVC:08 70	10.00		46	7.8	42	5.8	38	3.3	73	7	090		29.93	3	-0.01	30.13	FM-15	0.00	30.11
09	1900	4	74	9.94		46	7.8	42	5.8	38	3.3	73	7	090		29.93	3	-0.01	30.13	FM-12		
09	1954	7	OVC:08 70	10.00		45	7.2	43	6.0	40	4.4	83	7	100		29.95			30.14	FM-15	0.00	30.13
09	2024	7	BKN:07 27 OVC:08 75	10.00		45	7.2	43	6.0	40	4.4	83	7	100		29.96				FM-16		30.14
09	2054	7	OVC:08 24	10.00		46	7.8	44	6.5	41	5.0	83	6	050		29.97			30.17	FM-15	0.00	30.15
09	2154	7	OVC:08 24	10.00		45	7.2	43	6.2	41	5.0	86	7	100		29.97	0	-0.04	30.16	FM-15	0.00	30.15
09	2254	7	BKN:07 22 OVC:08 50	10.00		45	7.2	44	6.4	42	5.6	90	0	000		29.97			30.16	FM-15	0.00	30.15
09	2352	6	SCT:04 23 OVC:08 60	10.00		45	7.0	43	6.2	41	5.0	87	6	350		29.98				FM-16		30.16
09	2354	7	SCT:04 23 OVC:08 60	10.00		45	7.2	43	6.2	41	5.0	86	6	350		29.98			30.17	FM-15	0.00	30.16
10	0054	7	OVC:08 65	10.00		44	6.7	43	5.9	41	5.0	89	7	350		29.98	3	-0.01	30.18	FM-15	0.00	30.16
10	0100	4	57	9.94		44	6.7	43	5.9	41	5.0	89	7	350		29.98	3	-0.01	30.18	FM-12		
10	0154	7	FEW:02 30 OVC:08 65	10.00		43	6.1	42	5.6	41	5.0	93	5	340		29.97			30.17	FM-15	0.00	30.15
10	0254	7	FEW:02 30 OVC:08 65	10.00		43	6.1	41	5.1	39	3.9	86	8	350		29.97			30.16	FM-15	0.00	30.15
10	0354	7	OVC:08 65	10.00		42	5.6	41	5.1	40	4.4	92	7	350		29.97	5	+0.01	30.17	FM-15	0.00	30.15
10	0454	7	FEW:02 65	7.00		40	4.4	40	4.2	39	3.9	97	7	350		29.99			30.18	FM-15	0.00	30.17
10	0510	7	BKN:07 7 BKN:07 65	6.00	BR:1	40	4.4	40	4.2	39	3.9	97	11	350		30.00				FM-16		30.18
10	0554	7	OVC:08 5	3.00	BR:1	40	4.4	40	4.4	40	4.4	100	8	010		30.01			30.21	FM-15	0.00	30.19
10	0619	7	SCT:04 7	3.00	BR:1	39	3.9	39	3.9	39	3.9	100	6	020		30.02				FM-16		30.20
10	0654	7	FEW:02 6 FEW:02 70	3.00	BR:1	42	5.6	42	5.3	41	5.0	96	8	350		30.03	3	-0.05	30.22	FM-15	0.00	30.21
10	0700	4	5	2.98		42	5.6	42	5.3	41	5.0	96	8	350		30.03	3	-0.05	30.22	FM-12		
10	0754	7	FEW:02 70 FEW:02 300	10.00		46	7.8	42	5.3	36	2.2	68	9	010		30.05			30.24	FM-15	0.00	30.23
10	0854	7	FEW:02 70 FEW:02 300	10.00		49	9.4	42	5.6	33	0.6	55	9	010	16	30.04			30.24	FM-15	0.00	30.22
10	0954	7	SCT:04 37 SCT:04 300	10.00		51	10.6	43	5.9	32	0.0	48	3	VRB		30.04	0	-0.01	30.23	FM-15	0.00	30.22
10	1054	7	SCT:04 44 BKN:07 300	10.00		54	12.2	44	6.8	32	0.0	43	7	340		30.02			30.22	FM-15	0.00	30.20
10	1154	7	SCT:04 50 BKN:07 300	10.00		53	11.7	43	6.1	30	-1.1	41	13	310		30.01			30.20	FM-15	0.00	30.19
10	1254	7	SCT:04 55 SCT:04 300	10.00		57	13.9	45	7.4	31	-0.6	37	18	330	23	29.99	8	+0.05	30.18	FM-15	0.00	30.17
10	1300	4	57	9.94		57	13.9	45	7.4	31	-0.6	37	18	330		29.99	8	+0.05	30.18	FM-12		
10	1354	7	FEW:02 60 SCT:04 300	10.00		57	13.9	45	7.1	29	-1.7	34	9	310		29.96			30.15	FM-15	0.00	30.14
10	1454	7	FEW:02 70 FEW:02 300	10.00		58	14.4	45	7.3	29	-1.7	33	13	320		29.94			30.13	FM-15	0.00	30.12
10	1554	7	FEW:02 70 FEW:02 300	10.00		58	14.4	45	7.2	28	-2.2	32	8	330		29.93	6	+0.06	30.12	FM-15	0.00	30.11
10	1654	7	FEW:02 300	10.00		57	13.9	44	6.7	27	-2.8	32	5	320		29.92			30.12	FM-15	0.00	30.10
10	1754	7	FEW:02 300	10.00		55	12.8	43	6.3	28	-2.2	35	6	030		29.94			30.14	FM-15	0.00	30.12
10	1854	7	FEW:02 300	10.00		50	10.0	40	4.5	26	-3.3	39	8	020		29.95	3	-0.02	30.14	FM-15	0.00	30.13
10	1900	4		9.94		50	10.0	40	4.5	26	-3.3	39	8	020		29.95	3	-0.02	30.14	FM-12		

10	1954	7	FEW:02 300	10.00		48	8.9	39	3.9	26	-3.3	42	6	060		29.97			30.17	FM-15	0.00	30.15
10	2054	7	FEW:02 300	10.00		45	7.2	39	3.8	30	-1.1	56	7	140		30.00			30.19	FM-15	0.00	30.18
10	2154	7	FEW:02 70 FEW:02 300	10.00		43	6.1	38	3.6	32	0.0	65	5	110		30.01	1	-0.06	30.20	FM-15	0.00	30.19
10	2254	6	FEW:02 80 FEW:02 300	10.00		40	4.4	36	2.4	31	-0.6	70	0	000		30.01			30.21	FM-15	0.00	30.19
10	2354	6	FEW:02 80	10.00		40	4.4	37	2.6	32	0.0	73	0	000		30.02			30.21	FM-15	0.00	30.20
11	0054	7	BKN:07 80	10.00		39	3.9	37	3.0	35	1.7	86	6	020		30.01	0	-0.00	30.21	FM-15	0.00	30.19
11	0100	4	74	9.94		39	3.9	37	3.0	35	1.7	86	6	020		30.01	9	0.00	30.21	FM-12		
11	0154	7	FEW:02 85	10.00		39	3.9	36	2.3	32	0.0	76	3	020		30.00			30.20	FM-15	0.00	30.18
11	0254	7	FEW:02 85	10.00		37	2.8	35	1.7	32	0.0	82	0	000		30.00			30.19	FM-15	0.00	30.18
11	0354	7	BKN:07 80	10.00		37	2.8	35	1.9	33	0.6	86	0	000		30.00	6	+0.01	30.19	FM-15	0.00	30.18
11	0454	7	BKN:07 85	10.00		37	2.8	35	1.9	33	0.6	86	0	000		30.00			30.19	FM-15	0.00	30.18
11	0554	6	BKN:07 90	10.00		38	3.3	37	2.6	35	1.7	89	5	360		30.01			30.21	FM-15	0.00	30.19
11	0654	7	OVC:08 90	10.00		40	4.4	38	3.5	36	2.2	86	0	000		30.03	3	-0.03	30.23	SY-MT	0.00	30.21
11	0754	6	OVC:08 90	7.00		43	6.1	42	5.4	40	4.4	89	0	000		30.05			30.24	FM-15	0.00	30.23
11	0854	6	OVC:08 85	10.00		46	7.8	41	5.1	35	1.7	66	0	000		30.05			30.24	FM-15	0.00	30.23
11	0954	6	FEW:02 30 BKN:07 85	10.00		51	10.6	42	5.6	30	-1.1	44	0	000		30.05	1	-0.02	30.25	FM-15	0.00	30.23
11	1054	6	FEW:02 40 SCT:04 70 SCT:04 300	10.00		52	11.1	42	5.3	27	-2.8	38	6	250		30.05			30.24	FM-15	0.00	30.23
11	1154	6	FEW:02 40 SCT:04 80 SCT:04 300	10.00		56	13.3	44	6.8	29	-1.7	36	6	VRB		30.03			30.22	FM-15	0.00	30.21
11	1254	7	SCT:04 60	10.00		56	13.3	44	6.8	29	-1.7	36	3	VRB		30.00	8	+0.05	30.20	SY-MT	0.00	30.18
11	1352	6	FEW:02 2 BKN:07 75	10.00		57	14.0	44	6.9	28	-2.0	33	11	240	18	29.98				FM-16		30.16
11	1354	6	FEW:02 2 BKN:07 75	10.00		57	13.9	45	7.1	29	-1.7	34	15	260		29.98			30.18	FM-15	0.00	30.16
11	1454	6	SCT:04 75	10.00		60	15.6	47	8.1	30	-1.1	32	11	270	17	29.96			30.15	FM-15	0.00	30.14
11	1554	7	FEW:02 75 FEW:02 300	10.00		59	15.0	46	7.6	29	-1.7	32	8	250		29.93	8	+0.06	30.13	FM-15	0.00	30.11
11	1654	7	FEW:02 75 FEW:02 300	10.00		60	15.6	46	7.9	29	-1.7	31	6	240		29.93			30.12	FM-15	0.00	30.11
11	1754	7	SCT:04 300	10.00		58	14.4	45	7.3	29	-1.7	33	7	200		29.93			30.12	FM-15	0.00	30.11
11	1854	7	SCT:04 300	10.00		51	10.6	43	5.9	32	0.0	48	8	180		29.93	6	+0.01	30.12	FM-15	0.00	30.11
11	1900	4		9.94		51	10.6	43	5.9	32	0.0	48	8	180		29.93	6	+0.01	30.12	FM-12		
11	1954	7	FEW:02 300	10.00		48	8.9	42	5.5	34	1.1	58	8	180		29.94			30.14	FM-15	0.00	30.12
11	2054	7	FEW:02 300	10.00		48	8.9	41	5.3	33	0.6	56	8	190		29.96			30.16	FM-15	0.00	30.14
11	2154	7	CLR:00	10.00		45	7.2	40	4.4	33	0.6	63	8	200		29.96	1	-0.04	30.16	FM-15	0.00	30.14
11	2254	7	CLR:00	10.00		45	7.2	40	4.6	34	1.1	66	8	200		29.96			30.15	FM-15	0.00	30.14
11	2354	7	CLR:00	10.00		45	7.2	40	4.6	34	1.1	66	7	200		29.96			30.16	FM-15	0.00	30.14
12	0054	7	CLR:00	10.00		45	7.2	40	4.6	34	1.1	66	7	190		29.95	8	+0.01	30.15	FM-15	0.00	30.13
12	0100	4		9.94		45	7.2	40	4.6	34	1.1	66	7	190		29.95	8	+0.01	30.15	FM-12		
12	0154	7	CLR:00	10.00		42	5.6	39	3.9	35	1.7	76	8	200		29.94			30.14	FM-15	0.00	30.12
12	0254	7	CLR:00	10.00		43	6.1	40	4.4	36	2.2	76	8	210		29.95			30.14	FM-15	0.00	30.13
12	0354	7	CLR:00	10.00		44	6.7	41	4.7	36	2.2	73	6	190		29.95	5	+0.00	30.14	FM-15	0.00	30.13
12	0454	7	BKN:07 200	10.00		42	5.6	40	4.3	37	2.8	82	7	200		29.96			30.15	FM-15	0.00	30.14
12	0554	7	BKN:07 200 OVC:08 300	10.00		49	9.4	45	7.1	40	4.4	71	9	210		29.97			30.16	FM-15	0.00	30.15
12	0654	7	FEW:02 160 OVC:08 300	10.00		53	11.7	47	8.5	41	5.0	64	9	220		29.99	3	-0.04	30.19	FM-15	0.00	30.17
12	0700	4		9.94		53	11.7	47	8.5	41	5.0	64	9	220		29.99	3	-0.04	30.19	FM-12		
12	0754	7	FEW:02 160 OVC:08 300	10.00		55	12.8	48	9.0	41	5.0	59	11	220		29.99			30.19	FM-15	0.00	30.17
12	0854	7	FEW:02 55 OVC:08 90	10.00		58	14.4	50	10.0	42	5.6	56	11	230		30.00			30.19	FM-15	0.00	30.18
12	0954	7	BKN:07 80 BKN:07 300	10.00		62	16.7	52	11.3	43	6.1	50	16	240	21	30.00	3	-0.01	30.19	FM-15	0.00	30.18

12	1054	7	SCT:04 110	10.00		69	20.6	55	13.0	43	6.1	39	16	230	23	29.96			30.15	FM-15	0.00	30.14
12	1154	7	FEW:02 300	10.00		71	21.7	56	13.2	42	5.6	35	20	210	28	29.93			30.12	FM-15	0.00	30.11
12	1254	7	SCT:04 300	10.00		74	23.3	56	13.4	40	4.4	29	17	220	25	29.88	8	+0.12	30.07	FM-15	0.00	30.06
12	1300	4		9.94		74	23.3	56	13.4	40	4.4	29	17	220		29.88	8	+0.12	30.07	FM-12		
12	1354	7	SCT:04 300	10.00		76	24.4	57	14.1	41	5.0	29	29	220	36	29.84			30.03	FM-15	0.00	30.02
12	1454	7	FEW:02 300	10.00		76	24.4	57	14.1	41	5.0	29	23	190	39	29.80			29.99	FM-15	0.00	29.98
12	1554	7	FEW:02 300	10.00		76	24.4	57	14.1	41	5.0	29	18	220	34	29.77	6	+0.11	29.96	FM-15	0.00	29.95
12	1654	7	FEW:02 300	10.00		75	23.9	57	13.7	40	4.4	28	23	210	36	29.76			29.96	FM-15	0.00	29.94
12	1754	7	FEW:02 300	10.00		73	22.8	56	13.2	40	4.4	30	23	200	31	29.77			29.96	FM-15	0.00	29.95
12	1854	7	SCT:04 300	10.00		70	21.1	55	12.5	40	4.4	34	22	200		29.77	3	-0.00	29.96	FM-15	0.00	29.95
12	1900	4		9.94		70	21.1	55	12.5	40	4.4	34	22	200		29.77			29.96	FM-12		
12	1954	7	FEW:02 300	10.00		68	20.0	53	11.8	39	3.9	35	21	200		29.78			29.98	FM-15	0.00	29.96
12	2054	7	FEW:02 300	10.00		68	20.0	53	11.8	39	3.9	35	22	200	30	29.81			30.00	FM-15	0.00	29.99
12	2154	7	FEW:02 300	10.00		67	19.4	53	11.6	39	3.9	36	20	200		29.82	1	-0.05	30.01	FM-15	0.00	30.00
12	2254	7	SCT:04 300	10.00		63	17.2	51	10.8	40	4.4	43	18	190	24	29.84			30.03	FM-15	0.00	30.02
12	2354	7	FEW:02 300	10.00		62	16.7	51	10.6	40	4.4	44	17	200		29.84			30.03	FM-15	0.00	30.02
13	0054	7	FEW:02 300	10.00		60	15.6	50	10.1	40	4.4	47	15	200		29.83	0	-0.01	30.02	FM-15	0.00	30.01
13	0100	4		9.94		60	15.6	50	10.1	40	4.4	47	15	200		29.83	9	0.01	30.02	FM-12		
13	0154	7	CLR:00	10.00		59	15.0	49	9.6	39	3.9	48	13	190		29.83			30.02	FM-15	0.00	30.01
13	0254	7	CLR:00	10.00		58	14.4	49	9.6	40	4.4	51	13	200		29.82			30.01	FM-15	0.00	30.00
13	0354	7	CLR:00	10.00		59	15.0	50	10.0	41	5.0	51	15	210		29.85	3	-0.02	30.03	FM-15	0.00	30.03
13	0454	7	CLR:00	10.00		57	13.9	50	9.8	42	5.6	58	11	210		29.86			30.05	FM-15	0.00	30.04
13	0554	7	FEW:02 300	10.00		56	13.3	50	10.0	44	6.7	65	11	200		29.88			30.06	FM-15	0.00	30.06
13	0654	7	BKN:07 300	10.00		59	15.0	52	11.3	46	7.8	62	13	200		29.88	1	-0.04	30.07	FM-15	0.00	30.06
13	0700	4		9.94		59	15.0	52	11.3	46	7.8	62	13	200		29.88	1	-0.04	30.07	FM-12		
13	0754	7	SCT:04 300	10.00		64	17.8	55	12.7	47	8.3	54	15	220	23	29.90			30.09	FM-15	0.00	30.08
13	0854	7	FEW:02 300	10.00		68	20.0	57	13.9	48	8.9	49	15	230		29.90			30.09	FM-15	0.00	30.08
13	0954	7	SCT:04 300	10.00		73	22.8	59	15.0	48	8.9	41	15	220		29.90	1	-0.02	30.09	FM-15	0.00	30.08
13	1054	7	SCT:04 300	10.00		76	24.4	60	15.7	48	8.9	37	20	210	26	29.87			30.06	FM-15	0.00	30.05
13	1154	7	FEW:02 300	10.00		79	26.1	61	16.3	48	8.9	34	21	210	29	29.85			30.03	FM-15	0.00	30.03
13	1254	7	FEW:02 300	10.00		81	27.2	62	16.7	48	8.9	32	14	230	28	29.83	6	+0.07	30.02	FM-15	0.00	30.01
13	1300	4		9.94		81	27.2	62	16.7	48	8.9	32	14	230		29.83	6	+0.07	30.02	FM-12		
13	1354	7	BKN:07 300	10.00		82	27.8	62	16.9	48	8.9	31	23	190	29	29.80			29.99	FM-15	0.00	29.98
13	1454	7	SCT:04 300	10.00		83	28.3	62	16.6	46	7.8	27	20	200	28	29.78			29.97	FM-15	0.00	29.96
13	1554	7	SCT:04 300	10.00		83	28.3	62	16.6	46	7.8	27	21	220	28	29.78	5	+0.05	29.97	FM-15	0.00	29.96
13	1654	7	SCT:04 300	10.00		82	27.8	62	16.7	47	8.3	29	21	230	29	29.78			29.97	FM-15	0.00	29.96
13	1754	7	SCT:04 300	10.00		80	26.7	62	16.5	48	8.9	33	22	210	30	29.79			29.98	FM-15	0.00	29.97
13	1854	7	BKN:07 300	10.00		75	23.9	61	16.0	50	10.0	41	14	210		29.80	3	-0.02	29.99	FM-15	0.00	29.98
13	1900	4		9.94		75	23.9	61	16.0	50	10.0	41	14	210		29.80	3	-0.02	29.99	FM-12		
13	1954	7	BKN:07 300	10.00		72	22.2	60	15.6	51	10.6	48	11	200		29.82			30.01	FM-15	0.00	30.00
13	2054	7	SCT:04 300	10.00		72	22.2	61	15.8	52	11.1	50	15	200		29.83			30.02	FM-15	0.00	30.01
13	2154	7	SCT:04 300	10.00		71	21.7	61	15.9	53	11.7	53	16	200		29.84	1	-0.04	30.03	FM-15	0.00	30.02
13	2254	7	FEW:02 300	10.00		70	21.1	60	15.7	53	11.7	55	14	200		29.84			30.03	FM-15	0.00	30.02
13	2354	7	FEW:02 300	10.00		68	20.0	60	15.5	54	12.2	61	14	200		29.84			30.03	FM-15	0.00	30.02
14	0054	7	FEW:02 300	10.00		66	18.9	62	16.6	59	15.0	78	13	200		29.84	3	-0.01	30.03	FM-15	0.00	30.02
14	0100	4		9.94		66	18.9	62	16.6	59	15.0	78	13	200		29.84	3	-0.01	30.03	FM-12		
14	0154	7	FEW:02 300	10.00		65	18.3	62	16.7	60	15.6	84	13	200		29.83			30.02	FM-15	0.00	30.01
14	0254	7	FEW:02 300	10.00		64	17.8	62	16.5	60	15.6	87	15	200		29.82			30.01	FM-15	0.00	30.00
14	0354	7	FEW:02 300	10.00		63	17.2	61	16.2	60	15.6	90	16	200	23	29.83	5	+0.01	30.02	FM-15	0.00	30.01
14	0454	7	FEW:02 20 FEW:02 300	10.00		62	16.7	61	16.0	60	15.6	93	11	200		29.85			30.04	FM-15	0.00	30.03
14	0554	7	FEW:02 20 BKN:07 300	10.00		61	16.1	60	15.8	60	15.6	97	9	200		29.87			30.06	FM-15	0.00	30.05
14	0654	7	FEW:02 180 BKN:07 300	10.00		64	17.8	62	16.8	61	16.1	90	13	200		29.88	1	-0.05	30.07	FM-15	0.00	30.06
14	0700	4		9.94		64	17.8	62	16.8	61	16.1	90	13	200		29.88	1	-0.05	30.07	FM-12		
14	0754	7	FEW:02 30 SCT:04 300	10.00		68	20.0	64	17.6	61	16.1	78	13	220		29.87			30.06	FM-15	0.00	30.05

14	0854	7	FEW:02 30 BKN:07 300	10.00		71	21.7	65	18.3	61	16.1	71	17	220		29.88			30.07	FM-15	0.00	30.06
14	0954	7	FEW:02 30 SCT:04 180 SCT:04 300	10.00		75	23.9	66	18.8	60	15.6	60	16	240		29.88	6	+0.00	30.07	FM-15	0.00	30.06
14	1054	7	SCT:04 43 SCT:04 180 BKN:07 300	10.00		78	25.6	66	18.7	58	14.4	50	15	210	24	29.86			30.05	FM-15	0.00	30.04
14	1154	7	BKN:07 49 BKN:07 60 BKN:07 300	10.00		79	26.1	66	18.6	57	13.9	47	20	230		29.84			30.03	FM-15	0.00	30.02
14	1254	7	BKN:07 60 BKN:07 300	10.00		81	27.2	66	18.7	56	13.3	42	20	230	30	29.82	8	+0.06	30.01	FM-15	0.00	30.00
14	1300	4	57	9.94		81	27.2	66	18.7	56	13.3	42	20	230		29.82	8	+0.06	30.01	FM-12		
14	1354	7	BKN:07 65 BKN:07 300	10.00		82	27.8	66	18.9	56	13.3	41	15	200	24	29.80			29.98	FM-15	0.00	29.98
14	1454	7	SCT:04 65 BKN:07 300	10.00		83	28.3	65	18.6	54	12.2	37	23	220	28	29.76			29.95	FM-15	0.00	29.94
14	1554	7	FEW:02 65 BKN:07 300	10.00		82	27.8	65	18.4	54	12.2	38	22	190	32	29.74	6	+0.08	29.93	FM-15	0.00	29.92
14	1654	7	FEW:02 65 BKN:07 300	10.00		82	27.8	65	18.4	54	12.2	38	22	210	32	29.75			29.94	FM-15	0.00	29.93
14	1754	7	BKN:07 300	10.00		79	26.1	65	18.1	55	12.8	44	15	200	21	29.75			29.94	FM-15	0.00	29.93
14	1854	7	BKN:07 300	10.00		75	23.9	63	17.3	55	12.8	50	13	200		29.76	1	-0.02	29.95	FM-15	0.00	29.94
14	1900	4		9.94		75	23.9	63	17.3	55	12.8	50	13	200		29.76	1	-0.02	29.95	FM-12		
14	1954	7	BKN:07 300	10.00		71	21.7	62	16.5	55	12.8	57	8	190		29.78			29.97	FM-15	0.00	29.96
14	2054	7	BKN:07 300	10.00		71	21.7	62	16.7	56	13.3	59	8	180		29.80			29.99	FM-15	0.00	29.98
14	2154	7	SCT:04 300	10.00		71	21.7	62	16.7	56	13.3	59	10	190		29.80	0	-0.04	29.99	FM-15	0.00	29.98
14	2254	7	SCT:04 300	10.00		70	21.1	63	17.4	59	15.0	68	14	180		29.80			29.98	FM-15	0.00	29.98
14	2354	7	SCT:04 300	10.00		69	20.6	65	18.5	63	17.2	81	14	180		29.80			29.99	FM-15	0.00	29.98
15	0054	7	SCT:04 300	10.00		68	20.0	66	18.6	64	17.8	87	14	190		29.80	3	-0.00	29.99	FM-15	0.00	29.98
15	0100	4		9.94		68	20.0	66	18.6	64	17.8	87	14	190		29.80	3	-0.00	29.99	FM-12		
15	0154	7	SCT:04 300	10.00		67	19.4	65	18.4	64	17.8	91	13	200		29.80			29.98	FM-15	0.00	29.98
15	0254	7	SCT:04 300	10.00		65	18.3	64	18.0	64	17.8	97	10	190		29.80			29.99	FM-15	0.00	29.98
15	0343	7	BKN:07 15 OVC:08 300	10.00		67	19.4	66	18.8	65	18.3	93	16	200		29.82				FM-16		30.00
15	0354	7	BKN:07 15 BKN:07 300	10.00		67	19.4	66	18.8	65	18.3	93	14	190	24	29.82	3	-0.01	30.01	FM-15	0.00	30.00
15	0452	6	SCT:04 16 SCT:04 300	10.00		64	18.0	64	17.8	64	18.0	100	11	180		29.83				FM-16		30.01
15	0454	7	SCT:04 16 SCT:04 300	10.00		65	18.3	65	18.3	65	18.3	100	11	180		29.83			30.02	FM-15	0.00	30.01
15	0554	7	SCT:04 13 SCT:04 50 BKN:07 300	10.00		65	18.3	65	18.3	65	18.3	100	8	160		29.84			30.03	FM-15	0.00	30.02
15	0654	7	FEW:02 13 SCT:04 50 BKN:07 75	10.00		66	18.9	66	18.9	66	18.9	100	7	160		29.84	1	-0.02	30.03	FM-15	0.00	30.02
15	0700	4	15	9.94		66	18.9	66	18.9	66	18.9	100	7	160		29.84	1	-0.02	30.03	FM-12		
15	0754	7	SCT:04 16 BKN:07 34 OVC:08 60	10.00		69	20.6	68	19.8	67	19.4	93	7	180		29.84			30.03	FM-15	0.00	30.02
15	0854	7	BKN:07 16 OVC:08 34	10.00		70	21.1	68	20.0	67	19.4	90	9	150		29.84			30.03	FM-15	0.00	30.02
15	0925	7	SCT:04 16 SCT:04 21 BKN:07 65	10.00		73	22.8	70	21.0	68	20.0	84	11	170		29.83				FM-16		30.01
15	0954	7	SCT:04 20 BKN:07 30 BKN:07 60	10.00		74	23.3	69	20.8	67	19.4	79	13	160		29.82	8	+0.01	30.01	FM-15	0.00	30.00
15	1054	7	FEW:02 20 SCT:04 32 OVC:08 90	10.00		77	25.0	70	21.0	66	18.9	69	10	150		29.80			29.99	FM-15	0.00	29.98

15	1154	7	BKN:07 32 BKN:07 50 OVC:08 80	10.00		75	23.9	71	21.7	69	20.6	82	7	140		29.78			29.97	FM-15	T	29.96
15	1254	7	BKN:07 34 BKN:07 42 OVC:08 85	10.00		76	24.4	70	20.8	66	18.9	72	17	150		29.74	8	+0.08	29.93	FM-15	0.00	29.92
15	1300	4	41	9.94		76	24.4	70	20.8	66	18.9	72	17	150		29.74	8	+0.08	29.93	FM-12		
15	1354	7	FEW:02 36 BKN:07 55 OVC:08 85	10.00		75	23.9	69	20.3	65	18.3	71	15	140		29.71			29.90	FM-15	0.00	29.89
15	1424	7	SCT:04 30 BKN:07 45 OVC:08 55	2.00	-RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	13	160		29.70				FM-16	T	29.88
15	1438	7	FEW:02 16 BKN:07 41 OVC:08 65	10.00		72	22.2	71	21.9	71	21.7	97	8	160		29.69				FM-16	0.01	29.87
15	1454	7	FEW:02 16 SCT:04 41 BKN:07 100	10.00		74	23.3	71	21.9	70	21.1	88	7	130		29.68			29.87	FM-15	0.01	29.86
15	1540	7	BKN:07 20 BKN:07 41 BKN:07 95	8.00	RA RA	71	21.7	70	21.3	70	21.1	96	11	130		29.67				FM-16	0.01	29.85
15	1546	7	SCT:04 20 BKN:07 41 BKN:07 95	8.00	RA RA	71	21.7	71	21.7	71	21.7	100	11	120		29.66				FM-16	0.01	29.84
15	1554	7	SCT:04 12 BKN:07 50 BKN:07 95	10.00		71	21.7	71	21.7	71	21.7	100	11	130		29.66	6	+0.08	29.85	FM-15	0.01	29.84
15	1602	7	SCT:04 9 BKN:07 41 BKN:07 95	10.00		70	21.1	70	21.1	70	21.1	100	14	130		29.66				FM-16		29.84
15	1654	7	FEW:02 9 FEW:02 18 SCT:04 100	10.00		71	21.7	71	21.7	71	21.7	100	13	130		29.63			29.82	FM-15	0.00	29.81
15	1754	7	FEW:02 25 FEW:02 65 OVC:08 260	10.00		71	21.7	71	21.7	71	21.7	100	9	110		29.61			29.80	FM-15	0.00	29.79
15	1854	7	FEW:02 10 BKN:07 38 BKN:07 240	10.00		71	21.7	71	21.7	71	21.7	100	9	120		29.60	6	+0.06	29.78	FM-15	0.00	29.78
15	1900	4	15	9.94		71	21.7	71	21.7	71	21.7	100	9	120		29.60	6	+0.06	29.78	FM-12		
15	1954	7	FEW:02 29 SCT:04 65 OVC:08 230	10.00		72	22.2	70	21.1	69	20.6	91	17	150		29.57			29.76	FM-15	0.00	29.75
15	2052	6	FEW:02 25 BKN:07 29 BKN:07 39	10.00		73	23.0	71	21.7	70	21.0	89	21	150	26	29.55				FM-16		29.73
15	2054	7	SCT:04 21 BKN:07 32 OVC:08 250	10.00		73	22.8	70	21.3	69	20.6	87	20	150	26	29.55			29.74	FM-15	0.00	29.73
15	2115	7	BKN:07 22 BKN:07 39 OVC:08 250	10.00		73	22.8	70	21.3	69	20.6	87	20	150	26	29.54				FM-16		29.72
15	2154	7	BKN:07 22 BKN:07 45 BKN:07 70	10.00		72	22.2	70	21.1	69	20.6	91	18	140	28	29.52	8	+0.09	29.70	FM-15	0.00	29.69
15	2254	7	BKN:07 21 BKN:07 32 OVC:08 49	10.00		73	22.8	70	21.3	69	20.6	87	18	150	30	29.47			29.66	FM-15	0.00	29.65
15	2354	7	BKN:07 22 OVC:08 39	10.00	-RA:02 RA RA	72	22.2	70	21.1	69	20.6	91	24	140	34	29.41			29.59	FM-15	T	29.59
15	2359	7	BKN:07 22 OVC:08 35	10.00	TS:7 -RA:02 RA TS TS RA	72	22.2	70	21.1	69	20.6	91	21	150	37	29.41				FM-16	T	29.58
16	0008	7	FEW:02 5 OVC:08 20	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	71	21.7	70	20.9	69	20.6	94	39	220	48	29.44				FM-16	T	29.62

16	0016	6	FEW:02 5 OVC:08 20	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	66	18.9	66	18.9	66	18.9	100	31	200	51	29.44				FM-16		29.62
16	0027	7	BKN:07 15 OVC:08 26	1.00	TS:7 +RA:02 BR:1 RA TS RA	65	18.3	65	18.3	65	18.3	100	24	190	36	29.44				FM-16	0.41	29.61
16	0036	7	BKN:07 11 OVC:08 18	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	65	18.3	65	18.3	65	18.3	100	21	200	36	29.44				FM-16	0.55	29.61
16	0054	7	SCT:04 9 OVC:08 15	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	65	18.3	65	18.3	65	18.3	100	21	210	33	29.45	5	+0.05	29.64	FM-15	1.11s	29.63
16	0100	4	8	0.50	FG	65	18.3	65	18.3	65	18.3	100	21	210		29.45	5	+0.05	29.64	FM-12		
16	0104	7	FEW:02 7 OVC:08 26	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	64	17.8	63	17.4	63	17.2	96	18	220	32	29.44				FM-16	0.21	29.61
16	0113	7	SCT:04 7 OVC:08 30	2.00	TS:7 RA:02 BR:1 RA TS RA	63	17.2	63	17.2	63	17.2	100	10	220	23	29.41				FM-16	0.26	29.59
16	0142	7	FEW:02 9 OVC:08 40	3.00	RA:02 BR:1 RA RA	62	16.7	62	16.7	62	16.7	100	10	220		29.41				FM-16	0.41	29.59
16	0154	7	FEW:02 9 OVC:08 43	5.00	RA:02 BR:1 RA RA	62	16.7	62	16.7	62	16.7	100	13	230	18	29.39			29.57	FM-15	0.31	29.57
16	0208	7	BKN:07 45 BKN:07 55 OVC:08 85	2.50	RA:02 BR:1 RA RA	62	16.7	62	16.7	62	16.7	100	11	230		29.36				FM-16	0.08	29.54
16	0213	7	BKN:07 47 OVC:08 85	6.00	-RA:02 BR:1 RA RA	62	16.7	62	16.7	62	16.7	100	11	210		29.37				FM-16	0.08	29.55
16	0254	7	FEW:02 50 OVC:08 110	7.00	-RA:02 RA RA	61	16.1	61	16.1	61	16.1	100	5	110		29.34			29.52	FM-15	0.11	29.51
16	0332	7	BKN:07 25 OVC:08 90	10.00		61	16.1	61	16.1	61	16.1	100	8	140		29.34				FM-16	T	29.51
16	0354	7	BKN:07 23 OVC:08 50	10.00		62	16.7	62	16.7	62	16.7	100	9	150		29.31	6	+0.14	29.50	FM-15	T	29.49
16	0454	7	SCT:04 12 BKN:07 17 OVC:08 30	10.00		63	17.2	63	17.2	63	17.2	100	14	170		29.29			29.48	FM-15	0.00	29.47
16	0504	7	BKN:07 14 BKN:07 21 OVC:08 28	10.00		63	17.2	63	17.2	63	17.2	100	13	170		29.29				FM-16		29.47
16	0554	7	FEW:02 9 SCT:04 25	10.00		58	14.4	54	12.3	51	10.6	78	16	200	32	29.31			29.49	FM-15	0.00	29.48
16	0654	7	FEW:02 12 SCT:04 35	10.00		56	13.3	52	11.3	49	9.4	77	20	210	30	29.34	3	-0.02	29.52	FM-15	0.00	29.51
16	0700	4	15	9.94		56	13.3	52	11.3	49	9.4	77	20	210		29.33	3	-0.02	29.52	FM-12		
16	0733	7	BKN:07 25 OVC:08 36	10.00		55	12.8	52	11.0	49	9.4	80	17	200		29.36				FM-16		29.53
16	0754	7	OVC:08 23	10.00		54	12.2	51	10.8	49	9.4	83	18	210	25	29.36			29.54	FM-15	0.00	29.53
16	0854	7	OVC:08 20	10.00		54	12.2	52	11.0	50	10.0	87	17	210	24	29.36			29.54	FM-15	0.00	29.53
16	0948	7	OVC:08 18	1.75	-RA:02 BR:1 RA RA	54	12.0	53	11.6	52	11.0	94	21	230	30	29.37				FM-16	T	29.55
16	0954	7	OVC:08 18	1.75	-RA:02 BR:1 RA RA	53	11.7	52	11.4	52	11.1	96	17	230		29.37	3	-0.05	29.57	FM-15	T	29.55
16	0956	7	BKN:07 16 OVC:08 21	4.00	-RA:02 BR:1 RA RA	53	11.7	52	11.4	52	11.1	96	16	230	25	29.37				FM-16	T	29.55
16	1054	7	SCT:04 16 BKN:07 22 OVC:08 46	10.00		54	12.2	53	11.6	52	11.1	93	15	260	24	29.41			29.59	FM-15	T	29.58
16	1119	7	FEW:02 17 BKN:07 31 OVC:08 70	10.00		56	13.3	54	12.1	52	11.1	87	14	260		29.41				FM-16	T	29.58
16	1152	6	FEW:02 20 BKN:07 24 OVC:08 55	10.00		59	15.0	55	12.9	52	11.0	77	21	270	25	29.41				FM-16		29.58
16	1154	7	BKN:07 24 BKN:07 33 OVC:08 55	10.00		59	15.0	54	12.3	50	10.0	72	22	270	28	29.41			29.59	FM-15	T	29.58
16	1214	7	SCT:04 28 BKN:07 38	10.00		58	14.4	52	11.2	47	8.3	67	16	290	25	29.41				FM-16		29.59
16	1254	7	FEW:02 35 SCT:04 42 BKN:07 60	10.00		59	15.0	52	11.0	45	7.2	60	16	280		29.41	1	-0.04	29.60	FM-15	0.00	29.59

16	1300	4	41	9.94		59	15.0	52	11.0	45	7.2	60	16	280		29.41	1	-0.04	29.60	FM-12		
16	1354	7	SCT:04 42 BKN:07 50 BKN:07 65	10.00		59	15.0	50	9.8	40	4.4	49	18	250	25	29.42			29.61	FM-15	0.00	29.60
16	1454	7	SCT:04 55 BKN:07 70	10.00		60	15.6	50	9.8	39	3.9	46	17	250	26	29.42			29.61	FM-15	0.00	29.60
16	1554	7	FEW:02 55 BKN:07 70	10.00		59	15.0	48	9.1	37	2.8	44	18	250	26	29.44	3	-0.02	29.62	FM-15	0.00	29.61
16	1654	7	FEW:02 55 BKN:07 75	10.00		58	14.4	47	8.4	35	1.7	42	15	240		29.47			29.65	FM-15	0.00	29.64
16	1754	7	FEW:02 60 BKN:07 80	10.00		57	13.9	46	8.0	34	1.1	42	15	260		29.48			29.67	FM-15	0.00	29.66
16	1854	7	FEW:02 70 OVC:08 85	10.00		56	13.3	46	7.5	33	0.6	42	14	270		29.50	1	-0.07	29.69	FM-15	0.00	29.68
16	1900	4	74	9.94		56	13.3	46	7.5	33	0.6	42	14	270		29.50	1	-0.07	29.69	FM-12		
16	1954	7	BKN:07 65 OVC:08 80	10.00		53	11.7	44	6.7	33	0.6	47	14	280		29.53			29.72	FM-15	0.00	29.71
16	2054	7	SCT:04 65 OVC:08 80	10.00	-RA:02 RA RA	52	11.1	44	6.4	33	0.6	49	18	280		29.56			29.75	FM-15	T	29.74
16	2154	7	OVC:08 49	10.00	-RA:02 RA RA	49	9.4	42	5.3	32	0.0	52	16	300		29.58	1	-0.08	29.77	FM-15	T	29.76
16	2254	7	BKN:07 46 OVC:08 60	10.00		47	8.3	41	5.0	33	0.6	59	14	290	23	29.60			29.79	FM-15	T	29.78
16	2354	7	SCT:04 41 BKN:07 60 OVC:08 100	10.00		46	7.8	39	4.1	30	-1.1	54	13	290		29.62			29.81	FM-15	0.00	29.80
17	0054	7	OVC:08 60	10.00		46	7.8	38	3.5	27	-2.8	47	14	300		29.62	1	-0.04	29.82	FM-15	0.00	29.80
17	0100	4	57	9.94		46	7.8	38	3.5	27	-2.8	47	14	300		29.62	1	-0.04	29.82	FM-12		
17	0154	7	BKN:07 65	10.00		44	6.7	36	2.2	23	-5.0	43	16	300	24	29.63			29.82	FM-15	0.00	29.81
17	0254	7	FEW:02 65	10.00		42	5.6	34	1.4	22	-5.6	45	15	300	22	29.64			29.83	FM-15	0.00	29.82
17	0354	7	FEW:02 65	10.00		40	4.4	34	0.9	23	-5.0	51	13	290		29.65	3	-0.03	29.84	FM-15	0.00	29.83
17	0454	7	FEW:02 65	10.00		39	3.9	33	0.6	23	-5.0	53	11	280		29.66			29.85	FM-15	0.00	29.84
17	0554	7	FEW:02 65	10.00		38	3.3	33	0.4	24	-4.4	57	9	250		29.67			29.87	FM-15	0.00	29.85
17	0654	7	FEW:02 60	10.00		41	5.0	35	1.6	25	-3.9	53	11	260		29.70	3	-0.05	29.89	FM-15	0.00	29.88
17	0700	4	57	9.94		41	5.0	35	1.6	25	-3.9	53	11	260		29.70	3	-0.05	29.89	FM-12		
17	0754	7	FEW:02 60	10.00		44	6.7	36	2.4	24	-4.4	45	11	260	21	29.71			29.91	FM-15	0.00	29.89
17	0854	7	FEW:02 30 SCT:04 70	10.00		47	8.3	38	3.3	24	-4.4	41	16	250		29.70			29.90	FM-15	0.00	29.88
17	0954	7	FEW:02 30 BKN:07 60	10.00		47	8.3	38	3.4	25	-3.9	42	18	240		29.70	1	-0.01	29.90	FM-15	0.00	29.88
17	1054	7	OVC:08 50	10.00		46	7.8	38	3.3	26	-3.3	46	17	270	22	29.70			29.89	FM-15	0.00	29.88
17	1154	7	BKN:07 46	10.00		47	8.3	39	3.8	27	-2.8	46	20	250	24	29.67			29.87	FM-15	0.00	29.85
17	1254	7	BKN:07 47	10.00		49	9.4	40	4.4	27	-2.8	43	15	260	24	29.65	8	+0.06	29.84	FM-15	0.00	29.83
17	1300	4	41	9.94		49	9.4	40	4.4	27	-2.8	43	15	260		29.65	8	+0.06	29.84	FM-12		
17	1354	7	BKN:07 50	10.00		51	10.6	41	5.0	27	-2.8	39	18	270	28	29.62			29.81	FM-15	0.00	29.80
17	1454	7	SCT:04 60	10.00		52	11.1	41	5.1	26	-3.3	37	18	270	28	29.61			29.80	FM-15	0.00	29.79
17	1554	7	SCT:04 70	10.00		53	11.7	42	5.6	27	-2.8	37	13	300	18	29.58	6	+0.06	29.78	FM-15	0.00	29.76
17	1654	7	FEW:02 70	10.00		54	12.2	43	6.0	28	-2.2	37	9	270		29.57			29.77	FM-15	0.00	29.75
17	1754	7	FEW:02 70	10.00		53	11.7	42	5.6	27	-2.8	37	5	270		29.58			29.78	FM-15	0.00	29.76
17	1854	7	FEW:02 100	10.00		47	8.3	40	4.6	31	-0.6	54	6	050		29.61	3	-0.03	29.81	FM-15	0.00	29.79
17	1900	4		9.94		47	8.3	40	4.6	31	-0.6	54	6	050		29.61	3	-0.03	29.81	FM-12		
17	1954	7	FEW:02 100	10.00		45	7.2	39	4.0	31	-0.6	58	6	060		29.64			29.83	FM-15	0.00	29.82
17	2054	7	FEW:02 100	10.00		43	6.1	38	3.3	31	-0.6	63	7	040		29.67			29.86	FM-15	0.00	29.85
17	2154	7	FEW:02 100	10.00		43	6.1	38	3.1	30	-1.1	60	5	040		29.68	1	-0.06	29.88	FM-15	0.00	29.86
17	2254	7	CLR:00	10.00		41	5.0	37	2.5	30	-1.1	65	3	040		29.69			29.88	FM-15	0.00	29.87
17	2354	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	3	030		29.70			29.89	FM-15	0.00	29.88
18	0054	7	FEW:02 100	10.00		40	4.4	36	2.2	30	-1.1	68	5	050		29.69	1	-0.01	29.89	FM-15	0.00	29.87
18	0100	4		9.94		40	4.4	36	2.2	30	-1.1	68	5	050		29.69	1	-0.01	29.89	FM-12		
18	0154	7	FEW:02 75	10.00		38	3.3	35	1.8	31	-0.6	76	8	040		29.71			29.91	FM-15	0.00	29.89
18	0254	7	BKN:07 70	10.00		40	4.4	36	2.0	29	-1.7	65	8	040		29.72			29.92	FM-15	0.00	29.90
18	0354	7	OVC:08 65	10.00		40	4.4	35	1.6	27	-2.8	60	5	050		29.73	1	-0.04	29.93	FM-15	0.00	29.91

18	0454	7	OVC:08 65	10.00		40	4.4	35	1.6	27	-2.8	60	6	050		29.74			29.93	FM-15	0.00	29.92
18	0554	7	BKN:07 65 OVC:08 90	10.00		40	4.4	35	1.4	26	-3.3	58	5	050		29.76			29.96	FM-15	0.00	29.94
18	0654	7	SCT:04 60 OVC:08 80	10.00		41	5.0	35	1.6	25	-3.9	53	5	050		29.78	3	-0.05	29.97	FM-15	0.00	29.96
18	0700	4	57	9.94		41	5.0	35	1.6	25	-3.9	53	5	050		29.78	3	-0.05	29.97	FM-12		
18	0754	7	BKN:07 60 BKN:07 80	10.00		43	6.1	36	2.4	26	-3.3	51	5	080		29.78			29.97	FM-15	0.00	29.96
18	0854	7	BKN:07 55	10.00		46	7.8	38	3.5	27	-2.8	47	5	VRB		29.76			29.96	FM-15	0.00	29.94
18	0954	7	SCT:04 60	10.00		49	9.4	41	5.0	30	-1.1	48	5	VRB		29.75	8	+0.03	29.95	FM-15	0.00	29.93
18	1054	7	FEW:02 60	10.00		52	11.1	44	6.6	34	1.1	50	7	VRB		29.73			29.92	FM-15	0.00	29.91
18	1154	7	FEW:02 80 FEW:02 300	10.00		57	13.9	47	8.4	36	2.2	45	7	180		29.70			29.90	FM-15	0.00	29.88
18	1254	7	FEW:02 300	10.00		62	16.7	50	10.1	38	3.3	41	6	VRB		29.68	6	+0.07	29.87	FM-15	0.00	29.86
18	1300	4		9.94		62	16.7	50	10.1	38	3.3	41	6			29.68	6	+0.07	29.87	FM-12		
18	1354	7	FEW:02 100 FEW:02 300	10.00		66	18.9	53	11.8	41	5.0	40	9	200	20	29.64			29.83	FM-15	0.00	29.82
18	1454	7	FEW:02 120	10.00		69	20.6	56	13.2	44	6.7	41	10	190		29.60			29.80	FM-15	0.00	29.78
18	1554	7	FEW:02 150	10.00		72	22.2	58	14.3	46	7.8	40	9	170		29.57	6	+0.11	29.76	FM-15	0.00	29.75
18	1654	7	FEW:02 65	10.00		74	23.3	59	15.0	47	8.3	38	8	200		29.56			29.75	FM-15	0.00	29.74
18	1754	7	CLR:00	10.00		72	22.2	59	15.0	49	9.4	44	9	140		29.53			29.72	FM-15	0.00	29.71
18	1854	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	7	100		29.52	6	+0.06	29.70	FM-15	0.00	29.69
18	1900	4		9.94		66	18.9	57	13.7	49	9.4	54	7	100		29.51	6	+0.06	29.70	FM-12		
18	1954	7	CLR:00	10.00		61	16.1	54	12.3	48	8.9	63	9	100		29.53			29.72	FM-15	0.00	29.71
18	2054	7	CLR:00	10.00		55	12.8	52	11.0	49	9.4	80	9	110		29.53			29.72	FM-15	0.00	29.71
18	2154	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	7	110		29.52	8	+0.01	29.70	FM-15	0.00	29.69
18	2254	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	7	120		29.47			29.66	FM-15	0.00	29.65
18	2354	7	CLR:00	10.00		49	9.4	49	9.4	49	9.4	100	5	120		29.44			29.63	FM-15	0.00	29.62
19	0054	7	CLR:00	10.00		50	10.0	50	10.0	50	10.0	100	0	000		29.42	6	+0.09	29.61	FM-15	0.00	29.60
19	0100	4		9.94		50	10.0	50	10.0	50	10.0	100	0	000		29.42	6	+0.09	29.61	FM-12		
19	0154	7	CLR:00	10.00		47	8.3	47	8.3	47	8.3	100	0	000		29.41			29.59	FM-15	0.00	29.58
19	0254	7	CLR:00	10.00		49	9.4	49	9.4	49	9.4	100	7	320		29.42			29.62	FM-15	0.00	29.60
19	0354	7	CLR:00	10.00		48	8.9	48	8.9	48	8.9	100	6	310		29.44	3	-0.01	29.62	FM-15	0.00	29.61
19	0454	7	CLR:00	10.00		50	10.0	48	9.2	47	8.3	89	10	340		29.49			29.68	FM-15	0.00	29.67
19	0554	7	BKN:07 110 BKN:07 300	10.00		50	10.0	48	9.2	47	8.3	89	10	350		29.52			29.70	FM-15	0.00	29.69
19	0654	7	BKN:07 80 BKN:07 120	10.00		51	10.6	49	9.7	48	8.9	89	10	360		29.56	1	-0.12	29.75	FM-15	0.00	29.74
19	0700	4	74	9.94		51	10.6	49	9.7	48	8.9	89	10	360		29.56	1	-0.12	29.75	FM-12		
19	0754	7	BKN:07 60 BKN:07 90	10.00		53	11.7	50	10.0	47	8.3	80	6	020		29.56			29.75	FM-15	T	29.74
19	0854	7	SCT:04 38 BKN:07 75 BKN:07 90	9.00	-RA:02 RA RA	55	12.8	52	11.3	50	10.0	83	0	000		29.58			29.77	FM-15	0.02	29.76
19	0954	7	FEW:02 70 FEW:02 95	10.00		59	15.0	54	12.0	49	9.4	69	5	VRB		29.58	0	-0.02	29.77	FM-15	T	29.76
19	1054	7	FEW:02 40	10.00		68	20.0	58	14.4	50	10.0	53	11	270	17	29.58			29.77	FM-15	0.00	29.76
19	1154	7	BKN:07 43	10.00		69	20.6	57	13.9	47	8.3	45	22	280	28	29.59			29.78	FM-15	0.00	29.77
19	1254	7	FEW:02 45 BKN:07 70	10.00		67	19.4	52	11.4	38	3.3	35	20	280	33	29.63	3	-0.06	29.83	FM-15	0.00	29.81
19	1300	4	41	9.94		67	19.4	52	11.4	38	3.3	35	20	280		29.63	3	-0.06	29.83	FM-12		
19	1354	7	SCT:04 70	10.00		66	18.9	51	10.5	35	1.7	32	23	300	37	29.67			29.86	FM-15	0.00	29.85
19	1454	7	FEW:02 70	10.00		64	17.8	49	9.6	33	0.6	32	30	300	40	29.70			29.90	FM-15	0.00	29.88
19	1554	7	FEW:02 70	10.00		62	16.7	47	8.6	30	-1.1	30	22	320	36	29.75	3	-0.11	29.94	FM-15	0.00	29.93
19	1654	7	FEW:02 70	10.00		60	15.6	46	7.9	29	-1.7	31	22	320	36	29.78			29.97	FM-15	0.00	29.96
19	1754	7	FEW:02 65	10.00		57	13.9	44	6.7	27	-2.8	32	20	330	33	29.82			30.01	FM-15	0.00	30.00
19	1854	7	FEW:02 60	10.00		53	11.7	42	5.8	28	-2.2	38	15	330	23	29.87	3	-0.12	30.06	FM-15	0.00	30.05
19	1900	4	57	9.94		53	11.7	42	5.8	28	-2.2	38	15	330		29.87	3	-0.12	30.06	FM-12		
19	1954	7	FEW:02 300	10.00		50	10.0	41	4.9	28	-2.2	43	21	350	30	29.93			30.13	FM-15	0.00	30.11

19	2054	7	FEW:02 300	10.00		47	8.3	39	3.6	26	-3.3	44	18	350	25	29.98			30.17	FM-15	0.00	30.16
19	2154	7	CLR:00	10.00		45	7.2	38	3.2	27	-2.8	49	10	360		30.00	1	-0.13	30.19	FM-15	0.00	30.18
19	2254	7	CLR:00	10.00		43	6.1	37	2.6	27	-2.8	53	6	320		30.01			30.20	FM-15	0.00	30.19
19	2354	7	CLR:00	10.00		43	6.1	36	2.4	26	-3.3	51	9	300		30.01			30.20	FM-15	0.00	30.19
20	0054	7	CLR:00	10.00		42	5.6	36	2.3	27	-2.8	55	6	310		30.01	1	-0.01	30.21	FM-15	0.00	30.19
20	0100	4		9.94		42	5.6	36	2.3	27	-2.8	55	6	310		30.01	1	-0.01	30.21	FM-12		
20	0154	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	5	220		30.01			30.21	FM-15	0.00	30.19
20	0254	7	CLR:00	10.00		36	2.2	33	0.7	29	-1.7	76	0	000		30.03			30.22	FM-15	0.00	30.21
20	0354	7	CLR:00	10.00		42	5.6	36	2.3	27	-2.8	55	7	300		30.04	3	-0.03	30.24	FM-15	0.00	30.22
20	0454	7	CLR:00	10.00		39	3.9	35	1.5	28	-2.2	65	10	350		30.08			30.27	FM-15	0.00	30.26
20	0554	7	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	10	360		30.11			30.31	FM-15	0.00	30.29
20	0654	7	CLR:00	10.00		43	6.1	35	1.7	22	-5.6	43	15	350		30.13	1	-0.09	30.33	FM-15	0.00	30.31
20	0700	4		9.94		43	6.1	35	1.7	22	-5.6	43	15	350		30.13	1	-0.09	30.33	FM-12		
20	0754	7	CLR:00	10.00		46	7.8	36	2.2	19	-7.2	34	15	350	23	30.14			30.34	FM-15	0.00	30.32
20	0854	7	CLR:00	10.00		49	9.4	38	3.2	19	-7.2	31	16	320		30.15			30.35	FM-15	0.00	30.33
20	0954	7	CLR:00	10.00		51	10.6	39	3.8	19	-7.2	28	18	330	25	30.15	1	-0.02	30.35	FM-15	0.00	30.33
20	1054	7	CLR:00	10.00		54	12.2	41	4.9	21	-6.1	28	10	310	21	30.14			30.33	FM-15	0.00	30.32
20	1154	7	CLR:00	10.00		57	13.9	42	5.8	21	-6.1	25	16	350	25	30.13			30.32	FM-15	0.00	30.31
20	1254	7	CLR:00	10.00		59	15.0	44	6.7	23	-5.0	25	16	330	23	30.12	6	+0.04	30.31	FM-15	0.00	30.30
20	1300	4		9.94		59	15.0	44	6.7	23	-5.0	25	16	330		30.12	6	+0.04	30.31	FM-12		
20	1354	7	CLR:00	10.00		61	16.1	45	7.2	23	-5.0	23	9	VRB	25	30.10			30.29	FM-15	0.00	30.28
20	1454	7	CLR:00	10.00		63	17.2	46	7.6	22	-5.6	21	15	290		30.08			30.27	FM-15	0.00	30.26
20	1554	7	CLR:00	10.00		63	17.2	46	7.6	22	-5.6	21	10	290		30.08	5	+0.03	30.28	FM-15	0.00	30.26
20	1654	7	CLR:00	10.00		64	17.8	46	7.9	22	-5.6	20	13	330		30.09			30.28	FM-15	0.00	30.27
20	1754	7	CLR:00	10.00		62	16.7	45	7.5	23	-5.0	22	13	360		30.09			30.28	FM-15	0.00	30.27
20	1854	7	CLR:00	10.00		56	13.3	43	6.1	25	-3.9	30	7	360		30.11	3	-0.02	30.30	FM-15	0.00	30.29
20	1900	4		9.94		56	13.3	43	6.1	25	-3.9	30	7	360		30.11	3	-0.02	30.30	FM-12		
20	1954	7	CLR:00	10.00		52	11.1	42	5.7	29	-1.7	41	6	040		30.14			30.33	FM-15	0.00	30.32
20	2054	7	CLR:00	10.00		51	10.6	41	5.2	28	-2.2	41	3	040		30.17			30.36	FM-15	0.00	30.35
20	2154	7	CLR:00	10.00		47	8.3	40	4.6	31	-0.6	54	7	020		30.18	1	-0.07	30.37	FM-15	0.00	30.36
20	2254	7	CLR:00	10.00		47	8.3	40	4.2	29	-1.7	50	6	030		30.19			30.39	FM-15	0.00	30.37
20	2354	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	3	150		30.21			30.40	FM-15	0.00	30.39
21	0054	7	CLR:00	10.00		43	6.1	38	3.4	31	-0.6	63	0	000		30.21	0	-0.03	30.40	FM-15	0.00	30.39
21	0100	4		9.94		43	6.1	38	3.4	31	-0.6	63	0	000		30.21	9	0.03	30.40	FM-12		
21	0154	7	CLR:00	10.00		39	3.9	35	1.9	30	-1.1	70	0	000		30.21			30.40	FM-15	0.00	30.39
21	0254	7	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	7	350		30.23			30.42	FM-15	0.00	30.41
21	0354	7	CLR:00	10.00		41	5.0	38	3.4	34	1.1	76	7	040		30.25	3	-0.04	30.44	FM-15	0.00	30.43
21	0454	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	6	040		30.25			30.45	FM-15	0.00	30.43
21	0554	7	BKN:07 300	10.00		39	3.9	37	2.7	34	1.1	82	7	030		30.28			30.47	FM-15	0.00	30.46
21	0654	7	BKN:07 300	10.00		44	6.7	39	4.1	33	0.6	65	8	060		30.30	3	-0.05	30.49	FM-15	0.00	30.48
21	0700	4		9.94		44	6.7	39	4.1	33	0.6	65	8	060		30.30	3	-0.05	30.49	FM-12		
21	0754	7	BKN:07 300	10.00		48	8.9	42	5.3	33	0.6	56	9	060		30.30			30.50	FM-15	0.00	30.48
21	0854	7	SCT:04 300	10.00		52	11.1	43	6.1	31	-0.6	45	6	010		30.31			30.50	FM-15	0.00	30.49
21	0954	7	SCT:04 300	10.00		54	12.2	44	6.4	30	-1.1	40	0	000		30.31	0	-0.01	30.50	FM-15	0.00	30.49
21	1054	7	FEW:02 300	10.00		57	13.9	45	7.5	31	-0.6	37	3	VRB		30.28			30.47	FM-15	0.00	30.46
21	1154	7	FEW:02 300	10.00		58	14.4	46	7.7	31	-0.6	36	0	000		30.26			30.45	FM-15	0.00	30.44
21	1254	7	FEW:02 300	10.00		61	16.1	47	8.2	29	-1.7	30	5	360		30.22	8	+0.08	30.42	FM-15	0.00	30.40
21	1300	4		9.94		61	16.1	47	8.2	29	-1.7	30	5	360		30.22	8	+0.08	30.42	FM-12		
21	1354	7	FEW:02 300	10.00		62	16.7	47	8.4	29	-1.7	29	3	VRB		30.20			30.40	FM-15	0.00	30.38
21	1454	7	FEW:02 300	10.00		61	16.1	46	8.0	28	-2.2	29	3	VRB		30.17			30.37	FM-15	0.00	30.35
21	1554	7	FEW:02 300	10.00		65	18.3	48	9.1	28	-2.2	25	0	000		30.16	6	+0.06	30.36	FM-15	0.00	30.34
21	1654	7	FEW:02 300	10.00		65	18.3	48	8.9	27	-2.8	24	0	000		30.16			30.35	FM-15	0.00	30.34
21	1754	7	FEW:02 150 SCT:04 300	10.00		63	17.2	47	8.4	27	-2.8	26	0	000		30.16			30.35	FM-15	0.00	30.34
21	1854	7	FEW:02 150 BKN:07 300	10.00		58	14.4	46	7.7	31	-0.6	36	3	120		30.16	5	+0.00	30.35	FM-15	0.00	30.34
21	1900	4		9.94		58	14.4	46	7.7	31	-0.6	36	3	120		30.16	5	+0.00	30.35	FM-12		

21	1954	7	FEW:02 150 BKN:07 260	10.00		54	12.2	45	7.2	34	1.1	47	11	120		30.18			30.37	FM-15	0.00	30.36
21	2054	7	FEW:02 160 SCT:04 260	10.00		51	10.6	44	6.8	36	2.2	56	7	110		30.19			30.38	FM-15	0.00	30.37
21	2154	7	FEW:02 250	10.00		48	8.9	43	6.4	38	3.3	68	6	130		30.19	1	-0.03	30.38	FM-15	0.00	30.37
21	2254	7	BKN:07 140	10.00		48	8.9	44	6.6	39	3.9	71	3	140		30.20			30.39	FM-15	0.00	30.38
21	2354	7	BKN:07 140 OVC:08 300	10.00		47	8.3	44	6.8	41	5.0	80	6	140		30.20			30.40	FM-15	0.00	30.38
22	0054	7	SCT:04 140 OVC:08 300	10.00		49	9.4	46	7.6	42	5.6	77	3	150		30.21	1	-0.02	30.40	FM-15	0.00	30.39
22	0100	4		9.94		49	9.4	46	7.6	42	5.6	77	3	150		30.21	1	-0.02	30.40	FM-12		
22	0154	7	SCT:04 140 OVC:08 300	10.00		47	8.3	44	6.8	41	5.0	80	6	160		30.20			30.39	FM-15	0.00	30.38
22	0254	7	FEW:02 120 BKN:07 300	10.00		45	7.2	44	6.4	42	5.6	90	5	130		30.20			30.39	FM-15	0.00	30.38
22	0354	7	FEW:02 120 BKN:07 300	10.00		45	7.2	44	6.4	42	5.6	90	3	130		30.20	6	+0.01	30.39	FM-15	0.00	30.38
22	0454	7	CLR:00	10.00		44	6.7	43	6.2	42	5.6	93	5	120		30.20			30.40	FM-15	0.00	30.38
22	0554	7	FEW:02 120 SCT:04 300	10.00		43	6.1	43	5.9	42	5.6	97	5	110		30.21			30.41	FM-15	0.00	30.39
22	0654	7	FEW:02 70 SCT:04 120 SCT:04 300	10.00		47	8.3	46	7.5	44	6.7	90	6	140		30.22	1	-0.02	30.41	FM-15	0.00	30.40
22	0700	4	74	9.94		47	8.3	46	7.5	44	6.7	90	6	140		30.22	1	-0.02	30.41	FM-12		
22	0754	7	FEW:02 120 SCT:04 300	10.00		53	11.7	48	8.7	42	5.6	66	9	160		30.22			30.41	FM-15	0.00	30.40
22	0854	7	BKN:07 300	10.00		57	13.9	50	10.0	43	6.1	60	5	180		30.22			30.41	FM-15	0.00	30.40
22	0954	7	BKN:07 300	10.00		61	16.1	52	11.0	43	6.1	52	8	180		30.21	8	+0.01	30.40	FM-15	0.00	30.39
22	1054	7	FEW:02 180 BKN:07 300	10.00		63	17.2	53	11.5	43	6.1	48	3	VRB		30.19			30.39	FM-15	0.00	30.37
22	1154	7	FEW:02 45 SCT:04 170 BKN:07 300	10.00		66	18.9	55	12.7	45	7.2	47	10	180		30.18			30.37	FM-15	0.00	30.36
22	1254	7	FEW:02 45 OVC:08 300	10.00		67	19.4	55	12.5	43	6.1	42	11	170	16	30.17	6	+0.04	30.36	FM-15	0.00	30.35
22	1300	4	41	9.94		67	19.4	55	12.5	43	6.1	42	11	170		30.17	6	+0.04	30.36	FM-12		
22	1354	7	FEW:02 20 SCT:04 60 OVC:08 300	10.00		68	20.0	55	12.5	42	5.6	39	7	160		30.16			30.35	FM-15	0.00	30.34
22	1454	7	FEW:02 20 SCT:04 65 OVC:08 300	10.00		67	19.4	54	12.1	41	5.0	39	8	160		30.14			30.33	FM-15	0.00	30.32
22	1554	7	FEW:02 65 BKN:07 140 OVC:08 300	10.00		66	18.9	53	11.8	41	5.0	40	10	150		30.12	8	+0.05	30.32	FM-15	0.00	30.30
22	1654	7	FEW:02 65 BKN:07 150 OVC:08 300	10.00		64	17.8	52	11.3	41	5.0	43	16	130		30.12			30.32	FM-15	0.00	30.30
22	1754	7	FEW:02 60 BKN:07 140 OVC:08 300	10.00		61	16.1	49	9.7	37	2.8	41	13	140		30.13			30.32	FM-15	0.00	30.31
22	1854	7	BKN:07 140 OVC:08 300	10.00		59	15.0	47	8.6	34	1.1	39	13	140		30.14	3	-0.02	30.33	FM-15	0.00	30.32
22	1900	4		9.94		59	15.0	47	8.6	34	1.1	39	13	140		30.14	3	-0.02	30.33	FM-12		
22	1954	7	OVC:08 150	10.00		56	13.3	47	8.4	37	2.8	49	8	110		30.16			30.35	FM-15	0.00	30.34
22	2054	7	BKN:07 150 OVC:08 300	10.00		54	12.2	46	7.8	37	2.8	53	9	130		30.17			30.37	FM-15	0.00	30.35
22	2154	7	FEW:02 150 OVC:08 300	10.00		52	11.1	46	7.7	39	3.9	61	7	130		30.19	1	-0.04	30.38	FM-15	0.00	30.37
22	2254	7	SCT:04 160 OVC:08 300	10.00		50	10.0	45	7.4	40	4.4	68	5	120		30.19			30.39	FM-15	0.00	30.37
22	2354	7	FEW:02 160 OVC:08 300	10.00		49	9.4	45	7.4	41	5.0	74	5	100		30.20			30.39	FM-15	0.00	30.38

23	0054	7	SCT:04 75 OVC:08 300	10.00		48	8.9	44	6.8	40	4.4	74	5	120		30.20	0	-0.01	30.39	FM-15	0.00	30.38
23	0100	4	74	9.94		48	8.9	44	6.8	40	4.4	74	5	120		30.20	9	0.01	30.39	FM-12		
23	0154	7	OVC:08 80	10.00		49	9.4	45	7.4	41	5.0	74	3	130		30.19			30.38	FM-15	0.00	30.37
23	0254	7	OVC:08 80	10.00		49	9.4	45	7.4	41	5.0	74	5	130		30.19			30.38	FM-15	0.00	30.37
23	0354	7	BKN:07 80 BKN:07 300	10.00		47	8.3	44	6.8	41	5.0	80	5	050		30.20	3	-0.00	30.39	FM-15	0.00	30.38
23	0454	7	FEW:02 80 BKN:07 300	10.00		45	7.2	44	6.4	42	5.6	90	6	040		30.20			30.39	FM-15	0.00	30.38
23	0554	7	BKN:07 300	10.00		45	7.2	44	6.7	43	6.1	93	5	050		30.21			30.40	FM-15	0.00	30.39
23	0654	7	BKN:07 300	10.00		51	10.6	49	9.4	47	8.3	86	6	060		30.22	3	-0.02	30.41	FM-15	0.00	30.40
23	0700	4		9.94		51	10.6	49	9.4	47	8.3	86	6	060		30.22	3	-0.02	30.41	FM-12		
23	0754	7	BKN:07 300	10.00		57	13.9	53	11.6	49	9.4	74	5	100		30.22			30.42	FM-15	0.00	30.40
23	0854	7	BKN:07 300	10.00		61	16.1	54	12.3	48	8.9	63	10	120		30.22			30.41	FM-15	0.00	30.40
23	0954	7	FEW:02 40 OVC:08 300	10.00		65	18.3	56	13.3	48	8.9	54	14	150	21	30.22	8	+0.00	30.41	FM-15	0.00	30.40
23	1054	7	SCT:04 48 OVC:08 300	10.00		66	18.9	56	13.5	48	8.9	52	13	110		30.22			30.41	FM-15	0.00	30.40
23	1154	7	SCT:04 50 OVC:08 300	10.00		68	20.0	55	13.0	44	6.7	42	18	130		30.20			30.40	FM-15	0.00	30.38
23	1254	7	SCT:04 50 OVC:08 300	10.00		69	20.6	55	13.0	43	6.1	39	18	110	25	30.19	8	+0.03	30.38	FM-15	0.00	30.37
23	1300	4	57	9.94		69	20.6	55	13.0	43	6.1	39	18	110		30.19	8	+0.03	30.38	FM-12		
23	1354	7	SCT:04 55 OVC:08 300	10.00		68	20.0	56	13.5	46	7.8	45	16	140	26	30.18			30.37	FM-15	0.00	30.36
23	1454	7	FEW:02 75 OVC:08 250	10.00		67	19.4	55	12.7	44	6.7	44	17	120		30.15			30.34	FM-15	0.00	30.33
23	1554	7	CLR:00	10.00		64	17.8	52	11.1	40	4.4	41	17	110	23	30.15	6	+0.04	30.34	FM-15	0.00	30.33
23	1654	7	FEW:02 70 OVC:08 250	10.00		63	17.2	50	10.2	37	2.8	38	15	100	24	30.16			30.35	FM-15	0.00	30.34
23	1754	7	FEW:02 70 OVC:08 250	10.00		61	16.1	49	9.5	36	2.2	39	11	100		30.16			30.35	FM-15	0.00	30.34
23	1854	7	BKN:07 180 OVC:08 300	10.00		59	15.0	49	9.2	37	2.8	44	11	090		30.15	8	+0.00	30.34	FM-15	0.00	30.33
23	1900	4		9.94		59	15.0	49	9.2	37	2.8	44	11	090		30.15	8	+0.00	30.34	FM-12		
23	1954	7	SCT:04 180 OVC:08 300	10.00		58	14.4	49	9.6	40	4.4	51	10	100		30.16			30.35	FM-15	0.00	30.34
23	2054	7	SCT:04 200 OVC:08 300	10.00		56	13.3	49	9.5	42	5.6	60	11	090		30.16			30.35	FM-15	0.00	30.34
23	2154	7	SCT:04 130 BKN:07 200 OVC:08 300	10.00		56	13.3	49	9.5	42	5.6	60	10	090		30.15	0	-0.00	30.34	FM-15	0.00	30.33
23	2254	7	BKN:07 130 OVC:08 200	10.00		56	13.3	49	9.5	42	5.6	60	10	090		30.13			30.32	FM-15	0.00	30.31
23	2354	7	OVC:08 110	10.00		55	12.8	49	9.2	42	5.6	62	8	080		30.11			30.31	FM-15	0.00	30.29
24	0054	7	FEW:02 40 SCT:04 110 OVC:08 150	10.00		55	12.8	49	9.2	42	5.6	62	8	080		30.10	8	+0.05	30.29	FM-15	0.00	30.28
24	0100	4	41	9.94		55	12.8	49	9.2	42	5.6	62	8	080		30.10	8	+0.05	30.29	FM-12		
24	0154	7	SCT:04 45 OVC:08 100	10.00		55	12.8	49	9.5	43	6.1	64	7	050		30.08			30.28	FM-15	0.00	30.26
24	0254	7	SCT:04 45 OVC:08 100	10.00		55	12.8	50	10.0	45	7.2	69	9	070		30.07			30.26	FM-15	0.00	30.25
24	0354	7	FEW:02 45 BKN:07 100 OVC:08 150	10.00		55	12.8	50	10.2	46	7.8	72	10	060		30.04	8	+0.06	30.23	FM-15	0.00	30.22
24	0454	7	FEW:02 40 OVC:08 100	10.00	-RA:02 RA RA	55	12.8	51	10.8	48	8.9	77	8	060		30.03			30.22	FM-15	T	30.21
24	0554	7	BKN:07 45 OVC:08 90	7.00	-RA:02 RA RA	53	11.7	52	11.1	51	10.6	93	9	060		30.03			30.22	FM-15	T	30.21

24	0654	7	FEW:02 35 BKN:07 60 OVC:08 100	6.00	-RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	9	060		30.02	8	+0.01	30.22	FM-15	0.02	30.20
24	0700	4	41	5.59	RA	53	11.7	53	11.7	53	11.7	100	9	060		30.02	8	+0.01	30.22	FM-12		
24	0754	7	SCT:04 35 BKN:07 44 OVC:08 75	5.00	-RA:02 BR:1 RA RA	55	12.8	55	12.8	55	12.8	100	10	080		30.01			30.21	FM-15	0.03	30.19
24	0854	7	SCT:04 36 BKN:07 70 OVC:08 85	5.00	-RA:02 BR:1 RA RA	56	13.3	56	13.3	56	13.3	100	14	100	22	30.00			30.20	FM-15	0.05	30.18
24	0954	7	FEW:02 12 SCT:04 27 OVC:08 60	3.00	RA:02 BR:1 RA RA	56	13.3	56	13.3	56	13.3	100	17	110		29.99	8	+0.03	30.19	FM-15	0.07	30.17
24	1021	7	SCT:04 14 BKN:07 27 OVC:08 60	5.00	-RA:02 BR:1 RA RA	56	13.3	56	13.3	56	13.3	100	16	100	22	29.99				FM-16	0.03	30.17
24	1038	7	FEW:02 13 SCT:04 27 OVC:08 65	5.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	16	100	23	29.98				FM-16	0.05	30.16
24	1054	7	FEW:02 13 SCT:04 32 OVC:08 65	5.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	17	100		29.97			30.16	FM-15	0.05	30.15
24	1123	7	BKN:07 15 OVC:08 70	6.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	16	100		29.96				FM-16	0.01	30.14
24	1154	7	OVC:08 15	4.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	17	100	23	29.94			30.13	FM-15	0.04	30.12
24	1217	7	OVC:08 14	4.00	RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	16	100	23	29.93				FM-16	0.02	30.11
24	1254	7	OVC:08 12	7.00	-RA:02 RA RA	57	13.9	57	13.9	57	13.9	100	11	090		29.91	8	+0.09	30.10	FM-15	0.04	30.09
24	1300	4	15	6.84	RA	57	13.9	57	13.9	57	13.9	100	11	090		29.91	8	+0.09	30.10	FM-12		
24	1354	7	BKN:07 10 OVC:08 17	4.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	17	100	28	29.86			30.05	FM-15	0.07	30.04
24	1412	7	BKN:07 10 BKN:07 13 OVC:08 18	2.50	RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	15	100	29	29.85				FM-16	0.02	30.03
24	1437	7	BKN:07 10 BKN:07 14 OVC:08 20	4.00	RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	16	100	23	29.84				FM-16	0.07	30.02
24	1450	7	BKN:07 10 OVC:08 17	2.00	-RA:02 BR:1 RA RA	57	14.0	57	13.9	57	14.0	100	15	090		29.82				FM-16	0.10	30.00
24	1454	7	BKN:07 10 OVC:08 17	2.50	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	16	090	22	29.82			30.02	FM-15	0.09	30.00
24	1507	7	OVC:08 10	1.25	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	15	100	25	29.82				FM-16	0.01	30.00
24	1525	7	BKN:07 9 OVC:08 13	1.50	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	16	100	25	29.82				FM-16	0.03	30.00
24	1554	7	BKN:07 7 OVC:08 13	2.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	14	090	25	29.80	6	+0.05	30.00	FM-15	0.06	29.98
24	1610	7	BKN:07 9 OVC:08 16	4.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	11	090	21	29.80				FM-16	T	29.98
24	1630	7	BKN:07 10 OVC:08 15	4.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	13	090		29.79				FM-16	T	29.97
24	1644	7	OVC:08 10	2.50	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	16	090	21	29.79				FM-16	T	29.97
24	1654	7	OVC:08 9	2.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	13	090		29.79			29.98	FM-15	0.01	29.97
24	1706	7	OVC:08 7	1.50	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	10	090		29.79				FM-16	0.01	29.97
24	1752	6	OVC:08 7	2.00	-RA:02 BR:1 RA RA	57	14.0	57	13.9	57	14.0	100	7	080		29.77				FM-16		29.95
24	1754	7	OVC:08 7	2.00	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	9	090		29.76			29.96	FM-15	0.01	29.94
24	1804	7	OVC:08 7	1.50	-RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	9	090		29.76				FM-16	0.01	29.94
24	1823	7	OVC:08 6	2.50	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	10	090		29.75				FM-16	0.01	29.93
24	1831	7	OVC:08 6	4.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	10	090		29.75				FM-16	0.02	29.93
24	1854	7	OVC:08 5	7.00	-RA:02 RA RA	58	14.4	58	14.4	58	14.4	100	9	100		29.75	6	+0.05	29.94	FM-15	0.02	29.93
24	1900	4	5	6.84	RA	58	14.4	58	14.4	58	14.4	100	9	100		29.75	6	+0.05	29.94	FM-12		
24	1911	7	BKN:07 5 OVC:08 10	2.50	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	10	080		29.75				FM-16	0.01	29.93
24	1922	7	BKN:07 5 OVC:08 10	3.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	8	080		29.74				FM-16	0.02	29.92

24	1954	7	OVC:08 7	3.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	8	080		29.73			29.93	FM-15	0.03	29.91
24	2033	7	OVC:08 5	2.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	8	090		29.73				FM-16	0.01	29.91
24	2045	7	OVC:08 5	4.00	BR:1	58	14.4	58	14.4	58	14.4	100	8	090		29.72				FM-16	0.01	29.90
24	2054	7	OVC:08 5	4.00	BR:1	58	14.4	58	14.4	58	14.4	100	7	090		29.72		29.91		FM-15	0.01	29.90
24	2115	7	OVC:08 4	2.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	9	090		29.71				FM-16	0.01	29.89
24	2129	7	OVC:08 4	4.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	8	100		29.72				FM-16	0.01	29.90
24	2152	6	BKN:07 6 OVC:08 11	4.00	-RA:02 BR:1 RA RA	57	14.0	57	13.9	57	14.0	100	8	110		29.72				FM-16		29.90
24	2154	7	BKN:07 6 OVC:08 11	5.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	8	110		29.71	6	+0.04	29.91	FM-15	0.03	29.89
24	2214	6	BKN:07 4 BKN:07 8 OVC:08 15	2.00	+RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	7	130		29.71				FM-16		29.89
24	2233	7	FEW:02 4 SCT:04 10 OVC:08 28	3.00	RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	9	120		29.70				FM-16	0.20	29.88
24	2246	6	FEW:02 13 BKN:07 30 OVC:08 85	2.50	+RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	6	110		29.70				FM-16		29.88
24	2252	7	FEW:02 9 BKN:07 27 OVC:08 80	1.75	+RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	8	110		29.70				FM-16	0.33	29.88
24	2254	7	FEW:02 5 BKN:07 25 OVC:08 80	1.75	+RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	7	110		29.70		29.89		FM-15	0.36	29.88
24	2304	7	SCT:04 6 BKN:07 30 OVC:08 80	3.00	RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	7	090		29.69				FM-16	0.04	29.87
24	2319	6	BKN:07 22 BKN:07 29 OVC:08 65	9.00	-RA:02 RA RA	59	15.0	59	15.0	59	15.0	100	5	070		29.68				FM-16		29.86
24	2340	7	BKN:07 10 BKN:07 17 OVC:08 22	4.00	BR:1	59	15.0	59	15.0	59	15.0	100	5	080		29.68				FM-16	0.06	29.86
24	2342	7	FEW:02 5 BKN:07 9 OVC:08 17	4.00	BR:1	59	15.0	59	15.0	59	15.0	100	5	090		29.68				FM-16	0.06	29.86
24	2354	7	BKN:07 4 OVC:08 9	3.00	BR:1	59	15.0	59	15.0	59	15.0	100	5	090		29.67		29.86		FM-15	0.03	29.85
25	0054	7	OVC:08 4	6.00	-DZ:01 BR:1 DZ DZ	59	15.0	59	15.0	59	15.0	100	8	090		29.64	8	+0.08	29.83	FM-15	T	29.82
25	0100	4	5	5.59	DZ	59	15.0	59	15.0	59	15.0	100	8	090		29.64	8	+0.08	29.83	FM-12		
25	0147	7	OVC:08 3	2.00	RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	7	090		29.61				FM-16	0.02	29.79
25	0154	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	6	080		29.60		29.80		FM-15	0.04	29.78
25	0207	7	OVC:08 3	1.75	BR:1	59	15.0	59	15.0	59	15.0	100	6	080		29.60				FM-16	0.01	29.78
25	0234	7	OVC:08 3	2.50	BR:1	60	15.6	60	15.6	60	15.6	100	5	070		29.59				FM-16	0.01	29.77
25	0254	7	OVC:08 3	2.50	BR:1	60	15.6	60	15.6	60	15.6	100	5	070		29.59		29.78		FM-15	0.01	29.77
25	0312	7	OVC:08 3	1.75	BR:1	60	15.6	60	15.6	60	15.6	100	5	080		29.58				FM-16		29.76
25	0337	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	60	15.6	60	15.6	60	15.6	100	7	080		29.58				FM-16	0.02	29.76
25	0354	7	OVC:08 3	6.00	BR:1	60	15.6	60	15.6	60	15.6	100	7	060		29.57	6	+0.06	29.77	FM-15	0.02	29.75
25	0454	7	OVC:08 4	7.00		59	15.0	59	15.0	59	15.0	100	7	070		29.56		29.76		FM-15	0.00	29.74
25	0546	7	OVC:08 4	2.00	-RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	5	090		29.57				FM-16	T	29.75
25	0554	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	5	090		29.58		29.77		FM-15	T	29.76
25	0617	7	OVC:08 3	3.00	BR:1	59	15.0	59	15.0	59	15.0	100	6	110		29.57				FM-16	T	29.75
25	0634	7	OVC:08 3	2.00	BR:1	59	15.0	59	15.0	59	15.0	100	5	110		29.57				FM-16	T	29.75
25	0645	7	OVC:08 3	1.00	BR:1	59	15.0	59	15.0	59	15.0	100	3	110		29.57				FM-16	T	29.75
25	0654	7	OVC:08 3	0.75	BR:1	59	15.0	59	15.0	59	15.0	100	5	110		29.57	5	+0.00	29.77	FM-15	T	29.75
25	0700	4	2	0.75		59	15.0	59	15.0	59	15.0	100	5	110		29.57	5	+0.00	29.77	FM-12		
25	0754	7	OVC:08 2	0.50	FG:2 FG	59	15.0	59	15.0	59	15.0	100	3	070		29.57		29.76		FM-15	0.00	29.75
25	0821	7	OVC:08 3	1.25	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.56				FM-16		29.74
25	0828	7	OVC:08 3	1.75	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.56				FM-16		29.74
25	0852	6	OVC:08 3	2.00	BR:1	61	16.0	61	16.1	61	16.0	100	0	000		29.55				FM-16		29.73

25	0854	7	OVC:08 3	2.00	BR:1	61	16.1	61	16.1	61	16.1	100	0	000	29.55			29.74	FM-15	0.00	29.73
25	0915	7	OVC:08 6	4.00	BR:1	61	16.1	61	16.1	61	16.1	100	0	000	29.55				FM-16		29.73
25	0954	7	OVC:08 7	6.00	BR:1	62	16.7	62	16.7	62	16.7	100	3	270	29.55	5	+0.02	29.75	FM-15	0.00	29.73
25	1054	7	OVC:08 8	6.00	BR:1	62	16.7	62	16.7	62	16.7	100	6	300	29.54			29.74	FM-15	0.00	29.72
25	1152	6	OVC:08 12	10.00		64	18.0	63	17.4	63	17.0	94	7	300	29.54				FM-16		29.72
25	1154	7	BKN:07 10 OVC:08 14	10.00		64	17.8	63	17.1	62	16.7	93	6	330	29.54			29.73	FM-15	0.00	29.72
25	1252	6	SCT:04 13 OVC:08 22	10.00		64	18.0	63	17.4	63	17.0	94	6	340	29.52				FM-16		29.70
25	1254	7	SCT:04 13 OVC:08 22	10.00		65	18.3	63	17.3	62	16.7	90	10	340	29.52	8	+0.04	29.71	FM-15	0.00	29.70
25	1300	4	15	9.94		65	18.3	63	17.3	62	16.7	90	10	340	29.52	8	+0.04	29.71	FM-12		
25	1354	7	SCT:04 12 OVC:08 19	10.00		63	17.2	62	16.9	62	16.7	97	8	330	29.53			29.72	FM-15	0.00	29.71
25	1416	7	OVC:08 12	10.00		63	17.2	62	16.6	61	16.1	93	8	320	29.52				FM-16		29.70
25	1454	7	BKN:07 13 OVC:08 40	10.00		63	17.2	62	16.6	61	16.1	93	8	330	29.52			29.70	FM-15	0.00	29.69
25	1554	7	BKN:07 12 BKN:07 75 OVC:08 300	10.00		64	17.8	63	17.1	62	16.7	93	11	300	29.50	8	+0.02	29.70	FM-15	0.00	29.68
25	1654	7	OVC:08 14	10.00		64	17.8	62	16.8	61	16.1	90	8	290	29.52			29.71	FM-15	0.00	29.69
25	1703	7	BKN:07 15 OVC:08 75	10.00		63	17.2	62	16.6	61	16.1	93	8	300	29.52				FM-16		29.69
25	1735	7	SCT:04 16 BKN:07 80 BKN:07 300	10.00		65	18.3	63	17.0	61	16.1	87	6	340	29.52				FM-16		29.69
25	1754	7	FEW:02 16 BKN:07 85 BKN:07 300	10.00		65	18.3	63	17.0	61	16.1	87	6	VRB	29.52			29.71	FM-15	0.00	29.70
25	1854	7	FEW:02 17 BKN:07 55 BKN:07 90	10.00		64	17.8	62	16.8	61	16.1	90	6	310	29.55	3	-0.04	29.74	FM-15	0.00	29.73
25	1900	4	15	9.94		64	17.8	62	16.8	61	16.1	90	6	310	29.55	3	-0.04	29.74	FM-12		
25	1954	7	FEW:02 18 SCT:04 40 OVC:08 60	10.00		63	17.2	62	16.6	61	16.1	93	5	320	29.57			29.76	FM-15	0.00	29.75
25	2054	7	OVC:08 70	10.00		61	16.1	61	16.1	61	16.1	100	3	160	29.56			29.76	FM-15	0.00	29.74
25	2154	7	FEW:02 100	10.00	MI:1 FG:2 FG	57	13.9	57	13.9	57	13.9	100	0	000	29.57	1	-0.02	29.76	FM-15	0.00	29.75
25	2254	7	SCT:04 65	9.00	MI:1 FG:2 FG	57	13.9	57	13.9	57	13.9	100	0	000	29.58			29.77	FM-15	0.00	29.76
25	2354	7	BKN:07 55	4.00	BR:1	56	13.3	56	13.3	56	13.3	100	0	000	29.58			29.77	FM-15	0.00	29.76
26	0023	7	FEW:02 2 SCT:04 25 BKN:07 65	4.00	BR:1	56	13.3	56	13.3	56	13.3	100	0	000	29.59				FM-16		29.77
26	0054	7	FEW:02 2 SCT:04 45 BKN:07 65	6.00	BR:1	57	13.9	57	13.9	57	13.9	100	0	000	29.59	3	-0.02	29.78	FM-15	0.00	29.77
26	0100	4	2	5.59		57	13.9	57	13.9	57	13.9	100	0	000	29.59	3	-0.02	29.78	FM-12		
26	0154	7	OVC:08 65	9.00		57	13.9	57	13.9	57	13.9	100	0	000	29.59			29.79	FM-15	0.00	29.77
26	0254	7	BKN:07 45 OVC:08 65	10.00		58	14.4	57	13.8	56	13.3	93	7	330	29.62			29.81	FM-15	0.00	29.80
26	0354	7	SCT:04 65	10.00		56	13.3	55	12.7	54	12.2	93	6	340	29.63	3	-0.04	29.82	FM-15	0.00	29.81
26	0454	7	FEW:02 65	10.00		55	12.8	54	12.2	53	11.7	93	5	330	29.64			29.83	FM-15	0.00	29.82
26	0554	7	FEW:02 70 SCT:04 200 BKN:07 300	10.00		55	12.8	52	11.3	50	10.0	83	7	360	29.67			29.86	FM-15	0.00	29.85
26	0654	7	BKN:07 60 OVC:08 300	10.00		56	13.3	52	11.3	49	9.4	77	6	330	29.70	3	-0.07	29.90	FM-15	0.00	29.88
26	0700	4	57	9.94		56	13.3	52	11.3	49	9.4	77	6	330	29.70	3	-0.07	29.90	FM-12		
26	0754	7	FEW:02 60 OVC:08 300	10.00		57	13.9	50	10.0	43	6.1	60	9	350	29.71			29.90	FM-15	0.00	29.89
26	0854	7	FEW:02 60 OVC:08 300	10.00		61	16.1	51	10.5	41	5.0	48	8	350	29.71			29.91	FM-15	0.00	29.89

26	0954	7	FEW:02 60 BKN:07 300	10.00		63	17.2	51	10.4	38	3.3	40	9	340		29.72	1	-0.01	29.91	FM-15	0.00	29.90
26	1054	7	BKN:07 300	10.00		65	18.3	52	11.1	39	3.9	39	3	VRB		29.71			29.91	FM-15	0.00	29.89
26	1154	6	FEW:02 100 SCT:04 300	10.00		69	20.6	54	12.1	39	3.9	33	0	000		29.70			29.89	FM-15	0.00	29.88
26	1254	7	FEW:02 100 SCT:04 300	10.00		70	21.1	55	12.5	40	4.4	34	5	VRB		29.69	8	+0.03	29.88	FM-15	0.00	29.87
26	1300	4		9.94		70	21.1	55	12.5	40	4.4	34	5			29.69	8	+0.03	29.88	FM-12		
26	1354	7	FEW:02 50 FEW:02 100 BKN:07 300	10.00		72	22.2	57	14.1	45	7.2	38	10	200	17	29.68			29.87	FM-15	0.00	29.86
26	1454	7	FEW:02 50 BKN:07 300	10.00		72	22.2	58	14.3	46	7.8	40	3	VRB		29.66			29.85	FM-15	0.00	29.84
26	1554	7	SCT:04 65 SCT:04 210 BKN:07 300	10.00		73	22.8	58	14.5	46	7.8	38	6	230		29.65	6	+0.04	29.84	FM-15	0.00	29.83
26	1654	7	SCT:04 65 SCT:04 210 OVC:08 300	10.00		71	21.7	58	14.6	48	8.9	44	3	190		29.65			29.84	FM-15	0.00	29.83
26	1754	7	FEW:02 65 BKN:07 220 OVC:08 300	10.00		70	21.1	59	14.9	50	10.0	49	5	160		29.65			29.85	FM-15	0.00	29.83
26	1854	7	FEW:02 65 BKN:07 150 BKN:07 220	10.00		67	19.4	59	14.7	52	11.1	59	6	130		29.66	1	-0.01	29.85	FM-15	0.00	29.84
26	1900	4	57	9.94		67	19.4	59	14.7	52	11.1	59	6	130		29.66	1	-0.01	29.85	FM-12		
26	1954	7	FEW:02 60 OVC:08 160	10.00		66	18.9	58	14.5	52	11.1	61	7	120		29.66			29.85	FM-15	0.00	29.84
26	2054	7	BKN:07 80 OVC:08 160	10.00		64	17.8	58	14.6	54	12.2	70	10	140		29.68			29.87	FM-15	0.00	29.86
26	2154	7	FEW:02 75 OVC:08 180	10.00		62	16.7	58	14.5	55	12.8	78	8	110		29.65	8	+0.00	29.85	FM-15	0.00	29.83
26	2254	7	SCT:04 90 OVC:08 130	10.00		61	16.1	58	14.2	55	12.8	81	7	100		29.63			29.82	FM-15	0.00	29.81
26	2354	7	FEW:02 40 BKN:07 70 OVC:08 100	10.00		60	15.6	57	14.0	55	12.8	84	10	090		29.58			29.77	FM-15	T	29.76
27	0014	7	FEW:02 15 BKN:07 40 OVC:08 70	6.00	TS:7 -RA:02 BR:1 RA TS RA	60	15.6	58	14.3	56	13.3	86	13	220		29.62				FM-16	T	29.80
27	0018	7	SCT:04 17 BKN:07 34 OVC:08 70	1.25	TS:7 +RA:02 BR:1 RA TS RA	59	15.0	58	14.4	57	13.9	93	6	250		29.61				FM-16	0.05	29.79
27	0025	7	SCT:04 17 BKN:07 30 OVC:08 60	2.00	TS:7 +RA:02 BR:1 RA TS RA	58	14.4	57	14.1	57	13.9	97	11	270		29.62				FM-16	0.27	29.80
27	0032	7	BKN:07 17 OVC:08 33	2.00	TS:7 +RA:02 BR:1 RA TS RA	58	14.4	58	14.4	58	14.4	100	9	280		29.61				FM-16	0.32	29.79
27	0043	7	SCT:04 17 BKN:07 35 OVC:08 60	3.00	TS:7 -RA:02 BR:1 RA TS RA	58	14.4	58	14.4	58	14.4	100	0	000		29.59				FM-16	0.39	29.77
27	0054	7	SCT:04 17 BKN:07 40 OVC:08 90	10.00	-RA:02 RA RA	57	13.9	57	13.9	57	13.9	100	5	090		29.58	5	+0.07	29.78	FM-15	0.40s	29.76
27	0100	4	15	9.94	RA	57	13.9	57	13.9	57	13.9	100	5	090		29.58	5	+0.07	29.78	FM-12		
27	0154	7	FEW:02 15 SCT:04 70 OVC:08 90	6.00	-RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	7	090		29.56			29.75	FM-15	0.01	29.74
27	0230	7	BKN:07 25 OVC:08 90	10.00	-RA:02 RA RA	58	14.4	58	14.4	58	14.4	100	6	120		29.56				FM-16	T	29.74
27	0254	7	BKN:07 18 OVC:08 23	7.00	-RA:02 RA RA	58	14.4	58	14.4	58	14.4	100	10	170		29.57			29.76	FM-15	0.02	29.75
27	0302	7	FEW:02 8 BKN:07 14 OVC:08 20	7.00	-RA:02 RA RA	58	14.4	58	14.4	58	14.4	100	10	170		29.57				FM-16	0.01	29.75

27	0327	7	BKN:07 7 OVC:08 13	3.00	RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	10	250		29.56				FM-16	0.08	29.74
27	0354	7	BKN:07 8 BKN:07 13 OVC:08 17	10.00		59	15.0	59	15.0	59	15.0	100	6	300		29.55	8	+0.03	29.74	FM-15	0.07	29.73
27	0401	7	SCT:04 8 OVC:08 90	10.00		59	15.0	59	15.0	59	15.0	100	0	000		29.55				FM-16		29.73
27	0412	7	BKN:07 9 OVC:08 85	10.00		59	15.0	59	15.0	59	15.0	100	8	320		29.54				FM-16		29.72
27	0452	6	FEW:02 9 SCT:04 85 OVC:08 140	10.00		57	14.0	57	13.9	57	14.0	100	5	340		29.56				FM-16		29.74
27	0454	7	FEW:02 9 SCT:04 85 OVC:08 140	10.00		58	14.4	58	14.4	58	14.4	100	6	350		29.56			29.75	FM-15	0.00	29.74
27	0554	7	FEW:02 15 SCT:04 90 BKN:07 180	10.00		57	13.9	57	13.9	57	13.9	100	7	210		29.58			29.78	FM-15	0.00	29.76
27	0654	7	FEW:02 11 FEW:02 90 SCT:04 200	10.00		58	14.4	58	14.4	58	14.4	100	7	240		29.60	1	-0.04	29.79	FM-15	0.00	29.78
27	0700	4	15	9.94		58	14.4	58	14.4	58	14.4	100	7	240		29.60	1	-0.04	29.79	FM-12		
27	0741	7	SCT:04 7 SCT:04 90 SCT:04 200	10.00		61	16.1	60	15.8	60	15.6	97	9	270		29.59				FM-16		29.77
27	0754	7	SCT:04 9 SCT:04 90 SCT:04 200	10.00		60	15.6	59	15.2	59	15.0	96	7	290		29.59			29.78	FM-15	0.00	29.77
27	0854	7	FEW:02 13 FEW:02 80 SCT:04 200	10.00		64	17.8	61	16.1	59	15.0	84	3	290		29.58			29.77	FM-15	0.00	29.76
27	0952	6	BKN:07 24 BKN:07 70 BKN:07 230	10.00		66	19.0	61	16.0	57	14.0	73	9	290		29.58				FM-16		29.76
27	0954	7	BKN:07 24 BKN:07 70 BKN:07 230	10.00		67	19.4	62	16.5	58	14.4	73	9	250		29.58	5	+0.01	29.77	FM-15	0.00	29.76
27	1024	7	SCT:04 26 SCT:04 70 BKN:07 250	10.00		68	20.0	62	16.7	58	14.4	70	9	290		29.58				FM-16		29.76
27	1052	7	BKN:07 26 BKN:07 80 BKN:07 250	10.00		66	19.0	61	16.0	57	14.0	73	9	290		29.58				FM-16		29.76
27	1054	7	BKN:07 26 BKN:07 80 BKN:07 250	10.00		66	18.9	61	16.3	58	14.4	75	11	270		29.58			29.77	FM-15	0.00	29.76
27	1141	7	BKN:07 37 BKN:07 70 BKN:07 250	10.00		68	20.0	62	16.4	57	13.9	68	6	250		29.58				FM-16		29.76
27	1154	7	BKN:07 37 BKN:07 70 BKN:07 250	10.00		69	20.6	62	16.6	57	13.9	66	6	VRB		29.57			29.76	FM-15	0.00	29.75
27	1254	7	SCT:04 38 BKN:07 65 BKN:07 250	10.00		68	20.0	60	15.8	55	12.8	63	3	260		29.56	8	+0.02	29.76	FM-15	0.00	29.74
27	1300	4	41	9.94		68	20.0	60	15.8	55	12.8	63	3	260		29.56	8	+0.02	29.76	FM-12		
27	1354	7	BKN:07 40 BKN:07 65 BKN:07 250	10.00		69	20.6	61	16.0	55	12.8	61	6	200		29.55			29.74	FM-15	0.00	29.73
27	1454	7	SCT:04 40 BKN:07 80 BKN:07 250	10.00		69	20.6	61	16.3	56	13.3	63	7	010		29.54			29.73	FM-15	0.00	29.72
27	1554	7	SCT:04 48 BKN:07 95	10.00		69	20.6	61	16.3	56	13.3	63	6	020		29.53	6	+0.04	29.72	FM-15	0.00	29.71

27	1654	7	FEW:02 28 SCT:04 45 BKN:07 110	10.00		65	18.3	63	17.3	62	16.7	90	6	010		29.55			29.74	FM-15	T	29.73
27	1754	7	FEW:02 30 BKN:07 80 OVC:08 110	10.00		64	17.8	62	16.8	61	16.1	90	6	360		29.57			29.76	FM-15	0.00	29.75
27	1854	7	FEW:02 55 BKN:07 75 BKN:07 110	10.00		62	16.7	61	16.0	60	15.6	93	0	000		29.58	1	-0.05	29.77	FM-15	T	29.76
27	1900	4	57	9.94		62	16.7	61	16.0	60	15.6	93	0	000		29.58	1	-0.05	29.77	FM-12		
27	1954	7	SCT:04 85	10.00		60	15.6	59	15.2	59	15.0	96	3	100		29.59			29.78	FM-15	0.00	29.77
27	2054	7	BKN:07 85	10.00		58	14.4	58	14.4	58	14.4	100	5	150		29.60			29.79	FM-15	0.00	29.78
27	2154	7	FEW:02 85	10.00		57	13.9	57	13.9	57	13.9	100	3	200		29.61	1	-0.03	29.80	FM-15	0.00	29.79
27	2254	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	3	190		29.61			29.81	FM-15	0.00	29.79
27	2354	7	CLR:00	10.00		55	12.8	55	12.8	55	12.8	100	0	000		29.62			29.81	FM-15	0.00	29.80
28	0050	7	CLR:00	1.50	BR:1	55	13.0	55	12.8	55	13.0	100	0	000		29.62				FM-16		29.80
28	0052	6	CLR:00	7.00		55	13.0	55	12.8	55	13.0	100	0	000		29.62				FM-16		29.80
28	0054	7	CLR:00	7.00		55	12.8	55	12.8	55	12.8	100	0	000		29.62	0	-0.01	29.81	FM-15	0.00	29.80
28	0100	4		6.84		55	12.8	55	12.8	55	12.8	100	0	000		29.62	9	0.01	29.81	FM-12		
28	0147	7	CLR:00	1.25	BR:1	54	12.2	54	12.2	54	12.2	100	3	200		29.62				FM-16		29.80
28	0151	7	FEW:02 3	7.00	MI:1 FG:2 FG	54	12.0	54	12.2	54	12.0	100	3	200		29.62				FM-16		29.80
28	0154	7	FEW:02 3	7.00	MI:1 FG:2 FG	54	12.2	54	12.2	54	12.2	100	0	000		29.62			29.81	FM-15	0.00	29.80
28	0254	7	CLR:00	6.00	BR:1	54	12.2	54	12.2	54	12.2	100	0	000		29.61			29.80	FM-15	0.00	29.79
28	0316	7	CLR:00	1.00	BR:1	54	12.2	54	12.2	54	12.2	100	0	000		29.62				FM-16		29.80
28	0323	7	CLR:00	4.00	BR:1	54	12.2	54	12.2	54	12.2	100	3	180		29.62				FM-16		29.80
28	0337	7	SCT:04 2	4.00	BR:1	53	11.7	53	11.7	53	11.7	100	3	170		29.62				FM-16		29.80
28	0354	7	FEW:02 2	4.00	BR:1	51	10.6	51	10.6	51	10.6	100	3	170		29.62	5	+0.00	29.81	FM-15	0.00	29.80
28	0454	7	CLR:00	7.00	MI:1 FG:2 FG	52	11.1	52	11.1	52	11.1	100	5	190		29.63			29.82	FM-15	0.00	29.81
28	0554	7	CLR:00	6.00	BR:1	52	11.1	52	11.1	52	11.1	100	5	200		29.65			29.84	FM-15	0.00	29.83
28	0654	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	5	200		29.66	1	-0.04	29.85	FM-15	0.00	29.84
28	0700	4		9.94		56	13.3	56	13.3	56	13.3	100	5	200		29.66	1	-0.04	29.85	FM-12		
28	0754	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	3	210		29.66			29.85	FM-15	0.00	29.84
28	0854	7	CLR:00	10.00		68	20.0	58	14.7	51	10.6	55	6	270		29.65			29.85	FM-15	0.00	29.83
28	0954	7	CLR:00	10.00		72	22.2	59	14.8	48	8.9	43	10	250		29.66	1	-0.00	29.85	FM-15	0.00	29.84
28	1054	7	FEW:02 70	10.00		75	23.9	57	14.1	42	5.6	31	13	240		29.65			29.84	FM-15	0.00	29.83
28	1154	7	FEW:02 80	10.00		76	24.4	58	14.3	42	5.6	30	8	210	22	29.62			29.81	FM-15	0.00	29.80
28	1254	7	SCT:04 85	10.00		76	24.4	58	14.3	42	5.6	30	21	220	24	29.61	8	+0.05	29.80	FM-15	0.00	29.79
28	1300	4		9.94		76	24.4	58	14.3	42	5.6	30	21	220		29.61	8	+0.05	29.80	FM-12		
28	1354	7	FEW:02 85	10.00		77	25.0	58	14.5	42	5.6	29	13	230	26	29.59			29.78	FM-15	0.00	29.77
28	1454	7	FEW:02 90	10.00		77	25.0	58	14.5	42	5.6	29	16	210	23	29.57			29.75	FM-15	0.00	29.75
28	1554	7	BKN:07 95	10.00		76	24.4	58	14.5	43	6.1	31	14	200		29.56	6	+0.05	29.75	FM-15	0.00	29.74
28	1654	7	FEW:02 90 SCT:04 110	10.00		77	25.0	58	14.5	42	5.6	29	13	220		29.56			29.74	FM-15	0.00	29.74
28	1754	7	FEW:02 110	10.00		75	23.9	57	14.1	42	5.6	31	15	210		29.55			29.74	FM-15	0.00	29.73
28	1854	7	FEW:02 110	10.00		67	19.4	56	13.2	46	7.8	47	8	190		29.56	3	-0.00	29.75	FM-15	0.00	29.74
28	1900	4		9.94		67	19.4	56	13.2	46	7.8	47	8	190		29.56	3	-0.00	29.75	FM-12		
28	1954	7	FEW:02 100	10.00		64	17.8	54	12.5	46	7.8	52	7	190		29.58			29.77	FM-15	0.00	29.76
28	2054	7	BKN:07 100	10.00		66	18.9	56	13.2	47	8.3	50	14	350		29.62			29.81	FM-15	0.00	29.80
28	2154	7	FEW:02 80 OVC:08 95	10.00		62	16.7	56	13.3	51	10.6	67	14	020		29.65	3	-0.09	29.84	FM-15	0.01	29.83
28	2254	7	SCT:04 90 BKN:07 110	10.00		62	16.7	54	12.0	46	7.8	56	16	360		29.69			29.88	FM-15	T	29.87
28	2354	7	SCT:04 100	10.00		58	14.4	50	9.8	41	5.0	53	20	360	29	29.74			29.93	FM-15	0.00	29.92
29	0054	7	SCT:04 100	10.00		56	13.3	48	9.0	40	4.4	55	22	360	26	29.76	1	-0.11	29.95	FM-15	0.00	29.94
29	0100	4		9.94		56	13.3	48	9.0	40	4.4	55	22	360		29.76	1	-0.11	29.95	FM-12		
29	0154	7	BKN:07 70 BKN:07 100	10.00	-RA:02 RA RA	54	12.2	47	8.5	40	4.4	59	13	010		29.76			29.95	FM-15	T	29.94
29	0254	7	OVC:08 90	10.00		53	11.7	47	8.2	40	4.4	61	10	340		29.79			29.98	FM-15	T	29.97
29	0354	7	BKN:07 100	10.00		51	10.6	44	6.5	35	1.7	54	16	360	25	29.81	3	-0.05	30.00	FM-15	0.00	29.99

29	0454	7	BKN:07 100	10.00		49	9.4	42	5.4	32	0.0	52	14	340	24	29.84			30.03	FM-15	0.00	30.02
29	0554	7	SCT:04 120	10.00		47	8.3	40	4.4	30	-1.1	52	15	350		29.87			30.06	FM-15	0.00	30.05
29	0654	7	FEW:02 120	10.00		49	9.4	41	5.0	30	-1.1	48	13	330		29.89	1	-0.08	30.09	FM-15	0.00	30.07
29	0700	4		9.94		49	9.4	41	5.0	30	-1.1	48	13	330		29.89	1	-0.08	30.09	FM-12		
29	0754	7	FEW:02 120	10.00		52	11.1	43	5.8	30	-1.1	43	15	340	21	29.90			30.10	FM-15	0.00	30.08
29	0854	7	CLR:00	10.00		54	12.2	43	6.2	29	-1.7	38	13	320	22	29.92			30.11	FM-15	0.00	30.10
29	0954	7	CLR:00	10.00		56	13.3	44	6.6	28	-2.2	34	15	320	26	29.93	1	-0.04	30.12	FM-15	0.00	30.11
29	1054	7	FEW:02 40	10.00		59	15.0	45	7.3	27	-2.8	29	14	280		29.92			30.11	FM-15	0.00	30.10
29	1154	7	FEW:02 40	10.00		60	15.6	46	7.5	27	-2.8	28	16	320	24	29.92			30.11	FM-15	0.00	30.10
29	1254	7	FEW:02 40	10.00		62	16.7	47	8.1	27	-2.8	26	13	290	23	29.91	8	+0.02	30.10	FM-15	0.00	30.09
29	1300	4	41	9.94		62	16.7	47	8.1	27	-2.8	26	13	290		29.91	8	+0.02	30.10	FM-12		
29	1354	7	FEW:02 40	10.00		64	17.8	47	8.6	27	-2.8	25	20	310	32	29.90			30.10	FM-15	0.00	30.08
29	1454	7	FEW:02 85	10.00		64	17.8	47	8.4	26	-3.3	24	14	310	25	29.89			30.08	FM-15	0.00	30.07
29	1554	7	SCT:04 85	10.00		64	17.8	48	9.1	30	-1.1	28	13	350	23	29.89	5	+0.01	30.09	FM-15	0.00	30.07
29	1654	7	FEW:02 85	10.00		62	16.7	47	8.4	29	-1.7	29	17	330		29.91			30.10	FM-15	0.00	30.09
29	1754	7	FEW:02 80	10.00		61	16.1	47	8.1	29	-1.7	30	16	340		29.92			30.11	FM-15	0.00	30.10
29	1854	7	CLR:00	10.00		57	13.9	45	7.1	29	-1.7	34	11	340		29.94	3	-0.05	30.14	FM-15	0.00	30.12
29	1900	4		9.94		57	13.9	45	7.1	29	-1.7	34	11	340		29.94	3	-0.05	30.14	FM-12		
29	1954	7	CLR:00	10.00		53	11.7	43	6.3	31	-0.6	43	6	350		29.97			30.16	FM-15	0.00	30.15
29	2054	7	CLR:00	10.00		50	10.0	43	5.9	33	0.6	52	6	010		29.98			30.18	FM-15	0.00	30.16
29	2154	7	CLR:00	10.00		47	8.3	41	5.2	34	1.1	61	9	020		30.00	1	-0.05	30.19	FM-15	0.00	30.18
29	2254	7	CLR:00	10.00		47	8.3	41	5.0	33	0.6	59	5	020		30.00			30.20	FM-15	0.00	30.18
29	2354	7	CLR:00	10.00		44	6.7	40	4.3	34	1.1	68	0	000		30.02			30.21	FM-15	0.00	30.20
30	0054	7	CLR:00	10.00		41	5.0	39	3.8	36	2.2	82	3	200		30.01	0	-0.02	30.21	FM-15	0.00	30.19
30	0100	4		9.94		41	5.0	39	3.8	36	2.2	82	3	200		30.01	9	0.02	30.21	FM-12		
30	0154	7	CLR:00	10.00		39	3.9	38	3.2	36	2.2	89	3	240		30.02			30.21	FM-15	0.00	30.20
30	0254	7	CLR:00	10.00		39	3.9	38	3.2	36	2.2	89	5	210		30.03			30.22	FM-15	0.00	30.21
30	0354	7	CLR:00	10.00		38	3.3	37	2.6	35	1.7	89	3	220		30.04	3	-0.02	30.23	FM-15	0.00	30.22
30	0454	7	CLR:00	10.00		38	3.3	37	2.9	36	2.2	93	0	000		30.05			30.24	FM-15	0.00	30.23
30	0554	7	CLR:00	10.00		42	5.6	40	4.3	37	2.8	82	0	000		30.07			30.26	FM-15	0.00	30.25
30	0654	7	CLR:00	10.00		49	9.4	43	6.2	36	2.2	61	8	310		30.08	2	-0.04	30.27	FM-15	0.00	30.26
30	0700	4		9.94		49	9.4	43	6.2	36	2.2	61	8	310		30.08	2	-0.04	30.27	FM-12		
30	0754	7	CLR:00	10.00		55	12.8	45	7.3	33	0.6	44	10	320		30.09			30.28	FM-15	0.00	30.27
30	0854	7	FEW:02 300	10.00		59	15.0	44	6.7	23	-5.0	25	8	VRB		30.09			30.28	FM-15	0.00	30.27
30	0954	7	FEW:02 300	10.00		61	16.1	44	6.4	17	-8.3	18	11	310	22	30.08	8	+0.00	30.27	FM-15	0.00	30.26
30	1054	7	FEW:02 300	10.00		64	17.8	45	7.5	19	-7.2	18	14	290	18	30.06			30.26	FM-15	0.00	30.24
30	1154	7	CLR:00	10.00		66	18.9	46	8.0	19	-7.2	16	10	290		30.03			30.23	FM-15	0.00	30.21
30	1254	7	CLR:00	10.00		67	19.4	48	8.7	22	-5.6	18	15	300	22	30.01	8	+0.07	30.20	FM-15	0.00	30.19
30	1300	4		9.94		67	19.4	48	8.7	22	-5.6	18	15	300		30.01	8	+0.07	30.20	FM-12		
30	1354	7	CLR:00	10.00		69	20.6	48	9.0	21	-6.1	16	16	300	21	29.97			30.16	FM-15	0.00	30.15
30	1454	7	CLR:00	10.00		71	21.7	50	9.8	23	-5.0	16	17	300		29.94			30.13	FM-15	0.00	30.12
30	1554	7	CLR:00	10.00		72	22.2	50	9.8	21	-6.1	15	11	300	25	29.92	6	+0.08	30.11	FM-15	0.00	30.10
30	1654	7	CLR:00	10.00		72	22.2	50	10.1	23	-5.0	16	11	280		29.92			30.11	FM-15	0.00	30.10
30	1754	7	CLR:00	10.00		71	21.7	50	10.0	24	-4.4	17	11	290		29.91			30.10	FM-15	0.00	30.09
30	1854	7	CLR:00	10.00		65	18.3	48	9.0	28	-2.2	25	5	220		29.91	6	+0.01	30.10	FM-15	0.00	30.09
30	1900	4		9.94		65	18.3	48	9.0	28	-2.2	25	5	220		29.91	6	+0.01	30.10	FM-12		
30	1954	7	CLR:00	10.00		56	13.3	46	7.9	35	1.7	46	6	210		29.92			30.11	FM-15	0.00	30.10
30	2054	7	CLR:00	10.00		59	15.0	47	8.2	32	0.0	36	3	210		29.93			30.13	FM-15	0.00	30.11
30	2154	7	CLR:00	10.00		53	11.7	46	7.5	37	2.8	55	0	000		29.94	1	-0.04	30.14	FM-15	0.00	30.12
30	2254	7	CLR:00	10.00		52	11.1	45	7.3	37	2.8	57	0	000		29.95			30.14	FM-15	0.00	30.13
30	2354	7	CLR:00	10.00		51	10.6	45	7.2	38	3.3	61	0	000		29.95			30.14	FM-15	0.00	30.13

Local Climatological Data
Hourly Precipitation
April 2018

Generated on 08/29/2018

Date	For Hour (LST) Ending at																						Date			
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID	
01																									01	
02				T	T															T	T				02	
03									T	T	T									T	T				03	
04										T															04	
05																									05	
06																							T	0.01	06	
07	T	T	T	0.01	0.05	0.06	0.13	T	T	T	T					T	T	0.01	0.01	0.01	0.01	0.01	0.01	T	07	
08																									08	
09						T	0.01	0.02	0.06	0.01	T														09	
10																									10	
11							M							M											11	
12																									12	
13																									13	
14																									14	
15													T			0.01	0.01							T	15	
16	1.11s	0.31	0.11	T							T	T	T									T	T	T	16	
17																									17	
18																									18	
19								T	0.02	T															19	
20																									20	
21																									21	
22																									22	
23																									23	
24					T	T	0.02	0.03	0.05	0.07	0.05	0.04	0.04	0.07	0.09	0.06	0.01	0.01	0.02	0.03	0.01	0.03	0.36	0.03	24	
25	T	0.04	0.01	0.02		T	T																		25	
26																									T	26
27	0.40s	0.01	0.02	0.07													T			T					27	
28																									28	
29		T	T																			0.01	T		29	
30																									30	

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.25	0.32	0.39	0.51	0.72	1.02	1.23	1.32	1.40	1.49	1.52	1.53
Ending Date Time (yyyy-mm-dd hh:mi)	2018-04-27 00:22	2018-04-16 00:20	2018-04-16 00:24	2018-04-16 00:57	2018-04-16 01:02	2018-04-16 00:55	2018-04-16 01:10	2018-04-16 01:30	2018-04-16 01:42	2018-04-16 02:08	2018-04-16 02:34	2018-04-16 02:43

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 \$ = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing