

Local Climatological Data Daily Summary August 2018

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
 Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Generated on 10/03/2018

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather Type	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH						
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees					
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
01	89	75	82	3.2				0	17	0513	1918		Ts	0.0	0	29.88		11.4	25	110	21	210			
02	89	72	81	2.3				0	16	0514	1917	TS RA BR	0.09	0.0	0	29.93		9.3	23	210	18	150			
03	83	72	77	-1.7				0	12	0515	1916	RA BR	0.02	0.0		29.96		9.3	23	170	18	180			
04	89	73	81	2.4				0	16	0516	1915		0.00	0.0	0	29.96		5.6	19	210	16	210			
05	91	71	81	2.5				0	16	0516	1914	RA	0.01	0.0	0	29.99		3.8	17	010	15	010			
06	89	70	80	1.5				0	15	0517	1913	TS RA	0.37	0.0	0	29.93		3.1	33	070	21	200			
07	92	72	82	3.6				0	17	0518	1911	BR	T	0.0	0	29.82		5.7	17	220	14	200			
08	95	72	83	4.7				0	18	0519	1910		0.00	0.0	0	29.75		6.9	19	280	15	320			
09	91	73	82	3.7				0	17	0520	1909	RA	0.09	0.0	0	29.71		4.7	34s	360s	26	010			
10	91	73	82	3.8				0	17	0521	1908		0.00	0.0	0	29.73		3.1	15	010	12	360			
11	91	72	82	3.9				0	17	0522	1907	BR	T	0.0	0	29.73		4.5	24	090	18	100			
12	89	69	79	1.0				0	14	0522	1906	TS RA BR	0.47	0.0	0	29.80		4.9	37	330	31	330			
13	85	66	75	-3.0				0	10	0523	1904	TS RA BR	0.34	0.0	0	29.82		5.7	32	250	23	250			
14	87	63	75	-2.9				0	10	0524	1903	RA	0.04	0.0	0	29.79		5.0	24	310	21	320			
15	89	68	79	1.2				0	14	0525	1902	BR	T	0.0	0	29.85		2.9	17	250	14	240			
16	92	69	81	3.3				0	16	0526	1901		0.00	0.0	0	29.92		4.1	16	200	12	250			
17	93	74	83	5.4				0	18	0527	1859	BR	0.00	0.0	0	29.88		7.4	25	240	18	200			
18	90	72	81	3.5				0	16	0528	1858	TS RA BR	0.04	0.0	0	29.75		8.6	20	180	17	180			
19	87	73	80	2.6				0	15	0528	1857	RA BR	0.08	0.0	0	29.74		5.1	13	330	10	320			
20	86	73	80	2.7				0	15	0529	1856	RA BR	0.13	0.0	0	29.85		7.7	18	070	14	070			
21	88	74	81	3.8				0	16	0530	1854	TS RA BR	0.48	0.0	0	29.78		7.8	29	210	24	220			
22	88	69	79	2.0				0	14	0531	1853	RA BR	0.80	0.0	0	29.67		7.5	33	340	28	350			
23	80	61	71	-5.9				0	6	0532	1851		Ts	0.0	0	29.87		7.8	22	010	17	330			
24	83	58*	70	-6.8				0	5	0533	1850		0.00	0.0	0	30.02		3.6	13	120	10	110			
25	82	60	71	-5.6				0	6	0533	1849		0.00	0.0	0	30.06		2.9	11	120	8	090			
26	88	61	74	-2.4				0	9	0534	1847		0.00	0.0	0	29.99		5.5	18	240	14	210			
27	92	70	81	4.7				0	16	0535	1846		0.00	0.0	0	29.93		3.2	14	180	10	120			
28	94	73	83	6.9				0	18	0536	1844	TS RA BR	0.01	0.0	0	29.92		6.7	21	350	16	350			
29	96*	74	85	9.1				0	20	0537	1843		0.00	0.0	0	29.88		7.9	21	230	16	200			
30	94	72	83	7.3				0	18	0538	1842	TS RA BR	0.35	0.0	0	29.88		6.2	27	240	18	270			
31	89	71	80	4.5				0	15	0539	1840	RA	0.03	0.0	0	29.95		4.4	14	060	12	120			
Monthly Averages Totals													1.96s			29.86	30.05	5.8							
Departure from Normal (1981-2010)													-2.70s												
Degree Days												Number of days with...													
Monthly						Season-to-date						Temperature				Precipitation		Snow		Weather					
Total		Departure		Total		Departure		Max		Min		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog					
Heating		0		-1		0		>=90°		<=32°		<=32°		<=0°		7s		4s		0					
Cooling		449		61		1496		13		0		0		0		7s		4s		0					
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure						Greatest...											
N/A								Maximum		30.29		Date		25		Time		0936		24-Hr...		Snowfall		Snow Depth	
N/A								Minimum		29.82		Date		22		Time		0442		0.81					
Station Augmentation												21-22													
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																									

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
 Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Local Climatological Data Hourly Observations August 2018

Generated on 10/03/2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	BKN:07 8	10.00		75	23.9	74	23.5	74	23.3	96	10	210		29.86	5	+0.01	30.05	FM-15	0.00	30.04
01	0121	7	SCT:04 7	10.00		75	23.9	74	23.1	73	22.8	94	10	200		29.86				FM-16		30.04
01	0154	7	BKN:07 8	10.00		75	23.9	74	23.1	73	22.8	94	11	200		29.85			30.03	FM-15	0.00	30.03
01	0254	7	BKN:07 6 OVC:08 14	10.00		75	23.9	74	23.1	73	22.8	94	10	190		29.84			30.03	FM-15	0.00	30.02
01	0354	7	OVC:08 9	10.00		76	24.4	74	23.3	73	22.8	91	9	200		29.86	3	-0.00	30.05	FM-15	0.00	30.04
01	0454	7	FEW:02 7 BKN:07 12	10.00		75	23.9	74	23.1	73	22.8	94	8	200		29.87			30.06	FM-15	0.00	30.05
01	0554	7	FEW:02 8 OVC:08 12	10.00		75	23.9	74	23.1	73	22.8	94	8	190		29.88			30.07	FM-15	0.00	30.06
01	0654	7	FEW:02 8 OVC:08 14	10.00		76	24.4	74	23.3	73	22.8	91	9	210		29.90	3	-0.04	30.09	FM-15	0.00	30.08
01	0700	4	8	9.94		76	24.4	74	23.3	73	22.8	91	9	210		29.90	3	-0.04	30.09	FM-12		
01	0754	7	OVC:08 13	10.00		78	25.6	75	24.0	74	23.3	87	13	190		29.90			30.09	FM-15	0.00	30.08
01	0828	7	OVC:08 16	10.00		79	26.1	75	23.8	73	22.8	82	10	200		29.91				FM-16		30.09
01	0854	7	OVC:08 17	10.00		80	26.7	75	24.0	73	22.8	79	15	210		29.91			30.10	FM-15	0.00	30.09
01	0919	7	SCT:04 18 BKN:07 34	10.00		80	26.7	76	24.4	74	23.3	82	13	210		29.91				FM-16		30.09
01	0954	7	SCT:04 21 BKN:07 43	10.00		83	28.3	77	24.8	74	23.3	74	11	210		29.91	1	-0.01	30.10	FM-15	0.00	30.09
01	1022	7	BKN:07 27 OVC:08 43	10.00		82	27.8	75	24.0	72	22.2	72	15	220	24	29.91				FM-16		30.09
01	1054	7	SCT:04 28 BKN:07 43	10.00		83	28.3	75	24.1	72	22.2	70	11	220		29.91			30.10	FM-15	0.00	30.09
01	1154	7	BKN:07 33 OVC:08 65	10.00		83	28.3	75	24.1	72	22.2	70	16	230	22	29.91			30.09	FM-15	0.00	30.09
01	1254	7	SCT:04 31 BKN:07 65 BKN:07 300	10.00		86	30.0	76	24.6	72	22.2	63	15	210	24	29.89	8	+0.02	30.08	FM-15	0.00	30.07
01	1300	4	26	9.94		86	30.0	76	24.6	72	22.2	63	15	210		29.89	8	+0.02	30.08	FM-12		
01	1354	7	SCT:04 36 BKN:07 300	10.00		88	31.1	77	24.9	72	22.2	59	13	220	23	29.88			30.06	FM-15	0.00	30.06
01	1454	7	SCT:04 43 BKN:07 300	10.00		89	31.7	77	25.0	72	22.2	57	13	220		29.87			30.05	FM-15	0.00	30.05
01	1554	7	SCT:04 43 BKN:07 300	10.00		89	31.7	77	25.0	72	22.2	57	13	200		29.87	5	+0.02	30.05	FM-15	0.00	30.05
01	1654	7	SCT:04 43 SCT:04 180 BKN:07 300	10.00		88	31.1	77	24.9	72	22.2	59	9	200		29.88			30.06	FM-15	0.00	30.06
01	1754	7	FEW:02 43 SCT:04 60 BKN:07 300	10.00		83	28.3	77	25.2	75	23.9	77	16	190		29.86			30.05	FM-15	0.00	30.04
01	1854	7	FEW:02 60 BKN:07 150 BKN:07 300	10.00		81	27.2	75	24.2	73	22.8	77	13	180		29.87	3	-0.01	30.06	FM-15	0.00	30.05
01	1900	4	57	9.94		81	27.2	75	24.2	73	22.8	77	13	180		29.87	3	-0.01	30.06	FM-12		
01	1954	7	SCT:04 50 SCT:04 120 BKN:07 300	10.00		79	26.1	75	23.8	73	22.8	82	9	180		29.89			30.08	FM-15	0.00	30.07
01	2054	7	SCT:04 50 SCT:04 120 BKN:07 300	10.00		78	25.6	75	24.0	74	23.3	87	10	190		29.92			30.11	FM-15	0.00	30.10

01	2154	7	SCT:04 120 BKN:07 300	10.00		78	25.6	75	24.0	74	23.3	87	11	200		29.93	1	-0.06	30.12	FM-15	0.00	30.11
01	2254	7	SCT:04 90 SCT:04 300	10.00		77	25.0	75	23.9	74	23.3	90	9	210		29.94			30.13	FM-15	0.00	30.12
01	2354	7	BKN:07 40	10.00		77	25.0	74	23.5	73	22.8	88	9	200		29.94			30.12	FM-15	0.00	30.12
02	0011	7	BKN:07 25 OVC:08 44	10.00		78	25.6	75	23.7	73	22.8	85	7	220		29.94				FM-16		30.12
02	0036	7	SCT:04 25 BKN:07 47	10.00		77	25.0	74	23.5	73	22.8	88	7	230		29.95				FM-16		30.13
02	0054	7	SCT:04 26 BKN:07 50	10.00		76	24.4	74	23.3	73	22.8	91	5	180		29.94	1	-0.01	30.13	FM-15	0.00	30.12
02	0154	7	FEW:02 22 SCT:04 50	10.00		76	24.4	74	23.3	73	22.8	91	8	160		29.93			30.11	FM-15	0.00	30.11
02	0254	7	SCT:04 11 SCT:04 120	10.00		76	24.4	74	23.3	73	22.8	91	9	200		29.92			30.11	FM-15	0.00	30.10
02	0315	7	FEW:02 9 FEW:02 120	10.00		75	23.9	74	23.1	73	22.8	94	8	190		29.92				FM-16		30.10
02	0354	7	FEW:02 9 FEW:02 95	10.00		75	23.9	74	23.1	73	22.8	94	9	190		29.92	6	+0.02	30.11	FM-15	0.00	30.10
02	0454	7	SCT:04 8 SCT:04 100	10.00		75	23.9	74	23.1	73	22.8	94	11	190		29.93			30.11	FM-15	0.00	30.11
02	0554	7	FEW:02 8 SCT:04 300	10.00		75	23.9	74	23.1	73	22.8	94	10	190		29.95			30.13	FM-15	0.00	30.13
02	0633	7	BKN:07 7 BKN:07 300	10.00		76	24.4	75	23.7	74	23.3	94	13	190		29.95				FM-16		30.13
02	0654	7	BKN:07 8 BKN:07 300	10.00		77	25.0	75	23.9	74	23.3	90	10	200		29.95	2	-0.03	30.14	FM-15	0.00	30.13
02	0700	4	8	9.94		77	25.0	75	23.9	74	23.3	90	10	200		29.95	2	-0.03	30.14	FM-12		
02	0710	6	BKN:07 10 OVC:08 300	10.00		78	25.6	76	24.4	75	23.9	90	11	200		29.95				FM-16		30.13
02	0714	7	BKN:07 11 OVC:08 300	10.00		78	25.6	75	24.0	74	23.3	87	13	190		29.95				FM-16		30.13
02	0754	7	BKN:07 15 OVC:08 300	10.00		80	26.7	76	24.4	74	23.3	82	11	180		29.96			30.14	FM-15	0.00	30.14
02	0854	7	BKN:07 20 BKN:07 300	10.00		82	27.8	76	24.3	73	22.8	74	15	180		29.95			30.14	FM-15	0.00	30.13
02	0954	7	BKN:07 25 BKN:07 300	10.00		85	29.4	77	25.2	74	23.3	70	14	190		29.95	1	-0.00	30.14	FM-15	0.00	30.13
02	1027	7	SCT:04 27 BKN:07 300	10.00		86	30.0	78	25.3	74	23.3	67	15	190		29.95				FM-16		30.13
02	1054	7	SCT:04 29 BKN:07 300	10.00		87	30.6	78	25.5	74	23.3	65	14	190		29.94			30.13	FM-15	0.00	30.12
02	1154	7	SCT:04 32 BKN:07 300	10.00		88	31.1	77	25.2	73	22.8	61	17	170	23	29.91			30.10	FM-15	0.00	30.09
02	1254	7	SCT:04 35 BKN:07 110 BKN:07 300	10.00		88	31.1	78	25.6	74	23.3	63	13	180	20	29.91	6	+0.04	30.10	FM-15	0.00	30.09
02	1300	4	41	9.94		88	31.1	78	25.6	74	23.3	63	13	180		29.91	6	+0.04	30.10	FM-12		
02	1321	7	SCT:04 35 BKN:07 120 BKN:07 300	8.00	TS:7 -RA:02 RA TS TS RA	84	28.9	78	25.4	75	23.9	74	8	160		29.90				FM-16	T	30.08
02	1354	7	SCT:04s 14s BKN:07s 32s	5.00	TS RA	77	25.0	74	23.1	72	22.2	85	8	330		29.93			30.12	FM-15	0.01	30.11
02	1454	7	FEW:02 11 SCT:04 32	9.00	TS RA	76	24.4	74	23.3	73	22.8	91	3	VRB		29.91			30.10	FM-15	0.01	30.09
02	1554	7	SCT:04 80 BKN:07 130 BKN:07 180	8.00	TS:7 -RA:02 RA TS TS RA	74	23.3	73	22.6	72	22.2	94	8	170		29.92	1	-0.01	30.11	FM-15	0.01	30.10
02	1621	7	FEW:02 10 BKN:07 80 BKN:07 120	8.00	-RA:02 RA RA	74	23.3	73	22.6	72	22.2	94	3	180		29.92				FM-16	T	30.10

02	1654	7	FEW:02 10 SCT:04 80 BKN:07 100	10.00	RA RA	75	23.9	74	23.1	73	22.8	94	10	170		29.94			30.13	FM-15	0.01	30.12
02	1752	6	FEW:02 5 SCT:04 95 OVC:08 120	9.00	-RA:02 RA RA	75	24.0	74	23.1	73	23.0	94	8	210		29.93				FM-16		30.11
02	1754	7	FEW:02 5 SCT:04 95 BKN:07 120	4.00	RA RA	75	23.9	74	23.1	73	22.8	94	7	210		29.93			30.12	FM-15	0.04	30.11
02	1854	7	FEW:02 5 SCT:04 80 BKN:07 150	10.00		75	23.9	74	23.1	73	22.8	94	8	170		29.93	1	-0.01	30.12	FM-15	0.01	30.11
02	1900	4	5	9.94		75	23.9	74	23.1	73	22.8	94	8	170		29.93	1	-0.01	30.12	FM-12		
02	1954	7	FEW:02 5 FEW:02 60 OVC:08 220	10.00		73	22.8	72	22.4	72	22.2	96	8	200		29.94			30.13	FM-15	0.00	30.12
02	2054	7	FEW:02 5 OVC:08 230	10.00		73	22.8	72	22.0	71	21.7	94	6	160		29.97			30.16	FM-15	0.00	30.15
02	2154	7	SCT:04 3 SCT:04 250	10.00		72	22.2	71	21.9	71	21.7	97	6	170		29.96	0	-0.03	30.15	FM-15	0.00	30.14
02	2254	7	FEW:02 4 FEW:02 42	10.00		72	22.2	71	21.5	70	21.1	94	7	180		29.97			30.15	FM-15	0.00	30.15
02	2328	7	BKN:07 27 BKN:07 32 BKN:07 45	10.00		72	22.2	71	21.9	71	21.7	97	6	190		29.97				FM-16		30.15
02	2352	6	SCT:04 23 BKN:07 32	10.00		72	22.0	71	21.5	70	21.0	94	5	210		29.97				FM-16		30.15
02	2354	7	SCT:04 23 BKN:07 32	10.00		72	22.2	71	21.5	70	21.1	94	6	200		29.97			30.16	FM-15	0.00	30.15
03	0024	7	BKN:07 25	10.00		72	22.2	71	21.5	70	21.1	94	3	210		29.98				FM-16		30.16
03	0054	7	SCT:04 25 BKN:07 75	10.00		72	22.2	71	21.9	71	21.7	97	5	170		29.97	0	-0.00	30.16	FM-15	0.00	30.15
03	0100	4	26	9.94		72	22.2	71	21.9	71	21.7	97	5	170		29.97	9	0.00	30.16	FM-12		
03	0152	6	SCT:04 9 BKN:07 15 OVC:08 70	10.00		72	22.0	72	22.2	72	22.0	100	3	210		29.97				FM-16		30.15
03	0154	7	SCT:04 9 BKN:07 15 OVC:08 70	10.00		72	22.2	71	21.9	71	21.7	97	3	200		29.97			30.16	FM-15	0.00	30.15
03	0200	7	BKN:07 7 BKN:07 15	10.00		72	22.2	71	21.9	71	21.7	97	3	190		29.97				FM-16		30.15
03	0254	7	OVC:08 5	10.00		73	22.8	72	22.4	72	22.2	96	5	190		29.97			30.16	FM-15	0.00	30.15
03	0352	6	OVC:08 4	10.00		73	23.0	72	22.4	72	22.0	94	8	190		29.96				FM-16		30.14
03	0354	7	OVC:08 4	10.00		73	22.8	72	22.4	72	22.2	96	7	190		29.96	8	+0.01	30.15	FM-15	0.00	30.14
03	0451	7	OVC:08 5	10.00		73	23.0	72	22.4	72	22.0	94	7	180		29.97				FM-16		30.15
03	0454	7	BKN:07 5 BKN:07 9 OVC:08 75	10.00		73	22.8	72	22.4	72	22.2	96	8	180		29.97			30.16	FM-15	0.00	30.15
03	0514	7	SCT:04 5 BKN:07 70 BKN:07 120	6.00	-RA:02 BR:1 RA RA	73	22.8	72	22.4	72	22.2	96	0	000		29.97				FM-16	0.01	30.15
03	0554	7	SCT:04 5 BKN:07 60 BKN:07 150	10.00	-RA:02 RA RA	73	22.8	72	22.4	72	22.2	96	7	170		29.99			30.18	FM-15	0.02	30.17
03	0601	7	BKN:07 5 BKN:07 60 OVC:08 90	10.00	-RA:02 RA RA	73	22.8	72	22.4	72	22.2	96	6	150		29.99				FM-16	T	30.17
03	0617	7	SCT:04 5 BKN:07 70 BKN:07 150	10.00	-RA:02 RA RA	74	23.3	73	22.6	72	22.2	94	6	190		29.98				FM-16	T	30.16
03	0654	7	FEW:02 4 FEW:02 60 BKN:07 130	10.00		74	23.3	73	22.6	72	22.2	94	7	160		29.98	0	-0.01	30.17	FM-15	T	30.16
03	0700	4	5	9.94		74	23.3	73	22.6	72	22.2	94	7	160		29.98	9	0.01	30.17	FM-12		

03	0754	7	FEW:02 7 SCT:04 65 BKN:07 160	10.00		76	24.4	74	23.3	73	22.8	91	9	190		30.00			30.19	FM-15	0.00	30.18
03	0829	7	BKN:07 7 BKN:07 40 OVC:08 160	10.00		77	25.0	75	23.9	74	23.3	90	11	180		30.00				FM-16		30.18
03	0854	7	BKN:07 8 BKN:07 40 OVC:08 150	10.00		77	25.0	75	23.9	74	23.3	90	10	190		30.00			30.19	FM-15	T	30.18
03	0939	7	BKN:07 11 BKN:07 30 BKN:07 85	10.00	RA RA	78	25.6	75	24.0	74	23.3	87	10	180		29.99				FM-16	T	30.17
03	0954	7	BKN:07 12 BKN:07 50 OVC:08 150	10.00	-RA:02 RA RA	78	25.6	75	24.0	74	23.3	87	7	180		29.99	0	-0.01	30.18	FM-15	T	30.17
03	1054	7	BKN:07 13 OVC:08 25	10.00		79	26.1	76	24.2	74	23.3	85	13	190	21	30.00			30.19	FM-15	T	30.18
03	1100	7	SCT:04 13 OVC:08 25	10.00		79	26.1	76	24.2	74	23.3	85	14	190		30.00				FM-16		30.18
03	1154	7	SCT:04 22 BKN:07 140 OVC:08 300	10.00	-RA:02 RA RA	80	26.7	75	24.0	73	22.8	79	13	210		29.99			30.18	FM-15	T	30.17
03	1213	7	BKN:07 25 BKN:07 60 OVC:08 150	10.00	-RA:02 RA RA	81	27.2	76	24.5	74	23.3	79	13	210		29.99				FM-16	T	30.17
03	1254	7	BKN:07 22 BKN:07 50 OVC:08 140	10.00		80	26.7	75	24.0	73	22.8	79	13	200		29.99	8	+0.01	30.17	FM-15	T	30.17
03	1300	4	26	9.94		80	26.7	75	24.0	73	22.8	79	13	200		29.99	8	+0.01	30.17	FM-12		
03	1352	6	SCT:04 21 BKN:07 60 OVC:08 150	10.00	-RA:02 RA RA	81	27.0	75	24.2	73	23.0	79	13	180		29.96				FM-16		30.14
03	1354	7	SCT:04 21 BKN:07 60 OVC:08 160	10.00	-RA:02 RA RA	81	27.2	75	24.2	73	22.8	77	14	190		29.96			30.15	FM-15	T	30.14
03	1454	7	SCT:04 22 SCT:04 60 BKN:07 110	10.00	RA RA	81	27.2	75	24.2	73	22.8	77	15	170	20	29.95			30.14	FM-15	T	30.13
03	1554	7	FEW:02 22 FEW:02 35 BKN:07 160	10.00		80	26.7	74	23.3	71	21.7	74	16	180		29.95	5	+0.03	30.14	FM-15	T	30.13
03	1642	7	FEW:02 2	10.00		80	26.7	74	23.3	71	21.7	74	14	170		29.94				FM-16		30.12
03	1654	7	FEW:02 25 BKN:07 150	10.00		80	26.7	74	23.3	71	21.7	74	10	170		29.93			30.12	FM-15	0.00	30.11
03	1736	7	BKN:07 29 BKN:07 150	10.00		79	26.1	74	23.5	72	22.2	79	11	170		29.93				FM-16		30.11
03	1754	7	BKN:07 26 BKN:07 35 BKN:07 150	10.00		79	26.1	74	23.5	72	22.2	79	11	170		29.92			30.11	FM-15	0.00	30.10
03	1802	7	SCT:04 26 SCT:04 35 BKN:07 150	10.00		79	26.1	74	23.5	72	22.2	79	10	180		29.93				FM-16		30.11
03	1854	7	FEW:02 26 BKN:07 33 BKN:07 160	10.00		78	25.6	74	23.3	72	22.2	82	13	190		29.93	5	+0.02	30.12	FM-15	0.00	30.11
03	1900	4	26	9.94		78	25.6	74	23.3	72	22.2	82	13	190		29.93	5	+0.02	30.12	FM-12		
03	1907	7	BKN:07 28 BKN:07 40 BKN:07 160	10.00		78	25.6	73	22.9	71	21.7	79	14	190		29.93				FM-16		30.11
03	1922	7	FEW:02 26 SCT:04 38 BKN:07 160	10.00		78	25.6	73	22.6	70	21.1	76	10	190	21	29.93				FM-16		30.11
03	1954	7	FEW:02 22 SCT:04 180 BKN:07 250	10.00		77	25.0	73	22.8	71	21.7	82	7	180		29.93			30.12	FM-15	0.00	30.11

03	2054	7	FEW:02 20 BKN:07 55 BKN:07 160	10.00		75	23.9	72	22.4	71	21.7	88	6	180		29.95			30.14	FM-15	T	30.13
03	2154	7	FEW:02 19 FEW:02 42 SCT:04 200	10.00		74	23.3	71	21.9	70	21.1	88	7	190		29.95	3	-0.02	30.14	FM-15	0.00	30.13
03	2245	7	SCT:04 17 BKN:07 24 BKN:07 47	10.00		74	23.3	71	21.5	69	20.6	85	10	170		29.95				FM-16		30.13
03	2254	7	BKN:07 17 OVC:08 23	10.00		74	23.3	71	21.5	69	20.6	85	8	170		29.95			30.14	FM-15	0.00	30.13
03	2331	7	OVC:08 13	10.00		73	22.8	71	21.7	70	21.1	90	13	190		29.96				FM-16		30.14
03	2354	7	OVC:08 14	10.00		73	22.8	71	21.7	70	21.1	90	11	180		29.95			30.14	FM-15	0.00	30.13
04	0054	7	OVC:08 14	10.00		74	23.3	71	21.9	70	21.1	88	10	200		29.95	8	+0.00	30.14	FM-15	0.00	30.13
04	0100	4	15	9.94		74	23.3	71	21.9	70	21.1	88	10	200		29.95	8	+0.00	30.14	FM-12		
04	0134	7	OVC:08 15	10.00		74	23.3	71	21.9	70	21.1	88	13	200		29.93				FM-16		30.11
04	0154	7	OVC:08 15	10.00		74	23.3	72	22.2	71	21.7	91	11	210		29.93			30.12	FM-15	0.00	30.11
04	0206	7	OVC:08 13	10.00		74	23.3	72	22.2	71	21.7	91	9	200		29.93				FM-16		30.11
04	0254	7	OVC:08 11	10.00		74	23.3	72	22.2	71	21.7	91	9	210		29.94			30.13	FM-15	0.00	30.12
04	0354	7	OVC:08 14	10.00		75	23.9	72	22.4	71	21.7	88	10	230		29.94	5	+0.00	30.13	FM-15	0.00	30.12
04	0410	7	FEW:02 12 OVC:08 18	10.00		75	23.9	72	22.4	71	21.7	88	9	220		29.95				FM-16		30.13
04	0454	7	OVC:08 19	10.00		75	23.9	72	22.4	71	21.7	88	7	240		29.96			30.15	FM-15	0.00	30.14
04	0554	7	BKN:07 17	10.00		75	23.9	72	22.4	71	21.7	88	7	240		29.98			30.16	FM-15	0.00	30.16
04	0654	7	SCT:04 12 BKN:07 18 BKN:07 250	10.00		76	24.4	73	22.9	72	22.2	88	8	220		29.98	1	-0.04	30.17	FM-15	0.00	30.16
04	0700	4	15	9.94		76	24.4	73	22.9	72	22.2	88	8	220		29.98	1	-0.04	30.17	FM-12		
04	0754	7	FEW:02 12 BKN:07 15	10.00		78	25.6	73	22.9	71	21.7	79	9	250		30.00			30.19	FM-15	0.00	30.18
04	0854	7	FEW:02 12 BKN:07 18	10.00		79	26.1	74	23.1	71	21.7	77	5	VRB		30.01			30.20	FM-15	0.00	30.19
04	0932	7	SCT:04 19 SCT:04 250	10.00		81	27.2	74	23.4	71	21.7	72	5	250		30.01				FM-16		30.19
04	0954	7	FEW:02 12 SCT:04 19 SCT:04 250	10.00		81	27.2	74	23.4	71	21.7	72	0	000		30.00	0	-0.02	30.19	FM-15	0.00	30.18
04	1054	7	SCT:04 25 SCT:04 250	10.00		84	28.9	76	24.6	73	22.8	70	5	VRB		30.00			30.19	FM-15	0.00	30.18
04	1154	7	FEW:02 27 SCT:04 250	10.00		83	28.3	75	23.8	71	21.7	67	3	VRB		29.99			30.17	FM-15	0.00	30.17
04	1254	7	FEW:02 25 BKN:07 37	10.00		87	30.6	76	24.4	71	21.7	59	7	180		29.97	8	+0.03	30.16	FM-15	0.00	30.15
04	1300	4	26	9.94		87	30.6	76	24.4	71	21.7	59	7	180		29.97	8	+0.03	30.16	FM-12		
04	1354	7	FEW:02 25 BKN:07 41 BKN:07 250	10.00		87	30.6	76	24.4	71	21.7	59	3	VRB		29.96			30.15	FM-15	0.00	30.14
04	1454	7	SCT:04 41	10.00		87	30.6	75	24.1	70	21.1	57	9	220		29.95			30.14	FM-15	0.00	30.13
04	1554	7	FEW:02 46 FEW:02 200	10.00		87	30.6	74	23.4	68	20.0	53	6	250		29.95	6	+0.02	30.14	FM-15	0.00	30.13
04	1654	7	FEW:02 49 FEW:02 200	10.00		89	31.7	74	23.4	67	19.4	48	8	270		29.94			30.12	FM-15	0.00	30.12
04	1754	7	FEW:02 50 FEW:02 250	10.00		87	30.6	74	23.1	67	19.4	51	8	260		29.94			30.13	FM-15	0.00	30.12
04	1854	7	FEW:02 49 BKN:07 250	10.00		83	28.3	75	23.8	71	21.7	67	5	200		29.95	3	-0.00	30.14	FM-15	0.00	30.13
04	1900	4	41	9.94		83	28.3	75	23.8	71	21.7	67	5	200		29.95	3	-0.00	30.14	FM-12		
04	1954	7	FEW:02 50 FEW:02 250	10.00		78	25.6	75	23.7	73	22.8	85	3	170		29.97			30.15	FM-15	0.00	30.15
04	2054	7	FEW:02 250	10.00		79	26.1	74	23.5	72	22.2	79	0	000		29.98			30.16	FM-15	0.00	30.16
04	2154	7	SCT:04 250	10.00		77	25.0	73	22.8	71	21.7	82	3	130		29.99	1	-0.04	30.18	FM-15	0.00	30.17
04	2254	7	SCT:04 250	10.00		76	24.4	73	22.9	72	22.2	88	0	000		29.99			30.18	FM-15	0.00	30.17

04	2354	7	FEW:02 300	10.00		74	23.3	73	22.6	72	22.2	94	0	000		29.99			30.17	FM-15	0.00	30.17
05	0054	7	FEW:02 300	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.98	8	+0.01	30.17	FM-15	0.00	30.16
05	0100	4		9.94		74	23.3	72	22.2	71	21.7	91	0	000		29.98	8	+0.01	30.17	FM-12		
05	0154	7	FEW:02 300	10.00		73	22.8	71	21.7	70	21.1	90	3	200		29.98			30.17	FM-15	0.00	30.16
05	0254	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.99			30.18	FM-15	0.00	30.17
05	0354	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	3	150		29.99	3	-0.01	30.18	FM-15	0.00	30.17
05	0454	7	FEW:02 300	8.00		72	22.2	71	21.5	70	21.1	94	0	000		30.00			30.18	FM-15	0.00	30.18
05	0554	7	SCT:04 300	8.00		71	21.7	70	21.3	70	21.1	96	0	000		30.01			30.19	FM-15	0.00	30.19
05	0654	7	FEW:02 300	10.00		76	24.4	74	23.3	73	22.8	91	0	000		30.02	3	-0.02	30.20	FM-15	0.00	30.20
05	0700	4		9.94		76	24.4	74	23.3	73	22.8	91	0	000		30.02	3	-0.02	30.20	FM-12		
05	0754	7	FEW:02 300	10.00		81	27.2	75	24.2	73	22.8	77	3	220		30.03			30.22	FM-15	0.00	30.21
05	0854	7	FEW:02 150 SCT:04 300	10.00		85	29.4	77	24.8	73	22.8	68	3	VRB		30.03			30.21	FM-15	0.00	30.21
05	0954	7	FEW:02 45 SCT:04 110	10.00		87	30.6	78	25.5	74	23.3	65	5	230		30.02	0	-0.01	30.21	FM-15	0.00	30.20
05	1054	7	SCT:04 42 SCT:04 120	10.00		88	31.1	77	25.3	73	22.8	61	6	VRB		30.02			30.21	FM-15	0.00	30.20
05	1154	7	FEW:02 32 SCT:04 44	10.00		89	31.7	76	24.7	71	21.7	55	3	080		30.01			30.19	FM-15	0.00	30.19
05	1254	7	SCT:04 42 SCT:04 49 BKN:07 110	10.00		90	32.2	77	25.2	72	22.2	56	7	VRB		29.99	8	+0.04	30.18	FM-15	0.00	30.17
05	1300	4	41	9.94		90	32.2	77	25.2	72	22.2	56	7			29.99	8	+0.04	30.18	FM-12		
05	1354	7	FEW:02 42 SCT:04 49 BKN:07 110	10.00		91	32.8	77	25.0	71	21.7	52	6	180		29.97			30.16	FM-15	0.00	30.15
05	1454	7	SCT:04 44 SCT:04 70 BKN:07 110	10.00		90	32.2	78	25.5	73	22.8	58	7	280		29.95			30.14	FM-15	0.00	30.13
05	1554	7	SCT:04 45 BKN:07 110	10.00		90	32.2	77	24.9	71	21.7	54	6	150		29.95	5	+0.04	30.14	FM-15	0.00	30.13
05	1654	7	BKN:07 47 BKN:07 60 BKN:07 110	9.00	-RA:02 RA RA	81	27.2	74	23.1	70	21.1	69	13	040		29.96			30.15	FM-15	T	30.14
05	1754	7	SCT:04 47 BKN:07 110	10.00		78	25.6	73	22.6	70	21.1	76	8	050		29.97			30.16	FM-15	0.01	30.15
05	1854	7	FEW:02 50 SCT:04 110 BKN:07 220	10.00		78	25.6	73	22.6	70	21.1	76	7	160		29.97	1	-0.02	30.16	FM-15	0.00	30.15
05	1900	4	57	9.94		78	25.6	73	22.6	70	21.1	76	7	160		29.97	1	-0.02	30.16	FM-12		
05	1954	7	FEW:02 50 FEW:02 100 SCT:04 220	10.00		76	24.4	72	22.2	70	21.1	82	5	170		29.97			30.16	FM-15	0.00	30.15
05	2054	7	FEW:02 250	10.00		76	24.4	73	22.6	71	21.7	85	0	000		29.98			30.16	FM-15	0.00	30.16
05	2154	7	FEW:02 250	10.00		74	23.3	71	21.9	70	21.1	88	3	170		29.98	0	-0.01	30.16	FM-15	0.00	30.16
05	2254	7	FEW:02 10 FEW:02 250	10.00		74	23.3	71	21.9	70	21.1	88	0	000		29.97			30.16	FM-15	0.00	30.15
05	2354	7	FEW:02 15	10.00		74	23.3	72	22.2	71	21.7	91	3	210		29.97			30.16	FM-15	0.00	30.15
06	0054	7	CLR:00	10.00		74	23.3	71	21.9	70	21.1	88	3	220		29.96	7	+0.01	30.15	FM-15	0.00	30.14
06	0100	4		9.94		74	23.3	71	21.9	70	21.1	88	3	220		29.96	7	+0.01	30.15	FM-12		
06	0154	7	FEW:02 250	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.95			30.14	FM-15	0.00	30.13
06	0254	7	FEW:02 250	10.00		72	22.2	71	21.5	70	21.1	94	0	000		29.95			30.14	FM-15	0.00	30.13
06	0354	7	FEW:02 110	10.00		71	21.7	70	20.9	69	20.6	94	0	000		29.95	6	+0.01	30.14	FM-15	0.00	30.13
06	0454	7	FEW:02 50 FEW:02 110	10.00		71	21.7	70	20.9	69	20.6	94	0	000		29.95			30.14	FM-15	0.00	30.13
06	0554	7	FEW:02 50 FEW:02 110	10.00		72	22.2	71	21.5	70	21.1	94	0	000		29.96			30.15	FM-15	0.00	30.14
06	0654	7	FEW:02 50 FEW:02 300	10.00		76	24.4	74	23.3	73	22.8	91	3	200		29.96	0	-0.01	30.15	FM-15	0.00	30.14
06	0700	4	57	9.94		76	24.4	74	23.3	73	22.8	91	3	200		29.96	9	0.01	30.15	FM-12		
06	0754	7	FEW:02 50 FEW:02 250	10.00		82	27.8	76	24.7	74	23.3	77	5	260		29.96			30.14	FM-15	0.00	30.14

06	0854	7	FEW:02 50 FEW:02 70	10.00		85	29.4	77	25.2	74	23.3	70	0	000		29.95			30.14	FM-15	0.00	30.13
06	0954	7	FEW:02 35	10.00		88	31.1	78	25.6	74	23.3	63	0	000		29.95	6	+0.01	30.14	FM-15	0.00	30.13
06	1054	7	FEW:02 25 SCT:04 55 BKN:07 85	10.00		86	30.0	78	25.3	74	23.3	67	5	VRB		29.94			30.12	FM-15	0.00	30.12
06	1118	7	SCT:04 29 BKN:07 85	10.00	TS:7 TS TS	87	30.6	78	25.5	74	23.3	65	0	000		29.94				FM-16		30.12
06	1137	7	SCT:04 31 BKN:07 85	10.00		84	28.9	76	24.3	72	22.2	67	8	130		29.93				FM-16		30.11
06	1154	7	FEW:02 31 BKN:07 42 BKN:07 55	10.00	TS:7 TS TS	85	29.4	78	25.5	75	23.9	72	7	100		29.93			30.12	FM-15	T	30.11
06	1207	7	SCT:04 31 BKN:07 42 BKN:07 60	2.00	TS:7 +RA:02 RA TS TS RA	81	27.2	76	24.5	74	23.3	79	20	080		29.96				FM-16	0.04	30.14
06	1214	7	FEW:02 8 BKN:07 15 OVC:08 40	1.00	TS:7 +RA:02 RA TS TS RA	79	26.1	70	21.1	65	18.3	62	20	080	29	29.94				FM-16	0.13	30.12
06	1226	7	FEW:02 15 BKN:07 25 OVC:08 70	2.50	TS:7 +RA:02 RA TS TS RA	75	23.9	72	22.0	70	21.1	84	15	020		29.94				FM-16	0.30	30.12
06	1237	7	SCT:04 25 BKN:07 85 OVC:08 100	3.00	TS:7 RA:02 RA TS TS RA	77	25.0	73	22.8	71	21.7	82	6	050		29.94				FM-16	0.36	30.12
06	1254	7	FEW:02 26 BKN:07 75 BKN:07 95	8.00	TS:7 TS TS	81	27.2	77	24.9	75	23.9	82	6	100		29.94	5	+0.02	30.12	FM-15	0.37	30.12
06	1300	4	26	7.46	TS	81	27.2	77	24.9	75	23.9	82	6	100		29.94	5	+0.02	30.12	FM-12		
06	1324	7	FEW:02 38 BKN:07 160	10.00		83	28.3	77	24.8	74	23.3	74	13	110		29.92				FM-16		30.10
06	1354	7	FEW:02 35 FEW:02 100 BKN:07 180	10.00		85	29.4	77	25.1	74	23.3	70	3	VRB		29.91			30.10	FM-15	0.00	30.09
06	1454	7	FEW:02 30 SCT:04 120 BKN:07 210	10.00		86	30.0	80	26.4	77	25.0	75	7	330		29.90			30.09	FM-15	0.00	30.08
06	1554	7	FEW:02 30 SCT:04 120 BKN:07 210	10.00		87	30.6	78	25.5	74	23.3	65	6	140		29.88	6	+0.06	30.06	FM-15	0.00	30.06
06	1654	7	FEW:02 27 FEW:02 100 SCT:04 210	10.00		83	28.3	75	23.8	71	21.7	67	5	180		29.88			30.07	FM-15	0.00	30.06
06	1754	7	FEW:02 27 FEW:02 100 SCT:04 300	10.00		82	27.8	75	24.0	72	22.2	72	5	180		29.87			30.06	FM-15	0.00	30.05
06	1854	7	FEW:02 27 FEW:02 100 SCT:04 300	10.00		81	27.2	75	23.8	72	22.2	74	5	160		29.88	4	0.00	30.06	FM-15	0.00	30.06
06	1900	4	26	9.94		81	27.2	75	23.8	72	22.2	74	5	160		29.88	4	0.00	30.06	FM-12		
06	1954	7	SCT:04 100 SCT:04 300	10.00		77	25.0	74	23.1	72	22.2	85	5	110		29.89			30.07	FM-15	0.00	30.07
06	2054	7	FEW:02 100 SCT:04 300	10.00		76	24.4	73	22.9	72	22.2	88	5	150		29.91			30.09	FM-15	0.00	30.09
06	2154	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	3	160		29.90	0	-0.02	30.08	FM-15	0.00	30.08
06	2254	7	FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	3	190		29.88			30.07	FM-15	0.00	30.06
06	2354	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.87			30.05	FM-15	0.00	30.05
07	0054	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.87	6	+0.03	30.05	FM-15	0.00	30.05
07	0100	4		9.94		75	23.9	73	22.8	72	22.2	90	0	000		29.87	6	+0.03	30.05	FM-12		
07	0154	7	FEW:02 300	9.00		74	23.3	73	22.6	72	22.2	94	3	170		29.85			30.04	FM-15	0.00	30.03
07	0254	7	CLR:00	7.00		73	22.8	72	22.4	72	22.2	96	5	190		29.85			30.03	FM-15	0.00	30.03
07	0354	7	FEW:02 300	7.00		73	22.8	72	22.4	72	22.2	96	3	160		29.84	7	+0.03	30.02	FM-15	0.00	30.02
07	0454	7	FEW:02 300	6.00	BR:1	73	22.8	72	22.4	72	22.2	96	5	200		29.84			30.03	FM-15	0.00	30.02

07	0554	7	FEW:02 150 SCT:04 300	6.00	BR:1	74	23.3	73	22.6	72	22.2	94	5	200		29.86			30.05	FM-15	0.00	30.04
07	0654	7	FEW:02 120 SCT:04 300	7.00		75	23.9	74	23.1	73	22.8	94	5	190		29.86	1	-0.02	30.05	FM-15	0.00	30.04
07	0700	4		6.84		75	23.9	74	23.1	73	22.8	94	5	190		29.86	1	-0.02	30.05	FM-12		
07	0754	7	FEW:02 120 FEW:02 200	8.00		80	26.7	76	24.4	74	23.3	82	6	210		29.86			30.04	FM-15	0.00	30.04
07	0854	7	FEW:02 250	10.00		82	27.8	76	24.3	73	22.8	74	6	210		29.84			30.03	FM-15	0.00	30.02
07	0952	6	FEW:02 2	10.00		86	30.0	77	24.9	73	23.0	66	6	240		29.84				FM-16		30.02
07	0954	7	FEW:02 250	10.00		86	30.0	76	24.6	72	22.2	63	7	220		29.84	8	+0.01	30.03	FM-15	0.00	30.02
07	1054	7	FEW:02 37 FEW:02 250	10.00		88	31.1	78	25.6	74	23.3	63	7	210		29.84			30.03	FM-15	0.00	30.02
07	1154	7	FEW:02 40	10.00		90	32.2	78	25.5	73	22.8	58	6	220		29.83			30.01	FM-15	0.00	30.01
07	1254	7	FEW:02 40 FEW:02 250	10.00		91	32.8	78	25.7	73	22.8	56	8	210		29.81	8	+0.04	30.00	FM-15	0.00	29.99
07	1300	4	41	9.94		91	32.8	78	25.7	73	22.8	56	8	210		29.81	8	+0.04	30.00	FM-12		
07	1354	7	SCT:04 46 SCT:04 200	10.00		92	33.3	78	25.5	72	22.2	52	3	200		29.78			29.97	FM-15	0.00	29.96
07	1454	7	FEW:02 43 SCT:04 70 SCT:04 250	10.00		92	33.3	78	25.8	73	22.8	54	13	200		29.76			29.95	FM-15	0.00	29.94
07	1554	7	SCT:04 46 SCT:04 300	10.00		92	33.3	77	25.1	71	21.7	51	11	240		29.76	6	+0.05	29.95	FM-15	0.00	29.94
07	1654	7	FEW:02 46 BKN:07 300	10.00		90	32.2	78	25.5	73	22.8	58	8	210		29.75			29.94	FM-15	0.00	29.93
07	1754	7	FEW:02 46 FEW:02 100 BKN:07 300	10.00		87	30.6	78	25.8	75	23.9	67	5	190		29.76			29.95	FM-15	0.00	29.94
07	1854	7	FEW:02 46 FEW:02 100 BKN:07 300	10.00		84	28.9	79	26.1	77	25.0	80	5	200		29.76	6	+0.00	29.94	FM-15	0.00	29.94
07	1900	4	41	9.94		84	28.9	79	26.1	77	25.0	80	5	200		29.76	6	+0.00	29.94	FM-12		
07	1954	7	SCT:04 46 SCT:04 100 OVC:08 300	10.00		82	27.8	78	25.8	77	25.0	85	6	200		29.77			29.96	FM-15	0.00	29.95
07	2054	7	FEW:02 50 SCT:04 90 OVC:08 300	10.00		82	27.8	75	24.0	72	22.2	72	8	300		29.79			29.98	FM-15	T	29.97
07	2154	7	FEW:02 50 SCT:04 90 OVC:08 300	10.00		81	27.2	74	23.4	71	21.7	72	7	270		29.79	0	-0.03	29.97	FM-15	0.00	29.97
07	2254	7	SCT:04 90 OVC:08 300	10.00		80	26.7	74	23.3	71	21.7	74	3	310		29.78			29.96	FM-15	0.00	29.96
07	2354	7	BKN:07 300	10.00		79	26.1	74	23.1	71	21.7	77	0	000		29.77			29.96	FM-15	0.00	29.95
08	0054	7	BKN:07 250	10.00		76	24.4	73	22.6	71	21.7	85	5	200		29.78	5	+0.01	29.97	FM-15	0.00	29.96
08	0100	4		9.94		76	24.4	73	22.6	71	21.7	85	5	200		29.78	5	+0.01	29.97	FM-12		
08	0154	7	SCT:04 250	10.00		76	24.4	73	22.9	72	22.2	88	6	250		29.78			29.96	FM-15	0.00	29.96
08	0254	7	FEW:02 250	10.00		75	23.9	73	22.8	72	22.2	90	3	260		29.76			29.94	FM-15	0.00	29.94
08	0354	7	SCT:04 300	10.00		75	23.9	73	22.8	72	22.2	90	5	260		29.75	8	+0.03	29.94	FM-15	0.00	29.93
08	0454	7	FEW:02 120 BKN:07 300	10.00		75	23.9	73	22.8	72	22.2	90	6	240		29.77			29.96	FM-15	0.00	29.95
08	0554	7	FEW:02 150 BKN:07 300	10.00		73	22.8	72	22.0	71	21.7	94	7	200		29.78			29.97	FM-15	0.00	29.96
08	0654	7	FEW:02 100 BKN:07 300	10.00		75	23.9	72	22.4	71	21.7	88	8	230		29.79	1	-0.04	29.98	FM-15	0.00	29.97
08	0700	4		9.94		75	23.9	72	22.4	71	21.7	88	8	230		29.79	1	-0.04	29.98	FM-12		
08	0754	7	FEW:02 100 SCT:04 300	10.00		80	26.7	75	23.6	72	22.2	76	5	270		29.80			29.98	FM-15	0.00	29.98
08	0854	7	FEW:02 110 SCT:04 300	10.00		82	27.8	76	24.3	73	22.8	74	5	210		29.78			29.97	FM-15	0.00	29.96
08	0954	7	FEW:02 110 SCT:04 300	10.00		87	30.6	77	25.1	73	22.8	63	5	260		29.79	8	+0.01	29.97	FM-15	0.00	29.97

08	1054	7	FEW:02 40 FEW:02 120 SCT:04 300	10.00		90	32.2	79	25.9	74	23.3	59	7	VRB		29.77			29.96	FM-15	0.00	29.95
08	1154	7	FEW:02 38 FEW:02 120 SCT:04 300	10.00		91	32.8	78	25.7	73	22.8	56	5	VRB		29.76			29.94	FM-15	0.00	29.94
08	1254	7	FEW:02 41	10.00		93	33.9	78	25.3	71	21.7	49	9	260		29.74	8	+0.04	29.93	FM-15	0.00	29.92
08	1300	4	41	9.94		93	33.9	78	25.3	71	21.7	49	9	260		29.74	8	+0.04	29.93	FM-12		
08	1354	7	FEW:02 43	10.00		94	34.4	77	25.1	70	21.1	46	14	280		29.73			29.91	FM-15	0.00	29.91
08	1454	7	FEW:02 55	10.00		94	34.4	77	25.1	70	21.1	46	10	280		29.71			29.90	FM-15	0.00	29.89
08	1554	7	FEW:02 55 FEW:02 100	10.00		93	33.9	77	24.9	70	21.1	47	10	240		29.70	6	+0.05	29.88	FM-15	0.00	29.88
08	1654	7	SCT:04 60 SCT:04 95	10.00		92	33.3	77	25.1	71	21.7	51	7	260		29.69			29.87	FM-15	0.00	29.87
08	1754	7	SCT:04 55 BKN:07 90 BKN:07 200	10.00		86	30.0	74	23.6	69	20.6	57	9	330		29.69			29.87	FM-15	0.00	29.87
08	1854	7	FEW:02 50 SCT:04 90 BKN:07 200	10.00		84	28.9	76	24.3	72	22.2	67	3	160		29.70	3	-0.00	29.88	FM-15	0.00	29.88
08	1900	4	57	9.94		84	28.9	76	24.3	72	22.2	67	3	160		29.70	3	-0.00	29.88	FM-12		
08	1954	7	SCT:04 50 BKN:07 240	10.00		84	28.9	75	23.9	71	21.7	65	8	260		29.72			29.91	FM-15	0.00	29.90
08	2054	7	SCT:04 60 SCT:04 90 BKN:07 200	10.00		82	27.8	74	23.3	70	21.1	67	9	270		29.72			29.90	FM-15	0.00	29.90
08	2154	7	SCT:04 200 OVC:08 240	10.00		80	26.7	73	22.6	69	20.6	69	6	200		29.72	1	-0.02	29.91	FM-15	0.00	29.90
08	2254	7	FEW:02 150 BKN:07 250	10.00		77	25.0	72	22.4	70	21.1	79	5	200		29.71			29.89	FM-15	0.00	29.89
08	2354	7	FEW:02 150 BKN:07 250	10.00		78	25.6	73	22.9	71	21.7	79	8	230		29.71			29.90	FM-15	0.00	29.89
09	0054	7	SCT:04 150 BKN:07 250	10.00		77	25.0	72	22.4	70	21.1	79	10	270		29.70	8	+0.02	29.88	FM-15	0.00	29.88
09	0100	4		9.94		77	25.0	72	22.4	70	21.1	79	10	270		29.70	8	+0.02	29.88	FM-12		
09	0154	7	SCT:04 250	10.00		77	25.0	72	22.0	69	20.6	77	8	270		29.69			29.88	FM-15	0.00	29.87
09	0254	7	SCT:04 140 BKN:07 200	10.00		76	24.4	72	22.2	70	21.1	82	7	270		29.70			29.88	FM-15	0.00	29.88
09	0354	7	BKN:07 60 OVC:08 160	10.00		76	24.4	72	22.2	70	21.1	82	6	240		29.70	5	+0.00	29.88	FM-15	0.00	29.88
09	0454	7	FEW:02 60 BKN:07 170	10.00		75	23.9	72	22.0	70	21.1	84	7	240		29.69			29.88	FM-15	0.00	29.87
09	0554	7	FEW:02 170 BKN:07 300	10.00		73	22.8	70	21.3	69	20.6	87	6	230		29.70			29.89	FM-15	0.00	29.88
09	0654	7	FEW:02 170 BKN:07 300	10.00		77	25.0	72	22.4	70	21.1	79	5	280		29.71	3	-0.01	29.90	FM-15	0.00	29.89
09	0700	4		9.94		77	25.0	72	22.4	70	21.1	79	5	280		29.71	3	-0.01	29.90	FM-12		
09	0754	7	FEW:02 170 BKN:07 300	10.00		80	26.7	74	23.3	71	21.7	74	5	300		29.72			29.91	FM-15	0.00	29.90
09	0854	7	FEW:02 120 FEW:02 180 OVC:08 300	10.00		83	28.3	75	23.8	71	21.7	67	6	310		29.73			29.91	FM-15	0.00	29.91
09	0954	7	FEW:02 33 SCT:04 85 OVC:08 300	10.00		86	30.0	76	24.2	71	21.7	61	6	350		29.74	3	-0.03	29.93	FM-15	0.00	29.92
09	1054	7	FEW:02 43 FEW:02 90 BKN:07 300	10.00		88	31.1	75	23.9	69	20.6	54	5	VRB		29.73			29.92	FM-15	0.00	29.91
09	1154	7	SCT:04 46 BKN:07 300	10.00		89	31.7	75	23.7	68	20.0	50	9	010		29.73			29.92	FM-15	0.00	29.91
09	1254	7	SCT:04 48 BKN:07 300	10.00		89	31.7	75	24.0	69	20.6	52	5	VRB		29.73	8	+0.01	29.91	FM-15	0.00	29.91
09	1300	4	41	9.94		89	31.7	75	24.0	69	20.6	52	5			29.73	8	+0.01	29.91	FM-12		

09	1354	7	SCT:04 47 BKN:07 300	10.00		88	31.1	75	23.9	69	20.6	54	6	320		29.71			29.90	FM-15	0.00	29.89
09	1454	7	SCT:04 49 SCT:04 100 BKN:07 300	10.00		89	31.7	75	23.7	68	20.0	50	0	000		29.70			29.89	FM-15	0.00	29.88
09	1554	7	BKN:07 55 BKN:07 100 BKN:07 300	10.00		86	30.0	75	23.9	70	21.1	59	3	090		29.69	6	+0.03	29.88	FM-15	0.00	29.87
09	1608	7	BKN:07 48 OVC:08 55	1.75	+RA:02 RA RA	78	25.6	74	23.3	72	22.2	82	17	020	34	29.71				FM-16	0.03	29.89
09	1621	7	BKN:07 50 BKN:07 100 BKN:07 300	2.50	RA:02 RA RA	77	25.0	74	23.1	72	22.2	85	11	100		29.70				FM-16	0.09	29.88
09	1628	7	SCT:04 48 BKN:07 100 BKN:07 300	9.00	-RA:02 RA RA	79	26.1	75	23.8	73	22.8	82	10	100		29.69				FM-16	0.09	29.87
09	1654	7	SCT:04 50 SCT:04 100 BKN:07 300	10.00		82	27.8	76	24.3	73	22.8	74	8	080		29.70			29.88	FM-15	0.09	29.88
09	1754	7	FEW:02 50 FEW:02 110 BKN:07 300	10.00		82	27.8	77	25.0	75	23.9	79	6	120		29.69			29.88	FM-15	0.00	29.87
09	1854	7	FEW:02 50 FEW:02 110 SCT:04 200	10.00		79	26.1	76	24.6	75	23.9	88	5	170		29.70	3	-0.01	29.89	FM-15	0.00	29.88
09	1900	4	57	9.94		79	26.1	76	24.6	75	23.9	88	5	170		29.70	3	-0.01	29.89	FM-12		
09	1954	7	FEW:02 200 SCT:04 300	10.00		78	25.6	75	23.7	73	22.8	85	0	000		29.72			29.91	FM-15	0.00	29.90
09	2054	7	SCT:04 100 SCT:04 300	10.00		77	25.0	74	23.5	73	22.8	88	0	000		29.74			29.93	FM-15	0.00	29.92
09	2154	7	BKN:07 100 BKN:07 300	10.00		78	25.6	75	24.0	74	23.3	87	0	000		29.74	0	-0.04	29.92	FM-15	0.00	29.92
09	2254	7	SCT:04 100 BKN:07 300	10.00		78	25.6	75	23.7	73	22.8	85	3	180		29.74			29.93	FM-15	0.00	29.92
09	2354	7	SCT:04 110 SCT:04 300	10.00		76	24.4	74	23.3	73	22.8	91	0	000		29.73			29.91	FM-15	0.00	29.91
10	0054	7	FEW:02 110 SCT:04 300	10.00		74	23.3	73	22.6	72	22.2	94	0	000		29.72	8	+0.01	29.91	FM-15	0.00	29.90
10	0100	4		9.94		74	23.3	73	22.6	72	22.2	94	0	000		29.72	8	+0.01	29.91	FM-12		
10	0154	7	SCT:04 300	9.00		75	23.9	73	22.8	72	22.2	90	0	000		29.72			29.90	FM-15	0.00	29.90
10	0254	7	FEW:02 300	9.00		74	23.3	73	22.6	72	22.2	94	0	000		29.71			29.90	FM-15	0.00	29.89
10	0354	7	FEW:02 300	10.00		74	23.3	72	22.2	71	21.7	91	3	310		29.72	5	+0.01	29.90	FM-15	0.00	29.90
10	0454	7	FEW:02 300	10.00		73	22.8	71	21.7	70	21.1	90	3	330		29.72			29.91	FM-15	0.00	29.90
10	0554	7	FEW:02 300	9.00		73	22.8	71	21.7	70	21.1	90	5	310		29.74			29.93	FM-15	0.00	29.92
10	0654	7	SCT:04 300	10.00		76	24.4	73	22.6	71	21.7	85	6	330		29.75	3	-0.04	29.94	FM-15	0.00	29.93
10	0700	4		9.94		76	24.4	73	22.6	71	21.7	85	6	330		29.75	3	-0.04	29.94	FM-12		
10	0754	7	BKN:07 300	10.00		80	26.7	73	22.9	70	21.1	71	6	360		29.76			29.95	FM-15	0.00	29.94
10	0854	7	BKN:07 300	10.00		83	28.3	74	23.1	69	20.6	63	9	360		29.77			29.95	FM-15	0.00	29.95
10	0954	7	BKN:07 300	10.00		85	29.4	75	23.7	70	21.1	61	5	020		29.77	1	-0.01	29.96	FM-15	0.00	29.95
10	1054	7	FEW:02 30 BKN:07 300	10.00		86	30.0	76	24.2	71	21.7	61	3	060		29.77			29.95	FM-15	0.00	29.95
10	1154	7	SCT:04 45 BKN:07 300	10.00		89	31.7	76	24.4	70	21.1	53	5	070		29.76			29.95	FM-15	0.00	29.94
10	1254	7	SCT:04 45 BKN:07 300	10.00		88	31.1	76	24.2	70	21.1	55	0	000		29.75	8	+0.02	29.93	FM-15	0.00	29.93
10	1300	4	41	9.94		88	31.1	76	24.2	70	21.1	55	0	000		29.75	8	+0.02	29.93	FM-12		
10	1354	7	SCT:04 46 BKN:07 300	10.00		90	32.2	76	24.2	69	20.6	50	3	010		29.74			29.92	FM-15	0.00	29.92
10	1454	7	FEW:02 50 SCT:04 90 BKN:07 300	10.00		87	30.6	75	23.7	69	20.6	55	5	090		29.72			29.91	FM-15	0.00	29.90

10	1554	7	SCT:04 55 SCT:04 100 BKN:07 300	10.00		90	32.2	75	23.9	68	20.0	48	0	000		29.70	8	+0.05	29.89	FM-15	0.00	29.88
10	1654	7	SCT:04 55 SCT:04 100 BKN:07 300	10.00		87	30.6	76	24.4	71	21.7	59	3	100		29.69			29.88	FM-15	0.00	29.87
10	1754	7	SCT:04 50 BKN:07 300	10.00		86	30.0	76	24.6	72	22.2	63	5	050		29.69			29.88	FM-15	0.00	29.87
10	1854	7	FEW:02 50 SCT:04 300	10.00		83	28.3	76	24.5	73	22.8	72	3	030		29.70	5	+0.01	29.88	FM-15	0.00	29.88
10	1900	4	57	9.94		83	28.3	76	24.5	73	22.8	72	3	030		29.70	5	+0.01	29.88	FM-12		
10	1954	7	FEW:02 50 FEW:02 300	10.00		82	27.8	75	24.0	72	22.2	72	3	010		29.71			29.90	FM-15	0.00	29.89
10	2054	7	FEW:02 55 SCT:04 300	10.00		80	26.7	74	23.3	71	21.7	74	0	000		29.73			29.92	FM-15	0.00	29.91
10	2154	7	SCT:04 50 SCT:04 300	10.00		78	25.6	75	23.7	73	22.8	85	0	000		29.73	0	-0.04	29.92	FM-15	0.00	29.91
10	2254	7	FEW:02 50 BKN:07 300	10.00		76	24.4	74	23.3	73	22.8	91	3	110		29.74			29.92	FM-15	0.00	29.92
10	2354	7	SCT:04 50 SCT:04 300	10.00		76	24.4	74	23.3	73	22.8	91	3	100		29.74			29.93	FM-15	0.00	29.92
11	0054	7	FEW:02 50 FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	3	140		29.72	8	+0.01	29.91	FM-15	0.00	29.90
11	0100	4	57	9.94		75	23.9	73	22.8	72	22.2	90	3	140		29.72	8	+0.01	29.91	FM-12		
11	0154	7	BKN:07 300	9.00		75	23.9	73	22.8	72	22.2	90	0	000		29.72			29.91	FM-15	0.00	29.90
11	0254	7	SCT:04 180 OVC:08 300	8.00		75	23.9	73	22.8	72	22.2	90	0	000		29.72			29.91	FM-15	0.00	29.90
11	0354	7	SCT:04 180 OVC:08 300	9.00		75	23.9	73	22.8	72	22.2	90	0	000		29.71	8	+0.01	29.90	FM-15	0.00	29.89
11	0454	7	SCT:04 130 BKN:07 200 OVC:08 300	9.00		74	23.3	73	22.6	72	22.2	94	5	150		29.71			29.90	FM-15	0.00	29.89
11	0554	7	FEW:02 50 SCT:04 120 BKN:07 200	6.00	RA	75	23.9	74	23.1	73	22.8	94	3	180		29.72			29.91	FM-15	0.00	29.90
11	0654	7	SCT:04 110 BKN:07 200 OVC:08 300	6.00	BR:1	75	23.9	74	23.1	73	22.8	94	3	160		29.73	3	-0.01	29.91	FM-15	0.00	29.91
11	0700	4		5.59		75	23.9	74	23.1	73	22.8	94	3	160		29.73	3	-0.01	29.91	FM-12		
11	0754	7	FEW:02 30 SCT:04 110 BKN:07 140	6.00		77	25.0	75	23.9	74	23.3	90	8	180		29.74			29.92	FM-15	T	29.92
11	0854	7	FEW:02 13 SCT:04 110 OVC:08 150	7.00		79	26.1	75	23.8	73	22.8	82	3	260		29.75			29.94	FM-15	0.00	29.93
11	0954	7	BKN:07 90 OVC:08 140	8.00		82	27.8	75	24.0	72	22.2	72	0	000		29.76	3	-0.04	29.95	FM-15	0.00	29.94
11	1054	7	FEW:02 30 SCT:04 95 BKN:07 140	8.00		84	28.9	76	24.3	72	22.2	67	0	000		29.77			29.96	FM-15	0.00	29.95
11	1154	7	FEW:02 70 BKN:07 150	10.00		84	28.9	77	25.0	74	23.3	72	6	190		29.76			29.95	FM-15	0.00	29.94
11	1254	7	FEW:02 30 SCT:04 90 BKN:07 150	10.00		86	30.0	78	25.3	74	23.3	67	7	190		29.75	8	+0.02	29.93	FM-15	0.00	29.93
11	1300	4	26	9.94		86	30.0	78	25.3	74	23.3	67	7	190		29.75	8	+0.02	29.93	FM-12		
11	1354	7	FEW:02 40 SCT:04 110 BKN:07 170	10.00		89	31.7	76	24.7	71	21.7	55	7	260		29.72			29.91	FM-15	0.00	29.90
11	1454	7	FEW:02 45 SCT:04 95 BKN:07 160	10.00		90	32.2	76	24.5	70	21.1	52	7	210		29.71			29.89	FM-15	0.00	29.89

11	1554	7	FEW:02 45 FEW:02 70 SCT:04 150	10.00		89	31.7	74	23.4	67	19.4	48	6	160		29.70	6	+0.05	29.89	FM-15	0.00	29.88
11	1654	7	SCT:04 45 SCT:04 130 BKN:07 200	10.00		89	31.7	74	23.4	67	19.4	48	6	160		29.71			29.90	FM-15	0.00	29.89
11	1752	6	FEW:02 2 SCT:04 90	10.00		82	28.0	74	23.3	70	21.0	66	8	040		29.72				FM-16		29.90
11	1754	7	FEW:02 45 SCT:04 75	10.00		83	28.3	74	23.1	69	20.6	63	7	040		29.72			29.91	FM-15	0.00	29.90
11	1854	7	SCT:04 18 BKN:07 42 BKN:07 170	10.00		77	25.0	72	22.4	70	21.1	79	17	100		29.75	3	-0.05	29.94	FM-15	0.00	29.93
11	1900	4	15	9.94		77	25.0	72	22.4	70	21.1	79	17	100		29.75	3	-0.05	29.94	FM-12		
11	1908	7	SCT:04 20 BKN:07 26 BKN:07 40	10.00		76	24.4	72	22.2	70	21.1	82	14	120		29.75				FM-16		29.93
11	1941	7	FEW:02 20 SCT:04 39 BKN:07 70	10.00		74	23.3	71	21.9	70	21.1	88	9	150		29.74				FM-16		29.92
11	1954	7	SCT:04 43 BKN:07 60 BKN:07 170	10.00		74	23.3	71	21.9	70	21.1	88	8	150		29.73			29.92	FM-15	0.00	29.91
11	2054	7	FEW:02 40 BKN:07 170 BKN:07 200	10.00		76	24.4	71	21.9	69	20.6	79	3	330		29.75			29.93	FM-15	0.00	29.93
11	2154	7	FEW:02 40 SCT:04 100 BKN:07 200	10.00		74	23.3	71	21.9	70	21.1	88	3	040		29.78	3	-0.03	29.97	FM-15	0.00	29.96
11	2254	7	FEW:02 150 BKN:07 200	10.00		73	22.8	71	21.7	70	21.1	90	3	110		29.78			29.97	FM-15	0.00	29.96
11	2354	7	FEW:02 180 BKN:07 300	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.78			29.96	FM-15	0.00	29.96
12	0054	7	FEW:02 65 FEW:02 95 SCT:04 180	10.00	RA	73	22.8	71	21.7	70	21.1	90	0	000		29.78	5	+0.00	29.97	FM-15	T	29.96
12	0100	4	57	9.94	RA	73	22.8	71	21.7	70	21.1	90	0	000		29.78	5	+0.00	29.97	FM-12		
12	0154	7	FEW:02 65 SCT:04 90 SCT:04 180	10.00		72	22.2	71	21.5	70	21.1	94	7	030		29.76			29.95	FM-15	0.01	29.94
12	0254	7	SCT:04 300	10.00		72	22.2	71	21.5	70	21.1	94	0	000		29.77			29.95	FM-15	0.00	29.95
12	0354	7	BKN:07 300	10.00		71	21.7	70	20.9	69	20.6	94	0	000		29.77	5	+0.01	29.96	FM-15	0.00	29.95
12	0454	7	SCT:04 300	10.00		71	21.7	70	20.9	69	20.6	94	0	000		29.78			29.96	FM-15	0.00	29.96
12	0554	7	SCT:04 140 BKN:07 300	10.00		72	22.2	71	21.5	70	21.1	94	0	000		29.80			29.99	FM-15	0.00	29.98
12	0654	7	FEW:02 140 BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	3	350		29.82	3	-0.04	30.01	FM-15	0.00	30.00
12	0700	4		9.94		74	23.3	72	22.2	71	21.7	91	3	350		29.82	3	-0.04	30.01	FM-12		
12	0754	7	SCT:04 300	10.00		78	25.6	73	22.9	71	21.7	79	0	000		29.83			30.01	FM-15	0.00	30.01
12	0854	7	FEW:02 45 BKN:07 300	10.00		81	27.2	74	23.4	71	21.7	72	5	040		29.83			30.01	FM-15	0.00	30.01
12	0954	7	SCT:04 45 SCT:04 300	10.00		84	28.9	75	23.9	71	21.7	65	6	080		29.85	3	-0.03	30.03	FM-15	0.00	30.03
12	1054	7	FEW:02 20 BKN:07 30 BKN:07 300	10.00		85	29.4	76	24.4	72	22.2	65	7	030		29.85			30.03	FM-15	0.00	30.03
12	1154	7	BKN:07 30	10.00		87	30.6	78	25.4	74	23.3	65	7	100		29.83			30.02	FM-15	0.00	30.01
12	1254	7	FEW:02 21 BKN:07 30	10.00		85	29.4	75	24.1	71	21.7	63	0	000		29.81	8	+0.04	29.99	FM-15	0.00	29.99
12	1300	4	26	9.94		85	29.4	75	24.1	71	21.7	63	0	000		29.81	8	+0.04	29.99	FM-12		
12	1354	7	FEW:02 35 BKN:07 46	10.00		89	31.7	77	25.0	72	22.2	57	5	VRB		29.79			29.97	FM-15	0.00	29.97
12	1454	7	SCT:04 49 BKN:07 300	10.00		86	30.0	76	24.6	72	22.2	63	3	060		29.78			29.96	FM-15	0.00	29.96

12	1554	7	BKN:07 35 BKN:07 300	10.00		82	27.8	76	24.3	73	22.8	74	8	350		29.77	6	+0.04	29.96	FM-15	0.00	29.95
12	1626	7	BKN:07 29 OVC:08 35	10.00		76	24.4	71	21.5	68	20.0	77	21	330	25	29.79				FM-16		29.97
12	1636	7	OVC:08 29	10.00	TS:7 -RA:02 RA TS TS RA	72	22.2	69	20.8	68	20.0	87	24	330	34	29.80				FM-16	T	29.98
12	1654	7	BKN:07 29 OVC:08 39	5.00	TS:7 RA:02 BR:1 RA TS RA	71	21.7	69	20.6	68	20.0	90	22	310	36	29.81			30.00	FM-15	0.01	29.99
12	1710	7	BKN:07 29 BKN:07 39 OVC:08 47	1.50	TS:7 +RA:02 BR:1 RA TS RA	70	21.1	69	20.4	68	20.0	93	14	320		29.84				FM-16	0.08	30.02
12	1723	7	BKN:07 25 BKN:07 39 OVC:08 47	1.00	TS:7 +RA:02 BR:1 RA TS RA	69	20.6	68	20.2	68	20.0	96	11	020		29.84				FM-16	0.35	30.02
12	1727	7	BKN:07 25 BKN:07 39 OVC:08 47	2.00	TS:7 RA:02 BR:1 RA TS RA	69	20.6	68	20.2	68	20.0	96	8	030		29.85				FM-16	0.37	30.03
12	1731	7	SCT:04 25 BKN:07 35 OVC:08 80	3.00	TS:7 RA:02 BR:1 RA TS RA	69	20.6	68	20.2	68	20.0	96	7	VRB	17	29.85				FM-16	0.38	30.03
12	1748	7	SCT:04 37 BKN:07 70 OVC:08 95	4.00	RA:02 BR:1 RA RA	70	21.0	67	19.7	66	19.0	88	15	030	21	29.86				FM-16	0.40	30.04
12	1754	7	SCT:04 37 BKN:07 70 OVC:08 95	3.00	RA:02 BR:1 RA RA	69	20.6	68	19.8	67	19.4	93	11	040	21	29.86			30.05	FM-15	0.44	30.04
12	1854	7	FEW:02 35 BKN:07 110 BKN:07 130	10.00		69	20.6	68	19.8	67	19.4	93	6	040		29.83	0	-0.02	30.02	FM-15	0.01	30.01
12	1900	4	41	9.94		69	20.6	68	19.8	67	19.4	93	6	040		29.83	9	0.02	30.02	FM-12		
12	1921	7	FEW:02 5 FEW:02 35 BKN:07 100	10.00		69	20.6	68	19.8	67	19.4	93	6	050		29.82				FM-16	0.01	30.00
12	1954	7	FEW:02 5 BKN:07 100 BKN:07 140	10.00		69	20.6	68	19.8	67	19.4	93	7	130		29.82			30.01	FM-15	0.00	30.00
12	2054	7	FEW:02 5 BKN:07 130	10.00		69	20.6	68	19.8	67	19.4	93	7	200		29.84			30.03	FM-15	0.00	30.02
12	2146	7	BKN:07 7 BKN:07 130	10.00		69	20.6	68	20.2	68	20.0	96	6	350		29.86				FM-16		30.04
12	2154	7	OVC:08 7	10.00		69	20.6	68	20.2	68	20.0	96	5	340		29.86	3	-0.03	30.05	FM-15	0.00	30.04
12	2235	7	SCT:04 7 BKN:07 11	10.00		69	20.6	68	19.8	67	19.4	93	6	310		29.85				FM-16		30.03
12	2252	7	FEW:02 7 SCT:04 11 BKN:07 170	10.00		70	21.0	67	19.7	66	19.0	88	7	310		29.84				FM-16		30.02
12	2254	7	FEW:02 7 SCT:04 11 BKN:07 170	10.00		69	20.6	68	19.8	67	19.4	93	5	310		29.84			30.03	FM-15	0.00	30.02
12	2354	7	FEW:02 5 BKN:07 160 OVC:08 190	10.00		69	20.6	68	19.8	67	19.4	93	6	330		29.84			30.03	FM-15	0.00	30.02
13	0054	7	FEW:02 4 OVC:08 200	10.00		69	20.6	68	19.8	67	19.4	93	5	360		29.83	8	+0.01	30.02	FM-15	0.00	30.01
13	0100	4	5	9.94		69	20.6	68	19.8	67	19.4	93	5	360		29.83	8	+0.01	30.02	FM-12		
13	0128	7	FEW:02 5 BKN:07 29 OVC:08 180	10.00		69	20.6	68	19.8	67	19.4	93	0	000		29.85				FM-16		30.03
13	0154	7	SCT:04 17 BKN:07 29 OVC:08 60	10.00	-RA:02 RA RA	70	21.1	69	20.4	68	20.0	93	5	310		29.85			30.03	FM-15	T	30.03
13	0223	7	FEW:02 17 BKN:07 30 OVC:08 180	10.00		70	21.1	68	20.0	67	19.4	90	0	000		29.85				FM-16	T	30.03

13	0254	7	SCT:04 18 BKN:07 30 BKN:07 90	10.00		70	21.1	68	20.0	67	19.4	90	0	000		29.84			30.03	FM-15	T	30.02
13	0340	7	FEW:02 4 FEW:02 29 SCT:04 230	10.00		70	21.1	68	20.0	67	19.4	90	5	290		29.83				FM-16		30.01
13	0354	7	FEW:02 4 SCT:04 230	10.00		69	20.6	68	19.8	67	19.4	93	5	300		29.83	8	+0.01	30.01	FM-15	0.00	30.01
13	0454	7	SCT:04 250	10.00		69	20.6	68	19.8	67	19.4	93	5	290		29.81			30.00	FM-15	0.00	29.99
13	0554	7	FEW:02 120 BKN:07 300	7.00		70	21.1	69	20.4	68	20.0	93	5	310		29.81			30.00	FM-15	0.00	29.99
13	0646	7	FEW:02 3 BKN:07 300	7.00		72	22.2	70	21.1	69	20.6	91	0	000		29.82				FM-16		30.00
13	0654	7	FEW:02 3 BKN:07 300	7.00		73	22.8	70	21.3	69	20.6	87	0	000		29.82	5	+0.01	30.01	FM-15	0.00	30.00
13	0700	4	2	6.84		73	22.8	70	21.3	69	20.6	87	0	000		29.82	5	+0.01	30.01	FM-12		
13	0754	7	SCT:04 9 BKN:07 150 BKN:07 300	10.00		74	23.3	71	21.5	69	20.6	85	3	230		29.83			30.02	FM-15	0.00	30.01
13	0818	7	BKN:07 11 BKN:07 150 BKN:07 300	10.00		75	23.9	71	21.7	69	20.6	82	5	270		29.83				FM-16		30.01
13	0854	7	BKN:07 14 BKN:07 300	10.00		77	25.0	72	22.4	70	21.1	79	3	290		29.84			30.03	FM-15	0.00	30.02
13	0921	7	BKN:07 15 BKN:07 300	10.00		77	25.0	72	22.1	69	20.6	77	6	310		29.84				FM-16		30.02
13	0954	6	BKN:07 17	10.00		76	24.4	71	21.9	69	20.6	79	6	290		29.85	1	-0.03	30.04	FM-15	0.00	30.03
13	1054	6	SCT:04 19 BKN:07 29	10.00		79	26.1	73	22.7	70	21.1	74	5	310		29.84			30.03	FM-15	0.00	30.02
13	1125	7	FEW:02 20 BKN:07 30	10.00		79	26.1	71	21.7	67	19.4	67	0	000		29.83				FM-16		30.01
13	1154	7	BKN:07 32	10.00		80	26.7	72	22.2	68	20.0	67	5	250		29.82			30.01	FM-15	0.00	30.00
13	1254	7	BKN:07 30	10.00		80	26.7	72	22.2	68	20.0	67	6	VRB		29.81	7	+0.04	30.00	FM-15	0.00	29.99
13	1300	4	26	9.94		80	26.7	72	22.2	68	20.0	67	6			29.81	7	+0.04	30.00	FM-12		
13	1354	7	SCT:04 33	10.00		83	28.3	73	22.7	68	20.0	61	8	210		29.78			29.97	FM-15	0.00	29.96
13	1454	7	SCT:04 35 SCT:04 80 BKN:07 300	10.00		83	28.3	73	22.7	68	20.0	61	8	200		29.76			29.95	FM-15	0.00	29.94
13	1554	7	SCT:04 35 SCT:04 300	10.00		83	28.3	73	22.7	68	20.0	61	7	210		29.75	6	+0.06	29.94	FM-15	0.00	29.93
13	1654	7	SCT:04 41 SCT:04 300	10.00		83	28.3	72	22.4	67	19.4	59	8	230		29.75			29.94	FM-15	0.00	29.93
13	1754	7	SCT:04 41 SCT:04 300	10.00		82	27.8	72	22.2	67	19.4	60	8	260		29.74			29.93	FM-15	0.00	29.92
13	1851	7	FEW:02 14 BKN:07 39 BKN:07 50	2.50	+RA:02 BR:1 RA RA	70	21.0	67	19.7	66	19.0	88	23	250	32	29.80				FM-16	0.02	29.98
13	1852	6	FEW:02 14 BKN:07 39 BKN:07 50	1.75	+RA:02 BR:1 RA RA	70	21.0	67	19.7	66	19.0	88	23	250	32	29.81				FM-16		29.99
13	1854	7	FEW:02 14 BKN:07 39 OVC:08 50	2.50	+RA:02 BR:1 RA RA	68	20.0	67	19.3	66	18.9	93	20	250	32	29.81	3	-0.06	30.00	FM-15	0.21s	29.99
13	1857	7	FEW:02 14 BKN:07 39 OVC:08 50	2.50	TS:7 +RA:02 BR:1 RA TS RA	67	19.4	66	18.8	65	18.3	93	16	240	32	29.82				FM-16	0.10	30.00
13	1900	4	15	2.49	RA	68	20.0	67	19.3	66	18.9	93	20	250		29.81	3	-0.06	30.00	FM-12		
13	1914	7	FEW:02 14 BKN:07 39 OVC:08 50	4.00	TS:7 +RA:02 BR:1 RA TS RA	68	20.0	66	19.0	65	18.3	90	11	240		29.81				FM-16	0.21	29.99
13	1954	7	SCT:04 39 SCT:04 50 BKN:07 90	10.00	TS:7 -RA:02 RA TS TS RA	68	20.0	66	19.0	65	18.3	90	5	020		29.79			29.98	FM-15	0.13	29.97

13	2022	7	FEW:02 39 FEW:02 50 BKN:07 120	10.00		68	20.0	66	19.0	65	18.3	90	3	040		29.79				FM-16	T	29.97
13	2054	7	SCT:04 120 SCT:04 300	10.00		68	20.0	67	19.3	66	18.9	93	5	280		29.80			29.99	FM-15	T	29.98
13	2154	7	FEW:02 120 FEW:02 300	10.00		66	18.9	65	18.2	64	17.8	93	7	200		29.79	6	+0.01	29.98	FM-15	0.00	29.97
13	2254	7	BKN:07 300	10.00		66	18.9	65	18.2	64	17.8	93	5	230		29.80			29.98	FM-15	0.00	29.98
13	2354	7	BKN:07 250	10.00		68	20.0	66	18.6	64	17.8	87	7	210		29.79			29.98	FM-15	0.00	29.97
14	0054	7	FEW:02 7 SCT:04 300	10.00		65	18.3	64	17.7	63	17.2	93	3	230		29.79	8	+0.01	29.98	FM-15		29.97
14	0100	4	8	9.94		65	18.3	64	17.7	63	17.2	93	3	230		29.79	8	+0.01	29.98	FM-12		
14	0154	7	FEW:02 300	10.00		66	18.9	64	17.9	63	17.2	90	6	250		29.77			29.96	FM-15		29.95
14	0254	7	CLR:00	10.00		63	17.2	62	16.9	62	16.7	97	5	200		29.78			29.97	FM-15		29.96
14	0354	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	6	260		29.77	6	+0.01	29.96	FM-15		29.95
14	0454	7	FEW:02 300	10.00		65	18.3	63	17.3	62	16.7	90	0	000		29.78			29.97	FM-15		29.96
14	0554	7	FEW:02 250	10.00		65	18.3	63	17.3	62	16.7	90	3	VRB		29.79			29.98	FM-15		29.97
14	0654	7	FEW:02 300	10.00		68	20.0	66	18.6	64	17.8	87	7	310		29.81	3	-0.04	30.00	FM-15		29.99
14	0700	4		9.94		68	20.0	66	18.6	64	17.8	87	7	310		29.81	3	-0.04	30.00	FM-12		
14	0754	7	FEW:02 100	10.00		72	22.2	68	19.8	65	18.3	79	6	310		29.81			30.00	FM-15		29.99
14	0854	7	FEW:02 100	10.00		74	23.3	69	20.8	67	19.4	79	6	200		29.81			30.00	FM-15		29.99
14	0954	7	FEW:02 100 FEW:02 300	10.00		78	25.6	70	20.9	65	18.3	64	3	270		29.81	3	-0.00	30.00	FM-15		29.99
14	1034	7	FEW:02 100 SCT:04 300	10.00		80	26.7	69	20.6	63	17.2	56	0	000		29.81				FM-16		29.99
14	1054	7	FEW:02 35 FEW:02 100 BKN:07 300	10.00		81	27.2	71	21.4	65	18.3	58	0	000		29.81			30.00	FM-15	0.00	29.99
14	1154	7	FEW:02 40 BKN:07 300	10.00		83	28.3	71	21.8	65	18.3	55	6	VRB		29.80			29.99	FM-15	0.00	29.98
14	1254	7	FEW:02 45 SCT:04 300	10.00		83	28.3	70	21.1	63	17.2	51	5	VRB		29.79			29.98	FM-15	0.00	29.97
14	1300	4	41	9.94		83	28.3	70	21.1	63	17.2	51	5			29.79			29.98	FM-12		
14	1354	7	FEW:02 50 SCT:04 300	10.00		85	29.4	71	21.5	63	17.2	48	3	260		29.76			29.95	FM-15	0.00	29.94
14	1454	7	FEW:02 55 FEW:02 300	10.00		86	30.0	72	22.0	64	17.8	48	10	280		29.75			29.94	FM-15	0.00	29.93
14	1554	7	FEW:02 55 FEW:02 300	10.00		85	29.4	72	22.1	65	18.3	51	9	220		29.76	5	+0.03	29.95	FM-15	0.00	29.94
14	1654	7	FEW:02 49 FEW:02 300	10.00		85	29.4	72	22.1	65	18.3	51	9	210		29.74			29.93	FM-15	0.00	29.92
14	1754	7	FEW:02 49 FEW:02 300	10.00		83	28.3	72	22.1	66	18.9	57	8	240		29.75			29.94	FM-15	0.00	29.93
14	1854	7	FEW:02 47 FEW:02 300	10.00		82	27.8	71	21.6	65	18.3	56	6	280		29.77	3	-0.01	29.96	FM-15	0.00	29.95
14	1900	4	41	9.94		82	27.8	71	21.6	65	18.3	56	6	280		29.77	3	-0.01	29.96	FM-12		
14	1954	7	FEW:02 47 FEW:02 300	10.00		75	23.9	71	21.7	69	20.6	82	3	180		29.78			29.97	FM-15	0.00	29.96
14	2054	7	FEW:02 47 FEW:02 80 SCT:04 300	10.00		75	23.9	70	21.3	68	20.0	79	3	160		29.80			29.99	FM-15	0.00	29.98
14	2154	7	SCT:04 100 SCT:04 300	10.00		73	22.8	70	21.0	68	20.0	84	5	200		29.81	1	-0.04	30.00	FM-15	0.00	29.99
14	2254	7	SCT:04 43 BKN:07 90 OVC:08 110	10.00	-RA:02 RA RA	72	22.2	70	21.1	69	20.6	91	3	060		29.83			30.02	FM-15	0.04	30.01
14	2354	7	BKN:07 70 OVC:08 100	10.00		72	22.2	71	21.5	70	21.1	94	5	200		29.83			30.02	FM-15	T	30.01
15	0054	7	FEW:02 70 BKN:07 95	7.00		71	21.7	70	21.3	70	21.1	96	3	190		29.82	0	-0.01	30.01	FM-15	T	30.00
15	0100	4	74	6.84		71	21.7	70	21.3	70	21.1	96	3	190		29.82	9	0.01	30.01	FM-12		
15	0154	7	SCT:04 90	9.00		72	22.2	71	21.5	70	21.1	94	0	000		29.81			30.00	FM-15	0.00	29.99

15	0254	7	FEW:02 90	4.00	BR:1	70	21.1	69	20.4	68	20.0	93	0	000		29.81			29.99	FM-15	0.00	29.99
15	0354	7	CLR:00	4.00	BR:1	69	20.6	68	19.8	67	19.4	93	0	000		29.80	6	+0.01	29.99	FM-15	0.00	29.98
15	0454	7	CLR:00	7.00		69	20.6	68	19.8	67	19.4	93	0	000		29.81			30.00	FM-15	0.00	29.99
15	0554	7	FEW:02 300	5.00	BR:1	68	20.0	67	19.6	67	19.4	96	0	000		29.83			30.02	FM-15	0.00	30.01
15	0654	7	FEW:02 300	8.00		74	23.3	71	21.9	70	21.1	88	3	330		29.85	3	-0.04	30.03	FM-15	0.00	30.03
15	0700	4		7.46		74	23.3	71	21.9	70	21.1	88	3	330		29.85	3	-0.04	30.03	FM-12		
15	0754	7	SCT:04 300	10.00		79	26.1	74	23.1	71	21.7	77	0	000		29.86			30.05	FM-15	0.00	30.04
15	0854	7	FEW:02 300	10.00		82	27.8	72	22.2	67	19.4	60	3	VRB		29.88			30.06	FM-15	0.00	30.06
15	0954	7	FEW:02 300	10.00		84	28.9	73	22.6	67	19.4	57	3	VRB		29.89	1	-0.04	30.08	FM-15	0.00	30.07
15	1054	7	FEW:02 42 SCT:04 300	10.00		86	30.0	73	22.6	66	18.9	51	0	000		29.89			30.08	FM-15	0.00	30.07
15	1154	7	FEW:02 46 SCT:04 300	10.00		86	30.0	72	22.3	65	18.3	49	0	000		29.87			30.06	FM-15	0.00	30.05
15	1254	7	FEW:02 49 SCT:04 300	10.00		87	30.6	74	23.1	67	19.4	51	6	150		29.86	8	+0.02	30.05	FM-15	0.00	30.04
15	1300	4	41	9.94		87	30.6	74	23.1	67	19.4	51	6	150		29.86	8	+0.02	30.05	FM-12		
15	1354	7	FEW:02 50 SCT:04 300	10.00		88	31.1	74	23.2	67	19.4	50	7	210		29.85			30.03	FM-15	0.00	30.03
15	1454	7	FEW:02 55 BKN:07 300	10.00		87	30.6	74	23.1	67	19.4	51	8	190		29.85			30.03	FM-15	0.00	30.03
15	1554	7	FEW:02 55 BKN:07 300	10.00		89	31.7	74	23.4	67	19.4	48	10	240		29.84	6	+0.02	30.03	FM-15	0.00	30.02
15	1654	7	FEW:02 48 BKN:07 300	10.00		86	30.0	73	22.9	67	19.4	53	11	270		29.85			30.04	FM-15	0.00	30.03
15	1754	7	FEW:02 45 BKN:07 300	10.00		86	30.0	74	23.2	68	20.0	55	8	280		29.85			30.04	FM-15	0.00	30.03
15	1854	7	BKN:07 300	10.00		84	28.9	74	23.2	69	20.6	61	6	280		29.86	3	-0.01	30.04	FM-15	0.00	30.04
15	1900	4		9.94		84	28.9	74	23.2	69	20.6	61	6	280		29.86	3	-0.01	30.04	FM-12		
15	1954	7	BKN:07 300	10.00		77	25.0	73	22.8	71	21.7	82	0	000		29.87			30.06	FM-15	0.00	30.05
15	2054	7	BKN:07 300	10.00		76	24.4	72	22.2	70	21.1	82	0	000		29.89			30.08	FM-15	0.00	30.07
15	2154	7	SCT:04 300	10.00		76	24.4	73	22.6	71	21.7	85	0	000		29.89	1	-0.04	30.08	FM-15	0.00	30.07
15	2254	7	SCT:04 300	10.00		74	23.3	71	21.9	70	21.1	88	0	000		29.90			30.08	FM-15	0.00	30.08
15	2354	7	FEW:02 250	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.91			30.09	FM-15	0.00	30.09
16	0054	7	FEW:02 250	10.00		73	22.8	71	21.7	70	21.1	90	3	180		29.91	0	-0.01	30.09	FM-15	0.00	30.09
16	0100	4		9.94		73	22.8	71	21.7	70	21.1	90	3	180		29.91	9	0.01	30.09	FM-12		
16	0154	7	FEW:02 150	10.00		74	23.3	71	21.9	70	21.1	88	0	000		29.90			30.09	FM-15	0.00	30.08
16	0254	7	CLR:00	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.89			30.08	FM-15	0.00	30.07
16	0354	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	3	220		29.90	5	+0.01	30.09	FM-15	0.00	30.08
16	0454	7	SCT:04 250	9.00		71	21.7	69	20.6	68	20.0	90	0	000		29.91			30.09	FM-15	0.00	30.09
16	0554	7	BKN:07 250	9.00		70	21.1	69	20.4	68	20.0	93	3	130		29.92			30.11	FM-15	0.00	30.10
16	0654	7	BKN:07 250	9.00		74	23.3	72	22.2	71	21.7	91	0	000		29.93	3	-0.04	30.12	FM-15	0.00	30.11
16	0700	4		8.70		74	23.3	72	22.2	71	21.7	91	0	000		29.93	3	-0.04	30.12	FM-12		
16	0754	7	BKN:07 300	10.00		80	26.7	74	23.3	71	21.7	74	5	260		29.94			30.13	FM-15	0.00	30.12
16	0854	7	BKN:07 300	10.00		82	27.8	74	23.6	71	21.7	69	5	250		29.94			30.13	FM-15	0.00	30.12
16	0954	7	OVC:08 300	10.00		85	29.4	75	24.1	71	21.7	63	8	220		29.95	3	-0.02	30.14	FM-15	0.00	30.13
16	1054	7	FEW:02 35 OVC:08 300	10.00		88	31.1	75	23.9	69	20.6	54	6	260		29.95			30.14	FM-15	0.00	30.13
16	1154	7	FEW:02 42 BKN:07 300	10.00		87	30.6	75	24.1	70	21.1	57	7	VRB		29.94			30.13	FM-15	0.00	30.12
16	1254	7	FEW:02 45 OVC:08 300	10.00		88	31.1	76	24.2	70	21.1	55	6	210		29.94	6	+0.01	30.13	FM-15	0.00	30.12
16	1300	4	41	9.94		88	31.1	76	24.2	70	21.1	55	6	210		29.94	6	+0.01	30.13	FM-12		
16	1354	7	FEW:02 46 SCT:04 100 OVC:08 300	10.00		90	32.2	76	24.5	70	21.1	52	8	210	16	29.92			30.11	FM-15	0.00	30.10
16	1454	7	SCT:04 50 SCT:04 95 OVC:08 300	10.00		90	32.2	76	24.2	69	20.6	50	9	240		29.90			30.09	FM-15	0.00	30.08

16	1554	7	SCT:04 50 SCT:04 90 BKN:07 300	10.00		90	32.2	75	23.9	68	20.0	48	9	230		29.90	6	+0.04	30.08	FM-15	0.00	30.08
16	1654	7	FEW:02 50 BKN:07 300	10.00		89	31.7	75	23.7	68	20.0	50	8	250		29.90			30.09	FM-15	0.00	30.08
16	1754	7	FEW:02 45 BKN:07 300	10.00		87	30.6	76	24.4	71	21.7	59	6	190		29.90			30.09	FM-15	0.00	30.08
16	1854	7	BKN:07 300	10.00		84	28.9	76	24.6	73	22.8	70	3	170		29.91	3	-0.01	30.10	FM-15	0.00	30.09
16	1900	4		9.94		84	28.9	76	24.6	73	22.8	70	3	170		29.91	3	-0.01	30.10	FM-12		
16	1954	7	BKN:07 300	10.00		81	27.2	77	24.9	75	23.9	82	5	140		29.92			30.11	FM-15	0.00	30.10
16	2054	7	BKN:07 300	10.00		80	26.7	77	24.7	75	23.9	85	5	150		29.94			30.12	FM-15	0.00	30.12
16	2154	7	BKN:07 300	10.00		79	26.1	76	24.2	74	23.3	85	3	150		29.94	1	-0.03	30.13	FM-15	0.00	30.12
16	2254	7	BKN:07 300	9.00		77	25.0	74	23.5	73	22.8	88	0	000		29.94			30.12	FM-15	0.00	30.12
16	2354	7	BKN:07 300	10.00		77	25.0	74	23.5	73	22.8	88	0	000		29.93			30.12	FM-15	0.00	30.11
17	0054	7	BKN:07 300	9.00		77	25.0	74	23.5	73	22.8	88	0	000		29.93	8	+0.01	30.12	FM-15	0.00	30.11
17	0100	4		8.70		77	25.0	74	23.5	73	22.8	88	0	000		29.93	8	+0.01	30.12	FM-12		
17	0154	7	SCT:04 300	8.00		76	24.4	74	23.3	73	22.8	91	0	000		29.93			30.11	FM-15	0.00	30.11
17	0254	7	SCT:04 300	8.00		76	24.4	74	23.3	73	22.8	91	3	140		29.93			30.11	FM-15	0.00	30.11
17	0354	7	SCT:04 300	7.00		75	23.9	73	22.8	72	22.2	90	3	170		29.92	8	+0.01	30.11	FM-15	0.00	30.10
17	0454	7	SCT:04 300	7.00		75	23.9	73	22.8	72	22.2	90	5	160		29.92			30.10	FM-15	0.00	30.10
17	0554	7	SCT:04 300	4.00	BR:1	74	23.3	73	22.6	72	22.2	94	0	000		29.93			30.11	FM-15	0.00	30.11
17	0654	7	SCT:04 300	6.00	BR:1	76	24.4	75	23.7	74	23.3	94	3	180		29.92	2	-0.01	30.11	FM-15	0.00	30.10
17	0700	4		5.59		76	24.4	75	23.7	74	23.3	94	3	180		29.92	2	-0.01	30.11	FM-12		
17	0754	7	FEW:02 300	8.00		80	26.7	76	24.4	74	23.3	82	8	210		29.92			30.11	FM-15	0.00	30.10
17	0854	7	SCT:04 300	9.00		84	28.9	78	25.4	75	23.9	74	8	200		29.92			30.11	FM-15	0.00	30.10
17	0954	7	FEW:02 150 SCT:04 300	10.00		87	30.6	78	25.8	75	23.9	67	8	230		29.91	8	+0.01	30.10	FM-15	0.00	30.09
17	1054	7	FEW:02 35 FEW:02 150 SCT:04 300	10.00		89	31.7	79	26.1	75	23.9	63	7	220		29.90			30.09	FM-15	0.00	30.08
17	1154	7	FEW:02 39 FEW:02 150 SCT:04 300	10.00		91	32.8	78	25.7	73	22.8	56	9	180		29.88			30.06	FM-15	0.00	30.06
17	1254	7	FEW:02 42 SCT:04 170 BKN:07 300	10.00		92	33.3	80	26.5	75	23.9	58	11	200		29.87	6	+0.04	30.06	FM-15	0.00	30.05
17	1300	4	41	9.94		92	33.3	80	26.5	75	23.9	58	11	200		29.87	6	+0.04	30.06	FM-12		
17	1354	7	SCT:04 44 SCT:04 170 BKN:07 300	10.00		92	33.3	78	25.5	72	22.2	52	14	210	24	29.85			30.03	FM-15	0.00	30.03
17	1454	7	FEW:02 49 FEW:02 170 BKN:07 300	10.00		92	33.3	78	25.8	73	22.8	54	14	190		29.83			30.02	FM-15	0.00	30.01
17	1554	7	FEW:02 50 BKN:07 300	10.00		92	33.3	77	25.1	71	21.7	51	13	220	24	29.82	6	+0.05	30.01	FM-15	0.00	30.00
17	1654	7	FEW:02 50 BKN:07 250	10.00		90	32.2	79	25.9	74	23.3	59	11	210		29.82			30.00	FM-15	0.00	30.00
17	1754	7	FEW:02 60 BKN:07 250	10.00		89	31.7	78	25.7	74	23.3	61	13	200		29.81			29.99	FM-15	0.00	29.99
17	1854	7	BKN:07 300	10.00		86	30.0	77	24.9	73	22.8	65	9	210		29.81	5	+0.01	30.00	FM-15	0.00	29.99
17	1900	4		9.94		86	30.0	77	24.9	73	22.8	65	9	210		29.81	5	+0.01	30.00	FM-12		
17	1954	7	BKN:07 300	10.00		82	27.8	76	24.7	74	23.3	77	7	190		29.81			30.00	FM-15	0.00	29.99
17	2054	7	BKN:07 300	10.00		80	26.7	77	24.7	75	23.9	85	8	190		29.81			30.00	FM-15	0.00	29.99
17	2154	7	SCT:04 300	10.00		80	26.7	76	24.4	74	23.3	82	8	200		29.81	8	+0.01	29.99	FM-15	0.00	29.99
17	2254	7	SCT:04 250	10.00		79	26.1	75	23.8	73	22.8	82	7	210		29.82			30.00	FM-15	0.00	30.00
17	2354	7	SCT:04 300	10.00		80	26.7	75	24.0	73	22.8	79	8	210		29.82			30.01	FM-15	0.00	30.00
18	0054	7	SCT:04 300	10.00		80	26.7	75	23.6	72	22.2	76	11	220		29.81	0	-0.00	29.99	FM-15	0.00	29.99
18	0100	4		9.94		80	26.7	75	23.6	72	22.2	76	11	220		29.81	9	0.00	29.99	FM-12		
18	0154	7	FEW:02 50 FEW:02 300	10.00		78	25.6	74	23.3	72	22.2	82	10	200		29.79			29.97	FM-15	0.00	29.97

18	0254	7	SCT:04 50 SCT:04 300	10.00		77	25.0	74	23.1	72	22.2	85	9	210		29.78			29.96	FM-15	0.00	29.96
18	0354	7	FEW:02 50 FEW:02 300	10.00		77	25.0	74	23.1	72	22.2	85	8	210		29.77	6	+0.04	29.96	FM-15	0.00	29.95
18	0454	7	FEW:02 200 SCT:04 300	10.00		76	24.4	73	22.9	72	22.2	88	7	210		29.77			29.96	FM-15	0.00	29.95
18	0554	7	SCT:04 180 OVC:08 300	10.00		76	24.4	73	22.9	72	22.2	88	10	220		29.78			29.96	FM-15	0.00	29.96
18	0654	7	SCT:04 180 OVC:08 300	10.00		78	25.6	74	23.3	72	22.2	82	8	250		29.78	0	-0.01	29.96	FM-15	0.00	29.96
18	0700	4		9.94		78	25.6	74	23.3	72	22.2	82	8	250		29.78	9	0.01	29.96	FM-12		
18	0754	7	FEW:02 18 BKN:07 200 OVC:08 300	10.00		79	26.1	74	23.5	72	22.2	79	11	240		29.78			29.96	FM-15	0.00	29.96
18	0854	7	FEW:02 18 BKN:07 110 BKN:07 200	10.00		80	26.7	75	24.0	73	22.8	79	13	230		29.77			29.96	FM-15	0.00	29.95
18	0954	7	FEW:02 18 BKN:07 85 BKN:07 180	10.00		82	27.8	76	24.3	73	22.8	74	10	220		29.77	8	+0.01	29.96	FM-15	0.00	29.95
18	1054	7	FEW:02 20 SCT:04 90 BKN:07 190	10.00		84	28.9	77	25.0	74	23.3	72	6	VRB		29.76			29.95	FM-15	0.00	29.94
18	1154	7	FEW:02 25 FEW:02 95 SCT:04 230	10.00		87	30.6	78	25.4	74	23.3	65	10	250		29.75			29.93	FM-15	0.00	29.93
18	1254	7	SCT:04 31 SCT:04 95 BKN:07 240	10.00		89	31.7	78	25.7	74	23.3	61	10	230		29.72	8	+0.05	29.91	FM-15	0.00	29.90
18	1300	4	26	9.94		89	31.7	78	25.7	74	23.3	61	10	230		29.72	8	+0.05	29.91	FM-12		
18	1354	7	SCT:04 39 BKN:07 140 BKN:07 300	10.00		90	32.2	77	25.2	72	22.2	56	9	270		29.69			29.87	FM-15	0.00	29.87
18	1452	6	FEW:02 10 FEW:02 39	10.00		86	30.0	76	24.6	72	22.0	62	10	290		29.67				FM-16		29.85
18	1454	7	FEW:02 10 FEW:02 39	10.00	TS	86	30.0	77	24.9	73	22.8	65	9	280		29.67			29.86	FM-15	0.00	29.85
18	1529	7	FEW:02 10 FEW:02 39 BKN:07 130	10.00		85	29.4	75	24.1	71	21.7	63	10	240		29.68				FM-16		29.86
18	1554	7	FEW:02 16 FEW:02 28 OVC:08 150	10.00		79	26.1	76	24.2	74	23.3	85	15	180		29.67	5	+0.04	29.86	FM-15	0.00	29.85
18	1602	7	FEW:02 16 FEW:02 28 OVC:08 150	10.00		79	26.1	76	24.2	74	23.3	85	11	190		29.67				FM-16		29.85
18	1654	7	FEW:02 15 OVC:08 150	10.00		78	25.6	75	23.6	73	22.8	85	10	180		29.67			29.86	FM-15	0.00	29.85
18	1754	7	FEW:02 15 BKN:07 65 BKN:07 85	10.00	RA	78	25.6	75	23.7	73	22.8	85	7	210		29.70			29.88	FM-15	T	29.88
18	1854	7	FEW:02 34 BKN:07 50 BKN:07 80	5.00	RA	76	24.4	74	23.3	73	22.8	91	6	230		29.70	3	-0.03	29.89	FM-15	0.03	29.88
18	1900	4	41	4.97	RA	76	24.4	74	23.3	73	22.8	91	6	230		29.70	3	-0.03	29.89	FM-12		
18	1954	7	FEW:02 25 SCT:04 90 BKN:07 150	10.00		74	23.3	73	23.0	73	22.8	97	5	180		29.69			29.88	FM-15	0.01	29.87
18	2054	7	FEW:02 8 FEW:02 90 BKN:07 210	10.00		74	23.3	73	22.6	72	22.2	94	6	200		29.71			29.90	FM-15	0.00	29.89
18	2154	7	FEW:02 5 SCT:04 160 SCT:04 300	10.00		73	22.8	72	22.0	71	21.7	94	5	200		29.70	3	-0.00	29.89	FM-15	0.00	29.88

18	2254	7	FEW:02 5 FEW:02 300	8.00		72	22.2	71	21.9	71	21.7	97	5	190		29.69			29.88	FM-15	0.00	29.87
18	2328	7	BKN:07 6 BKN:07 300	10.00		73	22.8	72	22.0	71	21.7	94	8	210		29.69				FM-16		29.87
18	2352	6	OVC:08 4	10.00		73	23.0	72	22.4	72	22.0	94	7	230		29.69				FM-16		29.87
18	2354	7	OVC:08 4	10.00		73	22.8	72	22.4	72	22.2	96	6	230		29.69			29.88	FM-15	0.00	29.87
19	0020	7	OVC:08 5	9.00		74	23.3	73	22.6	72	22.2	94	6	240		29.69				FM-16		29.87
19	0054	7	OVC:08 5	9.00		74	23.3	73	22.6	72	22.2	94	7	220		29.69	6	+0.01	29.88	FM-15	0.00	29.87
19	0100	4	5	8.70		74	23.3	73	22.6	72	22.2	94	7	220		29.69	6	+0.01	29.88	FM-12		
19	0134	7	OVC:08 4	7.00		74	23.3	73	22.6	72	22.2	94	7	210		29.69				FM-16		29.87
19	0154	7	BKN:07 4 OVC:08 300	8.00		74	23.3	73	22.6	72	22.2	94	6	220		29.69			29.88	FM-15	0.00	29.87
19	0254	7	BKN:07 4 OVC:08 300	9.00		74	23.3	73	22.6	72	22.2	94	6	220		29.68			29.87	FM-15	0.00	29.86
19	0352	6	BKN:07 10 BKN:07 300	10.00		73	23.0	72	22.4	72	22.0	94	7	250		29.68				FM-16		29.86
19	0354	7	BKN:07 10 BKN:07 300	10.00		74	23.3	73	22.6	72	22.2	94	6	250		29.68	8	+0.01	29.86	FM-15	0.00	29.86
19	0409	7	BKN:07 9 BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	6	290		29.67				FM-16		29.85
19	0440	7	FEW:02 9 BKN:07 180 BKN:07 300	10.00		73	22.8	72	22.0	71	21.7	94	5	310		29.68				FM-16		29.86
19	0454	7	FEW:02 9 BKN:07 180 BKN:07 300	10.00		73	22.8	72	22.0	71	21.7	94	8	320		29.69			29.88	FM-15	0.00	29.87
19	0554	7	FEW:02 9 BKN:07 180	10.00		73	22.8	71	21.7	70	21.1	90	8	330		29.71			29.90	FM-15	0.00	29.89
19	0654	7	SCT:04 8 BKN:07 180	10.00		73	22.8	70	21.3	69	20.6	87	8	350		29.73	3	-0.05	29.91	FM-15	0.00	29.91
19	0700	4	8	9.94		73	22.8	70	21.3	69	20.6	87	8	350		29.73	3	-0.05	29.91	FM-12		
19	0703	7	BKN:07 8 BKN:07 180	10.00		73	22.8	71	21.7	70	21.1	90	8	360		29.73				FM-16		29.91
19	0754	7	BKN:07 9	10.00		74	23.3	71	21.9	70	21.1	88	6	360		29.76			29.95	FM-15	0.00	29.94
19	0839	7	BKN:07 11 BKN:07 170	10.00		74	23.3	71	21.9	70	21.1	88	0	000		29.77				FM-16		29.95
19	0854	7	BKN:07 12 BKN:07 170	10.00		76	24.4	72	22.2	70	21.1	82	5	350		29.77			29.96	FM-15	0.00	29.95
19	0954	7	BKN:07 12 BKN:07 18 BKN:07 170	10.00		77	25.0	72	22.4	70	21.1	79	0	000		29.78	1	-0.05	29.97	FM-15	0.00	29.96
19	1006	7	FEW:02 14 BKN:07 50 BKN:07 170	10.00		78	25.6	73	22.6	70	21.1	76	3	VRB		29.78				FM-16		29.96
19	1054	7	FEW:02 17 FEW:02 60 SCT:04 160	10.00		80	26.7	73	22.9	70	21.1	71	6	090		29.77			29.96	FM-15	0.00	29.95
19	1154	7	FEW:02 26 FEW:02 60 SCT:04 200	10.00		84	28.9	74	23.6	70	21.1	63	5	340		29.77			29.96	FM-15	0.00	29.95
19	1254	7	SCT:04 31	10.00		84	28.9	74	23.6	70	21.1	63	0	000		29.77	6	+0.01	29.95	FM-15	0.00	29.95
19	1300	4	26	9.94		84	28.9	74	23.6	70	21.1	63	0	000		29.77	6	+0.01	29.95	FM-12		
19	1354	7	SCT:04 43 BKN:07 55 BKN:07 65	10.00		85	29.4	74	23.4	69	20.6	59	3	VRB		29.76			29.94	FM-15	0.00	29.94
19	1454	7	FEW:02 42 BKN:07 50 BKN:07 65	10.00		85	29.4	75	23.7	70	21.1	61	3	040		29.75			29.93	FM-15	0.00	29.93
19	1554	7	SCT:04 40 BKN:07 70 BKN:07 250	10.00		86	30.0	75	23.9	70	21.1	59	3	080		29.75	5	+0.01	29.94	FM-15	0.00	29.93
19	1654	7	FEW:02 40 FEW:02 70 BKN:07 250	10.00		83	28.3	75	23.8	71	21.7	67	6	050		29.76			29.95	FM-15	0.00	29.94

19	1754	7	FEW:02 44 FEW:02 70 OVC:08 190	10.00		81	27.2	75	23.8	72	22.2	74	6	050		29.75			29.94	FM-15	0.00	29.93
19	1854	7	SCT:04 100 OVC:08 200	10.00		79	26.1	74	23.1	71	21.7	77	7	030		29.79	3	-0.04	29.98	FM-15	0.00	29.97
19	1900	4		9.94		79	26.1	74	23.1	71	21.7	77	7	030		29.79	3	-0.04	29.98	FM-12		
19	1954	7	BKN:07 35 BKN:07 200	10.00		77	25.0	73	22.8	71	21.7	82	7	050		29.80			29.98	FM-15	0.00	29.98
19	2054	7	FEW:02 43 BKN:07 75 OVC:08 100	10.00		77	25.0	72	22.4	70	21.1	79	7	080		29.81			30.00	FM-15	0.00	29.99
19	2154	7	FEW:02 35 BKN:07 70 BKN:07 110	10.00		76	24.4	72	22.2	70	21.1	82	6	070		29.81	0	-0.02	30.00	FM-15	0.00	29.99
19	2254	7	SCT:04 38 BKN:07 65 OVC:08 75	10.00		76	24.4	72	22.2	70	21.1	82	5	070		29.83			30.02	FM-15	0.00	30.01
19	2354	7	BKN:07 41 OVC:08 55	3.00	RA:02 BR:1 RA RA	74	23.3	72	22.2	71	21.7	91	0	000		29.82			30.01	FM-15	0.08	30.00
20	0054	7	BKN:07 41 OVC:08 60	10.00		74	23.3	72	22.2	71	21.7	91	5	070		29.82	0	-0.00	30.00	FM-15	T	30.00
20	0100	4	41	9.94		74	23.3	72	22.2	71	21.7	91	5	070		29.82	9	0.00	30.00	FM-12		
20	0152	6	SCT:04 7 BKN:07 33 OVC:08 45	5.00	-RA:02 BR:1 RA RA	73	23.0	72	22.4	72	22.0	94	6	060		29.82				FM-16		30.00
20	0154	7	SCT:04 7 BKN:07 33 OVC:08 45	7.00	RA:02 RA RA	73	22.8	72	22.4	72	22.2	96	6	060		29.82			30.00	FM-15	0.06	30.00
20	0157	7	BKN:07 7 OVC:08 33	2.50	+RA:02 BR:1 RA RA	73	22.8	72	22.4	72	22.2	96	8	050		29.82				FM-16	0.02	30.00
20	0209	7	BKN:07 6 OVC:08 33	6.00	-RA:02 BR:1 RA RA	73	22.8	72	22.4	72	22.2	96	8	040		29.81				FM-16	0.06	29.99
20	0254	7	OVC:08 5	7.00		74	23.3	73	23.0	73	22.8	97	8	090		29.80			29.99	FM-15	0.02	29.98
20	0354	7	BKN:07 7 OVC:08 36	8.00	-RA:02 RA RA	74	23.3	73	22.6	72	22.2	94	8	030		29.82	3	-0.01	30.01	FM-15	T	30.00
20	0454	7	BKN:07 8 OVC:08 15	10.00		73	22.8	72	22.4	72	22.2	96	10	020		29.84			30.02	FM-15	0.05	30.02
20	0552	6	FEW:02 5 SCT:04 14 SCT:04 140	9.00		73	23.0	72	22.4	72	22.0	94	6	040		29.84				FM-16		30.02
20	0554	7	FEW:02 5 SCT:04 14 SCT:04 140	9.00		73	22.8	72	22.0	71	21.7	94	6	020		29.84			30.03	FM-15	0.00	30.02
20	0607	7	BKN:07 6 OVC:08 14	8.00		73	22.8	72	22.4	72	22.2	96	7	040		29.85				FM-16		30.03
20	0654	7	BKN:07 7 OVC:08 14	9.00		74	23.3	73	22.6	72	22.2	94	10	040		29.84	1	-0.02	30.03	FM-15	0.00	30.02
20	0700	4	8	8.70		74	23.3	73	22.6	72	22.2	94	10	040		29.84	1	-0.02	30.03	FM-12		
20	0754	7	OVC:08 7	5.00	BR:1	73	22.8	72	22.4	72	22.2	96	9	040		29.88			30.06	FM-15	0.00	30.06
20	0854	7	BKN:07 7 BKN:07 20 OVC:08 80	6.00	BR:1	75	23.9	74	23.1	73	22.8	94	7	040		29.89			30.07	FM-15	T	30.07
20	0943	7	BKN:07 10 OVC:08 22	10.00		78	25.6	75	23.7	73	22.8	85	6	060		29.89				FM-16		30.07
20	0954	7	BKN:07 12 OVC:08 23	10.00		78	25.6	75	23.7	73	22.8	85	6	040		29.89	1	-0.04	30.08	FM-15	0.00	30.07
20	1012	7	BKN:07 18 OVC:08 80	10.00		78	25.6	74	23.3	72	22.2	82	5	030		29.89				FM-16		30.07
20	1054	7	BKN:07 27 OVC:08 45	10.00		80	26.7	75	24.0	73	22.8	79	6	070		29.88			30.07	FM-15	0.00	30.06
20	1111	7	SCT:04 18 BKN:07 35	10.00		81	27.2	75	23.8	72	22.2	74	6	090		29.88				FM-16		30.06
20	1154	7	BKN:07 21 OVC:08 55	10.00		81	27.2	75	24.2	73	22.8	77	3	VRB		29.87			30.06	FM-15	0.00	30.05

20	1240	7	SCT:04 23 BKN:07 60	10.00		85	29.4	77	25.1	74	23.3	70	9	060		29.87				FM-16		30.05
20	1254	7	SCT:04 23 BKN:07 65	10.00		84	28.9	76	24.6	73	22.8	70	7	060		29.86	8	+0.02	30.05	FM-15	0.00	30.04
20	1300	4	26	9.94		84	28.9	76	24.6	73	22.8	70	7	060		29.86	8	+0.02	30.05	FM-12		
20	1354	7	SCT:04 27 BKN:07 75 BKN:07 140	10.00		84	28.9	76	24.6	73	22.8	70	8	110		29.85			30.04	FM-15	0.00	30.03
20	1454	7	SCT:04 28 BKN:07 80 BKN:07 150	10.00		82	27.8	76	24.3	73	22.8	74	9	100		29.84			30.02	FM-15	0.00	30.02
20	1554	7	FEW:02 26 SCT:04 120	10.00		82	27.8	77	25.0	75	23.9	79	13	070		29.84	5	+0.02	30.03	FM-15	0.00	30.02
20	1654	7	FEW:02 36 SCT:04 55	10.00		80	26.7	76	24.4	74	23.3	82	10	050		29.84			30.03	FM-15	0.00	30.02
20	1754	7	SCT:04 20 SCT:04 85 BKN:07 150	10.00		80	26.7	76	24.4	74	23.3	82	10	080		29.84			30.03	FM-15	0.00	30.02
20	1827	7	BKN:07 14 BKN:07 55	10.00		78	25.6	75	23.7	73	22.8	85	8	110		29.85				FM-16		30.03
20	1840	7	FEW:02 14 SCT:04 55 BKN:07 140	10.00		77	25.0	74	23.5	73	22.8	88	8	080		29.85				FM-16		30.03
20	1854	7	FEW:02 12 SCT:04 55 BKN:07 140	10.00		77	25.0	74	23.5	73	22.8	88	6	070		29.85	3	-0.01	30.04	FM-15	0.00	30.03
20	1900	4	15	9.94		77	25.0	74	23.5	73	22.8	88	6	070		29.85	3	-0.01	30.04	FM-12		
20	1925	7	BKN:07 29 BKN:07 48	10.00		76	24.4	74	23.3	73	22.8	91	9	070		29.86				FM-16		30.04
20	1939	7	SCT:04 30 SCT:04 48	10.00		76	24.4	74	23.3	73	22.8	91	8	060		29.87				FM-16		30.05
20	1954	7	FEW:02 10 SCT:04 29 BKN:07 48	10.00		76	24.4	74	23.3	73	22.8	91	8	050		29.87			30.06	FM-15	0.00	30.05
20	2054	7	FEW:02 18 BKN:07 41	10.00		76	24.4	74	23.3	73	22.8	91	7	070		29.89			30.08	FM-15	0.00	30.07
20	2154	7	FEW:02 15 BKN:07 42 BKN:07 60	10.00		75	23.9	74	23.1	73	22.8	94	6	080		29.89	1	-0.04	30.08	FM-15	0.00	30.07
20	2220	7	BKN:07 16 BKN:07 45	10.00		75	23.9	74	23.1	73	22.8	94	5	090		29.89				FM-16		30.07
20	2238	7	FEW:02 14 BKN:07 44 BKN:07 150	10.00		75	23.9	74	23.1	73	22.8	94	5	080		29.89				FM-16		30.07
20	2254	7	FEW:02 11 SCT:04 55 SCT:04 150	10.00		75	23.9	74	23.1	73	22.8	94	6	080		29.88			30.07	FM-15	0.00	30.06
20	2322	7	FEW:02 9 BKN:07 12 BKN:07 60	10.00		75	23.9	74	23.1	73	22.8	94	5	110		29.88				FM-16		30.06
20	2337	7	FEW:02 9 SCT:04 14 BKN:07 35	10.00		75	23.9	74	23.1	73	22.8	94	6	100		29.88				FM-16		30.06
20	2354	7	FEW:02 9 BKN:07 40	10.00		75	23.9	74	23.1	73	22.8	94	6	090		29.87			30.06	FM-15	0.00	30.05
21	0054	6	FEW:02 8 BKN:07 40 OVC:08 65	10.00		75	23.9	74	23.1	73	22.8	94	8	090		29.86	8	+0.04	30.04	FM-15	0.00	30.04
21	0154	7	FEW:02 7 SCT:04 30 BKN:07 70	10.00		75	23.9	74	23.1	73	22.8	94	6	080		29.85			30.03	FM-15	0.00	30.03
21	0223	7	FEW:02 5 BKN:07 14 BKN:07 60	10.00		75	23.9	74	23.1	73	22.8	94	0	000		29.84				FM-16		30.02
21	0252	6	OVC:08 16	10.00		75	24.0	74	23.1	73	23.0	94	3	080		29.83				FM-16		30.01

21	0254	7	FEW:02 5 OVC:08 16	10.00		75	23.9	74	23.1	73	22.8	94	3	090		29.83			30.02	FM-15	0.00	30.01
21	0323	7	FEW:02 5 OVC:08 13	10.00		75	23.9	74	23.1	73	22.8	94	5	100		29.83				FM-16		30.01
21	0354	7	FEW:02 5 BKN:07 12 OVC:08 30	10.00		75	23.9	74	23.1	73	22.8	94	3	110		29.83	6	+0.03	30.01	FM-15	0.00	30.01
21	0438	7	BKN:07 6 OVC:08 12	10.00		75	23.9	74	23.1	73	22.8	94	5	110		29.82				FM-16		30.00
21	0452	6	SCT:04 7 BKN:07 11 OVC:08 18	10.00		75	24.0	74	23.1	73	23.0	94	5	120		29.82				FM-16		30.00
21	0454	7	SCT:04 5 BKN:07 16	10.00		75	23.9	74	23.1	73	22.8	94	3	120		29.82			30.01	FM-15	0.00	30.00
21	0505	7	BKN:07 8 OVC:08 16	10.00		75	23.9	74	23.1	73	22.8	94	5	120		29.82				FM-16		30.00
21	0552	6	FEW:02 8 FEW:02 30 SCT:04 150	10.00		73	23.0	73	22.8	73	23.0	100	6	090		29.82				FM-16		30.00
21	0554	7	FEW:02 8 FEW:02 30 SCT:04 150	10.00		74	23.3	73	23.0	73	22.8	97	7	090		29.82			30.01	FM-15	0.00	30.00
21	0632	7	BKN:07 6 OVC:08 30	10.00		75	23.9	74	23.5	74	23.3	96	7	150		29.83				FM-16		30.01
21	0654	7	OVC:08 6	6.00	BR:1	75	23.9	74	23.5	74	23.3	96	5	150		29.83	3	-0.01	30.02	FM-15	0.00	30.01
21	0700	4	5	5.59		75	23.9	74	23.5	74	23.3	96	5	150		29.83	3	-0.01	30.02	FM-12		
21	0721	7	OVC:08 4	4.00	BR:1	76	24.4	75	23.7	74	23.3	94	8	140		29.83				FM-16		30.01
21	0754	7	OVC:08 4	3.00	BR:1	76	24.4	75	24.1	75	23.9	97	8	160		29.83			30.01	FM-15	0.00	30.01
21	0805	7	OVC:08 4	2.50	BR:1	77	25.0	76	24.2	75	23.9	94	7	160		29.83				FM-16		30.01
21	0824	7	BKN:07 5 OVC:08 14	2.00	BR:1	78	25.6	76	24.4	75	23.9	90	7	170		29.83				FM-16		30.01
21	0835	7	OVC:08 7	6.00	BR:1	78	25.6	76	24.4	75	23.9	90	11	190		29.83				FM-16		30.01
21	0854	7	BKN:07 9 BKN:07 22	7.00		79	26.1	76	24.6	75	23.9	88	11	190		29.83			30.01	FM-15	0.00	30.01
21	0910	7	FEW:02 9 OVC:08 17	9.00		80	26.7	76	24.4	74	23.3	82	7	190		29.83				FM-16		30.01
21	0954	7	OVC:08 16	10.00		80	26.7	76	24.4	74	23.3	82	11	200		29.82	8	+0.01	30.01	FM-15	0.00	30.00
21	1054	7	BKN:07 23 OVC:08 160	10.00		81	27.2	76	24.5	74	23.3	79	8	200		29.80			29.99	FM-15	0.00	29.98
21	1154	7	BKN:07 22 OVC:08 180	10.00		83	28.3	77	25.2	75	23.9	77	6	200		29.78			29.96	FM-15	0.00	29.96
21	1254	7	BKN:07 25 BKN:07 180	10.00		86	30.0	78	25.7	75	23.9	70	7	200		29.75	8	+0.07	29.93	FM-15	0.00	29.93
21	1300	4	26	9.94		86	30.0	78	25.7	75	23.9	70	7	200		29.75	8	+0.07	29.93	FM-12		
21	1331	7	SCT:04 27 BKN:07 180 BKN:07 300	10.00		86	30.0	78	25.7	75	23.9	70	13	200		29.73				FM-16		29.91
21	1354	7	SCT:04 27 SCT:04 180 BKN:07 300	10.00		88	31.1	78	25.6	74	23.3	63	8	220		29.72			29.91	FM-15	0.00	29.90
21	1454	7	FEW:02 30 BKN:07 140 BKN:07 300	10.00	TS:7 TS TS	83	28.3	77	24.8	74	23.3	74	17	140		29.71			29.89	FM-15	0.00	29.89
21	1554	7	SCT:04 47 BKN:07 140 BKN:07 300	10.00		82	27.8	76	24.7	74	23.3	77	10	170		29.70	6	+0.06	29.88	FM-15	T	29.88
21	1617	7	SCT:04 47 BKN:07 140 BKN:07 300	10.00		81	27.2	77	25.3	76	24.4	85	9	160		29.70				FM-16		29.88
21	1654	7	FEW:02 47 BKN:07 140 OVC:08 300	10.00		82	27.8	78	25.4	76	24.4	82	9	170		29.69			29.88	FM-15	0.00	29.87

21	1736	7	SCT:04 26 BKN:07 42 OVC:08 90	3.00	TS:7 +RA:02 BR:1 RA TS RA	75	23.9	74	23.1	73	22.8	94	9	210	25	29.72				FM-16	0.34	29.90
21	1754	7	SCT:04 20 SCT:04 32	10.00	TS RA	77	25.0	74	23.5	73	22.8	88	6	120		29.70			29.89	FM-15	0.47	29.88
21	1836	7	FEW:02 32 SCT:04 60 BKN:07 140	10.00		77	25.0	75	23.9	74	23.3	90	5	150		29.71				FM-16		29.89
21	1854	7	FEW:02 30 SCT:04 60 BKN:07 140	10.00		77	25.0	76	24.6	76	24.4	96	5	120		29.71	3	-0.01	29.90	FM-15	0.01	29.89
21	1900	4	26	9.94		77	25.0	76	24.6	76	24.4	96	5	120		29.71	3	-0.01	29.90	FM-12		
21	1954	7	FEW:02 60 SCT:04 140 BKN:07 300	10.00		76	24.4	75	23.7	74	23.3	94	7	190		29.72			29.91	FM-15	0.00	29.90
21	2054	7	FEW:02 55 SCT:04 140 SCT:04 300	10.00		76	24.4	75	24.1	75	23.9	97	10	180		29.71			29.90	FM-15	0.00	29.89
21	2154	7	SCT:04 42 BKN:07 180 BKN:07 300	10.00		77	25.0	76	24.2	75	23.9	94	8	190		29.72	1	-0.01	29.90	FM-15	0.00	29.90
21	2254	7	FEW:02 42 FEW:02 180 SCT:04 300	10.00		76	24.4	75	23.7	74	23.3	94	10	190		29.70			29.88	FM-15	0.00	29.88
21	2354	7	FEW:02 180 FEW:02 300	10.00		76	24.4	75	23.7	74	23.3	94	9	210		29.68			29.87	FM-15	0.00	29.86
22	0054	7	FEW:02 90 BKN:07 140 BKN:07 250	10.00	-RA:02 RA RA	76	24.4	74	23.3	73	22.8	91	8	200		29.66	8	+0.06	29.85	FM-15	T	29.84
22	0100	4		9.94	RA	76	24.4	74	23.3	73	22.8	91	8	200		29.66	8	+0.06	29.85	FM-12		
22	0154	7	FEW:02 40 BKN:07 140 BKN:07 300	10.00		75	23.9	74	23.1	73	22.8	94	9	200		29.64			29.83	FM-15	T	29.82
22	0254	7	FEW:02 9 SCT:04 140 BKN:07 300	10.00		74	23.3	73	23.0	73	22.8	97	8	220		29.64			29.82	FM-15	0.00	29.82
22	0354	7	FEW:02 9 BKN:07 140 BKN:07 300	10.00		74	23.3	73	22.6	72	22.2	94	7	220		29.63	6	+0.03	29.82	FM-15	0.00	29.81
22	0454	7	FEW:02 7 BKN:07 120 BKN:07 300	10.00		74	23.3	73	22.6	72	22.2	94	9	220		29.64			29.83	FM-15	0.00	29.82
22	0554	7	FEW:02 9 SCT:04 110 SCT:04 300	10.00		74	23.3	72	22.2	71	21.7	91	8	240		29.65			29.84	FM-15	0.00	29.83
22	0654	7	FEW:02 12 FEW:02 110	10.00		76	24.4	73	22.6	71	21.7	85	8	250		29.66	1	-0.03	29.85	FM-15	0.00	29.84
22	0700	4	15	9.94		76	24.4	73	22.6	71	21.7	85	8	250		29.66	1	-0.03	29.85	FM-12		
22	0754	7	FEW:02 15 FEW:02 100	10.00		78	25.6	73	22.6	70	21.1	76	8	250		29.67			29.86	FM-15	0.00	29.85
22	0854	7	FEW:02 22 SCT:04 95 SCT:04 200	10.00		81	27.2	74	23.4	71	21.7	72	10	270		29.67			29.86	FM-15	0.00	29.85
22	0954	7	FEW:02 28 SCT:04 95	10.00		83	28.3	74	23.4	70	21.1	65	11	260		29.67	1	-0.01	29.86	FM-15	0.00	29.85
22	1054	7	FEW:02 37 SCT:04 75 BKN:07 100	10.00		85	29.4	75	23.7	70	21.1	61	9	230		29.66			29.85	FM-15	0.00	29.84
22	1154	7	SCT:04 41 BKN:07 70 BKN:07 100	10.00		86	30.0	74	23.6	69	20.6	57	6	220	17	29.66			29.84	FM-15	0.00	29.84
22	1254	7	FEW:02 40 BKN:07 75 BKN:07 120	10.00	-RA:02 RA RA	87	30.6	75	24.0	70	21.1	57	13	270		29.65	6	+0.02	29.84	FM-15	T	29.83
22	1300	4	41	9.94	RA	87	30.6	75	24.0	70	21.1	57	13	270		29.65	6	+0.02	29.84	FM-12		

22	1354	7	FEW:02 34 SCT:04 65 BKN:07 110	10.00		86	30.0	75	23.9	70	21.1	59	13	270		29.65			29.84	FM-15	T	29.83
22	1414	7	FEW:02 15 BKN:07 34 BKN:07 75	10.00		76	24.4	71	21.5	68	20.0	77	21	350	32	29.67				FM-16		29.85
22	1454	7	BKN:07 35 OVC:08 80	5.00	-RA:02 BR:1 RA RA	71	21.7	69	20.6	68	20.0	90	11	320		29.69			29.88	FM-15	0.03	29.87
22	1459	7	BKN:07 34 BKN:07 41 OVC:08 75	1.75	+RA:02 BR:1 RA RA	71	21.7	69	20.6	68	20.0	90	13	330		29.69				FM-16	0.02	29.87
22	1506	7	SCT:04 32 BKN:07 41 OVC:08 75	0.75	+RA:02 BR:1 RA RA	70	21.1	68	20.0	67	19.4	90	13	330		29.69				FM-16	0.13	29.87
22	1522	7	SCT:04 33 OVC:08 47	1.50	-RA:02 BR:1 RA RA	69	20.6	67	19.5	66	18.9	90	11	040		29.68				FM-16	0.32	29.86
22	1525	7	FEW:02 31 BKN:07 45 OVC:08 75	3.00	-RA:02 BR:1 RA RA	69	20.6	67	19.5	66	18.9	90	8	040		29.68				FM-16	0.32	29.86
22	1554	7	FEW:02 25 BKN:07 55 BKN:07 75	10.00		72	22.2	69	20.4	67	19.4	84	5	300		29.68	0	-0.04	29.87	FM-15	0.30	29.86
22	1654	7	FEW:02 55 BKN:07 70 BKN:07 250	10.00		74	23.3	71	21.5	69	20.6	85	0	000		29.66			29.85	FM-15	T	29.84
22	1754	7	BKN:07 75	10.00		74	23.3	71	21.9	70	21.1	88	5	200		29.68			29.86	FM-15	0.00	29.86
22	1854	7	BKN:07 90 BKN:07 250	10.00		73	22.8	70	21.3	69	20.6	87	5	240		29.69	3	-0.00	29.88	FM-15	0.00	29.87
22	1900	4		9.94		73	22.8	70	21.3	69	20.6	87	5	240		29.69	3	-0.00	29.88	FM-12		
22	1954	7	FEW:02 90 BKN:07 240	10.00		72	22.2	70	21.1	69	20.6	91	3	200		29.71			29.90	FM-15	0.00	29.89
22	2054	7	FEW:02 100 SCT:04 250	10.00		71	21.7	69	20.6	68	20.0	90	5	170		29.72			29.91	FM-15	0.00	29.90
22	2143	7	FEW:02 15 BKN:07 50 OVC:08 75	1.50	+RA:02 BR:1 RA RA	71	21.7	69	20.6	68	20.0	90	9	VRB		29.73				FM-16	0.08	29.91
22	2151	7	SCT:04 27 BKN:07 43 OVC:08 110	1.25	RA:02 RA RA	72	22.0	68	20.1	66	19.0	83	0	000		29.74				FM-16	0.26	29.92
22	2154	7	SCT:04 30 BKN:07 43 OVC:08 100	1.25	+RA:02 BR:1 RA RA	71	21.7	68	20.2	67	19.4	87	7	230		29.74	0	-0.03	29.93	FM-15	0.38s	29.92
22	2203	7	BKN:07 40 OVC:08 85	2.00	+RA:02 BR:1 RA RA	71	21.7	68	20.2	67	19.4	87	0	000		29.74				FM-16	0.10	29.92
22	2219	7	SCT:04 45 BKN:07 60 OVC:08 85	10.00	-RA:02 RA RA	71	21.7	69	20.6	68	20.0	90	0	000		29.74				FM-16	0.14	29.92
22	2254	7	SCT:04 50 BKN:07 65 OVC:08 90	9.00		71	21.7	70	20.9	69	20.6	94	6	310		29.74			29.93	FM-15	0.09	29.92
22	2354	7	FEW:02 55 BKN:07 120	10.00		70	21.1	67	19.7	66	18.9	87	7	340		29.76			29.95	FM-15	0.00	29.94
23	0054	7	FEW:02 65 BKN:07 110	10.00		69	20.6	66	19.2	65	18.3	87	5	330		29.76	1	-0.03	29.95	FM-15	0.00	29.94
23	0100	4	57	9.94		69	20.6	66	19.2	65	18.3	87	5	330		29.76	1	-0.03	29.95	FM-12		
23	0154	7	SCT:04 110	10.00		66	18.9	64	17.5	62	16.7	87	6	350		29.77			29.96	FM-15	0.00	29.95
23	0254	7	BKN:07 65 BKN:07 110	10.00		65	18.3	61	16.4	59	15.0	81	9	350		29.78			29.97	FM-15	0.00	29.96
23	0354	7	FEW:02 65	10.00		65	18.3	61	16.1	58	14.4	78	10	340		29.80	3	-0.04	29.99	FM-15	0.00	29.98
23	0454	7	FEW:02 65	10.00		64	17.8	60	15.5	57	13.9	78	10	350		29.81			30.00	FM-15	0.00	29.99
23	0554	7	FEW:02 65	10.00		63	17.2	58	14.7	55	12.8	75	9	340		29.83			30.02	FM-15	0.00	30.01
23	0654	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	10	340		29.86	3	-0.06	30.05	FM-15	0.00	30.04
23	0700	4		9.94		65	18.3	60	15.7	57	13.9	76	10	340		29.86	3	-0.06	30.05	FM-12		
23	0754	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	15	340		29.89			30.08	FM-15	0.00	30.07

23	0854	7	CLR:00	10.00		71	21.7	62	16.8	56	13.3	59	15	360		29.90			30.09	FM-15	0.00	30.08
23	0954	7	CLR:00	10.00		73	22.8	63	17.2	56	13.3	55	10	330		29.92	1	-0.05	30.11	FM-15	0.00	30.10
23	1054	7	FEW:02 40	10.00		75	23.9	63	17.3	55	12.8	50	10	360		29.92			30.11	FM-15	0.00	30.10
23	1154	7	FEW:02 43	10.00		76	24.4	64	17.5	55	12.8	48	9	330		29.92			30.11	FM-15	0.00	30.10
23	1254	7	FEW:02 50	10.00		78	25.6	63	17.1	52	11.1	40	13	360	20	29.92	0	-0.00	30.11	FM-15	0.00	30.10
23	1300	4	57	9.94		78	25.6	63	17.1	52	11.1	40	13	360		29.92	9	0.00	30.11	FM-12		
23	1354	7	FEW:02 55	10.00		79	26.1	64	17.6	53	11.7	41	14	020	18	29.91			30.10	FM-15	0.00	30.09
23	1454	7	FEW:02 55	10.00		79	26.1	63	17.3	52	11.1	39	9	360		29.90			30.09	FM-15	0.00	30.08
23	1554	7	FEW:02 55	10.00		79	26.1	64	17.6	53	11.7	41	13	020	16	29.90	6	+0.02	30.09	FM-15	0.00	30.08
23	1654	7	FEW:02 55	10.00		78	25.6	62	16.8	51	10.6	39	10	010		29.91			30.10	FM-15	0.00	30.09
23	1754	7	FEW:02 50	10.00		75	23.9	63	17.0	54	12.2	48	6	030		29.92			30.11	FM-15	0.00	30.10
23	1854	7	FEW:02 80	10.00		72	22.2	62	16.7	55	12.8	55	3	050		29.94	3	-0.04	30.13	FM-15	0.00	30.12
23	1900	4	74	9.94		72	22.2	62	16.7	55	12.8	55	3	050		29.94	3	-0.04	30.13	FM-12		
23	1954	7	CLR:00	10.00		69	20.6	63	17.2	59	15.0	70	0	000		29.96			30.15	FM-15	0.00	30.14
23	2054	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	0	000		29.98			30.16	FM-15	0.00	30.16
23	2154	7	CLR:00	10.00		65	18.3	61	16.4	59	15.0	81	0	000		29.98	1	-0.04	30.17	FM-15	0.00	30.16
23	2254	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	0	000		29.98			30.17	FM-15	0.00	30.16
23	2354	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	0	000		29.98			30.17	FM-15	0.00	30.16
24	0054	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	0	000		29.98	0	-0.00	30.17	FM-15	0.00	30.16
24	0100	4		9.94		62	16.7	60	15.4	58	14.4	86	0	000		29.98	9	0.00	30.17	FM-12		
24	0154	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	0	000		29.98			30.17	FM-15	0.00	30.16
24	0254	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	0	000		29.98			30.17	FM-15	0.00	30.16
24	0354	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	0	000		29.99	3	-0.01	30.18	FM-15	0.00	30.17
24	0454	7	FEW:02 300	10.00		59	15.0	57	14.1	56	13.3	90	0	000		30.00			30.19	FM-15	0.00	30.18
24	0554	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	0	000		30.01			30.20	FM-15	0.00	30.19
24	0654	7	CLR:00	10.00		65	18.3	61	16.4	59	15.0	81	0	000		30.03	3	-0.04	30.22	FM-15	0.00	30.21
24	0700	4		9.94		65	18.3	61	16.4	59	15.0	81	0	000		30.03	3	-0.04	30.22	FM-12		
24	0754	7	FEW:02 300	10.00		71	21.7	64	18.0	60	15.6	68	3	020		30.04			30.23	FM-15	0.00	30.22
24	0854	7	FEW:02 300	10.00		75	23.9	66	18.8	60	15.6	60	5	040		30.05			30.24	FM-15	0.00	30.23
24	0954	7	FEW:02 40	10.00		77	25.0	66	18.9	59	15.0	54	3	VRB		30.05	1	-0.02	30.24	FM-15	0.00	30.23
24	1054	7	SCT:04 49	10.00		79	26.1	67	19.2	59	15.0	50	7	140		30.06			30.25	FM-15	0.00	30.24
24	1154	7	SCT:04 50	10.00		80	26.7	66	19.1	58	14.4	47	6	090		30.06			30.25	FM-15	0.00	30.24
24	1254	7	BKN:07 55	10.00		79	26.1	67	19.2	59	15.0	50	6	VRB		30.06	0	-0.00	30.24	FM-15	0.00	30.24
24	1300	4	57	9.94		79	26.1	67	19.2	59	15.0	50	6			30.06	9	0.00	30.24	FM-12		
24	1354	7	SCT:04 55	10.00		82	27.8	68	20.1	60	15.6	47	7	110		30.02			30.21	FM-15	0.00	30.20
24	1454	7	BKN:07 55	10.00		81	27.2	68	20.2	61	16.1	51	9	120		30.02			30.21	FM-15	0.00	30.20
24	1554	7	SCT:04 55 SCT:04 300	10.00		80	26.7	67	19.4	59	15.0	49	7	150		30.01	6	+0.04	30.20	FM-15	0.00	30.19
24	1654	7	FEW:02 55 FEW:02 300	10.00		80	26.7	66	19.1	58	14.4	47	7	110		30.01			30.20	FM-15	0.00	30.19
24	1754	7	FEW:02 50 SCT:04 300	10.00		77	25.0	66	18.9	59	15.0	54	7	120		30.01			30.20	FM-15	0.00	30.19
24	1854	7	FEW:02 45 SCT:04 300	10.00		73	22.8	66	18.7	61	16.1	66	5	100		30.02	3	-0.01	30.21	FM-15	0.00	30.20
24	1900	4	41	9.94		73	22.8	66	18.7	61	16.1	66	5	100		30.02	3	-0.01	30.21	FM-12		
24	1954	7	FEW:02 300	10.00		70	21.1	65	18.4	62	16.7	76	6	110		30.04			30.22	FM-15	0.00	30.22
24	2054	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	6	110		30.05			30.24	FM-15	0.00	30.23
24	2154	7	FEW:02 300	10.00		67	19.4	63	17.1	60	15.6	79	0	000		30.05	1	-0.04	30.24	FM-15	0.00	30.23
24	2254	7	FEW:02 300	10.00		65	18.3	63	17.0	61	16.1	87	5	140		30.06			30.25	FM-15	0.00	30.24
24	2354	7	FEW:02 300	10.00		65	18.3	63	17.0	61	16.1	87	0	000		30.07			30.26	FM-15	0.00	30.25
25	0054	7	FEW:02 300	10.00		64	17.8	62	16.8	61	16.1	90	0	000		30.06	0	-0.01	30.25	FM-15	0.00	30.24
25	0100	4		9.94		64	17.8	62	16.8	61	16.1	90	0	000		30.06	9	0.01	30.25	FM-12		
25	0154	7	SCT:04 300	10.00		63	17.2	62	16.6	61	16.1	93	3	350		30.06			30.25	FM-15	0.00	30.24
25	0254	7	SCT:04 300	10.00		62	16.7	61	16.0	60	15.6	93	3	360		30.06			30.25	FM-15	0.00	30.24
25	0354	7	SCT:04 300	10.00		62	16.7	61	16.0	60	15.6	93	0	000		30.05	8	+0.02	30.24	FM-15	0.00	30.23
25	0454	7	SCT:04 300	10.00		61	16.1	59	15.2	58	14.4	90	0	000		30.05			30.24	FM-15	0.00	30.23
25	0554	7	SCT:04 300	10.00		61	16.1	60	15.5	59	15.0	93	0	000		30.07			30.26	FM-15	0.00	30.25

25	0654	7	FEW:02 200 SCT:04 300	10.00		66	18.9	64	17.9	63	17.2	90	3	010		30.08	3	-0.03	30.27	FM-15	0.00	30.26
25	0700	4		9.94		66	18.9	64	17.9	63	17.2	90	3	010		30.08	3	-0.03	30.27	FM-12		
25	0754	7	FEW:02 10 SCT:04 300	10.00		71	21.7	67	19.6	65	18.3	81	6	360		30.09			30.28	FM-15	0.00	30.27
25	0854	7	BKN:07 300	10.00		76	24.4	67	19.6	62	16.7	62	6	030		30.10			30.29	FM-15	0.00	30.28
25	0954	7	FEW:02 40 BKN:07 300	10.00		77	25.0	66	19.2	60	15.6	56	6	130		30.09	0	-0.01	30.28	FM-15	0.00	30.27
25	1054	7	SCT:04 44 BKN:07 300	10.00		80	26.7	67	19.7	60	15.6	51	3	VRB		30.09			30.28	FM-15	0.00	30.27
25	1154	7	FEW:02 45 BKN:07 300	10.00		80	26.7	67	19.7	60	15.6	51	6	100		30.08			30.27	FM-15	0.00	30.26
25	1254	7	FEW:02 50 BKN:07 300	10.00		81	27.2	67	19.6	59	15.0	47	6	180		30.07	8	+0.03	30.26	FM-15	0.00	30.25
25	1300	4	57	9.94		81	27.2	67	19.6	59	15.0	47	6	180		30.07	8	+0.03	30.26	FM-12		
25	1354	7	FEW:02 50 FEW:02 200 BKN:07 300	10.00		81	27.2	68	19.9	60	15.6	49	6	080		30.05			30.24	FM-15	0.00	30.23
25	1454	7	FEW:02 50 BKN:07 300	10.00		80	26.7	67	19.4	59	15.0	49	6	210		30.04			30.23	FM-15	0.00	30.22
25	1554	7	FEW:02 50 BKN:07 300	10.00		80	26.7	67	19.7	60	15.6	51	3	030		30.03	6	+0.03	30.22	FM-15	0.00	30.21
25	1654	7	FEW:02 50 BKN:07 300	10.00		80	26.7	67	19.4	59	15.0	49	0	000		30.02			30.21	FM-15	0.00	30.20
25	1754	7	FEW:02 50 BKN:07 300	10.00		79	26.1	67	19.5	60	15.6	52	3	160		30.01			30.20	FM-15	0.00	30.19
25	1854	7	FEW:02 40 SCT:04 300	10.00		75	23.9	67	19.4	62	16.7	64	3	100		30.01	6	+0.02	30.20	FM-15	0.00	30.19
25	1900	4	41	9.94		75	23.9	67	19.4	62	16.7	64	3	100		30.01	6	+0.02	30.20	FM-12		
25	1954	7	FEW:02 300	10.00		72	22.2	67	19.4	64	17.8	76	5	120		30.02			30.21	FM-15	0.00	30.20
25	2054	7	FEW:02 300	10.00		70	21.1	66	19.0	64	17.8	82	0	000		30.03			30.22	FM-15	0.00	30.21
25	2154	7	FEW:02 300	10.00		67	19.4	65	18.1	63	17.2	87	0	000		30.04	1	-0.03	30.23	FM-15	0.00	30.22
25	2254	7	BKN:07 240	10.00		67	19.4	65	18.1	63	17.2	87	0	000		30.04			30.23	FM-15	0.00	30.22
25	2354	7	SCT:04 240	10.00		67	19.4	64	17.8	62	16.7	84	0	000		30.04			30.23	FM-15	0.00	30.22
26	0054	7	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	0	000		30.03	8	+0.01	30.22	FM-15	0.00	30.21
26	0100	4		9.94		66	18.9	64	17.5	62	16.7	87	0	000		30.03	8	+0.01	30.22	FM-12		
26	0154	7	FEW:02 250	10.00		64	17.8	62	16.8	61	16.1	90	0	000		30.03			30.22	FM-15	0.00	30.21
26	0254	7	FEW:02 250	10.00		64	17.8	62	16.5	60	15.6	87	0	000		30.02			30.21	FM-15	0.00	30.20
26	0354	7	FEW:02 250	10.00		62	16.7	61	16.0	60	15.6	93	5	130		30.02	8	+0.01	30.21	FM-15	0.00	30.20
26	0454	7	FEW:02 250	10.00		62	16.7	60	15.7	59	15.0	90	0	000		30.02			30.21	FM-15	0.00	30.20
26	0554	7	FEW:02 250	10.00		62	16.7	61	16.0	60	15.6	93	0	000		30.04			30.22	FM-15	0.00	30.22
26	0654	7	FEW:02 250	10.00		67	19.4	65	18.1	63	17.2	87	3	180		30.04	3	-0.02	30.23	FM-15	0.00	30.22
26	0700	4		9.94		67	19.4	65	18.1	63	17.2	87	3	180		30.04	3	-0.02	30.23	FM-12		
26	0754	7	FEW:02 180	10.00		72	22.2	67	19.4	64	17.8	76	3	200		30.04			30.23	FM-15	0.00	30.22
26	0854	7	CLR:00	10.00		77	25.0	68	19.8	62	16.7	60	9	220		30.04			30.23	FM-15	0.00	30.22
26	0954	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	6	220		30.04	8	+0.01	30.23	FM-15	0.00	30.22
26	1054	7	CLR:00	10.00		83	28.3	71	21.5	64	17.8	53	9	220		30.02			30.21	FM-15	0.00	30.20
26	1154	7	CLR:00	10.00		84	28.9	72	22.0	65	18.3	53	10	190		30.00			30.19	FM-15	0.00	30.18
26	1254	7	FEW:02 250	10.00		85	29.4	72	22.4	66	18.9	53	8	230		29.99	7	+0.05	30.18	FM-15	0.00	30.17
26	1300	4		9.94		85	29.4	72	22.4	66	18.9	53	8	230		29.99	7	+0.05	30.18	FM-12		
26	1354	7	FEW:02 180	10.00		86	30.0	73	22.9	67	19.4	53	9	210		29.97			30.16	FM-15	0.00	30.15
26	1454	7	SCT:04 180	10.00		87	30.6	74	23.4	68	20.0	53	11	VRB		29.96			30.14	FM-15	0.00	30.14
26	1554	7	FEW:02 150	10.00		86	30.0	73	22.9	67	19.4	53	9	210		29.94	6	+0.05	30.13	FM-15	0.00	30.12
26	1654	7	FEW:02 50 FEW:02 160 SCT:04 300	10.00		86	30.0	74	23.2	68	20.0	55	11	220		29.94			30.13	FM-15	0.00	30.12
26	1754	7	SCT:04 300	10.00		83	28.3	74	23.4	70	21.1	65	7	190		29.93			30.12	FM-15	0.00	30.11
26	1854	7	FEW:02 150 SCT:04 300	10.00		79	26.1	73	22.8	70	21.1	74	7	200		29.93	8	+0.01	30.12	FM-15	0.00	30.11
26	1900	4		9.94		79	26.1	73	22.8	70	21.1	74	7	200		29.93	8	+0.01	30.12	FM-12		

26	1954	7	FEW:02 300	10.00		78	25.6	73	22.6	70	21.1	76	5	210		29.94			30.13	FM-15	0.00	30.12
26	2054	7	FEW:02 300	10.00		77	25.0	72	22.4	70	21.1	79	5	190		29.95			30.14	FM-15	0.00	30.13
26	2154	7	FEW:02 300	10.00		75	23.9	72	22.0	70	21.1	84	6	190		29.94	0	-0.01	30.13	FM-15	0.00	30.12
26	2254	7	FEW:02 300	10.00		75	23.9	72	22.0	70	21.1	84	3	220		29.94			30.13	FM-15	0.00	30.12
26	2354	7	CLR:00	10.00		74	23.3	71	21.9	70	21.1	88	3	200		29.94			30.13	FM-15	0.00	30.12
27	0054	7	CLR:00	10.00		74	23.3	71	21.9	70	21.1	88	3	180		29.93	8	+0.01	30.11	FM-15	0.00	30.11
27	0100	4		9.94		74	23.3	71	21.9	70	21.1	88	3	180		29.93	8	+0.01	30.11	FM-12		
27	0154	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.92			30.10	FM-15	0.00	30.10
27	0254	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	3	180		29.92			30.10	FM-15	0.00	30.10
27	0354	7	FEW:02 300	10.00		72	22.2	70	21.1	69	20.6	91	3	190		29.92	5	+0.01	30.11	FM-15	0.00	30.10
27	0454	7	FEW:02 300	9.00		70	21.1	69	20.8	69	20.6	97	5	190		29.93			30.12	FM-15	0.00	30.11
27	0554	7	FEW:02 300	8.00		71	21.7	70	20.9	69	20.6	94	3	190		29.94			30.14	FM-15	0.00	30.12
27	0654	7	CLR:00	8.00		73	22.8	72	22.0	71	21.7	94	3	170		29.95	1	-0.03	30.14	FM-15	0.00	30.13
27	0700	4		7.46		73	22.8	72	22.0	71	21.7	94	3	170		29.95	1	-0.03	30.14	FM-12		
27	0754	7	FEW:02 300	8.00		77	25.0	74	23.1	72	22.2	85	3	180		29.96			30.15	FM-15	0.00	30.14
27	0854	7	FEW:02 300	9.00		81	27.2	75	24.2	73	22.8	77	5	220		29.98			30.16	FM-15	0.00	30.16
27	0954	7	SCT:04 300	9.00		85	29.4	77	24.8	73	22.8	68	0	000		29.98	1	-0.03	30.17	FM-15	0.00	30.16
27	1054	7	FEW:02 30 SCT:04 300	9.00		86	30.0	78	25.3	74	23.3	67	0	000		29.98			30.16	FM-15	0.00	30.16
27	1154	7	FEW:02 45 SCT:04 300	10.00		89	31.7	78	25.4	73	22.8	59	3	VRB		29.97			30.15	FM-15	0.00	30.15
27	1254	7	FEW:02 38 SCT:04 300	10.00		91	32.8	78	25.7	73	22.8	56	7	190		29.95	8	+0.03	30.14	FM-15	0.00	30.13
27	1300	4	41	9.94		91	32.8	78	25.7	73	22.8	56	7	190		29.95	8	+0.03	30.14	FM-12		
27	1354	7	FEW:02 41 SCT:04 300	10.00		91	32.8	78	25.7	73	22.8	56	5	130		29.93			30.12	FM-15	0.00	30.11
27	1454	7	FEW:02 42 SCT:04 300	10.00		91	32.8	78	25.7	73	22.8	56	6	180		29.92			30.11	FM-15	0.00	30.10
27	1554	7	FEW:02 48 SCT:04 300	10.00		91	32.8	78	25.7	73	22.8	56	8	140		29.91	6	+0.04	30.09	FM-15	0.00	30.09
27	1654	7	FEW:02 48 SCT:04 300	10.00		90	32.2	77	25.2	72	22.2	56	7	160		29.91			30.10	FM-15	0.00	30.09
27	1754	7	FEW:02 48 SCT:04 300	9.00		87	30.6	78	25.5	74	23.3	65	5	160		29.91			30.10	FM-15	0.00	30.09
27	1854	7	FEW:02 50 FEW:02 100 SCT:04 300	8.00		83	28.3	77	25.2	75	23.9	77	3	050		29.91	0	-0.01	30.10	FM-15	0.00	30.09
27	1900	4	57	7.46		83	28.3	77	25.2	75	23.9	77	3	050		29.91	9	0.01	30.10	FM-12		
27	1954	7	FEW:02 100 SCT:04 300	9.00		82	27.8	77	25.0	75	23.9	79	0	000		29.92			30.11	FM-15	0.00	30.10
27	2054	7	FEW:02 100 SCT:04 300	8.00		81	27.2	77	24.9	75	23.9	82	0	000		29.94			30.12	FM-15	0.00	30.12
27	2154	7	FEW:02 300	8.00		80	26.7	77	24.7	75	23.9	85	0	000		29.94	0	-0.02	30.12	FM-15	0.00	30.12
27	2254	7	FEW:02 300	8.00		79	26.1	76	24.6	75	23.9	88	0	000		29.93			30.11	FM-15	0.00	30.11
27	2354	7	FEW:02 300	7.00		78	25.6	76	24.4	75	23.9	90	3	200		29.92			30.11	FM-15	0.00	30.10
28	0054	7	FEW:02 300	8.00		77	25.0	75	23.9	74	23.3	90	3	180		29.91	8	+0.02	30.10	FM-15	0.00	30.09
28	0100	4		7.46		77	25.0	75	23.9	74	23.3	90	3	180		29.91	8	+0.02	30.10	FM-12		
28	0154	7	FEW:02 300	8.00		76	24.4	74	23.3	73	22.8	91	6	180		29.91			30.10	FM-15	0.00	30.09
28	0254	7	FEW:02 300	8.00		75	23.9	73	22.8	72	22.2	90	3	190		29.91			30.09	FM-15	0.00	30.09
28	0354	7	FEW:02 300	7.00		74	23.3	73	22.6	72	22.2	94	3	170		29.91	5	+0.00	30.10	FM-15	0.00	30.09
28	0454	7	FEW:02 300	7.00		74	23.3	73	22.6	72	22.2	94	3	200		29.93			30.12	FM-15	0.00	30.11
28	0554	7	FEW:02 300	5.00	BR:1	73	22.8	72	22.0	71	21.7	94	3	190		29.95			30.13	FM-15	0.00	30.13
28	0654	7	FEW:02 300	6.00	BR:1	76	24.4	74	23.3	73	22.8	91	3	180		29.95	1	-0.04	30.14	FM-15	0.00	30.13
28	0700	4		5.59		76	24.4	74	23.3	73	22.8	91	3	180		29.95	1	-0.04	30.14	FM-12		
28	0754	7	FEW:02 300	8.00		80	26.7	76	24.4	74	23.3	82	7	210		29.96			30.15	FM-15	0.00	30.14
28	0854	7	FEW:02 300	9.00		83	28.3	77	24.8	74	23.3	74	5	230		29.97			30.16	FM-15	0.00	30.15
28	0954	7	FEW:02 300	9.00		88	31.1	79	26.0	75	23.9	66	7	230		29.97	0	-0.01	30.15	FM-15	0.00	30.15
28	1054	7	FEW:02 32 FEW:02 300	9.00		90	32.2	79	26.2	75	23.9	62	9	210		29.95			30.14	FM-15	0.00	30.13

28	1154	7	FEW:02 40 FEW:02 300	10.00		92	33.3	79	26.2	74	23.3	56	11	200		29.94			30.13	FM-15	0.00	30.12
28	1254	7	SCT:04 44	10.00		94	34.4	80	26.8	75	23.9	54	10	210		29.93	6	+0.04	30.12	FM-15	0.00	30.11
28	1300	4	41	9.94		94	34.4	80	26.8	75	23.9	54	10	210		29.93	6	+0.04	30.12	FM-12		
28	1354	7	SCT:04 45	10.00		93	33.9	79	26.3	74	23.3	54	11	170		29.92			30.10	FM-15	0.00	30.10
28	1454	7	SCT:04 44 BKN:07 300	10.00		92	33.3	79	26.2	74	23.3	56	11	210		29.91			30.09	FM-15	0.00	30.09
28	1457	7	SCT:04 44 BKN:07 150 BKN:07 300	10.00	TS:7 TS TS	92	33.3	78	25.8	73	22.8	54	11	220		29.91				FM-16		30.09
28	1554	7	SCT:04 48 BKN:07 150 BKN:07 300	5.00	TS:7 -RA:02 RA TS TS RA	84	28.9	78	25.7	76	24.4	77	14	010		29.90	6	+0.03	30.09	FM-15	0.01	30.08
28	1616	7	SCT:04 60 BKN:07 150 BKN:07 300	10.00	-RA:02 RA RA	86	30.0	79	26.0	76	24.4	72	10	350	21	29.90				FM-16	T	30.08
28	1654	7	SCT:04 60 SCT:04 150 BKN:07 300	10.00		91	32.8	79	26.4	75	23.9	59	5	150		29.90			30.09	FM-15	T	30.08
28	1754	7	FEW:02 60 FEW:02 110 BKN:07 300	10.00		89	31.7	80	26.8	77	25.0	68	8	190		29.90			30.08	FM-15	0.00	30.08
28	1854	7	FEW:02 60 FEW:02 120 BKN:07 300	10.00		84	28.9	78	25.7	76	24.4	77	7	180		29.89	6	+0.01	30.08	FM-15	0.00	30.07
28	1900	4	57	9.94		84	28.9	78	25.7	76	24.4	77	7	180		29.89	6	+0.01	30.08	FM-12		
28	1954	7	FEW:02 110 SCT:04 300	10.00		81	27.2	77	24.9	75	23.9	82	6	180		29.90			30.08	FM-15	0.00	30.08
28	2054	7	FEW:02 120 FEW:02 300	10.00		80	26.7	77	24.7	75	23.9	85	6	190		29.90			30.09	FM-15	0.00	30.08
28	2154	7	FEW:02 120 FEW:02 300	10.00		80	26.7	77	24.7	75	23.9	85	7	200		29.92	3	-0.02	30.10	FM-15	0.00	30.10
28	2254	7	FEW:02 120 FEW:02 300	10.00		79	26.1	76	24.2	74	23.3	85	5	190		29.92			30.11	FM-15	0.00	30.10
28	2354	7	FEW:02 300	10.00		79	26.1	76	24.2	74	23.3	85	5	220		29.92			30.11	FM-15	0.00	30.10
29	0054	7	FEW:02 300	10.00		78	25.6	75	24.0	74	23.3	87	5	190		29.91	8	+0.01	30.10	FM-15	0.00	30.09
29	0100	4		9.94		78	25.6	75	24.0	74	23.3	87	5	190		29.91	8	+0.01	30.10	FM-12		
29	0154	7	SCT:04 300	10.00		76	24.4	74	23.3	73	22.8	91	5	200		29.91			30.09	FM-15	0.00	30.09
29	0254	7	FEW:02 300	10.00		76	24.4	74	23.3	73	22.8	91	3	210		29.92			30.11	FM-15	0.00	30.10
29	0354	7	FEW:02 300	9.00		75	23.9	73	22.8	72	22.2	90	6	190		29.92	3	-0.01	30.11	FM-15	0.00	30.10
29	0454	7	FEW:02 300	9.00		75	23.9	73	22.8	72	22.2	90	7	200		29.92			30.11	FM-15	0.00	30.10
29	0554	7	FEW:02 300	9.00		74	23.3	73	22.6	72	22.2	94	6	190		29.92			30.11	FM-15	0.00	30.10
29	0654	7	CLR:00	10.00		77	25.0	74	23.5	73	22.8	88	8	220		29.92	3	-0.00	30.11	FM-15	0.00	30.10
29	0700	4		9.94		77	25.0	74	23.5	73	22.8	88	8	220		29.92	3	-0.00	30.11	FM-12		
29	0754	7	CLR:00	10.00		81	27.2	75	24.2	73	22.8	77	8	220		29.93			30.12	FM-15	0.00	30.11
29	0854	7	CLR:00	10.00		85	29.4	77	24.8	73	22.8	68	6	210		29.93			30.12	FM-15	0.00	30.11
29	0954	7	FEW:02 300	10.00		88	31.1	78	25.6	74	23.3	63	8	210		29.93	0	-0.01	30.12	FM-15	0.00	30.11
29	1054	7	FEW:02 37 FEW:02 300	10.00		90	32.2	79	25.9	74	23.3	59	10	VRB		29.92			30.11	FM-15	0.00	30.10
29	1154	7	FEW:02 45 FEW:02 300	10.00		93	33.9	78	25.3	71	21.7	49	10	250		29.90			30.09	FM-15	0.00	30.08
29	1254	7	FEW:02 50	10.00		94	34.4	78	25.4	71	21.7	48	10	230		29.89	8	+0.04	30.08	FM-15	0.00	30.07
29	1300	4	57	9.94		94	34.4	78	25.4	71	21.7	48	10	230		29.89	8	+0.04	30.08	FM-12		
29	1354	7	FEW:02 55	10.00		93	33.9	78	25.3	71	21.7	49	10	220		29.87			30.05	FM-15	0.00	30.05
29	1454	7	FEW:02 55	10.00		94	34.4	78	25.8	72	22.2	49	15	200		29.85			30.03	FM-15	0.00	30.03
29	1554	7	FEW:02 55 FEW:02 300	10.00		93	33.9	79	26.0	73	22.8	52	10	220		29.84	6	+0.05	30.03	FM-15	0.00	30.02
29	1654	7	FEW:02 55 FEW:02 300	10.00		92	33.3	79	26.2	74	23.3	56	10	200		29.83			30.02	FM-15	0.00	30.01
29	1754	7	FEW:02 300	10.00		89	31.7	79	26.1	75	23.9	63	9	190		29.83			30.01	FM-15	0.00	30.01
29	1854	7	FEW:02 300	10.00		84	28.9	77	25.0	74	23.3	72	7	190		29.83	6	+0.01	30.01	FM-15	0.00	30.01

29	1900	4		9.94		84	28.9	77	25.0	74	23.3	72	7	190		29.83	6	+0.01	30.01	FM-12		
29	1954	7	FEW:02 300	10.00		81	27.2	76	24.5	74	23.3	79	7	190		29.85			30.03	FM-15	0.00	30.03
29	2054	7	FEW:02 300	10.00		81	27.2	76	24.5	74	23.3	79	7	210		29.86			30.05	FM-15	0.00	30.04
29	2154	7	FEW:02 300	10.00		81	27.2	76	24.5	74	23.3	79	8	220		29.88	1	-0.05	30.06	FM-15	0.00	30.06
29	2254	7	CLR:00	10.00		81	27.2	76	24.5	74	23.3	79	7	220		29.89			30.07	FM-15	0.00	30.07
29	2354	7	FEW:02 200	10.00		80	26.7	75	24.0	73	22.8	79	6	240		29.90			30.08	FM-15	0.00	30.08
30	0054	7	FEW:02 300	10.00		80	26.7	75	23.6	72	22.2	76	8	230		29.89	0	-0.01	30.07	FM-15	0.00	30.07
30	0100	4		9.94		80	26.7	75	23.6	72	22.2	76	8	230		29.89	9	0.01	30.07	FM-12		
30	0154	7	CLR:00	10.00		78	25.6	75	23.7	73	22.8	85	9	220		29.87			30.06	FM-15	0.00	30.05
30	0254	7	CLR:00	10.00		77	25.0	74	23.5	73	22.8	88	7	210		29.87			30.05	FM-15	0.00	30.05
30	0354	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	5	180		29.86	6	+0.03	30.04	FM-15	0.00	30.04
30	0454	7	CLR:00	10.00		74	23.3	73	22.6	72	22.2	94	6	190		29.86			30.04	FM-15	0.00	30.04
30	0554	7	FEW:02 300	9.00		75	23.9	73	22.8	72	22.2	90	6	240		29.88			30.06	FM-15	0.00	30.06
30	0654	7	BKN:07 300	10.00		79	26.1	75	23.8	73	22.8	82	7	230		29.89	3	-0.03	30.08	FM-15	0.00	30.07
30	0700	4		9.94		79	26.1	75	23.8	73	22.8	82	7	230		29.89	3	-0.03	30.08	FM-12		
30	0754	7	FEW:02 130 BKN:07 300	10.00		83	28.3	77	24.8	74	23.3	74	6	250		29.89			30.08	FM-15	0.00	30.07
30	0854	7	FEW:02 130 BKN:07 300	10.00		86	30.0	78	25.3	74	23.3	67	0	000		29.89			30.08	FM-15	0.00	30.07
30	0954	7	FEW:02 130 BKN:07 300	10.00		90	32.2	79	26.2	75	23.9	62	3	310		29.89	0	-0.00	30.08	FM-15	0.00	30.07
30	1054	7	FEW:02 36 FEW:02 130 BKN:07 300	10.00		92	33.3	79	26.2	74	23.3	56	3	080		29.90			30.08	FM-15	0.00	30.08
30	1154	7	FEW:02 42 BKN:07 300	10.00		91	32.8	78	25.3	72	22.2	54	5	VRB		29.89			30.07	FM-15	0.00	30.07
30	1254	7	SCT:04 45 BKN:07 300	10.00		91	32.8	78	25.7	73	22.8	56	10	020		29.88	8	+0.01	30.06	FM-15	0.00	30.06
30	1300	4	41	9.94		91	32.8	78	25.7	73	22.8	56	10	020		29.88	8	+0.01	30.06	FM-12		
30	1345	7	BKN:07 43 BKN:07 300	10.00	TS:7 TS TS	91	32.8	79	26.4	75	23.9	59	8	360		29.87				FM-16		30.05
30	1354	7	BKN:07 43 BKN:07 300	10.00	TS:7 TS TS	91	32.8	79	26.0	74	23.3	57	10	020		29.87			30.05	FM-15	0.00	30.05
30	1454	7	SCT:04 40 BKN:07 100 BKN:07 300	7.00	TS:7 -RA:02 RA TS TS RA	82	27.8	77	25.0	75	23.9	79	7	190		29.86			30.04	FM-15	0.01	30.04
30	1506	7	SCT:04 40 BKN:07 75 BKN:07 300	9.00	-RA:02 RA RA	85	29.4	79	25.9	76	24.4	75	0	000		29.85				FM-16	0.01	30.03
30	1554	7	FEW:02 30 SCT:04 55 BKN:07 90	10.00		87	30.6	78	25.8	75	23.9	67	8	050		29.84	8	+0.04	30.03	FM-15	T	30.02
30	1654	7	FEW:02 30 BKN:07 55 BKN:07 300	10.00		87	30.6	78	25.4	74	23.3	65	8	070		29.85			30.03	FM-15	0.00	30.03
30	1754	7	FEW:02 25 SCT:04 50 BKN:07 190	10.00		82	27.8	76	24.3	73	22.8	74	5	050		29.86			30.04	FM-15	0.00	30.04
30	1854	7	FEW:02 30 BKN:07 110 BKN:07 250	10.00	TS:7 TS TS	80	26.7	75	23.6	72	22.2	76	3	200		29.89	3	-0.05	30.07	FM-15	0.00	30.07
30	1900	4	26	9.94	TS	80	26.7	75	23.6	72	22.2	76	3	200		29.89	3	-0.05	30.07	FM-12		
30	1924	7	SCT:04 20 BKN:07 32 OVC:08 70	2.00	TS:7 +RA:02 RA TS TS RA	78	25.6	73	22.9	71	21.7	79	14	270	26	29.94				FM-16	0.02	30.12
30	1930	7	SCT:04 12 BKN:07 24 OVC:08 50	1.50	TS:7 +RA:02 BR:1 RA TS RA	75	23.9	72	22.4	71	21.7	88	10	320	24	29.95				FM-16	0.22	30.13
30	1936	7	SCT:04 15 BKN:07 24 OVC:08 60	3.00	TS:7 -RA:02 BR:1 RA TS RA	75	23.9	73	22.8	72	22.2	90	9	310	16	29.94				FM-16	0.28	30.12

30	1945	7	SCT:04 17 BKN:07 35 BKN:07 140	10.00	TS:7 -RA:02 RA TS TS RA	75	23.9	72	22.4	71	21.7	88	7	330		29.92				FM-16	0.28	30.10
30	1954	7	FEW:02 17 BKN:07 35 BKN:07 150	10.00	TS:7 TS TS	74	23.3	73	22.6	72	22.2	94	8	010		29.92			30.11	FM-15	0.28	30.10
30	2054	7	FEW:02 20 BKN:07 35 OVC:08 100	10.00	-RA:02 RA RA	73	22.8	71	21.7	70	21.1	90	3	340		29.94			30.13	FM-15	0.01	30.12
30	2154	7	FEW:02 30 SCT:04 100 OVC:08 250	10.00		73	22.8	72	22.0	71	21.7	94	0	000		29.95	1	-0.06	30.13	FM-15	0.00	30.13
30	2254	7	FEW:02 30 BKN:07 80 OVC:08 150	10.00	-RA:02 RA RA	73	22.8	72	22.0	71	21.7	94	16	230		29.99			30.18	FM-15	0.01	30.17
30	2301	7	FEW:02 45 BKN:07 80 OVC:08 150	10.00	TS:7 -RA:02 RA TS TS RA	72	22.2	71	21.5	70	21.1	94	13	240		29.99				FM-16	0.01	30.17
30	2331	7	FEW:02 45 SCT:04 100 OVC:08 140	7.00	RA:02 RA RA	72	22.2	71	21.5	70	21.1	94	6	290		29.94				FM-16	0.04	30.12
30	2354	7	FEW:02 110 OVC:08 140	10.00	-RA:02 RA RA	72	22.2	71	21.5	70	21.1	94	6	040		29.90			30.09	FM-15	0.04	30.08
31	0054	7	OVC:08 140	10.00	-RA:02 RA RA	72	22.2	71	21.5	70	21.1	94	3	270		29.93	8	+0.02	30.11	FM-15	0.01	30.11
31	0100	4		9.94	RA	72	22.2	71	21.5	70	21.1	94	3	270		29.93	8	+0.02	30.11	FM-12		
31	0154	7	FEW:02 110 OVC:08 140	10.00		72	22.2	71	21.9	71	21.7	97	6	240		29.94			30.13	FM-15	0.01	30.12
31	0212	7	FEW:02 6 SCT:04 110 OVC:08 150	10.00		72	22.2	71	21.5	70	21.1	94	5	240		29.94				FM-16		30.12
31	0254	7	OVC:08 170	10.00		72	22.2	71	21.9	71	21.7	97	3	290		29.94			30.13	FM-15	0.00	30.12
31	0354	7	BKN:07 190	10.00		72	22.2	71	21.5	70	21.1	94	3	260		29.95	1	-0.02	30.14	FM-15	0.00	30.13
31	0454	7	BKN:07 80 BKN:07 220	10.00		72	22.2	71	21.5	70	21.1	94	5	310		29.95			30.14	FM-15	0.00	30.13
31	0554	7	FEW:02 80 SCT:04 190 BKN:07 250	10.00		71	21.7	70	20.9	69	20.6	94	5	350		29.95			30.14	FM-15	0.00	30.13
31	0654	7	FEW:02 10 SCT:04 200 BKN:07 250	10.00		73	22.8	72	22.0	71	21.7	94	5	040		29.96	3	-0.01	30.15	FM-15	0.00	30.14
31	0700	4	15	9.94		73	22.8	72	22.0	71	21.7	94	5	040		29.96	3	-0.01	30.15	FM-12		
31	0754	7	FEW:02 8 FEW:02 43 SCT:04 190	10.00		77	25.0	73	22.8	71	21.7	82	0	000		29.98			30.17	FM-15	0.00	30.16
31	0854	7	FEW:02 8 FEW:02 100 SCT:04 240	10.00		80	26.7	74	23.3	71	21.7	74	0	000		30.00			30.19	FM-15	0.00	30.18
31	0954	7	FEW:02 15 FEW:02 100 SCT:04 240	10.00		82	27.8	75	24.0	72	22.2	72	3	VRB		29.99	0	-0.03	30.18	FM-15	0.00	30.17
31	1054	7	FEW:02 26 SCT:04 110 BKN:07 300	10.00		83	28.3	75	24.1	72	22.2	70	6	130		29.99			30.18	FM-15	0.00	30.17
31	1154	7	FEW:02 27 SCT:04 130 SCT:04 300	10.00		85	29.4	76	24.4	72	22.2	65	0	000		29.98			30.17	FM-15	0.00	30.16
31	1254	7	SCT:04 30 SCT:04 130 BKN:07 300	10.00		86	30.0	76	24.6	72	22.2	63	5	190		29.97	8	+0.02	30.16	FM-15	0.00	30.15
31	1300	4	26	9.94		86	30.0	76	24.6	72	22.2	63	5	190		29.97	8	+0.02	30.16	FM-12		
31	1354	7	SCT:04 33 BKN:07 300	10.00		85	29.4	76	24.4	72	22.2	65	3	170		29.96			30.15	FM-15	0.00	30.14
31	1454	7	SCT:04 33 SCT:04 300	10.00		88	31.1	77	25.2	73	22.8	61	6	VRB		29.94			30.13	FM-15	0.00	30.12

31	1554	7	SCT:04 32 SCT:04 300	10.00		88	31.1	77	25.2	73	22.8	61	6	190		29.93	8	+0.04	30.11	FM-15	0.00	30.11
31	1654	7	SCT:04 33 SCT:04 300	10.00		87	30.6	77	24.7	72	22.2	61	7	160		29.92			30.11	FM-15	0.00	30.10
31	1754	7	FEW:02 35 SCT:04 300	10.00		84	28.9	78	25.4	75	23.9	74	8	120		29.93			30.12	FM-15	0.00	30.11
31	1854	7	FEW:02 35 FEW:02 300	10.00		81	27.2	77	24.9	75	23.9	82	7	120		29.95	3	-0.02	30.14	FM-15	0.00	30.13
31	1900	4	41	9.94		81	27.2	77	24.9	75	23.9	82	7	120		29.95	3	-0.02	30.14	FM-12		
31	1954	7	FEW:02 35 FEW:02 300	10.00		80	26.7	77	24.7	75	23.9	85	8	120		29.96			30.15	FM-15	0.00	30.14
31	2054	7	FEW:02 40 FEW:02 300	10.00		78	25.6	74	23.3	72	22.2	82	7	150		29.97			30.16	FM-15	0.00	30.15
31	2154	7	FEW:02 40 FEW:02 300	10.00		77	25.0	74	23.1	72	22.2	85	0	000		29.99	3	-0.04	30.18	FM-15	0.00	30.17
31	2254	7	FEW:02 150 FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	5	060		30.00			30.18	FM-15	0.00	30.18
31	2354	7	FEW:02 150 FEW:02 300	10.00		74	23.3	73	22.6	72	22.2	94	6	130		30.01			30.19	FM-15	0.00	30.19

Local Climatological Data Hourly Precipitation August 2018

Generated on 10/03/2018

Date	For Hour (LST) Ending at																					Date				
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID	
01																								01		
02														0.01	0.01	0.01	0.01	0.04	0.01					02		
03						0.02	T		T	T	T	T	T	T	T						T			03		
04																								04		
05																	T	0.01						05		
06												T	0.37											06		
07																					T			07		
08																								08		
09																	0.09							09		
10																								10		
11																								11		
12	T	0.01															0.01	0.44	0.01					12		
13		T	T																0.21s	0.13	T			13		
14																							0.04	T	14	
15	T																							15		
16																								16		
17																								17		
18																		T	0.03	0.01				18		
19																								0.08	19	
20	T	0.06	0.02	T	0.05					T														20		
21																T		0.47	0.01					21		
22	T	T											T	T	0.03	0.30	T					0.38s	0.09	22		
23																								23		
24																								24		
25																								25		
26																								26		
27																								27		
28																0.01	T							28		
29																								29		
30																0.01	T					0.28	0.01	0.01	0.04	30
31	0.01	0.01																						31		

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.26	0.40	0.46	0.46	0.47	0.47	0.47	0.47	0.48	0.48	0.48	0.48
Ending Date Time (yyyy-mm-dd hh:mi)	2018-08-21 17:38	2018-08-21 17:39	2018-08-21 17:40	2018-08-21 17:40	2018-08-21 17:40	2018-08-21 17:40	2018-08-21 17:40	2018-08-21 17:40	2018-08-21 18:43	2018-08-21 18:43	2018-08-21 18:43	2018-08-21 18:43

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing