

Local Climatological Data
Daily Summary
December 2018

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
 Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Generated on 02/06/2019

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH				
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees		
												Peak Speed						Peak Dir			Sust. Speed	Sust. Dir	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	50	41	46	0.8				19	0	0705	1651	RA DZ BR HZ	0.09	0.0	0	29.91		5.4	13	060	9	080	
02	65	46	55	10.1				10	0	0706	1651	DZ BR	0.07	0.0	0	29.55		5.6	24	220	18	310	
03	64	38	51	6.5				14	0	0707	1651		0.00	0.0	0	29.57		8.3	*		14	230	
04	48	36	42	-2.2				23	0	0708	1651	SN	T	T	0	29.84		7.3	27s	010s	21	360	
05	40	28	34	-9.9				31	0	0709	1651	SN PL BR	0.03	T	0	29.92		3.3	13	250	12	250	
06	45	22	34	-9.5				31	0	0710	1651	BR	0.00	0.0	0	30.12		5.0	17	220	15	220	
07	48	28	38	-5.2				27	0	0710	1651		0.00	0.0	0	30.21		5.2	19	010	15	030	
08	43	27	35	-7.9				30	0	0711	1651		0.00	0.0	0	30.33		4.9	15	030	12	030	
09	33	30	32	-10.6				33	0	0712	1651	SN PL FZFG BR FG	1.04	11.5	0	30.09		12.4	29	020	23	020	
10	36	24	30	-12.3				35	0	0713	1651	BR	0.00	0.0	7	29.93		9.3	24	360	20	360	
11	42	23	33	-9.0				32	0	0714	1651	BR HZ	0.00	0.0	6	29.94		5.6	13	340	10	320	
12	46	19*	33	-8.7				32	0	0714	1651		0.00	0.0	4	30.00		2.5	11	200	10	200	
13	43	30	37	-4.5				28	0	0715	1652		0.00s	0.0	2	30.11		3.1	9	150	8	140	
14	52	30	41	-0.2				24	0	0716	1652	RA BR	0.15	0.0	1	30.11		4.9	17	070	13	080	
15	56	51	54	13.1				11	0	0717	1652	RA DZ FG BR	0.24	0.0	0	29.76		6.3	18	360	15	010	
16	51	39	45	4.3				20	0	0717	1653	DZ BR	0.01	0.0	0	29.69		8.5	22	310	16	230	
17	59	32	46	5.5				19	0	0718	1653	FG BR	0.00	0.0	0	29.75		8.0	23	250	16	010	
18	49	27	38	-2.2				27	0	0718	1653		0.00	0.0	0	29.95		5.1	24	350	17	350	
19	51	25	38	-2.0				27	0	0719	1654		0.00	0.0	0	29.98		3.5	18	180	14	190	
20	66	33	50	10.2				15	0	0720	1654	RA DZ FG BR	0.36	0.0	0	29.68		6.9	31	120	24	130	
21	68*	52	60	20.4				5	0	0720	1655	RA BR	0.09	0.0	0	29.16		13.8	39	190	29	170	
22	56	37	46	6.6				19	0	0721	1655	RA	T	0.0	0	29.57		12.0	31	300	25	290	
23	51	28	40	0.8				25	0	0721	1656		T	0.0	0	29.95		4.6	15	180	12	200	
24	51	29	40	0.9				25	0	0722	1656		0.00	0.0	0	29.99		7.3	23	310	18	300	
25	45	27	36	-2.9				29	0	0722	1657		0.00	0.0	0	30.17		1.4	13	070	9	070	
26	50	26	38	-0.7				27	0	0722	1657		0.00	0.0	0	30.34		1.2	9	070	7	050	
27	53	26	40	1.4				25	0	0723	1658	RA BR	0.04	0.0	0	30.29		5.0	16	120	13	100	
28	65	46	55	16.5				10	0	0723	1659	RA BR	1.15	0.0	0	29.87		8.3	24	190	20	180	
29	65	42	54	15.7				11	0	0723	1659		0.00	0.0	0	29.89		8.4	20	230	14	290	
30	53	40	46	7.8				19	0	0724	1700		0.00	0.0	0	30.03		3.9	16	190	12	350	
31	64	41	53	14.9				12	0	0724	1701		0.18	0.0	0	30.00		6.1	23	200	18	200	
	51.9	33.0	42.5									Monthly Averages Totals	3.45s			29.93	30.12	6.3					
	1.2	1.6	1.5									Departure from Normal (1981-2010)	0.19s										
	Degree Days										Number of days with...												
	Monthly				Season-to-date				Temperature				Precipitation		Snow		Weather						
	Total	Departure	Total	Departure	Max	Min	Max	Min	Max	Min	Max	Min	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog						
Heating	685	-58	1421		>=90°	<=32°	<=32°	<=0°					11s	5s	1								
Cooling	0	-1	1965		0	0	18	0															
Date of 5-sec to 3-sec wind equipment change										Sea Level Pressure					Greatest...								
N/A										Maximum		30.62	Date	27	Time	0951	24-Hr...		Snowfall		Snow Depth		
										Minimum		29.21		21		1622	1.19s						
															Date								
															27-28								
Station Augmentation																							
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																							

Local Climatological Data Hourly Observations December 2018

Generated on 02/06/2019

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	BKN:07 27 BKN:07 60	10.00		42	5.6	39	4.1	36	2.2	79	5	040		29.94	0	-0.02	30.13	FM-15	0.00	30.12
01	0100	4	26	9.94		42	5.6	39	4.1	36	2.2	79	5	040		29.94	9	0.02	30.13	FM-12		
01	0152	6	OVC:08 30	10.00		43	6.0	39	4.0	34	1.0	71	5	050		29.95				FM-16		30.13
01	0154	7	OVC:08 30	10.00		42	5.6	39	3.7	34	1.1	73	3	050		29.95			30.15	FM-15	0.00	30.13
01	0254	7	OVC:08 31	10.00		42	5.6	39	3.7	34	1.1	73	7	030		29.97			30.16	FM-15	0.00	30.15
01	0354	7	OVC:08 31	10.00		42	5.6	39	3.7	34	1.1	73	6	040		29.96	0	-0.03	30.16	FM-15	0.00	30.14
01	0454	7	OVC:08 30	10.00		42	5.6	39	3.9	35	1.7	76	0	000		29.98			30.18	FM-15	0.00	30.16
01	0541	7	BKN:07 29 OVC:08 55	10.00		42	5.6	39	3.9	35	1.7	76	6	050		29.98				FM-16		30.16
01	0554	7	BKN:07 29 OVC:08 55	10.00		42	5.6	39	3.9	35	1.7	76	7	040		29.98			30.17	FM-15	0.00	30.16
01	0630	7	BKN:07 31 OVC:08 50	10.00		42	5.6	39	3.9	35	1.7	76	5	060		29.98				FM-16		30.16
01	0654	7	OVC:08 30	10.00		42	5.6	39	3.9	35	1.7	76	5	060		29.99	1	-0.02	30.18	FM-15	0.00	30.17
01	0700	4	26	9.94		42	5.6	39	3.9	35	1.7	76	5	060		29.99	1	-0.02	30.18	FM-12		
01	0703	7	BKN:07 29 OVC:08 41	10.00		42	5.6	39	3.9	35	1.7	76	7	050		29.98				FM-16		30.16
01	0754	7	BKN:07 29 OVC:08 39	10.00		42	5.6	39	3.9	35	1.7	76	6	060		29.99			30.18	FM-15	0.00	30.17
01	0854	7	FEW:02 13 BKN:07 22 OVC:08 29	6.00	-DZ:01 DZ DZ	42	5.6	39	4.1	36	2.2	79	5	050		30.00			30.19	FM-15	0.01	30.18
01	0954	7	OVC:08 19	5.00	-DZ:01 BR:1 DZ DZ	41	5.0	40	4.3	38	3.3	89	6	070		30.00	0	-0.01	30.19	FM-15	T	30.18
01	1054	7	OVC:08 18	4.00	-DZ:01 BR:1 DZ DZ	42	5.6	41	4.8	39	3.9	89	5	040		29.99			30.18	FM-15	T	30.17
01	1135	7	SCT:04 7 OVC:08 20	5.00	BR:1	43	6.1	42	5.4	40	4.4	89	5	080		29.97				FM-16	T	30.15
01	1148	7	BKN:07 8 OVC:08 20	5.00	BR:1	43	6.0	41	5.1	39	4.0	87	5	050		29.97				FM-16	T	30.15
01	1154	7	BKN:07 8 OVC:08 20	5.00	BR:1	43	6.1	42	5.4	40	4.4	89	3	060		29.97			30.16	FM-15	T	30.15
01	1224	7	BKN:07 10 OVC:08 20	5.00	BR:1	43	6.1	42	5.4	40	4.4	89	5	120		29.96				FM-16		30.14
01	1254	7	OVC:08 10	5.00	BR:1	44	6.7	42	5.7	40	4.4	85	5	060		29.94	8	+0.04	30.14	FM-15	0.00	30.12
01	1300	4	15	4.97		44	6.7	42	5.7	40	4.4	85	5	060		29.94	8	+0.04	30.14	FM-12		
01	1354	7	OVC:08 12	5.00	HZ:7 FU HZ	45	7.2	43	6.0	40	4.4	83	6	080		29.91			30.11	FM-15	0.00	30.09
01	1454	7	OVC:08 11	5.00	BR:1	45	7.2	43	6.2	41	5.0	86	7	050		29.89			30.09	FM-15	0.00	30.07
01	1554	7	OVC:08 10	5.00	BR:1	45	7.2	43	6.2	41	5.0	86	6	040		29.89	5	+0.05	30.09	FM-15	0.00	30.07
01	1640	7	BKN:07 8 OVC:08 12	4.00	BR:1	44	6.7	43	5.9	41	5.0	89	6	030		29.89				FM-16		30.07
01	1654	7	OVC:08 8	5.00	-RA:02 BR:1 RA RA	44	6.7	43	5.9	41	5.0	89	8	040		29.89			30.08	FM-15	T	30.07
01	1754	7	OVC:08 6	3.00	-RA:02 BR:1 RA RA	44	6.7	43	5.9	41	5.0	89	9	070		29.88			30.07	FM-15	T	30.06
01	1818	7	OVC:08 5	2.50	-RA:02 BR:1 RA RA	44	6.7	43	5.9	41	5.0	89	9	050		29.86				FM-16	0.01	30.04
01	1831	7	OVC:08 4	2.50	-RA:02 BR:1 RA RA	44	6.7	43	5.9	41	5.0	89	6	050		29.86				FM-16	0.01	30.04
01	1854	7	OVC:08 4	2.50	BR:1	44	6.7	43	6.2	42	5.6	93	5	080		29.86	8	+0.03	30.06	FM-15	0.01	30.04
01	1900	4	5	2.49		44	6.7	43	6.2	42	5.6	93	5	080		29.86	8	+0.03	30.06	FM-12		
01	1954	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	45	7.2	44	6.4	42	5.6	90	5	060		29.84			30.04	FM-15	T	30.02
01	2006	7	OVC:08 3	1.75	-DZ:01 BR:1 DZ DZ	45	7.2	44	6.7	43	6.1	93	6	050		29.84				FM-16	T	30.02
01	2054	7	OVC:08 3	1.75	-DZ:01 BR:1 DZ DZ	46	7.8	45	7.2	44	6.7	93	7	090		29.81			30.01	FM-15	0.03	29.99
01	2126	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	47	8.3	46	7.8	45	7.2	93	6	100		29.79				FM-16	0.02	29.97

01	2154	7	OVC:08 3	2.50	-DZ:01 BR:1 DZ DZ	47	8.3	46	7.8	45	7.2	93	6	110		29.77	8	+0.09	29.97	FM-15	0.02	29.95
01	2220	7	OVC:08 3	3.00	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.3	46	7.8	93	5	100		29.76				FM-16	T	29.94
01	2252	7	OVC:08 2	1.75	-DZ:01 BR:1 DZ DZ	48	9.0	47	8.3	46	8.0	94	3	110		29.75				FM-16	T	29.93
01	2254	7	OVC:08 2	1.75	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.3	46	7.8	93	3	110		29.75			29.94	FM-15	0.01	29.93
01	2354	7	OVC:08 3	1.50	-DZ:01 BR:1 DZ DZ	49	9.4	48	9.2	48	8.9	97	7	110		29.69			29.89	FM-15	0.01	29.87
02	0052	6	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	52	11.0	51	10.5	50	10.0	94	5	110		29.67				FM-16		29.85
02	0054	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.3	50	10.0	96	3	110		29.67	8	+0.08	29.86	FM-15	T	29.85
02	0100	4	2	1.99	DZ	51	10.6	50	10.3	50	10.0	96	3	110		29.67	8	+0.08	29.86	FM-12		
02	0102	7	OVC:08 2	1.75	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.5	50	10.0	93	0	000		29.67				FM-16	0.01	29.85
02	0152	6	OVC:08 4	1.00	-DZ:01 BR:1 DZ DZ	52	11.0	51	10.5	50	10.0	94	0	000		29.64				FM-16		29.82
02	0154	7	OVC:08 4	1.00	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.5	50	10.0	93	0	000		29.64			29.83	FM-15	0.05	29.82
02	0254	7	OVC:08 3	1.00	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	8.9	93	7	320		29.64			29.83	FM-15	T	29.82
02	0354	7	OVC:08 3	1.00	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.3	46	7.8	93	6	340		29.61	6	+0.06	29.80	FM-15	0.01	29.79
02	0452	6	OVC:08 3	1.50	-DZ:01 BR:1 DZ DZ	46	8.0	46	7.5	45	7.0	93	3	290		29.60				FM-16		29.78
02	0454	7	OVC:08 3	1.50	-DZ:01 BR:1 DZ DZ	47	8.3	46	7.8	45	7.2	93	3	280		29.60			29.79	FM-15	0.01	29.78
02	0554	7	OVC:08 3	1.50	-DZ:01 BR:1 DZ DZ	47	8.3	46	7.8	45	7.2	93	3	350		29.59			29.78	FM-15	T	29.77
02	0652	6	OVC:08 2	1.00	-DZ:01 BR:1 DZ DZ	46	8.0	46	7.5	45	7.0	93	0	000		29.58				FM-16		29.76
02	0654	7	OVC:08 2	1.00	-DZ:01 BR:1 DZ DZ	46	7.8	45	7.2	44	6.7	93	0	000		29.58	6	+0.03	29.78	FM-15	T	29.76
02	0700	4	2	0.99	DZ	46	7.8	45	7.2	44	6.7	93	0	000		29.58	6	+0.03	29.78	FM-12		
02	0703	7	VV:09 3	0.75	-DZ:01 BR:1 DZ DZ	46	7.8	45	7.2	44	6.7	93	0	000		29.58				FM-16	T	29.76
02	0754	7	OVC:08 2	0.75	-DZ:01 BR:1 DZ DZ	46	7.8	45	7.2	44	6.7	93	5	300		29.59			29.79	FM-15	T	29.77
02	0854	7	OVC:08 3	0.75	-DZ:01 BR:1 DZ DZ	47	8.3	47	8.1	46	7.8	97	0	000		29.59			29.78	FM-15	T	29.77
02	0952	6	OVC:08 2	1.00	BR:1	48	9.0	48	8.9	48	9.0	100	0	000		29.60				FM-16		29.78
02	0954	7	OVC:08 2	1.00	BR:1	49	9.4	48	9.2	48	8.9	97	0	000		29.60	1	-0.02	29.79	FM-15	T	29.78
02	1001	7	OVC:08 3	2.00	BR:1	50	10.0	49	9.4	48	8.9	93	3	290		29.60				FM-16		29.78
02	1054	7	OVC:08 3	1.75	BR:1	50	10.0	49	9.4	48	8.9	93	6	270		29.60			29.80	FM-15	0.00	29.78
02	1137	7	OVC:08 2	1.00	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.3	50	10.0	96	3	180		29.56				FM-16	T	29.74
02	1154	7	OVC:08 2	1.00	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.8	51	10.6	97	5	240		29.56			29.75	FM-15	T	29.74
02	1254	7	OVC:08 2	1.25	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.8	51	10.6	97	5	250		29.55	8	+0.05	29.74	FM-15	T	29.73
02	1300	4	2	1.24	DZ	52	11.1	51	10.8	51	10.6	97	5	250		29.55	8	+0.05	29.74	FM-12		
02	1352	6	OVC:08 3	2.50	-DZ:01 BR:1 DZ DZ	55	13.0	54	12.5	54	12.0	94	5	210		29.52				FM-16		29.69
02	1354	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.5	54	12.2	96	6	220		29.52			29.70	FM-15	T	29.69
02	1433	7	OVC:08 3	3.00	BR:1	57	13.9	56	13.3	55	12.8	93	9	200		29.50				FM-16	T	29.68
02	1454	7	OVC:08 3	4.00	BR:1	57	13.9	56	13.6	56	13.3	96	7	200		29.49			29.68	FM-15	T	29.67
02	1554	7	BKN:07 3 BKN:07 20	4.00	BR:1	59	15.0	58	14.4	57	13.9	93	5	190		29.47	6	+0.08	29.66	FM-15	0.00	29.65
02	1606	7	FEW:02 3 FEW:02 22 SCT:04 250	6.00	BR:1	61	16.1	60	15.5	59	15.0	93	8	180		29.47				FM-16		29.64
02	1622	7	BKN:07 22 BKN:07 250	9.00		64	17.8	62	16.8	61	16.1	90	11	180		29.47				FM-16		29.64
02	1652	6	SCT:04 19 SCT:04 24 SCT:04 250	9.00		63	17.0	62	16.6	61	16.0	94	10	190		29.47				FM-16		29.64
02	1654	7	SCT:04 19 SCT:04 24 SCT:04 250	10.00		63	17.2	62	16.6	61	16.1	93	9	190		29.47			29.66	FM-15	0.00	29.65
02	1707	7	FEW:02 19 BKN:07 29 BKN:07 250	10.00		63	17.2	62	16.6	61	16.1	93	8	200		29.47				FM-16		29.65
02	1754	7	SCT:04 15 BKN:07 21 OVC:08 26	8.00		63	17.2	62	16.6	61	16.1	93	6	200		29.47			29.67	FM-15	0.00	29.65
02	1828	7	SCT:04 25 BKN:07 37 BKN:07 47	10.00		64	17.8	63	17.1	62	16.7	93	8	180		29.47				FM-16		29.65
02	1854	7	FEW:02 26 SCT:04 34 BKN:07 44	10.00		64	17.8	63	17.1	62	16.7	93	9	180		29.47	8	+0.00	29.66	FM-15	0.00	29.65
02	1900	4	26	9.94		64	17.8	63	17.1	62	16.7	93	9	180		29.47	8	+0.00	29.66	FM-12		

02	1954	7	SCT:04 30	10.00		63	17.2	62	16.6	61	16.1	93	8	190		29.48			29.67	FM-15	0.00	29.66
02	2054	7	BKN:07 35	6.00	BR:1	61	16.1	60	15.5	59	15.0	93	7	220		29.49			29.68	FM-15	0.00	29.67
02	2116	7	SCT:04 8 BKN:07 14 OVC:08 30	8.00		64	17.8	63	17.1	62	16.7	93	6	200		29.50				FM-16		29.68
02	2152	6	FEW:02 18 SCT:04 29 BKN:07 41	10.00		64	18.0	63	17.4	63	17.0	94	13	220		29.50				FM-16		29.68
02	2154	7	FEW:02 18 SCT:04 29 BKN:07 41	10.00		64	17.8	63	17.1	62	16.7	93	11	220		29.50	2	-0.03	29.69	FM-15	0.00	29.68
02	2222	7	FEW:02 12 SCT:04 21 OVC:08 27	8.00		59	15.0	58	14.7	58	14.4	96	9	300	21	29.52				FM-16		29.70
02	2229	7	SCT:04 3 BKN:07 12 OVC:08 31	5.00	BR:1	59	15.0	58	14.4	57	13.9	93	10	300		29.52				FM-16		29.69
02	2238	7	BKN:07 3 BKN:07 10 OVC:08 27	5.00	BR:1	59	15.0	58	14.4	57	13.9	93	9	290		29.52				FM-16		29.70
02	2254	7	BKN:07 3 OVC:08 14	6.00	BR:1	59	15.0	58	14.7	58	14.4	96	10	250		29.52			29.71	FM-15	0.00	29.70
02	2319	7	FEW:02 4 FEW:02 10	9.00		60	15.6	59	14.9	58	14.4	93	11	230		29.52				FM-16		29.70
02	2354	7	FEW:02 4 FEW:02 10	9.00		60	15.6	59	14.9	58	14.4	93	14	230		29.52			29.72	FM-15	0.00	29.70
03	0054	7	FEW:02 12	10.00		60	15.6	58	14.3	56	13.3	86	10	220		29.52	0	-0.02	29.71	FM-15	0.00	29.70
03	0100	4	15	9.94		60	15.6	58	14.3	56	13.3	86	10	220		29.52	9	0.02	29.71	FM-12		
03	0154	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	10	220		29.53			29.72	FM-15	0.00	29.71
03	0254	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	9	220		29.55			29.74	FM-15	0.00	29.73
03	0354	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	7	240		29.54	0	-0.02	29.73	FM-15	0.00	29.72
03	0454	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	9	230		29.53			29.72	FM-15	0.00	29.71
03	0554	7	CLR:00	10.00		55	12.8	53	11.6	51	10.6	87	9	230		29.54			29.73	FM-15	0.00	29.72
03	0654	7	BKN:07 150	10.00		54	12.2	52	11.1	50	10.0	87	7	230		29.57	3	-0.03	29.76	FM-15	0.00	29.75
03	0700	4		9.94		54	12.2	52	11.1	50	10.0	87	7	230		29.57	3	-0.03	29.76	FM-12		
03	0754	7	BKN:07 150 BKN:07 300	10.00		54	12.2	52	11.3	51	10.6	90	8	210		29.58			29.77	FM-15	0.00	29.76
03	0854	7	BKN:07 140 BKN:07 300	10.00		57	13.9	53	11.5	49	9.4	74	9	250		29.60			29.79	FM-15	0.00	29.78
03	0954	7	BKN:07 150 BKN:07 300	10.00		57	13.9	52	11.0	47	8.3	69	8	250		29.61	3	-0.04	29.80	FM-15	0.00	29.79
03	1054	7	BKN:07 140	10.00		58	14.4	52	11.3	47	8.3	67	6	260		29.59			29.78	FM-15	0.00	29.77
03	1154	7	BKN:07 140 BKN:07 300	10.00		59	15.0	53	11.5	47	8.3	64	7	230		29.58			29.77	FM-15	0.00	29.76
03	1254	7	BKN:07 140 BKN:07 300	10.00		61	16.1	52	11.2	44	6.7	54	7	250		29.56	6	+0.05	29.75	FM-15	0.00	29.74
03	1300	4		9.94		61	16.1	52	11.2	44	6.7	54	7	250		29.56	6	+0.05	29.75	FM-12		
03	1354	7	SCT:04 140 BKN:07 300	10.00		62	16.7	51	10.8	41	5.0	46	9	250		29.56			29.75	FM-15	0.00	29.74
03	1454	7	SCT:04 140 BKN:07 300	10.00		63	17.2	52	11.3	42	5.6	47	9	230		29.56			29.75	FM-15	0.00	29.74
03	1554	7	FEW:02 140 BKN:07 300	10.00		61	16.1	49	9.4	36	2.2	39	9	260		29.57	3	-0.01	29.76	FM-15	0.00	29.75
03	1654	7	SCT:04 140 BKN:07 300	10.00		59	15.0	48	8.9	36	2.2	42	9	250		29.59			29.78	FM-15	0.00	29.77
03	1754	7	FEW:02 140 SCT:04 300	10.00		57	13.9	47	8.4	36	2.2	45	5	270		29.61			29.80	FM-15	0.00	29.79
03	1854	7	BKN:07 300	10.00		54	12.2	46	7.8	37	2.8	53	6	310		29.63	1	-0.06	29.82	FM-15	0.00	29.81
03	1900	4		9.94		54	12.2	46	7.8	37	2.8	53	6	310		29.63	1	-0.06	29.82	FM-12		
03	1954	7	BKN:07 300	10.00		52	11.1	45	7.5	38	3.3	59	9	360		29.64			29.83	FM-15	0.00	29.82
03	2054	7	BKN:07 300	10.00		49	9.4	44	6.6	38	3.3	66	11	020		29.66			29.85	FM-15	0.00	29.84
03	2154	7	BKN:07 300	10.00		46	7.8	42	5.3	36	2.2	68	7	010		29.68	3	-0.05	29.87	FM-15	0.00	29.86

03	2254	7	SCT:04 300	10.00		45	7.2	41	5.0	36	2.2	71	3	320		29.70			29.89	FM-15	0.00	29.88
03	2354	7	SCT:04 300	10.00		39	3.9	37	2.7	34	1.1	82	3	200		29.70			29.90	FM-15	0.00	29.88
04	0054	7	BKN:07 300	10.00		40	4.4	38	3.3	35	1.7	83	0	000		29.70	0	-0.02	29.89	FM-15	0.00	29.88
04	0100	4		9.94		40	4.4	38	3.3	35	1.7	83	0	000		29.70	9	0.02	29.89	FM-12		
04	0154	7	SCT:04 300	10.00		38	3.3	36	2.4	34	1.1	86	0	000		29.72			29.91	FM-15	0.00	29.90
04	0254	7	FEW:02 300	10.00		38	3.3	36	2.2	33	0.6	83	0	000		29.74			29.93	FM-15	0.00	29.92
04	0354	7	FEW:02 300	10.00		38	3.3	36	2.4	34	1.1	86	5	340		29.75	1	-0.05	29.95	FM-15	0.00	29.93
04	0454	7	FEW:02 300	10.00		37	2.8	35	1.9	33	0.6	86	3	310		29.77			29.97	FM-15	0.00	29.95
04	0554	7	CLR:00	10.00		37	2.8	35	1.7	32	0.0	82	6	350		29.81			30.00	FM-15	0.00	29.99
04	0654	7	FEW:02 50 FEW:02 300	10.00		36	2.2	34	1.1	31	-0.6	82	8	360		29.83	3	-0.07	30.02	FM-15	0.00	30.01
04	0700	4	57	9.94		36	2.2	34	1.1	31	-0.6	82	8	360		29.83	3	-0.07	30.02	FM-12		
04	0754	7	FEW:02 60 FEW:02 300	10.00		39	3.9	36	2.3	32	0.0	76	9	020		29.85			30.05	FM-15	0.00	30.03
04	0854	7	BKN:07 60	10.00		43	6.1	38	3.4	31	-0.6	63	20	010	28	29.87			30.07	FM-15	0.00	30.05
04	0954	7	BKN:07 60	10.00		43	6.1	37	3.0	29	-1.7	58	11	360		29.89	1	-0.06	30.08	FM-15	0.00	30.07
04	1054	7	BKN:07 65	10.00		45	7.2	38	3.6	29	-1.7	54	10	360		29.88			30.07	FM-15	0.00	30.06
04	1154	7	BKN:07 65	10.00		46	7.8	39	3.7	28	-2.2	50	10	350		29.86			30.06	FM-15	0.00	30.04
04	1254	7	FEW:02 50 BKN:07 65	10.00		47	8.3	39	3.8	27	-2.8	46	13	340		29.84	8	+0.04	30.04	FM-15	0.00	30.02
04	1300	4	57	9.94		47	8.3	39	3.8	27	-2.8	46	13	340		29.84	8	+0.04	30.04	FM-12		
04	1354	7	BKN:07 55 BKN:07 65	10.00		47	8.3	39	4.0	28	-2.2	48	11	030		29.83			30.02	FM-15	0.00	30.01
04	1454	7	BKN:07 60	10.00		46	7.8	39	3.7	28	-2.2	50	9	360		29.82			30.02	FM-15	0.00	30.00
04	1554	7	FEW:02 50 BKN:07 60	10.00		45	7.2	38	3.4	28	-2.2	52	8	010		29.84	5	+0.00	30.04	FM-15	0.00	30.02
04	1654	7	BKN:07 60	10.00		44	6.7	38	3.3	29	-1.7	55	5	010		29.84			30.04	FM-15	0.00	30.02
04	1754	7	FEW:02 48 OVC:08 60	10.00		43	6.1	37	3.0	29	-1.7	58	3	050		29.85			30.05	FM-15	0.00	30.03
04	1854	7	OVC:08 49	10.00		42	5.6	36	2.1	26	-3.3	53	9	020		29.89	3	-0.05	30.09	FM-15	0.00	30.07
04	1900	4	41	9.94		42	5.6	36	2.1	26	-3.3	53	9	020		29.89	3	-0.05	30.09	FM-12		
04	1954	7	SCT:04 49 OVC:08 60	10.00		41	5.0	35	1.8	26	-3.3	55	8	040		29.91			30.10	FM-15	0.00	30.09
04	2054	7	OVC:08 50	10.00		39	3.9	34	1.1	26	-3.3	60	8	030		29.91			30.11	FM-15	0.00	30.09
04	2154	7	BKN:07 45 OVC:08 65	10.00		39	3.9	33	0.8	24	-4.4	55	7	020		29.92	1	-0.03	30.12	FM-15	0.00	30.10
04	2254	7	BKN:07 45 OVC:08 55	9.00	-SN:03 SN	39	3.9	33	0.6	23	-5.0	53	5	010		29.93			30.13	FM-15	T	30.11
04	2354	7	OVC:08 44	10.00		39	3.9	33	0.6	23	-5.0	53	6	020		29.92			30.12	FM-15	T	30.10
05	0054	7	OVC:08 45	10.00		38	3.3	33	0.4	24	-4.4	57	0	000		29.90	8	+0.02	30.10	FM-15	0.00	30.08
05	0100	4	41	9.94		38	3.3	33	0.4	24	-4.4	57	0	000		29.90	8	+0.02	30.10	FM-12		
05	0154	7	BKN:07 45 OVC:08 85	10.00		38	3.3	33	0.4	24	-4.4	57	0	000		29.90			30.10	FM-15	0.00	30.08
05	0254	7	BKN:07 48 OVC:08 55	10.00		38	3.3	33	0.6	25	-3.9	60	0	000		29.89			30.09	FM-15	0.00	30.07
05	0354	7	BKN:07 55 OVC:08 70	10.00		37	2.8	34	0.8	28	-2.2	70	0	000		29.88	8	+0.03	30.07	FM-15	0.00	30.06
05	0454	7	BKN:07 55 OVC:08 80	10.00		36	2.2	33	0.3	27	-2.8	70	3	350		29.87			30.06	FM-15	0.00	30.05
05	0554	7	BKN:07 45 OVC:08 80	10.00		36	2.2	32	0.1	26	-3.3	67	5	350		29.88			30.07	FM-15	0.00	30.06
05	0654	7	BKN:07 50 OVC:08 85	10.00		36	2.2	32	0.0	25	-3.9	64	5	010		29.88	3	-0.01	30.08	FM-15	0.00	30.06
05	0700	4	57	9.94		36	2.2	32	0.0	25	-3.9	64	5	010		29.88	3	-0.01	30.08	FM-12		
05	0754	7	BKN:07 40 OVC:08 100	10.00		36	2.2	32	0.1	26	-3.3	67	5	360		29.89			30.09	FM-15	0.00	30.07
05	0854	7	BKN:07 41 OVC:08 70	10.00		37	2.8	33	0.3	25	-3.9	62	0	000		29.89			30.09	FM-15	0.00	30.07
05	0954	7	SCT:04 55 OVC:08 70	10.00		39	3.9	34	0.9	25	-3.9	57	3	VRB		29.90	3	-0.02	30.10	FM-15	0.00	30.08

05	1054	7	SCT:04 37 BKN:07 55 OVC:08 75	9.00	-SN:03 SN	39	3.9	34	0.9	25	-3.9	57	0	000		29.90			30.10	FM-15	T	30.08
05	1131	7	SCT:04 21 BKN:07 27 OVC:08 37	1.25	-SN:03 SN	36	2.2	34	0.9	30	-1.1	79	10	260		29.89				FM-16	T	30.07
05	1152	6	FEW:02 5 BKN:07 25 OVC:08 34	1.25	-SN:03 BR:1 SN	36	2.0	34	1.3	32	0.0	87	8	250		29.89				FM-16		30.07
05	1154	7	FEW:02 5 BKN:07 25 OVC:08 34	1.25	-SN:03 BR:1 SN	34	1.1	33	0.7	32	0.0	92	8	270		29.89			30.09	FM-15	0.01	30.07
05	1205	7	BKN:07 6 BKN:07 25 OVC:08 32	0.75	-SN:03 BR:1 SN	34	1.1	33	0.5	31	-0.6	89	8	270		29.89				FM-16	T	30.07
05	1221	7	BKN:07 5 OVC:08 31	1.00	-SN:03 BR:1 SN	34	1.1	33	0.5	31	-0.6	89	8	270		29.89				FM-16	0.02	30.07
05	1229	7	BKN:07 5 OVC:08 32	1.50	-SN:03 BR:1 SN	34	1.1	33	0.7	32	0.0	92	9	270		29.89				FM-16	0.02	30.07
05	1240	7	BKN:07 5 OVC:08 31	2.50	-SN:03 BR:1 SN	34	1.1	33	0.5	31	-0.6	89	9	270		29.89				FM-16	0.02	30.07
05	1245	7	BKN:07 6 OVC:08 31	6.00	-SN:03 BR:1 SN	34	1.1	33	0.5	31	-0.6	89	9	270		29.89				FM-16	0.02	30.07
05	1254	7	SCT:04 6 OVC:08 31	7.00	-SN:03 SN	34	1.1	33	0.5	31	-0.6	89	7	280		29.89	5	+0.01	30.09	FM-15	0.02	30.07
05	1300	4	5	6.84		34	1.1	33	0.5	31	-0.6	89	7	280		29.89	5	+0.01	30.09	FM-12		
05	1335	7	BKN:07 15 BKN:07 21 OVC:08 34	8.00		36	2.2	34	1.3	32	0.0	86	7	270		29.89				FM-16	T	30.07
05	1352	6	FEW:02 10 BKN:07 15 OVC:08 21	8.00	-PL:06 SN:03 SN PL PL	36	2.0	34	1.3	32	0.0	87	5	310		29.89				FM-16		30.07
05	1354	7	FEW:02 10 BKN:07 15 OVC:08 21	8.00	-PL:06 SN:03 SN PL PL	36	2.2	34	1.3	32	0.0	86	6	330		29.89			30.09	FM-15	T	30.07
05	1409	7	FEW:02 10 SCT:04 15 OVC:08 21	9.00	-SN:03 SN	36	2.2	34	1.3	32	0.0	86	7	320		29.89				FM-16	T	30.07
05	1454	7	BKN:07 16 BKN:07 21 OVC:08 36	10.00		36	2.2	34	1.3	32	0.0	86	8	350		29.90			30.10	FM-15	T	30.08
05	1534	7	FEW:02 15 OVC:08 32	10.00		36	2.2	34	0.9	30	-1.1	79	6	310		29.92				FM-16		30.10
05	1554	7	OVC:08 31	10.00		36	2.2	34	0.9	30	-1.1	79	6	310		29.93	3	-0.04	30.12	FM-15	0.00	30.11
05	1654	7	SCT:04 25 SCT:04 33	10.00		35	1.7	33	0.4	29	-1.7	78	7	310		29.95			30.15	FM-15	0.00	30.13
05	1754	7	FEW:02 30	10.00		33	0.6	31	-0.3	29	-1.7	85	6	310		29.97			30.17	FM-15	0.00	30.15
05	1854	7	CLR:00	10.00		34	1.1	32	0.1	29	-1.7	82	3	280		30.00	3	-0.07	30.19	FM-15	0.00	30.18
05	1900	4		9.94		34	1.1	32	0.1	29	-1.7	82	3	280		30.00	3	-0.07	30.19	FM-12		
05	1954	7	CLR:00	10.00		31	-0.6	29	-1.6	26	-3.3	82	5	270		30.01			30.21	FM-15	0.00	30.19
05	2054	7	CLR:00	10.00		29	-1.7	28	-2.3	26	-3.3	89	3	270		30.03			30.23	FM-15	0.00	30.21
05	2154	7	OVC:08 70	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		30.04	1	-0.05	30.24	FM-15	0.00	30.22
05	2254	7	BKN:07 65	9.00		31	-0.6	30	-1.2	28	-2.2	89	0	000		30.07			30.27	FM-15	0.00	30.25
05	2354	7	SCT:04 65	8.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		30.08			30.28	FM-15	0.00	30.26
06	0054	7	FEW:02 65	5.00	BR:1	27	-2.8	26	-3.3	24	-4.4	89	0	000		30.07	0	-0.03	30.27	FM-15	0.00	30.25
06	0100	4	57	4.97		27	-2.8	26	-3.3	24	-4.4	89	0	000		30.07	9	0.03	30.27	FM-12		
06	0154	7	FEW:02 65	5.00	BR:1	27	-2.8	26	-3.3	24	-4.4	89	0	000		30.09			30.28	FM-15	0.00	30.27
06	0254	7	CLR:00	7.00		26	-3.3	25	-3.9	23	-5.0	88	5	220		30.10			30.30	FM-15	0.00	30.28
06	0354	7	CLR:00	10.00		29	-1.7	28	-2.4	25	-3.9	85	6	250		30.12	3	-0.05	30.32	FM-15	0.00	30.30
06	0454	7	CLR:00	10.00		28	-2.2	26	-3.2	23	-5.0	81	0	000		30.12			30.32	FM-15	0.00	30.30
06	0554	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	3	210		30.14			30.34	FM-15	0.00	30.32
06	0654	7	FEW:02 50 FEW:02 300	10.00		26	-3.3	24	-4.2	21	-6.1	81	0	000		30.15	3	-0.03	30.35	FM-15	0.00	30.33

06	0700	4	57	9.94		26	-3.3	24	-4.2	21	-6.1	81	0	000		30.15	3	-0.03	30.35	FM-12		
06	0754	7	FEW:02 120 FEW:02 300	10.00		27	-2.8	26	-3.3	24	-4.4	89	3	190		30.16			30.36	FM-15	0.00	30.34
06	0854	7	FEW:02 150 SCT:04 300	10.00		32	0.0	30	-1.0	27	-2.8	82	6	250		30.19			30.39	FM-15	0.00	30.37
06	0954	7	FEW:02 150 BKN:07 300	10.00		36	2.2	33	0.5	28	-2.2	73	5	230		30.18	0	-0.03	30.38	FM-15	0.00	30.36
06	1054	7	FEW:02 150 BKN:07 300	10.00		40	4.4	35	1.6	27	-2.8	60	7	250		30.17			30.37	FM-15	0.00	30.35
06	1154	7	FEW:02 150 BKN:07 300	10.00		41	5.0	35	1.4	24	-4.4	51	5	VRB		30.14			30.33	FM-15	0.00	30.32
06	1254	7	FEW:02 150 BKN:07 300	10.00		42	5.6	35	1.6	23	-5.0	47	7	250		30.11	8	+0.07	30.31	FM-15	0.00	30.29
06	1300	4		9.94		42	5.6	35	1.6	23	-5.0	47	7	250		30.11	8	+0.07	30.31	FM-12		
06	1354	7	FEW:02 150 BKN:07 300	10.00		43	6.1	36	2.1	24	-4.4	47	9	220		30.10			30.30	FM-15	0.00	30.28
06	1454	7	FEW:02 150 OVC:08 300	10.00		44	6.7	36	2.4	24	-4.4	45	6	240		30.11			30.31	FM-15	0.00	30.29
06	1554	7	FEW:02 140 OVC:08 300	10.00		43	6.1	35	1.9	23	-5.0	45	8	230		30.10	7	+0.01	30.30	FM-15	0.00	30.28
06	1654	7	SCT:04 130 BKN:07 300	10.00		37	2.8	33	0.3	25	-3.9	62	6	190		30.10			30.30	FM-15	0.00	30.28
06	1754	7	BKN:07 130 BKN:07 300	10.00		38	3.3	33	0.8	26	-3.3	62	6	190		30.11			30.31	FM-15	0.00	30.29
06	1854	7	BKN:07 130 OVC:08 300	10.00		37	2.8	33	0.7	27	-2.8	67	5	220		30.13	3	-0.03	30.33	FM-15	0.00	30.31
06	1900	4		9.94		37	2.8	33	0.7	27	-2.8	67	5	220		30.13	3	-0.03	30.33	FM-12		
06	1954	7	BKN:07 120 OVC:08 180	10.00		37	2.8	33	0.7	27	-2.8	67	7	200		30.12			30.32	FM-15	0.00	30.30
06	2054	7	SCT:04 130 OVC:08 180	10.00		36	2.2	33	0.3	27	-2.8	70	6	200		30.12			30.32	FM-15	0.00	30.30
06	2154	7	SCT:04 130 OVC:08 180	10.00		38	3.3	33	0.8	26	-3.3	62	7	220		30.11	6	+0.01	30.31	FM-15	0.00	30.29
06	2254	7	BKN:07 130 OVC:08 160	10.00		38	3.3	33	0.6	25	-3.9	60	9	220		30.11			30.30	FM-15	0.00	30.29
06	2354	7	BKN:07 120 OVC:08 160	10.00		38	3.3	33	0.6	25	-3.9	60	7	210		30.10			30.30	FM-15	0.00	30.28
07	0054	7	OVC:08 160	10.00		40	4.4	34	1.1	24	-4.4	53	7	240		30.10	6	+0.01	30.29	FM-15	0.00	30.28
07	0100	4		9.94		40	4.4	34	1.1	24	-4.4	53	7	240		30.10	6	+0.01	30.29	FM-12		
07	0154	7	BKN:07 170 OVC:08 250	10.00		40	4.4	34	1.1	24	-4.4	53	8	250		30.11			30.31	FM-15	0.00	30.29
07	0254	7	SCT:04 120 OVC:08 250	10.00		38	3.3	33	0.5	24	-4.4	57	6	260		30.12			30.31	FM-15	0.00	30.30
07	0354	7	SCT:04 130 BKN:07 250	10.00		37	2.8	32	0.1	24	-4.4	59	7	270		30.13	1	-0.03	30.32	FM-15	0.00	30.31
07	0454	7	FEW:02 90 SCT:04 250	10.00		36	2.2	32	-0.2	24	-4.4	62	5	310		30.14			30.33	FM-15	0.00	30.32
07	0554	7	FEW:02 90	10.00		35	1.7	31	-0.7	23	-5.0	61	5	290		30.15			30.35	FM-15	0.00	30.33
07	0654	7	FEW:02 90 BKN:07 300	10.00		33	0.6	30	-1.2	24	-4.4	70	0	000		30.18	3	-0.05	30.37	FM-15	0.00	30.36
07	0700	4		9.94		33	0.6	30	-1.2	24	-4.4	70	0	000		30.18	3	-0.05	30.37	FM-12		
07	0754	7	FEW:02 90 BKN:07 240	10.00		35	1.7	31	-0.4	25	-3.9	67	5	290		30.20			30.40	FM-15	0.00	30.38
07	0854	7	FEW:02 60 SCT:04 240 BKN:07 300	10.00		37	2.8	33	0.3	25	-3.9	62	6	330		30.24			30.43	FM-15	0.00	30.42
07	0954	7	FEW:02 55 FEW:02 240 BKN:07 300	10.00		43	6.1	37	2.8	28	-2.2	56	13	020	18	30.25	1	-0.07	30.45	FM-15	0.00	30.43
07	1054	7	FEW:02 50 FEW:02 240 BKN:07 300	10.00		44	6.7	38	3.1	28	-2.2	53	9	360		30.26			30.45	FM-15	0.00	30.44

07	1154	7	FEW:02 45 FEW:02 240 BKN:07 300	10.00		46	7.8	39	3.7	28	-2.2	50	6	360		30.24			30.44	FM-15	0.00	30.42
07	1254	7	FEW:02 45 FEW:02 240 SCT:04 300	10.00		47	8.3	39	3.7	26	-3.3	44	6	300		30.23	8	+0.03	30.42	FM-15	0.00	30.41
07	1300	4	41	9.94		47	8.3	39	3.7	26	-3.3	44	6	300		30.23	8	+0.03	30.42	FM-12		
07	1354	7	SCT:04 48 BKN:07 300	10.00		45	7.2	37	3.0	26	-3.3	48	6	250		30.21			30.41	FM-15	0.00	30.39
07	1454	7	SCT:04 50 BKN:07 300	10.00		46	7.8	37	3.0	24	-4.4	42	7	310		30.21			30.40	FM-15	0.00	30.39
07	1554	7	SCT:04 55 BKN:07 300	10.00		45	7.2	37	2.9	25	-3.9	46	6	340		30.22	5	+0.01	30.41	FM-15	0.00	30.40
07	1654	7	SCT:04 55 BKN:07 300	10.00		42	5.6	35	1.9	25	-3.9	51	3	050		30.22			30.42	FM-15	0.00	30.40
07	1754	7	SCT:04 300	8.00		38	3.3	34	1.0	27	-2.8	65	6	060		30.23			30.42	FM-15	0.00	30.41
07	1854	7	FEW:02 300	10.00		35	1.7	31	-0.5	24	-4.4	64	6	060		30.25	3	-0.04	30.45	FM-15	0.00	30.43
07	1900	4		9.94		35	1.7	31	-0.5	24	-4.4	64	6	060		30.25	3	-0.04	30.45	FM-12		
07	1954	7	FEW:02 300	10.00		35	1.7	30	-0.9	22	-5.6	59	5	070		30.27			30.47	FM-15	0.00	30.45
07	2054	7	FEW:02 300	10.00		33	0.6	29	-1.4	23	-5.0	66	3	040		30.26			30.46	FM-15	0.00	30.44
07	2154	7	FEW:02 300	10.00		31	-0.6	28	-2.1	23	-5.0	72	0	000		30.28	3	-0.03	30.48	FM-15	0.00	30.46
07	2254	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	0	000		30.28			30.48	FM-15	0.00	30.46
07	2354	7	CLR:00	9.00		28	-2.2	26	-3.3	22	-5.6	78	3	360		30.27			30.47	FM-15	0.00	30.45
08	0054	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	3	350		30.27	5	+0.01	30.47	FM-15	0.00	30.45
08	0100	4		9.94		29	-1.7	27	-3.0	22	-5.6	75	3	350		30.27	5	+0.01	30.47	FM-12		
08	0154	7	CLR:00	10.00		28	-2.2	26	-3.3	22	-5.6	78	0	000		30.30			30.49	FM-15	0.00	30.48
08	0254	7	FEW:02 50	10.00		27	-2.8	25	-3.9	21	-6.1	78	7	010		30.29			30.48	FM-15	0.00	30.47
08	0354	7	SCT:04 40	10.00		29	-1.7	26	-3.3	20	-6.7	69	3	360		30.30	1	-0.03	30.50	FM-15	0.00	30.48
08	0454	7	SCT:04 40 BKN:07 300	10.00		27	-2.8	25	-3.9	21	-6.1	78	7	020		30.29			30.49	FM-15	0.00	30.47
08	0554	7	FEW:02 40 BKN:07 300	10.00		29	-1.7	26	-3.1	21	-6.1	72	0	000		30.31			30.51	FM-15	0.00	30.49
08	0654	7	SCT:04 40 BKN:07 300	10.00		27	-2.8	25	-3.9	21	-6.1	78	5	360		30.33	3	-0.03	30.53	FM-15	0.00	30.51
08	0700	4	41	9.94		27	-2.8	25	-3.9	21	-6.1	78	5	360		30.33	3	-0.03	30.53	FM-12		
08	0754	7	FEW:02 40 FEW:02 150 BKN:07 300	10.00		31	-0.6	29	-1.9	24	-4.4	76	0	000		30.33			30.53	FM-15	0.00	30.51
08	0854	7	BKN:07 230	10.00		33	0.6	30	-1.0	25	-3.9	72	0	000		30.37			30.57	FM-15	0.00	30.55
08	0954	7	FEW:02 35 BKN:07 250	10.00		36	2.2	32	-0.2	24	-4.4	62	0	000		30.39	3	-0.06	30.59	FM-15	0.00	30.57
08	1054	7	BKN:07 230	10.00		39	3.9	33	0.8	24	-4.4	55	0	000		30.38			30.58	FM-15	0.00	30.56
08	1154	7	FEW:02 190 BKN:07 230	10.00		41	5.0	34	1.1	22	-5.6	47	6	320		30.34			30.54	FM-15	0.00	30.52
08	1254	7	FEW:02 35 OVC:08 250	10.00		42	5.6	34	1.3	21	-6.1	43	9	340		30.31	8	+0.07	30.51	FM-15	0.00	30.49
08	1300	4	41	9.94		42	5.6	34	1.3	21	-6.1	43	9	340		30.31	8	+0.07	30.51	FM-12		
08	1354	7	FEW:02 25 OVC:08 200	10.00		42	5.6	34	1.1	20	-6.7	41	8	340		30.31			30.51	FM-15	0.00	30.49
08	1454	7	OVC:08 200	10.00		42	5.6	33	0.8	18	-7.8	38	7	340		30.32			30.51	FM-15	0.00	30.50
08	1554	7	OVC:08 200	10.00		40	4.4	33	0.5	20	-6.7	45	6	020		30.32	3	-0.00	30.52	FM-15	0.00	30.50
08	1654	7	OVC:08 190	10.00		38	3.3	32	-0.2	20	-6.7	48	5	010		30.34			30.54	FM-15	0.00	30.52
08	1754	7	OVC:08 180	10.00		37	2.8	32	0.0	23	-5.0	57	6	020		30.35			30.55	FM-15	0.00	30.53
08	1854	7	OVC:08 180	10.00		36	2.2	31	-0.7	21	-6.1	55	8	030		30.33	0	-0.01	30.53	FM-15	0.00	30.51
08	1900	4		9.94		36	2.2	31	-0.7	21	-6.1	55	8	030		30.33	9	0.01	30.53	FM-12		
08	1954	7	OVC:08 170	10.00		36	2.2	31	-0.7	21	-6.1	55	8	040		30.36			30.56	FM-15	0.00	30.54
08	2054	7	OVC:08 180	10.00		35	1.7	30	-1.2	20	-6.7	54	9	040		30.36			30.56	FM-15	0.00	30.54
08	2154	7	OVC:08 180	10.00		34	1.1	29	-1.7	19	-7.2	54	8	040		30.35	0	-0.03	30.55	FM-15	0.00	30.53
08	2254	7	OVC:08 170	10.00		33	0.6	28	-2.0	19	-7.2	56	7	040		30.34			30.54	FM-15	0.00	30.52
08	2354	7	OVC:08 160	10.00		34	1.1	29	-1.7	19	-7.2	54	6	040		30.35			30.55	FM-15	0.00	30.53

09	0054	7	OVC:08 150	10.00		33	0.6	29	-1.9	20	-6.7	58	7	040		30.34	8	+0.01	30.54	FM-15	0.00	30.52
09	0100	4		9.94		33	0.6	29	-1.9	20	-6.7	58	7	040		30.34	8	+0.01	30.54	FM-12		
09	0154	7	OVC:08 150	10.00		33	0.6	28	-2.0	19	-7.2	56	6	030		30.33			30.53	FM-15	0.00	30.51
09	0254	7	OVC:08 130	10.00		33	0.6	29	-1.9	20	-6.7	58	6	040		30.33			30.52	FM-15	0.00	30.51
09	0354	7	OVC:08 110	10.00		33	0.6	29	-1.7	21	-6.1	61	6	030		30.30	8	+0.04	30.50	FM-15	0.00	30.48
09	0454	7	OVC:08 100	10.00		33	0.6	29	-1.7	21	-6.1	61	8	020		30.29			30.49	FM-15	0.00	30.47
09	0554	7	OVC:08 85	10.00		33	0.6	29	-1.7	21	-6.1	61	7	020		30.27			30.47	FM-15	0.00	30.45
09	0654	7	FEW:02 48 OVC:08 65	10.00		33	0.6	29	-1.6	22	-5.6	64	8	030		30.25	8	+0.05	30.45	FM-15	0.00	30.43
09	0700	4	41	9.94		33	0.6	29	-1.6	22	-5.6	64	8	030		30.25	8	+0.05	30.45	FM-12		
09	0752	6	OVC:08 28	5.00	-SN:03 SN	34	1.0	30	-1.1	23	-5.0	65	7	010		30.25				FM-16		30.43
09	0754	7	OVC:08 28	3.00	-SN:03 SN	32	0.0	29	-1.7	23	-5.0	69	9	010		30.25			30.45	FM-15	T	30.43
09	0804	7	BKN:07 18 OVC:08 23	1.25	-SN:03 SN	31	-0.6	29	-1.9	24	-4.4	76	7	010		30.25				FM-16	T	30.43
09	0816	7	OVC:08 17	0.75	-SN:03 SN	30	-1.1	28	-2.1	25	-3.9	82	10	020		30.24				FM-16	0.01	30.42
09	0854	7	BKN:07 13 OVC:08 17	0.50	SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.7	27	-2.8	88	8	020		30.23			30.43	FM-15	0.04	30.41
09	0927	7	FEW:02 6 OVC:08 15	0.75	-SN:03 BR:1 SN	30	-1.1	29	-1.7	27	-2.8	88	9	020		30.23				FM-16	0.02	30.41
09	0954	7	FEW:02 6 OVC:08 15	0.75	-SN:03 BR:1 SN	30	-1.1	29	-1.7	27	-2.8	88	10	020		30.22	8	+0.03	30.42	FM-15	0.04	30.40
09	1023	7	FEW:02 5 OVC:08 21	1.00	-SN:03 BR:1 SN	30	-1.1	29	-1.7	27	-2.8	88	9	030		30.20				FM-16	0.01	30.38
09	1044	7	SCT:04 7 OVC:08 13	0.50	SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.7	27	-2.8	88	11	020		30.18				FM-16	0.03	30.36
09	1054	7	SCT:04 7 OVC:08 12	0.50	SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.7	27	-2.8	88	11	030		30.17			30.37	FM-15	0.04	30.35
09	1118	7	BKN:07 7 OVC:08 12	0.25	+SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.7	27	-2.8	88	10	020		30.16				FM-16	0.03	30.34
09	1154	7	BKN:07 7 OVC:08 11	0.25	+SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.7	27	-2.8	88	14	010		30.12			30.32	FM-15	0.09s	30.30
09	1254	7	BKN:07 7 OVC:08 13	0.50	SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.7	27	-2.8	88	11	020		30.07	8	+0.15	30.27	FM-15	0.10	30.25
09	1300	4	8	0.50		30	-1.1	29	-1.7	27	-2.8	88	11	020		30.07	8	+0.15	30.27	FM-12		
09	1354	7	FEW:02 3 OVC:08 7	0.25	+SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.5	28	-2.2	92	14	020		30.03			30.23	FM-15	0.10	30.21
09	1448	7	BKN:07 6 OVC:08 12	0.25	+SN:03 PL:06 FZ:8 FG:2 FG FG SN PL	30	-1.0	29	-1.5	28	-2.0	93	16	020		30.00				FM-16	0.11	30.18
09	1454	7	BKN:07 7 OVC:08 11	0.25	+SN:03 PL:06 FZ:8 FG:2 FG FG SN PL	31	-0.6	30	-1.2	28	-2.2	89	15	010		30.01			30.20	FM-15	0.11	30.19
09	1519	7	BKN:07 6 OVC:08 13	0.25	+SN:03 FZ:8 FG:2 FG SN	31	-0.6	30	-1.2	28	-2.2	89	14	020		30.01				FM-16	0.03	30.19
09	1554	7	OVC:08 6	0.25	+SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.5	28	-2.2	92	14	020		30.01	5	+0.02	30.21	FM-15	0.11s	30.19
09	1654	7	OVC:08 8	0.50	SN:03 FZ:8 FG:2 FG SN	31	-0.6	30	-1.2	28	-2.2	89	17	020	25	29.98			30.18	FM-15	0.15	30.16
09	1754	7	OVC:08 6	0.50	SN:03 FZ:8 FG:2 FG SN	31	-0.6	30	-1.2	28	-2.2	89	17	020		29.97			30.17	FM-15	0.12	30.15
09	1852	7	VV:09 9	0.75	-SN:03 BR:1 SN	30	-1.0	29	-1.5	28	-2.0	93	18	020	28	29.94				FM-16	0.11	30.12
09	1854	7	OVC:08 9	0.75	-SN:03 BR:1 SN	31	-0.6	30	-1.2	28	-2.2	89	20	020	28	29.94	8	+0.07	30.14	FM-15	0.12	30.12
09	1900	4	8	0.75		31	-0.6	30	-1.2	28	-2.2	89	20	020		29.94	8	+0.07	30.14	FM-12		
09	1916	7	BKN:07 7 OVC:08 30	1.25	-SN:03 BR:1 SN	31	-0.6	30	-1.2	28	-2.2	89	20	020	26	29.93				FM-16	T	30.11
09	1935	7	OVC:08 8	2.00	-SN:03 BR:1 SN	31	-0.6	30	-1.2	28	-2.2	89	17	020		29.92				FM-16	0.01	30.10
09	1954	7	OVC:08 8	2.50	-SN:03 BR:1 SN	32	0.0	31	-0.8	28	-2.2	85	18	020	24	29.92			30.12	FM-15	0.01	30.10
09	2015	7	OVC:08 8	3.00	-SN:03 BR:1 SN	32	0.0	31	-0.6	29	-1.7	88	17	020		29.92				FM-16	T	30.10
09	2052	7	OVC:08 7	5.00	PL:06 BR:1 PL PL	32	0.0	31	-0.8	28	-2.0	87	18	010	24	29.91				FM-16	0.01	30.09
09	2054	7	OVC:08 7	5.00	PL:06 BR:1 PL PL	32	0.0	31	-0.6	29	-1.7	88	17	010	24	29.91			30.11	FM-15	0.01	30.09
09	2150	7	OVC:08 6	9.00		32	0.0	31	-0.8	28	-2.0	87	22	010		29.90				FM-16	T	30.08
09	2154	7	OVC:08 6	9.00		32	0.0	31	-0.6	29	-1.7	88	21	010		29.89		+0.02	30.09	FM-15	T	30.07
09	2245	7	FEW:02 6 BKN:07 11 OVC:08 100	8.00		32	0.0	31	-0.8	28	-2.2	85	18	020	24	29.89				FM-16		30.07

09	2254	7	BKN:07 11 BKN:07 41 OVC:08 100	8.00		32	0.0	31	-0.8	28	-2.2	85	20	010	24	29.89			30.09	FM-15	0.00	30.07
09	2323	7	SCT:04 12 OVC:08 41	9.00		32	0.0	31	-0.8	28	-2.2	85	15	020		29.88				FM-16		30.06
09	2354	7	OVC:08 42	10.00		32	0.0	30	-1.0	27	-2.8	82	14	010		29.88			30.08	FM-15	0.00	30.06
10	0035	7	BKN:07 25 OVC:08 46	8.00		32	0.0	30	-1.0	27	-2.8	82	14	010		29.88				FM-16		30.06
10	0054	7	BKN:07 26 OVC:08 47	8.00		32	0.0	30	-1.0	27	-2.8	82	14	010		29.87	8	+0.03	30.07	FM-15	0.00	30.05
10	0100	4	26	7.46		32	0.0	30	-1.0	27	-2.8	82	14	010		29.87	8	+0.03	30.07	FM-12		
10	0134	7	BKN:07 30 OVC:08 50	9.00		32	0.0	30	-1.0	27	-2.8	82	10	360		29.87				FM-16		30.05
10	0154	7	BKN:07 31 OVC:08 50	9.00		31	-0.6	29	-1.6	26	-3.3	82	11	010		29.87			30.06	FM-15	0.00	30.05
10	0254	7	OVC:08 55	10.00		31	-0.6	29	-1.7	25	-3.9	79	15	360		29.87			30.07	FM-15	0.00	30.05
10	0354	7	SCT:04 55 BKN:07 150	10.00		31	-0.6	29	-1.9	24	-4.4	76	15	010		29.85	8	+0.01	30.05	FM-15	0.00	30.03
10	0454	7	OVC:08 160	10.00		30	-1.1	28	-2.5	23	-5.0	75	14	360		29.86			30.05	FM-15	0.00	30.04
10	0554	7	OVC:08 120	10.00		30	-1.1	27	-2.6	22	-5.6	72	11	010		29.87			30.07	FM-15	0.00	30.05
10	0654	7	OVC:08 130	10.00		29	-1.7	27	-3.0	22	-5.6	75	11	350		29.89	3	-0.04	30.09	FM-15	0.00	30.07
10	0700	4		9.94		29	-1.7	27	-3.0	22	-5.6	75	11	350		29.89	3	-0.04	30.09	FM-12		
10	0754	7	BKN:07 140	10.00		29	-1.7	26	-3.2	21	-6.1	72	13	360		29.91			30.11	FM-15	0.00	30.09
10	0854	7	BKN:07 140 OVC:08 300	10.00		30	-1.1	27	-2.8	21	-6.1	69	11	010		29.93			30.13	FM-15	0.00	30.11
10	0954	7	BKN:07 130 OVC:08 300	10.00		31	-0.6	28	-2.3	22	-5.6	69	14	360		29.95	3	-0.06	30.15	FM-15	0.00	30.13
10	1054	7	BKN:07 120 OVC:08 300	10.00		32	0.0	29	-1.8	23	-5.0	69	15	010		29.95			30.15	FM-15	0.00	30.13
10	1154	7	BKN:07 140 OVC:08 300	10.00		33	0.6	29	-1.4	23	-5.0	66	14	020		29.94			30.14	FM-15	0.00	30.12
10	1254	7	FEW:02 140 BKN:07 180 BKN:07 300	10.00		34	1.1	30	-1.1	23	-5.0	64	13	360		29.94	8	+0.01	30.14	FM-15	0.00	30.12
10	1300	4		9.94		34	1.1	30	-1.1	23	-5.0	64	13	360		29.94	8	+0.01	30.14	FM-12		
10	1354	7	BKN:07 180 BKN:07 300	10.00		36	2.2	32	0.0	25	-3.9	64	9	360		29.93			30.12	FM-15	0.00	30.11
10	1454	7	SCT:04 170 BKN:07 250	10.00		34	1.1	30	-0.9	24	-4.4	67	10	010		29.92			30.12	FM-15	0.00	30.10
10	1554	7	FEW:02 170 SCT:04 250	10.00		34	1.1	30	-0.9	24	-4.4	67	9	010		29.93	5	+0.01	30.13	FM-15	0.00	30.11
10	1654	7	FEW:02 170 SCT:04 250	10.00		32	0.0	29	-1.8	23	-5.0	69	6	010		29.95			30.15	FM-15	0.00	30.13
10	1754	7	FEW:02 170 SCT:04 300	10.00		31	-0.6	28	-2.1	23	-5.0	72	0	000		29.97			30.17	FM-15	0.00	30.15
10	1854	7	SCT:04 170 BKN:07 300	9.00		26	-3.3	24	-4.2	21	-6.1	81	0	000		29.99	1	-0.06	30.19	FM-15	0.00	30.17
10	1900	4		8.70		26	-3.3	24	-4.2	21	-6.1	81	0	000		29.99	1	-0.06	30.19	FM-12		
10	1954	7	SCT:04 170 BKN:07 300	6.00	BR:1	26	-3.3	25	-3.9	23	-5.0	88	0	000		29.99			30.19	FM-15	0.00	30.17
10	2054	7	BKN:07 200 BKN:07 300	5.00	BR:1	26	-3.3	25	-4.1	22	-5.6	84	3	360		30.00			30.20	FM-15	0.00	30.18
10	2154	7	BKN:07 170 OVC:08 300	6.00	BR:1	26	-3.3	25	-4.1	22	-5.6	84	5	340		30.01	1	-0.02	30.21	FM-15	0.00	30.19
10	2254	7	CLR:00	7.00		28	-2.2	27	-3.0	24	-4.4	85	5	350		30.01			30.21	FM-15	0.00	30.19
10	2354	7	OVC:08 160	8.00		28	-2.2	26	-3.2	23	-5.0	81	5	340		30.01			30.21	FM-15	0.00	30.19
11	0054	7	SCT:04 160 BKN:07 190 BKN:07 210	8.00		27	-2.8	25	-3.7	22	-5.6	81	5	340		30.01	8	+0.00	30.20	FM-15	0.00	30.19
11	0100	4		7.46		27	-2.8	25	-3.7	22	-5.6	81	5	340		30.01	8	+0.00	30.20	FM-12		
11	0154	7	FEW:02 150 BKN:07 220	7.00		26	-3.3	24	-4.2	21	-6.1	81	6	340		30.00			30.20	FM-15	0.00	30.18

11	0254	7	BKN:07 180	6.00	HZ:7 FU HZ	26	-3.3	24	-4.2	21	-6.1	81	7	350		29.99			30.19	FM-15	0.00	30.17
11	0354	7	BKN:07 190	6.00	HZ:7 FU HZ	26	-3.3	24	-4.2	21	-6.1	81	7	330		29.99	8	+0.02	30.19	FM-15	0.00	30.17
11	0454	7	BKN:07 160 BKN:07 200	6.00	HZ:7 FU HZ	27	-2.8	25	-3.7	22	-5.6	81	8	340		29.97			30.17	FM-15	0.00	30.15
11	0554	7	FEW:02 160 OVC:08 210	6.00	HZ:7 FU HZ	26	-3.3	24	-4.2	21	-6.1	81	6	360		29.98			30.18	FM-15	0.00	30.16
11	0654	7	FEW:02 160 BKN:07 210	6.00	HZ:7 FU HZ	25	-3.9	23	-4.8	20	-6.7	81	6	330		30.00	3	-0.01	30.19	FM-15	0.00	30.18
11	0700	4		5.59	HZ	25	-3.9	23	-4.8	20	-6.7	81	6	330		30.00	3	-0.01	30.19	FM-12		
11	0754	7	FEW:02 160 FEW:02 210	6.00	BR:1	24	-4.4	23	-5.1	20	-6.7	84	7	320		30.00			30.20	FM-15	0.00	30.18
11	0854	7	FEW:02 160 FEW:02 210	9.00		27	-2.8	25	-3.9	21	-6.1	78	6	330		30.00			30.20	FM-15	0.00	30.18
11	0954	7	FEW:02 250	9.00		31	-0.6	28	-2.1	23	-5.0	72	5	330		30.01	3	-0.01	30.21	FM-15	0.00	30.19
11	1054	7	CLR:00	9.00		35	1.7	31	-0.4	25	-3.9	67	3	330		29.99			30.19	FM-15	0.00	30.17
11	1154	7	CLR:00	9.00		37	2.8	33	0.3	25	-3.9	62	5	350		29.95			30.15	FM-15	0.00	30.13
11	1254	7	CLR:00	9.00		39	3.9	33	0.8	24	-4.4	55	8	290		29.93	8	+0.09	30.12	FM-15	0.00	30.11
11	1300	4		8.70		39	3.9	33	0.8	24	-4.4	55	8	290		29.93	8	+0.09	30.12	FM-12		
11	1354	7	CLR:00	10.00		40	4.4	34	0.9	23	-5.0	51	6	310		29.91			30.11	FM-15	0.00	30.09
11	1454	7	CLR:00	10.00		40	4.4	34	1.1	24	-4.4	53	7	250		29.89			30.09	FM-15	0.00	30.07
11	1554	7	CLR:00	10.00		40	4.4	34	1.1	24	-4.4	53	7	230		29.89	6	+0.04	30.09	FM-15	0.00	30.07
11	1654	7	CLR:00	10.00		39	3.9	33	0.6	23	-5.0	53	7	250		29.89			30.09	FM-15	0.00	30.07
11	1754	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	6	190		29.88			30.08	FM-15	0.00	30.06
11	1854	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	6	190		29.87	8	+0.01	30.07	FM-15	0.00	30.05
11	1900	4		9.94		31	-0.6	28	-2.1	23	-5.0	72	6	190		29.87	8	+0.01	30.07	FM-12		
11	1954	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	6	180		29.88			30.07	FM-15	0.00	30.06
11	2054	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	3	180		29.87			30.07	FM-15	0.00	30.05
11	2154	7	CLR:00	10.00		24	-4.4	22	-5.3	19	-7.2	81	5	210		29.87	8	+0.01	30.07	FM-15	0.00	30.05
11	2254	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	5	250		29.88			30.08	FM-15	0.00	30.06
11	2354	7	CLR:00	10.00		26	-3.3	24	-4.6	19	-7.2	75	0	000		29.87			30.07	FM-15	0.00	30.05
12	0054	7	CLR:00	10.00		26	-3.3	24	-4.6	19	-7.2	75	6	040		29.89	3	-0.03	30.09	FM-15	0.00	30.07
12	0100	4		9.94		26	-3.3	24	-4.6	19	-7.2	75	6	040		29.89	3	-0.03	30.09	FM-12		
12	0154	7	CLR:00	10.00		23	-5.0	21	-6.0	17	-8.3	78	3	160		29.91			30.11	FM-15	0.00	30.09
12	0254	7	CLR:00	10.00		22	-5.6	20	-6.5	16	-8.9	78	0	000		29.94			30.14	FM-15	0.00	30.12
12	0354	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	0	000		29.96	3	-0.06	30.16	FM-15	0.00	30.14
12	0454	7	CLR:00	10.00		22	-5.6	21	-6.4	17	-8.3	82	0	000		29.96			30.16	FM-15	0.00	30.14
12	0554	7	CLR:00	9.00		20	-6.7	19	-7.3	16	-8.9	85	0	000		29.98			30.18	FM-15	0.00	30.16
12	0654	7	BKN:07 300	10.00		22	-5.6	20	-6.5	16	-8.9	78	0	000		30.00	3	-0.04	30.20	FM-15	0.00	30.18
12	0700	4		9.94		22	-5.6	20	-6.5	16	-8.9	78	0	000		30.00	3	-0.04	30.20	FM-12		
12	0754	7	BKN:07 180 OVC:08 300	10.00		23	-5.0	22	-5.7	19	-7.2	85	0	000		30.02			30.22	FM-15	0.00	30.20
12	0854	7	BKN:07 180 BKN:07 300	10.00		26	-3.3	24	-4.2	21	-6.1	81	0	000		30.04			30.24	FM-15	0.00	30.22
12	0954	7	BKN:07 200 BKN:07 300	10.00		30	-1.1	28	-2.5	23	-5.0	75	0	000		30.06	3	-0.06	30.26	FM-15	0.00	30.24
12	1054	7	SCT:04 190 BKN:07 300	10.00		35	1.7	31	-0.7	23	-5.0	61	5	210		30.05			30.25	FM-15	0.00	30.23
12	1154	7	BKN:07 180 OVC:08 300	10.00		39	3.9	33	0.6	23	-5.0	53	0	000		30.03			30.23	FM-15	0.00	30.21
12	1254	7	SCT:04 190 OVC:08 300	10.00		43	6.1	35	1.4	20	-6.7	40	0	000		29.99	8	+0.07	30.19	FM-15	0.00	30.17
12	1300	4		9.94		43	6.1	35	1.4	20	-6.7	40	0	000		29.99	8	+0.07	30.19	FM-12		
12	1354	7	FEW:02 200 OVC:08 300	10.00		43	6.1	35	1.6	21	-6.1	42	0	000		29.98			30.18	FM-15	0.00	30.16
12	1454	7	OVC:08 300	10.00		41	5.0	35	1.4	24	-4.4	51	5	160		29.99			30.19	FM-15	0.00	30.17
12	1554	7	FEW:02 220 OVC:08 300	10.00		39	3.9	34	1.0	25	-3.9	57	5	190		30.02	3	-0.02	30.22	FM-15	0.00	30.20
12	1654	7	FEW:02 150 BKN:07 250 OVC:08 300	10.00		40	4.4	34	1.3	25	-3.9	55	3	150		30.02			30.22	FM-15	0.00	30.20

12	1754	7	FEW:02 150 FEW:02 250 BKN:07 300	10.00		36	2.2	33	0.3	27	-2.8	70	3	150		30.01			30.21	FM-15	0.00	30.19
12	1854	7	SCT:04 190 BKN:07 300	10.00		35	1.7	31	-0.4	25	-3.9	67	3	100		30.02	3	-0.00	30.22	FM-15	0.00	30.20
12	1900	4		9.94		35	1.7	31	-0.4	25	-3.9	67	3	100		30.02			30.22	FM-12		
12	1954	7	SCT:04 180 BKN:07 300	10.00		34	1.1	31	-0.7	25	-3.9	70	5	140		30.02			30.22	FM-15	0.00	30.20
12	2054	7	FEW:02 180 SCT:04 300	10.00		34	1.1	31	-0.7	25	-3.9	70	3	140		30.03			30.23	FM-15	0.00	30.21
12	2154	7	FEW:02 300	10.00		32	0.0	29	-1.4	25	-3.9	75	8	140		30.03	1	-0.02	30.23	FM-15	0.00	30.21
12	2254	7	FEW:02 300	10.00		31	-0.6	29	-1.7	25	-3.9	79	5	170		30.02			30.22	FM-15	0.00	30.20
12	2354	7	FEW:02 300	10.00		32	0.0	29	-1.4	25	-3.9	75	6	180		30.02			30.22	FM-15	0.00	30.20
13	0054	7	BKN:07 60	10.00		33	0.6	30	-0.9	26	-3.3	75	0	000		30.02	6	+0.01	30.22	FM-15	0.00	30.20
13	0100	4	57	9.94		33	0.6	30	-0.9	26	-3.3	75	0	000		30.02	6	+0.01	30.22	FM-12		
13	0154	7	BKN:07 55	10.00		35	1.7	32	0.2	28	-2.2	76	3	210		30.02			30.22	FM-15	0.00	30.20
13	0254	7	SCT:04 50 BKN:07 80	10.00		35	1.7	32	0.2	28	-2.2	76	3	180		30.03			30.23	FM-15	0.00	30.21
13	0354	7	BKN:07 80	10.00		34	1.1	32	0.1	29	-1.7	82	5	140		30.03	1	-0.01	30.23	FM-15	0.00	30.21
13	0454	7	BKN:07 75	10.00		35	1.7	33	0.4	29	-1.7	78	5	160		30.04			30.23	FM-15	0.00	30.22
13	0554	7	BKN:07 70	10.00		35	1.7	33	0.6	30	-1.1	82	5	160		30.05			30.25	FM-15	0.00	30.23
13	0654	7	BKN:07 70	10.00		34	1.1	32	0.3	30	-1.1	85	6	150		30.06	3	-0.02	30.26	FM-15	0.00	30.24
13	0700	4	74	9.94		34	1.1	32	0.3	30	-1.1	85	6	150		30.06	3	-0.02	30.26	FM-12		
13	0754	7	BKN:07 70	10.00		35	1.7	33	0.6	30	-1.1	82	6	150		30.07			30.27	FM-15	0.00	30.25
13	0854	7	BKN:07 70	10.00		36	2.2	34	1.1	31	-0.6	82	3	180		30.11			30.31	FM-15	0.00	30.29
13	0954	7	BKN:07 75	10.00		37	2.8	35	1.7	32	0.0	82	3	VRB		30.13	3	-0.07	30.33	FM-15	0.00	30.31
13	1054	7	OVC:08 80	10.00		38	3.3	36	2.0	32	0.0	79	3	120		30.13			30.33	FM-15	0.00	30.31
13	1154	7	OVC:08 80	10.00		41	5.0	38	3.2	33	0.6	73	7	140		30.11			30.31	FM-15	0.00	30.29
13	1254	7	FEW:02 65 OVC:08 80	10.00		41	5.0	38	3.2	33	0.6	73	3	160		30.11	8	+0.03	30.30	FM-15	0.00	30.29
13	1300	4	57	9.94		41	5.0	38	3.2	33	0.6	73	3	160		30.11	8	+0.03	30.30	FM-12		
13	1354	7	BKN:07 60 OVC:08 80	10.00		41	5.0	38	3.2	33	0.6	73	5	220		30.12			30.32	FM-15	0.00	30.30
13	1454	7	FEW:02 45 OVC:08 65	10.00		42	5.6	39	3.7	34	1.1	73	0	000		30.13			30.32	FM-15	0.00	30.31
13	1554	7	BKN:07 65 OVC:08 85	10.00		43	6.1	39	4.0	34	1.1	71	0	000		30.13	1	-0.02	30.32	FM-15	T	30.31
13	1654	7	OVC:08 70	10.00		42	5.6	39	3.9	35	1.7	76	5	030		30.14			30.34	FM-15	0.00	30.32
13	1754	7	BKN:07 75	10.00		41	5.0	38	3.6	35	1.7	79	5	360		30.16			30.35	FM-15	0.00	30.34
13	1854	7	BKN:07 70 BKN:07 180	10.00		38	3.3	36	2.2	33	0.6	83	0	000		30.17	3	-0.04	30.37	FM-15	0.00	30.35
13	1900	4	74	9.94		38	3.3	36	2.2	33	0.6	83	0	000		30.17	3	-0.04	30.37	FM-12		
13	1954	7	SCT:04 180 BKN:07 300	9.00		38	3.3	36	2.2	33	0.6	83	3	360		30.19			30.38	FM-15	0.00	30.37
13	2054	7	SCT:04 300	8.00		37	2.8	35	1.7	32	0.0	82	0	000		30.19			30.39	FM-15	0.00	30.37
13	2154	7	SCT:04 300	7.00		35	1.7	33	0.8	31	-0.6	85	0	000		30.20	1	-0.03	30.40	FM-15	0.00	30.38
13	2254	7	FEW:02 100 SCT:04 300	9.00		35	1.7	33	0.8	31	-0.6	85	3	080		30.18			30.38	FM-15	0.00	30.36
13	2354	7	FEW:02 100 SCT:04 300	8.00		35	1.7	33	0.6	30	-1.1	82	0	000		30.19			30.39	FM-15	0.00	30.37
14	0054	7	FEW:02 100 SCT:04 300	5.00	BR:1	32	0.0	31	-0.6	29	-1.7	88	0	000		30.19	6	+0.01	30.38	FM-15	0.00	30.37
14	0100	4		4.97		32	0.0	31	-0.6	29	-1.7	88	0	000		30.19	6	+0.01	30.38	FM-12		
14	0154	7	FEW:02 100 SCT:04 300	5.00	BR:1	31	-0.6	30	-1.2	28	-2.2	89	3	290		30.20			30.40	FM-15	0.00	30.38
14	0254	7	FEW:02 90 SCT:04 300	3.00	BR:1	31	-0.6	30	-1.2	28	-2.2	89	3	330		30.19			30.38	FM-15	0.00	30.37
14	0354	7	FEW:02 90 SCT:04 300	3.00	BR:1	30	-1.1	29	-1.7	27	-2.8	88	0	000		30.18	8	+0.00	30.38	FM-15	0.00	30.36
14	0454	7	BKN:07 70	3.00	BR:1	31	-0.6	30	-1.2	28	-2.2	89	3	010		30.18			30.38	FM-15	0.00	30.36
14	0554	7	BKN:07 70	5.00	BR:1	31	-0.6	30	-1.2	28	-2.2	89	0	000		30.21			30.40	FM-15	0.00	30.39

14	0654	7	BKN:07 75 BKN:07 200	5.00	BR:1	33	0.6	32	0.1	31	-0.6	92	7	320		30.23	3	-0.04	30.43	FM-15	0.00	30.41
14	0700	4	74	4.97		33	0.6	32	0.1	31	-0.6	92	7	320		30.23	3	-0.04	30.43	FM-12		
14	0754	7	BKN:07 75 OVC:08 200	4.00	BR:1	34	1.1	33	0.7	32	0.0	92	5	020		30.22			30.42	FM-15	0.00	30.40
14	0854	7	BKN:07 75 BKN:07 190 OVC:08 300	6.00	BR:1	35	1.7	34	1.2	33	0.6	93	3	100		30.23			30.42	FM-15	0.00	30.41
14	0954	7	BKN:07 75 OVC:08 100	6.00	BR:1	38	3.3	37	2.6	35	1.7	89	3	050		30.21	8	+0.01	30.41	FM-15	0.00	30.39
14	1054	7	SCT:04 75 OVC:08 100	6.00	BR:1	40	4.4	39	3.7	37	2.8	89	0	000		30.19			30.38	FM-15	0.00	30.37
14	1154	7	BKN:07 65 BKN:07 95 OVC:08 300	7.00		42	5.6	40	4.6	38	3.3	85	0	000		30.15			30.35	FM-15	0.00	30.33
14	1254	7	FEW:02 50 OVC:08 95	6.00	-RA:02 BR:1 RA RA	42	5.6	40	4.6	38	3.3	85	6	340		30.14	6	+0.07	30.34	FM-15	T	30.32
14	1300	4	57	5.59	RA	42	5.6	40	4.6	38	3.3	85	6	340		30.14	6	+0.07	30.34	FM-12		
14	1354	7	SCT:04 37 BKN:07 55 OVC:08 85	4.00	-RA:02 BR:1 RA RA	41	5.0	40	4.3	38	3.3	89	7	360		30.12			30.32	FM-15	0.02	30.30
14	1425	7	BKN:07 26 OVC:08 40	4.00	-RA:02 BR:1 RA RA	41	5.0	40	4.3	38	3.3	89	7	360		30.11				FM-16	T	30.29
14	1454	7	BKN:07 24 OVC:08 46	4.00	-RA:02 BR:1 RA RA	41	5.0	40	4.3	38	3.3	89	6	010		30.11			30.31	FM-15	0.01	30.29
14	1515	7	SCT:04 24 BKN:07 29 OVC:08 75	2.50	RA:02 BR:1 RA RA	41	5.0	40	4.3	38	3.3	89	6	010		30.11				FM-16	0.02	30.29
14	1532	7	SCT:04 22 BKN:07 50 OVC:08 85	2.50	RA:02 BR:1 RA RA	41	5.0	40	4.3	38	3.3	89	7	010		30.10				FM-16	0.04	30.28
14	1554	7	FEW:02 23 SCT:04 46 OVC:08 95	2.50	-RA:02 BR:1 RA RA	41	5.0	40	4.3	38	3.3	89	7	010		30.09	8	+0.06	30.29	FM-15	0.07	30.27
14	1654	7	OVC:08 100	3.00	-RA:02 BR:1 RA RA	41	5.0	40	4.5	39	3.9	93	8	030		30.06			30.26	FM-15	0.03	30.24
14	1754	7	SCT:04 34 BKN:07 47 OVC:08 80	4.00	-RA:02 BR:1 RA RA	42	5.6	41	5.1	40	4.4	92	7	030		30.06			30.26	FM-15	0.01	30.24
14	1841	7	FEW:02 4 SCT:04 34 OVC:08 90	4.00	-RA:02 BR:1 RA RA	43	6.1	42	5.4	40	4.4	89	7	040		30.04				FM-16	0.01	30.22
14	1854	7	SCT:04 4 BKN:07 90 OVC:08 110	4.00	BR:1	43	6.1	42	5.6	41	5.0	93	8	060		30.04	7	+0.05	30.23	FM-15	0.01	30.22
14	1900	4	5	3.73		43	6.1	42	5.6	41	5.0	93	8	060		30.04	7	+0.05	30.23	FM-12		
14	1920	7	BKN:07 3 BKN:07 50 BKN:07 110	4.00	BR:1	44	6.7	43	5.9	41	5.0	89	6	040		30.03				FM-16		30.21
14	1954	7	OVC:08 3	3.00	BR:1	44	6.7	43	6.2	42	5.6	93	7	030		30.02			30.21	FM-15	0.00	30.20
14	2054	7	OVC:08 4	4.00	BR:1	46	7.8	45	7.2	44	6.7	93	7	030		30.00			30.20	FM-15	0.00	30.18
14	2154	7	OVC:08 3	5.00	BR:1	48	8.9	47	8.3	46	7.8	93	9	060		29.96	8	+0.07	30.16	FM-15	T	30.14
14	2254	7	BKN:07 4 OVC:08 60	7.00		50	10.0	49	9.4	48	8.9	93	11	080		29.92			30.12	FM-15	0.00	30.10
14	2354	7	BKN:07 4 OVC:08 19	7.00		52	11.1	51	10.5	50	10.0	93	7	070		29.90			30.10	FM-15	0.00	30.08
15	0029	7	SCT:04 4 OVC:08 15	7.00	-RA:02 RA RA	52	11.1	51	10.5	50	10.0	93	6	070		29.88				FM-16	T	30.06
15	0054	7	SCT:04 7 BKN:07 21 OVC:08 48	6.00	-RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	7	100		29.87	6	+0.09	30.06	FM-15	T	30.05
15	0100	4	8	5.59	RA	52	11.1	51	10.5	50	10.0	93	7	100		29.87	6	+0.09	30.06	FM-12		
15	0128	7	OVC:08 5	6.00	-RA:02 BR:1 RA RA	53	11.7	52	11.1	51	10.6	93	8	080		29.86				FM-16	T	30.04
15	0154	7	OVC:08 6	5.00	-RA:02 BR:1 RA RA	53	11.7	52	11.4	52	11.1	96	8	070		29.85			30.05	FM-15	0.01	30.03
15	0224	7	OVC:08 4	3.00	-RA:02 BR:1 RA RA	53	11.7	52	11.1	51	10.6	93	8	030		29.84				FM-16	0.02	30.02

15	0241	7	OVC:08 4	2.50	RA:02 BR:1 RA RA	53	11.7	52	11.4	52	11.1	96	8	030		29.83				FM-16	0.04	30.01
15	0252	6	OVC:08 4	3.00	-RA:02 BR:1 RA RA	54	12.0	53	11.6	52	11.0	94	8	040		29.82				FM-16		30.00
15	0254	7	OVC:08 4	3.00	-RA:02 BR:1 RA RA	53	11.7	52	11.4	52	11.1	96	8	040		29.82		30.02		FM-15	0.05	30.00
15	0320	7	OVC:08 3	1.75	-RA:02 BR:1 RA RA	52	11.1	51	10.8	51	10.6	97	7	360		29.81				FM-16	0.02	29.99
15	0354	7	BKN:07 3 BKN:07 8 OVC:08 16	1.75	-RA:02 BR:1 RA RA	53	11.7	52	11.1	51	10.6	93	7	360		29.80	6	+0.05	30.00	FM-15	0.04	29.98
15	0409	7	BKN:07 3 BKN:07 8 OVC:08 16	1.25	-RA:02 BR:1 RA RA	52	11.1	51	10.8	51	10.6	97	5	350		29.80				FM-16	0.02	29.98
15	0452	6	FEW:02 3 OVC:08 10	2.00	BR:1	54	12.0	53	11.6	52	11.0	94	7	020		29.78				FM-16		29.96
15	0454	7	SCT:04 5 OVC:08 10	2.00	BR:1	53	11.7	52	11.4	52	11.1	96	6	020		29.78		29.98		FM-15	0.03	29.96
15	0505	7	BKN:07 5 OVC:08 10	2.00	BR:1	53	11.7	52	11.1	51	10.6	93	7	360		29.78				FM-16		29.96
15	0554	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	52	11.1	51	10.8	51	10.6	97	7	350		29.78		29.98		FM-15	0.01	29.96
15	0654	7	OVC:08 3	2.50	-DZ:01 BR:1 DZ DZ	53	11.7	52	11.4	52	11.1	96	7	020		29.77	6	+0.03	29.97	FM-15	0.01	29.95
15	0700	4	2	2.49	DZ	53	11.7	52	11.4	52	11.1	96	7	020		29.77	6	+0.03	29.97	FM-12		
15	0752	6	OVC:08 3	1.00	-DZ:01 BR:1 DZ DZ	54	12.0	53	11.6	52	11.0	94	5	030		29.78				FM-16		29.96
15	0754	7	OVC:08 3	1.00	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.6	52	11.1	93	5	030		29.78		29.97		FM-15	T	29.96
15	0806	7	OVC:08 2	0.50	DZ:01 FG:2 FG DZ DZ	54	12.2	53	11.6	52	11.1	93	6	350		29.78				FM-16	T	29.96
15	0854	7	OVC:08 3	0.50	DZ:01 FG:2 FG DZ DZ	54	12.2	53	11.6	52	11.1	93	6	350		29.79		29.98		FM-15	0.01	29.97
15	0954	7	OVC:08 3	0.75	-DZ:01 BR:1 DZ DZ	53	11.7	52	11.4	52	11.1	96	5	340		29.80	3	-0.03	30.00	FM-15	T	29.98
15	1013	7	OVC:08 3	1.00	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.9	53	11.7	97	7	360		29.80				FM-16	T	29.98
15	1054	7	OVC:08 3	1.25	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.9	53	11.7	97	6	350		29.80		29.99		FM-15	0.02	29.98
15	1106	7	OVC:08 3	1.75	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.9	53	11.7	97	6	350		29.79				FM-16	0.01	29.97
15	1121	7	OVC:08 4	2.00	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.9	53	11.7	97	6	340		29.79				FM-16	0.01	29.97
15	1154	7	OVC:08 4	2.50	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.5	54	12.2	96	8	360		29.74		29.93		FM-15	0.01	29.92
15	1214	7	OVC:08 4	3.00	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.5	54	12.2	96	8	350		29.73				FM-16	T	29.91
15	1248	7	OVC:08 4	2.50	-DZ:01 BR:1 DZ DZ	55	13.0	54	12.5	54	12.0	94	7	020		29.72				FM-16	T	29.90
15	1254	7	OVC:08 4	2.00	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.5	54	12.2	96	8	030		29.71	6	+0.08	29.90	FM-15	T	29.89
15	1300	4	5	1.99	DZ	55	12.8	54	12.5	54	12.2	96	8	030		29.71	6	+0.08	29.90	FM-12		
15	1354	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.5	54	12.2	96	5	360		29.72		29.91		FM-15	T	29.90
15	1407	7	OVC:08 4	4.00	BR:1	55	12.8	54	12.5	54	12.2	96	7	290		29.72				FM-16	T	29.90
15	1430	7	OVC:08 4	1.00	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.2	53	11.7	93	0	000		29.74				FM-16	T	29.92
15	1454	7	OVC:08 4	1.25	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.9	53	11.7	97	8	250		29.74		29.94		FM-15	0.02	29.92
15	1521	7	BKN:07 4 OVC:08 41	1.50	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.9	53	11.7	97	7	300		29.73				FM-16	0.01	29.91
15	1534	7	BKN:07 4 BKN:07 19 OVC:08 35	2.50	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.2	53	11.7	93	5	320		29.73				FM-16	0.01	29.91
15	1543	7	BKN:07 4 BKN:07 19 OVC:08 36	3.00	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.2	53	11.7	93	6	340		29.72				FM-16	0.01	29.90
15	1554	7	BKN:07 5 BKN:07 19 OVC:08 36	5.00	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.2	53	11.7	93	6	350		29.71	8	+0.00	29.90	FM-15	0.01	29.89
15	1639	7	OVC:08 4	7.00		55	12.8	54	12.2	53	11.7	93	6	310		29.72				FM-16	T	29.90
15	1654	7	OVC:08 4	7.00		54	12.2	53	11.9	53	11.7	97	6	340		29.71		29.91		FM-15	T	29.89
15	1704	7	OVC:08 4	1.75	BR:1	54	12.2	53	11.9	53	11.7	97	6	350		29.71				FM-16		29.89
15	1752	6	OVC:08 3	1.00	BR:1	54	12.0	54	12.2	54	12.0	100	6	360		29.72				FM-16		29.90
15	1754	7	OVC:08 3	1.00	BR:1	54	12.2	53	11.9	53	11.7	97	5	350		29.72		29.91		FM-15	0.00	29.90
15	1804	7	VV:09 3	0.75	BR:1	54	12.2	53	11.6	52	11.1	93	3	350		29.72				FM-16		29.90
15	1854	7	VV:09 3	0.75	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.6	52	11.1	93	6	020		29.72	0	-0.01	29.91	FM-15	T	29.90
15	1900	4		0.75	DZ	54	12.2	53	11.6	52	11.1	93	6	020		29.72	9	0.01	29.91	FM-12		
15	1952	6	OVC:08 3	1.50	BR:1	54	12.0	54	12.2	54	12.0	100	3	050		29.71				FM-16		29.89
15	1954	7	OVC:08 3	1.50	BR:1	54	12.2	53	11.9	53	11.7	97	3	VRB		29.72		29.91		FM-15	0.01	29.90
15	2007	7	OVC:08 3	3.00	BR:1	54	12.2	53	11.9	53	11.7	97	3	080		29.71				FM-16		29.89
15	2019	7	OVC:08 3	1.75	BR:1	54	12.2	53	11.9	53	11.7	97	3	080		29.71				FM-16		29.89

15	2026	7	OVC:08 3	0.75	BR:1	54	12.2	53	11.9	53	11.7	97	3	060		29.70				FM-16		29.88
15	2054	7	VV:09 3	0.25	-RA:02 FG:2 FG RA RA	54	12.2	53	11.9	53	11.7	97	5	200		29.71			29.90	FM-15	T	29.89
15	2127	7	OVC:08 3	1.00	BR:1	53	11.7	52	11.4	52	11.1	96	6	260		29.70				FM-16	0.01	29.88
15	2141	7	OVC:08 4	1.50	BR:1	53	11.7	52	11.4	52	11.1	96	5	270		29.69				FM-16	0.01	29.87
15	2154	7	OVC:08 2	1.50	BR:1	53	11.7	52	11.4	52	11.1	96	8	260		29.70	8	+0.02	29.89	FM-15	0.01	29.88
15	2254	7	OVC:08 3	1.75	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.8	51	10.6	97	7	260		29.69			29.88	FM-15	T	29.87
15	2311	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.8	51	10.6	97	6	260		29.69				FM-16	T	29.87
15	2327	7	OVC:08 3	1.75	BR:1	52	11.1	51	10.5	50	10.0	93	6	260		29.69				FM-16	T	29.87
15	2352	6	OVC:08 3	2.00	BR:1	52	11.0	51	10.5	50	10.0	94	8	250		29.68				FM-16		29.86
15	2354	7	OVC:08 3	2.00	BR:1	52	11.1	51	10.5	50	10.0	93	8	250		29.68			29.88	FM-15	T	29.86
16	0026	7	OVC:08 3	1.75	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.3	50	10.0	96	7	240		29.68				FM-16	0.01	29.86
16	0052	6	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	52	11.0	51	10.5	50	10.0	94	7	230		29.68				FM-16		29.86
16	0054	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.3	50	10.0	96	6	220		29.68	8	+0.02	29.87	FM-15	0.01	29.86
16	0100	4	2	1.99	DZ	51	10.6	50	10.3	50	10.0	96	6	220		29.68	8	+0.02	29.87	FM-12		
16	0154	7	OVC:08 3	2.00	BR:1	51	10.6	50	10.0	49	9.4	92	7	230		29.68			29.87	FM-15	T	29.86
16	0254	7	OVC:08 3	2.00	BR:1	50	10.0	49	9.7	49	9.4	96	8	210		29.69			29.88	FM-15	0.00	29.87
16	0354	7	OVC:08 3	2.00	BR:1	50	10.0	49	9.4	48	8.9	93	9	220		29.68	0	-0.00	29.87	FM-15	0.00	29.86
16	0450	7	OVC:08 5	4.00	BR:1	50	10.0	49	9.4	48	9.0	94	11	220		29.68				FM-16		29.86
16	0454	7	OVC:08 5	4.00	BR:1	50	10.0	49	9.4	48	8.9	93	9	220		29.68			29.87	FM-15	0.00	29.86
16	0554	7	OVC:08 5	10.00		49	9.4	48	8.9	47	8.3	93	9	210		29.67			29.86	FM-15	0.00	29.85
16	0654	7	OVC:08 9	10.00		48	8.9	47	8.1	45	7.2	89	9	220		29.67	5	+0.00	29.86	FM-15	0.00	29.85
16	0700	4	8	9.94		48	8.9	47	8.1	45	7.2	89	9	220		29.67	5	+0.00	29.86	FM-12		
16	0708	7	OVC:08 10	10.00		48	8.9	47	8.1	45	7.2	89	13	230		29.67				FM-16		29.85
16	0754	7	BKN:07 11	10.00		48	8.9	46	7.8	44	6.7	86	11	240		29.67			29.86	FM-15	0.00	29.85
16	0854	7	OVC:08 11	8.00		48	8.9	47	8.1	45	7.2	89	10	230		29.68			29.87	FM-15	0.00	29.86
16	0942	7	BKN:07 8 OVC:08 12	4.00	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.1	45	7.2	89	10	230		29.68				FM-16	T	29.86
16	0954	7	BKN:07 8 OVC:08 12	3.00	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.1	45	7.2	89	9	250		29.68	3	-0.01	29.87	FM-15	T	29.86
16	1015	7	BKN:07 7 OVC:08 14	2.00	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.1	45	7.2	89	7	250		29.68				FM-16	T	29.86
16	1054	7	BKN:07 6 OVC:08 14	2.00	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.3	46	7.8	93	9	270		29.66			29.85	FM-15	T	29.84
16	1101	7	BKN:07 7 OVC:08 14	5.00	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.3	46	7.8	93	8	270		29.65				FM-16	T	29.83
16	1145	7	BKN:07 6 OVC:08 12	2.50	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.6	46	7.8	90	9	310		29.65				FM-16	T	29.83
16	1152	6	BKN:07 6 OVC:08 12	6.00	-DZ:01 BR:1 DZ DZ	48	9.0	47	8.3	46	8.0	94	9	310		29.64				FM-16		29.82
16	1154	7	BKN:07 7 OVC:08 12	6.00	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.6	46	7.8	90	10	300		29.64			29.83	FM-15	T	29.82
16	1254	7	BKN:07 11 OVC:08 15	10.00		48	8.9	47	8.1	45	7.2	89	13	330		29.63	6	+0.05	29.83	FM-15	T	29.81
16	1300	4	15	9.94		48	8.9	47	8.1	45	7.2	89	13	330		29.63	6	+0.05	29.83	FM-12		
16	1354	7	BKN:07 11 OVC:08 23	10.00		48	8.9	46	7.8	44	6.7	86	15	340		29.64			29.83	FM-15	0.00	29.82
16	1454	7	OVC:08 12	10.00		47	8.3	45	7.3	43	6.1	86	10	320		29.66			29.85	FM-15	T	29.84
16	1554	7	OVC:08 13	10.00		47	8.3	45	7.3	43	6.1	86	9	320		29.67	3	-0.04	29.87	FM-15	0.00	29.85
16	1654	7	BKN:07 12 OVC:08 27	10.00		46	7.8	44	6.7	42	5.6	86	10	320		29.69			29.89	FM-15	0.00	29.87
16	1738	7	SCT:04 12 OVC:08 70	10.00		45	7.2	43	6.2	41	5.0	86	8	330		29.70				FM-16	T	29.88
16	1754	7	BKN:07 12 OVC:08 70	10.00		45	7.2	43	6.2	41	5.0	86	8	320		29.71			29.91	FM-15	T	29.89
16	1852	6	SCT:04 11 OVC:08 75	10.00		45	7.0	43	6.2	41	5.0	87	8	340		29.73				FM-16		29.91
16	1854	7	SCT:04 11 OVC:08 75	10.00		45	7.2	43	6.2	41	5.0	86	9	340		29.73	3	-0.05	29.92	FM-15	0.00	29.91
16	1900	4	15	9.94		45	7.2	43	6.2	41	5.0	86	9	340		29.73	3	-0.05	29.92	FM-12		
16	1954	7	SCT:04 65	10.00		43	6.1	41	5.1	39	3.9	86	8	350		29.74			29.94	FM-15	0.00	29.92

16	2054	7	BKN:07 40	10.00		42	5.6	41	4.8	39	3.9	89	5	320		29.75			29.95	FM-15	0.00	29.93
16	2154	7	BKN:07 40	10.00		42	5.6	40	4.6	38	3.3	85	3	300		29.76	1	-0.04	29.96	FM-15	0.00	29.94
16	2254	7	FEW:02 40	10.00		41	5.0	39	4.0	37	2.8	86	5	270		29.77			29.96	FM-15	0.00	29.95
16	2354	7	FEW:02 40	10.00		39	3.9	38	3.2	36	2.2	89	0	000		29.76			29.95	FM-15	0.00	29.94
17	0054	7	CLR:00	10.00		39	3.9	38	3.2	36	2.2	89	5	260		29.76	3	-0.00	29.96	FM-15	0.00	29.94
17	0100	4		9.94		39	3.9	38	3.2	36	2.2	89	5	260		29.76			29.96	FM-12		
17	0154	7	CLR:00	10.00		35	1.7	34	1.2	33	0.6	93	3	220		29.77			29.96	FM-15	0.00	29.95
17	0254	7	CLR:00	5.00	BR:1	35	1.7	34	1.2	33	0.6	93	0	000		29.76			29.95	FM-15	0.00	29.94
17	0304	7	CLR:00	1.00	BR:1	36	2.2	34	1.3	32	0.0	86	0	000		29.75				FM-16		29.93
17	0318	7	CLR:00	0.50	FG:2 FG	35	1.7	34	1.0	32	0.0	89	0	000		29.75				FM-16		29.93
17	0338	7	CLR:00	0.50	FG:2 FG	33	0.6	32	-0.1	30	-1.1	89	0	000		29.75				FM-16		29.93
17	0354	7	CLR:00	0.50	FG:2 FG	34	1.1	33	0.5	31	-0.6	89	5	210		29.75	8	+0.01	29.95	FM-15	0.00	29.93
17	0416	7	CLR:00	1.25	BR:1	34	1.1	33	0.5	31	-0.6	89	0	000		29.74				FM-16		29.92
17	0419	7	CLR:00	2.50	BR:1	35	1.7	33	0.8	31	-0.6	85	0	000		29.74				FM-16		29.92
17	0430	7	CLR:00	4.00	BR:1	36	2.2	34	1.3	32	0.0	86	0	000		29.74				FM-16		29.92
17	0452	6	CLR:00	2.00	BR:1	34	1.0	32	0.3	30	-1.0	87	0	000		29.73				FM-16		29.91
17	0454	7	CLR:00	1.50	BR:1	34	1.1	33	0.5	31	-0.6	89	3	170		29.73		29.93		FM-15	0.00	29.91
17	0520	7	CLR:00	0.75	BR:1	32	0.0	31	-0.4	30	-1.1	92	5	210		29.74				FM-16		29.92
17	0536	7	CLR:00	3.00	BR:1	32	0.0	31	-0.6	29	-1.7	88	6	190		29.74				FM-16		29.92
17	0546	7	VV:09 2	0.75	BR:1	34	1.1	33	0.7	32	0.0	92	10	210		29.74				FM-16		29.92
17	0554	7	VV:09 2	0.25	FG:2 FG	36	2.2	35	1.5	33	0.6	89	7	220		29.75		29.94		FM-15	0.00	29.93
17	0601	7	VV:09 2	0.25	FG:2 FG	37	2.8	36	2.3	35	1.7	93	8	230		29.75				FM-16		29.93
17	0633	7	VV:09 2	0.25	FG:2 FG	38	3.3	37	2.9	36	2.2	93	5	200		29.75				FM-16		29.93
17	0643	7	VV:09 2	0.25	FG:2 FG	38	3.3	37	2.9	36	2.2	93	6	190		29.75				FM-16		29.93
17	0654	7	VV:09 2	0.25	FG:2 FG	38	3.3	37	2.9	36	2.2	93	6	220		29.75	5	+0.00	29.95	FM-15	0.00	29.93
17	0700	4	2	0.25	FG	38	3.3	37	2.9	36	2.2	93	6	220		29.75	5	+0.00	29.95	FM-12		
17	0721	7	VV:09 2	0.25	FG:2 FG	38	3.3	37	2.9	36	2.2	93	8	220		29.76				FM-16		29.94
17	0731	7	VV:09 2	0.25	FG:2 FG	38	3.3	37	2.9	36	2.2	93	6	240		29.77				FM-16		29.95
17	0749	7	VV:09 2	0.25	FG:2 FG	37	3.0	37	2.5	36	2.0	93	7	240		29.77				FM-16		29.95
17	0754	7	VV:09 2	0.25	FG:2 FG	38	3.3	37	2.9	36	2.2	93	6	240		29.77		29.97		FM-15	0.00	29.95
17	0801	7	OVC:08 2	0.50	FG:2 FG	38	3.3	37	2.9	36	2.2	93	5	250		29.77				FM-16		29.95
17	0810	7	BKN:07 2	0.75	BR:1	38	3.3	37	2.9	36	2.2	93	7	240		29.77				FM-16		29.95
17	0817	7	SCT:04 2	1.25	BR:1	38	3.3	37	2.9	36	2.2	93	7	240		29.77				FM-16		29.95
17	0825	7	FEW:02 2 FEW:02 200	3.00	BR:1	39	3.9	38	3.4	37	2.8	93	7	260		29.78				FM-16		29.96
17	0854	7	FEW:02 2 FEW:02 220	10.00		40	4.4	39	4.0	38	3.3	93	6	250		29.78		29.98		FM-15	0.00	29.96
17	0954	7	FEW:02 250	10.00		46	7.8	43	6.0	39	3.9	77	9	260		29.78	0	-0.00	29.97	FM-15	0.00	29.96
17	1054	7	FEW:02 250	10.00		51	10.6	46	7.7	40	4.4	66	9	250		29.74			29.93	FM-15	0.00	29.92
17	1154	7	SCT:04 250	10.00		54	12.2	46	7.8	37	2.8	53	13	250		29.72			29.91	FM-15	0.00	29.90
17	1254	7	BKN:07 240	10.00		57	13.9	47	8.2	35	1.7	44	11	260		29.69	6	+0.09	29.88	FM-15	0.00	29.87
17	1300	4		9.94		57	13.9	47	8.2	35	1.7	44	11	260		29.69	6	+0.09	29.88	FM-12		
17	1354	7	BKN:07 230	10.00		56	13.3	46	7.9	35	1.7	46	14	260	21	29.68			29.87	FM-15	0.00	29.86
17	1454	7	BKN:07 230	10.00		55	12.8	45	7.4	34	1.1	45	14	250	20	29.67			29.87	FM-15	0.00	29.85
17	1554	7	BKN:07 190	10.00		54	12.2	45	7.4	35	1.7	49	10	250		29.67	6	+0.01	29.87	FM-15	0.00	29.85
17	1654	7	SCT:04 250	10.00		53	11.7	45	7.1	35	1.7	51	9	240		29.67			29.87	FM-15	0.00	29.85
17	1754	7	SCT:04 250	10.00		48	8.9	43	5.9	36	2.2	63	6	210		29.68			29.88	FM-15	0.00	29.86
17	1854	7	SCT:04 250	10.00		48	8.9	43	5.9	36	2.2	63	5	280		29.70	3	-0.02	29.89	FM-15	0.00	29.88
17	1900	4		9.94		48	8.9	43	5.9	36	2.2	63	5	280		29.70	3	-0.02	29.89	FM-12		
17	1954	7	SCT:04 250	10.00		49	9.4	42	5.8	34	1.1	56	10	310		29.70		29.90		FM-15	0.00	29.88
17	2028	7	SCT:04 250	10.00		47	8.3	41	5.0	33	0.6	59	11	360		29.73				FM-16		29.91
17	2054	7	SCT:04 250	10.00		46	7.8	40	4.3	31	-0.6	56	13	010		29.74			29.93	FM-15	0.00	29.92
17	2154	7	SCT:04 250	10.00		45	7.2	38	3.6	29	-1.7	54	11	010		29.76	3	-0.06	29.96	FM-15	0.00	29.94
17	2254	7	FEW:02 250	10.00		42	5.6	37	2.6	29	-1.7	60	9	020		29.78			29.98	FM-15	0.00	29.96
17	2354	7	FEW:02 300	10.00		40	4.4	35	1.8	28	-2.2	63	7	010		29.80			29.99	FM-15	0.00	29.98
18	0054	7	FEW:02 300	10.00		41	5.0	36	2.1	28	-2.2	60	3	350		29.81	1	-0.05	30.00	FM-15	0.00	29.99
18	0100	4		9.94		41	5.0	36	2.1	28	-2.2	60	3	350		29.81	1	-0.05	30.00	FM-12		

18	0154	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	0	000		29.83			30.02	FM-15	0.00	30.01
18	0254	7	CLR:00	10.00		34	1.1	31	-0.3	27	-2.8	75	0	000		29.84			30.04	FM-15	0.00	30.02
18	0354	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		29.85	1	-0.04	30.04	FM-15	0.00	30.03
18	0454	7	CLR:00	10.00		33	0.6	31	-0.5	28	-2.2	82	6	360		29.87			30.06	FM-15	0.00	30.05
18	0554	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	6	360		29.90			30.10	FM-15	0.00	30.08
18	0654	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	6	350		29.93	3	-0.08	30.12	FM-15	0.00	30.11
18	0700	4		9.94		34	1.1	31	-0.7	25	-3.9	70	6	350		29.93	3	-0.08	30.12	FM-12		
18	0754	7	FEW:02 300	10.00		33	0.6	30	-0.9	26	-3.3	75	6	010		29.96			30.16	FM-15	0.00	30.14
18	0854	7	FEW:02 300	10.00		38	3.3	33	0.8	26	-3.3	62	11	360		29.98			30.17	FM-15	0.00	30.16
18	0954	7	FEW:02 300	10.00		42	5.6	35	1.9	25	-3.9	51	15	350	22	29.99	1	-0.06	30.19	FM-15	0.00	30.17
18	1054	7	FEW:02 300	10.00		45	7.2	37	2.7	24	-4.4	44	10	010		30.00			30.19	FM-15	0.00	30.18
18	1154	7	FEW:02 300	10.00		46	7.8	37	3.0	24	-4.4	42	13	350	17	29.97			30.17	FM-15	0.00	30.15
18	1254	7	FEW:02 300	10.00		48	8.9	38	3.4	23	-5.0	37	8	VRB		29.96	8	+0.03	30.16	FM-15	0.00	30.14
18	1300	4		9.94		48	8.9	38	3.4	23	-5.0	37	8	320		29.96	8	+0.03	30.16	FM-12		
18	1354	7	FEW:02 300	10.00		48	8.9	38	3.3	22	-5.6	36	10	300	16	29.95			30.15	FM-15	0.00	30.13
18	1454	7	FEW:02 300	10.00		48	8.9	38	3.3	22	-5.6	36	5	010		29.96			30.16	FM-15	0.00	30.14
18	1554	7	FEW:02 300	10.00		47	8.3	38	3.1	23	-5.0	39	7	310		29.97	3	-0.01	30.17	FM-15	0.00	30.15
18	1654	7	SCT:04 300	10.00		43	6.1	35	1.9	23	-5.0	45	5	340		29.99			30.19	FM-15	0.00	30.17
18	1754	7	SCT:04 300	10.00		40	4.4	35	1.5	26	-3.3	58	0	000		29.99			30.19	FM-15	0.00	30.17
18	1854	7	FEW:02 300	10.00		36	2.2	32	0.1	26	-3.3	67	3	030		30.00	1	-0.02	30.20	FM-15	0.00	30.18
18	1900	4		9.94		36	2.2	32	0.1	26	-3.3	67	3	030		30.00	1	-0.02	30.20	FM-12		
18	1954	7	FEW:02 300	10.00		35	1.7	32	-0.2	26	-3.3	70	0	000		30.01			30.21	FM-15	0.00	30.19
18	2054	7	SCT:04 300	10.00		32	0.0	30	-1.2	26	-3.3	79	0	000		30.01			30.21	FM-15	0.00	30.19
18	2154	7	SCT:04 300	10.00		31	-0.6	29	-1.7	25	-3.9	79	0	000		30.02	1	-0.02	30.22	FM-15	0.00	30.20
18	2254	7	FEW:02 300	10.00		29	-1.7	27	-2.6	24	-4.4	82	3	070		30.01			30.20	FM-15	0.00	30.19
18	2354	7	FEW:02 300	10.00		29	-1.7	27	-2.8	23	-5.0	78	6	210		30.03			30.22	FM-15	0.00	30.21
19	0054	7	FEW:02 300	10.00		28	-2.2	26	-3.3	22	-5.6	78	0	000		30.03	3	-0.01	30.23	FM-15	0.00	30.21
19	0100	4		9.94		28	-2.2	26	-3.3	22	-5.6	78	0	000		30.03	3	-0.01	30.23	FM-12		
19	0154	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	0	000		30.04			30.23	FM-15	0.00	30.22
19	0254	7	CLR:00	10.00		27	-2.8	26	-3.5	23	-5.0	85	0	000		30.04			30.24	FM-15	0.00	30.22
19	0354	7	CLR:00	10.00		28	-2.2	26	-3.2	23	-5.0	81	0	000		30.03	8	+0.00	30.22	FM-15	0.00	30.21
19	0452	6	FEW:02 1 FEW:02 300	10.00		27	-3.0	26	-3.5	23	-5.0	86	0	000		30.02				FM-16		30.20
19	0454	7	FEW:02 1 FEW:02 300	10.00		27	-2.8	25	-3.7	22	-5.6	81	0	000		30.02			30.22	FM-15	0.00	30.20
19	0554	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	0	000		30.02			30.22	FM-15	0.00	30.20
19	0654	7	FEW:02 100 FEW:02 200	10.00		26	-3.3	25	-4.1	22	-5.6	84	6	130		30.02	6	+0.01	30.22	FM-15	0.00	30.20
19	0700	4		9.94		26	-3.3	25	-4.1	22	-5.6	84	6	130		30.02	6	+0.01	30.22	FM-12		
19	0754	7	FEW:02 100 BKN:07 300	10.00		30	-1.1	28	-2.1	25	-3.9	82	0	000		30.03			30.23	FM-15	0.00	30.21
19	0854	7	SCT:04 210 BKN:07 300	10.00		34	1.1	32	0.3	30	-1.1	85	0	000		30.04			30.24	FM-15	0.00	30.22
19	0954	7	FEW:02 210 BKN:07 300	10.00		39	3.9	36	2.3	32	0.0	76	6	200		30.05	1	-0.02	30.24	FM-15	0.00	30.23
19	1054	7	FEW:02 210 BKN:07 300	10.00		45	7.2	40	4.4	33	0.6	63	8	200		30.03			30.22	FM-15	0.00	30.21
19	1154	7	FEW:02 210 BKN:07 300	10.00		47	8.3	40	4.4	30	-1.1	52	9	200		29.99			30.18	FM-15	0.00	30.17
19	1254	7	FEW:02 220 BKN:07 300	10.00		50	10.0	41	5.1	29	-1.7	44	11	200		29.96	8	+0.09	30.15	FM-15	0.00	30.14
19	1300	4		9.94		50	10.0	41	5.1	29	-1.7	44	11	200		29.96	8	+0.09	30.15	FM-12		
19	1354	7	FEW:02 220 BKN:07 300	10.00		50	10.0	41	4.9	28	-2.2	43	11	190		29.93			30.13	FM-15	0.00	30.11
19	1454	7	BKN:07 300	10.00		50	10.0	41	5.1	29	-1.7	44	9	170		29.92			30.12	FM-15	0.00	30.10
19	1554	7	BKN:07 300	10.00		48	8.9	40	4.7	30	-1.1	50	6	170		29.92	6	+0.04	30.11	FM-15	0.00	30.10
19	1654	7	SCT:04 300	10.00		45	7.2	38	3.4	28	-2.2	52	3	160		29.92			30.11	FM-15	0.00	30.10
19	1754	7	FEW:02 300	10.00		39	3.9	35	1.7	29	-1.7	67	5	160		29.93			30.13	FM-15	0.00	30.11
19	1854	7	FEW:02 300	10.00		39	3.9	35	1.7	29	-1.7	67	5	130		29.93	0	-0.01	30.13	FM-15	0.00	30.11

19	1900	4		9.94		39	3.9	35	1.7	29	-1.7	67	5	130		29.93	9	0.01	30.13	FM-12		
19	1954	7	FEW:02 300	10.00		38	3.3	35	1.6	30	-1.1	73	3	120		29.93			30.13	FM-15	0.00	30.11
19	2054	7	FEW:02 300	10.00		37	2.8	34	1.0	29	-1.7	73	0	000		29.94			30.14	FM-15	0.00	30.12
19	2154	7	SCT:04 300	10.00		37	2.8	34	1.0	29	-1.7	73	0	000		29.94	0	-0.01	30.13	FM-15	0.00	30.12
19	2254	7	FEW:02 300	10.00		36	2.2	33	0.7	29	-1.7	76	0	000		29.93			30.12	FM-15	0.00	30.11
19	2354	7	BKN:07 42	10.00		33	0.6	31	-0.5	28	-2.2	82	0	000		29.91			30.11	FM-15	0.00	30.09
20	0054	7	SCT:04 42 BKN:07 300	10.00		35	1.7	33	0.8	31	-0.6	85	0	000		29.90	8	+0.04	30.09	FM-15	0.00	30.08
20	0100	4	41	9.94		35	1.7	33	0.8	31	-0.6	85	0	000		29.90	8	+0.04	30.09	FM-12		
20	0154	7	FEW:02 35 BKN:07 42	10.00		37	2.8	35	1.9	33	0.6	86	0	000		29.90			30.09	FM-15	0.00	30.08
20	0254	7	OVC:08 37	10.00		40	4.4	38	3.3	35	1.7	83	0	000		29.89			30.08	FM-15	0.00	30.07
20	0354	7	OVC:08 30	10.00		41	5.0	38	3.6	35	1.7	79	0	000		29.87	8	+0.03	30.06	FM-15	0.00	30.05
20	0420	7	OVC:08 28	10.00		41	5.0	38	3.4	34	1.1	76	0	000		29.86				FM-16		30.04
20	0454	7	OVC:08 24	10.00		41	5.0	38	3.6	35	1.7	79	0	000		29.86			30.06	FM-15	0.00	30.04
20	0554	7	OVC:08 16	10.00		43	6.1	40	4.2	35	1.7	74	0	000		29.87			30.06	FM-15	0.00	30.05
20	0617	7	OVC:08 14	10.00		43	6.1	40	4.2	35	1.7	74	0	000		29.86				FM-16		30.04
20	0640	7	OVC:08 15	10.00		43	6.1	40	4.2	35	1.7	74	5	100		29.85				FM-16		30.03
20	0654	7	OVC:08 15	8.00	-DZ:01 DZ DZ	42	5.6	39	4.1	36	2.2	79	9	100		29.85	8	+0.02	30.04	FM-15	T	30.03
20	0700	4	15	7.46	DZ	42	5.6	39	4.1	36	2.2	79	9	100		29.85	8	+0.02	30.04	FM-12		
20	0713	7	OVC:08 13	10.00		43	6.1	40	4.4	36	2.2	76	8	100		29.84				FM-16	T	30.02
20	0752	6	BKN:07 7 OVC:08 12	10.00		43	6.0	40	4.6	37	3.0	81	9	120		29.83				FM-16		30.01
20	0754	7	BKN:07 7 OVC:08 12	10.00		43	6.1	40	4.6	37	2.8	80	11	110		29.83			30.02	FM-15	T	30.01
20	0854	7	OVC:08 6	10.00		44	6.7	42	5.7	40	4.4	85	0	000		29.84			30.03	FM-15	T	30.02
20	0954	7	OVC:08 6	10.00		44	6.7	43	5.9	41	5.0	89	5	040		29.83	6	+0.02	30.02	FM-15	0.00	30.01
20	1054	7	OVC:08 6	9.00		45	7.2	43	6.2	41	5.0	86	7	010		29.80			30.00	FM-15	0.00	29.98
20	1154	7	OVC:08 5	6.00	-RA:02 BR:1 RA RA	46	7.8	44	6.7	42	5.6	86	6	040		29.76			29.96	FM-15	T	29.94
20	1214	7	OVC:08 4	1.25	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	5	030		29.75				FM-16	T	29.93
20	1237	7	OVC:08 3	0.75	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	6	020		29.74				FM-16	0.01	29.92
20	1254	7	OVC:08 2	0.50	-RA:02 FG:2 FG RA RA	45	7.2	44	6.7	43	6.1	93	7	010		29.73	8	+0.10	29.93	FM-15	0.01	29.91
20	1300	4	2	0.50	RA	45	7.2	44	6.7	43	6.1	93	7	010		29.73	8	+0.10	29.93	FM-12		
20	1354	7	OVC:08 2	0.75	RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	9	020		29.70			29.89	FM-15	0.05	29.88
20	1406	7	OVC:08 2	1.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	9	030		29.68				FM-16	0.02	29.86
20	1420	7	OVC:08 3	1.50	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	8	040		29.67				FM-16	0.03	29.85
20	1454	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	8	020		29.65			29.85	FM-15	0.05	29.83
20	1554	7	OVC:08 3	2.50	-RA:02 BR:1 RA RA	46	7.8	45	7.2	44	6.7	93	6	050		29.63	6	+0.10	29.83	FM-15	0.03	29.81
20	1606	7	OVC:08 3	4.00	-RA:02 BR:1 RA RA	46	7.8	45	7.2	44	6.7	93	7	040		29.63				FM-16	T	29.81
20	1642	7	OVC:08 3	2.00	+RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	6	010		29.60				FM-16	0.05	29.78
20	1652	6	OVC:08 3	5.00	-RA:02 BR:1 RA RA	46	8.0	46	7.5	45	7.0	93	6	040		29.59				FM-16		29.77
20	1654	7	OVC:08 3	5.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	5	VRB		29.59			29.79	FM-15	0.09	29.77
20	1754	7	OVC:08 2	4.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	47	8.3	93	3	060		29.56			29.75	FM-15	0.02	29.74
20	1832	7	OVC:08 2	0.50	-RA:02 FG:2 FG RA RA	49	9.4	48	8.9	47	8.3	93	6	060		29.52				FM-16	0.03	29.70
20	1854	7	OVC:08 2	0.50	RA:02 FG:2 FG RA RA	51	10.6	50	10.3	50	10.0	96	8	070		29.50	8	+0.14	29.69	FM-15	0.06	29.68
20	1900	4	2	0.50	RA	51	10.6	50	10.3	50	10.0	96	8	070		29.50	8	+0.14	29.69	FM-12		
20	1952	6	OVC:08 5		-RA:02 s FG:2 s FG s RA s RA s	61	16.0	60	15.5	59	15.0	94	15	120		29.44				FM-16		29.62
20	1954	7	OVC:08 5	6.00	-RA:02 BR:1 RA RA	60	15.6	59	15.2	59	15.0	96	15	120		29.44			29.63	FM-15	0.02	29.62
20	2054	7	BKN:07 5 OVC:08 11	10.00	-RA:02 RA RA	62	16.7	61	16.0	60	15.6	93	18	130	28	29.41			29.59	FM-15	0.01	29.58
20	2154	7	OVC:08 5	10.00		63	17.2	62	16.6	61	16.1	93	17	130	25	29.34	6	+0.15	29.54	FM-15	0.01	29.52
20	2254	7	BKN:07 7 OVC:08 16	10.00		64	17.8	63	17.1	62	16.7	93	16	140	26	29.31			29.50	FM-15	0.01	29.49
20	2352	6	FEW:02 7 BKN:07 15 OVC:08 24	10.00		66	19.0	64	17.9	63	17.0	88	17	160	26	29.28				FM-16		29.46
20	2354	7	FEW:02 7 BKN:07 15 OVC:08 24	10.00		66	18.9	64	17.9	63	17.2	90	16	160	26	29.28			29.47	FM-15	T	29.46

21	0014	7	BKN:07 13 OVC:08 19	6.00	-RA:02 BR:1 RA RA	66	18.9	64	17.9	63	17.2	90	16	160	24	29.28				FM-16	0.01	29.45
21	0052	6	SCT:04 10 BKN:07 15 OVC:08 24	10.00		66	19.0	64	17.9	63	17.0	88	13	160	22	29.26				FM-16		29.44
21	0054	7	SCT:04 10 BKN:07 15 OVC:08 22	10.00		66	18.9	64	17.9	63	17.2	90	11	180	22	29.26	6	+0.09	29.45	FM-15	0.01	29.44
21	0100	4	15	9.94		66	18.9	64	17.9	63	17.2	90	11	180		29.26	6	+0.09	29.45	FM-12		
21	0154	7	BKN:07 15 BKN:07 27 OVC:08 35	10.00		65	18.3	64	17.7	63	17.2	93	9	160		29.26			29.44	FM-15	T	29.43
21	0230	7	SCT:04 16 BKN:07 35 OVC:08 95	7.00	-RA:02 RA RA	65	18.3	64	17.7	63	17.2	93	11	150		29.25				FM-16	0.01	29.42
21	0254	7	FEW:02 80 OVC:08 100	10.00	-RA:02 RA RA	65	18.3	64	17.7	63	17.2	93	13	160		29.25			29.44	FM-15	0.01	29.42
21	0352	6	BKN:07 12 BKN:07 39 OVC:08 110	10.00	-RA:02 RA RA	64	18.0	63	17.4	63	17.0	94	11	170		29.23				FM-16		29.41
21	0354	7	BKN:07 12 OVC:08 110	10.00	-RA:02 RA RA	64	17.8	63	17.1	62	16.7	93	11	170		29.23	8	+0.02	29.42	FM-15	0.02	29.41
21	0431	7	SCT:04 14 SCT:04 90 OVC:08 110	10.00		64	17.8	63	17.1	62	16.7	93	11	170		29.23				FM-16	0.01	29.41
21	0454	7	SCT:04 13 SCT:04 85 OVC:08 110	10.00	-RA:02 RA RA	64	17.8	63	17.1	62	16.7	93	11	170		29.23			29.42	FM-15	0.01	29.41
21	0554	7	OVC:08 110	10.00		63	17.2	62	16.6	61	16.1	93	11	160		29.23			29.41	FM-15	0.01	29.40
21	0643	7	BKN:07 12 BKN:07 41 OVC:08 100	9.00	-RA:02 RA RA	63	17.2	62	16.6	61	16.1	93	13	150		29.23				FM-16	0.02	29.41
21	0654	7	BKN:07 12 BKN:07 49 OVC:08 100	10.00	-RA:02 RA RA	63	17.2	62	16.6	61	16.1	93	16	150	23	29.23	8	+0.01	29.41	FM-15	0.03	29.40
21	0700	4	15	9.94	RA	63	17.2	62	16.6	61	16.1	93	16	150		29.22	8	+0.01	29.41	FM-12		
21	0721	7	FEW:02 15 OVC:08 95	10.00	-RA:02 RA RA	62	16.7	60	15.7	59	15.0	90	17	150		29.18				FM-16	0.01	29.36
21	0754	7	FEW:02 15 FEW:02 35 BKN:07 110	10.00		62	16.7	60	15.7	59	15.0	90	13	170		29.21			29.39	FM-15	T	29.38
21	0814	7	FEW:02 10 BKN:07 15 OVC:08 21	10.00		61	16.1	60	15.5	59	15.0	93	10	170		29.21				FM-16		29.38
21	0829	7	FEW:02 9 BKN:07 14 OVC:08 25	10.00		61	16.1	60	15.5	59	15.0	93	9	160		29.21				FM-16		29.38
21	0854	7	FEW:02 9 BKN:07 14 BKN:07 90	10.00		62	16.7	60	15.7	59	15.0	90	10	170		29.21			29.39	FM-15	0.00	29.38
21	0932	7	FEW:02 12 BKN:07 60 BKN:07 110	10.00		62	16.7	60	15.7	59	15.0	90	14	140		29.18				FM-16		29.36
21	0954	7	FEW:02 14 BKN:07 47 BKN:07 55	10.00		62	16.7	60	15.7	59	15.0	90	11	150		29.18	6	+0.04	29.37	FM-15	0.00	29.36
21	1041	7	SCT:04 17 BKN:07 25	10.00		63	17.2	61	15.9	59	15.0	87	13	150		29.17				FM-16		29.34
21	1054	7	FEW:02 12 SCT:04 18 BKN:07 23	10.00		64	17.8	61	16.1	59	15.0	84	15	150	22	29.15			29.34	FM-15	0.00	29.33
21	1154	7	FEW:02 16 BKN:07 29 BKN:07 38	10.00		66	18.9	61	16.3	58	14.4	75	16	160	26	29.10			29.28	FM-15	0.00	29.27

21	1212	7	BKN:07 32 BKN:07 44	10.00		68	20.0	61	16.4	57	13.9	68	20	180	28	29.09				FM-16		29.26
21	1254	7	SCT:04 38 BKN:07 60	10.00		67	19.4	60	15.6	55	12.8	66	15	180	26	29.06	8	+0.13	29.24	FM-15	0.00	29.23
21	1300	4	41	9.94		67	19.4	60	15.6	55	12.8	66	15	180		29.05	8	+0.13	29.24	FM-12		
21	1354	7	FEW:02 42 SCT:04 55 BKN:07 65	10.00		68	20.0	59	15.2	53	11.7	59	23	180	34	29.05			29.23	FM-15	0.00	29.22
21	1454	7	FEW:02 45 SCT:04 75	10.00		67	19.4	58	14.7	52	11.1	59	17	190	25	29.03			29.21	FM-15	T	29.20
21	1554	7	FEW:02 50 SCT:04 70	10.00		67	19.4	57	13.9	49	9.4	53	23	190	26	29.03	5	+0.03	29.21	FM-15	0.00	29.20
21	1654	7	FEW:02 55 SCT:04 200	10.00		63	17.2	55	12.7	48	8.9	58	14	190	24	29.05			29.23	FM-15	0.00	29.22
21	1754	7	CLR:00	10.00		59	15.0	52	11.2	46	7.8	62	10	200		29.05			29.23	FM-15	0.00	29.22
21	1854	7	FEW:02 60 SCT:04 90	10.00		58	14.4	52	11.0	46	7.8	65	10	180		29.04	0	-0.01	29.23	FM-15	0.00	29.21
21	1900	4	57	9.94		58	14.4	52	11.0	46	7.8	65	10	180		29.03	9	0.01	29.23	FM-12		
21	1954	7	FEW:02 70 SCT:04 95	10.00		57	13.9	51	10.7	46	7.8	67	15	180		29.05			29.23	FM-15	0.00	29.22
21	2054	7	FEW:02 45 BKN:07 75	10.00		54	12.2	50	10.2	47	8.3	77	14	180		29.07			29.25	FM-15	0.00	29.24
21	2154	7	BKN:07 70 BKN:07 110	10.00		53	11.7	50	10.0	47	8.3	80	14	180		29.09	3	-0.04	29.27	FM-15	0.00	29.26
21	2252	6	BKN:07 27 BKN:07 50 OVC:08 110	10.00		52	11.0	50	10.0	48	9.0	88	9	190		29.10				FM-16		29.28
21	2254	7	BKN:07 27 BKN:07 50 OVC:08 110	10.00		52	11.1	50	10.0	48	8.9	86	9	190		29.10			29.29	FM-15	T	29.28
21	2354	7	BKN:07 17 OVC:08 26	10.00		53	11.7	50	10.2	48	8.9	83	16	240		29.13			29.31	FM-15	0.00	29.30
22	0022	7	BKN:07 17 OVC:08 31	10.00	-RA:02 RA RA	50	10.0	47	8.4	44	6.7	80	17	290	28	29.17				FM-16	T	29.34
22	0052	6	SCT:04 17 OVC:08 37	10.00		50	10.0	46	7.6	41	5.0	71	18	300	26	29.18				FM-16		29.36
22	0054	7	SCT:04 17 OVC:08 37	10.00		50	10.0	46	7.6	41	5.0	71	18	300	26	29.18	3	-0.11	29.38	FM-15	T	29.36
22	0100	4	15	9.94		50	10.0	46	7.6	41	5.0	71	18	300		29.18	3	-0.11	29.38	FM-12		
22	0139	7	BKN:07 29 OVC:08 44	10.00		49	9.4	44	6.8	39	3.9	69	22	300	29	29.23				FM-16		29.40
22	0152	6	OVC:08 31	10.00		48	9.0	44	6.6	39	4.0	71	16	300	25	29.25				FM-16		29.42
22	0154	7	OVC:08 31	10.00		49	9.4	44	6.8	39	3.9	69	15	310		29.25			29.43	FM-15	0.00	29.42
22	0254	7	OVC:08 70	10.00		49	9.4	43	6.2	36	2.2	61	15	300	23	29.28			29.47	FM-15	0.00	29.46
22	0354	7	OVC:08 100	10.00		48	8.9	42	5.7	35	1.7	61	13	280		29.33	1	-0.14	29.52	FM-15	0.00	29.50
22	0454	7	FEW:02 90 BKN:07 110	10.00		48	8.9	41	5.2	33	0.6	56	11	270		29.37			29.56	FM-15	0.00	29.55
22	0554	7	SCT:04 120	10.00		48	8.9	42	5.4	34	1.1	58	11	250		29.42			29.61	FM-15	0.00	29.60
22	0654	7	CLR:00	10.00		48	8.9	42	5.5	34	1.1	58	11	250		29.47	1	-0.13	29.65	FM-15	0.00	29.64
22	0700	4		9.94		48	8.9	42	5.5	34	1.1	58	11	250		29.46	1	-0.13	29.65	FM-12		
22	0754	7	BKN:07 140	10.00		48	8.9	42	5.7	35	1.7	61	11	260		29.52			29.70	FM-15	0.00	29.69
22	0854	7	BKN:07 140	10.00		49	9.4	43	6.0	35	1.7	59	13	250		29.56			29.75	FM-15	0.00	29.74
22	0954	7	BKN:07 140	10.00		50	10.0	43	6.0	34	1.1	54	16	260	24	29.60	1	-0.15	29.80	FM-15	0.00	29.78
22	1054	7	FEW:02 50 FEW:02 130	10.00		52	11.1	44	6.6	34	1.1	50	18	270	25	29.63			29.83	FM-15	0.00	29.81
22	1154	7	FEW:02 50 FEW:02 130	10.00		55	12.8	45	7.2	33	0.6	44	18	280	24	29.64			29.83	FM-15	0.00	29.82
22	1254	7	FEW:02 50	10.00		56	13.3	46	7.5	33	0.6	42	21	260	25	29.66	1	-0.06	29.86	FM-15	0.00	29.84
22	1300	4	57	9.94		56	13.3	46	7.5	33	0.6	42	21	260		29.66	1	-0.06	29.86	FM-12		
22	1354	7	FEW:02 55	10.00		55	12.8	44	6.9	31	-0.6	40	16	290	26	29.69			29.88	FM-15	0.00	29.87
22	1454	7	FEW:02 55	10.00		55	12.8	44	6.9	31	-0.6	40	17	290	23	29.72			29.91	FM-15	0.00	29.90
22	1554	7	FEW:02 50	10.00		54	12.2	44	6.6	31	-0.6	42	14	310		29.75	3	-0.08	29.94	FM-15	0.00	29.93

22	1654	7	FEW:02 50	10.00		51	10.6	42	5.5	30	-1.1	44	10	300		29.79			29.98	FM-15	0.00	29.97
22	1754	7	FEW:02 50	10.00		49	9.4	41	5.2	31	-0.6	50	9	290		29.82			30.01	FM-15	0.00	30.00
22	1854	7	CLR:00	10.00		47	8.3	40	4.4	30	-1.1	52	6	290		29.84	1	-0.09	30.04	FM-15	0.00	30.02
22	1900	4		9.94		47	8.3	40	4.4	30	-1.1	52	6	290		29.84	1	-0.09	30.04	FM-12		
22	1954	7	CLR:00	10.00		45	7.2	39	3.8	30	-1.1	56	6	280		29.86			30.06	FM-15	0.00	30.04
22	2054	7	CLR:00	10.00		44	6.7	38	3.5	30	-1.1	58	6	260		29.88			30.08	FM-15	0.00	30.06
22	2154	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	6	270		29.91	3	-0.07	30.11	FM-15	0.00	30.09
22	2254	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	5	250		29.93			30.13	FM-15	0.00	30.11
22	2354	7	CLR:00	10.00		38	3.3	35	1.8	31	-0.6	76	0	000		29.94			30.14	FM-15	0.00	30.12
23	0054	7	CLR:00	10.00		34	1.1	32	0.1	29	-1.7	82	3	160		29.94	0	-0.02	30.13	FM-15	0.00	30.12
23	0100	4		9.94		34	1.1	32	0.1	29	-1.7	82	3	160		29.94	9	0.02	30.13	FM-12		
23	0154	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	0	000		29.95			30.14	FM-15	0.00	30.13
23	0254	7	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	3	130		29.95			30.15	FM-15	0.00	30.13
23	0354	7	CLR:00	10.00		32	0.0	31	-0.8	28	-2.2	85	0	000		29.98	3	-0.04	30.17	FM-15	0.00	30.16
23	0454	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		29.99			30.19	FM-15	0.00	30.17
23	0554	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	3	210		30.01			30.20	FM-15	0.00	30.19
23	0654	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		30.02	1	-0.04	30.21	FM-15	0.00	30.20
23	0700	4		9.94		30	-1.1	29	-1.9	26	-3.3	85	0	000		30.02	1	-0.04	30.21	FM-12		
23	0754	7	CLR:00	10.00		29	-1.7	28	-2.1	27	-2.8	92	0	000		30.02			30.22	FM-15	0.00	30.20
23	0854	7	CLR:00	10.00		35	1.7	34	1.0	32	0.0	89	0	000		30.05			30.24	FM-15	0.00	30.23
23	0954	7	CLR:00	10.00		42	5.6	39	3.7	34	1.1	73	6	130		30.05	3	-0.04	30.25	FM-15	0.00	30.23
23	1054	7	FEW:02 250	10.00		45	7.2	40	4.2	32	0.0	61	9	140		30.04			30.23	FM-15	0.00	30.22
23	1154	7	CLR:00	10.00		48	8.9	41	5.3	33	0.6	56	10	190		30.00			30.20	FM-15	0.00	30.18
23	1254	7	FEW:02 300	10.00		49	9.4	42	5.6	33	0.6	55	6	120		29.97	8	+0.09	30.16	FM-15	0.00	30.15
23	1300	4		9.94		49	9.4	42	5.6	33	0.6	55	6	120		29.97	8	+0.09	30.16	FM-12		
23	1354	7	FEW:02 300	10.00		50	10.0	43	5.9	33	0.6	52	7	130		29.94			30.13	FM-15	0.00	30.12
23	1454	7	FEW:02 100 SCT:04 300	10.00		51	10.6	43	5.9	32	0.0	48	9	140		29.92			30.11	FM-15	0.00	30.10
23	1554	7	FEW:02 100 SCT:04 250	10.00		51	10.6	42	5.7	31	-0.6	46	6	160		29.90	6	+0.07	30.09	FM-15	0.00	30.08
23	1654	7	FEW:02 120 FEW:02 300	10.00		48	8.9	41	5.1	32	0.0	54	5	150		29.90			30.09	FM-15	0.00	30.08
23	1754	7	FEW:02 150 FEW:02 300	10.00		43	6.1	39	4.0	34	1.1	71	6	110		29.90			30.09	FM-15	0.00	30.08
23	1854	7	BKN:07 100	10.00		44	6.7	40	4.7	36	2.2	73	3	170		29.92	3	-0.03	30.12	FM-15	0.00	30.10
23	1900	4		9.94		44	6.7	40	4.7	36	2.2	73	3	170		29.92	3	-0.03	30.12	FM-12		
23	1954	7	SCT:04 50 OVC:08 80	10.00		45	7.2	41	5.2	37	2.8	74	5	140		29.91			30.11	FM-15	T	30.09
23	2054	7	OVC:08 60	10.00		45	7.2	41	5.0	36	2.2	71	7	140		29.88			30.07	FM-15	0.00	30.06
23	2154	7	OVC:08 60	10.00		44	6.7	41	5.2	38	3.3	79	5	140		29.86	8	+0.06	30.06	FM-15	T	30.04
23	2254	7	OVC:08 45	10.00		45	7.2	42	5.5	38	3.3	77	8	170		29.84			30.04	FM-15	T	30.02
23	2354	7	OVC:08 30	10.00		46	7.8	43	6.0	39	3.9	77	8	200		29.82			30.02	FM-15	T	30.00
24	0054	7	FEW:02 33 BKN:07 55	10.00		44	6.7	41	5.2	38	3.3	79	7	230		29.82	6	+0.04	30.01	FM-15	0.00	30.00
24	0100	4	26	9.94		44	6.7	41	5.2	38	3.3	79	7	230		29.82	6	+0.04	30.01	FM-12		
24	0154	7	CLR:00	10.00		44	6.7	42	5.4	39	3.9	83	7	270		29.84			30.03	FM-15	0.00	30.02
24	0254	7	CLR:00	10.00		41	5.0	39	4.0	37	2.8	86	11	320		29.87			30.06	FM-15	0.00	30.05
24	0354	7	CLR:00	10.00		39	3.9	37	3.0	35	1.7	86	9	320		29.89	1	-0.07	30.09	FM-15	0.00	30.07
24	0454	7	CLR:00	10.00		38	3.3	36	2.4	34	1.1	86	5	280		29.91			30.11	FM-15	0.00	30.09
24	0554	7	CLR:00	10.00		36	2.2	35	1.5	33	0.6	89	5	320		29.94			30.13	FM-15	0.00	30.12
24	0654	7	FEW:02 300	10.00		37	2.8	35	1.9	33	0.6	86	6	260		29.97	3	-0.08	30.17	FM-15	0.00	30.15
24	0700	4		9.94		37	2.8	35	1.9	33	0.6	86	6	260		29.97	3	-0.08	30.17	FM-12		
24	0754	7	FEW:02 50 BKN:07 300	10.00		36	2.2	35	1.5	33	0.6	89	0	000		29.99			30.19	FM-15	0.00	30.17
24	0854	7	FEW:02 50 BKN:07 300	10.00		42	5.6	39	4.1	36	2.2	79	5	270		30.02			30.22	FM-15	0.00	30.20
24	0954	7	FEW:02 50 BKN:07 240	10.00		46	7.8	41	5.1	35	1.7	66	6	VRB		30.04	1	-0.07	30.24	FM-15	0.00	30.22

24	1054	7	FEW:02 48 BKN:07 230	10.00		50	10.0	41	5.1	29	-1.7	44	14	310		30.04			30.23	FM-15	0.00	30.22
24	1154	7	FEW:02 50 BKN:07 240	10.00		50	10.0	41	4.9	28	-2.2	43	16	290		30.01			30.21	FM-15	0.00	30.19
24	1254	7	FEW:02 55 FEW:02 240	10.00		50	10.0	40	4.5	26	-3.3	39	11	300		30.00	8	+0.04	30.19	FM-15	0.00	30.18
24	1300	4	57	9.94		50	10.0	40	4.5	26	-3.3	39	11	300		30.00	8	+0.04	30.19	FM-12		
24	1354	7	FEW:02 50	10.00		50	10.0	40	4.7	27	-2.8	41	9	290		29.99			30.18	FM-15	0.00	30.17
24	1454	7	FEW:02 50	10.00		50	10.0	40	4.4	25	-3.9	38	13	290		30.00			30.19	FM-15	0.00	30.18
24	1554	7	FEW:02 50	10.00		49	9.4	38	3.6	22	-5.6	35	11	290		30.00	3	-0.00	30.19	FM-15	0.00	30.18
24	1654	7	CLR:00	10.00		46	7.8	37	2.8	23	-5.0	40	9	270		30.00			30.20	FM-15	0.00	30.18
24	1754	7	CLR:00	10.00		43	6.1	35	1.9	23	-5.0	45	7	210		30.02			30.21	FM-15	0.00	30.20
24	1854	7	CLR:00	10.00		44	6.7	36	2.1	22	-5.6	41	6	260		30.03	3	-0.03	30.22	FM-15	0.00	30.21
24	1900	4		9.94		44	6.7	36	2.1	22	-5.6	41	6	260		30.03	3	-0.03	30.22	FM-12		
24	1954	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	6	150		30.04			30.23	FM-15	0.00	30.22
24	2054	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	5	210		30.05			30.24	FM-15	0.00	30.23
24	2154	7	CLR:00	10.00		35	1.7	31	-0.5	24	-4.4	64	5	200		30.06	3	-0.03	30.26	FM-15	0.00	30.24
24	2254	7	CLR:00	10.00		35	1.7	31	-0.5	24	-4.4	64	3	350		30.07			30.27	FM-15	0.00	30.25
24	2354	7	FEW:02 300	10.00		31	-0.6	28	-2.1	23	-5.0	72	0	000		30.08			30.27	FM-15	0.00	30.26
25	0054	7	BKN:07 250	10.00		32	0.0	29	-1.4	25	-3.9	75	0	000		30.07	0	-0.01	30.27	FM-15	0.00	30.25
25	0100	4		9.94		32	0.0	29	-1.4	25	-3.9	75	0	000		30.07	9	0.01	30.27	FM-12		
25	0154	7	BKN:07 230	10.00		30	-1.1	28	-2.3	24	-4.4	79	0	000		30.09			30.29	FM-15	0.00	30.27
25	0254	7	FEW:02 220	10.00		30	-1.1	28	-2.3	24	-4.4	79	0	000		30.11			30.30	FM-15	0.00	30.29
25	0354	7	FEW:02 220	10.00		28	-2.2	27	-3.0	24	-4.4	85	0	000		30.10	0	-0.03	30.30	FM-15	0.00	30.28
25	0454	7	SCT:04 200	10.00		31	-0.6	29	-1.9	24	-4.4	76	0	000		30.14			30.34	FM-15	0.00	30.32
25	0554	7	SCT:04 180	10.00		28	-2.2	26	-3.2	23	-5.0	81	0	000		30.17			30.37	FM-15	0.00	30.35
25	0654	7	FEW:02 170	10.00		28	-2.2	26	-3.3	22	-5.6	78	0	000		30.16	0	-0.06	30.36	FM-15	0.00	30.34
25	0700	4		9.94		28	-2.2	26	-3.3	22	-5.6	78	0	000		30.16	9	0.06	30.36	FM-12		
25	0754	7	FEW:02 160 SCT:04 250	10.00		30	-1.1	28	-2.1	25	-3.9	82	0	000		30.18			30.38	FM-15	0.00	30.36
25	0854	7	FEW:02 120 SCT:04 250	10.00		35	1.7	33	0.4	29	-1.7	78	0	000		30.20			30.40	FM-15	0.00	30.38
25	0954	7	FEW:02 150 BKN:07 300	10.00		40	4.4	35	1.5	26	-3.3	58	7	070		30.21	1	-0.05	30.41	FM-15	0.00	30.39
25	1054	7	BKN:07 120 BKN:07 170 OVC:08 300	10.00		41	5.0	35	1.6	25	-3.9	53	3	050		30.21			30.40	FM-15	0.00	30.39
25	1154	7	FEW:02 110 BKN:07 150 BKN:07 300	10.00		42	5.6	35	1.8	24	-4.4	49	0	000		30.18			30.37	FM-15	0.00	30.36
25	1254	7	BKN:07 150 BKN:07 300	10.00		43	6.1	36	2.2	25	-3.9	49	0	000		30.16	8	+0.06	30.35	FM-15	0.00	30.34
25	1300	4		9.94		43	6.1	36	2.2	25	-3.9	49	0	000		30.16	8	+0.06	30.35	FM-12		
25	1354	7	BKN:07 140 BKN:07 300	10.00		44	6.7	37	2.7	26	-3.3	49	5	010		30.16			30.36	FM-15	0.00	30.34
25	1454	7	BKN:07 130 OVC:08 300	10.00		43	6.1	36	2.4	26	-3.3	51	3	020		30.17			30.37	FM-15	0.00	30.35
25	1554	7	FEW:02 70 BKN:07 130 BKN:07 300	10.00		43	6.1	36	2.4	26	-3.3	51	5	060		30.16	0	-0.00	30.36	FM-15	0.00	30.34
25	1654	7	SCT:04 130 SCT:04 300	10.00		40	4.4	35	1.5	26	-3.3	58	5	060		30.17			30.37	FM-15	0.00	30.35
25	1754	7	FEW:02 130 FEW:02 300	10.00		38	3.3	34	1.0	27	-2.8	65	3	040		30.18			30.38	FM-15	0.00	30.36
25	1854	7	FEW:02 130 FEW:02 300	10.00		34	1.1	31	-0.5	26	-3.3	73	0	000		30.19	3	-0.04	30.39	FM-15	0.00	30.37
25	1900	4		9.94		34	1.1	31	-0.5	26	-3.3	73	0	000		30.19	3	-0.04	30.39	FM-12		
25	1954	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	0	000		30.21			30.41	FM-15	0.00	30.39
25	2054	7	CLR:00	10.00		32	0.0	29	-1.4	25	-3.9	75	0	000		30.21			30.41	FM-15	0.00	30.39
25	2154	7	CLR:00	9.00		31	-0.6	29	-1.9	24	-4.4	76	0	000		30.22	1	-0.03	30.42	FM-15	0.00	30.40
25	2254	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	0	000		30.22			30.42	FM-15	0.00	30.40

25	2354	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	3	020		30.23			30.42	FM-15	0.00	30.41
26	0054	7	CLR:00	10.00		28	-2.2	26	-3.2	23	-5.0	81	0	000		30.24	3	-0.02	30.44	FM-15	0.00	30.42
26	0100	4		9.94		28	-2.2	26	-3.2	23	-5.0	81	0	000		30.24	3	-0.02	30.44	FM-12		
26	0154	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	0	000		30.26			30.46	FM-15	0.00	30.44
26	0254	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	0	000		30.28			30.48	FM-15	0.00	30.46
26	0354	7	CLR:00	9.00		28	-2.2	26	-3.2	23	-5.0	81	3	350		30.29	1	-0.04	30.48	FM-15	0.00	30.47
26	0454	7	CLR:00	9.00		27	-2.8	25	-3.7	22	-5.6	81	0	000		30.29			30.49	FM-15	0.00	30.47
26	0554	7	CLR:00	9.00		27	-2.8	26	-3.5	23	-5.0	85	3	360		30.31			30.51	FM-15	0.00	30.49
26	0654	7	CLR:00	10.00		26	-3.3	25	-4.1	22	-5.6	84	0	000		30.32	3	-0.04	30.52	FM-15	0.00	30.50
26	0700	4		9.94		26	-3.3	25	-4.1	22	-5.6	84	0	000		30.32	3	-0.04	30.52	FM-12		
26	0754	7	CLR:00	9.00		28	-2.2	27	-3.0	24	-4.4	85	0	000		30.35			30.55	FM-15	0.00	30.53
26	0854	7	CLR:00	9.00		33	0.6	31	-0.5	28	-2.2	82	3	330		30.38			30.58	FM-15	0.00	30.56
26	0954	7	CLR:00	10.00		39	3.9	35	1.5	28	-2.2	65	5	030		30.40	1	-0.08	30.60	FM-15	0.00	30.58
26	1054	7	CLR:00	10.00		42	5.6	35	1.8	24	-4.4	49	0	000		30.39			30.59	FM-15	0.00	30.57
26	1154	7	CLR:00	10.00		45	7.2	37	2.7	24	-4.4	44	3	350		30.36			30.56	FM-15	0.00	30.54
26	1254	7	CLR:00	10.00		47	8.3	38	3.5	25	-3.9	42	3	070		30.34	8	+0.06	30.53	FM-15	0.00	30.52
26	1300	4		9.94		47	8.3	38	3.5	25	-3.9	42	3	070		30.34	8	+0.06	30.53	FM-12		
26	1354	7	FEW:02 300	10.00		48	8.9	39	3.8	25	-3.9	41	0	000		30.33			30.53	FM-15	0.00	30.51
26	1454	7	FEW:02 300	10.00		50	10.0	40	4.6	26	-3.3	39	0	000		30.33			30.53	FM-15	0.00	30.51
26	1554	7	FEW:02 300	10.00		48	8.9	39	4.1	27	-2.8	44	0	000		30.34	3	-0.00	30.53	FM-15	0.00	30.52
26	1654	7	FEW:02 300	10.00		45	7.2	38	3.1	26	-3.3	48	3	130		30.34			30.54	FM-15	0.00	30.52
26	1754	7	FEW:02 300	10.00		41	5.0	36	2.2	28	-2.2	60	3	130		30.35			30.55	FM-15	0.00	30.53
26	1854	7	FEW:02 300	10.00		38	3.3	34	1.2	28	-2.2	68	0	000		30.36	2	-0.02	30.56	FM-15	0.00	30.54
26	1900	4		9.94		38	3.3	34	1.2	28	-2.2	68	0	000		30.36	2	-0.02	30.56	FM-12		
26	1954	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	0	000		30.36			30.56	FM-15	0.00	30.54
26	2054	7	CLR:00	10.00		34	1.1	31	-0.3	27	-2.8	75	0	000		30.38			30.58	FM-15	0.00	30.56
26	2154	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	0	000		30.37	0	-0.02	30.58	FM-15	0.00	30.55
26	2254	7	FEW:02 300	10.00		31	-0.6	29	-1.6	26	-3.3	82	0	000		30.38			30.57	FM-15	0.00	30.56
26	2354	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	0	000		30.36			30.56	FM-15	0.00	30.54
27	0054	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	0	000		30.37	5	+0.01	30.57	FM-15	0.00	30.55
27	0100	4		9.94		29	-1.7	27	-2.6	24	-4.4	82	0	000		30.37	5	+0.01	30.57	FM-12		
27	0154	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	0	000		30.37			30.57	FM-15	0.00	30.55
27	0254	7	CLR:00	10.00		28	-2.2	27	-3.0	24	-4.4	85	3	040		30.36			30.56	FM-15	0.00	30.54
27	0354	7	CLR:00	9.00		28	-2.2	26	-3.2	23	-5.0	81	0	000		30.36	8	+0.01	30.56	FM-15	0.00	30.54
27	0454	7	CLR:00	10.00		28	-2.2	27	-3.0	24	-4.4	85	0	000		30.37			30.57	FM-15	0.00	30.55
27	0554	7	FEW:02 300	9.00		27	-2.8	26	-3.5	23	-5.0	85	0	000		30.37			30.58	FM-15	0.00	30.55
27	0654	7	FEW:02 250 SCT:04 300	9.00		27	-2.8	26	-3.5	23	-5.0	85	0	000		30.38	1	-0.02	30.58	FM-15	0.00	30.56
27	0700	4		8.70		27	-2.8	26	-3.5	23	-5.0	85	0	000		30.38	1	-0.02	30.58	FM-12		
27	0754	7	FEW:02 250 SCT:04 300	7.00		27	-2.8	26	-3.2	25	-3.9	92	0	000		30.39			30.59	FM-15	0.00	30.57
27	0854	7	BKN:07 220	7.00		34	1.1	32	0.1	29	-1.7	82	3	040		30.41			30.61	FM-15	0.00	30.59
27	0954	7	FEW:02 150 BKN:07 200	10.00		41	5.0	37	3.0	32	0.0	70	3	040		30.42	1	-0.04	30.61	FM-15	0.00	30.60
27	1054	7	BKN:07 200 BKN:07 300	10.00		45	7.2	40	4.2	32	0.0	61	8	120		30.40			30.59	FM-15	0.00	30.58
27	1154	7	SCT:04 200 BKN:07 250	10.00		49	9.4	41	5.2	31	-0.6	50	9	120		30.34			30.54	FM-15	0.00	30.52
27	1254	7	FEW:02 180 BKN:07 230	10.00		50	10.0	42	5.7	32	0.0	50	11	110		30.31	8	+0.11	30.50	FM-15	0.00	30.49
27	1300	4		9.94		50	10.0	42	5.7	32	0.0	50	11	110		30.31	8	+0.11	30.50	FM-12		
27	1354	7	SCT:04 55 BKN:07 240	10.00		51	10.6	43	6.2	33	0.6	50	7	130		30.30			30.50	FM-15	0.00	30.48
27	1454	7	BKN:07 43 BKN:07 55 BKN:07 250	10.00		51	10.6	44	6.6	35	1.7	54	9	090		30.30			30.50	FM-15	0.00	30.48
27	1554	7	BKN:07 45 OVC:08 55	10.00		50	10.0	44	6.9	38	3.3	63	8	100		30.29	8	+0.02	30.48	FM-15	0.00	30.47

27	1654	7	BKN:07 43 BKN:07 250	10.00		48	8.9	43	6.4	38	3.3	68	8	110		30.26			30.46	FM-15	0.00	30.44
27	1754	7	OVC:08 35	10.00		48	8.9	43	6.4	38	3.3	68	8	110		30.27			30.47	FM-15	0.00	30.45
27	1854	7	BKN:07 34 OVC:08 50	10.00		48	8.9	44	6.6	39	3.9	71	10	110		30.26	6	+0.03	30.46	FM-15	0.00	30.44
27	1900	4	41	9.94		48	8.9	44	6.6	39	3.9	71	10	110		30.26	6	+0.03	30.46	FM-12		
27	1954	7	FEW:02 30 OVC:08 47	10.00		47	8.3	43	6.3	39	3.9	74	8	120		30.25			30.45	FM-15	0.00	30.43
27	2054	7	OVC:08 40	10.00		47	8.3	44	6.8	41	5.0	80	9	120		30.21			30.40	FM-15	0.00	30.39
27	2154	7	OVC:08 37	10.00		48	8.9	45	7.3	42	5.6	80	6	120		30.18	8	+0.08	30.37	FM-15	0.00	30.36
27	2245	7	BKN:07 25 OVC:08 34	6.00	-RA:02 RA RA	48	8.9	46	7.6	43	6.1	83	5	140		30.17				FM-16	T	30.35
27	2254	7	BKN:07 18 OVC:08 32	4.00	-RA:02 BR:1 RA RA	47	8.3	46	7.5	44	6.7	90	3	140		30.17			30.37	FM-15	T	30.35
27	2325	7	BKN:07 14 BKN:07 19 OVC:08 28	4.00	-RA:02 BR:1 RA RA	47	8.3	46	7.5	44	6.7	90	5	100		30.15				FM-16	0.01	30.33
27	2334	7	FEW:02 9 OVC:08 15	3.00	-RA:02 BR:1 RA RA	47	8.3	46	7.5	44	6.7	90	5	120		30.14				FM-16	0.02	30.32
27	2354	7	FEW:02 9 OVC:08 15	4.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	3	090		30.13			30.33	FM-15	0.04	30.31
28	0009	7	OVC:08 13	2.50	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	0	000		30.13				FM-16	T	30.31
28	0035	7	BKN:07 8 BKN:07 16 OVC:08 21	2.50	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	5	070		30.11				FM-16	0.01	30.29
28	0052	6	FEW:02 8 BKN:07 31 OVC:08 44	4.00	BR:1	46	8.0	46	7.5	45	7.0	93	6	050		30.09				FM-16		30.27
28	0054	7	FEW:02 8 BKN:07 33 OVC:08 44	4.00	BR:1	47	8.3	46	7.8	45	7.2	93	6	050		30.09	8	+0.09	30.28	FM-15	0.01	30.27
28	0100	4	8	3.73		47	8.3	46	7.8	45	7.2	93	6	050		30.09	8	+0.09	30.28	FM-12		
28	0154	7	SCT:04 26 OVC:08 33	3.00	-RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	93	0	000		30.07			30.26	FM-15	0.01	30.25
28	0210	7	OVC:08 26	5.00	BR:1	48	8.9	47	8.3	46	7.8	93	3	090		30.06				FM-16	T	30.24
28	0254	7	OVC:08 28	7.00		49	9.4	48	8.9	47	8.3	93	0	000		30.04			30.23	FM-15	T	30.22
28	0354	7	OVC:08 18	4.00	RA:02 BR:1 RA RA	49	9.4	48	8.9	47	8.3	93	0	000		30.02	6	+0.07	30.21	FM-15	0.02	30.20
28	0410	7	OVC:08 14	2.50	-RA:02 BR:1 RA RA	49	9.4	48	8.9	47	8.3	93	5	050		30.00				FM-16	0.02	30.18
28	0428	7	OVC:08 14	4.00	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	0	000		29.99				FM-16	0.04	30.17
28	0454	7	OVC:08 10	5.00	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	6	100		29.96			30.15	FM-15	0.05	30.14
28	0526	7	OVC:08 9	2.50	+RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	10	150		29.96				FM-16	0.04	30.14
28	0535	7	OVC:08 10	3.00	RA:02 BR:1 RA RA	56	13.3	55	12.7	54	12.2	93	11	150		29.95				FM-16	0.08	30.13
28	0552	6	BKN:07 8 OVC:08 13	6.00	-RA:02 BR:1 RA RA	57	14.0	56	13.3	55	13.0	94	13	150		29.94				FM-16		30.12
28	0554	7	BKN:07 8 OVC:08 13	6.00	-RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	93	13	150		29.93			30.12	FM-15	0.11	30.11
28	0654	7	BKN:07 7 OVC:08 12	6.00	-RA:02 BR:1 RA RA	58	14.4	57	14.1	57	13.9	97	13	160	23	29.92	6	+0.10	30.11	FM-15	0.05	30.10
28	0700	4	8	5.59	RA	58	14.4	57	14.1	57	13.9	97	13	160		29.92	6	+0.10	30.11	FM-12		
28	0754	7	OVC:08 6	6.00	BR:1	60	15.6	59	14.9	58	14.4	93	14	160		29.92			30.11	FM-15	0.02	30.10
28	0854	7	OVC:08 6	6.00	BR:1	61	16.1	60	15.8	60	15.6	97	15	170		29.90			30.09	FM-15	0.00	30.08
28	0954	7	BKN:07 9 OVC:08 13	7.00		63	17.2	62	16.6	61	16.1	93	15	190		29.88	8	+0.04	30.07	FM-15	0.00	30.06
28	1003	7	BKN:07 10 OVC:08 14	7.00		64	17.8	62	16.8	61	16.1	90	13	180	24	29.87				FM-16		30.05
28	1040	7	BKN:07 15 OVC:08 20	7.00	-RA:02 RA RA	65	18.3	63	17.3	62	16.7	90	16	180		29.86				FM-16	T	30.04
28	1054	7	FEW:02 11 BKN:07 15 OVC:08 22	3.00	-RA:02 BR:1 RA RA	65	18.3	63	17.3	62	16.7	90	16	190		29.85			30.04	FM-15	0.01	30.03

28	1149	7	BKN:07 4 BKN:07 14 OVC:08 24	2.50	-RA:02 BR:1 RA RA	59	15.0	58	14.4	57	14.0	94	14	300		29.82				FM-16	0.06	30.00
28	1152	6	BKN:07 4 BKN:07 14 OVC:08 24	2.50	+RA:02 BR:1 RA RA	55	13.0	54	12.5	54	12.0	94	15	310		29.82				FM-16		30.00
28	1154	7	BKN:07 5 BKN:07 15 OVC:08 24	2.50	+RA:02 BR:1 RA RA	55	12.8	54	12.5	54	12.2	96	11	310		29.82			30.01	FM-15	0.10	30.00
28	1200	7	BKN:07 6 OVC:08 16	1.25	+RA:02 BR:1 RA RA	54	12.2	53	11.6	52	11.1	93	13	300		29.82				FM-16	0.03	30.00
28	1220	7	BKN:07 7 BKN:07 11 OVC:08 19	1.50	+RA:02 BR:1 RA RA	53	11.7	52	11.4	52	11.1	96	5	310		29.80				FM-16	0.18	29.98
28	1230	7	BKN:07 6 BKN:07 11 OVC:08 19	2.00	RA:02 BR:1 RA RA	54	12.2	53	11.6	52	11.1	93	5	330		29.79				FM-16	0.20	29.97
28	1245	7	BKN:07 4 BKN:07 11 OVC:08 19	1.50	RA:02 BR:1 RA RA	53	11.7	52	11.1	51	10.6	93	15	300		29.81				FM-16	0.22	29.99
28	1254	7	BKN:07 4 BKN:07 11 OVC:08 19	1.50	RA:02 BR:1 RA RA	52	11.1	51	10.8	51	10.6	97	9	300		29.81	6	+0.07	30.00	FM-15	0.27	29.99
28	1300	4	5	1.49	RA	52	11.1	51	10.8	51	10.6	97	9	300		29.81	6	+0.07	30.00	FM-12		
28	1301	7	SCT:04 4 BKN:07 11 OVC:08 17	1.25	RA:02 BR:1 RA RA	53	11.7	52	11.1	51	10.6	93	9	300		29.80				FM-16	0.02	29.98
28	1315	7	FEW:02 5 BKN:07 14 OVC:08 33	2.50	RA:02 BR:1 RA RA	54	12.2	53	11.6	52	11.1	93	11	290		29.80				FM-16	0.07	29.98
28	1340	7	FEW:02 5 BKN:07 16 OVC:08 33	2.00	-RA:02 BR:1 RA RA	54	12.2	53	11.9	53	11.7	97	7	270		29.80				FM-16	0.10	29.98
28	1354	7	FEW:02 4 BKN:07 15 OVC:08 33	2.50	-RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	8	270		29.80			29.99	FM-15	0.11	29.98
28	1416	7	SCT:04 4 BKN:07 18 OVC:08 23	1.50	-RA:02 BR:1 RA RA	56	13.3	55	13.0	55	12.8	97	6	250		29.79				FM-16	0.02	29.97
28	1454	7	SCT:04 4 BKN:07 23 OVC:08 35	1.75	-RA:02 BR:1 RA RA	57	13.9	56	13.6	56	13.3	96	7	260		29.80			29.99	FM-15	0.07	29.98
28	1515	7	FEW:02 5 OVC:08 28	1.25	RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	93	9	280		29.81				FM-16	0.08	29.99
28	1530	7	FEW:02 5 BKN:07 45 OVC:08 65	4.00	-RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	93	7	270		29.80				FM-16	0.15	29.98
28	1546	7	FEW:02 5 BKN:07 49 OVC:08 70	2.50	RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	93	5	280		29.79				FM-16	0.21	29.97
28	1552	6	FEW:02 5 BKN:07 49 OVC:08 70	7.00	-RA:02 RA RA	57	14.0	56	13.3	55	13.0	94	3	240		29.78				FM-16		29.96
28	1554	7	FEW:02 5 BKN:07 49 OVC:08 70	6.00	-RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	93	5	230		29.79	7	+0.02	29.98	FM-15	0.24	29.97
28	1654	7	SCT:04 3 BKN:07 40 OVC:08 110	10.00	-RA:02 RA RA	57	13.9	56	13.3	55	12.8	93	8	170		29.75			29.94	FM-15	0.04	29.93
28	1712	7	BKN:07 3 OVC:08 80	10.00	-RA:02 RA RA	56	13.3	55	13.0	55	12.8	97	7	230		29.78				FM-16	0.02	29.96
28	1754	7	BKN:07 3 OVC:08 100	10.00	-RA:02 RA RA	57	13.9	56	13.3	55	12.8	93	9	160		29.72			29.92	FM-15	0.03	29.90
28	1854	7	OVC:08 6	9.00		57	13.9	56	13.3	55	12.8	93	9	310		29.77	5	+0.02	29.96	FM-15	0.01	29.95
28	1900	4	5	8.70		57	13.9	56	13.3	55	12.8	93	9	310		29.77	5	+0.02	29.96	FM-12		

28	1952	6	SCT:04 6 OVC:08 150	10.00		55	13.0	54	12.5	54	12.0	94	5	180		29.77				FM-16		29.95
28	1954	7	SCT:04 6 OVC:08 150	10.00		55	12.8	54	12.5	54	12.2	96	6	180		29.76			29.96	FM-15	0.00	29.94
28	2054	7	FEW:02 6 OVC:08 150	10.00		54	12.2	53	11.9	53	11.7	97	7	220		29.82			30.01	FM-15	0.00	30.00
28	2154	7	OVC:08 170	10.00		55	12.8	54	12.2	53	11.7	93	8	240		29.80	0	-0.03	29.99	FM-15	0.00	29.98
28	2254	7	OVC:08 230	10.00		55	12.8	54	12.2	53	11.7	93	9	230		29.78			29.97	FM-15	0.00	29.96
28	2332	7	SCT:04 6 OVC:08 230	10.00		55	12.8	54	12.2	53	11.7	93	8	230		29.79				FM-16		29.97
28	2354	7	SCT:04 7 BKN:07 250	10.00		55	12.8	54	12.2	53	11.7	93	7	220		29.78			29.97	FM-15	0.00	29.96
29	0052	6	BKN:07 7 OVC:08 250	10.00		55	13.0	54	12.5	54	12.0	94	10	240		29.79				FM-16		29.97
29	0054	7	BKN:07 7 OVC:08 250	10.00		56	13.3	55	12.7	54	12.2	93	9	230		29.79	5	+0.01	29.98	FM-15	0.00	29.97
29	0100	4	8	9.94		56	13.3	55	12.7	54	12.2	93	9	230		29.79	5	+0.01	29.98	FM-12		
29	0154	7	BKN:07 7 BKN:07 250	10.00		56	13.3	55	12.7	54	12.2	93	10	240		29.80			29.99	FM-15	0.00	29.98
29	0254	7	BKN:07 7 BKN:07 250	10.00		56	13.3	54	12.4	53	11.7	90	10	250		29.81			30.00	FM-15	0.00	29.99
29	0352	6	SCT:04 8 SCT:04 250	10.00		54	12.0	53	11.6	52	11.0	94	9	240		29.81				FM-16		29.99
29	0354	7	SCT:04 8 SCT:04 250	10.00		54	12.2	53	11.6	52	11.1	93	8	240		29.81	1	-0.02	30.00	FM-15	0.00	29.99
29	0454	7	FEW:02 8 FEW:02 250	10.00		52	11.1	51	10.5	50	10.0	93	6	230		29.81			30.01	FM-15	0.00	29.99
29	0554	7	SCT:04 300	10.00		53	11.7	51	10.8	50	10.0	89	8	250		29.84			30.03	FM-15	0.00	30.02
29	0654	7	FEW:02 250 BKN:07 300	10.00		52	11.1	50	10.3	49	9.4	89	7	250		29.86	3	-0.05	30.05	FM-15	0.00	30.04
29	0700	4		9.94		52	11.1	50	10.3	49	9.4	89	7	250		29.86	3	-0.05	30.05	FM-12		
29	0754	7	BKN:07 300	10.00		51	10.6	49	9.7	48	8.9	89	5	250		29.89			30.09	FM-15	0.00	30.07
29	0854	7	BKN:07 300	10.00		54	12.2	51	10.8	49	9.4	83	7	250		29.93			30.12	FM-15	0.00	30.11
29	0954	7	BKN:07 250	10.00		57	13.9	53	11.8	50	10.0	78	9	260		29.94	1	-0.08	30.13	FM-15	0.00	30.12
29	1054	7	BKN:07 300	10.00		59	15.0	54	12.1	49	9.4	69	10	250		29.94			30.14	FM-15	0.00	30.12
29	1154	7	FEW:02 35 SCT:04 300	10.00		62	16.7	54	12.3	47	8.3	58	11	250		29.92			30.11	FM-15	0.00	30.10
29	1254	7	FEW:02 50 BKN:07 300	10.00		64	17.8	54	12.0	44	6.7	48	9	250		29.91	8	+0.03	30.10	FM-15	0.00	30.09
29	1300	4	57	9.94		64	17.8	54	12.0	44	6.7	48	9	250		29.91	8	+0.03	30.10	FM-12		
29	1354	7	FEW:02 50 BKN:07 300	10.00		65	18.3	53	11.6	41	5.0	42	11	280		29.92			30.11	FM-15	0.00	30.10
29	1454	7	FEW:02 50 BKN:07 300	10.00		63	17.2	52	11.3	42	5.6	47	6	270		29.93			30.13	FM-15	0.00	30.11
29	1554	7	FEW:02 50 BKN:07 300	10.00		61	16.1	54	12.3	48	8.9	63	7	250		29.94	1	-0.04	30.14	FM-15	0.00	30.12
29	1654	7	FEW:02 50 BKN:07 300	10.00		55	12.8	51	10.5	47	8.3	74	5	210		29.96			30.15	FM-15	0.00	30.14
29	1754	7	FEW:02 35 OVC:08 300	10.00		55	12.8	49	9.5	43	6.1	64	11	050		29.99			30.18	FM-15	0.00	30.17
29	1854	7	BKN:07 300	10.00		52	11.1	46	8.0	40	4.4	64	8	050		30.01	3	-0.06	30.20	FM-15	0.00	30.19
29	1900	4		9.94		52	11.1	46	8.0	40	4.4	64	8	050		30.01	3	-0.06	30.20	FM-12		
29	1954	7	BKN:07 300	10.00		50	10.0	44	6.7	37	2.8	61	8	040		30.01			30.20	FM-15	0.00	30.19
29	2054	7	CLR:00	10.00		48	8.9	43	6.1	37	2.8	66	9	040		30.02			30.22	FM-15	0.00	30.20
29	2118	7	BKN:07 27	10.00		48	8.9	43	5.9	36	2.2	63	8	040		30.02				FM-16		30.20
29	2152	6	SCT:04 27	10.00		46	8.0	42	5.3	36	2.0	66	9	030		30.04				FM-16		30.22
29	2154	7	SCT:04 27	10.00		47	8.3	42	5.4	35	1.7	63	9	040		30.04	3	-0.03	30.23	FM-15	0.00	30.22
29	2254	7	FEW:02 27	10.00		45	7.2	40	4.6	34	1.1	66	10	030		30.04			30.23	FM-15	0.00	30.22
29	2354	7	CLR:00	10.00		42	5.6	38	3.5	33	0.6	71	6	030		30.05			30.24	FM-15	0.00	30.23
30	0054	7	FEW:02 300	10.00		42	5.6	38	3.5	33	0.6	71	3	020		30.05	3	-0.02	30.25	FM-15	0.00	30.23
30	0100	4		9.94		42	5.6	38	3.5	33	0.6	71	3	020		30.05	3	-0.02	30.25	FM-12		

30	0154	7	BKN:07 180 OVC:08 300	10.00		40	4.4	37	3.1	34	1.1	79	3	050		30.06			30.25	FM-15	0.00	30.24
30	0254	7	OVC:08 180	10.00		40	4.4	37	3.1	34	1.1	79	3	060		30.04			30.23	FM-15	0.00	30.22
30	0354	7	OVC:08 180	10.00		40	4.4	38	3.3	35	1.7	83	6	110		29.98	8	+0.08	30.17	FM-15	0.00	30.16
30	0454	7	OVC:08 160	10.00		40	4.4	38	3.3	35	1.7	83	3	340		29.97			30.16	FM-15	0.00	30.15
30	0552	6	BKN:07 20 OVC:08 160	10.00		41	5.0	38	3.4	34	1.0	76	8	330		30.03				FM-16		30.21
30	0554	7	BKN:07 20 OVC:08 160	10.00		41	5.0	38	3.4	34	1.1	76	7	330		30.03			30.22	FM-15	0.00	30.21
30	0654	7	BKN:07 19 BKN:07 160 OVC:08 300	10.00		40	4.4	37	2.8	33	0.6	77	5	020		30.04	3	-0.07	30.24	FM-15	0.00	30.22
30	0700	4	15	9.94		40	4.4	37	2.8	33	0.6	77	5	020		30.04	3	-0.07	30.24	FM-12		
30	0729	7	FEW:02 19 SCT:04 39 OVC:08 160	10.00		40	4.4	37	3.1	34	1.1	79	0	000		30.05				FM-16		30.23
30	0754	7	FEW:02 19 BKN:07 39 OVC:08 160	10.00		41	5.0	38	3.4	34	1.1	76	7	360		30.08			30.28	FM-15	0.00	30.26
30	0854	7	FEW:02 20 SCT:04 40 BKN:07 110	10.00		42	5.6	39	3.9	35	1.7	76	7	040		30.08			30.27	FM-15	0.00	30.26
30	0954	7	FEW:02 40 SCT:04 110 BKN:07 250	10.00		45	7.2	41	5.0	36	2.2	71	6	110		30.07	0	-0.03	30.27	FM-15	0.00	30.25
30	1054	7	FEW:02 40 SCT:04 110 BKN:07 250	10.00		48	8.9	43	6.4	38	3.3	68	0	000		30.06			30.26	FM-15	0.00	30.24
30	1154	7	FEW:02 40 SCT:04 110 BKN:07 250	10.00		51	10.6	45	7.4	39	3.9	64	0	000		30.02			30.21	FM-15	0.00	30.20
30	1254	7	FEW:02 110 BKN:07 250	10.00		52	11.1	46	8.0	40	4.4	64	7	VRB		29.99	8	+0.08	30.19	FM-15	0.00	30.17
30	1300	4		9.94		52	11.1	46	8.0	40	4.4	64	7			29.99	8	+0.08	30.19	FM-12		
30	1354	7	BKN:07 100 BKN:07 250	10.00		51	10.6	46	7.7	40	4.4	66	6	VRB		29.98			30.17	FM-15	0.00	30.16
30	1454	7	BKN:07 95 BKN:07 250	10.00		51	10.6	46	7.7	40	4.4	66	5	180		29.99			30.19	FM-15	0.00	30.17
30	1554	7	BKN:07 85 BKN:07 250	10.00		52	11.1	46	8.0	40	4.4	64	3	130		30.01	3	-0.01	30.20	FM-15	0.00	30.19
30	1654	7	FEW:02 90 BKN:07 250	10.00		51	10.6	46	7.9	41	5.0	69	0	000		30.01			30.21	FM-15	0.00	30.19
30	1754	7	FEW:02 90 BKN:07 300	10.00		48	8.9	45	7.1	41	5.0	77	3	070		30.03			30.22	FM-15	0.00	30.21
30	1854	7	BKN:07 220	10.00		47	8.3	44	6.8	41	5.0	80	3	070		30.05	3	-0.04	30.24	FM-15	0.00	30.23
30	1900	4		9.94		47	8.3	44	6.8	41	5.0	80	3	070		30.05	3	-0.04	30.24	FM-12		
30	1954	7	BKN:07 210	10.00		46	7.8	44	6.5	41	5.0	83	5	100		30.06			30.26	FM-15	0.00	30.24
30	2054	7	BKN:07 200	10.00		45	7.2	43	6.2	41	5.0	86	5	130		30.07			30.26	FM-15	0.00	30.25
30	2154	7	BKN:07 190 OVC:08 250	10.00		44	6.7	42	5.7	40	4.4	85	3	110		30.07	1	-0.02	30.26	FM-15	0.00	30.25
30	2254	7	OVC:08 190	10.00		44	6.7	42	5.7	40	4.4	85	5	130		30.07			30.27	FM-15	0.00	30.25
30	2354	7	BKN:07 180	10.00		42	5.6	41	4.8	39	3.9	89	3	110		30.08			30.27	FM-15	0.00	30.26
31	0054	7	BKN:07 170	10.00		42	5.6	41	4.8	39	3.9	89	0	000		30.08	3	-0.01	30.28	FM-15	0.00	30.26
31	0100	4		9.94		42	5.6	41	4.8	39	3.9	89	0	000		30.08	3	-0.01	30.28	FM-12		
31	0128	7	SCT:04 9 BKN:07 170 BKN:07 220	10.00		42	5.6	41	4.8	39	3.9	89	0	000		30.08				FM-16		30.26
31	0137	7	BKN:07 9 BKN:07 170 BKN:07 220	10.00		43	6.1	42	5.4	40	4.4	89	0	000		30.08				FM-16		30.26
31	0154	7	OVC:08 9	10.00		43	6.1	42	5.4	40	4.4	89	0	000		30.09			30.29	FM-15	0.00	30.27
31	0254	7	OVC:08 9	10.00		43	6.1	42	5.6	41	5.0	93	3	130		30.09			30.29	FM-15	0.00	30.27
31	0354	7	OVC:08 8	10.00		44	6.7	43	6.2	42	5.6	93	3	140		30.08	8	+0.01	30.27	FM-15	0.00	30.26

31	0454	7	OVC:08 7	10.00		45	7.2	44	6.7	43	6.1	93	3	150		30.06			30.26	FM-15	0.00	30.24
31	0552	6	OVC:08 10	10.00		46	8.0	45	7.0	43	6.0	87	3	110		30.08				FM-16		30.26
31	0554	7	OVC:08 10	10.00		46	7.8	45	7.0	43	6.1	89	0	000		30.08			30.27	FM-15	0.00	30.26
31	0654	7	OVC:08 13	10.00		46	7.8	45	7.0	43	6.1	89	0	000		30.10	1	-0.04	30.29	FM-15	0.00	30.28
31	0700	4	15	9.94		46	7.8	45	7.0	43	6.1	89	0	000		30.10	1	-0.04	30.29	FM-12		
31	0749	7	FEW:02 13 OVC:08 26	10.00		46	8.0	46	7.5	45	7.0	93	7	160		30.10				FM-16		30.28
31	0754	7	FEW:02 13 OVC:08 26	10.00		47	8.3	45	7.3	43	6.1	86	7	150		30.10			30.29	FM-15	0.00	30.28
31	0854	7	BKN:07 18 OVC:08 26	8.00	-RA:02 RA RA	47	8.3	46	7.5	44	6.7	90	6	150		30.10			30.29	FM-15	T	30.28
31	0954	7	FEW:02 10 OVC:08 22	8.00		48	8.9	47	8.1	45	7.2	89	8	120		30.08	8	+0.01	30.27	FM-15	0.01	30.26
31	1054	7	OVC:08 21	6.00	-RA:02 BR:1 RA RA	49	9.4	48	8.6	46	7.8	90	5	140		30.07			30.26	FM-15	0.01	30.25
31	1138	7	FEW:02 5 BKN:07 21 OVC:08 36	5.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	47	8.3	93	6	100		30.01				FM-16	0.03	30.19
31	1154	7	SCT:04 6 OVC:08 21	3.00	RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	93	5	120		30.01			30.20	FM-15	0.03	30.19
31	1254	7	SCT:04 6 BKN:07 17 OVC:08 21	3.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	47	8.3	93	0	000		29.98	8	+0.10	30.17	FM-15	0.01	30.16
31	1300	4	5	2.98	RA	49	9.4	48	8.9	47	8.3	93	0	000		29.98	8	+0.10	30.17	FM-12		
31	1309	7	FEW:02 6 BKN:07 16 OVC:08 21	1.75	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	3	090		29.97				FM-16	0.01	30.15
31	1329	7	SCT:04 5 BKN:07 14 OVC:08 21	2.50	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	0	000		29.97				FM-16	0.02	30.15
31	1339	7	BKN:07 5 BKN:07 14 OVC:08 30	1.75	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	6	120		29.95				FM-16	0.04	30.13
31	1352	6	BKN:07 5 BKN:07 15 OVC:08 30	2.00	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	9.0	94	7	130		29.95				FM-16		30.13
31	1354	7	BKN:07 5 BKN:07 15 OVC:08 30	2.00	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	8.9	93	5	130		29.95			30.15	FM-15	0.05	30.13
31	1454	7	BKN:07 5 BKN:07 25 OVC:08 36	2.00	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	49	9.4	92	6	140		29.92			30.12	FM-15	0.02	30.10
31	1511	7	BKN:07 5 OVC:08 18	1.00	RA:02 BR:1 RA RA	51	10.6	50	10.0	49	9.4	92	0	000		29.92				FM-16	0.02	30.10
31	1533	7	OVC:08 5	1.50	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	49	9.4	92	5	150		29.91				FM-16	0.03	30.09
31	1554	7	OVC:08 5	1.75	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	49	9.4	92	5	130		29.90	6	+0.08	30.10	FM-15	0.04	30.08
31	1626	7	OVC:08 3	1.75	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	49	9.4	92	5	130		29.88				FM-16	0.02	30.06
31	1654	7	OVC:08 3	1.75	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	49	9.4	92	6	130		29.87			30.06	FM-15	0.01	30.05
31	1754	7	OVC:08 2	1.50	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.3	50	10.0	96	6	190		29.87			30.06	FM-15	T	30.05
31	1817	7	OVC:08 2	1.00	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.3	50	10.0	96	5	170		29.87				FM-16	T	30.05
31	1854	7	OVC:08 2	1.00	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.5	50	10.0	93	7	170		29.85	6	+0.05	30.04	FM-15	T	30.03
31	1900	4	2	0.99	DZ	52	11.1	51	10.5	50	10.0	93	7	170		29.85	6	+0.05	30.04	FM-12		
31	1952	6	OVC:08 2	1.50	BR:1	54	12.0	54	12.2	54	12.0	100	13	180		29.82				FM-16		30.00
31	1954	7	OVC:08 2	1.50	BR:1	54	12.2	53	11.9	53	11.7	97	11	180		29.82			30.01	FM-15	T	30.00
31	2054	7	OVC:08 3	1.50	BR:1	57	13.9	56	13.3	55	12.8	93	15	180		29.81			30.00	FM-15	0.00	29.99
31	2152	6	OVC:08 3	3.00	BR:1	57	14.0	57	13.9	57	14.0	100	16	180		29.76				FM-16		29.94
31	2154	7	OVC:08 3	3.00	BR:1	58	14.4	57	14.1	57	13.9	97	15	180		29.76	8	+0.09	29.95	FM-15	T	29.94
31	2254	7	BKN:07 4 OVC:08 16	8.00		61	16.1	60	15.5	59	15.0	93	14	190		29.74			29.93	FM-15	0.00	29.92
31	2352	6	FEW:02 4 BKN:07 16 OVC:08 27	10.00	-RA:02 RA RA	64	18.0	63	17.4	63	17.0	94	16	200		29.72				FM-16		29.90

31	2354	7	FEW:02 4 BKN:07 16 OVC:08 27	10.00	-RA:02 RA RA	64	17.8	63	17.1	62	16.7	93	17	200		29.71			29.91	FM-15	T	29.89
----	------	---	------------------------------------	-------	----------------	----	------	----	------	----	------	----	----	-----	--	-------	--	--	-------	-------	---	-------

Local Climatological Data
Hourly Precipitation
December 2018

Generated on 02/06/2019

Date	For Hour (LST) Ending at																						Date		
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID
01									0.01	T	T	T					T	T	0.01	T	0.03	0.02	0.01	0.01	01
02	T	0.05	T	0.01	0.01	T	T	T	T	T		T	T	T	T										02
03																									03
04																							T	T	04
05										T	0.01	0.02	T	T											05
06																									06
07																									07
08																									08
09								T	0.04	0.04	0.04	0.09s	0.10	0.10	0.11	0.11s	0.15	0.12	0.12	0.01	0.01	T		09	
10																									10
11																									11
12																									12
13																T									13
14													T	0.02	0.01	0.07	0.03	0.01	0.01			T			14
15	T	0.01	0.05	0.04	0.03	0.01	0.01	T	0.01	T	0.02	0.01	T	T	0.02	0.01	T		T	0.01	T	0.01	T	T	15
16	0.01	T								T	T	T	T		T			T							16
17																									17
18																									18
19																									19
20							T	T	T			T	0.01	0.05	0.05	0.03	0.09	0.02	0.06	0.02	0.01	0.01	0.01	T	20
21	0.01	T	0.01	0.02	0.01	0.01	0.03	T							T								T		21
22	T																								22
23																					T		T	T	23
24																									24
25																									25
26																									26
27																							T	0.04	27
28	0.01	0.01	T	0.02	0.05	0.11	0.05	0.02			0.01	0.10	0.27	0.11	0.07	0.24	0.04	0.03	0.01					28	
29																									29
30																									30
31									T	0.01	0.01	0.03	0.01	0.05	0.02	0.04	0.01	T	T	T		T		T	31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.06	0.09	0.12	0.15	0.19	0.22	0.29	0.36	0.38	0.42	0.45	0.49
Ending Date Time (yyyy-mm-dd hh:mi)	2018-12-20 16:45	2018-12-28 12:08	2018-12-28 12:15	2018-12-28 12:18	2018-12-28 12:23	2018-12-28 12:29	2018-12-28 12:56	2018-12-28 13:06	2018-12-28 13:34	2018-12-28 13:06	2018-12-28 13:34	2018-12-28 15:47

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing