

# Local Climatological Data Daily Summary March 2018

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W  
 Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Generated on 08/29/2018

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH					
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees			
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
01	55	49	52	8.0	89	50	51	13	0	0641	1803	RA DZ FG BR	0.18	0.0	0	29.60	29.74	5.4	22	260	17	250		
02	56	42	49	4.7	37	23	38	16	0	0640	1804		0.00	0.0	0	29.54	29.78	28.9	58	310	44	310		
03	55	37	46	1.4	41	22	36	19	0	0638	1805		0.00	0.0	0	29.89	30.10	20.8	40	330	30	340		
04	55	35	45	0.2	41	20	35	20	0	0637	1806		0.00	0.0	0	30.01	30.20	15.0	32	360	25	360		
05	50	29	40	-5.1	37	14	31	25	0	0635	1807		0.00	0.0	0	29.95	30.14	10.7	26	350	22	340		
06	47	27	37	-8.4	72	29	34	28	0	0634	1808	RA BR	0.51	0.0	0	29.83	29.98	4.9	16	140	14	140		
07	54	38	46	0.3	69	33	39	19	0	0633	1809	RA BR	0.03	0.0	0	29.54	29.75	12.0	28	300	23	310		
08	47	25	36	-10.0	47	19	32	29	0	0631	1810		0.00	0.0	0	29.68	29.88	8.6	29	280	23	280		
09	48	29	39	-7.3	40	15	30	26	0	0630	1811		0.00	0.0	0	29.77	29.98	10.3	28	260	21	260		
10	49	27	38	-8.6	56	26	35	27	0	0628	1812		0.00	0.0	0	29.85	30.05	2.6	16	180	13	180		
11	47	37	42	-4.9	57	27	36	23	0	0627	1813		0.00	0.0	0	29.90	30.09	6.1	18	030	15	040		
12	40	33	37	-10.2	80	30	34	28	0	0625	1814	RA SN FG BR	0.49	2.0	0	29.67	29.84	12.7	28	350	22	350		
13	49	30	40	-7.5	54	23	33	25	0	0624	1815		0.00	0.0	1	29.67	29.88	13.0	33	320	25	270		
14	45	29	37	-10.8	44	16	30	28	0	0622	1815		T	0.0	0	29.68	29.88	13.2	36	280	26	280		
15	60	28	44	-4.1	41	19	34	21	0	0621	1816		0.00	0.0	0	29.61	29.78	11.4	39	230	29	230		
16	54	29	42	-6.5	42	19	34	23	0	0619	1817		0.00	0.0	0	29.71	29.94	7.5	30	320	23	340		
17	53	24*	39	-9.8	58	26	34	26	0	0618	1818	RA	0.01	0.0	0	29.78	29.95	3.5	14	130	12	150		
18	60	39	50	0.9	49	27	39	15	0	0616	1819	RA	T	0.0	0	29.75	29.95	5.8	22	020	18	010		
19	64	36	50	0.6	59	34	42	15	0	0615	1820	RA	T	0.0	0	29.70	29.88	5.9	19	100	15	090		
20	46	34	40	-9.8	99	38	39	25	0	0613	1821	RA DZ BR	0.70	0.0	0	29.52	29.70	13.8	26	040	21	030		
21	35	32	34	-16.1	99	33	34	31	0	0612	1822	RA DZ FZRA SN PL FG FZFG BR	0.39	2.0	0	29.48	29.69	10.9	24	070	17	010		
22	52	34	43	-7.4	53	25	35	22	0	0610	1823	SN	T	T	1	29.80	30.02	12.5	33	340	26	320		
23	54	31	43	-7.8	43	20	34	22	0	0609	1824		0.00	0.0	0	29.96	30.16	10.4	28	320	22	320		
24	52	32	42	-9.1	46	21	34	23	0	0607	1825		0.00	0.0	0	30.00	30.19	8.0	21	320	16	250		
25	52	32	42	-9.4	69	31	37	23	0	0606	1826		0.00	0.0	0	30.08	30.31	10.5	31	090	25	070		
26	51	29	40	-11.8	68	29	35	25	0	0604	1826		0.00	0.0	0	30.42	30.62	9.4	23	060	18	040		
27	46	30	38	-14.1	86	35	37	27	0	0603	1827	RA BR	0.02	0.0	0	30.30	30.45	4.0	10	100	9	190		
28	74	38	56	3.6	77	49	53	9	0	0601	1828		T	0.0	0	29.88	30.05	5.8	17	030	12	070		
29	83*	53	68	15.2	67	56	61	0	3	0600	1829		0.00	0.0	0	29.76	29.93	11.2	33	220	25	220		
30	76	47	61	7.9	63	51	58	4	0	0558	1830	RA	T	0.0	0	29.67	29.90	15.9	30	220	24	010		
31	62	34	48	-5.4	47	29	42	17	0	0557	1831		0.00	0.0	0	30.07	30.27	7.8	26	130	17	180		
	53.9	33.8	43.9							<b>Monthly Averages   Totals</b>			2.33	4.0		29.81	30.00	10.3						
	-6.1	-3.3	-4.7	<b>Departure from Normal (1981-2010)</b>									-1.71											

Degree Days				Number of days with...											
Monthly		Season-to-date		Temperature				Precipitation		Snow	Weather				
Total	Departure	Total	Departure	Max		Min									
Heating	657	141	3456	>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog			
Cooling	3	-3	9	0	0	16	0	8	5	2					
<b>Date of 5-sec to 3-sec wind equipment change</b>				<b>Sea Level Pressure</b>				<b>Greatest...</b>							
N/A				<b>Maximum</b>		30.67		<b>Date</b>	26		<b>24-Hr...</b>		<b>Snow Depth</b>		
				<b>Minimum</b>		29.50			02		<b>Precip</b>	0.70		<b>Snowfall</b>	2.0
										<b>Date</b>					
										20-20		21-21		22	
<b>Station Augmentation</b>															
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A															

U.S. Department of Commerce  
National Oceanic & Atmospheric Administration  
National Environmental Satellite, Data, and Information Service  
Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W  
Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

### Local Climatological Data Hourly Observations March 2018

National Centers for Environmental Information  
151 Patton Avenue  
Asheville, North Carolina 28801

Generated on 08/29/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU   AW   MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	BKN:07 85 OVC:08 100	10.00		54	12.2	49	9.2	43	6.1	67	5	230		29.75	6	+0.04	29.94	FM-15	T	29.93
01	0100	4		9.94		54	12.2	49	9.2	43	6.1	67	5	230		29.75	6	+0.04	29.94	FM-12		
01	0154	7	OVC:08 95	10.00		53	11.7	48	8.9	43	6.1	69	5	200		29.73			29.92	FM-15	0.00	29.91
01	0254	7	OVC:08 110	10.00		52	11.1	48	8.9	44	6.7	75	8	180		29.68			29.88	FM-15	T	29.86
01	0354	7	OVC:08 100	10.00	-RA:02  RA	52	11.1	48	8.9	44	6.7	75	0	000		29.69	5	+0.05	29.88	FM-15	T	29.87
01	0454	7	SCT:04 85 OVC:08 110	10.00		49	9.4	48	8.6	46	7.8	90	5	190		29.68			29.87	FM-15	T	29.86
01	0554	7	OVC:08 85	10.00		50	10.0	48	8.9	46	7.8	86	0	000		29.69			29.88	FM-15	0.00	29.87
01	0654	7	BKN:07 95 OVC:08 110	10.00		50	10.0	48	8.9	46	7.8	86	3	200		29.69	6	+0.00	29.88	FM-15	0.00	29.87
01	0700	4		9.94		50	10.0	48	8.9	46	7.8	86	3	200		29.69	6	+0.00	29.88	FM-12		
01	0754	7	BKN:07 85 OVC:08 110	10.00		51	10.6	49	9.4	47	8.3	86	0	000		29.67			29.87	FM-15	0.00	29.85
01	0854	7	OVC:08 70	10.00		52	11.1	50	10.0	48	8.9	86	6	200		29.66			29.85	FM-15	0.00	29.84
01	0954	7	FEW:02 10 OVC:08 55	9.00	-RA:02  RA	53	11.7	51	10.5	49	9.4	86	7	240		29.66	5	+0.03	29.85	FM-15	T	29.84
01	1054	7	SCT:04 12 BKN:07 70 OVC:08 90	10.00	-RA:02  RA	53	11.7	51	10.8	50	10.0	89	6	190		29.63			29.82	FM-15	0.01	29.81
01	1112	7	BKN:07 10 OVC:08 80	9.00	-RA:02  RA	54	12.2	52	11.3	51	10.6	90	10	210		29.62				FM-16	T	29.80
01	1154	7	OVC:08 10	8.00	-RA:02  RA	53	11.7	52	11.1	51	10.6	93	5	200		29.60		29.79	FM-15	0.01	29.78	
01	1244	7	OVC:08 10	2.50	RA:02 BR:1  RA	53	11.7	52	11.1	51	10.6	93	0	000		29.59				FM-16	0.03	29.77
01	1254	7	OVC:08 10	2.00	RA:02 BR:1  RA	53	11.7	52	11.1	51	10.6	93	0	000		29.59	6	+0.08	29.78	FM-15	0.06	29.77
01	1300	4	15	1.99	RA	53	11.7	52	11.1	51	10.6	93	0	000		29.59	6	+0.08	29.78	FM-12		
01	1315	7	OVC:08 8	3.00	RA:02 BR:1  RA	53	11.7	52	11.4	52	11.1	96	0	000		29.57				FM-16	0.05	29.75
01	1354	7	SCT:04 6 BKN:07 10 OVC:08 80	4.00	-RA:02 BR:1  RA	54	12.2	53	11.6	52	11.1	93	0	000		29.54			29.74	FM-15	0.07	29.72
01	1440	7	OVC:08 6	6.00	-RA:02 BR:1  RA	54	12.2	53	11.6	52	11.1	93	5	150		29.53				FM-16	T	29.71
01	1454	7	OVC:08 7	4.00	-RA:02 BR:1  RA	54	12.2	53	11.6	52	11.1	93	5	150		29.52		29.72	FM-15	0.02	29.70	
01	1554	7	OVC:08 7	5.00	-RA:02 BR:1  RA	54	12.2	53	11.9	53	11.7	97	11	150		29.45	8	+0.13	29.65	FM-15	0.01	29.63
01	1654	7	OVC:08 5	5.00	-RA:02 BR:1  RA	54	12.2	53	11.9	53	11.7	97	6	180		29.44			29.63	FM-15	T	29.62
01	1741	7	OVC:08 4	5.00	BR:1	54	12.2	53	11.9	53	11.7	97	8	170		29.39				FM-16	T	29.56
01	1754	7	OVC:08 3	4.00	BR:1	54	12.2	53	11.9	53	11.7	97	6	200		29.41			29.59	FM-15	T	29.58
01	1854	7	OVC:08 4	5.00	BR:1	54	12.2	54	12.2	54	12.2	100	3	280		29.41	5	+0.05	29.59	FM-15	0.00	29.58
01	1900	4	5	4.97		54	12.2	54	12.2	54	12.2	100	3	280		29.40	5	+0.05	29.59	FM-12		
01	1952	6	OVC:08 3	2.50	BR:1	54	12.0	54	12.2	54	12.0	100	6	250		29.41				FM-16		29.58
01	1954	7	OVC:08 3	2.50	BR:1	54	12.2	54	12.2	54	12.2	100	6	260		29.41			29.59	FM-15	0.00	29.58
01	2009	7	OVC:08 3	1.25	-DZ:01 BR:1  DZ	54	12.2	54	12.2	54	12.2	100	6	260		29.41				FM-16	T	29.58
01	2038	7	OVC:08 3	1.50	BR:1	54	12.2	54	12.2	54	12.2	100	5	230		29.39				FM-16	T	29.56
01	2054	7	OVC:08 3	1.75	BR:1	54	12.2	54	12.2	54	12.2	100	7	210		29.39			29.57	FM-15	T	29.56
01	2126	7	OVC:08 3	0.50	FG:2  FG	54	12.2	54	12.2	54	12.2	100	8	210		29.36				FM-16		29.53
01	2152	6	OVC:08 2	1.50	BR:1	54	12.0	54	12.2	54	12.0	100	13	220		29.34				FM-16		29.52
01	2154	7	OVC:08 2	1.50	BR:1	54	12.2	54	12.2	54	12.2	100	13	230		29.34	8	+0.06	29.54	FM-15	0.00	29.52
01	2217	7	OVC:08 5	9.00		55	12.8	54	12.5	54	12.2	96	15	230		29.34				FM-16		29.52
01	2254	7	OVC:08 7	10.00		55	12.8	54	12.5	54	12.2	96	11	230		29.33			29.51	FM-15	0.00	29.50
01	2320	7	BKN:07 11	10.00		55	12.8	54	12.2	53	11.7	93	11	230		29.33				FM-16		29.50

01	2337	7	SCT:04 12	10.00		54	12.2	53	11.6	52	11.1	93	11	220		29.31				FM-16		29.49
01	2354	7	FEW:02 12	10.00		54	12.2	53	11.6	52	11.1	93	14	240		29.31			29.50	FM-15	0.00	29.49
02	0054	7	CLR:00	10.00		56	13.3	49	9.7	43	6.1	62	21	290	34	29.36	3	-0.01	29.54	FM-15	0.00	29.53
02	0100	4		9.94		56	13.3	49	9.7	43	6.1	62	21	290		29.35	3	-0.01	29.54	FM-12		
02	0154	7	CLR:00	10.00		53	11.7	45	7.1	35	1.7	51	25	280	34	29.37			29.56	FM-15	0.00	29.55
02	0254	7	CLR:00	10.00		51	10.6	43	5.9	32	0.0	48	21	280	32	29.39			29.59	FM-15	0.00	29.57
02	0354	7	FEW:02 60	10.00		49	9.4	40	4.6	28	-2.2	44	24	290	41	29.41	1	-0.04	29.59	FM-15	0.00	29.58
02	0454	7	FEW:02 60	10.00		47	8.3	38	3.4	25	-3.9	42	32	280	41	29.44			29.62	FM-15	0.00	29.61
02	0554	7	CLR:00	10.00		46	7.8	37	3.0	24	-4.4	42	29	300	44	29.47			29.65	FM-15	0.00	29.64
02	0654	7	SCT:04 60 SCT:04 180	10.00		45	7.2	37	2.6	24	-4.4	44	22	290	39	29.48	1	-0.08	29.67	FM-15	0.00	29.66
02	0700	4	57	9.94		45	7.2	37	2.6	24	-4.4	44	22	290		29.48	1	-0.08	29.67	FM-12		
02	0754	7	SCT:04 60 BKN:07 120	10.00		45	7.2	36	2.5	23	-5.0	42	28	290	46	29.52			29.70	FM-15	0.00	29.69
02	0854	7	SCT:04 70 SCT:04 120	10.00		47	8.3	38	3.1	23	-5.0	39	34	300	49	29.54			29.74	FM-15	0.00	29.72
02	0954	7	BKN:07 60	10.00		47	8.3	38	3.1	23	-5.0	39	37	300	48	29.57	2	-0.10	29.77	FM-15	0.00	29.75
02	1054	7	BKN:07 70	10.00		49	9.4	38	3.6	22	-5.6	35	30	320	45	29.58			29.77	FM-15	0.00	29.76
02	1154	7	SCT:04 70	10.00		51	10.6	40	4.3	23	-5.0	33	30	310	44	29.59			29.78	FM-15	0.00	29.77
02	1254	7	SCT:04 70	10.00		50	10.0	39	3.9	22	-5.6	33	34	330	53	29.58	0	-0.01	29.77	FM-15	0.00	29.76
02	1300	4	74	9.94		50	10.0	39	3.9	22	-5.6	33	34	330		29.58	9	0.01	29.77	FM-12		
02	1354	7	FEW:02 70	10.00		53	11.7	41	4.7	22	-5.6	30	32	320	47	29.57			29.77	FM-15	0.00	29.75
02	1454	7	FEW:02 70 FEW:02 200	10.00		53	11.7	41	4.7	22	-5.6	30	37	310	49	29.59			29.79	FM-15	0.00	29.77
02	1554	7	FEW:02 70 FEW:02 200	10.00		51	10.6	39	4.0	21	-6.1	31	37	310	48	29.62	3	-0.04	29.81	FM-15	0.00	29.80
02	1654	7	FEW:02 70 FEW:02 250	10.00		50	10.0	39	3.7	21	-6.1	32	34	310	47	29.65			29.85	FM-15	0.00	29.83
02	1754	7	FEW:02 70 FEW:02 250	10.00		47	8.3	37	2.8	21	-6.1	36	26	310	45	29.69			29.88	FM-15	0.00	29.87
02	1854	7	SCT:04 120	10.00		46	7.8	36	2.5	21	-6.1	37	23	320	39	29.72	1	-0.10	29.91	FM-15	0.00	29.90
02	1900	4		9.94		46	7.8	36	2.5	21	-6.1	37	23	320		29.72	1	-0.10	29.91	FM-12		
02	1954	7	BKN:07 120	10.00		46	7.8	36	2.1	18	-7.8	32	28	320	44	29.74			29.93	FM-15	0.00	29.92
02	2054	7	BKN:07 130	10.00		45	7.2	35	1.6	17	-8.3	33	33	330	45	29.76			29.96	FM-15	0.00	29.94
02	2154	7	BKN:07 85 BKN:07 120	10.00		44	6.7	34	1.0	15	-9.4	31	23	340	45	29.78	1	-0.06	29.97	FM-15	0.00	29.96
02	2254	7	BKN:07 75 BKN:07 150	10.00		43	6.1	33	0.6	14	-10.0	31	26	340	48	29.80			29.99	FM-15	0.00	29.98
02	2354	7	BKN:07 75 BKN:07 150	10.00		42	5.6	33	0.5	16	-8.9	35	28	340	40	29.81			30.01	FM-15	0.00	29.99
03	0054	7	SCT:04 80 SCT:04 150	10.00		40	4.4	32	-0.1	16	-8.9	38	23	320	33	29.83	1	-0.05	30.02	FM-15	0.00	30.01
03	0100	4	74	9.94		40	4.4	32	-0.1	16	-8.9	38	23	320		29.83	1	-0.05	30.02	FM-12		
03	0154	7	FEW:02 80	10.00		39	3.9	31	-0.3	17	-8.3	41	23	340	39	29.83			30.03	FM-15	0.00	30.01
03	0254	7	FEW:02 80	10.00		38	3.3	31	-0.7	17	-8.3	43	18	330	24	29.83			30.03	FM-15	0.00	30.01
03	0354	7	FEW:02 80	10.00		38	3.3	31	-0.5	18	-7.8	44	22	330	30	29.83	0	-0.00	30.03	FM-15	0.00	30.01
03	0454	7	SCT:04 80	10.00		38	3.3	31	-0.5	18	-7.8	44	22	340	30	29.85			30.05	FM-15	0.00	30.03
03	0554	7	BKN:07 85	10.00		38	3.3	31	-0.5	18	-7.8	44	23	340	32	29.86			30.06	FM-15	0.00	30.04
03	0654	7	SCT:04 80 SCT:04 150	10.00		37	2.8	30	-0.9	18	-7.8	46	23	340	34	29.88	1	-0.05	30.07	FM-15	0.00	30.06
03	0700	4	74	9.94		37	2.8	30	-0.9	18	-7.8	46	23	340		29.88	1	-0.05	30.07	FM-12		
03	0754	7	FEW:02 80 FEW:02 150	10.00		39	3.9	32	0.0	19	-7.2	45	21	350	30	29.88			30.08	FM-15	0.00	30.06
03	0854	7	FEW:02 150	10.00		42	5.6	34	1.1	20	-6.7	41	23	340	32	29.90			30.09	FM-15	0.00	30.08
03	0954	7	FEW:02 100 FEW:02 200	10.00		45	7.2	36	2.2	21	-6.1	39	28	340	36	29.90	3	-0.03	30.10	FM-15	0.00	30.08
03	1054	7	FEW:02 100 FEW:02 200	10.00		48	8.9	38	3.4	23	-5.0	37	22	350	28	29.91			30.11	FM-15	0.00	30.09
03	1154	7	FEW:02 200	10.00		50	10.0	40	4.2	24	-4.4	36	26	340	32	29.91			30.11	FM-15	0.00	30.09
03	1254	7	FEW:02 200	10.00		52	11.1	41	4.8	24	-4.4	34	20	340	26	29.91	0	-0.00	30.10	FM-15	0.00	30.09

03	1300	4		9.94		52	11.1	41	4.8	24	-4.4	34	20	340		29.91	9	0.00	30.10	FM-12		
03	1354	7	FEW:02 200	10.00		54	12.2	42	5.5	25	-3.9	33	22	340	33	29.89			30.09	FM-15	0.00	30.07
03	1454	7	CLR:00	10.00		54	12.2	42	5.4	24	-4.4	31	28	340	37	29.88			30.08	FM-15	0.00	30.06
03	1554	7	FEW:02 250	10.00		54	12.2	42	5.4	24	-4.4	31	22	330	30	29.88	5	+0.02	30.08	FM-15	0.00	30.06
03	1654	7	FEW:02 120	10.00		53	11.7	41	5.1	24	-4.4	32	21	340	29	29.90			30.09	FM-15	0.00	30.08
03	1754	7	FEW:02 120	10.00		50	10.0	40	4.4	25	-3.9	38	16	340	32	29.92			30.11	FM-15	0.00	30.10
03	1854	7	FEW:02 120	10.00		47	8.3	38	3.5	25	-3.9	42	14	360		29.95	3	-0.06	30.14	FM-15	0.00	30.13
03	1900	4		9.94		47	8.3	38	3.5	25	-3.9	42	14	360		29.95	3	-0.06	30.14	FM-12		
03	1954	7	CLR:00	10.00		46	7.8	37	3.0	24	-4.4	42	18	360	29	29.97			30.17	FM-15	0.00	30.15
03	2054	7	CLR:00	10.00		45	7.2	37	2.5	23	-5.0	42	20	360	24	29.98			30.18	FM-15	0.00	30.16
03	2154	7	CLR:00	10.00		43	6.1	35	1.9	23	-5.0	45	15	350	26	29.99	1	-0.04	30.19	FM-15	0.00	30.17
03	2254	7	CLR:00	10.00		41	5.0	34	1.3	23	-5.0	49	13	360	26	30.00			30.19	FM-15	0.00	30.18
03	2354	7	CLR:00	10.00		40	4.4	34	1.1	24	-4.4	53	20	010	33	30.01			30.21	FM-15	0.00	30.19
04	0054	7	CLR:00	10.00		38	3.3	33	0.5	24	-4.4	57	21	360	29	30.02	3	-0.04	30.22	FM-15	0.00	30.20
04	0100	4		9.94		38	3.3	33	0.5	24	-4.4	57	21	360		30.02	3	-0.04	30.22	FM-12		
04	0154	7	BKN:07 37	10.00		38	3.3	33	0.5	24	-4.4	57	16	350	25	30.02			30.22	FM-15	0.00	30.20
04	0254	7	OVC:08 38	10.00		38	3.3	33	0.5	24	-4.4	57	21	350	32	30.02			30.21	FM-15	0.00	30.20
04	0354	7	OVC:08 36	10.00		38	3.3	33	0.4	24	-4.4	57	17	340		30.01	6	+0.01	30.21	FM-15	0.00	30.19
04	0454	7	OVC:08 36	10.00		38	3.3	33	0.5	24	-4.4	57	18	350	29	30.02			30.22	FM-15	0.00	30.20
04	0554	7	SCT:04 36	10.00		36	2.2	32	-0.2	24	-4.4	62	14	340	26	30.03			30.22	FM-15	0.00	30.21
04	0654	7	CLR:00	10.00		35	1.7	31	-0.7	23	-5.0	61	17	340		30.03	3	-0.02	30.23	FM-15	0.00	30.21
04	0700	4		9.94		35	1.7	31	-0.7	23	-5.0	61	17	340		30.03	3	-0.02	30.23	FM-12		
04	0754	7	CLR:00	10.00		37	2.8	32	-0.1	23	-5.0	57	16	340		30.04			30.24	FM-15	0.00	30.22
04	0854	7	CLR:00	10.00		41	5.0	35	1.4	24	-4.4	51	20	340	29	30.06			30.26	FM-15	0.00	30.24
04	0954	7	FEW:02 40	10.00		44	6.7	37	2.6	25	-3.9	47	15	360	26	30.06	1	-0.03	30.26	FM-15	0.00	30.24
04	1054	7	FEW:02 40	10.00		46	7.8	38	3.3	26	-3.3	46	15	350	23	30.05			30.25	FM-15	0.00	30.23
04	1154	7	FEW:02 40	10.00		49	9.4	40	4.3	26	-3.3	41	15	360		30.04			30.24	FM-15	0.00	30.22
04	1254	7	CLR:00	10.00		52	11.1	41	5.0	25	-3.9	35	14	350		30.01	8	+0.06	30.20	FM-15	0.00	30.19
04	1300	4		9.94		52	11.1	41	5.0	25	-3.9	35	14	350		30.01	8	+0.06	30.20	FM-12		
04	1354	7	CLR:00	10.00		53	11.7	41	4.8	22	-5.6	30	15	360	24	29.98			30.18	FM-15	0.00	30.16
04	1454	7	CLR:00	10.00		55	12.8	41	4.9	19	-7.2	24	20	340	28	29.96			30.16	FM-15	0.00	30.14
04	1554	7	CLR:00	10.00		54	12.2	40	4.4	17	-8.3	23	16	350	30	29.95	6	+0.06	30.14	FM-15	0.00	30.13
04	1654	7	CLR:00	10.00		53	11.7	39	4.0	16	-8.9	23	20	330	23	29.95			30.14	FM-15	0.00	30.13
04	1754	7	CLR:00	10.00		49	9.4	37	2.6	15	-9.4	26	10	360		29.95			30.15	FM-15	0.00	30.13
04	1854	7	CLR:00	10.00		46	7.8	35	1.5	14	-10.0	27	8	010		29.96	3	-0.02	30.16	FM-15	0.00	30.14
04	1900	4		9.94		46	7.8	35	1.5	14	-10.0	27	8	010		29.96	3	-0.02	30.16	FM-12		
04	1954	7	CLR:00	10.00		43	6.1	33	0.7	15	-9.4	32	7	020		29.97			30.16	FM-15	0.00	30.15
04	2054	7	CLR:00	10.00		41	5.0	32	0.2	16	-8.9	36	8	360		29.99			30.18	FM-15	0.00	30.17
04	2154	7	CLR:00	10.00		42	5.6	32	0.3	14	-10.0	32	13	010		29.99	3	-0.03	30.19	FM-15	0.00	30.17
04	2254	7	CLR:00	10.00		42	5.6	32	0.0	12	-11.1	29	10	010		29.99			30.18	FM-15	0.00	30.17
04	2354	7	CLR:00	10.00		40	4.4	31	-0.6	12	-11.1	32	14	360	22	29.99			30.18	FM-15	0.00	30.17
05	0054	7	CLR:00	10.00		39	3.9	30	-1.1	11	-11.7	31	13	350		29.99	5	+0.00	30.19	FM-15	0.00	30.17
05	0100	4		9.94		39	3.9	30	-1.1	11	-11.7	31	13	350		29.99	5	+0.00	30.19	FM-12		
05	0154	7	CLR:00	10.00		37	2.8	29	-1.7	12	-11.1	36	11	350		29.99			30.19	FM-15	0.00	30.17
05	0254	7	FEW:02 150	10.00		35	1.7	28	-2.5	11	-11.7	37	11	340		29.97			30.17	FM-15	0.00	30.15
05	0354	7	FEW:02 150	10.00		35	1.7	27	-2.8	8	-13.3	32	15	350	25	29.98	5	+0.01	30.17	FM-15	0.00	30.16
05	0454	7	CLR:00	10.00		33	0.6	26	-3.5	8	-13.3	35	14	350		29.98			30.18	FM-15	0.00	30.16
05	0554	7	CLR:00	10.00		31	-0.6	24	-4.2	8	-13.3	38	13	360		29.98			30.17	FM-15	0.00	30.16
05	0654	7	CLR:00	10.00		31	-0.6	25	-4.1	9	-12.8	40	14	360		29.97	8	+0.01	30.16	FM-15	0.00	30.15
05	0700	4		9.94		31	-0.6	25	-4.1	9	-12.8	40	14	360		29.97	8	+0.01	30.16	FM-12		
05	0754	7	CLR:00	10.00		34	1.1	27	-2.8	11	-11.7	38	14	350		29.97			30.16	FM-15	0.00	30.15
05	0854	7	FEW:02 300	10.00		37	2.8	29	-1.8	11	-11.7	34	16	350		29.99			30.18	FM-15	0.00	30.17
05	0954	7	FEW:02 300	10.00		39	3.9	30	-1.0	12	-11.1	33	14	330		29.99	1	-0.02	30.19	FM-15	0.00	30.17
05	1054	7	FEW:02 300	10.00		43	6.1	33	0.6	14	-10.0	31	14	330	20	29.97			30.16	FM-15	0.00	30.15
05	1154	7	FEW:02 300	10.00		46	7.8	35	1.7	15	-9.4	29	17	010	22	29.95			30.15	FM-15	0.00	30.13
05	1254	7	FEW:02 300	10.00		48	8.9	36	2.4	16	-8.9	28	14	340	23	29.92	8	+0.07	30.12	FM-15	0.00	30.10
05	1300	4		9.94		48	8.9	36	2.4	16	-8.9	28	14	340		29.92	8	+0.07	30.12	FM-12		

05	1350	7	FEW:02 300	10.00		48	9.0	36	2.4	16	-9.0	27	17	360	23	29.89				FM-16		30.07
05	1354	7	FEW:02 300	10.00		49	9.4	37	2.6	15	-9.4	26	15	010	23	29.89			30.09	FM-15	0.00	30.07
05	1454	7	FEW:02 300	10.00		50	10.0	37	3.0	16	-8.9	26	10	340		29.88			30.07	FM-15	0.00	30.06
05	1554	7	FEW:02 300	10.00		50	10.0	37	2.9	15	-9.4	25	15	340		29.88	7	+0.02	30.07	FM-15	0.00	30.06
05	1654	7	SCT:04 300	10.00		47	8.3	36	2.0	15	-9.4	28	14	360		29.88			30.08	FM-15	0.00	30.06
05	1754	7	SCT:04 300	10.00		45	7.2	35	1.5	16	-8.9	31	9	010		29.89			30.09	FM-15	0.00	30.07
05	1854	7	SCT:04 300	10.00		42	5.6	33	0.5	16	-8.9	35	6	010		29.90	3	-0.03	30.10	FM-15	0.00	30.08
05	1900	4		9.94		42	5.6	33	0.5	16	-8.9	35	6	010		29.90	3	-0.03	30.10	FM-12		
05	1954	7	FEW:02 300	10.00		40	4.4	32	0.1	18	-7.8	41	0	000		29.91			30.11	FM-15	0.00	30.09
05	2054	7	FEW:02 300	10.00		34	1.1	29	-1.4	21	-6.1	59	8	040		29.91			30.11	FM-15	0.00	30.09
05	2154	7	FEW:02 300	10.00		37	2.8	30	-1.0	17	-8.3	44	0	000		29.92	2	-0.01	30.11	FM-15	0.00	30.10
05	2254	7	FEW:02 300	10.00		34	1.1	29	-1.6	20	-6.7	56	0	000		29.93			30.13	FM-15	0.00	30.11
05	2354	7	FEW:02 300	10.00		29	-1.7	26	-3.5	19	-7.2	66	0	000		29.92			30.12	FM-15	0.00	30.10
06	0054	7	FEW:02 300	10.00		29	-1.7	26	-3.5	19	-7.2	66	0	000		29.92	0	-0.00	30.11	FM-15	0.00	30.10
06	0100	4		9.94		29	-1.7	26	-3.5	19	-7.2	66	0	000		29.92	9	0.00	30.11	FM-12		
06	0154	7	FEW:02 300	10.00		30	-1.1	26	-3.3	18	-7.8	61	0	000		29.91			30.10	FM-15	0.00	30.09
06	0254	7	FEW:02 300	10.00		29	-1.7	26	-3.3	20	-6.7	69	0	000		29.88			30.08	FM-15	0.00	30.06
06	0354	7	FEW:02 300	10.00		29	-1.7	26	-3.2	21	-6.1	72	0	000		29.88	6	+0.04	30.07	FM-15	0.00	30.06
06	0454	7	SCT:04 300	10.00		28	-2.2	25	-3.7	20	-6.7	72	0	000		29.88			30.08	FM-15	0.00	30.06
06	0554	7	FEW:02 100 BKN:07 140	10.00		28	-2.2	26	-3.3	22	-5.6	78	0	000		29.89			30.09	FM-15	0.00	30.07
06	0654	7	BKN:07 100 BKN:07 180	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		29.90	3	-0.02	30.10	FM-15	0.00	30.08
06	0700	4		9.94		30	-1.1	29	-1.9	26	-3.3	85	0	000		29.90	3	-0.02	30.10	FM-12		
06	0754	7	BKN:07 90 OVC:08 150	10.00		33	0.6	31	-0.7	27	-2.8	78	0	000		29.90			30.09	FM-15	0.00	30.08
06	0854	7	OVC:08 80	10.00		37	2.8	33	0.7	27	-2.8	67	0	000		29.90			30.10	FM-15	0.00	30.08
06	0954	7	BKN:07 80 OVC:08 250	10.00		41	5.0	35	1.6	25	-3.9	53	10	130		29.86	8	+0.05	30.05	FM-15	0.00	30.04
06	1054	7	BKN:07 100 OVC:08 250	10.00		44	6.7	37	2.5	25	-3.9	47	9	140		29.84			30.04	FM-15	0.00	30.02
06	1154	7	SCT:04 46 BKN:07 60 OVC:08 100	10.00		47	8.3	39	3.6	26	-3.3	44	8	180		29.83			30.02	FM-15	0.00	30.01
06	1254	7	OVC:08 48	10.00		46	7.8	38	3.2	25	-3.9	44	8	140		29.80	8	+0.06	30.00	FM-15	0.00	29.98
06	1300	4	41	9.94		46	7.8	38	3.2	25	-3.9	44	8	140		29.80	8	+0.06	30.00	FM-12		
06	1354	7	BKN:07 43 OVC:08 50	10.00	-RA:02  RA	46	7.8	38	3.3	26	-3.3	46	9	150		29.78			29.97	FM-15	T	29.96
06	1454	7	OVC:08 39	10.00	-RA:02  RA	45	7.2	39	3.8	30	-1.1	56	13	170		29.77			29.96	FM-15	T	29.95
06	1554	7	BKN:07 34 OVC:08 41	10.00		44	6.7	38	3.1	28	-2.2	53	8	140		29.74	8	+0.06	29.94	FM-15	0.00	29.92
06	1654	7	SCT:04 34 OVC:08 60	8.00	-RA:02  RA	42	5.6	38	3.5	33	0.6	71	11	150		29.73			29.93	FM-15	0.01	29.91
06	1754	7	SCT:04 33 OVC:08 43	6.00	-RA:02 BR:1  RA	40	4.4	38	3.5	36	2.2	86	7	140		29.71			29.91	FM-15	0.05	29.89
06	1820	7	BKN:07 28 OVC:08 35	6.00	RA:02 BR:1  RA	39	3.9	38	3.4	37	2.8	93	5	120		29.71				FM-16	0.02	29.89
06	1854	7	OVC:08 27	5.00	RA:02 BR:1  RA	39	3.9	39	3.6	38	3.3	96	6	100		29.69	7	+0.05	29.89	FM-15	0.12	29.87
06	1900	4	26	4.97	RA	39	3.9	39	3.6	38	3.3	96	6	100		29.69	7	+0.05	29.89	FM-12		
06	1954	7	FEW:02 17 OVC:08 24	3.00	RA:02 BR:1  RA	39	3.9	39	3.6	38	3.3	96	5	090		29.67			29.86	FM-15	0.06	29.85
06	2024	7	FEW:02 7 BKN:07 14 OVC:08 19	3.00	-RA:02 BR:1  RA	39	3.9	39	3.6	38	3.3	96	6	100		29.65				FM-16	0.03	29.83
06	2045	7	BKN:07 8 OVC:08 13	2.50	-RA:02 BR:1  RA	39	3.9	39	3.6	38	3.3	96	5	060		29.64				FM-16	0.05	29.82
06	2052	6	BKN:07 8 OVC:08 13	3.00	-RA:02 BR:1  RA	39	4.0	39	3.9	39	4.0	100	5	060		29.64				FM-16		29.82
06	2054	7	BKN:07 8 OVC:08 13	3.00	-RA:02 BR:1  RA	39	3.9	39	3.6	38	3.3	96	5	050		29.64			29.83	FM-15	0.05	29.82
06	2154	7	OVC:08 7	3.00	-RA:02 BR:1  RA	40	4.4	40	4.2	39	3.9	97	5	020		29.63	6	+0.06	29.83	FM-15	0.10	29.81

06	2219	7	FEW:02 5 BKN:07 12 OVC:08 19	3.00	RA:02 BR:1  RA	40	4.4	40	4.2	39	3.9	97	0	000		29.62				FM-16	0.05	29.80
06	2252	7	BKN:07 5 OVC:08 13	7.00	-RA:02  RA	39	4.0	39	3.9	39	4.0	100	6	080		29.60				FM-16	0.09	29.78
06	2254	7	BKN:07 5 OVC:08 13	7.00	-RA:02  RA	40	4.4	40	4.2	39	3.9	97	5	080		29.60			29.79	FM-15	0.09	29.78
06	2354	7	BKN:07 5 OVC:08 10	2.00	-RA:02 BR:1  RA	39	3.9	39	3.6	38	3.3	96	5	030		29.60			29.79	FM-15	0.03	29.78
07	0054	7	BKN:07 4 OVC:08 20	3.00	-RA:02 BR:1  RA	39	3.9	39	3.6	38	3.3	96	9	010		29.58	8	+0.02	29.78	FM-15	0.03	29.76
07	0100	4	5	2.98	RA	39	3.9	39	3.6	38	3.3	96	9	010		29.58	8	+0.02	29.78	FM-12		
07	0147	7	BKN:07 5 OVC:08 23	10.00		39	3.9	39	3.6	38	3.3	96	8	030		29.55				FM-16	T	29.73
07	0154	7	OVC:08 5	10.00		39	3.9	39	3.6	38	3.3	96	6	030		29.55			29.75	FM-15	T	29.73
07	0252	6	OVC:08 4	10.00		39	4.0	38	3.4	37	3.0	93	9	360		29.52				FM-16		29.70
07	0254	7	OVC:08 4	10.00		39	3.9	39	3.6	38	3.3	96	8	350		29.52			29.72	FM-15	0.00	29.70
07	0354	7	OVC:08 4	10.00		39	3.9	39	3.6	38	3.3	96	9	360		29.52	6	+0.07	29.70	FM-15	0.00	29.69
07	0454	7	OVC:08 3	10.00		39	3.9	39	3.6	38	3.3	96	9	350		29.50			29.70	FM-15	0.00	29.68
07	0554	7	OVC:08 3	6.00	BR:1	39	3.9	39	3.6	38	3.3	96	14	360		29.49			29.68	FM-15	0.00	29.67
07	0608	7	OVC:08 3	2.00	BR:1	39	3.9	39	3.6	38	3.3	96	13	360		29.49				FM-16		29.67
07	0654	7	OVC:08 3	2.00	BR:1	38	3.3	38	3.3	38	3.3	100	11	330		29.49	5	+0.01	29.69	FM-15	0.00	29.67
07	0700	4	2	1.99		38	3.3	38	3.3	38	3.3	100	11	330		29.49	5	+0.01	29.69	FM-12		
07	0754	7	OVC:08 3	2.00	BR:1	38	3.3	38	3.3	38	3.3	100	16	330		29.49			29.68	FM-15	0.00	29.67
07	0838	7	OVC:08 5	2.00	BR:1	39	3.9	39	3.6	38	3.3	96	11	320		29.49				FM-16		29.67
07	0854	7	OVC:08 5	2.00	BR:1	39	3.9	38	3.4	37	2.8	93	15	310		29.50			29.69	FM-15	0.00	29.68
07	0938	7	OVC:08 6	4.00	BR:1	40	4.4	39	4.0	38	3.3	93	10	310		29.50				FM-16		29.68
07	0954	7	BKN:07 9 BKN:07 15 OVC:08 28	6.00	BR:1	41	5.0	40	4.3	38	3.3	89	11	330		29.49	3	-0.00	29.69	FM-15	0.00	29.67
07	1007	7	BKN:07 12 BKN:07 18 OVC:08 28	7.00		42	5.6	40	4.6	38	3.3	85	11	320		29.50				FM-16		29.68
07	1052	6	OVC:08 15	7.00		43	6.0	40	4.6	37	3.0	81	14	310		29.52				FM-16		29.69
07	1054	7	OVC:08 15	10.00		43	6.1	41	4.9	38	3.3	82	13	310		29.52			29.71	FM-15	0.00	29.69
07	1154	7	OVC:08 18	10.00		43	6.1	40	4.6	37	2.8	80	13	300		29.52			29.71	FM-15	0.00	29.70
07	1225	7	SCT:04 19 BKN:07 250	10.00		48	8.9	44	6.6	39	3.9	71	13	290	23	29.52				FM-16		29.69
07	1254	7	SCT:04 25 BKN:07 250	10.00		48	8.9	43	6.3	38	3.3	68	11	300		29.50	0	-0.00	29.69	FM-15	0.00	29.68
07	1300	4	26	9.94		48	8.9	43	6.3	38	3.3	68	11	300		29.50	9	0.00	29.69	FM-12		
07	1354	7	BKN:07 35 BKN:07 250	10.00		51	10.6	44	6.7	36	2.2	56	17	300		29.49			29.68	FM-15	0.00	29.67
07	1454	7	FEW:02 37 SCT:04 47 BKN:07 60	10.00		52	11.1	45	7.0	36	2.2	55	10	300		29.49			29.69	FM-15	0.00	29.67
07	1554	7	FEW:02 43 SCT:04 55 SCT:04 250	10.00		54	12.2	45	7.2	34	1.1	47	14	280		29.50	6	+0.00	29.69	FM-15	T	29.68
07	1654	7	FEW:02 55 BKN:07 85	10.00		52	11.1	43	6.2	32	0.0	47	17	270		29.52			29.71	FM-15	0.00	29.70
07	1754	7	BKN:07 65 BKN:07 95	10.00		52	11.1	42	5.4	28	-2.2	40	9	290		29.56			29.75	FM-15	0.00	29.74
07	1854	7	BKN:07 75	10.00		50	10.0	40	4.2	24	-4.4	36	13	280		29.59	3	-0.10	29.79	FM-15	0.00	29.77
07	1900	4	74	9.94		50	10.0	40	4.2	24	-4.4	36	13	280		29.59	3	-0.10	29.79	FM-12		
07	1954	7	FEW:02 80	10.00		47	8.3	38	3.1	23	-5.0	39	14	310	25	29.64			29.83	FM-15	0.00	29.82
07	2054	7	FEW:02 75	10.00		44	6.7	35	1.9	21	-6.1	40	17	300	22	29.68			29.88	FM-15	0.00	29.86
07	2154	7	FEW:02 70	10.00		41	5.0	34	0.9	21	-6.1	45	10	310		29.69	1	-0.09	29.88	FM-15	0.00	29.87
07	2254	7	FEW:02 75	10.00		40	4.4	33	0.6	21	-6.1	47	10	310		29.70			29.89	FM-15	0.00	29.88
07	2354	7	CLR:00	10.00		40	4.4	33	0.6	21	-6.1	47	10	300		29.70			29.90	FM-15	0.00	29.88
08	0054	7	CLR:00	10.00		37	2.8	31	-0.4	21	-6.1	52	9	300		29.71	1	-0.01	29.90	FM-15	0.00	29.89

08	0100	4		9.94		37	2.8	31	-0.4	21	-6.1	52	9	300		29.71	1	-0.01	29.90	FM-12		
08	0154	7	CLR:00	10.00		36	2.2	31	-0.7	21	-6.1	55	7	310		29.70			29.90	FM-15	0.00	29.88
08	0254	7	CLR:00	10.00		34	1.1	29	-1.4	21	-6.1	59	0	000		29.70			29.90	FM-15	0.00	29.88
08	0354	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	0	000		29.71	5	+0.00	29.90	FM-15	0.00	29.89
08	0454	7	CLR:00	10.00		32	0.0	29	-1.9	22	-5.6	66	7	270		29.72			29.91	FM-15	0.00	29.90
08	0554	7	FEW:02 60	10.00		25	-3.9	24	-4.6	21	-6.1	85	0	000		29.72			29.91	FM-15	0.00	29.90
08	0654	7	CLR:00	10.00		28	-2.2	26	-3.3	22	-5.6	78	0	000		29.72	0	-0.01	29.91	FM-15	0.00	29.90
08	0700	4		9.94		28	-2.2	26	-3.3	22	-5.6	78	0	000		29.72	9	0.01	29.91	FM-12		
08	0754	7	CLR:00	10.00		37	2.8	32	-0.2	22	-5.6	54	0	000		29.72			29.91	FM-15	0.00	29.90
08	0854	7	FEW:02 80	10.00		40	4.4	32	0.3	19	-7.2	43	6	300		29.72			29.92	FM-15	0.00	29.90
08	0954	7	FEW:02 60	10.00		44	6.7	35	1.4	18	-7.8	35	5	310		29.71	8	+0.00	29.91	FM-15	0.00	29.89
08	1054	7	FEW:02 60	10.00		45	7.2	35	1.5	16	-8.9	31	9	280	20	29.69			29.88	FM-15	0.00	29.87
08	1154	7	BKN:07 65 BKN:07 80	10.00		44	6.7	34	1.3	17	-8.3	34	15	310	20	29.67			29.87	FM-15	0.00	29.85
08	1254	7	SCT:04 60 BKN:07 75	10.00		44	6.7	35	1.4	18	-7.8	35	14	260	21	29.65	6	+0.06	29.85	FM-15	0.00	29.83
08	1300	4	57	9.94		44	6.7	35	1.4	18	-7.8	35	14	260		29.65	6	+0.06	29.85	FM-12		
08	1354	7	SCT:04 65 BKN:07 80	10.00		45	7.2	36	2.0	20	-6.7	37	11	250		29.63			29.83	FM-15	0.00	29.81
08	1454	7	SCT:04 65 BKN:07 90	10.00		45	7.2	35	1.7	18	-7.8	34	11	260		29.61			29.81	FM-15	0.00	29.79
08	1554	7	FEW:02 60 SCT:04 80 BKN:07 90	10.00		44	6.7	34	1.3	17	-8.3	34	9	290		29.60	6	+0.05	29.80	FM-15	0.00	29.78
08	1654	7	FEW:02 55 SCT:04 75 BKN:07 100	10.00		44	6.7	34	1.1	16	-8.9	32	10	300		29.61			29.81	FM-15	0.00	29.79
08	1754	7	BKN:07 70 BKN:07 95	10.00		44	6.7	34	1.1	16	-8.9	32	21	280	29	29.63			29.83	FM-15	0.00	29.81
08	1854	7	BKN:07 70 BKN:07 110	10.00		42	5.6	34	0.9	19	-7.2	40	14	300		29.65	3	-0.05	29.85	FM-15	0.00	29.83
08	1900	4	74	9.94		42	5.6	34	0.9	19	-7.2	40	14	300		29.65	3	-0.05	29.85	FM-12		
08	1954	7	SCT:04 70 OVC:08 110	10.00		41	5.0	33	0.6	19	-7.2	41	8	320		29.67			29.86	FM-15	0.00	29.85
08	2054	7	SCT:04 75 SCT:04 95	10.00		40	4.4	32	0.1	18	-7.8	41	13	310		29.69			29.88	FM-15	0.00	29.87
08	2154	7	FEW:02 55 BKN:07 80 BKN:07 100	10.00		38	3.3	31	-0.7	17	-8.3	43	16	310	22	29.71	3	-0.06	29.90	FM-15	0.00	29.89
08	2254	7	FEW:02 80	10.00		36	2.2	30	-1.4	17	-8.3	46	13	310		29.72			29.91	FM-15	0.00	29.90
08	2354	7	FEW:02 70	10.00		34	1.1	28	-2.2	16	-8.9	48	8	300		29.73			29.92	FM-15	0.00	29.91
09	0054	7	CLR:00	10.00		33	0.6	27	-2.8	14	-10.0	45	9	300		29.73	1	-0.03	29.93	FM-15	0.00	29.91
09	0100	4		9.94		33	0.6	27	-2.8	14	-10.0	45	9	300		29.73	1	-0.03	29.93	FM-12		
09	0154	7	CLR:00	10.00		33	0.6	27	-2.9	13	-10.6	43	7	290		29.73			29.93	FM-15	0.00	29.91
09	0254	7	FEW:02 70	10.00		31	-0.6	26	-3.2	16	-8.9	54	6	230		29.73			29.92	FM-15	0.00	29.91
09	0354	7	FEW:02 70	10.00		31	-0.6	26	-3.2	16	-8.9	54	8	260		29.73	5	+0.00	29.93	FM-15	0.00	29.91
09	0454	7	CLR:00	10.00		30	-1.1	26	-3.6	16	-8.9	56	9	240		29.75			29.94	FM-15	0.00	29.93
09	0554	7	CLR:00	10.00		29	-1.7	25	-3.9	16	-8.9	58	8	250		29.76			29.96	FM-15	0.00	29.94
09	0654	7	FEW:02 70	10.00		30	-1.1	25	-3.7	15	-9.4	54	7	250		29.78	3	-0.06	29.98	FM-15	0.00	29.96
09	0700	4	74	9.94		30	-1.1	25	-3.7	15	-9.4	54	7	250		29.78	3	-0.06	29.98	FM-12		
09	0754	7	FEW:02 70	10.00		33	0.6	27	-2.7	15	-9.4	47	10	260		29.81			30.00	FM-15	0.00	29.99
09	0854	7	CLR:00	10.00		37	2.8	30	-1.3	15	-9.4	41	14	270		29.81			30.01	FM-15	0.00	29.99
09	0954	7	CLR:00	10.00		40	4.4	31	-0.3	15	-9.4	36	15	270	24	29.81	0	-0.02	30.00	FM-15	0.00	29.99
09	1054	7	FEW:02 65	10.00		41	5.0	32	-0.1	14	-10.0	33	13	250		29.80			29.99	FM-15	0.00	29.98
09	1154	7	FEW:02 70	10.00		43	6.1	33	0.7	15	-9.4	32	15	280	24	29.80			30.00	FM-15	0.00	29.98
09	1254	7	FEW:02 70 FEW:02 250	10.00		44	6.7	34	0.9	14	-10.0	30	14	300		29.77	8	+0.03	29.97	FM-15	0.00	29.95
09	1300	4	74	9.94		44	6.7	34	0.9	14	-10.0	30	14	300		29.77	8	+0.03	29.97	FM-12		
09	1354	7	FEW:02 70 FEW:02 250	10.00		47	8.3	36	2.0	15	-9.4	28	9	VRB	20	29.76			29.96	FM-15	0.00	29.94

09	1454	7	FEW:02 70 FEW:02 250	10.00		47	8.3	35	1.8	14	-10.0	26	13	260	23	29.75			29.94	FM-15	0.00	29.93
09	1554	7	FEW:02 75 FEW:02 250	10.00		47	8.3	35	1.8	14	-10.0	26	16	260		29.74	6	+0.03	29.94	FM-15	0.00	29.92
09	1654	7	SCT:04 300	10.00		47	8.3	35	1.7	13	-10.6	25	17	250	21	29.76			29.95	FM-15	0.00	29.94
09	1754	7	FEW:02 75 BKN:07 300	10.00		45	7.2	34	1.2	14	-10.0	29	11	270	22	29.77			29.97	FM-15	0.00	29.95
09	1854	7	FEW:02 70 SCT:04 300	10.00		44	6.7	34	1.0	15	-9.4	31	10	260		29.79	2	-0.04	29.98	FM-15	0.00	29.97
09	1900	4	74	9.94		44	6.7	34	1.0	15	-9.4	31	10	260		29.79	2	-0.04	29.98	FM-12		
09	1954	7	SCT:04 300	10.00		42	5.6	33	0.4	15	-9.4	33	6	270		29.80			29.99	FM-15	0.00	29.98
09	2054	7	FEW:02 70	10.00		41	5.0	32	0.2	16	-8.9	36	6	290		29.81			30.01	FM-15	0.00	29.99
09	2154	7	FEW:02 100	10.00		40	4.4	32	-0.1	16	-8.9	38	14	350	23	29.83	3	-0.04	30.03	FM-15	0.00	30.01
09	2254	7	FEW:02 100	10.00		35	1.7	29	-1.8	16	-8.9	46	6	020		29.86			30.06	FM-15	0.00	30.04
09	2354	7	FEW:02 100	10.00		29	-1.7	25	-3.6	18	-7.8	63	5	150		29.86			30.06	FM-15	0.00	30.04
10	0054	7	SCT:04 100	10.00		31	-0.6	27	-2.8	19	-7.2	61	0	000		29.86	1	-0.03	30.06	FM-15	0.00	30.04
10	0100	4		9.94		31	-0.6	27	-2.8	19	-7.2	61	0	000		29.86	1	-0.03	30.06	FM-12		
10	0154	7	SCT:04 130	10.00		30	-1.1	26	-3.1	19	-7.2	64	0	000		29.87			30.07	FM-15	0.00	30.05
10	0254	7	OVC:08 120	10.00		32	0.0	28	-2.3	20	-6.7	61	0	000		29.86			30.05	FM-15	0.00	30.04
10	0354	7	OVC:08 100	10.00		33	0.6	29	-1.6	22	-5.6	64	5	140		29.86	8	+0.00	30.05	FM-15	0.00	30.04
10	0454	7	OVC:08 80	10.00		34	1.1	30	-1.2	22	-5.6	61	0	000		29.86			30.06	FM-15	0.00	30.04
10	0554	7	OVC:08 70	10.00		35	1.7	31	-0.7	23	-5.0	61	3	110		29.87			30.06	FM-15	0.00	30.05
10	0654	7	BKN:07 65 OVC:08 130	10.00		35	1.7	31	-0.6	24	-4.4	64	0	000		29.89	3	-0.03	30.08	FM-15	0.00	30.07
10	0700	4	57	9.94		35	1.7	31	-0.6	24	-4.4	64	0	000		29.89	3	-0.03	30.08	FM-12		
10	0754	7	OVC:08 65	10.00		36	2.2	32	0.0	25	-3.9	64	0	000		29.90			30.09	FM-15	0.00	30.08
10	0854	7	OVC:08 55	10.00		39	3.9	34	0.9	25	-3.9	57	10	170		29.90			30.10	FM-15	0.00	30.08
10	0954	7	OVC:08 49	10.00		40	4.4	35	1.5	26	-3.3	58	5	150		29.90	0	-0.01	30.10	FM-15	0.00	30.08
10	1054	7	OVC:08 50	10.00		41	5.0	35	1.6	25	-3.9	53	3	110		29.88			30.07	FM-15	0.00	30.06
10	1154	7	FEW:02 48 OVC:08 60	10.00		43	6.1	36	2.4	26	-3.3	51	3	130		29.86			30.06	FM-15	0.00	30.04
10	1254	7	FEW:02 50 OVC:08 60	10.00		45	7.2	37	2.8	25	-3.9	46	6	120		29.83	8	+0.06	30.03	FM-15	0.00	30.01
10	1300	4	57	9.94		45	7.2	37	2.8	25	-3.9	46	6	120		29.83	8	+0.06	30.03	FM-12		
10	1354	7	OVC:08 65	10.00		46	7.8	38	3.3	26	-3.3	46	3	140		29.80			30.00	FM-15	0.00	29.98
10	1454	7	OVC:08 60	10.00		48	8.9	39	3.9	26	-3.3	42	0	000		29.80			29.99	FM-15	0.00	29.98
10	1554	7	BKN:07 65	10.00		49	9.4	40	4.4	27	-2.8	43	5	350		29.80	5	+0.03	30.00	FM-15	0.00	29.98
10	1654	7	BKN:07 65	10.00		49	9.4	40	4.4	27	-2.8	43	0	000		29.82			30.01	FM-15	0.00	30.00
10	1754	7	BKN:07 60	10.00		48	8.9	40	4.3	28	-2.2	46	0	000		29.83			30.03	FM-15	0.00	30.01
10	1854	7	OVC:08 65	10.00		45	7.2	39	4.0	31	-0.6	58	5	060		29.85	1	-0.04	30.04	FM-15	0.00	30.03
10	1900	4	57	9.94		45	7.2	39	4.0	31	-0.6	58	5	060		29.85	1	-0.04	30.04	FM-12		
10	1954	7	BKN:07 60 OVC:08 80	10.00		45	7.2	39	4.0	31	-0.6	58	0	000		29.86			30.06	FM-15	0.00	30.04
10	2054	7	SCT:04 55 BKN:07 85	10.00		44	6.7	38	3.5	30	-1.1	58	0	000		29.85			30.05	FM-15	0.00	30.03
10	2154	7	OVC:08 60	10.00		43	6.1	38	3.4	31	-0.6	63	5	030		29.85	0	-0.01	30.05	FM-15	0.00	30.03
10	2254	7	BKN:07 55	10.00		40	4.4	36	2.2	30	-1.1	68	6	030		29.85			30.04	FM-15	0.00	30.03
10	2354	7	FEW:02 50 BKN:07 70	10.00		40	4.4	36	2.4	31	-0.6	70	5	140		29.87			30.06	FM-15	0.00	30.05
11	0054	7	BKN:07 70	10.00		40	4.4	36	2.4	31	-0.6	70	3	070		29.88	3	-0.03	30.08	FM-15	0.00	30.06
11	0100	4	74	9.94		40	4.4	36	2.4	31	-0.6	70	3	070		29.88	3	-0.03	30.08	FM-12		
11	0154	7	SCT:04 60 OVC:08 85	10.00		39	3.9	37	2.5	33	0.6	79	3	150		29.89			30.09	FM-15	0.00	30.07
11	0254	7	BKN:07 60 OVC:08 85	10.00		40	4.4	37	3.0	34	1.1	79	5	360		29.90			30.09	FM-15	0.00	30.08
11	0354	7	SCT:04 55 SCT:04 85 OVC:08 180	10.00		38	3.3	36	2.2	33	0.6	83	7	020		29.90	0	-0.01	30.09	FM-15	0.00	30.08
11	0454	7	SCT:04 55 OVC:08 80	10.00		38	3.3	35	1.8	31	-0.6	76	8	030		29.91			30.11	FM-15	0.00	30.09



11	0554	7	SCT:04 55 OVC:08 80	10.00		37	2.8	34	1.2	30	-1.1	76	11	040		29.92			30.11	FM-15	0.00	30.10
11	0654	7	BKN:07 75 OVC:08 180	10.00		37	2.8	33	0.7	27	-2.8	67	9	040		29.93	2	-0.04	30.13	FM-15	0.00	30.11
11	0700	4	74	9.94		37	2.8	33	0.7	27	-2.8	67	9	040		29.93	2	-0.04	30.13	FM-12		
11	0754	7	FEW:02 60 SCT:04 80 OVC:08 180	10.00		38	3.3	33	0.6	25	-3.9	60	9	050		29.94			30.14	FM-15	0.00	30.12
11	0854	7	SCT:04 65 OVC:08 180	10.00		39	3.9	33	0.8	24	-4.4	55	8	040		29.96			30.16	FM-15	0.00	30.14
11	0954	7	SCT:04 65 OVC:08 180	10.00		41	5.0	35	1.4	24	-4.4	51	9	040		29.97	3	-0.04	30.17	FM-15	0.00	30.15
11	1054	7	BKN:07 60 OVC:08 180	10.00		42	5.6	35	1.7	24	-4.4	49	10	090		29.96			30.16	FM-15	0.00	30.14
11	1154	7	BKN:07 55 OVC:08 180	10.00		43	6.1	35	1.9	23	-5.0	45	8	090		29.95			30.14	FM-15	0.00	30.13
11	1254	7	BKN:07 50 OVC:08 180	10.00		45	7.2	37	2.5	23	-5.0	42	9	060		29.92	8	+0.06	30.11	FM-15	0.00	30.10
11	1300	4	57	9.94		45	7.2	37	2.5	23	-5.0	42	9	060		29.92	8	+0.06	30.11	FM-12		
11	1354	7	FEW:02 50 BKN:07 180	10.00		46	7.8	37	3.0	24	-4.4	42	6	050		29.89			30.09	FM-15	0.00	30.07
11	1454	7	FEW:02 80 OVC:08 200	10.00		46	7.8	37	3.0	24	-4.4	42	6	080		29.88			30.08	FM-15	0.00	30.06
11	1554	7	SCT:04 120 OVC:08 250	10.00		46	7.8	37	3.0	24	-4.4	42	0	000		29.87	6	+0.04	30.07	FM-15	0.00	30.05
11	1654	7	SCT:04 120 OVC:08 190	10.00		45	7.2	37	2.7	24	-4.4	44	3	080		29.87			30.06	FM-15	0.00	30.05
11	1754	7	SCT:04 120 OVC:08 200	10.00		44	6.7	37	2.7	26	-3.3	49	5	080		29.87			30.06	FM-15	0.00	30.05
11	1854	7	FEW:02 120 OVC:08 150	10.00		43	6.1	36	2.4	26	-3.3	51	6	080		29.87	6	+0.01	30.06	FM-15	0.00	30.05
11	1900	4		9.94		43	6.1	36	2.4	26	-3.3	51	6	080		29.87	6	+0.01	30.06	FM-12		
11	1954	7	FEW:02 60	10.00		42	5.6	36	2.1	26	-3.3	53	5	080		29.87			30.06	FM-15	0.00	30.05
11	2054	7	OVC:08 60	10.00		42	5.6	36	2.1	26	-3.3	53	5	080		29.86			30.06	FM-15	0.00	30.04
11	2154	7	OVC:08 60	10.00		41	5.0	36	2.0	27	-2.8	57	3	070		29.86	8	+0.00	30.06	FM-15	0.00	30.04
11	2254	7	OVC:08 60	10.00		40	4.4	35	1.6	27	-2.8	60	3	070		29.84			30.04	FM-15	0.00	30.02
11	2354	7	OVC:08 55	10.00		40	4.4	35	1.4	26	-3.3	58	3	060		29.83			30.02	FM-15	0.00	30.01
12	0054	7	OVC:08 55	10.00		40	4.4	35	1.6	27	-2.8	60	7	040		29.80	8	+0.06	29.99	FM-15	0.00	29.98
12	0100	4	57	9.94		40	4.4	35	1.6	27	-2.8	60	7	040		29.80	8	+0.06	29.99	FM-12		
12	0154	7	OVC:08 50	10.00		40	4.4	35	1.4	26	-3.3	58	7	050		29.77			29.97	FM-15	0.00	29.95
12	0254	7	OVC:08 50	10.00		40	4.4	35	1.4	26	-3.3	58	9	060		29.75			29.95	FM-15	0.00	29.93
12	0354	7	OVC:08 60	10.00		39	3.9	34	1.3	27	-2.8	62	9	060		29.74	6	+0.06	29.93	FM-15	0.00	29.92
12	0454	7	OVC:08 55	10.00		39	3.9	34	1.3	27	-2.8	62	9	060		29.72			29.92	FM-15	0.00	29.90
12	0554	7	OVC:08 55	10.00		39	3.9	34	1.1	26	-3.3	60	10	050		29.71			29.91	FM-15	0.00	29.89
12	0654	7	OVC:08 50	10.00		39	3.9	34	1.1	26	-3.3	60	9	030		29.71	6	+0.02	29.91	FM-15	0.00	29.89
12	0700	4	57	9.94		39	3.9	34	1.1	26	-3.3	60	9	030		29.71	6	+0.02	29.91	FM-12		
12	0754	7	OVC:08 50	10.00		39	3.9	34	1.3	27	-2.8	62	10	020		29.69			29.88	FM-15	0.00	29.87
12	0854	7	OVC:08 48	10.00		39	3.9	35	1.5	28	-2.2	65	15	030		29.67			29.86	FM-15	0.00	29.85
12	0954	7	OVC:08 50	9.00	-SN:03  SN	38	3.3	35	1.8	31	-0.6	76	14	020		29.66	6	+0.05	29.85	FM-15	T	29.84
12	1054	7	FEW:02 40 OVC:08 50	6.00	-SN:03  SN	38	3.3	36	2.0	32	0.0	79	10	010		29.66			29.85	FM-15	T	29.84
12	1152	6	FEW:02 15 BKN:07 28 OVC:08 38	6.00	-RA:02 SN:03 BR:1  RA SN	37	3.0	36	2.1	34	1.0	87	15	010		29.64				FM-16		29.82
12	1154	7	FEW:02 17 BKN:07 28 OVC:08 38	6.00	-RA:02 SN:03 BR:1  RA RA	37	2.8	35	1.9	33	0.6	86	14	010		29.64			29.83	FM-15	0.01	29.82
12	1201	7	FEW:02 14 BKN:07 22 OVC:08 40	2.50	-RA:02 SN:03 BR:1  RA RA	37	2.8	35	1.9	33	0.6	86	10	360		29.64				FM-16	T	29.82
12	1216	7	FEW:02 10 OVC:08 16	1.50	-RA:02 SN:03 BR:1  RA RA	35	1.7	34	1.2	33	0.6	93	16	020	21	29.63				FM-16	0.02	29.81

12	1247	7	FEW:02 7 OVC:08 17	1.50	-RA:02 SN:03 BR:1  RA RA	35	1.7	34	1.2	33	0.6	93	16	010		29.61				FM-16	0.04	29.79
12	1254	7	FEW:02 7 OVC:08 19	1.50	-RA:02 SN:03 BR:1  RA RA	35	1.7	34	1.2	33	0.6	93	15	010		29.60	8	+0.06	29.80	FM-15	0.04	29.78
12	1300	4	8	1.49		35	1.7	34	1.2	33	0.6	93	15	010		29.60	8	+0.06	29.80	FM-12		
12	1313	7	BKN:07 7 OVC:08 19	1.50	-RA:02 SN:03 BR:1  RA RA	35	1.7	34	1.2	33	0.6	93	13	360		29.59				FM-16	0.01	29.77
12	1351	7	OVC:08 7	1.00	-SN:03 BR:1  SN	34	1.0	33	0.7	32	0.0	93	16	360		29.58				FM-16	0.03	29.76
12	1354	7	OVC:08 7	1.00	-SN:03 BR:1  SN	34	1.1	33	0.7	32	0.0	92	17	360	23	29.58			29.78	FM-15	0.04	29.76
12	1402	7	OVC:08 7	0.75	-SN:03 BR:1  SN	33	0.6	33	0.3	32	0.0	96	15	360	23	29.58				FM-16	0.01	29.76
12	1454	7	OVC:08 6	0.50	SN:03 FG:2  FG SN	33	0.6	33	0.3	32	0.0	96	13	350		29.57			29.76	FM-15	0.09	29.75
12	1550	7	OVC:08 4	0.50	SN:03 FG:2  FG SN	34	1.0	33	0.7	32	0.0	93	15	350		29.56				FM-16	0.14	29.74
12	1554	7	OVC:08 5	0.25	+SN:03 FG:2  FG SN	33	0.6	33	0.3	32	0.0	96	15	350		29.56	6	+0.02	29.76	FM-15	0.16	29.74
12	1654	7	OVC:08 6	0.75	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	18	350		29.56			29.75	FM-15	0.11	29.74
12	1711	7	BKN:07 6 OVC:08 13	1.00	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	15	350		29.55				FM-16	0.01	29.73
12	1754	7	BKN:07 6 BKN:07 10 OVC:08 14	1.00	-SN:03 BR:1  SN	34	1.1	34	1.1	34	1.1	100	16	350		29.55			29.75	FM-15	0.03	29.73
12	1800	7	BKN:07 6 OVC:08 17	2.00	-SN:03  SN	34	1.1	34	1.1	34	1.0	99	14	350		29.56				FM-16	T	29.74
12	1812	7	BKN:07 8 OVC:08 11	4.00	-SN:03 BR:1  SN	34	1.1	34	1.1	34	1.1	100	14	350		29.57				FM-16	T	29.75
12	1852	6	FEW:02 8 SCT:04 12 OVC:08 55	8.00		36	2.0	36	2.2	36	2.0	100	14	350		29.57				FM-16		29.75
12	1854	7	FEW:02 8 SCT:04 12 OVC:08 55	9.00		35	1.7	35	1.7	35	1.7	100	13	350		29.57	3	-0.01	29.76	FM-15	0.01	29.75
12	1900	4	8	8.70		35	1.7	35	1.7	35	1.7	100	13	350		29.57	3	-0.01	29.76	FM-12		
12	1954	7	BKN:07 35 BKN:07 47 OVC:08 60	10.00		35	1.7	35	1.4	34	1.1	96	10	340		29.58			29.78	FM-15	0.00	29.76
12	2054	7	FEW:02 45 OVC:08 65	10.00		36	2.2	34	0.9	30	-1.1	79	15	350		29.58			29.77	FM-15	0.00	29.76
12	2154	7	FEW:02 60 BKN:07 90 OVC:08 110	10.00		36	2.2	34	1.3	32	0.0	86	18	350		29.59	3	-0.02	29.78	FM-15	T	29.77
12	2254	7	OVC:08 55	10.00		36	2.2	35	1.5	33	0.6	89	14	350		29.58			29.77	FM-15	0.00	29.76
12	2354	7	BKN:07 70	10.00		35	1.7	34	1.0	32	0.0	89	15	340		29.59			29.79	FM-15	0.00	29.77
13	0054	7	FEW:02 39 SCT:04 75	10.00		34	1.1	33	0.5	31	-0.6	89	14	330		29.59	3	-0.01	29.79	FM-15	0.00	29.77
13	0100	4	41	9.94		34	1.1	33	0.5	31	-0.6	89	14	330		29.59	3	-0.01	29.79	FM-12		
13	0154	7	FEW:02 40	10.00		34	1.1	32	0.2	30	-1.1	85	20	340		29.60			29.80	FM-15	0.00	29.78
13	0254	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	15	330		29.61			29.81	FM-15	0.00	29.79
13	0354	7	CLR:00	10.00		32	0.0	31	-0.8	28	-2.2	85	8	320		29.62	3	-0.03	29.82	FM-15	0.00	29.80
13	0454	7	CLR:00	10.00		32	0.0	30	-1.0	27	-2.8	82	7	300		29.64			29.84	FM-15	0.00	29.82
13	0554	7	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	9	310		29.67			29.86	FM-15	0.00	29.85
13	0654	7	FEW:02 60	10.00		32	0.0	30	-1.2	26	-3.3	79	7	290		29.68	1	-0.06	29.88	FM-15	0.00	29.86
13	0700	4	57	9.94		32	0.0	30	-1.2	26	-3.3	79	7	290		29.68	1	-0.06	29.88	FM-12		
13	0754	7	CLR:00	10.00		34	1.1	31	-0.3	27	-2.8	75	8	300		29.70			29.90	FM-15	0.00	29.88
13	0854	7	FEW:02 50	10.00		38	3.3	33	0.4	24	-4.4	57	16	300	20	29.70			29.90	FM-15	0.00	29.88
13	0954	7	FEW:02 50	10.00		40	4.4	34	1.1	24	-4.4	53	20	300		29.70	1	-0.02	29.90	FM-15	0.00	29.88
13	1054	7	SCT:04 50	10.00		42	5.6	35	1.6	23	-5.0	47	21	290	33	29.70			29.90	FM-15	0.00	29.88
13	1154	7	SCT:04 55	10.00		45	7.2	37	2.7	24	-4.4	44	18	320	29	29.69			29.89	FM-15	0.00	29.87
13	1254	7	SCT:04 60	10.00		48	8.9	39	3.7	25	-3.9	41	17	270	25	29.68	8	+0.02	29.87	FM-15	0.00	29.86
13	1300	4	57	9.94		48	8.9	39	3.7	25	-3.9	41	17	270		29.68	8	+0.02	29.87	FM-12		
13	1354	7	SCT:04 65 SCT:04 300	10.00		49	9.4	39	3.7	23	-5.0	36	20	290	29	29.67			29.86	FM-15	0.00	29.85
13	1454	7	SCT:04 65 SCT:04 300	10.00		49	9.4	38	3.1	19	-7.2	31	20	290	31	29.66			29.85	FM-15	0.00	29.84

13	1554	7	FEW:02 65 SCT:04 300	10.00		49	9.4	37	2.8	17	-8.3	28	15	300	23	29.65	6	+0.03	29.85	FM-15	0.00	29.83
13	1654	7	SCT:04 75 SCT:04 300	10.00		47	8.3	36	2.4	18	-7.8	31	18	280	23	29.67			29.86	FM-15	0.00	29.85
13	1754	7	SCT:04 75 SCT:04 300	10.00		45	7.2	35	1.6	17	-8.3	33	11	290		29.69			29.88	FM-15	0.00	29.87
13	1854	7	SCT:04 80 SCT:04 300	10.00		43	6.1	33	0.8	16	-8.9	34	11	290	21	29.71	3	-0.06	29.91	FM-15	0.00	29.89
13	1900	4	74	9.94		43	6.1	33	0.8	16	-8.9	34	11	290		29.71	3	-0.06	29.91	FM-12		
13	1954	7	FEW:02 250	10.00		40	4.4	32	0.0	17	-8.3	40	8	270		29.73			29.93	FM-15	0.00	29.91
13	2054	7	CLR:00	10.00		39	3.9	32	-0.2	18	-7.8	43	8	250		29.74			29.93	FM-15	0.00	29.92
13	2154	7	CLR:00	10.00		37	2.8	30	-0.9	18	-7.8	46	8	250		29.73	0	-0.02	29.93	FM-15	0.00	29.91
13	2254	7	CLR:00	10.00		35	1.7	29	-1.4	19	-7.2	52	7	250		29.73			29.93	FM-15	0.00	29.91
13	2354	7	CLR:00	10.00		34	1.1	29	-1.6	20	-6.7	56	7	270		29.72			29.92	FM-15	0.00	29.90
14	0054	7	CLR:00	10.00		33	0.6	29	-1.9	20	-6.7	58	6	270		29.72	7	+0.02	29.91	FM-15	0.00	29.90
14	0100	4		9.94		33	0.6	29	-1.9	20	-6.7	58	6	270		29.72	7	+0.02	29.91	FM-12		
14	0154	7	BKN:07 120	10.00		31	-0.6	28	-2.5	21	-6.1	67	5	300		29.70			29.90	FM-15	0.00	29.88
14	0254	7	FEW:02 120	10.00		32	0.0	28	-2.1	21	-6.1	64	6	280		29.69			29.89	FM-15	0.00	29.87
14	0354	7	BKN:07 120 BKN:07 200	10.00		32	0.0	28	-2.1	21	-6.1	64	8	290		29.68	6	+0.03	29.88	FM-15	0.00	29.86
14	0454	7	FEW:02 120 FEW:02 200	10.00		31	-0.6	28	-2.5	21	-6.1	67	5	280		29.68			29.88	FM-15	0.00	29.86
14	0554	7	FEW:02 110 FEW:02 160 SCT:04 300	10.00		29	-1.7	27	-3.0	22	-5.6	75	3	280		29.69			29.88	FM-15	0.00	29.87
14	0654	7	FEW:02 160 BKN:07 300	10.00		29	-1.7	27	-2.8	23	-5.0	78	6	310		29.70	3	-0.01	29.89	FM-15	0.00	29.88
14	0700	4		9.94		29	-1.7	27	-2.8	23	-5.0	78	6	310		29.70	3	-0.01	29.89	FM-12		
14	0754	7	FEW:02 160 FEW:02 300	10.00		35	1.7	30	-0.9	22	-5.6	59	9	300		29.70			29.90	FM-15	0.00	29.88
14	0854	7	FEW:02 300	10.00		37	2.8	30	-1.0	17	-8.3	44	18	290	24	29.70			29.90	FM-15	0.00	29.88
14	0954	7	FEW:02 40 FEW:02 300	10.00		39	3.9	31	-0.5	16	-8.9	39	15	300		29.69	8	+0.01	29.88	FM-15	0.00	29.87
14	1054	7	SCT:04 60 SCT:04 300	10.00		42	5.6	33	0.4	15	-9.4	33	18	290	29	29.68			29.88	FM-15	0.00	29.86
14	1154	7	SCT:04 80 BKN:07 95 BKN:07 300	10.00		43	6.1	32	0.2	11	-11.7	27	20	290	31	29.66			29.86	FM-15	0.00	29.84
14	1254	7	FEW:02 49 SCT:04 70 SCT:04 85	10.00		43	6.1	33	0.3	12	-11.1	28	21	290	33	29.65	8	+0.04	29.84	FM-15	T	29.83
14	1300	4	41	9.94		43	6.1	33	0.3	12	-11.1	28	21	290		29.65	8	+0.04	29.84	FM-12		
14	1354	7	BKN:07 80	10.00		41	5.0	31	-0.6	10	-12.2	28	18	290	29	29.63			29.83	FM-15	0.00	29.81
14	1454	7	BKN:07 85	10.00		43	6.1	32	0.1	10	-12.2	26	20	280	30	29.62			29.82	FM-15	0.00	29.80
14	1554	7	FEW:02 60 BKN:07 80	10.00		43	6.1	32	0.1	10	-12.2	26	21	280	30	29.62	6	+0.02	29.82	FM-15	0.00	29.80
14	1654	7	BKN:07 75	10.00		42	5.6	32	-0.1	11	-11.7	28	20	280	33	29.62			29.82	FM-15	0.00	29.80
14	1754	7	SCT:04 80	10.00		41	5.0	31	-0.5	11	-11.7	29	21	280	26	29.65			29.84	FM-15	0.00	29.83
14	1854	7	FEW:02 80 SCT:04 230	10.00		40	4.4	31	-0.7	12	-11.1	32	15	290	22	29.67	3	-0.05	29.87	FM-15	0.00	29.85
14	1900	4	74	9.94		40	4.4	31	-0.7	12	-11.1	32	15	290		29.67	3	-0.05	29.87	FM-12		
14	1954	7	BKN:07 240	10.00		39	3.9	30	-1.0	12	-11.1	33	16	280	23	29.70			29.89	FM-15	0.00	29.88
14	2054	7	FEW:02 250	10.00		37	2.8	29	-1.6	13	-10.6	37	15	270		29.72			29.91	FM-15	0.00	29.90
14	2154	7	CLR:00	10.00		35	1.7	28	-2.2	13	-10.6	40	14	270		29.73	1	-0.06	29.92	FM-15	0.00	29.91
14	2254	7	FEW:02 300	10.00		34	1.1	28	-2.5	14	-10.0	44	10	270		29.73			29.93	FM-15	0.00	29.91
14	2354	7	SCT:04 300	10.00		33	0.6	27	-2.7	15	-9.4	47	8	260		29.73			29.93	FM-15	0.00	29.91
15	0054	7	SCT:04 140	10.00		32	0.0	27	-3.0	15	-9.4	50	8	250		29.73	1	-0.00	29.93	FM-15	0.00	29.91
15	0100	4		9.94		32	0.0	27	-3.0	15	-9.4	50	8	250		29.73	1	-0.00	29.93	FM-12		
15	0154	7	FEW:02 140 SCT:04 230	10.00		31	-0.6	26	-3.4	15	-9.4	52	9	250		29.73			29.92	FM-15	0.00	29.91
15	0254	7	FEW:02 230	10.00		30	-1.1	26	-3.6	16	-8.9	56	9	230		29.71			29.91	FM-15	0.00	29.89

15	0354	7	CLR:00	10.00		30	-1.1	26	-3.6	16	-8.9	56	9	240		29.71	8	+0.03	29.90	FM-15	0.00	29.89
15	0454	7	CLR:00	10.00		30	-1.1	26	-3.4	17	-8.3	58	10	240		29.71			29.91	FM-15	0.00	29.89
15	0554	7	CLR:00	10.00		29	-1.7	25	-3.8	17	-8.3	61	10	220		29.70			29.90	FM-15	0.00	29.88
15	0654	7	CLR:00	10.00		30	-1.1	26	-3.3	18	-7.8	61	11	220		29.70	5	+0.01	29.90	FM-15	0.00	29.88
15	0700	4		9.94		30	-1.1	26	-3.3	18	-7.8	61	11	220		29.70	5	+0.01	29.90	FM-12		
15	0754	7	CLR:00	10.00		34	1.1	29	-1.7	19	-7.2	54	14	230		29.67			29.86	FM-15	0.00	29.85
15	0854	7	FEW:02 300	10.00		39	3.9	32	-0.1	19	-7.2	45	11	220		29.64			29.84	FM-15	0.00	29.82
15	0954	7	BKN:07 90 BKN:07 300	10.00		44	6.7	35	1.6	19	-7.2	37	20	220		29.62	6	+0.07	29.82	FM-15	0.00	29.80
15	1054	7	FEW:02 90 FEW:02 300	10.00		48	8.9	37	2.7	18	-7.8	30	20	230	30	29.58			29.78	FM-15	0.00	29.76
15	1154	7	FEW:02 100 SCT:04 300	10.00		51	10.6	39	3.7	19	-7.2	28	25	250	36	29.54			29.74	FM-15	0.00	29.72
15	1254	7	FEW:02 100 BKN:07 300	10.00		53	11.7	40	4.4	20	-6.7	27	22	240	28	29.52	6	+0.12	29.70	FM-15	0.00	29.69
15	1300	4		9.94		53	11.7	40	4.4	20	-6.7	27	22	240		29.51	6	+0.12	29.70	FM-12		
15	1354	7	FEW:02 50 BKN:07 300	10.00		55	12.8	41	5.0	20	-6.7	25	22	250	36	29.47			29.67	FM-15	0.00	29.65
15	1454	7	FEW:02 50 SCT:04 300	10.00		55	12.8	42	5.3	22	-5.6	28	11	270	21	29.45			29.64	FM-15	0.00	29.63
15	1554	7	FEW:02 50 SCT:04 190 SCT:04 300	10.00		58	14.4	43	6.0	21	-6.1	24	11	280		29.44	6	+0.08	29.62	FM-15	0.00	29.61
15	1654	7	FEW:02 50 SCT:04 180	10.00		60	15.6	43	6.0	17	-8.3	19	18	280	24	29.44			29.62	FM-15	0.00	29.61
15	1754	7	FEW:02 180	10.00		57	13.9	41	4.9	15	-9.4	19	13	320		29.47			29.65	FM-15	0.00	29.64
15	1854	7	CLR:00	10.00		53	11.7	39	4.0	17	-8.3	24	10	310		29.49	3	-0.06	29.69	FM-15	0.00	29.67
15	1900	4		9.94		53	11.7	39	4.0	17	-8.3	24	10	310		29.49	3	-0.06	29.69	FM-12		
15	1954	7	CLR:00	10.00		51	10.6	38	3.6	18	-7.8	27	5	330		29.52			29.70	FM-15	0.00	29.69
15	2054	7	CLR:00	10.00		44	6.7	35	1.9	21	-6.1	40	3	130		29.52			29.72	FM-15	0.00	29.70
15	2154	7	CLR:00	10.00		39	3.9	33	0.6	23	-5.0	53	0	000		29.54	3	-0.05	29.74	FM-15	0.00	29.72
15	2254	7	CLR:00	10.00		39	3.9	33	0.6	23	-5.0	53	0	000		29.55			29.74	FM-15	0.00	29.73
15	2354	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	0	000		29.55			29.74	FM-15	0.00	29.73
16	0054	7	CLR:00	10.00		34	1.1	31	-0.5	26	-3.3	73	3	360		29.57	3	-0.03	29.76	FM-15	0.00	29.75
16	0100	4		9.94		34	1.1	31	-0.5	26	-3.3	73	3	360		29.57	3	-0.03	29.76	FM-12		
16	0154	7	BKN:07 90	10.00		36	2.2	32	-0.2	24	-4.4	62	0	000		29.58			29.78	FM-15	0.00	29.76
16	0254	7	BKN:07 85	10.00		38	3.3	33	0.4	24	-4.4	57	11	020		29.59			29.79	FM-15	0.00	29.77
16	0354	7	FEW:02 85	10.00		37	2.8	32	-0.2	22	-5.6	54	5	030		29.60	1	-0.03	29.80	FM-15	0.00	29.78
16	0454	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	0	000		29.61			29.81	FM-15	0.00	29.79
16	0554	7	FEW:02 75	10.00		31	-0.6	28	-2.1	23	-5.0	72	0	000		29.63			29.83	FM-15	0.00	29.81
16	0654	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	0	000		29.66	3	-0.06	29.86	FM-15	0.00	29.84
16	0700	4		9.94		30	-1.1	28	-2.3	24	-4.4	79	0	000		29.66	3	-0.06	29.86	FM-12		
16	0754	7	CLR:00	10.00		42	5.6	35	1.9	25	-3.9	51	3	340		29.70			29.89	FM-15	0.00	29.88
16	0854	7	CLR:00	10.00		45	7.2	37	2.8	25	-3.9	46	9	030		29.73			29.92	FM-15	0.00	29.91
16	0954	7	FEW:02 55	10.00		47	8.3	38	3.3	24	-4.4	41	11	340		29.76	1	-0.10	29.96	FM-15	0.00	29.94
16	1054	7	FEW:02 60	10.00		49	9.4	38	3.6	22	-5.6	35	16	350		29.77			29.96	FM-15	0.00	29.95
16	1154	7	FEW:02 70	10.00		50	10.0	37	2.9	15	-9.4	25	11	310	23	29.77			29.97	FM-15	0.00	29.95
16	1227	7	CLR:00	10.00		51	10.6	39	3.9	20	-6.7	29	14	340		29.78				FM-16		29.96
16	1254	7	FEW:02 65 FEW:02 250	10.00		51	10.6	39	3.9	20	-6.7	29	14	VRB	23	29.77	1	-0.01	29.97	FM-15	0.00	29.95
16	1300	4	57	9.94		51	10.6	39	3.9	20	-6.7	29	14	340		29.77	1	-0.01	29.97	FM-12		
16	1354	7	FEW:02 70	10.00		52	11.1	39	3.6	16	-8.9	24	15	280	28	29.77			29.97	FM-15	0.00	29.95
16	1454	7	FEW:02 75	10.00		53	11.7	39	3.7	14	-10.0	21	14	VRB		29.77			29.96	FM-15	0.00	29.95
16	1554	7	CLR:00	10.00		54	12.2	39	4.0	14	-10.0	20	17	320	23	29.78	3	-0.00	29.97	FM-15	0.00	29.96
16	1654	7	FEW:02 80	10.00		52	11.1	38	3.3	13	-10.6	21	10	360	20	29.79			29.98	FM-15	0.00	29.97
16	1754	7	FEW:02 250	10.00		48	8.9	36	2.2	14	-10.0	25	11	360		29.81			30.01	FM-15	0.00	29.99
16	1854	7	SCT:04 250	10.00		46	7.8	35	1.4	13	-10.6	26	6	020		29.83	3	-0.06	30.03	FM-15	0.00	30.01
16	1900	4		9.94		46	7.8	35	1.4	13	-10.6	26	6	020		29.83	3	-0.06	30.03	FM-12		
16	1954	7	FEW:02 300	10.00		42	5.6	33	0.4	15	-9.4	33	6	020		29.85			30.05	FM-15	0.00	30.03

16	2054	7	SCT:04 300	10.00		39	3.9	31	-0.6	15	-9.4	38	8	010		29.87			30.06	FM-15	0.00	30.05
16	2154	7	SCT:04 300	10.00		37	2.8	29	-1.4	14	-10.0	39	7	030		29.88	1	-0.05	30.08	FM-15	0.00	30.06
16	2254	7	FEW:02 300	10.00		37	2.8	29	-1.4	14	-10.0	39	0	000		29.89			30.09	FM-15	0.00	30.07
16	2354	7	CLR:00	10.00		29	-1.7	25	-3.8	17	-8.3	61	0	000		29.89			30.09	FM-15	0.00	30.07
17	0054	7	CLR:00	10.00		27	-2.8	24	-4.5	17	-8.3	66	0	000		29.90	2	-0.02	30.09	FM-15	0.00	30.08
17	0100	4		9.94		27	-2.8	24	-4.5	17	-8.3	66	0	000		29.90	2	-0.02	30.09	FM-12		
17	0154	7	FEW:02 300	10.00		29	-1.7	25	-3.6	18	-7.8	63	0	000		29.87			30.06	FM-15	0.00	30.05
17	0254	7	FEW:02 300	10.00		29	-1.7	25	-3.6	18	-7.8	63	0	000		29.86			30.05	FM-15	0.00	30.04
17	0354	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	0	000		29.85	6	+0.05	30.05	FM-15	0.00	30.03
17	0454	7	CLR:00	10.00		25	-3.9	23	-5.3	17	-8.3	72	6	190		29.87			30.06	FM-15	0.00	30.05
17	0554	7	SCT:04 150	10.00		28	-2.2	25	-3.7	20	-6.7	72	3	130		29.86			30.06	FM-15	0.00	30.04
17	0654	7	SCT:04 150 SCT:04 300	10.00		31	-0.6	28	-2.3	22	-5.6	69	0	000		29.87	1	-0.02	30.06	FM-15	0.00	30.05
17	0700	4		9.94		31	-0.6	28	-2.3	22	-5.6	69	0	000		29.87	1	-0.02	30.06	FM-12		
17	0754	7	SCT:04 100 BKN:07 300	10.00		36	2.2	32	0.1	26	-3.3	67	3	150		29.85			30.05	FM-15	0.00	30.03
17	0854	7	SCT:04 110 BKN:07 300	10.00		42	5.6	36	2.3	27	-2.8	55	7	200		29.84			30.03	FM-15	0.00	30.02
17	0954	7	BKN:07 110 OVC:08 300	10.00		44	6.7	37	2.9	27	-2.8	51	10	170		29.81	8	+0.06	30.01	FM-15	0.00	29.99
17	1054	7	BKN:07 75 OVC:08 100	10.00		45	7.2	37	3.0	26	-3.3	48	3	VRB		29.79			29.98	FM-15	0.00	29.97
17	1154	7	BKN:07 70 OVC:08 80	10.00		46	7.8	38	3.3	26	-3.3	46	0	000		29.76			29.96	FM-15	0.00	29.94
17	1254	7	OVC:08 70	10.00		47	8.3	38	3.4	25	-3.9	42	10	140		29.68	8	+0.13	29.87	FM-15	0.00	29.86
17	1300	4	74	9.94		47	8.3	38	3.4	25	-3.9	42	10	140		29.68	8	+0.13	29.87	FM-12		
17	1354	7	FEW:02 49 OVC:08 60	10.00		49	9.4	39	4.0	25	-3.9	39	0	000		29.68			29.88	FM-15	T	29.86
17	1454	7	OVC:08 50	10.00		51	10.6	41	5.0	27	-2.8	39	0	000		29.66			29.85	FM-15	T	29.84
17	1554	7	BKN:07 45	10.00		53	11.7	42	5.6	27	-2.8	37	5	320		29.65	8	+0.02	29.85	FM-15	0.00	29.83
17	1654	7	FEW:02 45	10.00		52	11.1	42	5.5	28	-2.2	40	9	340		29.66			29.85	FM-15	0.00	29.84
17	1754	7	FEW:02 45	10.00		48	8.9	40	4.5	29	-1.7	48	6	360		29.65			29.84	FM-15	0.00	29.83
17	1854	7	FEW:02 40	10.00		45	7.2	38	3.6	29	-1.7	54	3	020		29.66	3	-0.01	29.85	FM-15	0.00	29.84
17	1900	4	41	9.94		45	7.2	38	3.6	29	-1.7	54	3	020		29.66	3	-0.01	29.85	FM-12		
17	1954	7	FEW:02 40	10.00		43	6.1	37	2.9	29	-1.7	58	5	010		29.65			29.84	FM-15	0.00	29.83
17	2054	7	BKN:07 100	10.00		41	5.0	37	2.7	31	-0.6	67	3	010		29.64			29.84	FM-15	0.00	29.82
17	2154	7	BKN:07 80	10.00		43	6.1	39	4.0	34	1.1	71	3	320		29.67	3	-0.01	29.86	FM-15	T	29.85
17	2254	7	OVC:08 60	10.00	-RA:02  RA	43	6.1	40	4.4	36	2.2	76	5	030		29.66			29.85	FM-15	T	29.84
17	2354	7	FEW:02 75 OVC:08 100	10.00	-RA:02  RA	41	5.0	40	4.3	38	3.3	89	0	000		29.65			29.84	FM-15	0.01	29.83
18	0054	7	OVC:08 33	10.00	-RA:02  RA	41	5.0	40	4.5	39	3.9	93	0	000		29.68	3	-0.01	29.88	FM-15	T	29.86
18	0100	4	26	9.94	RA	41	5.0	40	4.5	39	3.9	93	0	000		29.68	3	-0.01	29.88	FM-12		
18	0154	7	OVC:08 36	10.00		41	5.0	41	5.0	41	5.0	100	5	010		29.67			29.87	FM-15	T	29.85
18	0254	7	OVC:08 39	10.00		42	5.6	40	4.3	37	2.8	82	6	030		29.67			29.87	FM-15	0.00	29.85
18	0354	7	OVC:08 44	10.00		41	5.0	39	3.8	36	2.2	82	7	360		29.70	3	-0.02	29.90	FM-15	0.00	29.88
18	0454	7	OVC:08 48	10.00	-RA:02  RA	41	5.0	38	3.6	35	1.7	79	7	360		29.73			29.92	FM-15	T	29.91
18	0554	7	SCT:04 55 BKN:07 85	10.00		40	4.4	36	2.4	31	-0.6	70	8	010		29.74			29.94	FM-15	0.00	29.92
18	0654	7	SCT:04 80	10.00		40	4.4	35	1.6	27	-2.8	60	13	010		29.78	3	-0.07	29.97	FM-15	0.00	29.96
18	0700	4	74	9.94		40	4.4	35	1.6	27	-2.8	60	13	010		29.78	3	-0.07	29.97	FM-12		
18	0754	7	FEW:02 80	10.00		43	6.1	35	1.9	23	-5.0	45	13	010		29.80			29.99	FM-15	0.00	29.98
18	0854	7	CLR:00	10.00		45	7.2	36	2.2	21	-6.1	39	10	360		29.82			30.02	FM-15	0.00	30.00
18	0954	7	CLR:00	10.00		48	8.9	38	3.1	21	-6.1	34	9	020	17	29.83	1	-0.05	30.03	FM-15	0.00	30.01
18	1054	7	CLR:00	10.00		50	10.0	38	3.6	20	-6.7	30	6	VRB		29.83			30.03	FM-15	0.00	30.01
18	1154	7	CLR:00	10.00		54	12.2	40	4.6	19	-7.2	25	5	VRB		29.83			30.03	FM-15	0.00	30.01
18	1254	7	CLR:00	10.00		55	12.8	41	4.9	19	-7.2	24	5	VRB		29.80	8	+0.03	29.99	FM-15	0.00	29.98
18	1300	4		9.94		55	12.8	41	4.9	19	-7.2	24	5			29.80	8	+0.03	29.99	FM-12		
18	1354	7	CLR:00	10.00		57	13.9	42	5.6	20	-6.7	24	6	020		29.78			29.97	FM-15	0.00	29.96
18	1454	7	CLR:00	10.00		58	14.4	43	5.9	20	-6.7	23	10	320	17	29.77			29.96	FM-15	0.00	29.95

18	1554	7	CLR:00	10.00		60	15.6	44	6.6	21	-6.1	22	5	270		29.75	6	+0.05	29.94	FM-15	0.00	29.93
18	1654	7	CLR:00	10.00		59	15.0	43	6.3	21	-6.1	23	3	230		29.75			29.94	FM-15	0.00	29.93
18	1754	7	CLR:00	10.00		58	14.4	43	5.9	20	-6.7	23	0	000		29.75			29.94	FM-15	0.00	29.93
18	1854	7	FEW:02 250	10.00		50	10.0	40	4.7	27	-2.8	41	5	160		29.74	8	+0.01	29.94	FM-15	0.00	29.92
18	1900	4		9.94		50	10.0	40	4.7	27	-2.8	41	5	160		29.74	8	+0.01	29.94	FM-12		
18	1954	7	CLR:00	10.00		45	7.2	38	3.4	28	-2.2	52	0	000		29.74			29.94	FM-15	0.00	29.92
18	2054	7	CLR:00	10.00		42	5.6	36	2.3	27	-2.8	55	7	180		29.75			29.95	FM-15	0.00	29.93
18	2154	7	CLR:00	10.00		43	6.1	37	2.6	27	-2.8	53	3	140		29.75	0	-0.01	29.94	FM-15	0.00	29.93
18	2254	7	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	5	120		29.74			29.94	FM-15	0.00	29.92
18	2354	7	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	3	140		29.74			29.94	FM-15	0.00	29.92
19	0054	7	CLR:00	10.00		39	3.9	36	2.1	31	-0.6	73	5	150		29.75	5	+0.00	29.94	FM-15	0.00	29.93
19	0100	4		9.94		39	3.9	36	2.1	31	-0.6	73	5	150		29.75	5	+0.00	29.94	FM-12		
19	0154	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	5	150		29.74			29.94	FM-15	0.00	29.92
19	0254	7	FEW:02 300	10.00		40	4.4	37	2.8	33	0.6	77	3	160		29.73			29.92	FM-15	0.00	29.91
19	0354	7	FEW:02 300	10.00		39	3.9	37	2.7	34	1.1	82	6	160		29.72	8	+0.03	29.91	FM-15	0.00	29.90
19	0454	7	BKN:07 95	10.00		38	3.3	37	2.6	35	1.7	89	5	200		29.73			29.92	FM-15	0.00	29.91
19	0554	7	BKN:07 90	10.00		39	3.9	38	3.2	36	2.2	89	3	200		29.74			29.93	FM-15	0.00	29.92
19	0654	7	BKN:07 90 OVC:08 120	10.00		41	5.0	39	3.8	36	2.2	82	0	000		29.74	1	-0.02	29.93	FM-15	0.00	29.92
19	0700	4		9.94		41	5.0	39	3.8	36	2.2	82	0	000		29.74	1	-0.02	29.93	FM-12		
19	0754	7	OVC:08 85	10.00		44	6.7	41	4.9	37	2.8	76	7	200		29.74			29.94	FM-15	0.00	29.92
19	0854	7	OVC:08 80	10.00		46	7.8	42	5.3	36	2.2	68	0	000		29.72			29.92	FM-15	0.00	29.90
19	0954	7	OVC:08 80	10.00		49	9.4	43	6.0	35	1.7	59	3	210		29.73	5	+0.01	29.93	FM-15	0.00	29.91
19	1054	7	OVC:08 80	10.00		51	10.6	42	5.7	31	-0.6	46	7	190		29.73			29.93	FM-15	0.00	29.91
19	1154	7	BKN:07 80 BKN:07 95 OVC:08 110	10.00		56	13.3	45	6.9	30	-1.1	37	6	VRB		29.71			29.90	FM-15	0.00	29.89
19	1254	7	FEW:02 30 SCT:04 80 BKN:07 110	10.00		59	15.0	46	7.8	30	-1.1	33	5	VRB		29.68	8	+0.06	29.87	FM-15	0.00	29.86
19	1300	4	26	9.94		59	15.0	46	7.8	30	-1.1	33	5			29.68	8	+0.06	29.87	FM-12		
19	1354	7	FEW:02 75 SCT:04 110 OVC:08 300	10.00		60	15.6	46	7.9	29	-1.7	31	6	150		29.65			29.84	FM-15	0.00	29.83
19	1454	7	FEW:02 60 SCT:04 110 OVC:08 300	10.00		62	16.7	48	8.7	31	-0.6	31	5	160		29.64			29.83	FM-15	0.00	29.82
19	1554	7	FEW:02 65 BKN:07 100 BKN:07 300	10.00		63	17.2	49	9.2	32	0.0	31	7	170		29.62	6	+0.05	29.82	FM-15	0.00	29.80
19	1654	7	BKN:07 65 BKN:07 300	10.00		61	16.1	48	8.8	33	0.6	35	8	120		29.62			29.81	FM-15	0.00	29.80
19	1754	7	SCT:04 65 BKN:07 300	10.00		55	12.8	45	7.2	33	0.6	44	9	010		29.63			29.82	FM-15	0.00	29.81
19	1854	7	SCT:04 80 BKN:07 300	10.00		51	10.6	44	6.5	35	1.7	54	10	040		29.64	3	-0.02	29.84	FM-15	0.00	29.82
19	1900	4	74	9.94		51	10.6	44	6.5	35	1.7	54	10	040		29.64	3	-0.02	29.84	FM-12		
19	1954	7	SCT:04 80 BKN:07 300	10.00		52	11.1	45	7.0	36	2.2	55	9	070		29.64			29.84	FM-15	0.00	29.82
19	2054	7	FEW:02 80 BKN:07 150 OVC:08 300	10.00		50	10.0	43	5.8	33	0.6	52	9	080		29.66			29.85	FM-15	0.00	29.84
19	2154	7	SCT:04 55 BKN:07 75 OVC:08 150	10.00		49	9.4	43	6.2	36	2.2	61	10	090		29.64	8	+0.00	29.83	FM-15	0.00	29.82
19	2254	7	BKN:07 50 OVC:08 70	10.00		47	8.3	43	6.3	39	3.9	74	7	070		29.63			29.82	FM-15	0.00	29.81
19	2312	7	BKN:07 25 OVC:08 50	10.00		47	8.3	44	6.5	40	4.4	77	13	070		29.63				FM-16		29.81
19	2354	7	OVC:08 22	10.00	-RA:02  RA	46	7.8	43	6.2	40	4.4	79	8	060		29.63			29.82	FM-15	T	29.81

20	0054	7	BKN:07 15 OVC:08 21	10.00		44	6.7	43	6.1	42	5.6	93	8	070		29.61	8	+0.03	29.80	FM-15	0.03	29.79
20	0100	4	15	9.94		44	6.7	43	6.1	42	5.6	93	8	070		29.61	8	+0.03	29.80	FM-12		
20	0154	7	FEW:02 8 BKN:07 11 OVC:08 17	8.00	-RA:02  RA	43	6.1	43	6.1	43	6.1	100	13	060		29.58			29.78	FM-15	0.02	29.76
20	0221	7	OVC:08 9	6.00	RA:02 BR:1  RA	42	5.6	42	5.6	42	5.6	100	11	060	23	29.57				FM-16	0.02	29.75
20	0254	7	OVC:08 9	6.00	-RA:02 BR:1  RA	42	5.6	42	5.6	42	5.6	100	15	060		29.56			29.75	FM-15	0.07	29.74
20	0354	7	OVC:08 7	4.00	+RA:02 BR:1  RA	42	5.6	42	5.6	42	5.6	100	13	050		29.55	6	+0.06	29.74	FM-15	0.15	29.73
20	0454	7	OVC:08 6	4.00	RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	14	070		29.52			29.71	FM-15	0.09	29.70
20	0554	7	OVC:08 7	4.00	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	14	060	21	29.49			29.69	FM-15	0.04	29.67
20	0654	7	OVC:08 7	10.00	-RA:02  RA	41	5.0	41	5.0	41	5.0	100	15	050	23	29.47	6	+0.09	29.66	FM-15	T	29.64
20	0700	4	8	9.94	RA	41	5.0	41	5.0	41	5.0	100	15	050		29.46	6	+0.09	29.66	FM-12		
20	0754	7	OVC:08 6	10.00	-RA:02  RA	41	5.0	41	5.0	41	5.0	100	14	060		29.45			29.65	FM-15	T	29.63
20	0852	6	OVC:08 6	2.00	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	14	040	22	29.45				FM-16		29.63
20	0854	7	OVC:08 6	2.00	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	16	030	22	29.44			29.64	FM-15	0.03	29.62
20	0902	7	OVC:08 6	1.50	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	17	050		29.44				FM-16	0.02	29.62
20	0918	7	OVC:08 6	2.50	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	11	030		29.44				FM-16	0.04	29.62
20	0944	7	OVC:08 6	1.25	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	13	350		29.47				FM-16	0.08	29.65
20	0954	7	BKN:07 7 OVC:08 14	1.00	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	11	330		29.49	3	-0.02	29.68	FM-15	0.16	29.67
20	1009	7	BKN:07 7 OVC:08 15	1.75	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	15	360		29.47				FM-16	0.06	29.65
20	1015	7	SCT:04 7 OVC:08 15	2.00	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	15	350		29.48				FM-16	0.07	29.66
20	1022	7	BKN:07 7 OVC:08 19	2.00	-RA:02 BR:1  RA	41	5.0	41	5.0	41	5.0	100	15	350		29.48				FM-16	0.07	29.66
20	1054	7	BKN:07 7 OVC:08 16	2.00	-RA:02 BR:1  RA	40	4.4	40	4.4	40	4.4	100	18	010		29.49			29.68	FM-15	0.07	29.67
20	1154	7	BKN:07 7 OVC:08 11	2.00	-RA:02 BR:1  RA	40	4.4	40	4.4	40	4.4	100	14	010	22	29.49			29.69	FM-15	0.03	29.67
20	1246	7	SCT:04 7 BKN:07 11 OVC:08 41	9.00		39	3.9	39	3.9	39	3.9	100	13	010	23	29.49				FM-16	0.01	29.67
20	1254	7	SCT:04 7 BKN:07 11 OVC:08 41	9.00		39	3.9	39	3.9	39	3.9	100	18	020	23	29.50	3	-0.01	29.70	FM-15	0.01	29.68
20	1300	4	8	8.70		39	3.9	39	3.9	39	3.9	100	18	020		29.50	3	-0.01	29.70	FM-12		
20	1354	7	OVC:08 12	10.00		38	3.3	38	3.3	38	3.3	100	14	360	23	29.52			29.70	FM-15	0.00	29.69
20	1454	7	OVC:08 11	10.00		38	3.3	38	3.3	38	3.3	100	15	010		29.52			29.71	FM-15	0.00	29.70
20	1554	7	OVC:08 14	10.00		38	3.3	38	3.1	37	2.8	97	15	030		29.52	1	-0.02	29.72	FM-15	0.00	29.70
20	1654	7	BKN:07 12 OVC:08 19	10.00		37	2.8	37	2.5	36	2.2	96	15	020		29.52			29.72	FM-15	0.00	29.70
20	1754	7	OVC:08 10	9.00		36	2.2	36	2.0	35	1.7	97	15	020	24	29.54			29.73	FM-15	0.00	29.72
20	1854	7	OVC:08 10	10.00		35	1.7	35	1.7	35	1.7	100	13	030		29.50	8	+0.02	29.69	FM-15	0.00	29.68
20	1900	4	15	9.94		35	1.7	35	1.7	35	1.7	100	13	030		29.50	8	+0.02	29.69	FM-12		
20	1903	7	OVC:08 9	10.00		35	1.7	35	1.7	35	1.7	100	15	020		29.50				FM-16		29.68
20	1954	7	OVC:08 9	10.00		35	1.7	35	1.4	34	1.1	96	14	020		29.50			29.70	FM-15	0.00	29.68
20	2054	7	OVC:08 9	10.00		34	1.1	34	1.1	34	1.1	100	11	020		29.49			29.69	FM-15	0.00	29.67
20	2154	7	OVC:08 8	7.00		34	1.1	34	1.1	34	1.1	100	11	020		29.49	8	+0.01	29.69	FM-15	0.00	29.67
20	2254	7	OVC:08 7	6.00	-DZ:01 BR:1  DZ	34	1.1	34	1.1	34	1.1	100	16	030	26	29.44			29.64	FM-15	T	29.62
20	2354	7	OVC:08 8	9.00	-RA:02  RA	34	1.1	34	1.1	34	1.1	100	9	350		29.49			29.68	FM-15	T	29.67
21	0052	6	OVC:08 8	2.50	-DZ:01 BR:1  DZ	34	1.0	34	1.1	34	1.0	100	7	360		29.47				FM-16		29.65
21	0054	7	OVC:08 6	1.25	-DZ:01 BR:1  DZ	33	0.6	33	0.6	33	0.6	100	9	360		29.47	6	+0.02	29.67	FM-15	0.01	29.65
21	0100	4	5	1.24	DZ	33	0.6	33	0.6	33	0.6	100	9	360		29.47	6	+0.02	29.67	FM-12		
21	0109	7	OVC:08 7	1.25	-RA:02 PL:06 BR:1  RA PL	33	0.6	33	0.6	33	0.6	100	9	360		29.47				FM-16	0.02	29.65
21	0143	7	BKN:07 6 OVC:08 12	1.50	-RA:02 BR:1  RA	33	0.6	33	0.6	33	0.6	100	10	020		29.42				FM-16	0.04	29.60
21	0154	7	BKN:07 6 OVC:08 12	3.00	-RA:02 PL:06 BR:1  RA PL	33	0.6	33	0.6	33	0.6	100	9	350		29.44			29.63	FM-15	0.04	29.61

21	0233	7	OVC:08 6	5.00	-RA:02 BR:1  RA	33	0.6	33	0.6	33	0.6	100	15	020		29.41				FM-16	0.01	29.58
21	0254	7	OVC:08 6	6.00	-RA:02 BR:1  RA	33	0.6	33	0.6	33	0.6	100	14	350		29.41			29.59	FM-15	0.01	29.58
21	0354	7	OVC:08 7	10.00		33	0.6	33	0.6	33	0.6	100	10	350		29.39	6	+0.08	29.58	FM-15	T	29.57
21	0452	6	OVC:08 7	9.00	-FZ:8 RA:02  FZRA	34	1.0	34	1.1	34	1.0	100	9	360		29.39				FM-16		29.56
21	0454	7	OVC:08 7	9.00	-RA:02  RA	33	0.6	33	0.6	33	0.6	100	10	350		29.39			29.58	FM-15	0.01	29.56
21	0514	7	OVC:08 7	3.00	-RA:02 PL:06 BR:1  RA PL	33	0.6	33	0.6	33	0.6	100	9	350		29.39				FM-16	0.01	29.57
21	0526	6	OVC:08 7	2.50	-RA:02 GS:08 BR:1  RA  PL	33	0.6	33	0.6	33	0.6	100	8	340		29.39				FM-16		29.57
21	0538	7	OVC:08 7	4.00	-RA:02 PL:06 BR:1  RA PL	33	0.6	33	0.6	33	0.6	100	9	350		29.41				FM-16	0.06	29.58
21	0554	7	OVC:08 7	1.75	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	9	350		29.41			29.60	FM-15	0.05	29.58
21	0609	7	OVC:08 7	0.75	-SN:03 BR:1  SN	32	0.0	32	0.0	32	0.0	100	10	340		29.41				FM-16	0.01	29.59
21	0624	7	OVC:08 7	0.50	SN:03 PL:06 FZ:8 FG:2  FG FG SN	32	0.0	32	0.0	32	0.0	100	9	340		29.41				FM-16	0.03	29.59
21	0654	7	OVC:08 5	0.50	SN:03 FZ:8 FG:2  FG SN	32	0.0	32	0.0	32	0.0	100	7	320		29.42	3	-0.04	29.62	FM-15	0.06	29.60
21	0700	4	5	0.50		32	0.0	32	0.0	32	0.0	100	7	320		29.42	3	-0.04	29.62	FM-12		
21	0714	7	BKN:07 4 OVC:08 9	0.50	SN:03 FZ:8 FG:2  FG SN	32	0.0	32	0.0	32	0.0	100	8	320		29.44				FM-16	0.02	29.61
21	0754	7	BKN:07 4 OVC:08 9	0.75	-SN:03 BR:1  SN	32	0.0	32	0.0	32	0.0	100	8	320		29.44			29.64	FM-15	0.05	29.62
21	0828	7	BKN:07 6 OVC:08 11	0.50	SN:03 FG:2  FG SN	32	0.0	32	0.0	32	0.0	100	10	330		29.44				FM-16	0.03	29.61
21	0854	7	BKN:07 6 OVC:08 12	0.50	SN:03 FG:2  FG SN	32	0.0	32	0.0	32	0.0	100	10	330		29.44			29.63	FM-15	0.05	29.61
21	0952	7	BKN:07 7 OVC:08 13	1.00	-SN:03 BR:1  SN	34	1.0	34	1.1	34	1.0	100	10	330		29.44				FM-16	0.03	29.62
21	0954	7	BKN:07 7 OVC:08 13	1.00	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	10	330		29.44	5	+0.00	29.64	FM-15	0.03	29.62
21	1004	7	BKN:07 7 OVC:08 12	0.75	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	11	340		29.44				FM-16	T	29.62
21	1021	7	BKN:07 7 OVC:08 12	1.00	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	11	330		29.44				FM-16	0.01	29.62
21	1037	7	BKN:07 9 OVC:08 14	1.75	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	13	330		29.44				FM-16	0.01	29.62
21	1045	7	BKN:07 9 OVC:08 14	2.00	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	10	320		29.44				FM-16	0.01	29.62
21	1052	6	BKN:07 7 OVC:08 12	1.50	-SN:03 BR:1  SN	34	1.0	34	1.1	34	1.0	100	13	320		29.44				FM-16		29.62
21	1054	7	BKN:07 7 OVC:08 14	1.25	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	10	340		29.44			29.64	FM-15	0.01	29.62
21	1107	7	BKN:07 8 OVC:08 14	0.75	-SN:03 BR:1  SN	33	0.6	33	0.6	33	0.6	100	11	330		29.44				FM-16	T	29.62
21	1154	7	BKN:07 7 OVC:08 13	0.50	SN:03 FG:2  FG SN	33	0.6	33	0.6	33	0.6	100	13	340		29.45			29.64	FM-15	0.03	29.63
21	1254	7	BKN:07 8 OVC:08 15	0.75	-SN:03 BR:1  SN	34	1.1	34	1.1	34	1.1	100	14	320		29.45	1	-0.01	29.65	FM-15	0.02	29.63
21	1300	4	8	0.75		34	1.1	34	1.1	34	1.1	100	14	320		29.45	1	-0.01	29.65	FM-12		
21	1310	7	BKN:07 7 BKN:07 12 OVC:08 18	1.25	-SN:03 BR:1  SN	34	1.1	34	1.1	34	1.1	100	15	330		29.44				FM-16	T	29.62
21	1330	7	BKN:07 9 OVC:08 16	1.50	-SN:03 BR:1  SN	35	1.7	35	1.7	35	1.7	100	11	340		29.44				FM-16	0.01	29.62
21	1343	7	SCT:04 7 BKN:07 12 OVC:08 20	1.75	-SN:03 BR:1  SN	35	1.7	35	1.4	34	1.1	96	15	330	22	29.45				FM-16	0.01	29.63
21	1347	7	BKN:07 9 BKN:07 14 OVC:08 20	2.00	-SN:03 BR:1  SN	35	1.7	35	1.4	34	1.1	96	11	330	22	29.45				FM-16	0.01	29.63
21	1352	6	BKN:07 9 OVC:08 16	3.00	-SN:03 BR:1  SN	36	2.0	35	1.8	34	1.0	93	11	330		29.45				FM-16		29.63
21	1354	7	BKN:07 9 OVC:08 16	2.50	-SN:03 BR:1  SN	35	1.7	35	1.4	34	1.1	96	11	340		29.45			29.65	FM-15	0.01	29.63
21	1420	7	SCT:04 9 OVC:08 13	3.00	-SN:03 BR:1  SN	35	1.7	35	1.4	34	1.1	96	14	330		29.45				FM-16	T	29.63



21	1454	7	BKN:07 12 OVC:08 20	5.00	-SN:03 BR:1  SN	35	1.7	35	1.4	34	1.1	96	10	320		29.47			29.66	FM-15	T	29.64
21	1509	7	BKN:07 12 OVC:08 20	2.50	-SN:03 BR:1  SN	34	1.1	34	1.1	34	1.1	100	14	320	22	29.47				FM-16	T	29.65
21	1535	7	BKN:07 10 OVC:08 20	1.50	-SN:03 BR:1  SN	34	1.1	34	1.1	34	1.1	100	11	310		29.48				FM-16	T	29.66
21	1554	7	BKN:07 10 OVC:08 20	1.50	-SN:03 BR:1  SN	34	1.1	34	1.1	34	1.1	100	10	320		29.49	3	-0.04	29.69	FM-15	T	29.67
21	1602	7	BKN:07 8 BKN:07 16 OVC:08 22	1.75	-SN:03 BR:1  SN	34	1.1	34	1.1	34	1.1	100	10	320		29.49				FM-16	0.01	29.67
21	1627	7	BKN:07 10 OVC:08 16	2.00	-SN:03 BR:1  SN	35	1.7	35	1.7	35	1.7	100	11	320		29.50				FM-16	0.01	29.68
21	1642	7	FEW:02 10 BKN:07 14 OVC:08 19	4.00	-SN:03 BR:1  SN	35	1.7	35	1.7	35	1.7	100	11	310		29.52				FM-16	0.01	29.69
21	1654	7	SCT:04 10 BKN:07 13 OVC:08 21	5.00	-SN:03 BR:1  SN	35	1.7	35	1.7	35	1.7	100	10	320		29.52			29.72	FM-15	0.01	29.70
21	1738	7	SCT:04 10 SCT:04 16 OVC:08 34	9.00		34	1.1	34	1.1	34	1.1	100	13	330		29.54				FM-16	T	29.72
21	1754	7	FEW:02 11 SCT:04 16 OVC:08 34	10.00		34	1.1	34	1.1	34	1.1	100	13	320		29.55			29.75	FM-15	T	29.73
21	1814	7	BKN:07 14 OVC:08 36	10.00		34	1.1	34	1.1	34	1.1	100	9	320		29.56				FM-16		29.74
21	1854	7	BKN:07 13 OVC:08 36	10.00		34	1.1	34	1.1	34	1.1	100	10	320		29.58	3	-0.09	29.78	FM-15	0.00	29.76
21	1900	4	15	9.94		34	1.1	34	1.1	34	1.1	100	10	320		29.58	3	-0.09	29.78	FM-12		
21	1923	7	BKN:07 29 OVC:08 34	10.00		34	1.1	34	1.1	34	1.1	100	9	320		29.59				FM-16		29.77
21	1952	6	BKN:07 13 OVC:08 24	10.00		34	1.0	34	1.1	34	1.0	100	11	320		29.61				FM-16		29.79
21	1954	7	SCT:04 13 BKN:07 17 OVC:08 24	10.00		34	1.1	34	1.1	34	1.1	100	13	310		29.62			29.81	FM-15	0.00	29.80
21	2035	7	BKN:07 13 BKN:07 20 OVC:08 25	10.00		34	1.1	34	1.1	34	1.1	100	10	320		29.63				FM-16		29.81
21	2052	6	BKN:07 16 OVC:08 23	10.00		34	1.0	34	1.1	34	1.0	100	14	320		29.64				FM-16		29.82
21	2054	7	BKN:07 16 OVC:08 23	10.00		34	1.1	34	1.1	34	1.1	100	14	320		29.64			29.83	FM-15	0.00	29.82
21	2154	7	BKN:07 18 OVC:08 25	10.00		34	1.1	34	0.9	33	0.6	97	11	310		29.66	1	-0.08	29.85	FM-15	0.00	29.84
21	2252	7	SCT:04 21 BKN:07 30 BKN:07 110	10.00		34	1.0	34	1.1	34	1.0	100	13	320		29.67				FM-16		29.85
21	2254	7	SCT:04 21 BKN:07 30 BKN:07 110	10.00		34	1.1	34	0.9	33	0.6	97	11	320		29.67			29.87	FM-15	0.00	29.85
21	2318	7	BKN:07 22 OVC:08 31	9.00	-SN:03  SN	35	1.7	34	1.2	33	0.6	93	11	340		29.68				FM-16	T	29.86
21	2354	7	OVC:08 20	10.00		35	1.7	34	1.2	33	0.6	93	11	310		29.68			29.88	FM-15	T	29.86
22	0054	7	BKN:07 19 OVC:08 28	10.00		35	1.7	34	1.2	33	0.6	93	15	330		29.69	3	-0.02	29.89	FM-15	0.00	29.87
22	0100	4	15	9.94		35	1.7	34	1.2	33	0.6	93	15	330		29.69	3	-0.02	29.89	FM-12		
22	0107	7	SCT:04 19 OVC:08 33	10.00	-SN:03  SN	35	1.7	34	1.2	33	0.6	93	13	320		29.69				FM-16	T	29.87
22	0154	7	OVC:08 41	10.00		35	1.7	34	1.2	33	0.6	93	10	310		29.70			29.90	FM-15	T	29.88
22	0254	7	OVC:08 42	10.00		35	1.7	34	1.2	33	0.6	93	8	290		29.70			29.90	FM-15	0.00	29.88
22	0354	7	OVC:08 46	10.00		36	2.2	35	1.5	33	0.6	89	9	300		29.72	3	-0.02	29.91	FM-15	0.00	29.90

22	0454	7	BKN:07 50 BKN:07 65	10.00		36	2.2	34	1.3	32	0.0	86	11	310		29.73			29.93	FM-15	0.00	29.91
22	0554	7	SCT:04 55 BKN:07 230	10.00		35	1.7	33	0.6	30	-1.1	82	10	320		29.76			29.96	FM-15	0.00	29.94
22	0654	7	FEW:02 60 SCT:04 220 BKN:07 300	10.00		35	1.7	33	0.4	29	-1.7	78	11	320		29.80	3	-0.08	30.00	FM-15	0.00	29.98
22	0700	4	57	9.94		35	1.7	33	0.4	29	-1.7	78	11	320		29.80	3	-0.08	30.00	FM-12		
22	0754	7	FEW:02 60 FEW:02 220 BKN:07 300	10.00		38	3.3	34	1.2	28	-2.2	68	15	320		29.82			30.02	FM-15	0.00	30.00
22	0854	7	SCT:04 300	10.00		41	5.0	35	1.8	26	-3.3	55	15	330	22	29.84			30.04	FM-15	0.00	30.02
22	0954	7	FEW:02 200 SCT:04 300	10.00		42	5.6	35	1.7	24	-4.4	49	21	330	31	29.86	1	-0.06	30.05	FM-15	0.00	30.04
22	1054	7	FEW:02 300	10.00		44	6.7	36	2.4	24	-4.4	45	17	300	29	29.86			30.06	FM-15	0.00	30.04
22	1154	7	FEW:02 150 FEW:02 300	10.00		48	8.9	39	3.8	25	-3.9	41	18	310	24	29.85			30.04	FM-15	0.00	30.03
22	1254	7	FEW:02 160 BKN:07 300	10.00		48	8.9	38	3.4	23	-5.0	37	21	330	25	29.84	8	+0.02	30.03	FM-15	0.00	30.02
22	1300	4		9.94		48	8.9	38	3.4	23	-5.0	37	21	330		29.84	8	+0.02	30.03	FM-12		
22	1354	7	FEW:02 160 SCT:04 300	10.00		51	10.6	40	4.3	23	-5.0	33	15	320	28	29.82			30.02	FM-15	0.00	30.00
22	1454	7	FEW:02 160 SCT:04 300	10.00		51	10.6	39	4.0	21	-6.1	31	16	330		29.82			30.01	FM-15	0.00	30.00
22	1554	7	SCT:04 210 BKN:07 300	10.00		50	10.0	38	3.6	20	-6.7	30	13	310	22	29.82	5	+0.02	30.01	FM-15	0.00	30.00
22	1654	7	BKN:07 150 BKN:07 300	10.00		50	10.0	38	3.4	19	-7.2	29	14	300		29.83			30.02	FM-15	0.00	30.01
22	1754	7	BKN:07 150 BKN:07 300	10.00		47	8.3	36	2.2	17	-8.3	30	14	330		29.86			30.06	FM-15	0.00	30.04
22	1854	7	OVC:08 170	10.00		46	7.8	36	2.1	18	-7.8	32	7	320		29.88	3	-0.06	30.07	FM-15	0.00	30.06
22	1900	4		9.94		46	7.8	36	2.1	18	-7.8	32	7	320		29.88	3	-0.06	30.07	FM-12		
22	1954	7	OVC:08 200	10.00		45	7.2	35	1.9	19	-7.2	35	9	320		29.90			30.10	FM-15	0.00	30.08
22	2054	7	BKN:07 170 OVC:08 300	10.00		42	5.6	35	1.4	22	-5.6	45	6	350		29.93			30.12	FM-15	0.00	30.11
22	2154	7	BKN:07 150 OVC:08 300	10.00		41	5.0	34	1.1	22	-5.6	47	9	340		29.94	1	-0.06	30.14	FM-15	0.00	30.12
22	2254	7	SCT:04 150 BKN:07 300	10.00		40	4.4	33	0.8	22	-5.6	49	9	310		29.95			30.15	FM-15	0.00	30.13
22	2354	7	BKN:07 18 BKN:07 300	10.00		38	3.3	32	0.1	22	-5.6	52	6	310		29.96			30.15	FM-15	0.00	30.14
23	0000	7	BKN:07 180 BKN:07 300	10.00		38	3.3	32	0.1	22	-5.6	52	7	310		29.96				FM-16		30.14
23	0054	7	SCT:04 160	10.00		37	2.8	32	-0.1	23	-5.0	57	7	300		29.97	3	-0.03	30.16	FM-15	0.00	30.15
23	0100	4		9.94		37	2.8	32	-0.1	23	-5.0	57	7	300		29.97	3	-0.03	30.16	FM-12		
23	0154	7	BKN:07 150	10.00		35	1.7	31	-0.7	23	-5.0	61	6	300		29.97			30.16	FM-15	0.00	30.15
23	0254	7	SCT:04 160	10.00		34	1.1	30	-1.1	23	-5.0	64	7	310		29.96			30.16	FM-15	0.00	30.14
23	0354	7	FEW:02 150	10.00		33	0.6	29	-1.6	22	-5.6	64	6	310		29.97	5	+0.00	30.16	FM-15	0.00	30.15
23	0454	7	FEW:02 150	10.00		31	-0.6	28	-2.4	21	-6.1	67	7	330		29.98			30.17	FM-15	0.00	30.16
23	0554	7	FEW:02 150	10.00		32	0.0	29	-1.9	22	-5.6	66	5	290		29.99			30.18	FM-15	0.00	30.17
23	0654	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	5	300		30.00	3	-0.04	30.20	FM-15	0.00	30.18
23	0700	4		9.94		33	0.6	30	-0.9	26	-3.3	75	5	300		30.00	3	-0.04	30.20	FM-12		
23	0754	7	CLR:00	10.00		39	3.9	32	0.1	20	-6.7	46	8	310		30.00			30.20	FM-15	0.00	30.18
23	0854	7	CLR:00	10.00		44	6.7	35	1.4	18	-7.8	35	10	320		30.00			30.19	FM-15	0.00	30.18
23	0954	7	CLR:00	10.00		46	7.8	36	2.1	18	-7.8	32	15	340	28	29.99	8	+0.01	30.19	FM-15	0.00	30.17
23	1054	7	CLR:00	10.00		48	8.9	37	2.8	19	-7.2	32	18	320	22	29.97			30.16	FM-15	0.00	30.15
23	1154	7	FEW:02 60	10.00		49	9.4	37	3.0	18	-7.8	29	18	320	28	29.95			30.15	FM-15	0.00	30.13
23	1254	7	FEW:02 65	10.00		51	10.6	39	3.7	19	-7.2	28	8	330		29.93	6	+0.06	30.13	FM-15	0.00	30.11
23	1300	4	57	9.94		51	10.6	39	3.7	19	-7.2	28	8	330		29.93	6	+0.06	30.13	FM-12		
23	1354	7	SCT:04 75	10.00		53	11.7	40	4.5	20	-6.7	27	15	290	20	29.91			30.11	FM-15	0.00	30.09
23	1454	7	BKN:07 80	10.00		52	11.1	39	3.9	18	-7.8	26	15	VRB	23	29.91			30.10	FM-15	0.00	30.09

23	1554	7	BKN:07 85	10.00		51	10.6	38	3.6	18	-7.8	27	15	330		29.90	6	+0.03	30.10	FM-15	0.00	30.08
23	1654	7	BKN:07 80	10.00		50	10.0	38	3.4	19	-7.2	29	9	320		29.90			30.10	FM-15	0.00	30.08
23	1754	7	BKN:07 80	10.00		49	9.4	38	3.4	21	-6.1	33	11	340		29.92			30.11	FM-15	0.00	30.10
23	1854	7	BKN:07 75	10.00		47	8.3	37	2.8	21	-6.1	36	11	330		29.94	3	-0.04	30.13	FM-15	0.00	30.12
23	1900	4	74	9.94		47	8.3	37	2.8	21	-6.1	36	11	330		29.94	3	-0.04	30.13	FM-12		
23	1954	7	FEW:02 75 BKN:07 100	10.00		45	7.2	36	2.4	22	-5.6	40	8	340		29.96			30.16	FM-15	0.00	30.14
23	2054	7	FEW:02 95	10.00		44	6.7	35	1.9	21	-6.1	40	10	360		29.98			30.18	FM-15	0.00	30.16
23	2154	7	FEW:02 100	10.00		42	5.6	34	1.3	21	-6.1	43	10	350		29.99	1	-0.06	30.19	FM-15	0.00	30.17
23	2254	7	CLR:00	10.00		40	4.4	33	0.3	19	-7.2	43	13	360		30.01			30.21	FM-15	0.00	30.19
23	2354	7	CLR:00	10.00		39	3.9	32	0.0	19	-7.2	45	11	360		30.03			30.23	FM-15	0.00	30.21
24	0054	7	CLR:00	10.00		37	2.8	30	-0.8	18	-7.8	46	11	010		30.04	1	-0.04	30.23	FM-15	0.00	30.22
24	0100	4		9.94		37	2.8	30	-0.8	18	-7.8	46	11	010		30.04	1	-0.04	30.23	FM-12		
24	0154	7	CLR:00	10.00		36	2.2	30	-1.2	18	-7.8	48	11	350		30.04			30.24	FM-15	0.00	30.22
24	0254	7	CLR:00	10.00		34	1.1	29	-1.9	18	-7.8	52	9	350		30.03			30.23	FM-15	0.00	30.21
24	0354	7	CLR:00	10.00		34	1.1	29	-1.7	19	-7.2	54	8	330		30.04	5	+0.00	30.23	FM-15	0.00	30.22
24	0454	7	CLR:00	10.00		34	1.1	29	-1.7	19	-7.2	54	8	330		30.04			30.24	FM-15	0.00	30.22
24	0554	7	FEW:02 300	10.00		32	0.0	28	-2.4	19	-7.2	59	10	350		30.04			30.24	FM-15	0.00	30.22
24	0654	7	SCT:04 300	10.00		36	2.2	30	-0.9	20	-6.7	52	9	350		30.07	3	-0.03	30.27	FM-15	0.00	30.25
24	0700	4		9.94		36	2.2	30	-0.9	20	-6.7	52	9	350		30.07	3	-0.03	30.27	FM-12		
24	0754	7	SCT:04 240	10.00		39	3.9	32	0.1	20	-6.7	46	13	350		30.07			30.27	FM-15	0.00	30.25
24	0854	7	SCT:04 240	10.00		43	6.1	35	1.4	20	-6.7	40	9	010		30.07			30.27	FM-15	0.00	30.25
24	0954	7	SCT:04 250	10.00		44	6.7	35	1.9	21	-6.1	40	10	320	21	30.05	8	+0.02	30.25	FM-15	0.00	30.23
24	1054	7	BKN:07 250	10.00		46	7.8	36	2.4	20	-6.7	35	7	310		30.04			30.23	FM-15	0.00	30.22
24	1154	7	BKN:07 230	10.00		48	8.9	37	2.7	18	-7.8	30	10	330		30.01			30.21	FM-15	0.00	30.19
24	1254	7	BKN:07 220	10.00		49	9.4	37	3.0	18	-7.8	29	0	000		29.98	8	+0.07	30.18	FM-15	0.00	30.16
24	1300	4		9.94		49	9.4	37	3.0	18	-7.8	29	0	000		29.98	8	+0.07	30.18	FM-12		
24	1354	7	BKN:07 200	10.00		51	10.6	39	3.6	18	-7.8	27	7	050		29.96			30.16	FM-15	0.00	30.14
24	1454	7	BKN:07 170	10.00		51	10.6	39	3.7	19	-7.2	28	0	000		29.95			30.14	FM-15	0.00	30.13
24	1554	7	BKN:07 170 OVC:08 300	10.00		50	10.0	38	3.3	18	-7.8	28	8	230		29.93	6	+0.05	30.13	FM-15	0.00	30.11
24	1654	7	OVC:08 170	10.00		50	10.0	38	3.4	19	-7.2	29	7	220		29.92			30.11	FM-15	0.00	30.10
24	1754	7	SCT:04 160 OVC:08 300	10.00		49	9.4	38	3.3	20	-6.7	32	6	240		29.90			30.09	FM-15	0.00	30.08
24	1854	7	BKN:07 160 OVC:08 300	10.00		42	5.6	35	1.9	25	-3.9	51	7	190		29.92	5	+0.01	30.11	FM-15	0.00	30.10
24	1900	4		9.94		42	5.6	35	1.9	25	-3.9	51	7	190		29.92	5	+0.01	30.11	FM-12		
24	1954	7	SCT:04 170 BKN:07 300	10.00		45	7.2	37	2.5	23	-5.0	42	5	290		29.94			30.13	FM-15	0.00	30.12
24	2054	7	OVC:08 180	10.00		43	6.1	36	2.4	26	-3.3	51	16	250		29.96			30.15	FM-15	0.00	30.14
24	2154	7	OVC:08 200	10.00		41	5.0	37	2.9	32	0.0	70	10	270		29.95	0	-0.04	30.15	FM-15	0.00	30.13
24	2254	7	OVC:08 200	10.00		40	4.4	37	2.8	33	0.6	77	5	300		29.96			30.16	FM-15	0.00	30.14
24	2354	7	BKN:07 250	10.00		36	2.2	34	1.1	31	-0.6	82	5	200		29.96			30.16	FM-15	0.00	30.14
25	0054	7	BKN:07 250	10.00		35	1.7	34	1.0	32	0.0	89	3	200		29.96	0	-0.01	30.16	FM-15	0.00	30.14
25	0100	4		9.94		35	1.7	34	1.0	32	0.0	89	3	200		29.96	9	0.01	30.16	FM-12		
25	0154	7	BKN:07 250	10.00		35	1.7	34	1.2	33	0.6	93	0	000		29.95			30.15	FM-15	0.00	30.13
25	0254	7	SCT:04 110 OVC:08 250	10.00		37	2.8	36	2.3	35	1.7	93	3	310		29.94			30.13	FM-15	0.00	30.12
25	0354	7	BKN:07 100 OVC:08 250	10.00		36	2.2	35	1.8	34	1.1	93	5	010		29.92	8	+0.04	30.12	FM-15	0.00	30.10
25	0454	7	FEW:02 100 BKN:07 250	10.00		35	1.7	35	1.4	34	1.1	96	6	340		29.94			30.14	FM-15	0.00	30.12
25	0554	7	FEW:02 110 BKN:07 250	10.00		32	0.0	32	0.0	32	0.0	100	6	360		29.96			30.15	FM-15	0.00	30.14
25	0654	7	FEW:02 110 BKN:07 250	10.00		36	2.2	35	1.5	33	0.6	89	11	360		29.99	3	-0.06	30.18	FM-15	0.00	30.17
25	0700	4		9.94		36	2.2	35	1.5	33	0.6	89	11	360		29.99	3	-0.06	30.18	FM-12		
25	0754	7	SCT:04 250	10.00		39	3.9	36	2.3	32	0.0	76	16	020		30.02			30.22	FM-15	0.00	30.20
25	0854	7	FEW:02 250	10.00		43	6.1	38	3.2	30	-1.1	60	14	020		30.05			30.25	FM-15	0.00	30.23

25	0954	7	FEW:02 250	10.00		47	8.3	40	4.2	29	-1.7	50	15	020	22	30.08	1	-0.09	30.28	FM-15	0.00	30.26
25	1054	7	FEW:02 45	10.00		49	9.4	40	4.4	27	-2.8	43	15	030		30.10			30.29	FM-15	0.00	30.28
25	1154	7	FEW:02 45	10.00		51	10.6	40	4.7	25	-3.9	36	9	050		30.10			30.30	FM-15	0.00	30.28
25	1254	7	SCT:04 55	10.00		51	10.6	40	4.7	25	-3.9	36	17	030	23	30.11	1	-0.03	30.31	FM-15	0.00	30.29
25	1300	4	57	9.94		51	10.6	40	4.7	25	-3.9	36	17	030		30.11	1	-0.03	30.31	FM-12		
25	1354	7	FEW:02 60	10.00		52	11.1	41	5.0	25	-3.9	35	21	040	26	30.12			30.31	FM-15	0.00	30.30
25	1454	7	SCT:04 60	10.00		51	10.6	40	4.5	24	-4.4	35	16	020		30.14			30.34	FM-15	0.00	30.32
25	1554	7	SCT:04 60	10.00		50	10.0	39	3.9	22	-5.6	33	8	070		30.16	3	-0.05	30.36	FM-15	0.00	30.34
25	1654	7	BKN:07 60	10.00		47	8.3	39	4.0	28	-2.2	48	21	070	31	30.19			30.39	FM-15	0.00	30.37
25	1754	7	FEW:02 60	10.00		43	6.1	38	3.6	32	0.0	65	14	060		30.22			30.41	FM-15	0.00	30.40
25	1854	7	FEW:02 60	10.00		40	4.4	37	3.1	34	1.1	79	10	050		30.24	1	-0.08	30.44	FM-15	0.00	30.42
25	1900	4	57	9.94		40	4.4	37	3.1	34	1.1	79	10	050		30.24	1	-0.08	30.44	FM-12		
25	1954	7	FEW:02 26 BKN:07 35	10.00		40	4.4	38	3.3	35	1.7	83	10	030		30.27			30.47	FM-15	0.00	30.45
25	2054	7	FEW:02 35	10.00		38	3.3	37	2.6	35	1.7	89	10	040		30.30			30.50	FM-15	0.00	30.48
25	2154	7	CLR:00	10.00		37	2.8	36	2.1	34	1.1	89	7	050		30.32	1	-0.08	30.52	FM-15	0.00	30.50
25	2254	7	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	8	070		30.35			30.54	FM-15	0.00	30.53
25	2354	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	7	050		30.36			30.55	FM-15	0.00	30.54
26	0054	7	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	7	030		30.36	1	-0.04	30.56	FM-15	0.00	30.54
26	0100	4		9.94		33	0.6	32	-0.1	30	-1.1	89	7	030		30.36	1	-0.04	30.56	FM-12		
26	0154	7	CLR:00	10.00		32	0.0	31	-0.4	30	-1.1	92	8	030		30.36			30.56	FM-15	0.00	30.54
26	0254	6	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	9	030		30.36			30.55	FM-15	0.00	30.54
26	0354	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	9	020		30.36	3	-0.00	30.56	FM-15	0.00	30.54
26	0454	7	CLR:00	10.00		30	-1.1	30	-1.3	29	-1.7	96	7	010		30.38			30.58	FM-15	0.00	30.56
26	0554	7	CLR:00	10.00		29	-1.7	29	-1.7	29	-1.7	100	8	360		30.40			30.60	FM-15	0.00	30.58
26	0654	7	FEW:02 300	10.00		33	0.6	32	0.1	31	-0.6	92	8	360		30.43	3	-0.06	30.62	FM-15	0.00	30.61
26	0700	4		9.94		33	0.6	32	0.1	31	-0.6	92	8	360		30.43	3	-0.06	30.62	FM-12		
26	0754	7	SCT:04 300	10.00		38	3.3	36	2.0	32	0.0	79	11	030		30.45			30.65	FM-15	0.00	30.63
26	0854	7	FEW:02 10 SCT:04 300	10.00		41	5.0	37	2.6	30	-1.1	65	14	040	22	30.46			30.66	FM-15	0.00	30.64
26	0954	7	BKN:07 32 BKN:07 300	10.00		43	6.1	37	2.8	28	-2.2	56	15	070		30.48	1	-0.05	30.67	FM-15	0.00	30.66
26	1054	7	BKN:07 37 BKN:07 300	10.00		45	7.2	38	3.2	27	-2.8	49	9	030		30.47			30.66	FM-15	0.00	30.65
26	1154	7	BKN:07 43	10.00		47	8.3	39	4.0	28	-2.2	48	14	050	21	30.46			30.66	FM-15	0.00	30.64
26	1254	7	SCT:04 45	10.00		48	8.9	39	4.2	27	-2.8	44	11	070	18	30.44	8	+0.03	30.64	FM-15	0.00	30.62
26	1300	4	41	9.94		48	8.9	39	4.2	27	-2.8	44	11	070		30.44	8	+0.03	30.64	FM-12		
26	1354	7	SCT:04 48 SCT:04 300	10.00		49	9.4	40	4.5	27	-2.8	43	8	090	18	30.42			30.61	FM-15	0.00	30.60
26	1454	7	FEW:02 50 SCT:04 300	10.00		51	10.6	41	5.2	28	-2.2	41	8	070	21	30.41			30.60	FM-15	0.00	30.59
26	1554	7	FEW:02 48 FEW:02 300	10.00		50	10.0	41	4.9	28	-2.2	43	11	070		30.41	6	+0.04	30.60	FM-15	0.00	30.59
26	1654	7	FEW:02 48 FEW:02 300	10.00		47	8.3	39	4.0	28	-2.2	48	11	080		30.40			30.60	FM-15	0.00	30.58
26	1754	7	FEW:02 48 SCT:04 300	10.00		44	6.7	38	3.1	28	-2.2	53	11	100		30.42			30.62	FM-15	0.00	30.60
26	1854	7	SCT:04 37 SCT:04 300	10.00		41	5.0	37	2.6	30	-1.1	65	8	090		30.44	3	-0.03	30.63	FM-15	0.00	30.62
26	1900	4	41	9.94		41	5.0	37	2.6	30	-1.1	65	8	090		30.44	3	-0.03	30.63	FM-12		
26	1954	7	SCT:04 300	10.00		38	3.3	35	1.6	30	-1.1	73	7	090		30.46			30.66	FM-15	0.00	30.64
26	2054	7	CLR:00	10.00		38	3.3	35	1.6	30	-1.1	73	11	090		30.47			30.66	FM-15	0.00	30.65
26	2152	6	BKN:07 28 OVC:08 300	10.00		39	4.0	35	1.9	30	-1.0	70	9	100		30.47				FM-16		30.65
26	2154	7	BKN:07 28 OVC:08 300	10.00		39	3.9	36	2.1	31	-0.6	73	10	090		30.47	0	-0.03	30.66	FM-15	0.00	30.65
26	2252	6	SCT:04 27 SCT:04 300	10.00		37	3.0	34	0.9	28	-2.0	70	8	090		30.47				FM-16		30.65
26	2254	7	SCT:04 27 SCT:04 300	10.00		36	2.2	33	0.7	29	-1.7	76	7	090		30.47			30.67	FM-15	0.00	30.65

26	2354	7	FEW:02 26 BKN:07 300	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		30.45			30.65	FM-15	0.00	30.63
27	0054	7	BKN:07 300	10.00		34	1.1	32	0.3	30	-1.1	85	0	000		30.43	8	+0.03	30.63	FM-15	0.00	30.61
27	0100	4		9.94		34	1.1	32	0.3	30	-1.1	85	0	000		30.43	8	+0.03	30.63	FM-12		
27	0154	7	BKN:07 300	10.00		32	0.0	31	-0.6	29	-1.7	88	3	360		30.42			30.61	FM-15	0.00	30.60
27	0254	7	BKN:07 250	10.00		32	0.0	31	-0.6	29	-1.7	88	5	020		30.39			30.59	FM-15	0.00	30.57
27	0354	7	BKN:07 260	10.00		30	-1.1	29	-1.5	28	-2.2	92	5	050		30.37	8	+0.06	30.56	FM-15	0.00	30.55
27	0454	7	BKN:07 230	10.00		31	-0.6	30	-1.0	29	-1.7	92	3	360		30.36			30.56	FM-15	0.00	30.54
27	0554	7	BKN:07 210	10.00		31	-0.6	31	-0.8	30	-1.1	96	0	000		30.36			30.55	FM-15	0.00	30.54
27	0654	7	OVC:08 190	10.00		33	0.6	32	0.1	31	-0.6	92	3	030		30.37	3	-0.00	30.57	FM-15	0.00	30.55
27	0700	4		9.94		33	0.6	32	0.1	31	-0.6	92	3	030		30.37	3	-0.00	30.57	FM-12		
27	0754	7	OVC:08 180	10.00		37	2.8	35	1.9	33	0.6	86	3	070		30.37			30.57	FM-15	0.00	30.55
27	0854	7	FEW:02 120 OVC:08 160	10.00		39	3.9	37	2.5	33	0.6	79	8	100		30.37			30.57	FM-15	0.00	30.55
27	0954	7	FEW:02 50 SCT:04 95 OVC:08 180	10.00		43	6.1	38	3.6	32	0.0	65	0	000		30.36	8	+0.01	30.56	FM-15	0.00	30.54
27	1054	7	SCT:04 30 OVC:08 60	10.00		45	7.2	39	4.0	31	-0.6	58	5	260		30.34			30.54	FM-15	T	30.52
27	1154	7	FEW:02 30 OVC:08 55	10.00		44	6.7	39	4.1	33	0.6	65	6	VRB		30.32			30.51	FM-15	T	30.50
27	1254	7	FEW:02 30 OVC:08 48	10.00		45	7.2	40	4.2	32	0.0	61	0	000		30.28	8	+0.08	30.47	FM-15	T	30.46
27	1300	4	26	9.94		45	7.2	40	4.2	32	0.0	61	0	000		30.28	8	+0.08	30.47	FM-12		
27	1354	7	OVC:08 45	9.00	-RA:02  RA	44	6.7	40	4.3	34	1.1	68	0	000		30.24			30.44	FM-15	T	30.42
27	1454	7	BKN:07 60 OVC:08 75	6.00	-RA:02 BR:1  RA	43	6.1	41	5.1	39	3.9	86	5	210		30.20			30.40	FM-15	0.02	30.38
27	1554	7	SCT:04 14 OVC:08 47	9.00		43	6.1	42	5.4	40	4.4	89	7	210		30.17	6	+0.11	30.36	FM-15	T	30.35
27	1624	7	BKN:07 18 BKN:07 41 OVC:08 50	10.00		43	6.1	42	5.6	41	5.0	93	5	190		30.16				FM-16		30.34
27	1654	7	BKN:07 15 BKN:07 20 OVC:08 40	10.00		43	6.1	42	5.6	41	5.0	93	5	200		30.16			30.35	FM-15	0.00	30.34
27	1752	6	FEW:02 13 OVC:08 37	10.00		43	6.0	42	5.6	41	5.0	93	5	210		30.14				FM-16		30.32
27	1754	7	FEW:02 13 OVC:08 37	10.00		43	6.1	42	5.6	41	5.0	93	5	210		30.14			30.34	FM-15	0.00	30.32
27	1854	7	BKN:07 38 BKN:07 65 OVC:08 150	10.00		42	5.6	42	5.3	41	5.0	96	6	220		30.13	8	+0.04	30.32	FM-15	0.00	30.31
27	1900	4	41	9.94		42	5.6	42	5.3	41	5.0	96	6	220		30.13	8	+0.04	30.32	FM-12		
27	1954	7	OVC:08 50	10.00		43	6.1	42	5.6	41	5.0	93	6	200		30.12			30.31	FM-15	0.00	30.30
27	2054	7	FEW:02 60 OVC:08 110	10.00		42	5.6	42	5.3	41	5.0	96	6	180		30.09			30.29	FM-15	0.00	30.27
27	2154	7	BKN:07 95	10.00		39	3.9	39	3.9	39	3.9	100	5	190		30.08	8	+0.05	30.28	FM-15	0.00	30.26
27	2254	7	OVC:08 95	10.00		41	5.0	41	5.0	41	5.0	100	6	180		30.06			30.25	FM-15	0.00	30.24
27	2354	7	OVC:08 90	10.00		42	5.6	42	5.6	42	5.6	100	6	190		30.04			30.23	FM-15	0.00	30.22
28	0054	7	BKN:07 100 OVC:08 190	10.00		42	5.6	42	5.6	42	5.6	100	8	190		30.01	8	+0.07	30.20	FM-15	0.00	30.19
28	0100	4		9.94		42	5.6	42	5.6	42	5.6	100	8	190		30.01	8	+0.07	30.20	FM-12		
28	0154	7	BKN:07 100	10.00		41	5.0	41	5.0	41	5.0	100	8	200		29.98			30.17	FM-15	0.00	30.16
28	0254	7	SCT:04 110	10.00		41	5.0	41	5.0	41	5.0	100	8	190		29.94			30.14	FM-15	0.00	30.12
28	0354	7	SCT:04 110	10.00		40	4.4	40	4.4	40	4.4	100	5	190		29.92	6	+0.08	30.12	FM-15	0.00	30.10
28	0454	7	FEW:02 110	10.00		40	4.4	40	4.4	40	4.4	100	9	190		29.91			30.10	FM-15	0.00	30.09
28	0554	7	FEW:02 100 SCT:04 300	10.00		39	3.9	39	3.9	39	3.9	100	8	190		29.91			30.11	FM-15	0.00	30.09
28	0654	7	SCT:04 100 BKN:07 300	10.00		42	5.6	42	5.6	42	5.6	100	6	190		29.91	6	+0.01	30.11	FM-15	0.00	30.09
28	0700	4		9.94		42	5.6	42	5.6	42	5.6	100	6	190		29.91	6	+0.01	30.11	FM-12		

28	0754	7	FEW:02 20 FEW:02 100 SCT:04 300	10.00		46	7.8	46	7.5	45	7.2	96	9	220		29.91			30.10	FM-15	0.00	30.09
28	0854	7	FEW:02 100 SCT:04 300	10.00		51	10.6	49	9.2	46	7.8	83	7	220		29.88			30.08	FM-15	0.00	30.06
28	0954	7	FEW:02 100 BKN:07 300	10.00		59	15.0	53	11.5	47	8.3	64	7	260		29.89	5	+0.02	30.08	FM-15	0.00	30.07
28	1054	7	BKN:07 65 BKN:07 300	10.00		64	17.8	55	13.0	48	8.9	56	7	240		29.87			30.06	FM-15	0.00	30.05
28	1154	7	BKN:07 65 BKN:07 300	10.00		66	18.9	57	14.0	50	10.0	56	7	240		29.85			30.04	FM-15	0.00	30.03
28	1254	7	OVC:08 65	10.00		67	19.4	58	14.5	51	10.6	57	7	260		29.84	6	+0.05	30.03	FM-15	0.00	30.02
28	1300	4	57	9.94		67	19.4	58	14.5	51	10.6	57	7	260		29.84	6	+0.05	30.03	FM-12		
28	1354	7	BKN:07 65 BKN:07 100	10.00		70	21.1	60	15.4	52	11.1	53	10	230		29.81			30.00	FM-15	0.00	29.99
28	1454	7	SCT:04 70 BKN:07 100 BKN:07 300	10.00		72	22.2	62	16.4	54	12.2	53	3	VRB		29.79			29.98	FM-15	0.00	29.97
28	1554	7	BKN:07 50 BKN:07 100 OVC:08 300	10.00		73	22.8	62	16.6	54	12.2	51	0	000		29.79	6	+0.05	29.98	FM-15	0.00	29.97
28	1654	7	OVC:08 60	10.00		70	21.1	62	16.5	56	13.3	61	7	140		29.79			29.98	FM-15	0.00	29.97
28	1754	7	BKN:07 60 OVC:08 110	10.00		67	19.4	63	17.1	60	15.6	79	6	070		29.78			29.98	FM-15	T	29.96
28	1854	7	BKN:07 70 OVC:08 300	10.00		66	18.9	61	16.0	57	13.9	73	7	060		29.80	3	-0.01	29.99	FM-15	0.00	29.98
28	1900	4	74	9.94		66	18.9	61	16.0	57	13.9	73	7	060		29.80	3	-0.01	29.99	FM-12		
28	1954	7	OVC:08 65	10.00		66	18.9	60	15.7	56	13.3	70	0	000		29.82			30.01	FM-15	0.00	30.00
28	2054	7	OVC:08 65	10.00		64	17.8	59	15.2	56	13.3	75	3	100		29.83			30.02	FM-15	0.00	30.01
28	2154	7	FEW:02 65 OVC:08 300	10.00		61	16.1	58	14.2	55	12.8	81	3	080		29.81	0	-0.02	30.01	FM-15	0.00	29.99
28	2254	7	FEW:02 50 BKN:07 70 OVC:08 300	10.00		60	15.6	58	14.3	56	13.3	86	0	000		29.82			30.01	FM-15	0.00	30.00
28	2354	7	OVC:08 75	10.00		59	15.0	57	13.8	55	12.8	87	3	060		29.80			30.00	FM-15	0.00	29.98
29	0054	7	OVC:08 75	10.00		59	15.0	57	13.8	55	12.8	87	0	000		29.81	8	+0.01	30.00	FM-15	0.00	29.99
29	0100	4	74	9.94		59	15.0	57	13.8	55	12.8	87	0	000		29.81	8	+0.01	30.00	FM-12		
29	0154	7	FEW:02 75 SCT:04 190	10.00		56	13.3	55	13.0	55	12.8	97	0	000		29.80			29.99	FM-15	0.00	29.98
29	0254	7	FEW:02 190 BKN:07 300	10.00		55	12.8	55	12.8	55	12.8	100	0	000		29.79			29.98	FM-15	0.00	29.97
29	0354	7	SCT:04 250	10.00		57	13.9	56	13.6	56	13.3	96	5	220		29.79	5	+0.01	29.98	FM-15	0.00	29.97
29	0454	7	BKN:07 230	10.00		57	13.9	57	13.9	57	13.9	100	3	200		29.79			29.98	FM-15	0.00	29.97
29	0554	7	SCT:04 220	10.00		56	13.3	56	13.3	56	13.3	100	3	170		29.80			30.00	FM-15	0.00	29.98
29	0654	7	SCT:04 220 BKN:07 300	10.00		56	13.3	56	13.3	56	13.3	100	6	190		29.82	3	-0.02	30.01	FM-15	0.00	30.00
29	0700	4		9.94		56	13.3	56	13.3	56	13.3	100	6	190		29.82	3	-0.02	30.01	FM-12		
29	0754	7	FEW:02 50 BKN:07 220 OVC:08 300	10.00		63	17.2	60	15.6	58	14.4	84	10	210		29.81			30.00	FM-15	0.00	29.99
29	0854	7	BKN:07 220 OVC:08 300	10.00		66	18.9	61	16.3	58	14.4	75	8	210		29.82			30.01	FM-15	0.00	30.00
29	0954	7	SCT:04 200 OVC:08 300	10.00		70	21.1	63	17.4	59	15.0	68	14	210		29.83	3	-0.01	30.01	FM-15	0.00	30.01
29	1054	7	OVC:08 300	10.00		74	23.3	64	17.7	57	13.9	56	8	220		29.81			30.00	FM-15	0.00	29.99
29	1154	7	FEW:02 50 OVC:08 300	10.00		77	25.0	64	18.0	56	13.3	48	15	240		29.79			29.98	FM-15	0.00	29.97
29	1254	7	FEW:02 50 OVC:08 300	10.00		81	27.2	65	18.5	55	12.8	41	18	220	30	29.74	8	+0.08	29.93	FM-15	0.00	29.92
29	1300	4	57	9.94		81	27.2	65	18.5	55	12.8	41	18	220		29.74	8	+0.08	29.93	FM-12		
29	1354	7	OVC:08 300	10.00		82	27.8	65	18.1	53	11.7	37	20	210	29	29.71			29.90	FM-15	0.00	29.89
29	1454	7	BKN:07 300	10.00		82	27.8	64	17.6	51	10.6	34	15	220		29.69			29.88	FM-15	0.00	29.87

29	1554	7	SCT:04 300	10.00		82	27.8	64	17.6	51	10.6	34	22	230	28	29.67	6	+0.07	29.86	FM-15	0.00	29.85
29	1654	7	FEW:02 50 SCT:04 300	10.00		80	26.7	64	18.0	54	12.2	41	20	220	28	29.67			29.85	FM-15	0.00	29.85
29	1754	7	FEW:02 50 SCT:04 300	10.00		77	25.0	64	17.7	55	12.8	47	17	200	26	29.66			29.85	FM-15	0.00	29.84
29	1854	7	FEW:02 50 BKN:07 300	10.00		73	22.8	62	16.9	55	12.8	53	14	190	23	29.67	5	+0.01	29.86	FM-15	0.00	29.85
29	1900	4	57	9.94		73	22.8	62	16.9	55	12.8	53	14	190		29.67	5	+0.01	29.86	FM-12		
29	1954	7	BKN:07 300	10.00		71	21.7	62	16.7	56	13.3	59	9	190		29.67			29.86	FM-15	0.00	29.85
29	2054	7	BKN:07 250	10.00		71	21.7	63	17.0	57	13.9	61	16	200		29.67			29.86	FM-15	0.00	29.85
29	2154	7	OVC:08 250	10.00		70	21.1	62	16.8	57	13.9	64	13	190		29.67	8	+0.00	29.85	FM-15	0.00	29.85
29	2254	7	OVC:08 240	10.00		70	21.1	63	17.4	59	15.0	68	17	190	28	29.66			29.85	FM-15	0.00	29.84
29	2354	7	OVC:08 230	10.00		69	20.6	64	17.5	60	15.6	73	15	200		29.66			29.85	FM-15	0.00	29.84
30	0054	7	OVC:08 230	10.00		69	20.6	63	17.2	59	15.0	70	18	200	26	29.67	5	+0.00	29.85	FM-15	0.00	29.85
30	0100	4		9.94		69	20.6	63	17.2	59	15.0	70	18	200		29.67	5	+0.00	29.85	FM-12		
30	0154	7	OVC:08 220	10.00		68	20.0	63	17.0	59	15.0	73	17	200		29.66			29.85	FM-15	0.00	29.84
30	0254	7	FEW:02 70 OVC:08 200	10.00		68	20.0	63	17.0	59	15.0	73	15	210		29.64			29.83	FM-15	0.00	29.82
30	0354	7	BKN:07 120 OVC:08 200	10.00		67	19.4	62	16.8	59	15.0	76	14	200		29.62	8	+0.04	29.81	FM-15	0.00	29.80
30	0454	7	FEW:02 80 SCT:04 100 OVC:08 120	10.00		66	18.9	62	16.9	60	15.6	81	14	200		29.61			29.80	FM-15	T	29.79
30	0554	7	OVC:08 110	10.00	-RA:02  RA	65	18.3	63	17.0	61	16.1	87	13	200		29.62			29.80	FM-15	T	29.80
30	0654	7	BKN:07 35 BKN:07 100 BKN:07 130	10.00		66	18.9	63	17.2	61	16.1	84	15	200	24	29.63	3	-0.01	29.82	FM-15	T	29.81
30	0700	4	41	9.94		66	18.9	63	17.2	61	16.1	84	15	200		29.63	3	-0.01	29.82	FM-12		
30	0754	7	BKN:07 50 OVC:08 100	10.00		67	19.4	63	17.4	61	16.1	81	15	210		29.64			29.83	FM-15	0.00	29.82
30	0854	7	SCT:04 27 BKN:07 33 OVC:08 60	10.00		68	20.0	64	18.0	62	16.7	81	18	210		29.64			29.83	FM-15	0.00	29.82
30	0954	7	FEW:02 24 BKN:07 32 OVC:08 45	10.00		70	21.1	66	18.7	63	17.2	79	20	220		29.64	0	-0.01	29.83	FM-15	0.00	29.82
30	1054	7	SCT:04 29 BKN:07 36 OVC:08 50	10.00		71	21.7	65	18.6	62	16.7	73	16	220		29.62			29.81	FM-15	0.00	29.80
30	1154	7	SCT:04 36 BKN:07 50 OVC:08 210	10.00		74	23.3	65	18.2	59	15.0	60	18	220	26	29.60			29.79	FM-15	0.00	29.78
30	1254	7	SCT:04 45 BKN:07 80 OVC:08 230	10.00		75	23.9	64	17.8	57	13.9	54	18	220		29.60	6	+0.04	29.79	FM-15	0.00	29.78
30	1300	4	41	9.94		75	23.9	64	17.8	57	13.9	54	18	220		29.60	6	+0.04	29.79	FM-12		
30	1354	7	BKN:07 60 OVC:08 250	10.00		76	24.4	61	15.9	49	9.4	39	16	240	26	29.59			29.78	FM-15	0.00	29.77
30	1454	7	BKN:07 65 BKN:07 100 OVC:08 250	10.00		75	23.9	61	15.9	50	10.0	41	18	280	29	29.61			29.80	FM-15	0.00	29.79
30	1554	7	BKN:07 65 OVC:08 300	10.00		72	22.2	60	15.3	50	10.0	46	18	300	25	29.64	3	-0.04	29.83	FM-15	0.00	29.82
30	1645	7	BKN:07 70 OVC:08 110	10.00		63	17.2	56	13.6	51	10.6	65	22	010	30	29.68				FM-16		29.86
30	1654	7	BKN:07 70 OVC:08 100	10.00		63	17.2	56	13.3	50	10.0	63	21	360	26	29.69			29.88	FM-15	0.00	29.87
30	1754	7	FEW:02 65 OVC:08 300	10.00		61	16.1	52	11.3	44	6.7	54	15	360	24	29.74			29.93	FM-15	0.00	29.92
30	1854	7	FEW:02 65 SCT:04 300	10.00		57	13.9	49	9.3	40	4.4	53	15	010		29.81	3	-0.17	30.00	FM-15	0.00	29.99
30	1900	4	57	9.94		57	13.9	49	9.3	40	4.4	53	15	010		29.81	3	-0.17	30.00	FM-12		

30	1954	7	BKN:07 65 BKN:07 300	10.00		55	12.8	47	8.1	37	2.8	51	17	360		29.87			30.06	FM-15	0.00	30.05
30	2054	7	BKN:07 65	10.00		53	11.7	45	7.1	35	1.7	51	16	350		29.92			30.11	FM-15	0.00	30.10
30	2154	7	FEW:02 65	10.00		51	10.6	43	6.1	33	0.6	50	14	350		29.95	1	-0.13	30.14	FM-15	0.00	30.13
30	2254	7	FEW:02 65	10.00		49	9.4	41	5.0	30	-1.1	48	10	350		29.99			30.18	FM-15	0.00	30.17
30	2354	7	FEW:02 65	10.00		47	8.3	40	4.6	31	-0.6	54	9	340		30.01			30.21	FM-15	0.00	30.19
31	0054	7	FEW:02 65	10.00		44	6.7	39	3.7	31	-0.6	60	7	340		30.05	1	-0.10	30.24	FM-15	0.00	30.23
31	0100	4	57	9.94		44	6.7	39	3.7	31	-0.6	60	7	340		30.05	1	-0.10	30.24	FM-12		
31	0154	7	FEW:02 65	10.00		43	6.1	38	3.4	31	-0.6	63	5	340		30.06			30.25	FM-15	0.00	30.24
31	0254	7	CLR:00	10.00		43	6.1	38	3.4	31	-0.6	63	5	340		30.07			30.27	FM-15	0.00	30.25
31	0354	7	CLR:00	10.00		39	3.9	36	2.3	32	0.0	76	7	360		30.08	1	-0.03	30.27	FM-15	0.00	30.26
31	0454	7	CLR:00	10.00		39	3.9	36	2.3	32	0.0	76	5	020		30.11			30.30	FM-15	0.00	30.29
31	0554	7	FEW:02 65	10.00		36	2.2	34	1.1	31	-0.6	82	0	000		30.13			30.32	FM-15	0.00	30.31
31	0654	7	FEW:02 65	10.00		40	4.4	38	3.3	35	1.7	83	0	000		30.15	1	-0.07	30.35	FM-15	0.00	30.33
31	0700	4	57	9.94		40	4.4	38	3.3	35	1.7	83	0	000		30.15	1	-0.07	30.35	FM-12		
31	0754	7	FEW:02 300	10.00		45	7.2	40	4.2	32	0.0	61	3	VRB		30.18			30.37	FM-15	0.00	30.36
31	0854	7	FEW:02 300	10.00		50	10.0	42	5.7	32	0.0	50	7	020		30.19			30.39	FM-15	0.00	30.37
31	0954	7	FEW:02 300	10.00		53	11.7	43	6.1	30	-1.1	41	3	360		30.20	1	-0.04	30.39	FM-15	0.00	30.38
31	1054	7	FEW:02 200 FEW:02 300	10.00		55	12.8	43	6.2	27	-2.8	34	5	350		30.17			30.37	FM-15	0.00	30.35
31	1154	7	FEW:02 200 FEW:02 300	10.00		57	13.9	44	6.7	27	-2.8	32	6	VRB		30.14			30.33	FM-15	0.00	30.32
31	1254	7	FEW:02 300	10.00		59	15.0	44	6.8	24	-4.4	26	8	100		30.10	8	+0.09	30.30	FM-15	0.00	30.28
31	1300	4		9.94		59	15.0	44	6.8	24	-4.4	26	8	100		30.10	8	+0.09	30.30	FM-12		
31	1354	7	FEW:02 300	10.00		61	16.1	45	7.2	23	-5.0	23	10	180		30.09			30.28	FM-15	0.00	30.27
31	1454	7	FEW:02 300	10.00		62	16.7	46	7.8	25	-3.9	24	15	VRB	25	30.06			30.25	FM-15	0.00	30.24
31	1554	7	FEW:02 300	10.00		61	16.1	46	7.5	25	-3.9	25	14	170		30.04	8	+0.07	30.23	FM-15	0.00	30.22
31	1654	7	FEW:02 300	10.00		61	16.1	46	7.5	25	-3.9	25	14	180		30.01			30.21	FM-15	0.00	30.19
31	1754	7	FEW:02 300	10.00		60	15.6	46	7.6	27	-2.8	28	14	190		30.01			30.20	FM-15	0.00	30.19
31	1854	7	FEW:02 300	10.00		55	12.8	43	6.2	27	-2.8	34	8	170		29.99	6	+0.04	30.19	FM-15	0.00	30.17
31	1900	4		9.94		55	12.8	43	6.2	27	-2.8	34	8	170		29.99	6	+0.04	30.19	FM-12		
31	1954	7	FEW:02 300	10.00		50	10.0	41	5.3	30	-1.1	46	10	130		30.00			30.20	FM-15	0.00	30.18
31	2054	7	FEW:02 300	10.00		49	9.4	42	5.6	33	0.6	55	11	150		30.01			30.20	FM-15	0.00	30.19
31	2154	7	SCT:04 300	10.00		50	10.0	43	5.9	33	0.6	52	11	170		29.99	8	+0.00	30.18	FM-15	0.00	30.17
31	2254	7	BKN:07 300	10.00		50	10.0	42	5.5	31	-0.6	48	11	170		29.98			30.17	FM-15	0.00	30.16
31	2354	7	BKN:07 300	10.00		48	8.9	41	5.1	32	0.0	54	7	160		29.98			30.17	FM-15	0.00	30.16



**Local Climatological Data**  
**Hourly Precipitation**  
**March 2018**

Generated on 08/29/2018

Date	For Hour (LST) Ending at																					Date								
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID					
01	T		T	T	T						T	0.01	0.01	0.06	0.07	0.02	0.01	T	T					T				01		
02																													02	
03																													03	
04																													04	
05																													05	
06															T	T		0.01	0.05	0.12	0.06	0.05	0.10	0.09	0.03			06		
07	0.03	T														T												07		
08																													08	
09																													09	
10																													10	
11																													11	
12											T	T	0.01	0.04	0.04	0.09	0.16	0.11	0.03	0.01						T		12		
13																													13	
14													T																14	
15																													15	
16																													16	
17															T	T											T	T	0.01	17
18	T	T				T																							18	
19																												T	19	
20	0.03	0.02	0.07	0.15	0.09	0.04	T	T	0.03	0.16	0.07	0.03	0.01														T	T	20	
21	0.01	0.04	0.01	T	0.01	0.05	0.06	0.05	0.05	0.03	0.01	0.03	0.02	0.01	T	T	0.01	T									T	21		
22		T																											22	
23																													23	
24																													24	
25																													25	
26																													26	
27																													27	
28												T	T	T	T	0.02	T												28	
29																													29	
30						T	T	T																					30	
31																													31	

**Maximum Short Duration Precipitation**

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.03	0.06	0.08	0.10	0.13	0.15	0.17	0.22	0.26	0.29	0.34	0.37
Ending Date Time (yyyy-mm-dd hh:mi)	2018-03-20 09:59	2018-03-20 09:59	2018-03-20 10:02	2018-03-20 10:05	2018-03-20 10:13	2018-03-20 10:24	2018-03-20 10:32	2018-03-12 16:24	2018-03-12 16:31	2018-03-12 16:45	2018-03-12 16:53	2018-03-12 16:53

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace  
 s = Suspect  
 \* = Erroneous  
 blank = No precipitation observed  
 M = Missing