

Local Climatological Data
Daily Summary
May 2018

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
 Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Generated on 08/29/2018

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH								
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees						
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23					
01	84	42*	63	0.5	43	36	51	2	0	0514	1859		0.00	0.0	0	29.98	30.18	3.0	18	300	13	300					
02	91	52	72	9.2	41	45	58	0	7	0513	1900		0.00	0.0	0	29.98	30.17	8.9	28	230	21	220					
03	90	60	75	12.0	54	56	64	0	10	0512	1901		0.00	0.0	0	29.93	30.12	11.5	27	220	22	220					
04	89	62	76	12.7	57	59	65	0	11	0511	1902		0.00	0.0	0	29.83	30.01	11.8	27	220	24	220					
05	76	60	68	4.5	65	57	62	0	3	0510	1903		T	0.0	0	29.88	30.07	6.7	17	050	14	040					
06	79	56	67	3.2	77	59	62	0	2	0509	1904		0.00	0.0	0	29.73	29.91	6.1	19	350	16	340					
07	73	54	64	0.0	82	57	59	1	0	0508	1904		0.00	0.0	0	29.85	30.06	7.5	21	060	15	070					
08	77	51	64	-0.3	69	52	57	1	0	0507	1905	MIFG FG	0.00	0.0	0	29.98	30.18	8.2	23	040	17	040					
09	80	51	66	1.5	70	53	58	0	1	0506	1906	FG BR	0.00	0.0	0	29.95	30.13	6.6	18	360	12	020					
10	87	56	72	7.2	81	60	63	0	7	0505	1907	TS RA BR FG	0.36	0.0	0	29.80	29.98	9.6	51	290	38	290					
11	88	57	73	8.0	68	61	66	0	8	0504	1908	MIFG BR FG	T	0.0	0	29.82	30.02	5.2	18	280	15	270					
12	93*	66	80	14.7	62	65	70	0	15	0503	1909		0.00	0.0	0	29.85	30.03	8.6	24	200	18	190					
13	87	64	76	10.5	80	67	70	0	11	0502	1910		0.00	0.0	0	29.83	30.02	7.6	23	360	17	360					
14	91	63	77	11.2	79	66	68	0	12	0501	1911	TS RA BR	0.23	0.0	0	29.83	30.00	5.5	49	340	40	340					
15	90	64	77	10.9	76	69	72	0	12	0500	1911	RA	T	0.0	0	29.78	29.97	11.9	30	200	22	200					
16	81	69	75	8.7	94	71	72	0	10	0459	1912	TS RA BR	1.04	0.0	0	29.79	29.95	5.8	28	270	22	280					
17	78	68	73	6.4	94	70	70	0	8	0459	1913	RA BR	2.67	0.0	0	29.78	29.98	6.5	17	140	14	130					
18	81	64	73	6.1	93	69	69	0	8	0458	1914	TS RA BR	3.86	0.0	0	29.86	30.06	9.2	24	070	18	070					
19	77	65	71	3.8	93	70	70	0	6	0457	1915	RA BR	0.68	0.0	0	29.93	30.11	10.1	24	190	20	200					
20	88	71	80	12.6	77	70	72	0	15	0456	1916		0.00	0.0	0	29.88	30.07	10.3	26	200	20	190					
21	81	66	73	5.3	78	66	68	0	8	0456	1916		0.00	0.0	0	29.95	30.14	6.8	23	110	15	140					
22	85	65	75	7.0	83	66	68	0	10	0455	1917	TS RA BR	1.38	0.0	0	29.91	30.08	6.8	37	300	23	320					
23	86	68	77	8.7	71	66	69	0	12	0454	1918	RA	0.03	0.0	0	29.82	30.03	7.5	18	010	14	010					
24	85	62	73	4.4	59	57	64	0	8	0454	1919		0.00	0.0	0	29.97	30.19	5.6	17	030	14	020					
25	85	63	74	5.1	69	63	67	0	9	0453	1920		0.00	0.0	0	29.88	30.05	7.0	22	220	17	200					
26	88	68	78	8.8	75	69	72	0	13	0453	1920	RA	0.02	0.0	0	29.73	29.92	11.3	28	220	21	210					
27	87	71	79	9.5	79	71	73	0	14	0452	1921	TS	T	0.0	0	29.75	29.95	9.8	28	210	20	210					
28	84	69	77	7.2	82	69	71	0	12	0452	1922	RA	0.01	0.0	0	29.84	30.03	5.2	19	170	16	170					
29	82	68	75	4.9	85	69	71	0	10	0451	1923	RA BR	T	0.0	0	29.83	30.01	3.7	13	130	10	120					
30	83	72	77	6.6	89	72	73	0	12	0451	1923	TS RA BR	0.07	0.0	0	29.82	30.01	7.0	19	090	16	100					
31	87	72	80	9.3	81	72	74	0	15	0450	1924	DZ BR	T	0.0	0	29.75	29.94	7.7	27	250	21	240					
	84.3	62.5	73.4										10.35			29.85	30.04	7.6									
	6.4	7.5	7.0										6.57														
Monthly Averages Totals												10.35			29.85	30.04	7.6										
Departure from Normal (1981-2010)												6.57															
Degree Days												Number of days with...															
Monthly				Season-to-date				Temperature				Precipitation		Snow		Weather											
Total		Departure		Total		Departure		Max		Min																	
Heating		4		-70		3758		>=90°		<=32°		<=32°		<=0°		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog			
Cooling		266		147		292		5		0		0		0		11		7		0							
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure								Greatest...											
N/A								Maximum				30.24				Date		01		Time		1005		24-Hr...			
								Minimum				29.82				06		1454		6.08		0.0		Snow Depth			
																				17-18							
Station Augmentation																											
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																											

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
 Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Local Climatological Data Hourly Observations May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/29/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	0	000		29.95	0	-0.01	30.14	FM-15	0.00	30.13
01	0100	4		9.94		50	10.0	44	6.7	37	2.8	61	0	000		29.95	9	0.01	30.14	FM-12		
01	0154	7	CLR:00	10.00		46	7.8	43	6.0	39	3.9	77	0	000		29.95			30.14	FM-15	0.00	30.13
01	0254	7	CLR:00	10.00		47	8.3	43	6.3	39	3.9	74	0	000		29.96			30.15	FM-15	0.00	30.14
01	0354	7	CLR:00	10.00		44	6.7	42	5.4	39	3.9	83	0	000		29.97	3	-0.01	30.16	FM-15	0.00	30.15
01	0454	7	CLR:00	10.00		44	6.7	42	5.7	40	4.4	85	0	000		29.98			30.18	FM-15	0.00	30.16
01	0554	7	CLR:00	10.00		44	6.7	43	5.9	41	5.0	89	0	000		30.01			30.20	FM-15	0.00	30.19
01	0654	7	CLR:00	10.00		53	11.7	50	10.2	48	8.9	83	0	000		30.03	3	-0.06	30.22	FM-15	0.00	30.21
01	0700	4		9.94		53	11.7	50	10.2	48	8.9	83	0	000		30.03	3	-0.06	30.22	FM-12		
01	0754	7	CLR:00	10.00		64	17.8	53	11.5	42	5.6	45	0	000		30.04			30.23	FM-15	0.00	30.22
01	0854	7	FEW:02 300	10.00		70	21.1	51	10.5	29	-1.7	22	7	260		30.05			30.24	FM-15	0.00	30.23
01	0954	7	FEW:02 300	10.00		74	23.3	52	11.3	28s	-2.2s	18	0	000		30.04	0	-0.02	30.24	FM-15	0.00	30.22
01	1054	7	CLR:00	10.00		75	23.9	53	11.5	28	-2.2	18	7	240		30.03			30.22	FM-15	0.00	30.21
01	1154	7	CLR:00	10.00		77	25.0	54	12.2	29	-1.7	17	9	250		30.01			30.20	FM-15	0.00	30.19
01	1254	7	CLR:00	10.00		80	26.7	55	12.9	29	-1.7	15	3	VRB		29.99	6	+0.05	30.18	FM-15	0.00	30.17
01	1300	4		9.94		80	26.7	55	12.9	29	-1.7	15	3			29.99	6	+0.05	30.18	FM-12		
01	1354	7	CLR:00	10.00		82	27.8	56	13.3	29	-1.7	14	9	320		29.98			30.17	FM-15	0.00	30.16
01	1454	7	CLR:00	10.00		82	27.8	56	13.3	29	-1.7	14	6	VRB		29.96			30.15	FM-15	0.00	30.14
01	1554	7	CLR:00	10.00		84	28.9	57	13.7	29	-1.7	13	7	240		29.96	5	+0.04	30.15	FM-15	0.00	30.14
01	1654	7	FEW:02 300	10.00		83	28.3	56	13.4	28	-2.2	13	0	000		29.96			30.15	FM-15	0.00	30.14
01	1754	7	FEW:02 300	10.00		80	26.7	57	13.7	34	1.1	19	3	210		29.95			30.14	FM-15	0.00	30.13
01	1844	7	CLR:00	10.00		75	23.9	57	13.7	40	4.4	28	6	140		29.96				FM-16		30.14
01	1854	7	CLR:00	10.00		70	21.1	56	13.2	43	6.1	38	5	140		29.96	3	-0.00	30.16	FM-15	0.00	30.14
01	1900	4		9.94		70	21.1	56	13.2	43	6.1	38	5	140		29.96	3	-0.00	30.16	FM-12		
01	1954	7	CLR:00	10.00		68	20.0	54	12.3	41	5.0	38	3	140		29.98			30.16	FM-15	0.00	30.16
01	2054	7	CLR:00	10.00		64	17.8	53	11.8	43	6.1	46	3	130		29.98			30.17	FM-15	0.00	30.16
01	2154	7	CLR:00	10.00		64	17.8	53	11.5	42	5.6	45	0	000		29.99	1	-0.03	30.18	FM-15	0.00	30.17
01	2254	7	CLR:00	10.00		63	17.2	52	11.1	41	5.0	45	5	190		30.00			30.19	FM-15	0.00	30.18
01	2354	7	CLR:00	10.00		62	16.7	52	11.0	42	5.6	48	3	190		30.00			30.19	FM-15	0.00	30.18
02	0054	7	CLR:00	10.00		59	15.0	50	10.1	41	5.0	51	6	190		29.98	8	+0.01	30.17	FM-15	0.00	30.16
02	0100	4		9.94		59	15.0	50	10.1	41	5.0	51	6	190		29.98	8	+0.01	30.17	FM-12		
02	0154	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	5	200		29.98			30.16	FM-15	0.00	30.16
02	0254	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	6	180		29.98			30.17	FM-15	0.00	30.16
02	0354	7	CLR:00	10.00		56	13.3	50	10.0	44	6.7	65	5	200		29.99	3	-0.01	30.18	FM-15	0.00	30.17
02	0454	7	CLR:00	10.00		52	11.1	49	9.2	45	7.2	77	8	190		29.99			30.18	FM-15	0.00	30.17
02	0554	7	CLR:00	10.00		54	12.2	50	10.2	47	8.3	77	5	200		30.02			30.21	FM-15	0.00	30.20
02	0654	7	FEW:02 300	10.00		61	16.1	55	12.5	49	9.4	65	7	220		30.03	3	-0.04	30.22	FM-15	0.00	30.21
02	0700	4		9.94		61	16.1	55	12.5	49	9.4	65	7	220		30.03	3	-0.04	30.22	FM-12		
02	0754	7	FEW:02 300	10.00		68	20.0	57	13.9	48	8.9	49	6	240		30.04			30.23	FM-15	0.00	30.22
02	0854	7	CLR:00	10.00		74	23.3	59	14.8	46	7.8	37	7	250		30.04			30.23	FM-15	0.00	30.22
02	0954	7	FEW:02 300	10.00		79	26.1	61	16.3	48	8.9	34	6	VRB		30.04	0	-0.01	30.23	FM-15	0.00	30.22
02	1054	7	FEW:02 300	10.00		82	27.8	61	16.0	44	6.7	26	3	VRB		30.02			30.21	FM-15	0.00	30.20
02	1154	7	FEW:02 300	10.00		86	30.0	62	16.6	43	6.1	22	6	VRB		30.00			30.19	FM-15	0.00	30.18
02	1254	7	FEW:02 300	10.00		89	31.7	62	16.6	40	4.4	18	14	220	23	29.98	8	+0.05	30.17	FM-15	0.00	30.16
02	1300	4		9.94		89	31.7	62	16.6	40	4.4	18	14	220		29.98	8	+0.05	30.17	FM-12		
02	1354	7	FEW:02 300	10.00		90	32.2	62	16.6	39	3.9	17	13	270	20	29.96			30.15	FM-15	0.00	30.14
02	1454	7	FEW:02 300	10.00		91	32.8	62	16.5	37	2.8	15	16	240	22	29.93			30.12	FM-15	0.00	30.11

02	1554	7	FEW:02 300	10.00		90	32.2	62	16.8	40	4.4	17	18	230	24	29.93	6	+0.06	30.12	FM-15	0.00	30.11
02	1654	7	FEW:02 300	10.00		88	31.1	62	16.6	41	5.0	19	15	220		29.92			30.11	FM-15	0.00	30.10
02	1754	7	SCT:04 300	10.00		85	29.4	62	16.4	43	6.1	23	11	220		29.92			30.11	FM-15	0.00	30.10
02	1854	7	FEW:02 150 BKN:07 300	10.00		79	26.1	61	16.3	48	8.9	34	11	200		29.93	5	+0.00	30.12	FM-15	0.00	30.11
02	1900	4		9.94		79	26.1	61	16.3	48	8.9	34	11	200		29.93	5	+0.00	30.12	FM-12		
02	1954	7	FEW:02 150 BKN:07 300	10.00		76	24.4	61	16.2	50	10.0	40	10	200		29.94			30.13	FM-15	0.00	30.12
02	2054	7	FEW:02 150 SCT:04 300	10.00		71	21.7	60	15.4	51	10.6	49	10	190		29.95			30.14	FM-15	0.00	30.13
02	2154	7	FEW:02 300	10.00		69	20.6	59	14.9	51	10.6	53	8	190		29.95	1	-0.02	30.14	FM-15	0.00	30.13
02	2254	7	SCT:04 300	10.00		68	20.0	58	14.4	50	10.0	53	7	190		29.94			30.14	FM-15	0.00	30.12
02	2354	7	SCT:04 300	10.00		72	22.2	59	15.1	49	9.4	44	10	210		29.95			30.14	FM-15	0.00	30.13
03	0054	7	SCT:04 300	10.00		63	17.2	57	13.8	52	11.1	68	8	190		29.95	3	-0.00	30.14	FM-15	0.00	30.13
03	0100	4		9.94		63	17.2	57	13.8	52	11.1	68	8	190		29.95			30.14	FM-12		
03	0154	7	SCT:04 300	10.00		61	16.1	56	13.4	52	11.1	72	8	190		29.95			30.14	FM-15	0.00	30.13
03	0254	7	SCT:04 300	10.00		64	17.8	57	14.1	52	11.1	65	8	210		29.95			30.14	FM-15	0.00	30.13
03	0354	7	BKN:07 300	10.00		61	16.1	57	13.7	53	11.7	75	9	200		29.96	3	-0.01	30.14	FM-15	0.00	30.14
03	0454	7	BKN:07 300	10.00		60	15.6	56	13.4	53	11.7	78	8	200		29.96			30.15	FM-15	0.00	30.14
03	0554	7	BKN:07 300	10.00		60	15.6	57	13.7	54	12.2	80	7	190		29.98			30.16	FM-15	0.00	30.16
03	0654	7	BKN:07 300	10.00		64	17.8	59	14.9	55	12.8	73	8	190		29.99	3	-0.04	30.18	FM-15	0.00	30.17
03	0700	4		9.94		64	17.8	59	14.9	55	12.8	73	8	190		29.99	3	-0.04	30.18	FM-12		
03	0754	7	BKN:07 300	10.00		68	20.0	60	15.5	54	12.2	61	11	220		29.99			30.18	FM-15	0.00	30.17
03	0854	7	BKN:07 300	10.00		74	23.3	63	17.1	55	12.8	52	9	220		29.99			30.18	FM-15	0.00	30.17
03	0954	7	BKN:07 300	10.00		77	25.0	65	18.3	57	13.9	50	11	200		29.98	8	+0.01	30.17	FM-15	0.00	30.16
03	1054	7	BKN:07 300	10.00		81	27.2	66	19.0	57	13.9	44	11	220	17	29.96			30.15	FM-15	0.00	30.14
03	1154	7	BKN:07 300	10.00		84	28.9	68	19.9	58	14.4	41	13	200		29.95			30.14	FM-15	0.00	30.13
03	1254	7	BKN:07 300	10.00		87	30.6	69	20.7	59	15.0	39	10	240		29.93	8	+0.05	30.12	SY-MT	0.00	30.11
03	1354	7	BKN:07 300	10.00		89	31.7	71	21.6	61	16.1	39	17	220	22	29.91			30.10	FM-15	0.00	30.09
03	1454	7	BKN:07 300	10.00		90	32.2	70	21.2	59	15.0	35	16	210	23	29.89			30.08	FM-15	0.00	30.07
03	1554	7	SCT:04 300	10.00		89	31.7	70	21.0	59	15.0	36	18	210	23	29.88	6	+0.05	30.07	FM-15	0.00	30.06
03	1654	7	BKN:07 300	10.00		87	30.6	69	20.4	58	14.4	37	16	210		29.87			30.06	FM-15	0.00	30.05
03	1754	7	BKN:07 300	10.00		84	28.9	68	20.1	59	15.0	43	15	210	24	29.86			30.05	FM-15	0.00	30.04
03	1854	7	FEW:02 150 BKN:07 300	10.00		81	27.2	67	19.6	59	15.0	47	14	200		29.87	5	+0.01	30.06	FM-15	0.00	30.05
03	1900	4		9.94		81	27.2	67	19.6	59	15.0	47	14	200		29.87	5	+0.01	30.06	FM-12		
03	1954	7	FEW:02 150 BKN:07 300	10.00		79	26.1	66	18.9	58	14.4	49	10	210		29.89			30.08	FM-15	0.00	30.07
03	2054	7	BKN:07 300	10.00		77	25.0	65	18.3	57	13.9	50	13	200		29.90			30.09	FM-15	0.00	30.08
03	2154	7	SCT:04 300	10.00		76	24.4	64	17.8	56	13.3	50	15	210		29.90	1	-0.03	30.09	FM-15	0.00	30.08
03	2254	7	CLR:00	10.00		74	23.3	63	17.1	55	12.8	52	9	210		29.90			30.09	FM-15	0.00	30.08
03	2354	7	SCT:04 300	10.00		68	20.0	62	16.4	57	13.9	68	9	200		29.90			30.09	FM-15	0.00	30.08
04	0054	7	SCT:04 300	10.00		66	18.9	61	16.3	58	14.4	75	8	200		29.89	8	+0.01	30.08	FM-15	0.00	30.07
04	0100	4		9.94		66	18.9	61	16.3	58	14.4	75	8	200		29.89	8	+0.01	30.08	FM-12		
04	0154	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	8	190		29.87			30.06	FM-15	0.00	30.05
04	0254	7	FEW:02 300	10.00		64	17.8	60	15.5	57	13.9	78	9	200		29.87			30.06	FM-15	0.00	30.05
04	0354	7	SCT:04 300	10.00		64	17.8	60	15.5	57	13.9	78	8	190		29.86	6	+0.03	30.04	FM-15	0.00	30.04
04	0454	7	SCT:04 300	10.00		62	16.7	59	15.1	57	13.9	84	8	200		29.85			30.04	FM-15	0.00	30.03
04	0554	7	SCT:04 300	10.00		63	17.2	60	15.6	58	14.4	84	7	200		29.88			30.06	FM-15	0.00	30.06
04	0654	7	BKN:07 300	10.00		67	19.4	62	16.8	59	15.0	76	11	210		29.89	3	-0.03	30.08	FM-15	0.00	30.07
04	0700	4		9.94		67	19.4	62	16.8	59	15.0	76	11	210		29.89	3	-0.03	30.08	FM-12		
04	0754	7	SCT:04 300	10.00		71	21.7	63	17.3	58	14.4	63	13	210		29.89			30.08	FM-15	0.00	30.07
04	0854	7	BKN:07 300	10.00		75	23.9	65	18.2	58	14.4	55	13	230		29.88			30.07	FM-15	0.00	30.06
04	0954	7	BKN:07 300	10.00		79	26.1	67	19.2	59	15.0	50	13	210		29.87	8	+0.02	30.06	FM-15	0.00	30.05
04	1054	7	BKN:07 300	10.00		81	27.2	68	19.9	60	15.6	49	8	220		29.85			30.04	FM-15	0.00	30.03
04	1154	7	BKN:07 300	10.00		84	28.9	70	21.0	62	16.7	48	14	230	22	29.83			30.01	FM-15	0.00	30.01
04	1254	7	BKN:07 300	10.00		86	30.0	70	21.4	62	16.7	45	14	200		29.80	8	+0.06	29.99	FM-15	0.00	29.98
04	1300	4		9.94		86	30.0	70	21.4	62	16.7	45	14	200		29.80	8	+0.06	29.99	FM-12		

04	1354	7	BKN:07 300	10.00		87	30.6	70	21.2	61	16.1	42	14	200	23	29.78			29.97	FM-15	0.00	29.96
04	1454	7	BKN:07 300	10.00		87	30.6	70	20.9	60	15.6	40	17	190	25	29.75			29.94	FM-15	0.00	29.93
04	1554	7	FEW:02 100 SCT:04 300	10.00		88	31.1	69	20.6	58	14.4	36	20	230	26	29.76	5	+0.04	29.94	FM-15	0.00	29.94
04	1654	7	FEW:02 150 SCT:04 300	10.00		87	30.6	69	20.7	59	15.0	39	21	220	26	29.75			29.94	FM-15	0.00	29.93
04	1754	7	SCT:04 150 SCT:04 300	10.00		85	29.4	69	20.3	59	15.0	42	16	210		29.75			29.94	FM-15	0.00	29.93
04	1854	7	SCT:04 200 BKN:07 300	10.00		81	27.2	67	19.6	59	15.0	47	14	200		29.76	3	-0.01	29.95	FM-15	0.00	29.94
04	1900	4		9.94		81	27.2	67	19.6	59	15.0	47	14	200		29.76	3	-0.01	29.95	FM-12		
04	1954	7	FEW:02 200 OVC:08 300	10.00		80	26.7	66	18.8	57	13.9	45	13	210		29.77			29.96	FM-15	0.00	29.95
04	2054	7	BKN:07 300	10.00		79	26.1	66	18.6	57	13.9	47	10	220		29.80			29.98	FM-15	0.00	29.98
04	2154	7	BKN:07 110 OVC:08 300	10.00		77	25.0	65	18.3	57	13.9	50	9	210		29.81	3	-0.05	30.00	FM-15	0.00	29.99
04	2254	7	FEW:02 100 OVC:08 300	10.00		74	23.3	64	18.0	58	14.4	57	10	210		29.80			29.99	FM-15	0.00	29.98
04	2354	7	FEW:02 100 BKN:07 300	10.00		72	22.2	64	17.8	59	15.0	64	6	180		29.80			29.99	FM-15	0.00	29.98
05	0054	7	BKN:07 100 OVC:08 300	10.00		71	21.7	65	18.3	61	16.1	71	5	190		29.81	5	+0.00	30.00	FM-15	0.00	29.99
05	0100	4		9.94		71	21.7	65	18.3	61	16.1	71	5	190		29.81	5	+0.00	30.00	FM-12		
05	0154	7	BKN:07 110 OVC:08 300	10.00		71	21.7	65	18.3	61	16.1	71	6	200		29.82			30.01	FM-15	0.00	30.00
05	0254	7	BKN:07 120 OVC:08 300	10.00		70	21.1	65	18.4	62	16.7	76	3	230		29.82			30.01	FM-15	0.00	30.00
05	0354	7	SCT:04 120 BKN:07 300	10.00		70	21.1	65	18.4	62	16.7	76	5	350		29.83	3	-0.02	30.02	FM-15	0.00	30.01
05	0454	7	SCT:04 120 BKN:07 300	10.00		67	19.4	64	17.8	62	16.7	84	7	320		29.85			30.04	FM-15	0.00	30.03
05	0554	7	SCT:04 170 OVC:08 300	10.00		68	20.0	64	17.6	61	16.1	78	6	030		29.88			30.06	FM-15	0.00	30.06
05	0654	7	BKN:07 90 BKN:07 170 OVC:08 300	10.00		71	21.7	65	18.6	62	16.7	73	5	020		29.91	3	-0.08	30.10	FM-15	0.00	30.09
05	0700	4		9.94		71	21.7	65	18.6	62	16.7	73	5	020		29.91	3	-0.08	30.10	FM-12		
05	0754	7	BKN:07 90 BKN:07 150 BKN:07 300	10.00		72	22.2	65	18.5	61	16.1	68	10	030		29.92			30.11	FM-15	0.00	30.10
05	0854	7	FEW:02 90 BKN:07 140 BKN:07 300	10.00		74	23.3	65	18.3	59	15.0	60	8	050		29.93			30.12	FM-15	0.00	30.11
05	0954	7	OVC:08 85	10.00		74	23.3	65	18.3	59	15.0	60	8	040		29.94	3	-0.03	30.13	FM-15	0.00	30.12
05	1054	7	OVC:08 80	10.00		74	23.3	64	18.0	58	14.4	57	8	040		29.94			30.13	FM-15	0.00	30.12
05	1154	7	BKN:07 80 BKN:07 150	10.00		74	23.3	62	16.5	53	11.7	48	9	100		29.94			30.12	FM-15	0.00	30.12
05	1254	7	OVC:08 80	10.00		73	22.8	61	16.1	52	11.1	48	5	060		29.93	7	+0.01	30.12	FM-15	0.00	30.11
05	1300	4	74	9.94		73	22.8	61	16.1	52	11.1	48	5	060		29.93	7	+0.01	30.12	FM-12		
05	1354	7	BKN:07 80 OVC:08 150	10.00		72	22.2	61	15.9	52	11.1	50	8	040		29.92			30.11	FM-15	T	30.10
05	1454	7	BKN:07 80 OVC:08 150	10.00		68	20.0	60	15.5	54	12.2	61	10	040		29.90			30.09	FM-15	0.00	30.08
05	1554	7	FEW:02 80 BKN:07 100 BKN:07 200	10.00		69	20.6	60	15.8	54	12.2	59	11	040		29.89	6	+0.04	30.08	FM-15	0.00	30.07
05	1654	7	FEW:02 44 FEW:02 100 BKN:07 180	10.00		68	20.0	61	16.1	56	13.3	65	5	040		29.89			30.08	FM-15	0.00	30.07
05	1754	7	FEW:02 40 BKN:07 180 OVC:08 300	10.00		67	19.4	61	16.2	57	13.9	71	7	060		29.88			30.07	FM-15	0.00	30.06

05	1854	7	SCT:04 42 BKN:07 190 OVC:08 300	10.00		68	20.0	59	15.3	53	11.7	59	8	110		29.88	8	+0.01	30.07	FM-15	0.00	30.06
05	1900	4	41	9.94		68	20.0	59	15.3	53	11.7	59	8	110		29.88	8	+0.01	30.07	FM-12		
05	1954	7	SCT:04 40 BKN:07 160 OVC:08 300	10.00		66	18.9	58	14.3	51	10.6	59	13	100		29.88			30.06	FM-15	0.00	30.06
05	2054	7	FEW:02 40 OVC:08 170	10.00		64	17.8	56	13.5	50	10.0	60	6	100		29.89			30.08	FM-15	0.00	30.07
05	2154	7	FEW:02 40 OVC:08 190	10.00		62	16.7	56	13.3	51	10.6	67	6	090		29.87	8	+0.01	30.06	FM-15	0.00	30.05
05	2254	7	FEW:02 44 BKN:07 220 OVC:08 300	10.00		61	16.1	56	13.4	52	11.1	72	0	000		29.86			30.05	FM-15	0.00	30.04
05	2354	7	BKN:07 250 OVC:08 300	10.00		60	15.6	56	13.4	53	11.7	78	3	050		29.85			30.03	FM-15	0.00	30.03
06	0054	7	SCT:04 250 OVC:08 300	10.00		59	15.0	56	13.2	53	11.7	81	7	330		29.84	8	+0.03	30.03	FM-15	0.00	30.02
06	0100	4		9.94		59	15.0	56	13.2	53	11.7	81	7	330		29.84	8	+0.03	30.03	FM-12		
06	0154	7	SCT:04 230 OVC:08 300	10.00		58	14.4	55	12.9	53	11.7	84	6	350		29.81			29.99	FM-15	0.00	29.99
06	0254	7	OVC:08 220	10.00		58	14.4	55	12.9	53	11.7	84	6	360		29.78			29.98	FM-15	0.00	29.96
06	0354	7	SCT:04 220 OVC:08 300	10.00		57	13.9	55	12.7	53	11.7	87	7	020		29.77	6	+0.07	29.96	FM-15	0.00	29.95
06	0454	7	FEW:02 17 FEW:02 220 OVC:08 300	10.00		57	13.9	55	12.7	53	11.7	87	6	360		29.77			29.96	FM-15	0.00	29.95
06	0554	7	SCT:04 15 BKN:07 220 OVC:08 300	10.00		57	13.9	55	13.0	54	12.2	90	3	340		29.78			29.97	FM-15	0.00	29.96
06	0654	7	SCT:04 14 BKN:07 200 OVC:08 300	10.00		58	14.4	56	13.2	54	12.2	87	5	340		29.76	8	+0.01	29.95	FM-15	0.00	29.94
06	0700	4	15	9.94		58	14.4	56	13.2	54	12.2	87	5	340		29.76	8	+0.01	29.95	FM-12		
06	0754	7	SCT:04 14 BKN:07 200 OVC:08 300	10.00		61	16.1	59	14.8	57	13.9	87	5	350		29.73			29.92	FM-15	0.00	29.91
06	0854	7	FEW:02 15 BKN:07 200 OVC:08 300	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.73			29.92	FM-15	0.00	29.91
06	0954	7	FEW:02 15 SCT:04 200 OVC:08 300	10.00		68	20.0	64	17.6	61	16.1	78	3	020		29.72	6	+0.04	29.91	FM-15	0.00	29.90
06	1054	7	FEW:02 20 BKN:07 200 OVC:08 300	10.00		69	20.6	64	17.8	61	16.1	76	0	000		29.71			29.90	FM-15	0.00	29.89
06	1154	7	FEW:02 30 SCT:04 200 BKN:07 300	10.00		72	22.2	65	18.5	61	16.1	68	0	000		29.67			29.86	FM-15	0.00	29.85
06	1254	7	SCT:04 35 SCT:04 200 BKN:07 300	10.00		75	23.9	66	19.0	61	16.1	62	5	240		29.67	6	+0.05	29.85	FM-15	0.00	29.85
06	1300	4	41	9.94		75	23.9	66	19.0	61	16.1	62	5	240		29.67	6	+0.05	29.85	FM-12		
06	1354	7	SCT:04 31 BKN:07 200 BKN:07 300	10.00		77	25.0	67	19.4	61	16.1	58	0	000		29.65			29.84	FM-15	0.00	29.83
06	1454	7	SCT:04 37 BKN:07 300	10.00		78	25.6	67	19.3	60	15.6	54	7	320		29.63			29.82	FM-15	0.00	29.81
06	1554	7	SCT:04 40 BKN:07 70 BKN:07 300	10.00		75	23.9	67	19.4	62	16.7	64	13	330		29.64	5	+0.03	29.83	FM-15	0.00	29.82
06	1654	7	FEW:02 40 FEW:02 65 SCT:04 250	10.00		76	24.4	68	19.9	63	17.2	64	7	340		29.64			29.83	FM-15	0.00	29.82

06	1754	7	BKN:07 40 OVC:08 300	10.00		73	22.8	67	19.6	64	17.8	74	9	340		29.65			29.84	FM-15	0.00	29.83
06	1854	7	SCT:04 35 BKN:07 70 BKN:07 300	10.00		72	22.2	66	19.1	63	17.2	73	8	330		29.67	3	-0.03	29.86	FM-15	0.00	29.85
06	1900	4	41	9.94		72	22.2	66	19.1	63	17.2	73	8	330		29.67	3	-0.03	29.86	FM-12		
06	1954	7	SCT:04 25 BKN:07 40	10.00		70	21.1	66	18.7	63	17.2	79	8	360		29.69			29.88	FM-15	0.00	29.87
06	2054	7	SCT:04 30 BKN:07 200	10.00		68	20.0	64	18.0	62	16.7	81	10	020		29.71			29.90	FM-15	0.00	29.89
06	2154	7	FEW:02 22 BKN:07 45 OVC:08 110	10.00		67	19.4	64	17.8	62	16.7	84	8	010		29.74	3	-0.07	29.93	FM-15	0.00	29.92
06	2201	7	BKN:07 20 OVC:08 45	10.00		67	19.4	64	17.8	62	16.7	84	13	010		29.75				FM-16		29.93
06	2254	7	OVC:08 17	10.00		64	17.8	61	16.1	59	15.0	84	13	350		29.76			29.95	FM-15	0.00	29.94
06	2344	7	SCT:04 18 BKN:07 44 OVC:08 110	10.00		63	17.2	60	15.3	57	13.9	81	13	350		29.76				FM-16		29.94
06	2354	7	FEW:02 18 SCT:04 43 OVC:08 110	10.00		62	16.7	59	15.1	57	13.9	84	11	350		29.77			29.96	FM-15	0.00	29.95
07	0054	7	FEW:02 43 BKN:07 120	10.00		61	16.1	58	14.5	56	13.3	84	8	010		29.76	0	-0.01	29.95	FM-15	0.00	29.94
07	0100	4	41	9.94		61	16.1	58	14.5	56	13.3	84	8	010		29.76	9	0.01	29.95	FM-12		
07	0154	7	BKN:07 47 BKN:07 120	10.00		60	15.6	58	14.6	57	13.9	90	5	360		29.77			29.96	FM-15	0.00	29.95
07	0254	7	OVC:08 50	10.00		60	15.6	58	14.6	57	13.9	90	7	010		29.77			29.96	FM-15	0.00	29.95
07	0354	7	FEW:02 38 BKN:07 60	10.00		59	15.0	57	14.1	56	13.3	90	11	350		29.77	1	-0.01	29.96	FM-15	0.00	29.95
07	0454	7	FEW:02 17 SCT:04 55	10.00		57	13.9	56	13.6	56	13.3	96	7	020		29.79			29.98	FM-15	0.00	29.97
07	0532	7	FEW:02 18 BKN:07 26 BKN:07 65	9.00		57	13.9	56	13.6	56	13.3	96	8	350		29.81				FM-16		29.99
07	0554	7	FEW:02 18 SCT:04 26 BKN:07 65	9.00		57	13.9	56	13.6	56	13.3	96	9	350		29.81			30.00	FM-15	0.00	29.99
07	0627	7	FEW:02 9 SCT:04 17 BKN:07 65	9.00		58	14.4	57	14.1	57	13.9	97	11	360		29.83				FM-16		30.01
07	0637	7	FEW:02 9 BKN:07 16 BKN:07 65	9.00		58	14.4	57	14.1	57	13.9	97	9	010		29.84				FM-16		30.02
07	0654	7	FEW:02 9 BKN:07 17 OVC:08 65	9.00		59	15.0	58	14.4	57	13.9	93	8	360		29.85	3	-0.07	30.03	FM-15	0.00	30.03
07	0700	4	8	8.70		59	15.0	58	14.4	57	13.9	93	8	360		29.85	3	-0.07	30.03	FM-12		
07	0752	6	BKN:07 14 BKN:07 300	8.00		61	16.0	59	14.8	57	14.0	88	10	030		29.86				FM-16		30.04
07	0754	7	BKN:07 14 BKN:07 27 BKN:07 300	8.00		61	16.1	59	14.8	57	13.9	87	14	030		29.86			30.05	FM-15	0.00	30.04
07	0825	7	BKN:07 15 BKN:07 300	9.00		64	17.8	60	15.5	57	13.9	78	13	010		29.86				FM-16		30.04
07	0854	7	BKN:07 15	9.00		63	17.2	60	15.3	57	13.9	81	10	040		29.88			30.06	FM-15	0.00	30.06
07	0954	7	BKN:07 24	10.00		65	18.3	60	15.7	57	13.9	76	11	040		29.88	1	-0.04	30.07	FM-15	0.00	30.06
07	1054	7	OVC:08 26	10.00		65	18.3	61	16.1	58	14.4	78	8	030		29.89			30.08	FM-15	0.00	30.07
07	1141	7	SCT:04 24 OVC:08 35	10.00		68	20.0	63	17.0	59	15.0	73	10	030		29.89				FM-16		30.07
07	1154	7	SCT:04 28 OVC:08 35	10.00		66	18.9	61	16.3	58	14.4	75	11	050		29.89			30.09	FM-15	0.00	30.07
07	1254	7	FEW:02 28 OVC:08 35	10.00		67	19.4	62	16.8	59	15.0	76	7	050		29.89	0	-0.01	30.09	FM-15	0.00	30.07

07	1300	4	26	9.94		67	19.4	62	16.8	59	15.0	76	7	050		29.89	9	0.01	30.09	FM-12		
07	1354	7	BKN:07 38	10.00		70	21.1	61	16.3	55	12.8	59	11	050		29.88			30.07	FM-15	0.00	30.06
07	1454	7	BKN:07 43	10.00		70	21.1	62	16.5	56	13.3	61	7	060		29.87			30.06	FM-15	0.00	30.05
07	1554	7	SCT:04 40 BKN:07 300	10.00		71	21.7	61	16.2	54	12.2	55	9	060		29.87	6	+0.02	30.06	FM-15	0.00	30.05
07	1654	7	SCT:04 41 SCT:04 300	10.00		70	21.1	62	16.5	56	13.3	61	9	090		29.88			30.07	FM-15	0.00	30.06
07	1754	7	FEW:02 40 FEW:02 300	10.00		70	21.1	61	16.3	55	12.8	59	11	060	21	29.89			30.09	FM-15	0.00	30.07
07	1854	7	FEW:02 40	10.00		65	18.3	60	15.8	57	13.9	76	7	100		29.92	3	-0.04	30.11	FM-15	0.00	30.10
07	1900	4	41	9.94		65	18.3	60	15.8	57	13.9	76	7	100		29.92	3	-0.04	30.11	FM-12		
07	1954	7	FEW:02 40	10.00		63	17.2	60	15.6	58	14.4	84	0	000		29.92			30.12	FM-15	0.00	30.10
07	2054	7	CLR:00	10.00		59	15.0	58	14.7	58	14.4	96	3	130		29.94			30.14	FM-15	0.00	30.12
07	2154	7	CLR:00	10.00		58	14.4	58	14.4	58	14.4	100	0	000		29.96	3	-0.04	30.16	FM-15	0.00	30.14
07	2254	7	CLR:00	8.00		57	13.9	57	13.9	57	13.9	100	3	050		29.97			30.16	FM-15	0.00	30.15
07	2354	7	CLR:00	10.00		54	12.2	54	12.2	54	12.2	100	0	000		29.98			30.17	FM-15	0.00	30.16
08	0054	7	CLR:00	9.00		54	12.2	54	12.2	54	12.2	100	3	020		29.97	0	-0.00	30.16	FM-15	0.00	30.15
08	0100	4		8.70		54	12.2	54	12.2	54	12.2	100	3	020		29.97	9	0.00	30.16	FM-12		
08	0154	7	CLR:00	8.00	MI:1 FG:2 FG	54	12.2	54	12.2	54	12.2	100	3	330		29.97			30.16	FM-15	0.00	30.15
08	0254	7	CLR:00	7.00	MI:1 FG:2 FG	53	11.7	53	11.7	53	11.7	100	6	010		29.96			30.15	FM-15	0.00	30.14
08	0354	7	CLR:00	10.00		51	10.6	51	10.6	51	10.6	100	6	360		29.97	3	-0.01	30.16	FM-15	0.00	30.15
08	0454	7	FEW:02 250	10.00		52	11.1	52	11.1	52	11.1	100	7	360		29.99			30.18	FM-15	0.00	30.17
08	0554	7	FEW:02 120 FEW:02 300	10.00		54	12.2	54	12.2	54	12.2	100	9	360		30.01			30.20	FM-15	0.00	30.19
08	0654	7	FEW:02 300	10.00		58	14.4	57	13.8	56	13.3	93	11	030		30.01	1	-0.04	30.20	FM-15	0.00	30.19
08	0700	4		9.94		58	14.4	57	13.8	56	13.3	93	11	030		30.01	1	-0.04	30.20	FM-12		
08	0754	7	FEW:02 300	10.00		61	16.1	57	13.9	54	12.2	78	10	060		30.03			30.22	FM-15	0.00	30.21
08	0854	7	FEW:02 300	10.00		66	18.9	59	15.1	54	12.2	65	7	060		30.03			30.22	FM-15	0.00	30.21
08	0954	7	FEW:02 300	10.00		70	21.1	60	15.7	53	11.7	55	13	040		30.02	0	-0.01	30.21	FM-15	0.00	30.20
08	1054	7	FEW:02 50 FEW:02 300	10.00		72	22.2	60	15.6	51	10.6	48	14	060	21	30.01			30.20	FM-15	0.00	30.19
08	1154	7	FEW:02 50 SCT:04 300	10.00		74	23.3	60	15.8	50	10.0	43	17	040	23	30.00			30.19	FM-15	0.00	30.18
08	1254	7	FEW:02 50 SCT:04 300	10.00		75	23.9	61	16.0	50	10.0	41	11	060		29.99	8	+0.03	30.18	FM-15	0.00	30.17
08	1300	4	57	9.94		75	23.9	61	16.0	50	10.0	41	11	060		29.99	8	+0.03	30.18	FM-12		
08	1354	7	FEW:02 50 SCT:04 300	10.00		76	24.4	62	16.4	51	10.6	42	16	050	22	29.98			30.17	FM-15	0.00	30.16
08	1454	7	FEW:02 50 SCT:04 300	10.00		75	23.9	61	16.0	50	10.0	41	11	070	21	29.97			30.16	FM-15	0.00	30.15
08	1554	7	FEW:02 50 FEW:02 300	10.00		75	23.9	61	16.0	50	10.0	41	13	050		29.96	8	+0.03	30.15	FM-15	0.00	30.14
08	1654	7	FEW:02 50 FEW:02 300	10.00		74	23.3	60	15.5	49	9.4	41	11	080		29.96			30.15	FM-15	0.00	30.14
08	1754	7	FEW:02 300	10.00		71	21.7	59	14.9	49	9.4	46	14	060		29.96			30.15	FM-15	0.00	30.14
08	1854	7	FEW:02 50	10.00		67	19.4	58	14.2	50	10.0	55	6	070		29.96	1	-0.00	30.16	FM-15	0.00	30.14
08	1900	4	57	9.94		67	19.4	58	14.2	50	10.0	55	6	070		29.96	1	-0.00	30.16	FM-12		
08	1954	7	FEW:02 50	10.00		64	17.8	57	13.8	51	10.6	63	6	090		29.97			30.16	FM-15	0.00	30.15
08	2054	7	CLR:00	10.00		62	16.7	56	13.3	51	10.6	67	0	000		29.98			30.17	FM-15	0.00	30.16
08	2154	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	0	000		29.99	3	-0.03	30.19	FM-15	0.00	30.17
08	2254	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	0	000		29.98			30.18	FM-15	0.00	30.16
08	2354	6	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	0	000		29.98			30.17	FM-15	0.00	30.16
09	0054	6	FEW:02 10	10.00		51	10.6	51	10.6	51	10.6	100	3	110		29.98	6	+0.01	30.17	FM-15	0.00	30.16
09	0126	6	FEW:02 3	10.00		52	11.1	52	11.1	52	11.1	100	0	000		29.97				FM-16		30.15
09	0128	6	BKN:07 3	10.00		52	11.1	52	11.1	52	11.1	100	0	000		29.97				FM-16		30.15
09	0154	7	OVC:08 2	1.00	BR:1	53	11.7	53	11.7	53	11.7	100	0	000		29.97			30.16	FM-15	0.00	30.15
09	0226	6	OVC:08 2	0.25	FG:2 FG	54	12.2	54	12.2	54	12.2	100	3	050		29.97				FM-16		30.15
09	0232	6	VV:09 2	0.12	FG:2 FG s	54	12.2	54	12.2	54	12.2	100	0	000		29.97				FM-16		30.15
09	0254	7	VV:09 2	0.12	FG:2 FG s	54	12.2	54	12.2	54	12.2	100	0	000		29.97			30.16	FM-15	0.00	30.15

09	0305	7	VV:09 2	0.00	FG:2 FG s FG	54	12.2	54	12.2	54	12.2	100	0	000		29.96				FM-16		30.14
09	0354	7	VV:09 2	0.12	FG:2 FG s	56	13.3	56	13.3	56	13.3	100	3	040		29.96	7	+0.02	30.15	FM-15	0.00	30.14
09	0439	7	VV:09 2	0.12	FG:2 FG s	55	12.8	55	12.8	55	12.8	100	7	020		29.96				FM-16		30.14
09	0454	7	VV:09 2	0.12	FG:2 FG s	54	12.2	54	12.2	54	12.2	100	8	360		29.96			30.15	FM-15	0.00	30.14
09	0527	7	VV:09 2	0.12	FG:2 FG s	54	12.2	54	12.2	54	12.2	100	3	340		29.97				FM-16		30.15
09	0537	7	VV:09 2	0.12	FG:2 FG s	54	12.2	54	12.2	54	12.2	100	3	360		29.97				FM-16		30.15
09	0552	7	VV:09 2	0.12	FG:2 FG s	55	13.0	55	12.8	55	13.0	100	3	030		29.98				FM-16		30.16
09	0554	7	VV:09 2	0.12	FG:2 FG s	55	12.8	55	12.8	55	12.8	100	5	020		29.98			30.17	FM-15	0.00	30.16
09	0617	7	VV:09 2	0.25	FG:2 FG	55	12.8	55	12.8	55	12.8	100	6	360		29.98				FM-16		30.16
09	0632	7	OVC:08 2	0.75	BR:1	55	12.8	54	12.5	54	12.2	96	8	010		29.98				FM-16		30.16
09	0645	7	OVC:08 3	1.00	BR:1	55	12.8	54	12.5	54	12.2	96	6	020		29.98				FM-16		30.16
09	0654	7	OVC:08 3	1.25	BR:1	55	12.8	54	12.2	53	11.7	93	6	050		29.98	0	-0.02	30.17	FM-15	0.00	30.16
09	0700	4	2	1.24		55	12.8	54	12.2	53	11.7	93	6	050		29.98	9	0.02	30.17	FM-12		
09	0725	7	BKN:07 3	3.00	BR:1	56	13.3	55	13.0	55	12.8	97	5	030		29.99				FM-16		30.17
09	0752	6	BKN:07 5	6.00	BR:1	59	15.0	57	13.8	55	13.0	88	6	050		29.99				FM-16		30.17
09	0754	7	BKN:07 5	6.00	BR:1	58	14.4	56	13.5	55	12.8	90	6	040		29.99			30.18	FM-15	0.00	30.17
09	0824	7	SCT:04 5	10.00		61	16.1	58	14.5	56	13.3	84	7	030		29.98				FM-16		30.16
09	0854	7	CLR:00	10.00		66	18.9	61	16.3	58	14.4	75	8	020		29.97			30.17	FM-15	0.00	30.15
09	0954	7	CLR:00	10.00		70	21.1	60	15.4	52	11.1	53	10	030		29.97	7	+0.01	30.17	FM-15	0.00	30.15
09	1054	7	CLR:00	10.00		73	22.8	60	15.8	51	10.6	46	6	030		29.97			30.16	FM-15	0.00	30.15
09	1154	7	CLR:00	10.00		75	23.9	60	15.7	49	9.4	40	8	360	18	29.96			30.15	FM-15	0.00	30.14
09	1254	7	FEW:02 50	10.00		77	25.0	60	15.7	47	8.3	35	8	090		29.94	8	+0.03	30.14	FM-15	0.00	30.12
09	1300	4	57	9.94		77	25.0	60	15.7	47	8.3	35	8	090		29.94	8	+0.03	30.14	FM-12		
09	1354	7	FEW:02 50	10.00		79	26.1	61	16.1	47	8.3	32	7	VRB		29.92			30.11	FM-15	0.00	30.10
09	1454	7	FEW:02 70	10.00		80	26.7	62	16.5	48	8.9	33	11	020		29.90			30.09	FM-15	0.00	30.08
09	1554	7	FEW:02 70	10.00		78	25.6	61	15.9	47	8.3	33	7	090		29.89	6	+0.05	30.08	FM-15	0.00	30.07
09	1654	7	CLR:00	10.00		77	25.0	60	15.4	46	7.8	33	5	VRB		29.89			30.08	FM-15	0.00	30.07
09	1754	7	CLR:00	10.00		74	23.3	61	16.0	51	10.6	45	9	100		29.88			30.07	FM-15	0.00	30.06
09	1854	7	FEW:02 70	10.00		69	20.6	60	15.5	53	11.7	57	8	110		29.89	5	+0.00	30.09	FM-15	0.00	30.07
09	1900	4	74	9.94		69	20.6	60	15.5	53	11.7	57	8	110		29.89	5	+0.00	30.09	FM-12		
09	1954	7	FEW:02 70	10.00		65	18.3	59	15.2	55	12.8	70	5	150		29.90			30.09	FM-15	0.00	30.08
09	2054	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	7	140		29.91			30.10	FM-15	0.00	30.09
09	2154	7	CLR:00	10.00		62	16.7	61	16.0	60	15.6	93	6	160		29.92	3	-0.03	30.11	FM-15	0.00	30.10
09	2254	7	FEW:02 70	10.00		61	16.1	60	15.8	60	15.6	97	7	140		29.92			30.11	FM-15	0.00	30.10
09	2354	6	FEW:02 70	10.00		60	15.6	59	15.2	59	15.0	96	3	160		29.91			30.09	FM-15	0.00	30.09
10	0054	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	5	160		29.88	8	+0.04	30.07	FM-15	0.00	30.06
10	0154	7	CLR:00	10.00		57	13.9	56	13.6	56	13.3	96	5	190		29.88			30.06	FM-15	0.00	30.06
10	0254	7	CLR:00	10.00		57	13.9	57	13.9	57	13.9	100	3	170		29.87			30.06	FM-15	0.00	30.05
10	0354	7	CLR:00	10.00		57	13.9	57	13.9	57	13.9	100	5	170		29.87	6	+0.02	30.06	FM-15	0.00	30.05
10	0454	7	FEW:02 300	10.00		58	14.4	57	13.8	56	13.3	93	5	170		29.85			30.04	FM-15	0.00	30.03
10	0554	7	FEW:02 120 FEW:02 300	10.00		59	15.0	58	14.7	58	14.4	96	6	190		29.86			30.05	FM-15	0.00	30.04
10	0654	7	SCT:04 130 BKN:07 300	10.00		63	17.2	61	15.9	59	15.0	87	9	180		29.84	6	+0.02	30.03	FM-15	0.00	30.02
10	0700	4		9.94		63	17.2	61	15.9	59	15.0	87	9	180		29.84	6	+0.02	30.03	FM-12		
10	0754	7	SCT:04 120 BKN:07 300	10.00		68	20.0	64	18.0	62	16.7	81	13	190		29.84			30.03	FM-15	0.00	30.02
10	0854	7	SCT:04 40 BKN:07 110 BKN:07 300	10.00		75	23.9	66	18.7	60	15.6	60	10	220		29.83			30.02	FM-15	0.00	30.01
10	0954	7	BKN:07 90 BKN:07 300	10.00		78	25.6	66	19.0	59	15.0	52	14	220	23	29.81	8	+0.03	30.00	FM-15	0.00	29.99
10	1054	7	BKN:07 100 BKN:07 300	10.00		77	25.0	66	19.1	60	15.6	56	15	200		29.80			29.99	FM-15	0.00	29.98
10	1154	7	FEW:02 120 BKN:07 300	10.00		81	27.2	68	20.2	61	16.1	51	17	200	25	29.77			29.96	FM-15	0.00	29.95
10	1254	7	SCT:04 300	10.00		85	29.4	70	20.9	61	16.1	45	17	200		29.74	8	+0.07	29.93	FM-15	0.00	29.92
10	1300	4		9.94		85	29.4	70	20.9	61	16.1	45	17	200		29.74	8	+0.07	29.93	FM-12		

10	1354	7	SCT:04 300	10.00		86	30.0	70	21.1	61	16.1	43	16	190	23	29.71			29.90	FM-15	0.00	29.89
10	1454	7	FEW:02 60 BKN:07 140 BKN:07 300	10.00		85	29.4	69	20.6	60	15.6	43	15	210		29.68			29.87	FM-15	0.00	29.86
10	1552	7	FEW:02 40 BKN:07 60 OVC:08 120	6.00	TS:7 -RA:02 SQ:2 SQ RA TS RA	73	23.0	63	17.5	57	14.0	57	31	290	51	29.76				FM-16	T	29.94
10	1554	7	FEW:02 40 BKN:07 60 OVC:08 120	4.00	TS:7 +RA:02 SQ:2 SQ RA TS RA	71	21.7	63	17.3	58	14.4	63	29	290	51	29.77	3	-0.03	29.96	FM-15	0.02s	29.95
10	1557	7	FEW:02 43 BKN:07 60 OVC:08 90	1.75	TS:7 +RA:02 BR:1 RA TS RA	67	19.4	63	17.1	60	15.6	79	25	280	51	29.78				FM-16	T	29.96
10	1612	7	FEW:02 43 BKN:07 60 OVC:08 90	4.00	TS:7 +RA:02 BR:1 FG RA RA	67	19.4	63	17.1	60	15.6	79	14	220	22	29.78				FM-16	T	29.96
10	1624	7	BKN:07 35 OVC:08 110	6.00	TS:7 -RA:02 BR:1 RA TS RA	65	18.3	64	18.0	64	17.8	97	9	250		29.72				FM-16	0.34	29.90
10	1654	7	SCT:04 35 BKN:07 110 BKN:07 200	10.00	TS:7 -RA:02 RA TS TS RA	63	17.2	63	17.2	63	17.2	100	8	140		29.70			29.89	FM-15	0.34	29.88
10	1721	7	FEW:02 35 SCT:04 60 BKN:07 120	10.00		64	17.8	64	17.8	64	17.8	100	7	200		29.71				FM-16	T	29.89
10	1754	7	FEW:02 35 SCT:04 110 BKN:07 200	10.00		64	17.8	64	17.8	64	17.8	100	6	160		29.68			29.88	FM-15	T	29.86
10	1854	7	FEW:02 35 BKN:07 150 BKN:07 250	10.00		65	18.3	65	18.3	65	18.3	100	7	150		29.71	5	+0.05	29.91	FM-15	0.00	29.89
10	1900	4	41	9.94		65	18.3	65	18.3	65	18.3	100	7	150		29.71	5	+0.05	29.91	FM-12		
10	1954	7	FEW:02 50 BKN:07 100 BKN:07 300	10.00		64	17.8	64	17.8	64	17.8	100	5	210		29.73			29.92	FM-15	0.00	29.91
10	2054	7	SCT:04 14 BKN:07 90 BKN:07 300	7.00		64	17.8	64	17.8	64	17.8	100	3	040		29.78			29.96	FM-15	0.00	29.96
10	2154	7	FEW:02 90 BKN:07 120	6.00	BR:1	63	17.2	63	17.2	63	17.2	100	6	160		29.74	0	-0.03	29.93	FM-15	0.00	29.92
10	2254	7	FEW:02 110	5.00	BR:1	61	16.1	61	16.1	61	16.1	100	6	180		29.76			29.95	FM-15	0.00	29.94
10	2322	7	FEW:02 2 SCT:04 110	4.00	BR:1	63	17.2	63	17.2	63	17.2	100	7	160		29.77				FM-16		29.95
10	2354	7	SCT:04 2	4.00	BR:1	63	17.2	63	17.2	63	17.2	100	8	170		29.77			29.96	FM-15	0.00	29.95
11	0010	7	BKN:07 5	4.00	BR:1	63	17.2	63	17.2	63	17.2	100	9	180		29.77				FM-16		29.95
11	0026	7	SCT:04 5	4.00	BR:1	63	17.2	63	17.2	63	17.2	100	8	190		29.77				FM-16		29.95
11	0054	7	SCT:04 4	4.00	BR:1	62	16.7	62	16.7	62	16.7	100	5	190		29.77	1	-0.03	29.96	FM-15	0.00	29.95
11	0100	4	5	3.73		62	16.7	62	16.7	62	16.7	100	5	190		29.77	1	-0.03	29.96	FM-12		
11	0154	7	FEW:02 4 FEW:02 110	5.00	BR:1	61	16.1	61	16.1	61	16.1	100	3	200		29.77			29.96	FM-15	0.00	29.95
11	0254	7	FEW:02 80	4.00	BR:1	59	15.0	59	15.0	59	15.0	100	5	200		29.77			29.96	FM-15	0.00	29.95
11	0354	7	CLR:00	4.00	BR:1	59	15.0	59	15.0	59	15.0	100	3	240		29.78	3	-0.01	29.97	FM-15	0.00	29.96
11	0454	7	FEW:02 300	5.00	MI:1 FG:2 FG	58	14.4	58	14.4	58	14.4	100	3	030		29.80			29.99	FM-15	0.00	29.98
11	0554	7	FEW:02 300	7.00	MI:1 FG:2 FG	57	13.9	56	13.6	56	13.3	96	0	000		29.82			30.01	FM-15	0.00	30.00
11	0654	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	0	000		29.84	3	-0.06	30.03	FM-15	0.00	30.02
11	0700	4		9.94		67	19.4	65	18.4	64	17.8	91	0	000		29.84	3	-0.06	30.03	FM-12		
11	0754	7	CLR:00	10.00		72	22.2	68	20.1	66	18.9	82	0	000		29.85			30.04	FM-15	0.00	30.03
11	0854	7	FEW:02 300	10.00		77	25.0	67	19.4	61	16.1	58	5	050		29.86			30.05	FM-15	0.00	30.04
11	0954	7	FEW:02 300	10.00		78	25.6	67	19.3	60	15.6	54	3	VRB		29.87	1	-0.03	30.06	FM-15	0.00	30.05
11	1054	7	CLR:00	10.00		80	26.7	69	20.3	62	16.7	54	6	VRB		29.86			30.05	FM-15	0.00	30.04
11	1154	7	FEW:02 60	10.00		85	29.4	67	19.5	56	13.3	37	8	320		29.85			30.04	FM-15	0.00	30.03
11	1254	7	FEW:02 60	10.00		85	29.4	69	20.3	59	15.0	42	8	260		29.84	8	+0.03	30.03	FM-15	0.00	30.02
11	1300	4	57	9.94		85	29.4	69	20.3	59	15.0	42	8	260		29.84	8	+0.03	30.03	FM-12		

11	1354	7	FEW:02 70	10.00		86	30.0	69	20.5	59	15.0	40	5	VRB		29.83			30.01	FM-15	0.00	30.01
11	1454	7	SCT:04 75	10.00		85	29.4	67	19.5	56	13.3	37	5	150		29.82			30.01	FM-15	0.00	30.00
11	1554	7	SCT:04 70	10.00		86	30.0	69	20.8	60	15.6	42	8	160		29.81	6	+0.03	30.00	FM-15	0.00	29.99
11	1654	7	SCT:04 70	10.00		84	28.9	69	20.4	60	15.6	44	7	170		29.81			30.00	FM-15	0.00	29.99
11	1754	7	FEW:02 90	10.00		82	27.8	69	20.7	62	16.7	51	8	140		29.81			30.00	FM-15	0.00	29.99
11	1854	7	FEW:02 90 SCT:04 300	10.00		79	26.1	69	20.7	64	17.8	60	7	140		29.82	3	-0.01	30.01	FM-15	0.00	30.00
11	1900	4		9.94		79	26.1	69	20.7	64	17.8	60	7	140		29.82	3	-0.01	30.01	FM-12		
11	1954	7	SCT:04 90	10.00		75	23.9	69	20.3	65	18.3	71	9	130		29.84			30.03	FM-15	0.00	30.02
11	2054	7	FEW:02 90 BKN:07 120	10.00		74	23.3	67	19.5	63	17.2	69	7	120		29.87			30.06	FM-15	0.00	30.05
11	2154	7	BKN:07 70 OVC:08 150	10.00		74	23.3	68	20.1	65	18.3	74	8	180		29.88	1	-0.05	30.06	FM-15	T	30.06
11	2254	7	BKN:07 60 OVC:08 250	10.00		72	22.2	69	20.8	68	20.0	87	5	190		29.89			30.08	FM-15	T	30.07
11	2354	7	SCT:04 80 OVC:08 250	10.00		72	22.2	69	20.4	67	19.4	84	7	160		29.88			30.07	FM-15	0.00	30.06
12	0054	7	FEW:02 80 OVC:08 250	10.00		70	21.1	68	20.0	67	19.4	90	7	180		29.86	8	+0.02	30.05	FM-15	0.00	30.04
12	0100	4	74	9.94		70	21.1	68	20.0	67	19.4	90	7	180		29.86	8	+0.02	30.05	FM-12		
12	0154	7	BKN:07 250	10.00		69	20.6	68	19.8	67	19.4	93	5	190		29.85			30.03	FM-15	0.00	30.03
12	0254	7	SCT:04 250	10.00		68	20.0	67	19.3	66	18.9	93	7	190		29.84			30.03	FM-15	0.00	30.02
12	0354	7	OVC:08 170	10.00		67	19.4	66	19.1	66	18.9	97	6	200		29.85	5	+0.01	30.04	FM-15	0.00	30.03
12	0454	7	BKN:07 170	10.00		67	19.4	66	19.1	66	18.9	97	3	200		29.87			30.06	FM-15	0.00	30.05
12	0554	7	BKN:07 170	10.00		67	19.4	67	19.4	67	19.4	100	5	190		29.88			30.07	FM-15	0.00	30.06
12	0654	7	SCT:04 170	10.00		72	22.2	69	20.4	67	19.4	84	7	220		29.89	3	-0.04	30.09	FM-15	0.00	30.07
12	0700	4		9.94		72	22.2	69	20.4	67	19.4	84	7	220		29.89	3	-0.04	30.09	FM-12		
12	0754	7	BKN:07 170	10.00		75	23.9	70	21.0	67	19.4	76	9	230		29.90			30.09	FM-15	0.00	30.08
12	0854	7	SCT:04 180	10.00		79	26.1	72	22.4	69	20.6	72	9	210		29.91			30.09	FM-15	0.00	30.09
12	0954	7	FEW:02 200	10.00		84	28.9	73	22.9	68	20.0	59	8	VRB		29.90	0	-0.00	30.09	FM-15	0.00	30.08
12	1054	7	FEW:02 250	10.00		87	30.6	74	23.1	67	19.4	51	8	250		29.88			30.07	FM-15	0.00	30.06
12	1154	7	FEW:02 150 FEW:02 250	10.00		90	32.2	73	22.6	64	17.8	42	6	VRB		29.86			30.05	FM-15	0.00	30.04
12	1254	7	FEW:02 55 FEW:02 250	10.00		90	32.2	74	23.2	66	18.9	45	3	VRB		29.84	8	+0.06	30.03	FM-15	0.00	30.02
12	1300	4	57	9.94		90	32.2	74	23.2	66	18.9	45	3			29.84	8	+0.06	30.03	FM-12		
12	1354	7	FEW:02 60 FEW:02 250	10.00		91	32.8	73	22.8	64	17.8	41	8	210		29.81			30.00	FM-15	0.00	29.99
12	1454	7	FEW:02 60 FEW:02 250	10.00		93	33.9	73	22.8	63	17.2	37	13	240		29.79			29.98	FM-15	0.00	29.97
12	1554	7	FEW:02 60 FEW:02 300	10.00		92	33.3	72	22.3	62	16.7	37	11	210		29.79	6	+0.05	29.97	FM-15	0.00	29.97
12	1654	7	FEW:02 60 FEW:02 300	10.00		91	32.8	72	22.2	62	16.7	38	14	220		29.78			29.96	FM-15	0.00	29.96
12	1754	7	BKN:07 200	10.00		89	31.7	72	22.5	64	17.8	43	11	210		29.78			29.97	FM-15	0.00	29.96
12	1854	7	SCT:04 180 BKN:07 300	10.00		84	28.9	71	21.6	64	17.8	51	9	200		29.79	3	-0.00	29.98	FM-15	0.00	29.97
12	1900	4		9.94		84	28.9	71	21.6	64	17.8	51	9	200		29.79			29.98	FM-12		
12	1954	7	FEW:02 180 BKN:07 300	10.00		84	28.9	70	21.0	62	16.7	48	11	210		29.79			29.97	FM-15	0.00	29.97
12	2054	7	BKN:07 300	10.00		83	28.3	70	21.1	63	17.2	51	13	220		29.79			29.98	FM-15	0.00	29.97
12	2154	7	SCT:04 300	10.00		82	27.8	70	21.0	63	17.2	53	11	210		29.81	3	-0.02	29.99	FM-15	0.00	29.99
12	2254	7	SCT:04 300	10.00		80	26.7	70	20.9	64	17.8	58	8	210		29.82			30.00	FM-15	0.00	30.00
12	2354	7	SCT:04 100 SCT:04 300	10.00		79	26.1	70	21.1	65	18.3	62	14	040		29.84			30.02	FM-15	0.00	30.02
13	0054	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	9	100		29.83	0	-0.02	30.02	FM-15	0.00	30.01
13	0100	4		9.94		74	23.3	69	20.5	66	18.9	76	9	100		29.83	9	0.02	30.02	FM-12		
13	0154	7	FEW:02 300	10.00		71	21.7	68	20.2	67	19.4	87	5	100		29.81			30.00	FM-15	0.00	29.99
13	0254	7	FEW:02 300	10.00		71	21.7	69	20.6	68	20.0	90	3	050		29.81			29.99	FM-15	0.00	29.99

13	0354	7	SCT:04 100 SCT:04 300	10.00		68	20.0	67	19.6	67	19.4	96	5	040		29.81	5	+0.02	29.99	FM-15	0.00	29.99
13	0454	7	BKN:07 90 BKN:07 300	10.00		68	20.0	67	19.6	67	19.4	96	5	040		29.83			30.01	FM-15	0.00	30.01
13	0554	7	BKN:07 90 BKN:07 190 BKN:07 300	10.00		68	20.0	67	19.6	67	19.4	96	13	350		29.87			30.05	FM-15	0.00	30.05
13	0628	7	BKN:07 14 OVC:08 90	10.00		68	20.0	67	19.6	67	19.4	96	13	020		29.88				FM-16		30.06
13	0643	7	SCT:04 14 BKN:07 90 BKN:07 180	10.00		69	20.6	68	20.2	68	20.0	96	10	030		29.88				FM-16		30.06
13	0654	7	SCT:04 14 BKN:07 90 BKN:07 180	10.00		69	20.6	68	20.2	68	20.0	96	10	030		29.88	1	-0.07	30.07	FM-15	0.00	30.06
13	0700	4	15	9.94		69	20.6	68	20.2	68	20.0	96	10	030		29.88	1	-0.07	30.07	FM-12		
13	0722	7	BKN:07 11 BKN:07 90	10.00		70	21.1	69	20.4	68	20.0	93	9	040		29.89				FM-16		30.07
13	0754	7	BKN:07 11 BKN:07 90 BKN:07 180	10.00		70	21.1	69	20.4	68	20.0	93	7	040		29.89			30.08	FM-15	0.00	30.07
13	0816	7	FEW:02 14 BKN:07 90 BKN:07 250	10.00		71	21.7	69	20.6	68	20.0	90	9	040		29.90				FM-16		30.08
13	0854	7	FEW:02 150 SCT:04 250	10.00		75	23.9	71	21.7	69	20.6	82	5	VRB		29.89			30.08	FM-15	0.00	30.07
13	0954	7	FEW:02 150 SCT:04 250	10.00		78	25.6	72	22.2	69	20.6	74	5	080		29.89	0	-0.01	30.08	FM-15	0.00	30.07
13	1054	7	FEW:02 35 SCT:04 250	10.00		82	27.8	73	22.6	68	20.0	63	3	VRB		29.88			30.07	FM-15	0.00	30.06
13	1154	7	FEW:02 35 SCT:04 250	10.00		85	29.4	73	22.8	67	19.4	55	7	VRB		29.87			30.05	FM-15	0.00	30.05
13	1254	7	FEW:02 35 SCT:04 250	10.00		86	30.0	73	22.9	67	19.4	53	5	VRB		29.84	8	+0.05	30.03	FM-15	0.00	30.02
13	1300	4	41	9.94		86	30.0	73	22.9	67	19.4	53	5			29.84	8	+0.05	30.03	FM-12		
13	1354	7	FEW:02 39 SCT:04 250	10.00		86	30.0	75	23.9	70	21.1	59	11	170		29.82			30.01	FM-15	0.00	30.00
13	1454	7	FEW:02 39	10.00		87	30.6	74	23.4	68	20.0	53	10	170		29.80			29.98	FM-15	0.00	29.98
13	1554	7	FEW:02 40	10.00		85	29.4	74	23.4	69	20.6	59	9	150		29.79	6	+0.05	29.98	FM-15	0.00	29.97
13	1654	7	FEW:02 40	10.00		83	28.3	75	23.8	71	21.7	67	11	130		29.78			29.97	FM-15	0.00	29.96
13	1754	7	FEW:02 40 SCT:04 300	10.00		81	27.2	74	23.1	70	21.1	69	13	120		29.77			29.96	FM-15	0.00	29.95
13	1854	7	FEW:02 40 SCT:04 250	10.00		75	23.9	70	21.3	68	20.0	79	13	130		29.79	3	-0.01	29.98	FM-15	0.00	29.97
13	1900	4	41	9.94		75	23.9	70	21.3	68	20.0	79	13	130		29.79	3	-0.01	29.98	FM-12		
13	1954	7	FEW:02 40 SCT:04 250	10.00		71	21.7	68	19.9	66	18.9	84	11	120		29.81			30.00	FM-15	0.00	29.99
13	2054	7	SCT:04 300	10.00		68	20.0	66	19.0	65	18.3	90	7	140		29.82			30.01	FM-15	0.00	30.00
13	2154	7	FEW:02 150	10.00		66	18.9	65	18.5	65	18.3	96	10	150		29.81	0	-0.02	30.00	FM-15	0.00	29.99
13	2235	7	SCT:04 9	9.00		65	18.3	65	18.3	65	18.3	100	6	090		29.82				FM-16		30.00
13	2254	7	FEW:02 9	7.00		64	17.8	64	17.8	64	17.8	100	6	110		29.82			30.01	FM-15	0.00	30.00
13	2354	7	FEW:02 9	8.00		64	17.8	64	17.8	64	17.8	100	0	000		29.81			30.00	FM-15	0.00	29.99
14	0047	7	BKN:07 8	8.00		63	17.2	63	17.2	63	17.2	100	5	020		29.80				FM-16		29.98
14	0054	7	BKN:07 8	7.00		64	17.8	64	17.8	64	17.8	100	6	360		29.80	8	+0.01	29.99	FM-15	0.00	29.98
14	0100	4	8	6.84		64	17.8	64	17.8	64	17.8	100	6	360		29.80	8	+0.01	29.99	FM-12		
14	0129	7	SCT:04 8	7.00		63	17.2	63	17.2	63	17.2	100	5	030		29.79				FM-16		29.97
14	0152	6	BKN:07 9	7.00		63	17.0	63	17.2	63	17.0	100	7	020		29.79				FM-16		29.97
14	0154	7	BKN:07 9	7.00		63	17.2	63	17.2	63	17.2	100	5	030		29.79			29.98	FM-15	0.00	29.97
14	0227	7	SCT:04 8 BKN:07 12	7.00		63	17.2	63	17.2	63	17.2	100	6	020		29.78				FM-16		29.96
14	0241	7	FEW:02 6 SCT:04 12	7.00		63	17.2	63	17.2	63	17.2	100	3	030		29.78				FM-16		29.96

14	0252	6	BKN:07 5	7.00		63	17.0	63	17.2	63	17.0	100	5	020		29.78				FM-16		29.96
14	0254	7	BKN:07 5	6.00	BR:1	63	17.2	63	17.2	63	17.2	100	5	020		29.78			29.96	FM-15	0.00	29.96
14	0317	7	OVC:08 4	5.00	BR:1	63	17.2	63	17.2	63	17.2	100	5	100		29.77				FM-16		29.95
14	0354	7	OVC:08 3	3.00	BR:1	63	17.2	63	17.2	63	17.2	100	3	150		29.79	5	+0.01	29.98	FM-15	0.00	29.97
14	0402	7	OVC:08 3	2.50	BR:1	63	17.2	63	17.2	63	17.2	100	0	000		29.79				FM-16		29.97
14	0452	6	OVC:08 2	0.75	BR:1	63	17.0	63	17.2	63	17.0	100	3	360		29.83				FM-16		30.01
14	0454	7	OVC:08 2	0.75	BR:1	63	17.2	63	17.2	63	17.2	100	0	000		29.82			30.01	FM-15	0.00	30.00
14	0554	7	OVC:08 2	0.75	BR:1	63	17.2	62	16.9	62	16.7	97	3	010		29.83			30.02	FM-15	0.00	30.01
14	0654	7	OVC:08 3	1.00	BR:1	65	18.3	64	17.7	63	17.2	93	0	000		29.84	1	-0.05	30.03	FM-15	0.00	30.02
14	0700	4	2	0.99		65	18.3	64	17.7	63	17.2	93	0	000		29.84	1	-0.05	30.03	FM-12		
14	0742	7	OVC:08 5	1.00	BR:1	67	19.4	66	18.8	65	18.3	93	3	320		29.85				FM-16		30.03
14	0754	7	OVC:08 6	1.00	BR:1	67	19.4	66	18.8	65	18.3	93	0	000		29.84			30.03	FM-15	0.00	30.02
14	0844	7	SCT:04 7	4.00	BR:1	70	21.1	68	20.0	67	19.4	90	0	000		29.84				FM-16		30.02
14	0854	7	FEW:02 7	5.00	BR:1	72	22.2	69	20.8	68	20.0	87	0	000		29.84			30.03	FM-15	0.00	30.02
14	0954	7	FEW:02 300	8.00		77	25.0	71	21.7	68	20.0	74	0	000		29.83	8	+0.00	30.02	FM-15	0.00	30.01
14	1054	7	SCT:04 300	9.00		83	28.3	73	22.7	68	20.0	61	3	VRB		29.83			30.02	FM-15	0.00	30.01
14	1154	7	SCT:04 300	10.00		87	30.6	74	23.4	68	20.0	53	0	000		29.83			30.02	FM-15	0.00	30.01
14	1254	7	BKN:07 300	10.00		90	32.2	75	23.9	68	20.0	48	0	000		29.81	8	+0.02	30.00	FM-15	0.00	29.99
14	1300	4		9.94		90	32.2	75	23.9	68	20.0	48	0	000		29.81	8	+0.02	30.00	FM-12		
14	1354	7	FEW:02 50 BKN:07 300	10.00		91	32.8	75	23.7	67	19.4	45	7	VRB		29.79			29.98	FM-15	0.00	29.97
14	1454	7	SCT:04 80 BKN:07 300	10.00		90	32.2	75	23.9	68	20.0	48	3	140		29.77			29.96	FM-15	0.00	29.95
14	1554	7	SCT:04 80 SCT:04 300	10.00		91	32.8	75	23.7	67	19.4	45	11	160		29.74	6	+0.07	29.93	FM-15	0.00	29.92
14	1654	7	FEW:02 80 SCT:04 300	10.00		90	32.2	75	23.9	68	20.0	48	8	170		29.74			29.93	FM-15	0.00	29.92
14	1754	7	FEW:02 80 SCT:04 300	10.00		87	30.6	76	24.4	71	21.7	59	9	160		29.75			29.93	FM-15	0.00	29.93
14	1854	7	SCT:04 65 SCT:04 80 BKN:07 300	8.00	-RA:02 RA RA	77	25.0	68	19.7	62	16.7	60	33	320	46	29.85	3	-0.11	30.04	FM-15	T	30.03
14	1900	4	57	7.46	RA	77	25.0	68	19.7	62	16.7	60	33s	320		29.85	3	-0.11	30.04	FM-12		
14	1915	7	FEW:02 31 SCT:04 43 OVC:08 60	1.50	TS:7 +RA:02 BR:1 RA TS RA	66	18.9	65	18.5	65	18.3	96	22	360	46	29.89				FM-16	0.11	30.07
14	1924	7	FEW:02 31 SCT:04 43 OVC:08 60	3.00	TS:7 RA:02 BR:1 RA TS RA	66	18.9	66	18.9	66	18.9	100	10	350		29.90				FM-16	0.22	30.08
14	1954	7	SCT:04 43 SCT:04 90 OVC:08 110	9.00	TS:7 -RA:02 RA TS TS RA	66	18.9	66	18.9	66	18.9	100	7	020		29.89			30.07	FM-15	0.23	30.07
14	2052	6	FEW:02 43 SCT:04 90 OVC:08 110	10.00	-RA:02 RA RA	66	19.0	66	18.9	66	19.0	100	14	090		29.84				FM-16		30.02
14	2054	7	FEW:02 43 SCT:04 90 OVC:08 110	10.00	-RA:02 RA RA	66	18.9	66	18.9	66	18.9	100	13	080		29.85			30.04	FM-15	T	30.03
14	2116	7	FEW:02 43 SCT:04 90 BKN:07 130	10.00	RA RA	65	18.3	65	18.3	65	18.3	100	13	180		29.85				FM-16	T	30.03
14	2154	7	SCT:04 90 SCT:04 130 BKN:07 300	10.00	-RA:02 RA RA	66	18.9	66	18.9	66	18.9	100	5	100		29.86	1	-0.00	30.05	FM-15	T	30.04
14	2254	7	FEW:02 150 FEW:02 300	10.00		65	18.3	65	18.3	65	18.3	100	6	170		29.84			30.03	FM-15	T	30.02
14	2354	7	FEW:02 70 SCT:04 300	10.00		64	17.8	64	17.8	64	17.8	100	5	190		29.83			30.02	FM-15	0.00	30.01
15	0054	7	FEW:02 65 FEW:02 300	10.00		65	18.3	65	18.3	65	18.3	100	7	190		29.82	6	+0.04	30.01	FM-15	0.00	30.00
15	0100	4	57	9.94		65	18.3	65	18.3	65	18.3	100	7	190		29.82	6	+0.04	30.01	FM-12		
15	0154	7	FEW:02 300	10.00		65	18.3	65	18.3	65	18.3	100	7	200		29.80			29.99	FM-15	0.00	29.98

15	0254	7	FEW:02 300	10.00		64	17.8	64	17.8	64	17.8	100	5	190		29.80			29.99	FM-15	0.00	29.98
15	0354	7	FEW:02 300	10.00		65	18.3	65	18.3	65	18.3	100	6	200		29.81	5	+0.01	30.00	FM-15	0.00	29.99
15	0454	7	SCT:04 300	10.00		67	19.4	67	19.4	67	19.4	100	8	200		29.82			30.00	FM-15	0.00	30.00
15	0554	7	SCT:04 75 BKN:07 250	10.00		68	20.0	68	20.0	68	20.0	100	9	190		29.81			30.00	FM-15	0.00	29.99
15	0654	7	FEW:02 75 BKN:07 250	10.00		71	21.7	70	21.3	70	21.1	96	9	200		29.83	3	-0.02	30.01	FM-15	0.00	30.01
15	0700	4	74	9.94		71	21.7	70	21.3	70	21.1	96	9	200		29.83	3	-0.02	30.01	FM-12		
15	0754	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	11	210		29.83			30.01	FM-15	0.00	30.01
15	0854	7	OVC:08 230	10.00		77	25.0	74	23.1	72	22.2	85	13	220		29.82			30.01	FM-15	0.00	30.00
15	0954	7	BKN:07 230	10.00		81	27.2	75	24.2	73	22.8	77	10	210		29.81	8	+0.02	30.00	FM-15	0.00	29.99
15	1054	7	BKN:07 220	10.00		82	27.8	76	24.3	73	22.8	74	13	210		29.81			30.00	FM-15	0.00	29.99
15	1154	7	BKN:07 220	10.00	-RA:02 RA RA	84	28.9	74	23.6	70	21.1	63	16	200		29.79			29.98	FM-15	T	29.97
15	1254	7	FEW:02 60 BKN:07 220	10.00		88	31.1	75	23.9	69	20.6	54	20	200	24	29.76	8	+0.05	29.95	FM-15	T	29.94
15	1300	4	57	9.94		88	31.1	75	23.9	69	20.6	54	20	200		29.76	8	+0.05	29.95	FM-12		
15	1354	7	FEW:02 60 SCT:04 220 BKN:07 300	10.00		88	31.1	74	23.5	68	20.0	52	18	200	24	29.74			29.93	FM-15	0.00	29.92
15	1454	7	FEW:02 60 SCT:04 180 BKN:07 300	10.00		89	31.7	75	23.7	68	20.0	50	16	210		29.72			29.91	FM-15	0.00	29.90
15	1554	7	FEW:02 50 BKN:07 220 OVC:08 300	10.00		87	30.6	74	23.1	67	19.4	51	17	190		29.73	5	+0.03	29.92	FM-15	0.00	29.91
15	1654	7	FEW:02 50 BKN:07 220 OVC:08 300	10.00		85	29.4	74	23.1	68	20.0	57	21	200		29.70			29.89	FM-15	0.00	29.88
15	1754	7	BKN:07 180 BKN:07 300	10.00		83	28.3	73	22.7	68	20.0	61	16	210	23	29.71			29.90	FM-15	0.00	29.89
15	1854	7	BKN:07 180 BKN:07 300	10.00		82	27.8	74	23.3	70	21.1	67	13	210		29.74	3	-0.01	29.93	FM-15	0.00	29.92
15	1900	4		9.94		82	27.8	74	23.3	70	21.1	67	13	210		29.74	3	-0.01	29.93	FM-12		
15	1954	7	OVC:08 170	10.00		81	27.2	74	23.1	70	21.1	69	14	210		29.75			29.94	FM-15	0.00	29.93
15	2054	7	SCT:04 43 OVC:08 170	10.00		81	27.2	74	23.1	70	21.1	69	10	220		29.78			29.96	FM-15	0.00	29.96
15	2154	7	FEW:02 43 FEW:02 80 BKN:07 160	10.00		79	26.1	74	23.1	71	21.7	77	10	200		29.78	1	-0.04	29.97	FM-15	0.00	29.96
15	2254	7	SCT:04 80 BKN:07 130 OVC:08 300	10.00		77	25.0	73	22.8	71	21.7	82	9	200		29.79			29.97	FM-15	0.00	29.97
15	2354	7	SCT:04 70 OVC:08 130	10.00		77	25.0	72	22.0	69	20.6	77	7	210		29.80			29.99	FM-15	0.00	29.98
16	0054	7	FEW:02 70 BKN:07 90 OVC:08 130	10.00		77	25.0	71	21.7	68	20.0	74	0			29.81				FM-15		29.99
16	0100	4	74	9.94		77	25.0	71	21.7	68	20.0	74	0	000		29.81				FM-12		
16	0154	7	BKN:07 90 OVC:08 130	10.00	-RA:02 RA RA	74	23.5	70	21.2	68	19.8	80	0	000		29.81				FM-15		29.99
16	0229	7	BKN:07 50 OVC:08 110	10.00	-RA:02 RA RA	72	22.2	71	21.5	70	21.1	94	0	000		29.81				FM-16	T	29.99
16	0254	7	SCT:04 34 BKN:07 50 BKN:07 110	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.80			29.99	FM-15	T	29.98
16	0354	7	BKN:07 30 BKN:07 60 OVC:08 150	10.00		72	22.2	71	21.9	71	21.7	97	3	360		29.80			29.99	FM-15	0.00	29.98
16	0454	7	SCT:04 45 BKN:07 190	10.00		70	21.1	70	21.1	70	21.1	100	6	110		29.80			29.99	FM-15	0.00	29.98
16	0554	7	FEW:02 45 BKN:07 85 OVC:08 160	10.00		71	21.7	71	21.7	71	21.7	100	6	090		29.81			30.00	FM-15	0.00	29.99

16	0654	7	FEW:02 45 SCT:04 65 OVC:08 80	10.00	-RA:02 RA RA	72	22.2	72	22.2	72	22.2	100	6	150		29.82	3	-0.02	30.01	FM-15	T	30.00
16	0700	4	41	9.94	RA	72	22.2	72	22.2	72	22.2	100	6	150		29.82	3	-0.02	30.01	FM-12		
16	0752	6	FEW:02 8 SCT:04 40 OVC:08 80	10.00		73	23.0	73	22.8	73	23.0	100	5	160		29.83				FM-16		30.01
16	0754	7	FEW:02 8 SCT:04 40 OVC:08 80	10.00		74	23.3	74	23.3	74	23.3	100	5	170		29.83			30.01	FM-15	T	30.01
16	0837	7	FEW:02 8 BKN:07 14 OVC:08 39	10.00		75	23.9	74	23.5	74	23.3	96	8	180		29.83				FM-16		30.01
16	0854	7	FEW:02 8 BKN:07 14 OVC:08 39	10.00		76	24.4	75	23.7	74	23.3	94	8	170		29.83			30.01	FM-15	0.00	30.01
16	0952	6	FEW:02 8 BKN:07 16 OVC:08 32	10.00		77	25.0	74	23.5	73	23.0	89	8	170		29.82				FM-16		30.00
16	0954	7	FEW:02 8 BKN:07 16 OVC:08 32	10.00		77	25.0	74	23.5	73	22.8	88	9	160		29.82	0	-0.00	30.01	FM-15	0.00	30.00
16	1052	6	FEW:02 16 BKN:07 50 OVC:08 90	4.00	-RA:02 BR:1 RA RA	73	23.0	73	22.8	73	23.0	100	9	170		29.83				FM-16		30.01
16	1054	7	FEW:02 16 BKN:07 45 OVC:08 90	5.00	-RA:02 BR:1 RA RA	74	23.3	74	23.3	74	23.3	100	9	170		29.83			30.02	FM-15	0.04	30.01
16	1154	7	FEW:02 19 BKN:07 100 BKN:07 250	10.00		76	24.4	74	23.3	73	22.8	91	7	160		29.81			30.00	FM-15	0.01	29.99
16	1254	7	SCT:04 22 BKN:07 35 BKN:07 250	10.00		79	26.1	74	23.5	72	22.2	79	9	150	17	29.78	8	+0.04	29.97	FM-15	0.00	29.96
16	1300	4	26	9.94		79	26.1	74	23.5	72	22.2	79	9	150		29.78	8	+0.04	29.97	FM-12		
16	1354	7	FEW:02 25 SCT:04 35 OVC:08 120	10.00		79	26.1	74	23.1	71	21.7	77	7	150		29.77			29.96	FM-15	0.00	29.95
16	1454	7	FEW:02 12 SCT:04 28 BKN:07 110	10.00		79	26.1	73	22.7	70	21.1	74	6	170		29.75			29.94	FM-15	0.00	29.93
16	1518	7	FEW:02 28 BKN:07 60 OVC:08 90	1.75	RA:02 BR:1 RA RA	76	24.4	73	22.9	72	22.2	88	0	000		29.76				FM-16	0.01	29.94
16	1526	7	SCT:04 25 BKN:07 40 OVC:08 90	1.50	TS:7 +RA:02 BR:1 RA TS RA	75	23.9	74	23.1	73	22.8	94	7	340		29.75				FM-16	0.08	29.93
16	1537	7	SCT:04 15 BKN:07 27 OVC:08 70	1.00	TS:7 RA:02 BR:1 RA TS RA	74	23.3	74	23.3	74	23.3	100	14	260		29.77				FM-16	0.15	29.95
16	1540	7	SCT:04 9 BKN:07 20 OVC:08 40	0.75	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	73	22.8	73	22.8	100	22	280	28	29.77				FM-16	0.16	29.95
16	1550	7	FEW:02 9 BKN:07 22 OVC:08 50	1.50	TS:7 +RA:02 BR:1 RA TS RA	70	21.0	70	21.1	70	21.0	100	3	VRB		29.77				FM-16	0.52	29.95
16	1554	7	FEW:02 9 SCT:04 22 OVC:08 50	2.50	TS:7 +RA:02 BR:1 RA TS RA	71	21.7	71	21.7	71	21.7	100	3	190		29.77	5	+0.02	29.96	FM-15	0.54s	29.95
16	1613	7	FEW:02 12 BKN:07 35 OVC:08 150	5.00	TS:7 -RA:02 BR:1 RA TS RA	71	21.7	70	21.3	70	21.1	96	6	140		29.76				FM-16	0.04	29.94
16	1623	7	FEW:02 9 FEW:02 25 BKN:07 50	10.00		71	21.7	71	21.7	71	21.7	100	0	000		29.77				FM-16	0.04	29.95

16	1654	7	FEW:02 9 BKN:07 70 OVC:08 150	10.00		72	22.2	72	22.2	72	22.2	100	6	050		29.76			29.95	FM-15	0.03	29.94
16	1754	7	FEW:02 15 BKN:07 40 OVC:08 110	4.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	6	130		29.77			29.96	FM-15	0.02	29.95
16	1854	7	FEW:02 15 BKN:07 90 OVC:08 120	4.00	RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	9	140		29.76	8	+0.00	29.95	FM-15	0.18	29.94
16	1900	4	15	3.73	RA	70	21.1	70	21.1	70	21.1	100	9	140		29.76	8	+0.00	29.95	FM-12		
16	1924	7	FEW:02 6 SCT:04 40 OVC:08 100	7.00	-RA:02 RA RA	71	21.7	71	21.7	71	21.7	100	10	160		29.78				FM-16	0.01	29.96
16	1934	7	BKN:07 5 OVC:08 110	10.00	-RA:02 RA RA	71	21.7	71	21.7	71	21.7	100	10	160		29.79				FM-16	0.02	29.97
16	1952	6	FEW:02 5 SCT:04 40 OVC:08 110	10.00		72	22.0	72	22.2	72	22.0	100	10	180		29.78				FM-16		29.96
16	1954	7	FEW:02 5 SCT:04 40 OVC:08 110	10.00		71	21.7	71	21.7	71	21.7	100	10	180		29.79			29.98	FM-15	0.01	29.97
16	2021	7	FEW:02 5 BKN:07 40 OVC:08 120	2.50	+RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	14	200		29.79				FM-16	0.03	29.97
16	2041	7	FEW:02 5 BKN:07 45 OVC:08 120	4.00	-RA:02 BR:1 RA RA	69	20.6	69	20.6	69	20.6	100	6	170		29.79				FM-16	0.18	29.97
16	2054	7	SCT:04 50 BKN:07 95 OVC:08 140	10.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	6	140		29.78			29.97	FM-15	0.19	29.96
16	2154	7	FEW:02 50 BKN:07 110 OVC:08 150	10.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	6	170		29.78	1	-0.02	29.97	FM-15	0.01	29.96
16	2252	6	FEW:02 5 BKN:07 110 OVC:08 150	10.00	-RA:02 RA RA	70	21.0	70	21.1	70	21.0	100	6	190		29.78				FM-16		29.96
16	2254	7	FEW:02 5 BKN:07 110 OVC:08 150	10.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	6	190		29.78			29.97	FM-15	0.01	29.96
16	2354	7	FEW:02 5 BKN:07 21 OVC:08 130	9.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	6	200		29.77			29.96	FM-15	T	29.95
17	0031	7	FEW:02 6 FEW:02 22 OVC:08 130	9.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	5	180		29.76				FM-16	0.02	29.94
17	0054	7	FEW:02 6 FEW:02 23 OVC:08 130	10.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	0	000		29.75	8	+0.03	29.94	FM-15	0.02	29.93
17	0100	4	5	9.94	RA	69	20.6	69	20.6	69	20.6	100	0	000		29.75	8	+0.03	29.94	FM-12		
17	0154	7	FEW:02 5 BKN:07 130 OVC:08 170	10.00		69	20.6	69	20.6	69	20.6	100	3	190		29.75			29.94	FM-15	T	29.93
17	0254	7	FEW:02 5 BKN:07 30 BKN:07 70	10.00		69	20.6	69	20.6	69	20.6	100	6	210		29.75			29.94	FM-15	0.00	29.93
17	0354	7	FEW:02 4 SCT:04 40 OVC:08 140	10.00		68	20.0	68	20.0	68	20.0	100	3	180		29.75	7	+0.01	29.94	FM-15	0.00	29.93
17	0441	7	FEW:02 5 BKN:07 19 BKN:07 75	10.00		68	20.0	68	20.0	68	20.0	100	0	000		29.76				FM-16		29.94
17	0454	7	FEW:02 4 BKN:07 16 BKN:07 90	6.00	RA	68	20.0	68	20.0	68	20.0	100	5	200		29.76			29.95	FM-15	0.00	29.94

17	0510	7	FEW:02 4 BKN:07 14 BKN:07 95	6.00	RA	68	20.0	68	20.0	68	20.0	100	3	180		29.76				FM-16		29.94
17	0545	7	BKN:07 7 BKN:07 12 OVC:08 70	6.00	BR:1	69	20.6	68	20.2	68	20.0	96	5	180		29.77				FM-16		29.95
17	0554	7	OVC:08 7	6.00	BR:1	69	20.6	68	20.2	68	20.0	96	5	190		29.77		29.96	FM-15	0.00	29.95	
17	0622	7	OVC:08 4	6.00	BR:1	70	21.1	69	20.8	69	20.6	97	8	210		29.78			FM-16		29.96	
17	0645	7	OVC:08 5	6.00	BR:1	70	21.1	69	20.8	69	20.6	97	9	220		29.79			FM-16		29.97	
17	0654	7	OVC:08 5	6.00	BR:1	70	21.1	69	20.8	69	20.6	97	9	230		29.79	3	-0.04	29.98	FM-15	0.00	29.97
17	0700	4	5	5.59		70	21.1	69	20.8	69	20.6	97	9	230		29.79	3	-0.04	29.98	FM-12		
17	0754	7	BKN:07 8 OVC:08 15	10.00		72	22.2	72	22.2	72	22.2	100	8	240		29.79		29.98	FM-15	0.00	29.97	
17	0854	7	BKN:07 9 OVC:08 16	10.00		72	22.2	71	21.5	70	21.1	94	6	200		29.80		29.99	FM-15	0.00	29.98	
17	0929	7	BKN:07 11 OVC:08 18	10.00		74	23.3	71	21.9	70	21.1	88	5	180		29.80			FM-16		29.98	
17	0952	6	SCT:04 11 OVC:08 18	10.00		73	23.0	71	21.7	70	21.0	89	7	210		29.81			FM-16		29.99	
17	0954	7	SCT:04 11 OVC:08 18	10.00		74	23.3	71	21.9	70	21.1	88	6	200		29.81	3	-0.02	29.99	FM-15	0.00	29.99
17	1054	7	FEW:02 14 BKN:07 24 OVC:08 32	10.00		75	23.9	72	22.0	70	21.1	84	6	180		29.81		30.00	FM-15	0.00	29.99	
17	1154	7	SCT:04 17 BKN:07 28 BKN:07 95	10.00		75	23.9	72	22.0	70	21.1	84	8	170		29.80		29.99	FM-15	0.00	29.98	
17	1208	7	FEW:02 16 SCT:04 28 BKN:07 90	10.00		76	24.4	72	22.2	70	21.1	82	8	170		29.80			FM-16		29.98	
17	1254	7	FEW:02 17 SCT:04 33 BKN:07 95	10.00		76	24.4	72	22.2	70	21.1	82	10	140		29.79	8	+0.01	29.98	FM-15	0.00	29.97
17	1300	4	15	9.94		76	24.4	72	22.2	70	21.1	82	10	140		29.79	8	+0.01	29.98	FM-12		
17	1354	7	SCT:04 32 BKN:07 55 OVC:08 90	10.00		76	24.4	73	22.9	72	22.2	88	9	150		29.78		29.97	FM-15	0.01	29.96	
17	1424	7	SCT:04 16 BKN:07 24 OVC:08 90	10.00		77	25.0	74	23.1	72	22.2	85	10	120		29.78			FM-16		29.96	
17	1434	7	FEW:02 16 SCT:04 24 OVC:08 70	10.00		77	25.0	73	22.8	71	21.7	82	11	130		29.78			FM-16		29.96	
17	1454	7	SCT:04 24 OVC:08 80	8.00	-RA:02 RA RA	75	23.9	72	22.4	71	21.7	88	7	110		29.78		29.96	FM-15	T	29.96	
17	1554	7	SCT:04 22 BKN:07 70 OVC:08 100	10.00		77	25.0	72	22.4	70	21.1	79	14	130		29.77	6	+0.02	29.96	FM-15	T	29.95
17	1654	7	SCT:04 18 BKN:07 90 OVC:08 110	5.00	RA:02 BR:1 RA RA	73	22.8	72	22.0	71	21.7	94	11	180		29.79		29.97	FM-15	0.04	29.97	
17	1724	7	SCT:04 9 BKN:07 90 OVC:08 110	6.00	RA:02 BR:1 RA RA	71	21.7	70	20.9	69	20.6	94	8	190		29.79			FM-16	0.05	29.97	
17	1754	7	SCT:04 9 BKN:07 50 OVC:08 90	5.00	-RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	3	090		29.79		29.98	FM-15	0.07	29.97	
17	1852	6	BKN:07 26 BKN:07 40 OVC:08 50	9.00	-RA:02 RA RA	72	22.0	71	21.5	70	21.0	94	5	060		29.81			FM-16		29.99	
17	1854	7	BKN:07 26 BKN:07 40 OVC:08 50	10.00	-RA:02 RA RA	71	21.7	70	20.9	69	20.6	94	6	060		29.81	3	-0.03	30.00	FM-15	0.01	29.99
17	1900	4	26	9.94	RA	71	21.7	70	20.9	69	20.6	94	6	060		29.81	3	-0.03	30.00	FM-12		

17	1931	7	FEW:02 8 BKN:07 29 OVC:08 50	10.00		70	21.1	69	20.8	69	20.6	97	6	040		29.81				FM-16	T	29.99
17	1954	7	FEW:02 16 BKN:07 27 OVC:08 34	10.00		70	21.1	69	20.8	69	20.6	97	6	030		29.81		30.00		FM-15	T	29.99
17	2004	7	FEW:02 8 SCT:04 15 OVC:08 27	10.00		70	21.1	69	20.8	69	20.6	97	6	040		29.81				FM-16		29.99
17	2030	7	BKN:07 6 OVC:08 13	2.00	+RA:02 BR:1 RA RA	69	20.6	69	20.6	69	20.6	100	7	040		29.82				FM-16	0.21	30.00
17	2052	6	SCT:04 6 BKN:07 12 OVC:08 26	2.00	+RA:02 BR:1 RA RA	70	21.0	70	21.1	70	21.0	100	9	070		29.82				FM-16		30.00
17	2054	7	SCT:04 6 BKN:07 12 OVC:08 26	2.00	+RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	9	070		29.82		30.01		FM-15	0.70	30.00
17	2108	7	SCT:04 4 BKN:07 12 OVC:08 26	1.25	+RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	10	090		29.83				FM-16	0.19	30.01
17	2124	7	BKN:07 12 OVC:08 19	5.00	RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	6	100		29.83				FM-16	0.34	30.01
17	2134	7	BKN:07 12 OVC:08 19	1.75	+RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	3	090		29.83				FM-16	0.46	30.01
17	2144	7	BKN:07 12 OVC:08 19	1.25	+RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	3	150		29.83				FM-16	0.67	30.01
17	2152	6	FEW:02 14 BKN:07 25 OVC:08 39	1.00	+RA:02 BR:1 RA RA	70	21.0	70	21.1	70	21.0	100	5	180		29.83				FM-16		30.01
17	2154	7	FEW:02 12 BKN:07 21 OVC:08 31	0.75	+RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	6	190		29.83	3	-0.03	30.02	FM-15	1.02	30.01
17	2230	7	SCT:04 9 BKN:07 13 OVC:08 22	2.50	+RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	0	000		29.82				FM-16	0.91	30.00
17	2245	7	FEW:02 9 BKN:07 14 OVC:08 19	5.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	0	000		29.82				FM-16	0.97	30.00
17	2254	7	SCT:04 9 OVC:08 17	3.00	+RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	3	070		29.82		30.01		FM-15	0.80	30.00
17	2306	7	BKN:07 9 OVC:08 19	4.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	0	000		29.82				FM-16	T	30.00
17	2354	7	OVC:08 8	5.00	BR:1	71	21.7	70	21.3	70	21.1	96	7	110		29.83		30.01		FM-15	T	30.01
18	0054	7	BKN:07 5 BKN:07 35 OVC:08 45	2.50	+RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	7	130		29.82	6	+0.01	30.01	FM-15	0.17	30.00
18	0100	4	5	2.49	RA	71	21.7	70	21.3	70	21.1	96	7	130		29.82	6	+0.01	30.01	FM-12		
18	0108	7	SCT:04 5 BKN:07 29 OVC:08 44	2.50	+RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	6	120		29.82				FM-16	0.09	30.00
18	0154	7	FEW:02 4 SCT:04 29 OVC:08 55	4.00	RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	7	110		29.81		30.00		FM-15	0.22	29.99
18	0222	7	SCT:04 7 SCT:04 20 BKN:07 35	2.50	+RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	8	100		29.80				FM-16	0.09	29.98
18	0235	7	SCT:04 5 BKN:07 22 OVC:08 48	8.00	-RA:02 RA RA	71	21.7	70	21.3	70	21.1	96	9	120		29.80				FM-16	0.14	29.98
18	0254	7	FEW:02 5 BKN:07 13 OVC:08 32	4.00	RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	9	110		29.80		29.98		FM-15	0.20	29.98
18	0354	7	FEW:02 6 OVC:08 12	3.00	+RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	6	120		29.80	5	+0.02	29.99	FM-15	0.23	29.98

18	0454	7	BKN:07 9 OVC:08 19	5.00	-RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	6	110		29.80			29.99	FM-15	0.12	29.98
18	0529	7	FEW:02 6 BKN:07 11 OVC:08 20	5.00	BR:1	71	21.7	71	21.7	71	21.7	100	7	120		29.81				FM-16	0.01	29.99
18	0554	7	OVC:08 11	4.00	-RA:02 BR:1 RA RA	72	22.2	71	21.9	71	21.7	97	10	130		29.81			30.00	FM-15	0.01	29.99
18	0638	7	SCT:04 10 BKN:07 40 OVC:08 140	10.00		73	22.8	72	22.0	71	21.7	94	13	190		29.82				FM-16	T	30.00
18	0652	6	FEW:02 9 BKN:07 40 BKN:07 140	10.00		73	23.0	71	21.7	70	21.0	89	10	200		29.83				FM-16		30.01
18	0654	7	FEW:02 9 BKN:07 43 BKN:07 140	10.00		73	22.8	71	21.7	70	21.1	90	11	200		29.83	3	-0.03	30.02	FM-15	T	30.01
18	0700	4	8	9.94		73	22.8	71	21.7	70	21.1	90	11	200		29.83	3	-0.03	30.02	FM-12		
18	0721	7	FEW:02 9 BKN:07 23 OVC:08 140	10.00		72	22.2	70	21.1	69	20.6	91	10	210		29.84				FM-16		30.02
18	0754	7	OVC:08 17	10.00		72	22.2	71	21.5	70	21.1	94	8	220		29.85			30.04	FM-15	T	30.03
18	0828	7	FEW:02 9 OVC:08 13	10.00	-RA:02 RA RA	73	22.8	71	21.7	70	21.1	90	5	210		29.85				FM-16	T	30.03
18	0854	7	SCT:04 9 OVC:08 13	9.00	-RA:02 RA RA	72	22.2	71	21.5	70	21.1	94	7	290		29.86			30.05	FM-15	T	30.04
18	0901	7	BKN:07 9 OVC:08 13	10.00	-RA:02 RA RA	71	21.7	70	20.9	69	20.6	94	7	290		29.86				FM-16	T	30.04
18	0935	7	BKN:07 11 OVC:08 15	10.00		73	22.8	71	21.7	70	21.1	90	5	270		29.88				FM-16	T	30.06
18	0954	7	OVC:08 13	10.00		74	23.3	71	21.9	70	21.1	88	8	270		29.89	3	-0.06	30.07	FM-15	T	30.07
18	1054	7	BKN:07 14 OVC:08 50	10.00		76	24.4	73	22.6	71	21.7	85	3	270		29.88			30.07	FM-15	0.00	30.06
18	1152	6	SCT:04 14 BKN:07 65 BKN:07 300	10.00		79	26.0	74	23.5	72	22.0	79	0	000		29.88				FM-16		30.06
18	1154	7	SCT:04 14 BKN:07 65 BKN:07 300	10.00		79	26.1	74	23.1	71	21.7	77	3	VRB		29.88			30.06	FM-15	0.00	30.06
18	1234	7	BKN:07 19 OVC:08 65	10.00		80	26.7	74	23.3	71	21.7	74	6	360		29.87				FM-16		30.05
18	1254	7	SCT:04 19 BKN:07 25 OVC:08 65	10.00		80	26.7	75	23.6	72	22.2	76	7	020		29.87	6	+0.01	30.06	FM-15	0.00	30.05
18	1300	4	15	9.94		80	26.7	75	23.6	72	22.2	76	7	020		29.87	6	+0.01	30.06	FM-12		
18	1354	7	BKN:07 10 OVC:08 28	10.00		74	23.3	71	21.9	70	21.1	88	14	030		29.87			30.06	FM-15	T	30.05
18	1410	7	BKN:07 10 BKN:07 19 OVC:08 36	2.50	+RA:02 BR:1 RA RA	72	22.2	71	21.5	70	21.1	94	13	040		29.88				FM-16	0.04	30.06
18	1418	7	SCT:04 10 BKN:07 29 OVC:08 36	2.00	TS:7 RA:02 BR:1 RA TS RA	72	22.2	71	21.5	70	21.1	94	11	040		29.88				FM-16	0.09	30.06
18	1426	7	BKN:07 8 BKN:07 22 OVC:08 36	1.75	TS:7 RA:02 BR:1 RA TS RA	71	21.7	70	21.3	70	21.1	96	8	080		29.88				FM-16	0.12	30.06
18	1454	7	BKN:07 8 BKN:07 28 OVC:08 36	1.75	TS:7 RA:02 BR:1 RA TS RA	71	21.7	70	21.3	70	21.1	96	11	070		29.88			30.07	FM-15	0.41	30.06
18	1503	7	BKN:07 8 BKN:07 23 OVC:08 70	5.00	TS:7 -RA:02 BR:1 RA TS RA	71	21.7	70	21.3	70	21.1	96	8	070		29.88				FM-16	T	30.06
18	1515	7	BKN:07 7 OVC:08 26	1.00	+RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	11	050		29.88				FM-16	0.02	30.06
18	1521	7	SCT:04 7 BKN:07 25 OVC:08 50	1.00	RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	13	040		29.88				FM-16	0.14	30.06

18	1526	7	SCT:04 7 BKN:07 30 OVC:08 55	5.00	-RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	10	050		29.88				FM-16	0.14	30.06
18	1530	7	BKN:07 7 OVC:08 30	7.00	-RA:02 RA RA	71	21.7	70	21.3	70	21.1	96	11	050		29.88				FM-16	0.14	30.06
18	1554	7	BKN:07 7 OVC:08 38	7.00	-RA:02 RA RA	70	21.1	69	20.8	69	20.6	97	16	070		29.89	3	-0.01	30.07	FM-15	0.17	30.07
18	1556	7	BKN:07 7 OVC:08 30	1.50	+RA:02 BR:1 RA RA	70	21.1	69	20.8	69	20.6	97	14	060		29.88				FM-16	0.01	30.06
18	1615	7	BKN:07 6 OVC:08 30	1.00	+RA:02 BR:1 RA RA	69	20.6	68	20.2	68	20.0	96	13	070		29.89				FM-16	0.21	30.07
18	1619	7	BKN:07 5 OVC:08 30	0.75	+RA:02 BR:1 RA RA	69	20.6	68	20.2	68	20.0	96	13	060		29.89				FM-16	0.33	30.07
18	1623	7	BKN:07 5 OVC:08 40	1.00	+RA:02 BR:1 RA RA	69	20.6	68	20.2	68	20.0	96	10	060		29.89				FM-16	0.40	30.07
18	1630	7	BKN:07 5 OVC:08 40	2.00	+RA:02 BR:1 RA RA	69	20.6	68	20.2	68	20.0	96	13	070		29.90				FM-16	0.47	30.08
18	1644	7	BKN:07 5 OVC:08 46	1.50	+RA:02 BR:1 RA RA	69	20.6	68	20.2	68	20.0	96	7	050		29.90				FM-16	0.54	30.08
18	1654	7	BKN:07 5 OVC:08 46	1.50	+RA:02 BR:1 RA RA	69	20.6	68	20.2	68	20.0	96	6	010		29.90			30.09	FM-15	0.59	30.08
18	1702	7	BKN:07 5 OVC:08 47	2.50	RA:02 BR:1 RA RA	69	20.6	68	20.2	68	20.0	96	8	040		29.90				FM-16	0.02	30.08
18	1714	7	BKN:07 5 OVC:08 42	5.00	-RA:02 BR:1 RA RA	69	20.6	68	20.2	68	20.0	96	9	050		29.89				FM-16	0.03	30.07
18	1754	7	BKN:07 6 OVC:08 44	4.00	-RA:02 BR:1 RA RA	68	20.0	67	19.6	67	19.4	96	13	060		29.90			30.09	FM-15	0.04	30.08
18	1836	7	BKN:07 5 OVC:08 25	1.50	+RA:02 BR:1 RA RA	67	19.4	66	19.1	66	18.9	97	10	060		29.92				FM-16	0.03	30.10
18	1852	6	BKN:07 5 OVC:08 30	1.00	+RA:02 BR:1 RA RA	66	19.0	66	18.9	66	19.0	100	10	060		29.92				FM-16		30.10
18	1854	7	BKN:07 5 OVC:08 30	1.00	+RA:02 BR:1 RA RA	66	18.9	65	18.5	65	18.3	96	11	060	17	29.92	2	-0.04	30.11	FM-15	0.32	30.10
18	1900	4	5	0.99	RA	66	18.9	65	18.5	65	18.3	96	11	060		29.92	2	-0.04	30.11	FM-12		
18	1908	7	BKN:07 7 OVC:08 20	0.75	+RA:02 BR:1 RA RA	66	18.9	65	18.5	65	18.3	96	17	070		29.92				FM-16	0.25	30.10
18	1930	7	SCT:04 7 BKN:07 15 OVC:08 30	1.00	+RA:02 BR:1 RA RA	66	18.9	65	18.5	65	18.3	96	10	060		29.92				FM-16	1.04	30.10
18	1944	7	SCT:04 7 BKN:07 20 OVC:08 55	2.00	RA:02 BR:1 RA RA	65	18.3	65	18.3	65	18.3	100	9	040		29.92				FM-16	1.14	30.10
18	1954	7	BKN:07 7 OVC:08 26	3.00	-RA:02 BR:1 RA RA	65	18.3	65	18.3	65	18.3	100	10	060		29.93			30.12	FM-15	1.08	30.11
18	2054	7	BKN:07 5 OVC:08 12	5.00	-RA:02 BR:1 RA RA	65	18.3	64	18.0	64	17.8	97	9	060		29.94			30.13	FM-15	0.15	30.12
18	2154	7	OVC:08 3	4.00	-RA:02 BR:1 RA RA	65	18.3	64	18.0	64	17.8	97	14	070		29.94	1	-0.02	30.13	FM-15	0.04	30.12
18	2254	7	OVC:08 3	3.00	RA:02 BR:1 RA RA	65	18.3	64	18.0	64	17.8	97	8	080		29.95			30.14	FM-15	0.11	30.13
18	2354	7	OVC:08 3	5.00	-RA:02 BR:1 RA RA	65	18.3	64	18.0	64	17.8	97	10	080		29.94			30.13	FM-15	T	30.12
19	0054	7	OVC:08 4	7.00	-RA:02 RA RA	65	18.3	64	18.0	64	17.8	97	5	100		29.94	8	+0.00	30.13	FM-15	0.01	30.12
19	0100	4	5	6.84	RA	65	18.3	64	18.0	64	17.8	97	5	100		29.94			30.13	FM-12		
19	0133	7	BKN:07 5 OVC:08 16	10.00		65	18.3	65	18.3	65	18.3	100	5	090		29.93				FM-16	0.01	30.11
19	0152	6	OVC:08 3	7.00	-RA:02 RA RA	64	18.0	64	17.8	64	18.0	100	7	100		29.92				FM-16		30.10
19	0154	7	OVC:08 3	7.00	-RA:02 RA RA	65	18.3	65	18.3	65	18.3	100	7	100		29.92			30.11	FM-15	0.01	30.10
19	0242	7	BKN:07 5 OVC:08 11	8.00		67	19.4	66	19.1	66	18.9	97	7	120		29.92				FM-16	T	30.10
19	0252	6	BKN:07 4 OVC:08 11	4.00	-RA:02 BR:1 RA RA	66	19.0	66	18.9	66	19.0	100	7	120		29.92				FM-16		30.10
19	0254	7	BKN:07 4 OVC:08 11	4.00	-RA:02 BR:1 RA RA	67	19.4	67	19.4	67	19.4	100	7	110		29.92			30.11	FM-15	0.01	30.10
19	0352	6	SCT:04 4 OVC:08 13	9.00		68	20.0	68	20.0	68	20.0	100	7	110		29.91				FM-16		30.09

19	0354	7	SCT:04 4 OVC:08 13	9.00		68	20.0	68	20.0	68	20.0	100	7	110		29.92	6	+0.00	30.11	FM-15	T	30.10
19	0454	7	FEW:02 6 BKN:07 11 OVC:08 22	7.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	7	140		29.93			30.12	FM-15	T	30.11
19	0552	6	SCT:04 17 SCT:04 24	9.00		72	22.0	71	21.5	70	21.0	94	10	170		29.94				FM-16		30.12
19	0554	7	FEW:02 9 BKN:07 24 OVC:08 90	10.00		71	21.7	70	21.3	70	21.1	96	10	170		29.94			30.13	FM-15	T	30.12
19	0652	6	FEW:02 7 BKN:07 11 BKN:07 24	10.00		72	22.0	72	22.2	72	22.0	100	9	180		29.95				FM-16		30.13
19	0654	7	FEW:02 7 BKN:07 11 BKN:07 24	10.00		72	22.2	71	21.9	71	21.7	97	9	180		29.95	1	-0.04	30.14	FM-15	0.00	30.13
19	0700	4	8	9.94		72	22.2	71	21.9	71	21.7	97	9	180		29.95	1	-0.04	30.14	FM-12		
19	0742	7	BKN:07 9 BKN:07 16 OVC:08 50	10.00		72	22.2	71	21.9	71	21.7	97	8	180		29.96				FM-16		30.14
19	0754	7	BKN:07 9 BKN:07 20 OVC:08 38	7.00	-RA:02 RA RA	72	22.2	71	21.9	71	21.7	97	8	180		29.96			30.14	FM-15	T	30.14
19	0814	7	FEW:02 12 BKN:07 18 OVC:08 23	2.50	-RA:02 BR:1 RA RA	72	22.2	71	21.9	71	21.7	97	7	180		29.96				FM-16	0.01	30.14
19	0817	7	FEW:02 9 SCT:04 14 OVC:08 21	1.50V	RA:02 BR:1 RA RA	72	22.2	71	21.9	71	21.7	97	8	180		29.96				FM-16	0.02	30.14
19	0824	7	FEW:02 7 SCT:04 11 OVC:08 19	1.25V	-RA:02 BR:1 RA RA	72	22.2	71	21.9	71	21.7	97	7	200		29.96				FM-16	0.05	30.14
19	0828	7	SCT:04 7 BKN:07 11 OVC:08 19	1.75V	RA:02 BR:1 RA RA	72	22.2	71	21.9	71	21.7	97	7	190		29.96				FM-16	0.07	30.14
19	0841	7	SCT:04 9 OVC:08 16	7.00	-RA:02 RA RA	72	22.2	71	21.9	71	21.7	97	10	190		29.96				FM-16	0.07	30.14
19	0852	6	BKN:07 9 OVC:08 16	10.00		73	23.0	72	22.4	72	22.0	94	9	190		29.96				FM-16		30.14
19	0854	7	BKN:07 9 OVC:08 16	10.00		73	22.8	72	22.4	72	22.2	96	9	190		29.96			30.15	FM-15	0.07	30.14
19	0952	6	SCT:04 9 BKN:07 15 OVC:08 29	10.00		75	24.0	73	22.8	72	22.0	89	14	200		29.96				FM-16		30.14
19	0954	7	SCT:04 9 BKN:07 15 OVC:08 29	10.00		75	23.9	73	22.8	72	22.2	90	14	210		29.96	0	-0.00	30.14	FM-15	0.00	30.14
19	1011	7	BKN:07 14 BKN:07 23	10.00		76	24.4	73	22.9	72	22.2	88	10	190		29.95				FM-16		30.13
19	1054	7	SCT:04 14 BKN:07 36 OVC:08 65	10.00		77	25.0	74	23.1	72	22.2	85	8	200		29.95			30.14	FM-15	0.00	30.13
19	1117	7	BKN:07 14 BKN:07 26 OVC:08 65	10.00		73	22.8	71	21.7	70	21.1	90	9	310		29.96				FM-16	T	30.14
19	1135	7	SCT:04 7 BKN:07 14 OVC:08 21	2.00	-RA:02 BR:1 RA RA	72	22.2	71	21.5	70	21.1	94	15	270	21	29.96				FM-16	T	30.14
19	1138	7	SCT:04 7 BKN:07 14 OVC:08 21	0.75	+RA:02 BR:1 RA RA	71	21.7	70	21.3	70	21.1	96	7	260	21	29.96				FM-16	0.08	30.14
19	1149	7	FEW:02 7 BKN:07 14 OVC:08 43	1.50	RA:02 BR:1 RA RA	72	22.0	71	21.5	70	21.0	94	8	240		29.96				FM-16	0.26	30.14

19	1152	7	FEW:02 7 BKN:07 14 OVC:08 43	3.00	-RA:02 BR:1 RA RA	72	22.0	71	21.5	70	21.0	94	7	230		29.96				FM-16	0.26	30.14
19	1154	7	FEW:02 7 BKN:07 14 OVC:08 43	6.00	-RA:02 BR:1 RA RA	73	22.8	72	22.0	71	21.7	94	8	240		29.96			30.15	FM-15	0.26	30.14
19	1209	7	FEW:02 7 SCT:04 41 OVC:08 110	9.00	-RA:02 RA RA	73	22.8	71	21.7	70	21.1	90	8	250		29.96				FM-16	0.01	30.14
19	1254	7	FEW:02 48 BKN:07 60 OVC:08 95	10.00	-RA:02 RA RA	75	23.9	72	22.4	71	21.7	88	9	240		29.94	8	+0.02	30.13	FM-15	0.02	30.12
19	1300	4	41	9.94	RA	75	23.9	72	22.4	71	21.7	88	9	240		29.94	8	+0.02	30.13	FM-12		
19	1323	7	FEW:02 14 BKN:07 65 OVC:08 120	1.75	+RA:02 BR:1 RA RA	73	22.8	72	22.4	72	22.2	96	10	190		29.95				FM-16	0.05	30.13
19	1335	7	FEW:02 14 BKN:07 45 OVC:08 60	1.25	+RA:02 BR:1 RA RA	72	22.2	71	21.9	71	21.7	97	16	210		29.95				FM-16	0.15	30.13
19	1352	7	FEW:02 21 BKN:07 55 OVC:08 80	4.00	-RA:02 BR:1 RA RA	72	22.0	71	21.5	70	21.0	94	11	210		29.95				FM-16	0.27	30.13
19	1354	7	FEW:02 28 BKN:07 45 OVC:08 100	9.00	-RA:02 RA RA	72	22.2	71	21.5	70	21.1	94	11	200		29.95			30.14	FM-15	0.27	30.13
19	1454	7	FEW:02 15 SCT:04 85 OVC:08 110	10.00	-RA:02 RA RA	73	22.8	72	22.4	72	22.2	96	8	180		29.92			30.11	FM-15	0.01	30.10
19	1533	7	FEW:02 7 BKN:07 12 OVC:08 90	10.00	-RA:02 RA RA	74	23.3	73	22.6	72	22.2	94	13	170		29.92				FM-16	0.01	30.10
19	1554	7	SCT:04 7 BKN:07 12 OVC:08 85	10.00	-RA:02 RA RA	74	23.3	73	22.6	72	22.2	94	10	180		29.92	8	+0.02	30.11	FM-15	0.01	30.10
19	1652	6	FEW:02 9 BKN:07 15 OVC:08 60	10.00		73	23.0	72	22.4	72	22.0	94	13	180		29.90				FM-16		30.08
19	1654	7	FEW:02 9 BKN:07 15 OVC:08 60	10.00		73	22.8	72	22.0	71	21.7	94	11	180		29.90			30.09	FM-15	T	30.08
19	1754	7	FEW:02 9 BKN:07 17 OVC:08 40	10.00		73	22.8	71	21.7	70	21.1	90	14	190		29.89			30.08	FM-15	0.01	30.07
19	1852	6	SCT:04 19 BKN:07 200	10.00		73	23.0	71	21.7	70	21.0	89	14	180		29.88				FM-16		30.06
19	1854	7	SCT:04 19 BKN:07 200	10.00		73	22.8	70	21.3	69	20.6	87	11	180		29.88	6	+0.04	30.07	FM-15	0.00	30.06
19	1900	4	15	9.94		73	22.8	70	21.3	69	20.6	87	11	180		29.88	6	+0.04	30.07	FM-12		
19	1901	7	BKN:07 19	10.00		73	22.8	71	21.7	70	21.1	90	10	180		29.88				FM-16		30.06
19	1954	7	BKN:07 17 OVC:08 26	10.00		72	22.2	70	21.1	69	20.6	91	13	180		29.88			30.07	FM-15	0.00	30.06
19	2054	7	BKN:07 16 OVC:08 32	10.00		72	22.2	70	21.1	69	20.6	91	13	190		29.90			30.09	FM-15	0.00	30.08
19	2154	7	SCT:04 17 OVC:08 29	7.00		72	22.2	70	21.1	69	20.6	91	13	180		29.90	3	-0.02	30.09	FM-15	T	30.08
19	2212	7	BKN:07 17 OVC:08 29	10.00		72	22.2	70	21.1	69	20.6	91	14	190		29.91				FM-16		30.09
19	2254	7	BKN:07 19 OVC:08 29	10.00		72	22.2	70	21.1	69	20.6	91	13	200		29.91			30.10	FM-15	0.00	30.09
19	2352	6	FEW:02 9 SCT:04 19 OVC:08 25	10.00		72	22.0	69	20.8	68	20.0	88	16	200		29.90				FM-16		30.08
19	2354	7	FEW:02 9 SCT:04 19 OVC:08 25	10.00		72	22.2	69	20.8	68	20.0	87	16	200		29.90			30.09	FM-15	0.00	30.08

20	0054	7	BKN:07 17 BKN:07 23	10.00		71	21.7	69	20.6	68	20.0	90	15	190		29.89	8	+0.01	30.09	FM-15	0.00	30.07
20	0100	4	15	9.94		71	21.7	69	20.6	68	20.0	90	15	190		29.89	8	+0.01	30.09	FM-12		
20	0154	7	OVC:08 19	10.00		72	22.2	69	20.8	68	20.0	87	15	200		29.88			30.06	FM-15	0.00	30.06
20	0254	7	BKN:07 19 OVC:08 29	10.00		72	22.2	69	20.8	68	20.0	87	15	200		29.88			30.07	FM-15	0.00	30.06
20	0354	7	BKN:07 17 OVC:08 25	10.00		72	22.2	69	20.8	68	20.0	87	11	200	22	29.88	6	+0.01	30.07	FM-15	0.00	30.06
20	0436	7	FEW:02 16 BKN:07 30	10.00		71	21.7	68	20.2	67	19.4	87	11	210		29.88				FM-16		30.06
20	0452	6	FEW:02 16 BKN:07 27 BKN:07 65	10.00		72	22.0	69	20.8	68	20.0	88	11	220		29.89				FM-16		30.07
20	0454	7	FEW:02 16 BKN:07 27 BKN:07 65	10.00		71	21.7	69	20.6	68	20.0	90	10	220		29.89			30.08	FM-15	0.00	30.07
20	0554	7	BKN:07 15 BKN:07 32 BKN:07 65	10.00		71	21.7	69	20.6	68	20.0	90	13	200		29.90			30.09	FM-15	0.00	30.08
20	0652	6	BKN:07 13 BKN:07 23 BKN:07 60	10.00		73	23.0	71	21.7	70	21.0	89	9	200		29.91				FM-16		30.09
20	0654	7	BKN:07 13 BKN:07 23 BKN:07 60	10.00		73	22.8	70	21.3	69	20.6	87	10	200		29.91	1	-0.03	30.10	FM-15	0.00	30.09
20	0700	4	15	9.94		73	22.8	70	21.3	69	20.6	87	10	200		29.91	1	-0.03	30.10	FM-12		
20	0728	7	SCT:04 13 SCT:04 21 BKN:07 60	10.00		74	23.3	71	21.5	69	20.6	85	13	210		29.91				FM-16		30.09
20	0754	7	SCT:04 15 SCT:04 25 SCT:04 60	10.00		75	23.9	71	21.7	69	20.6	82	13	230		29.91			30.10	FM-15	0.00	30.09
20	0811	7	BKN:07 17 BKN:07 300	10.00		75	23.9	71	21.7	69	20.6	82	15	230		29.91				FM-16		30.09
20	0854	7	BKN:07 17 BKN:07 300	10.00		76	24.4	72	22.2	70	21.1	82	14	210		29.90			30.09	FM-15	0.00	30.08
20	0954	7	BKN:07 21 BKN:07 300	10.00		78	25.6	73	22.6	70	21.1	76	9	240		29.91	0	-0.00	30.09	FM-15	0.00	30.09
20	1054	7	BKN:07 24 BKN:07 300	10.00		80	26.7	73	22.9	70	21.1	71	10	220		29.90			30.09	FM-15	0.00	30.08
20	1154	7	BKN:07 26 BKN:07 300	10.00		81	27.2	74	23.1	70	21.1	69	10	230		29.89			30.08	FM-15	0.00	30.07
20	1234	7	BKN:07 37 BKN:07 300	10.00		82	27.8	73	22.9	69	20.6	65	9	230		29.88				FM-16		30.06
20	1254	7	BKN:07 34 BKN:07 300	10.00		83	28.3	74	23.4	70	21.1	65	10	210		29.87	8	+0.04	30.06	FM-15	0.00	30.05
20	1300	4	41	9.94		83	28.3	74	23.4	70	21.1	65	10	210		29.87	8	+0.04	30.06	FM-12		
20	1354	7	BKN:07 41 BKN:07 80 BKN:07 300	10.00		85	29.4	75	24.1	71	21.7	63	11	200		29.87			30.05	FM-15	0.00	30.05
20	1454	7	SCT:04 43 BKN:07 80 BKN:07 300	10.00		87	30.6	75	23.7	69	20.6	55	11	240		29.86			30.05	FM-15	0.00	30.04
20	1554	7	SCT:04 45 BKN:07 300	10.00		87	30.6	74	23.4	68	20.0	53	7	270		29.84	8	+0.03	30.02	FM-15	0.00	30.02
20	1654	7	SCT:04 45 BKN:07 300	10.00		86	30.0	74	23.2	68	20.0	55	8	210		29.84			30.02	FM-15	0.00	30.02
20	1754	7	FEW:02 47 BKN:07 300	10.00		84	28.9	74	23.6	70	21.1	63	10	200		29.85			30.03	FM-15	0.00	30.03
20	1854	7	FEW:02 50 BKN:07 300	10.00		80	26.7	75	24.0	73	22.8	79	6	160		29.86	3	-0.02	30.05	FM-15	0.00	30.04
20	1900	4	57	9.94		80	26.7	75	24.0	73	22.8	79	6	160		29.86	3	-0.02	30.05	FM-12		
20	1954	7	FEW:02 50 BKN:07 300	10.00		77	25.0	75	23.9	74	23.3	90	7	180		29.86			30.05	FM-15	0.00	30.04

20	2054	7	FEW:02 50 BKN:07 150 OVC:08 300	10.00		76	24.4	74	23.3	73	22.8	91	8	200		29.88			30.07	FM-15	0.00	30.06
20	2154	7	FEW:02 50 SCT:04 150 OVC:08 300	10.00		77	25.0	74	23.1	72	22.2	85	9	210		29.88	2	-0.02	30.07	FM-15	0.00	30.06
20	2254	7	OVC:08 250	10.00		77	25.0	72	22.4	70	21.1	79	6	240		29.88			30.07	FM-15	0.00	30.06
20	2354	7	FEW:02 70 SCT:04 190 BKN:07 250	10.00		76	24.4	71	21.9	69	20.6	79	7	240		29.88			30.07	FM-15	0.00	30.06
21	0054	7	FEW:02 70 FEW:02 190 BKN:07 300	10.00		74	23.3	71	21.5	69	20.6	85	0	000		29.87	8	+0.01	30.06	FM-15	0.00	30.05
21	0100	4	74	9.94		74	23.3	71	21.5	69	20.6	85	0	000		29.87	8	+0.01	30.06	FM-12		
21	0154	7	BKN:07 70	8.00		73	22.8	70	21.0	68	20.0	84	3	290		29.87			30.06	FM-15	0.00	30.05
21	0254	7	BKN:07 60	10.00		72	22.2	69	20.4	67	19.4	84	0	000		29.89			30.08	FM-15	0.00	30.07
21	0354	7	SCT:04 60	10.00		70	21.1	67	19.7	66	18.9	87	0	000		29.90	3	-0.02	30.08	FM-15	0.00	30.08
21	0454	7	FEW:02 60 SCT:04 300	10.00		68	20.0	67	19.3	66	18.9	93	0	000		29.91			30.10	FM-15	0.00	30.09
21	0554	7	FEW:02 27 BKN:07 300	10.00		70	21.1	68	20.0	67	19.4	90	6	010		29.95			30.14	FM-15	0.00	30.13
21	0654	7	FEW:02 30 BKN:07 300	10.00		72	22.2	69	20.8	68	20.0	87	9	040		29.96	3	-0.07	30.15	FM-15	0.00	30.14
21	0700	4	26	9.94		72	22.2	69	20.8	68	20.0	87	9	040		29.96	3	-0.07	30.15	FM-12		
21	0747	7	BKN:07 12 OVC:08 300	10.00		73	22.8	70	21.3	69	20.6	87	10	060		29.98				FM-16		30.16
21	0754	7	BKN:07 12 OVC:08 300	10.00		73	22.8	70	21.0	68	20.0	84	10	060		29.98			30.17	FM-15	0.00	30.16
21	0854	7	BKN:07 11 OVC:08 300	10.00		74	23.3	71	21.5	69	20.6	85	10	050		29.99			30.18	FM-15	0.00	30.17
21	0952	6	BKN:07 16 OVC:08 300	10.00		75	24.0	72	22.0	70	21.0	83	7	070		30.00				FM-16		30.18
21	0954	7	BKN:07 16 OVC:08 300	10.00		76	24.4	71	21.9	69	20.6	79	10	060		30.00	1	-0.03	30.19	FM-15	0.00	30.18
21	1054	7	BKN:07 20 BKN:07 300	10.00		78	25.6	71	21.9	68	20.0	71	10	100		30.00			30.19	FM-15	0.00	30.18
21	1154	7	BKN:07 24 BKN:07 300	10.00		78	25.6	71	21.9	68	20.0	71	9	110		30.00			30.19	FM-15	0.00	30.18
21	1223	7	SCT:04 25 BKN:07 55 BKN:07 300	10.00		78	25.6	71	21.6	67	19.4	69	10	090		29.99				FM-16		30.17
21	1254	7	SCT:04 27 BKN:07 60 BKN:07 300	10.00		80	26.7	72	22.2	68	20.0	67	8	070		29.98	8	+0.02	30.16	FM-15	0.00	30.16
21	1300	4	26	9.94		80	26.7	72	22.2	68	20.0	67	8	070		29.98	8	+0.02	30.16	FM-12		
21	1354	7	SCT:04 29 BKN:07 300	10.00		80	26.7	71	21.9	67	19.4	64	9	080		29.96			30.14	FM-15	0.00	30.14
21	1454	7	SCT:04 31 BKN:07 300	10.00		79	26.1	71	21.7	67	19.4	67	9	100		29.95			30.14	FM-15	0.00	30.13
21	1554	7	SCT:04 32 BKN:07 300	10.00		79	26.1	71	21.7	67	19.4	67	13	110	23	29.94	6	+0.03	30.13	FM-15	0.00	30.12
21	1654	7	FEW:02 32 BKN:07 300	10.00		77	25.0	70	21.0	66	18.9	69	13	120		29.95			30.14	FM-15	0.00	30.13
21	1754	7	OVC:08 300	10.00		73	22.8	66	19.0	62	16.7	69	11	130		29.96			30.15	FM-15	0.00	30.14
21	1854	7	OVC:08 300	10.00		70	21.1	63	17.4	59	15.0	68	9	120		29.97	3	-0.03	30.16	FM-15	0.00	30.15
21	1900	4		9.94		70	21.1	63	17.4	59	15.0	68	9	120		29.97	3	-0.03	30.16	FM-12		
21	1954	7	SCT:04 35 OVC:08 300	10.00		67	19.4	63	17.1	60	15.6	79	5	120		29.97			30.16	FM-15	0.00	30.15
21	2054	7	BKN:07 32 OVC:08 300	10.00		67	19.4	63	17.4	61	16.1	81	3	120		29.98			30.17	FM-15	0.00	30.16
21	2106	7	BKN:07 28 OVC:08 300	10.00		67	19.4	63	17.4	61	16.1	81	3	140		29.99				FM-16		30.17
21	2154	7	OVC:08 21	10.00		67	19.4	63	17.4	61	16.1	81	3	110		29.99	3	-0.02	30.18	FM-15	0.00	30.17

21	2254	7	SCT:04 11 OVC:08 18	10.00		67	19.4	63	17.1	60	15.6	79	5	100		29.97			30.16	FM-15	0.00	30.15
21	2303	7	BKN:07 11 OVC:08 18	10.00		67	19.4	63	17.1	60	15.6	79	6	100		29.97				FM-16		30.15
21	2354	7	OVC:08 11	10.00		67	19.4	63	17.4	61	16.1	81	5	120		29.97			30.16	FM-15	0.00	30.15
22	0052	6	OVC:08 15	10.00		66	19.0	63	17.2	61	16.0	83	6	140		29.96				FM-16		30.14
22	0054	7	OVC:08 14	10.00		67	19.4	63	17.4	61	16.1	81	5	150		29.96	6	+0.03	30.15	FM-15	0.00	30.14
22	0100	4	15	9.94		67	19.4	63	17.4	61	16.1	81	5	150		29.96	6	+0.03	30.15	FM-12		
22	0154	7	OVC:08 11	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.95			30.14	FM-15	0.00	30.13
22	0254	7	OVC:08 11	10.00		66	18.9	64	17.5	62	16.7	87	6	140		29.94			30.13	FM-15	0.00	30.12
22	0354	7	OVC:08 10	10.00		66	18.9	64	17.9	63	17.2	90	5	150		29.93	6	+0.02	30.12	FM-15	0.00	30.11
22	0402	7	OVC:08 8	10.00		66	18.9	64	17.9	63	17.2	90	5	170		29.94				FM-16		30.12
22	0454	7	OVC:08 7	10.00		66	18.9	65	18.2	64	17.8	93	6	160		29.94			30.13	FM-15	0.00	30.12
22	0543	7	OVC:08 4	2.50	BR:1	66	18.9	65	18.2	64	17.8	93	6	140		29.94				FM-16		30.12
22	0554	7	OVC:08 4	2.50	BR:1	66	18.9	65	18.2	64	17.8	93	3	160		29.94			30.13	FM-15	0.00	30.12
22	0610	7	OVC:08 3	1.50	BR:1	66	18.9	65	18.5	65	18.3	96	5	170		29.94				FM-16		30.12
22	0636	7	OVC:08 3	2.00	BR:1	67	19.4	66	18.8	65	18.3	93	5	150		29.94				FM-16		30.12
22	0654	7	OVC:08 4	2.50	BR:1	67	19.4	66	18.8	65	18.3	93	6	170		29.95	1	-0.01	30.14	FM-15	0.00	30.13
22	0700	4	5	2.49		67	19.4	66	18.8	65	18.3	93	6	170		29.95	1	-0.01	30.14	FM-12		
22	0754	7	OVC:08 4	2.00	BR:1	68	20.0	67	19.3	66	18.9	93	7	180		29.95			30.14	FM-15	0.00	30.13
22	0802	7	OVC:08 5	2.00	BR:1	68	20.0	67	19.3	66	18.9	93	7	200		29.95				FM-16		30.13
22	0852	6	OVC:08 6	3.00	BR:1	70	21.0	67	19.7	66	19.0	88	7	190		29.95				FM-16		30.13
22	0854	7	OVC:08 6	3.00	BR:1	69	20.6	67	19.5	66	18.9	90	7	200		29.95			30.14	FM-15	0.00	30.13
22	0954	7	BKN:07 9	7.00		72	22.2	69	20.4	67	19.4	84	7	220		29.94	8	+0.01	30.13	FM-15	0.00	30.12
22	1044	7	BKN:07 15 OVC:08 180	10.00		74	23.3	69	20.5	66	18.9	76	6	VRB		29.94				FM-16		30.12
22	1054	7	BKN:07 15 BKN:07 180	10.00		74	23.3	69	20.8	67	19.4	79	8	190		29.93			30.12	FM-15	0.00	30.11
22	1154	7	BKN:07 22 BKN:07 180	10.00		77	25.0	71	21.7	68	20.0	74	7	220		29.91			30.10	FM-15	0.00	30.09
22	1211	7	SCT:04 24 BKN:07 180	10.00		80	26.7	73	22.6	69	20.6	69	10	220		29.90				FM-16		30.08
22	1254	7	SCT:04 26 BKN:07 32 BKN:07 250	10.00		80	26.7	73	22.6	69	20.6	69	9	190		29.88	8	+0.06	30.06	FM-15	0.00	30.06
22	1300	4	26	9.94		80	26.7	73	22.6	69	20.6	69	9	190		29.88	8	+0.06	30.06	FM-12		
22	1354	7	SCT:04 28 SCT:04 36 BKN:07 250	9.00		82	27.8	73	22.6	68	20.0	63	7	190		29.84			30.03	FM-15	0.00	30.02
22	1454	7	SCT:04 33 SCT:04 250	10.00		84	28.9	74	23.6	70	21.1	63	11	180		29.82			30.01	FM-15	0.00	30.00
22	1554	7	SCT:04 38 SCT:04 250	10.00		84	28.9	74	23.2	69	20.6	61	10	200		29.81	6	+0.07	29.99	FM-15	0.00	29.99
22	1654	7	SCT:04 41 BKN:07 250	10.00		84	28.9	74	23.2	69	20.6	61	11	170		29.80			29.99	FM-15	0.00	29.98
22	1736	7	FEW:02 29 BKN:07 39 BKN:07 100	4.00	TS	72	22.2	68	20.1	66	18.9	82	23	320	29	29.84				FM-16	T	30.02
22	1752	6	BKN:07 35 BKN:07 100 OVC:08 300	0.75	TS:7 +RA:02 BR:1 RA TS RA	70	21.0	67	19.7	66	19.0	88	13	320	37	29.83				FM-16		30.01
22	1754	7	BKN:07 35 BKN:07 100 OVC:08 300	0.75	TS:7 +RA:02 BR:1 RA TS RA	69	20.6	68	19.8	67	19.4	93	9	320	37	29.83			30.02	FM-15	0.71	30.01
22	1854	7	BKN:07 45 BKN:07 95 OVC:08 300	3.00	TS:7 RA:02 BR:1 RA TS RA	70	21.1	68	20.0	67	19.4	90	10	210		29.84	3	-0.04	30.03	FM-15	0.63	30.02
22	1900	4	41	2.98	TS	70	21.1	68	20.0	67	19.4	90	10	210		29.84	3	-0.04	30.03	FM-12		
22	1941	7	SCT:04 45 BKN:07 110 OVC:08 300	10.00		69	20.6	68	19.8	67	19.4	93	7	130		29.85				FM-16	0.01	30.03

22	1954	7	SCT:04 45 BKN:07 110 OVC:08 300	10.00		69	20.6	67	19.5	66	18.9	90	6	160		29.84			30.03	FM-15	T	30.02
22	2054	7	SCT:04 45 OVC:08 110	10.00	-RA:02 RA RA	69	20.6	67	19.5	66	18.9	90	6	180		29.85			30.04	FM-15	T	30.03
22	2154	7	SCT:04 65 OVC:08 110	10.00	-RA:02 RA RA	69	20.6	68	19.8	67	19.4	93	6	200		29.85	2	-0.00	30.03	FM-15	0.03	30.03
22	2254	7	FEW:02 75 BKN:07 120 OVC:08 300	10.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	7	200		29.84			30.03	FM-15	0.01	30.02
22	2354	7	SCT:04 75 OVC:08 150	10.00		69	20.6	68	20.2	68	20.0	96	5	200		29.83			30.02	FM-15	0.00	30.01
23	0054	7	FEW:02 70 BKN:07 100 OVC:08 150	10.00		69	20.8	69	20.6	69	20.3	97	5	220		29.79				FM-15	0.00	29.97
23	0100	4	74	9.94		69	20.8	69	20.6	69	20.3	97	5	220		29.79				FM-12		
23	0154	7	FEW:02 41 BKN:07 75 OVC:08 140	10.00	-RA:02 RA RA	69	20.6	68	19.8	67	19.4	93	7	190		29.78			29.97	FM-15	0.01	29.96
23	0254	7	FEW:02 90 FEW:02 150	10.00		68	20.0	67	19.3	66	18.9	93	6	180		29.76			29.95	FM-15	0.02	29.94
23	0354	7	SCT:04 300	10.00		69	20.6	68	19.8	67	19.4	93	8	230		29.76			29.95	FM-15	0.00	29.94
23	0454	7	FEW:02 100 BKN:07 300	9.00		69	20.6	68	19.8	67	19.4	93	6	220		29.77			29.96	FM-15	0.00	29.95
23	0554	7	SCT:04 230 BKN:07 300	10.00		71	21.7	69	20.6	68	20.0	90	6	220		29.79			29.98	FM-15	0.00	29.97
23	0654	7	SCT:04 180 BKN:07 300	10.00		73	22.8	70	21.3	69	20.6	87	13	230		29.79	0	-0.03	29.98	FM-15	0.00	29.97
23	0700	4		9.94		73	22.8	70	21.3	69	20.6	87	13	230		29.79	9	0.03	29.98	FM-12		
23	0754	7	SCT:04 180 BKN:07 300	10.00		75	23.9	71	21.7	69	20.6	82	11	260		29.81			30.00	FM-15	0.00	29.99
23	0854	7	FEW:02 10 FEW:02 180 SCT:04 300	10.00		80	26.7	73	22.9	70	21.1	71	11	320		29.82			30.01	FM-15	0.00	30.00
23	0954	7	SCT:04 25 SCT:04 300	10.00		81	27.2	72	22.1	67	19.4	62	6	320		29.83	1	-0.04	30.02	FM-15	0.00	30.01
23	1054	7	SCT:04 33 BKN:07 300	10.00		81	27.2	72	22.1	67	19.4	62	5	360		29.83			30.01	FM-15	0.00	30.01
23	1154	7	SCT:04 38 BKN:07 300	10.00		83	28.3	72	22.4	67	19.4	59	7	VRB		29.83			30.01	FM-15	0.00	30.01
23	1254	7	FEW:02 39 SCT:04 50 BKN:07 90	10.00		83	28.3	73	22.7	68	20.0	61	7	060		29.83	5	+0.01	30.02	FM-15	0.00	30.01
23	1300	4	41	9.94		83	28.3	73	22.7	68	20.0	61	7	060		29.83	5	+0.01	30.02	FM-12		
23	1354	7	SCT:04 50 SCT:04 70 BKN:07 300	10.00		83	28.3	72	22.1	66	18.9	57	11	030		29.82			30.01	FM-15	0.00	30.00
23	1454	7	FEW:02 46 SCT:04 70 SCT:04 110	10.00		85	29.4	73	22.7	67	19.4	55	6	VRB		29.81			30.00	FM-15	0.00	29.99
23	1554	7	FEW:02 45 SCT:04 300	10.00		85	29.4	72	22.1	65	18.3	51	11	010		29.80	8	+0.03	29.98	FM-15	0.00	29.98
23	1654	7	FEW:02 45 FEW:02 300	10.00		84	28.9	70	21.3	63	17.2	49	11	010		29.80			29.99	FM-15	0.00	29.98
23	1754	7	FEW:02 45 FEW:02 300	10.00		83	28.3	71	21.5	64	17.8	53	8	020		29.82			30.01	FM-15	0.00	30.00
23	1854	7	FEW:02 45 FEW:02 300	10.00		78	25.6	68	20.2	63	17.2	60	7	040		29.85	3	-0.05	30.04	FM-15	0.00	30.03
23	1900	4	41	9.94		78	25.6	68	20.2	63	17.2	60	7	040		29.85	3	-0.05	30.04	FM-12		
23	1954	7	FEW:02 45 FEW:02 300	10.00		75	23.9	67	19.7	63	17.2	66	6	060		29.87			30.06	FM-15	0.00	30.05
23	2054	7	FEW:02 300	10.00		72	22.2	66	19.1	63	17.2	73	7	040		29.89			30.09	FM-15	0.00	30.07
23	2154	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	6	030		29.91	1	-0.06	30.10	FM-15	0.00	30.09
23	2254	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	7	010		29.92			30.11	FM-15	0.00	30.10

23	2354	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	8	360		29.93			30.12	FM-15	0.00	30.11
24	0054	7	FEW:02 300	10.00		69	20.3	64	17.9	61	16.0	76	8	340		29.92				FM-15		30.10
24	0100	4		9.94		69	20.3	64	17.9	61	16.0	76	8	340		29.92				FM-12		
24	0154	7	FEW:02 50 FEW:02 300	10.00		65	18.3	61	16.1	58	14.4	78	7	350		29.93				FM-15		30.11
24	0254	7	FEW:02 50	10.00		64	17.8	60	15.8	58	14.4	81	6	360		29.93				FM-15	0.00	30.11
24	0354	7	FEW:02 50 FEW:02 300	10.00		63	17.2	60	15.3	57	13.9	81	5	360		29.94				FM-15	0.00	30.12
24	0454	7	FEW:02 50 SCT:04 300	10.00		62	16.7	59	15.1	57	13.9	84	6	340		29.95				FM-15	0.00	30.13
24	0554	7	FEW:02 50 FEW:02 300	10.00		65	18.3	61	16.1	58	14.4	78	6	350		29.97				FM-15	0.00	30.15
24	0654	7	FEW:02 300	10.00		69	20.6	62	16.9	58	14.4	68	8	350		29.99				FM-15	0.00	30.17
24	0700	4		9.94		69	20.6	62	16.9	58	14.4	68	8	350		29.99				FM-12		
24	0754	7	FEW:02 300	10.00		73	22.8	64	17.8	58	14.4	59	10	360		29.99				FM-15	0.00	30.17
24	0854	7	FEW:02 300	10.00		77	25.0	65	18.6	58	14.4	52	10	020		30.00			30.19	FM-15	0.00	30.18
24	0954	7	FEW:02 300	10.00		79	26.1	66	18.7	57	13.9	47	10	030		30.00			30.19	FM-15	0.00	30.18
24	1054	7	FEW:02 300	10.00		80	26.7	65	18.6	56	13.3	44	6	060		30.01			30.20	FM-15	0.00	30.19
24	1154	7	FEW:02 300	10.00		82	27.8	65	18.4	54	12.2	38	9	360		30.00			30.19	FM-15	0.00	30.18
24	1254	7	FEW:02 40 SCT:04 300	10.00		84	28.9	64	18.0	51	10.6	32	5	VRB		29.99	8	+0.01	30.18	FM-15	0.00	30.17
24	1300	4	41	9.94		84	28.9	64	18.0	51	10.6	32	5			29.99	8	+0.01	30.18	FM-12		
24	1354	7	FEW:02 50 BKN:07 300	10.00		83	28.3	65	18.1	52	11.1	34	6	070		29.98			30.17	FM-15	0.00	30.16
24	1454	7	FEW:02 50 OVC:08 300	10.00		84	28.9	65	18.3	52	11.1	33	8	050		29.96			30.15	FM-15	0.00	30.14
24	1554	7	BKN:07 300	10.00		85	29.4	66	19.0	54	12.2	35	6	040		29.95	8	+0.05	30.14	FM-15	0.00	30.13
24	1654	7	SCT:04 300	10.00		83	28.3	65	18.3	53	11.7	36	6	060		29.94			30.13	FM-15	0.00	30.12
24	1754	7	SCT:04 300	10.00		80	26.7	65	18.3	55	12.8	42	6	100		29.94			30.13	FM-15	0.00	30.12
24	1854	7	FEW:02 300	10.00		76	24.4	66	19.0	60	15.6	58	5	130		29.95	3	-0.00	30.14	FM-15	0.00	30.13
24	1900	4		9.94		76	24.4	66	19.0	60	15.6	58	5	130		29.95	3	-0.00	30.14	FM-12		
24	1954	7	FEW:02 300	10.00		74	23.3	65	18.3	59	15.0	60	0	000		29.97			30.16	FM-15	0.00	30.15
24	2054	7	CLR:00	10.00		69	20.6	65	18.2	62	16.7	78	6	120		29.98			30.17	FM-15	0.00	30.16
24	2154	7	CLR:00	10.00		68	20.0	64	18.0	62	16.7	81	6	120		29.98	1	-0.03	30.17	FM-15	0.00	30.16
24	2254	7	CLR:00	10.00		67	19.4	64	17.8	62	16.7	84	0	000		29.98			30.16	FM-15	0.00	30.16
24	2354	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.97			30.16	FM-15	0.00	30.15
25	0054	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	0	000		29.95	8	+0.02	30.14	FM-15	0.00	30.13
25	0100	4		9.94		65	18.3	63	17.0	61	16.1	87	0	000		29.95	8	+0.02	30.14	FM-12		
25	0154	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	0	000		29.95			30.14	FM-15	0.00	30.13
25	0254	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.95			30.14	FM-15	0.00	30.13
25	0354	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.94	8	+0.01	30.13	FM-15	0.00	30.12
25	0454	7	FEW:02 300	10.00		63	17.2	61	15.9	59	15.0	87	0	000		29.94			30.13	FM-15	0.00	30.12
25	0554	7	FEW:02 300	10.00		64	17.8	62	16.5	60	15.6	87	0	000		29.95			30.14	FM-15	0.00	30.13
25	0654	7	FEW:02 300	10.00		69	20.6	66	18.8	64	17.8	84	6	190		29.95	0	-0.01	30.14	FM-15	0.00	30.13
25	0700	4		9.94		69	20.6	66	18.8	64	17.8	84	6	190		29.95	9	0.01	30.14	FM-12		
25	0754	7	FEW:02 300	10.00		74	23.3	68	20.1	65	18.3	74	6	220		29.95			30.14	FM-15	0.00	30.13
25	0854	7	SCT:04 42 BKN:07 300	10.00		77	25.0	70	21.0	66	18.9	69	9	220		29.93			30.12	FM-15	0.00	30.11
25	0954	7	FEW:02 28 SCT:04 37 BKN:07 50	10.00		78	25.6	70	20.9	65	18.3	64	11	210		29.92	8	+0.02	30.11	FM-15	0.00	30.10
25	1054	7	FEW:02 30 SCT:04 41 BKN:07 300	10.00		81	27.2	70	21.1	64	17.8	57	9	180	17	29.91			30.10	FM-15	0.00	30.09
25	1154	7	SCT:04 42 BKN:07 300	10.00		81	27.2	69	20.8	63	17.2	54	11	200	22	29.88			30.07	FM-15	0.00	30.06
25	1254	7	SCT:04 44 BKN:07 300	10.00		83	28.3	71	21.5	64	17.8	53	13	200		29.86	8	+0.06	30.05	SY-MT	0.00	30.04
25	1354	7	SCT:04 48 BKN:07 300	10.00		83	28.3	70	21.1	63	17.2	51	11	180	17	29.83			30.02	FM-15	0.00	30.01

25	1454	7	SCT:04 48 BKN:07 300	10.00		84	28.9	70	21.3	63	17.2	49	14	180		29.81			30.00	FM-15	0.00	29.99
25	1554	7	SCT:04 50 BKN:07 300	10.00		84	28.9	70	21.3	63	17.2	49	13	210		29.79	6	+0.07	29.98	FM-15	0.00	29.97
25	1654	7	FEW:02 50 SCT:04 300	10.00		84	28.9	70	21.3	63	17.2	49	11	220		29.78			29.97	FM-15	0.00	29.96
25	1754	7	FEW:02 50 SCT:04 300	10.00		83	28.3	70	21.1	63	17.2	51	10	200		29.77			29.96	FM-15	0.00	29.95
25	1854	7	FEW:02 50 FEW:02 300	10.00		78	25.6	70	20.9	65	18.3	64	7	190		29.77	6	+0.02	29.96	FM-15	0.00	29.95
25	1900	4	57	9.94		78	25.6	70	20.9	65	18.3	64	7	190		29.77	6	+0.02	29.96	FM-12		
25	1954	7	FEW:02 300	10.00		74	23.3	68	20.1	65	18.3	74	7	190		29.77			29.96	FM-15	0.00	29.95
25	2054	7	FEW:02 300	10.00		74	23.3	68	19.8	64	17.8	71	5	170		29.77			29.96	FM-15	0.00	29.95
25	2154	7	CLR:00	10.00		71	21.7	67	19.6	65	18.3	81	6	200		29.78	3	-0.01	29.97	FM-15	0.00	29.96
25	2254	7	CLR:00	10.00		72	22.2	68	19.8	65	18.3	79	8	210		29.78			29.96	FM-15	0.00	29.96
25	2354	7	CLR:00	10.00		73	22.8	69	20.3	66	18.9	79	10	210		29.77			29.96	FM-15	0.00	29.95
26	0054	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	13	210		29.76	8	+0.02	29.95	FM-15	0.00	29.94
26	0100	4		9.94		73	22.8	69	20.6	67	19.4	81	13	210		29.76	8	+0.02	29.95	FM-12		
26	0154	7	FEW:02 300	10.00		72	22.2	69	20.4	67	19.4	84	9	220		29.75			29.94	FM-15	0.00	29.93
26	0254	7	FEW:02 300	10.00		71	21.7	68	20.2	67	19.4	87	7	200		29.75			29.94	FM-15	0.00	29.93
26	0354	7	FEW:02 300	10.00		70	21.1	68	20.0	67	19.4	90	7	210		29.75	6	+0.01	29.93	FM-15	0.00	29.93
26	0454	7	BKN:07 300	10.00		69	20.6	68	19.8	67	19.4	93	10	200		29.75			29.94	FM-15	0.00	29.93
26	0554	7	FEW:02 250 BKN:07 300	10.00		71	21.7	69	20.6	68	20.0	90	9	210		29.76			29.95	FM-15	0.00	29.94
26	0654	7	FEW:02 250 BKN:07 300	10.00		75	23.9	71	21.7	69	20.6	82	13	220		29.75	0	-0.01	29.94	FM-15	0.00	29.93
26	0700	4		9.94		75	23.9	71	21.7	69	20.6	82	13	220		29.75	9	0.01	29.94	FM-12		
26	0754	7	FEW:02 100 FEW:02 250 SCT:04 300	10.00		78	25.6	72	22.2	69	20.6	74	13	220		29.75			29.94	FM-15	0.00	29.93
26	0854	7	FEW:02 25 SCT:04 150 BKN:07 300	10.00		81	27.2	73	22.7	69	20.6	67	18	220	24	29.75			29.94	FM-15	0.00	29.93
26	0954	7	FEW:02 29 SCT:04 140 BKN:07 300	10.00		83	28.3	74	23.4	70	21.1	65	16	210		29.75	5	+0.00	29.94	FM-15	0.00	29.93
26	1054	7	SCT:04 30 BKN:07 160 BKN:07 300	10.00		84	28.9	74	23.6	70	21.1	63	15	220	23	29.74			29.93	FM-15	0.00	29.92
26	1154	7	SCT:04 34 BKN:07 170 BKN:07 300	10.00		86	30.0	75	23.9	70	21.1	59	16	220		29.72			29.91	FM-15	0.00	29.90
26	1254	7	BKN:07 36 BKN:07 170 BKN:07 300	10.00		86	30.0	74	23.6	69	20.6	57	15	220		29.71	8	+0.05	29.89	FM-15	0.00	29.89
26	1300	4	41	9.94		86	30.0	74	23.6	69	20.6	57	15	220		29.71	8	+0.05	29.89	FM-12		
26	1354	7	SCT:04 40 BKN:07 170 BKN:07 300	10.00		85	29.4	75	23.7	70	21.1	61	13	210		29.69			29.88	FM-15	0.00	29.87
26	1454	7	SCT:04 40 BKN:07 170 BKN:07 300	10.00		86	30.0	74	23.2	68	20.0	55	20	220	25	29.69			29.87	FM-15	0.00	29.87
26	1554	7	SCT:04 40 SCT:04 170 BKN:07 300	10.00		84	28.9	74	23.2	69	20.6	61	14	210	23	29.69	6	+0.02	29.87	FM-15	0.00	29.87
26	1654	7	FEW:02 40 SCT:04 200 BKN:07 300	10.00		82	27.8	73	22.6	68	20.0	63	9	220		29.69			29.88	FM-15	0.00	29.87
26	1754	7	FEW:02 40 BKN:07 200 OVC:08 300	10.00		81	27.2	73	22.7	69	20.6	67	7	230		29.71			29.90	FM-15	0.00	29.89

26	1854	7	FEW:02 50 BKN:07 140 OVC:08 300	10.00		79	26.1	73	22.7	70	21.1	74	8	200		29.70	0	-0.01	29.89	FM-15	0.00	29.88
26	1900	4	57	9.94		79	26.1	73	22.7	70	21.1	74	8	200		29.70	9	0.01	29.89	FM-12		
26	1954	7	FEW:02 50 BKN:07 130 OVC:08 300	10.00		75	23.9	72	22.4	71	21.7	88	7	190		29.70			29.89	FM-15	0.02	29.88
26	2054	7	BKN:07 110 OVC:08 200	10.00		75	23.9	72	22.4	71	21.7	88	7	190		29.72			29.91	FM-15	T	29.90
26	2154	7	FEW:02 70 BKN:07 110 OVC:08 190	10.00		75	23.9	72	22.0	70	21.1	84	8	210		29.73	3	-0.03	29.92	FM-15	0.00	29.91
26	2254	7	SCT:04 65 OVC:08 140	10.00		74	23.3	71	21.9	70	21.1	88	8	200		29.73			29.92	FM-15	0.00	29.91
26	2354	7	SCT:04 70 BKN:07 110 OVC:08 140	10.00	-RA:02 RA RA	74	23.3	72	22.2	71	21.7	91	10	200		29.74			29.92	FM-15	T	29.92
27	0054	7	SCT:04 43 BKN:07 70 OVC:08 140	10.00		73	22.8	72	22.0	71	21.7	94	11	180		29.73	8	+0.01	29.91	FM-15	T	29.91
27	0100	4	41	9.94		73	22.8	72	22.0	71	21.7	94	11	180		29.73	8	+0.01	29.91	FM-12		
27	0154	7	SCT:04 12 BKN:07 90 BKN:07 110	10.00		73	22.8	71	21.7	70	21.1	90	13	190		29.72			29.91	FM-15	0.00	29.90
27	0224	7	FEW:02 8 BKN:07 14 BKN:07 110	10.00		72	22.2	71	21.5	70	21.1	94	10	200		29.73				FM-16		29.91
27	0254	7	SCT:04 10 BKN:07 14 OVC:08 130	10.00		72	22.2	70	21.1	69	20.6	91	9	200		29.73			29.91	FM-15	0.00	29.91
27	0352	6	SCT:04 14 SCT:04 130 OVC:08 170	10.00		72	22.0	71	21.5	70	21.0	94	10	200		29.73				FM-16		29.91
27	0354	7	SCT:04 14 SCT:04 130 OVC:08 170	10.00		71	21.7	70	20.9	69	20.6	94	9	200		29.73	5	+0.00	29.91	FM-15	0.00	29.91
27	0452	6	BKN:07 9 OVC:08 130	10.00		72	22.0	71	21.5	70	21.0	94	7	210		29.74				FM-16		29.92
27	0454	7	BKN:07 9 OVC:08 130	10.00		72	22.2	71	21.5	70	21.1	94	8	210		29.74			29.93	FM-15	0.00	29.92
27	0554	7	BKN:07 9 OVC:08 130	10.00		73	22.8	71	21.7	70	21.1	90	9	210		29.76			29.95	FM-15	0.00	29.94
27	0610	7	OVC:08 10	10.00		73	22.8	71	21.7	70	21.1	90	9	220		29.76				FM-16		29.94
27	0629	7	OVC:08 9	10.00		73	22.8	71	21.7	70	21.1	90	9	220		29.76				FM-16		29.94
27	0652	6	OVC:08 10	10.00		73	23.0	72	22.4	72	22.0	94	8	230		29.77				FM-16		29.95
27	0654	7	OVC:08 12	10.00		74	23.3	72	22.2	71	21.7	91	9	220		29.77	1	-0.04	29.96	FM-15	0.00	29.95
27	0700	4	15	9.94		74	23.3	72	22.2	71	21.7	91	9	220		29.77	1	-0.04	29.96	FM-12		
27	0754	7	OVC:08 12	10.00		75	23.9	72	22.4	71	21.7	88	8	230		29.78			29.97	FM-15	0.00	29.96
27	0840	7	OVC:08 16	10.00		76	24.4	73	22.9	72	22.2	88	9	210		29.78				FM-16		29.96
27	0854	7	OVC:08 15	10.00		76	24.4	73	22.6	71	21.7	85	8	220		29.78			29.97	FM-15	0.00	29.96
27	0954	7	BKN:07 17	10.00		79	26.1	74	23.5	72	22.2	79	8	220		29.78	1	-0.02	29.97	FM-15	0.00	29.96
27	1054	7	BKN:07 24	10.00		82	27.8	74	23.6	71	21.7	69	8	210		29.79			29.98	FM-15	0.00	29.97
27	1123	7	BKN:07 31 BKN:07 250	10.00		84	28.9	76	24.3	72	22.2	67	10	210		29.78				FM-16		29.96
27	1154	7	SCT:04 34 BKN:07 250	10.00		84	28.9	76	24.3	72	22.2	67	11	210		29.77			29.96	FM-15	0.00	29.95
27	1254	7	BKN:07 32 BKN:07 250	10.00		85	29.4	76	24.4	72	22.2	65	13	200		29.77	8	+0.02	29.95	FM-15	0.00	29.95
27	1300	4	26	9.94		85	29.4	76	24.4	72	22.2	65	13	200		29.77	8	+0.02	29.95	FM-12		
27	1354	7	BKN:07 32 BKN:07 250	10.00		84	28.9	75	23.9	71	21.7	65	13	200		29.75			29.94	FM-15	0.00	29.93
27	1454	7	BKN:07 37 BKN:07 250	10.00		87	30.6	76	24.4	71	21.7	59	16	200		29.73			29.91	FM-15	0.00	29.91

27	1554	7	SCT:04 37 BKN:07 300	10.00		86	30.0	75	23.9	70	21.1	59	15	220		29.74	5	+0.03	29.92	FM-15	0.00	29.92
27	1654	7	SCT:04 37 BKN:07 300	10.00		86	30.0	76	24.2	71	21.7	61	15	220		29.74			29.92	FM-15	0.00	29.92
27	1754	7	FEW:02 35 SCT:04 200 BKN:07 300	10.00		83	28.3	75	24.1	72	22.2	70	14	210		29.75			29.93	FM-15	0.00	29.93
27	1854	7	FEW:02 35 SCT:04 200 BKN:07 300	10.00	TS:7 TS TS	81	27.2	74	23.4	71	21.7	72	10	200		29.77	3	-0.03	29.96	FM-15	0.00	29.95
27	1900	4	41	9.94	TS	81	27.2	74	23.4	71	21.7	72	10	200		29.77	3	-0.03	29.96	FM-12		
27	1954	7	FEW:02 35 BKN:07 180 OVC:08 300	10.00	TS:7 TS TS	79	26.1	74	23.5	72	22.2	79	6	200		29.79			29.98	FM-15	0.00	29.97
27	2052	6	FEW:02 20 BKN:07 45 OVC:08 160	10.00		75	24.0	72	22.0	70	21.0	83	7	350		29.82				FM-16		30.00
27	2054	7	FEW:02 20 BKN:07 45 OVC:08 160	10.00		75	23.9	71	21.7	69	20.6	82	8	340		29.82			30.01	FM-15	0.00	30.00
27	2154	7	SCT:04 40 OVC:08 160	10.00		74	23.3	71	21.5	69	20.6	85	3	060		29.83	1	-0.06	30.02	FM-15	0.00	30.01
27	2254	7	BKN:07 45 OVC:08 160	10.00		74	23.3	71	21.5	69	20.6	85	6	350		29.84			30.03	FM-15	0.00	30.02
27	2354	7	FEW:02 55 BKN:07 180 OVC:08 300	10.00		73	22.8	70	21.3	69	20.6	87	5	090		29.84			30.02	FM-15	0.00	30.02
28	0054	7	FEW:02 45 SCT:04 180 BKN:07 210	10.00		73	22.8	70	21.3	69	20.6	87	3	040		29.83	1	-0.01	30.02	FM-15	0.00	30.01
28	0100	4	41	9.94		73	22.8	70	21.3	69	20.6	87	3	040		29.83	1	-0.01	30.02	FM-12		
28	0154	7	FEW:02 42 BKN:07 220	10.00		72	22.2	70	21.1	69	20.6	91	5	090		29.83			30.02	FM-15	0.00	30.01
28	0254	7	SCT:04 44 OVC:08 230	10.00		70	21.1	69	20.4	68	20.0	93	3	140		29.82			30.00	FM-15	0.00	30.00
28	0354	7	FEW:02 45 FEW:02 75 SCT:04 230	10.00		70	21.1	69	20.4	68	20.0	93	6	180		29.81	8	+0.03	30.00	FM-15	0.00	29.99
28	0454	7	SCT:04 230 OVC:08 300	10.00		70	21.1	69	20.4	68	20.0	93	0	000		29.81			30.00	FM-15	0.00	29.99
28	0554	7	SCT:04 240 OVC:08 300	10.00		72	22.2	70	21.1	69	20.6	91	5	210		29.83			30.02	FM-15	0.00	30.01
28	0654	7	SCT:04 220 OVC:08 300	10.00		73	22.8	70	21.3	69	20.6	87	0	000		29.84	3	-0.03	30.03	FM-15	0.00	30.02
28	0700	4		9.94		73	22.8	70	21.3	69	20.6	87	0	000		29.84	3	-0.03	30.03	FM-12		
28	0754	7	FEW:02 39 SCT:04 220 OVC:08 300	10.00		76	24.4	71	21.9	69	20.6	79	0	000		29.85			30.03	FM-15	0.00	30.03
28	0854	7	FEW:02 20 FEW:02 50 SCT:04 220	10.00		81	27.2	73	22.7	69	20.6	67	6	260		29.85			30.03	FM-15	0.00	30.03
28	0954	7	SCT:04 29 SCT:04 65 BKN:07 220	10.00		83	28.3	74	23.1	69	20.6	63	3	VRB		29.86	3	-0.02	30.05	FM-15	0.00	30.04
28	1054	7	SCT:04 30 BKN:07 75 OVC:08 300	10.00		82	27.8	74	23.6	71	21.7	69	7	170		29.86			30.05	FM-15	0.00	30.04
28	1154	7	SCT:04 29 BKN:07 180 OVC:08 300	10.00		84	28.9	74	23.6	70	21.1	63	7	150		29.85			30.04	FM-15	0.00	30.03
28	1254	7	SCT:04 35 OVC:08 190	10.00		83	28.3	74	23.4	70	21.1	65	14	180		29.85	8	+0.01	30.04	FM-15	0.00	30.03
28	1300	4	41	9.94		83	28.3	74	23.4	70	21.1	65	14	180		29.85	8	+0.01	30.04	FM-12		
28	1354	7	SCT:04 35 OVC:08 170	10.00		81	27.2	74	23.1	70	21.1	69	8	180		29.84			30.03	FM-15	0.00	30.02

28	1454	7	FEW:02 40 OVC:08 160	10.00		78	25.6	72	22.2	69	20.6	74	10	160		29.84			30.03	FM-15	0.00	30.02
28	1554	6	FEW:02 40 OVC:08 160	10.00		77	25.0	72	22.1	69	20.6	77	11	170		29.83	6	+0.02	30.02	FM-15	0.00	30.01
28	1654	6	FEW:02 60 SCT:04 90 OVC:08 160	10.00		75	23.9	71	21.7	69	20.6	82	10	180		29.84			30.03	FM-15	0.00	30.02
28	1745	6	BKN:07 13 BKN:07 46 OVC:08 110	10.00	-RA:02 RA RA	74	23.3	72	22.2	71	21.7	91	5	170		29.84				FM-16		30.02
28	1754	6	BKN:07 13 BKN:07 46 OVC:08 90	10.00	-RA:02 RA RA	74	23.3	72	22.2	71	21.7	91	5	160		29.84			30.03	FM-15	T	30.02
28	1852	6	FEW:02 7 SCT:04 14 SCT:04 65	10.00	RA	73	23.0	71	21.7	70	21.0	89	6	160		29.84				FM-16		30.02
28	1854	7	FEW:02 7 SCT:04 14 SCT:04 65	10.00	RA	73	22.8	71	21.7	70	21.1	90	6	150		29.84	3	-0.01	30.03	SY-MT	T	30.02
28	1910	7	FEW:02 10 BKN:07 17 BKN:07 65	10.00	RA RA	73	22.8	71	21.7	70	21.1	90	6	130		29.85				FM-16	T	30.03
28	1952	6	SCT:04 8 BKN:07 24 OVC:08 65	10.00	-RA:02 RA RA	72	22.0	71	21.5	70	21.0	94	6	160		29.86				FM-16		30.04
28	1954	7	SCT:04 8 BKN:07 24 OVC:08 65	10.00	-RA:02 RA RA	72	22.2	70	21.1	69	20.6	91	6	150		29.86			30.05	FM-15	0.01	30.04
28	2052	6	SCT:04 24 SCT:04 65 OVC:08 150	10.00		70	21.0	67	19.7	66	19.0	88	5	170		29.86				FM-16		30.04
28	2054	7	SCT:04 24 SCT:04 65 OVC:08 150	10.00		70	21.1	68	20.0	67	19.4	90	5	170		29.86			30.04	FM-15	T	30.04
28	2135	7	FEW:02 9 FEW:02 65 BKN:07 120	10.00		69	20.6	68	19.8	67	19.4	93	3	150		29.85				FM-16		30.03
28	2152	6	BKN:07 9 BKN:07 120	10.00		70	21.0	67	19.7	66	19.0	88	0	000		29.85				FM-16		30.03
28	2154	7	BKN:07 9 BKN:07 120	10.00		70	21.1	68	20.0	67	19.4	90	0	000		29.85	0	-0.01	30.04	FM-15	0.00	30.03
28	2252	6	BKN:07 11 OVC:08 120	10.00		70	21.0	67	19.7	66	19.0	88	3	040		29.84				FM-16		30.02
28	2254	7	BKN:07 11 OVC:08 120	10.00		70	21.1	68	20.0	67	19.4	90	0	000		29.84			30.03	FM-15	0.00	30.02
28	2328	7	OVC:08 9	10.00		69	20.6	68	19.8	67	19.4	93	5	090		29.84				FM-16		30.02
28	2354	7	OVC:08 8	10.00	-RA:02 RA RA	69	20.6	68	19.8	67	19.4	93	6	040		29.84			30.03	FM-15	T	30.02
29	0054	7	OVC:08 7	10.00	-RA:02 RA RA	69	20.6	67	19.5	66	18.9	90	5	060		29.83	8	+0.02	30.01	FM-15	T	30.01
29	0100	4	8	9.94	RA	69	20.6	67	19.5	66	18.9	90	5	060		29.83	8	+0.02	30.01	FM-12		
29	0154	7	OVC:08 7	10.00		69	20.6	67	19.5	66	18.9	90	0	000		29.81			30.00	FM-15	T	29.99
29	0254	7	OVC:08 6	10.00		69	20.6	67	19.5	66	18.9	90	0	000		29.81			30.00	FM-15	0.00	29.99
29	0352	6	SCT:04 6 BKN:07 22 OVC:08 140	9.00		70	21.0	67	19.7	66	19.0	88	0	000		29.82				FM-16		30.00
29	0354	7	SCT:04 6 BKN:07 22 OVC:08 140	8.00		69	20.6	67	19.5	66	18.9	90	0	000		29.82	5	+0.01	30.01	FM-15	0.00	30.00
29	0431	7	BKN:07 4 OVC:08 22	7.00		68	20.0	67	19.6	67	19.4	96	0	000		29.82				FM-16		30.00
29	0454	7	OVC:08 3	5.00	BR:1	68	20.0	67	19.6	67	19.4	96	3	060		29.82			30.01	FM-15	0.00	30.00
29	0504	7	OVC:08 3	2.50	BR:1	68	20.0	67	19.6	67	19.4	96	5	090		29.81				FM-16		29.99
29	0543	7	OVC:08 3	1.75	BR:1	68	20.0	67	19.6	67	19.4	96	0	000		29.81				FM-16		29.99
29	0554	7	OVC:08 3	1.50	BR:1	69	20.6	68	19.8	67	19.4	93	3	030		29.82			30.01	FM-15	0.00	30.00
29	0627	7	OVC:08 3	2.50	BR:1	69	20.6	68	19.8	67	19.4	93	6	040		29.83				FM-16		30.01

29	0652	6	OVC:08 4	3.00	BR:1	70	21.0	69	20.4	68	20.0	94	6	040		29.84				FM-16		30.02
29	0654	7	OVC:08 4	3.00	BR:1	70	21.1	69	20.4	68	20.0	93	5	040		29.84	3	-0.02	30.03	FM-15	0.00	30.02
29	0700	4	5	2.98		70	21.1	69	20.4	68	20.0	93	5	040		29.84	3	-0.02	30.03	FM-12		
29	0721	7	OVC:08 6	7.00		71	21.7	69	20.6	68	20.0	90	0	000		29.84				FM-16		30.02
29	0754	7	BKN:07 7 BKN:07 150 OVC:08 300	10.00		72	22.2	69	20.8	68	20.0	87	0	000		29.85			30.04	FM-15	0.00	30.03
29	0852	6	OVC:08 10	10.00		73	23.0	71	21.7	70	21.0	89	0	000		29.85				FM-16		30.03
29	0854	7	OVC:08 10	10.00		74	23.3	71	21.5	69	20.6	85	0	000		29.85			30.04	FM-15	0.00	30.03
29	0954	7	OVC:08 14	10.00		76	24.4	71	21.9	69	20.6	79	0	000		29.84	0	-0.01	30.03	FM-15	0.00	30.02
29	1017	7	OVC:08 15	10.00		77	25.0	72	22.4	70	21.1	79	0	000		29.85				FM-16		30.03
29	1054	7	OVC:08 19	10.00		76	24.4	71	21.9	69	20.6	79	3	060		29.84			30.03	FM-15	0.00	30.02
29	1154	7	OVC:08 20	10.00		77	25.0	72	22.4	70	21.1	79	3	120		29.84			30.03	FM-15	0.00	30.02
29	1254	6	OVC:08 23	10.00		78	25.6	73	22.6	70	21.1	76	6	110		29.83	8	+0.01	30.02	FM-15	0.00	30.01
29	1354	6	BKN:07 28 BKN:07 50 OVC:08 300	10.00		80	26.7	73	22.9	70	21.1	71	6	110		29.82			30.01	FM-15	0.00	30.00
29	1440	7	FEW:02 25 BKN:07 30 BKN:07 50	10.00		82	27.8	74	23.3	70	21.1	67	0	000		29.81				FM-16		29.99
29	1454	7	SCT:04 30 SCT:04 50 BKN:07 150	10.00		80	26.7	74	23.3	71	21.7	74	3	VRB		29.81			30.00	FM-15	0.00	29.99
29	1554	7	FEW:02 25 FEW:02 50 BKN:07 150	10.00		80	26.7	74	23.3	71	21.7	74	8	150		29.80	6	+0.03	29.99	FM-15	0.00	29.98
29	1654	7	FEW:02 20 BKN:07 170 OVC:08 300	10.00		78	25.6	73	22.6	70	21.1	76	8	150		29.80			29.99	FM-15	0.00	29.98
29	1754	7	FEW:02 20 BKN:07 170 OVC:08 300	10.00		77	25.0	73	22.8	71	21.7	82	6	160		29.81			29.99	FM-15	0.00	29.99
29	1854	7	SCT:04 120 BKN:07 170 OVC:08 300	10.00		76	24.4	73	22.6	71	21.7	85	6	160		29.80	3	-0.00	29.99	FM-15	0.00	29.98
29	1900	4		9.94		76	24.4	73	22.6	71	21.7	85	6	160		29.80	3	-0.00	29.99	FM-12		
29	1954	7	FEW:02 20 FEW:02 120 BKN:07 170	10.00		75	23.9	72	22.4	71	21.7	88	3	130		29.81			30.00	FM-15	0.00	29.99
29	2054	7	FEW:02 120 BKN:07 170 OVC:08 300	10.00		74	23.3	72	22.2	71	21.7	91	3	100		29.83			30.02	FM-15	0.00	30.01
29	2136	7	BKN:07 25 OVC:08 170	10.00		74	23.3	72	22.2	71	21.7	91	6	100		29.83				FM-16		30.01
29	2154	7	BKN:07 25 OVC:08 170	10.00		74	23.3	72	22.2	71	21.7	91	5	080		29.83	1	-0.03	30.02	FM-15	0.00	30.01
29	2254	7	FEW:02 14 BKN:07 24 OVC:08 170	10.00		74	23.3	72	22.2	71	21.7	91	6	090		29.83			30.02	FM-15	0.00	30.01
29	2305	7	BKN:07 11 OVC:08 28	10.00		74	23.3	72	22.2	71	21.7	91	3	110		29.83				FM-16		30.01
29	2316	7	BKN:07 8 OVC:08 30	10.00		74	23.3	72	22.2	71	21.7	91	3	110		29.83				FM-16		30.01
29	2354	7	OVC:08 9	10.00		73	22.8	72	22.0	71	21.7	94	7	130		29.83			30.02	FM-15	0.00	30.01
30	0005	7	OVC:08 10	10.00		73	22.8	72	22.0	71	21.7	94	6	140		29.83				FM-16		30.01
30	0054	7	OVC:08 8	10.00		73	22.8	72	22.0	71	21.7	94	6	130		29.82	8	+0.01	30.01	FM-15	0.00	30.00
30	0100	4	8	9.94		73	22.8	72	22.0	71	21.7	94	6	130		29.82	8	+0.01	30.01	FM-12		
30	0144	7	OVC:08 10	10.00		73	22.8	72	22.0	71	21.7	94	5	140		29.81				FM-16		29.99
30	0154	7	OVC:08 10	10.00		73	22.8	72	22.0	71	21.7	94	6	140		29.81			30.00	FM-15	0.00	29.99
30	0254	7	FEW:02 8 OVC:08 12	10.00		73	22.8	72	22.0	71	21.7	94	3	140		29.81			30.00	FM-15	0.00	29.99
30	0315	7	BKN:07 5 OVC:08 12	10.00		73	22.8	72	22.0	71	21.7	94	5	130		29.81				FM-16		29.99

30	0346	7	BKN:07 4 OVC:08 15	8.00		73	22.8	72	22.0	71	21.7	94	0	000		29.81				FM-16		29.99
30	0354	7	BKN:07 4 OVC:08 15	8.00		73	22.8	72	22.0	71	21.7	94	0	000		29.82	5	+0.00	30.01	FM-15	0.00	30.00
30	0440	7	OVC:08 3	2.50	BR:1	73	22.8	72	22.0	71	21.7	94	0	000		29.82				FM-16		30.00
30	0454	7	OVC:08 3	2.50	BR:1	73	22.8	72	22.0	71	21.7	94	3	100		29.82			30.01	FM-15	0.00	30.00
30	0513	7	BKN:07 3 OVC:08 23	1.50	BR:1	73	22.8	72	22.0	71	21.7	94	5	120		29.83				FM-16		30.01
30	0554	7	OVC:08 4	1.50	BR:1	73	22.8	72	22.4	72	22.2	96	3	120		29.84			30.03	FM-15	0.00	30.02
30	0606	7	OVC:08 4	3.00	BR:1	73	22.8	72	22.4	72	22.2	96	3	100		29.85				FM-16		30.03
30	0632	7	OVC:08 5	6.00	BR:1	74	23.3	73	22.6	72	22.2	94	5	100		29.85				FM-16		30.03
30	0654	7	OVC:08 6	9.00		75	23.9	73	22.8	72	22.2	90	3	100		29.86	3	-0.04	30.04	FM-15	0.00	30.04
30	0700	4	5	8.70		75	23.9	73	22.8	72	22.2	90	3	100		29.86	3	-0.04	30.04	FM-12		
30	0752	7	BKN:07 10 OVC:08 50	10.00		75	24.0	73	22.8	72	22.0	89	6	090		29.86				FM-16		30.04
30	0754	7	OVC:08 10	10.00		76	24.4	73	22.9	72	22.2	88	5	100		29.86			30.05	FM-15	0.00	30.04
30	0846	7	SCT:04 11 OVC:08 20	10.00		76	24.4	73	22.9	72	22.2	88	5	080		29.86				FM-16		30.04
30	0852	6	BKN:07 11 OVC:08 20	10.00		75	24.0	73	22.8	72	22.0	89	6	080		29.86				FM-16		30.04
30	0854	7	BKN:07 11 OVC:08 20	10.00		76	24.4	73	22.9	72	22.2	88	6	100		29.86			30.05	FM-15	0.00	30.04
30	0954	7	SCT:04 12 BKN:07 24 OVC:08 60	10.00		78	25.6	75	23.7	73	22.8	85	6	070		29.86	3	-0.00	30.05	FM-15	0.00	30.04
30	1054	7	BKN:07 15 BKN:07 23 OVC:08 150	10.00		79	26.1	75	23.8	73	22.8	82	8	090		29.85			30.04	FM-15	T	30.03
30	1130	7	FEW:02 17 SCT:04 26	10.00		81	27.2	75	24.2	73	22.8	77	11	110		29.85				FM-16		30.03
30	1137	7	BKN:07 17 BKN:07 150 OVC:08 250	10.00		82	27.8	76	24.3	73	22.8	74	9	110		29.85				FM-16		30.03
30	1154	7	BKN:07 23 BKN:07 150 OVC:08 250	10.00		81	27.2	75	23.8	72	22.2	74	10	110		29.85			30.03	FM-15	0.00	30.03
30	1252	6	SCT:04 20 SCT:04 39 OVC:08 150	10.00		82	28.0	76	24.3	73	23.0	74	10	100		29.83				FM-16		30.01
30	1254	7	SCT:04 20 SCT:04 39 OVC:08 150	10.00		83	28.3	76	24.5	73	22.8	72	10	110		29.83	8	+0.04	30.02	FM-15	0.00	30.01
30	1300	4	26	9.94		83	28.3	76	24.5	73	22.8	72	10	110		29.83	8	+0.04	30.02	FM-12		
30	1354	7	SCT:04 20 BKN:07 31 OVC:08 150	10.00		81	27.2	75	24.2	73	22.8	77	15	090		29.81			30.00	FM-15	0.00	29.99
30	1452	6	SCT:04 30 OVC:08 150	10.00	TS:7 TS	79	26.0	74	23.5	72	22.0	79	14	090		29.79				FM-16		29.97
30	1454	7	SCT:04 30 OVC:08 150	10.00	TS:7 TS TS	79	26.1	74	23.5	72	22.2	79	14	100		29.79			29.98	FM-15	0.00	29.97
30	1542	7	SCT:04 47 BKN:07 100 OVC:08 150	6.00	RA:02 BR:1 RA RA	76	24.4	74	23.3	73	22.8	91	8	100		29.80				FM-16	0.02	29.98
30	1554	7	FEW:02 47 BKN:07 110 OVC:08 150	7.00	-RA:02 RA RA	76	24.4	74	23.3	73	22.8	91	8	100		29.79	6	+0.04	29.98	FM-15	0.04	29.97
30	1654	7	SCT:04 39 BKN:07 65 OVC:08 100	9.00	-RA:02 RA RA	76	24.4	74	23.3	73	22.8	91	7	100		29.79			29.98	FM-15	0.03	29.97
30	1722	7	BKN:07 11 BKN:07 60 OVC:08 100	10.00		75	23.9	74	23.1	73	22.8	94	9	110		29.79				FM-16	T	29.97

30	1754	7	BKN:07 11 BKN:07 25 OVC:08 60	10.00	-RA:02 RA RA	75	23.9	73	22.8	72	22.2	90	9	120		29.79			29.98	FM-15	T	29.97
30	1852	6	FEW:02 7 OVC:08 13	10.00		73	23.0	72	22.4	72	22.0	94	8	100		29.79				FM-16		29.97
30	1854	7	FEW:02 7 OVC:08 13	10.00		74	23.3	73	22.6	72	22.2	94	8	100		29.79	6	+0.00	29.98	FM-15	T	29.97
30	1900	4	8	9.94		74	23.3	73	22.6	72	22.2	94	8	100		29.79	6	+0.00	29.98	FM-12		
30	1923	7	OVC:08 9	10.00		74	23.3	73	22.6	72	22.2	94	9	120		29.80				FM-16		29.98
30	1954	7	BKN:07 6 OVC:08 10	10.00		73	22.8	72	22.0	71	21.7	94	8	140		29.81			30.00	FM-15	0.00	29.99
30	2054	7	OVC:08 5	6.00	-RA:02 BR:1 RA RA	73	22.8	72	22.0	71	21.7	94	11	120		29.82			30.01	FM-15	T	30.00
30	2107	7	OVC:08 4	6.00	BR:1	72	22.2	71	21.9	71	21.7	97	8	120		29.83				FM-16	T	30.01
30	2154	7	OVC:08 4	6.00	BR:1	73	22.8	72	22.0	71	21.7	94	8	130		29.82	1	-0.03	30.01	FM-15	T	30.00
30	2254	7	BKN:07 4 OVC:08 110	6.00	BR:1	72	22.2	71	21.9	71	21.7	97	6	110		29.81			29.99	FM-15	0.00	29.99
30	2343	7	OVC:08 5	6.00	BR:1	72	22.2	71	21.5	70	21.1	94	5	120		29.81				FM-16		29.99
30	2354	7	OVC:08 5	6.00	BR:1	72	22.2	71	21.5	70	21.1	94	5	110		29.80			29.99	FM-15	0.00	29.98
31	0038	7	OVC:08 4	5.00	BR:1	72	22.2	71	21.5	70	21.1	94	8	120		29.79				FM-16		29.97
31	0054	7	OVC:08 4	5.00	BR:1	72	22.2	71	21.5	70	21.1	94	7	120		29.79	6	+0.03	29.98	FM-15	0.00	29.97
31	0100	4	5	4.97		72	22.2	71	21.5	70	21.1	94	7	120		29.79	6	+0.03	29.98	FM-12		
31	0154	7	OVC:08 4	4.00	BR:1	72	22.2	71	21.9	71	21.7	97	6	130		29.79			29.98	FM-15	0.00	29.97
31	0254	7	OVC:08 4	3.00	BR:1	72	22.2	71	21.9	71	21.7	97	6	120		29.79			29.98	FM-15	0.00	29.97
31	0346	7	OVC:08 3	2.50	BR:1	72	22.2	71	21.9	71	21.7	97	5	130		29.78				FM-16		29.96
31	0354	7	OVC:08 2	2.00	BR:1	72	22.2	71	21.9	71	21.7	97	6	130		29.78	6	+0.01	29.97	FM-15	0.00	29.96
31	0452	6	BKN:07 5 OVC:08 9	2.50	BR:1	73	23.0	72	22.4	72	22.0	94	6	140		29.79				FM-16		29.97
31	0454	7	OVC:08 5	1.50	BR:1	73	22.8	72	22.4	72	22.2	96	7	140		29.79			29.98	FM-15	0.00	29.97
31	0507	7	BKN:07 3 OVC:08 8	1.25	BR:1	73	22.8	72	22.4	72	22.2	96	7	140		29.79				FM-16		29.97
31	0546	7	OVC:08 3	0.75	-DZ:01 BR:1 DZ DZ	73	22.8	72	22.4	72	22.2	96	6	150		29.79				FM-16	T	29.97
31	0554	7	OVC:08 3	0.75	-DZ:01 BR:1 DZ DZ	73	22.8	72	22.4	72	22.2	96	7	150		29.79			29.98	FM-15	T	29.97
31	0652	6	OVC:08 4	1.00	-DZ:01 BR:1 DZ DZ	73	23.0	73	22.8	73	23.0	100	6	170		29.80				FM-16		29.98
31	0654	7	OVC:08 4	1.00	-DZ:01 BR:1 DZ DZ	74	23.3	73	23.0	73	22.8	97	6	170		29.80	1	-0.01	29.98	FM-15	T	29.98
31	0700	4	5	0.99	DZ	74	23.3	73	23.0	73	22.8	97	6	170		29.80	1	-0.01	29.98	FM-12		
31	0731	7	OVC:08 4	1.50	-DZ:01 BR:1 DZ DZ	74	23.3	73	23.0	73	22.8	97	6	180		29.80				FM-16	T	29.98
31	0740	7	OVC:08 5	1.50	-DZ:01 BR:1 DZ DZ	74	23.3	73	23.0	73	22.8	97	7	180		29.80				FM-16	T	29.98
31	0752	6	OVC:08 5	2.00	BR:1	75	24.0	74	23.1	73	23.0	94	7	180		29.80				FM-16		29.98
31	0754	7	OVC:08 5	2.00	BR:1	75	23.9	74	23.1	73	22.8	94	6	170		29.80			29.98	FM-15	T	29.98
31	0815	7	SCT:04 5 OVC:08 15	3.00	BR:1	75	23.9	74	23.1	73	22.8	94	7	180		29.80				FM-16		29.98
31	0842	7	BKN:07 7 OVC:08 15	3.00	BR:1	75	23.9	74	23.1	73	22.8	94	8	190		29.80				FM-16		29.98
31	0854	7	BKN:07 7 OVC:08 18	3.00	BR:1	76	24.4	74	23.3	73	22.8	91	7	180		29.80			29.99	FM-15	T	29.98
31	0937	7	SCT:04 9 BKN:07 17 BKN:07 150	7.00		78	25.6	75	24.0	74	23.3	87	7	170		29.80				FM-16	T	29.98
31	0954	7	SCT:04 9 BKN:07 17 BKN:07 150	7.00		78	25.6	75	24.0	74	23.3	87	9	180		29.80	0	-0.00	29.98	FM-15	T	29.98
31	1052	6	SCT:04 16 OVC:08 140	10.00		81	27.0	75	24.2	73	23.0	79	7	190		29.79				FM-16		29.97
31	1054	7	SCT:04 16 OVC:08 140	10.00		80	26.7	75	24.0	73	22.8	79	7	190		29.79			29.98	FM-15	0.00	29.97
31	1154	7	SCT:04 20 BKN:07 150 OVC:08 300	10.00		82	27.8	76	24.3	73	22.8	74	9	180		29.78			29.96	FM-15	0.00	29.96
31	1254	7	SCT:04 25 SCT:04 41 BKN:07 150	10.00		85	29.4	77	25.1	74	23.3	70	13	170		29.75	8	+0.04	29.94	FM-15	0.00	29.93

31	1300	4	26	9.94		85	29.4	77	25.1	74	23.3	70	13	170		29.75	8	+0.04	29.94	FM-12		
31	1354	7	SCT:04 28 OVC:08 300	10.00		85	29.4	77	24.8	73	22.8	68	10	170		29.72			29.91	FM-15	0.00	29.90
31	1454	7	FEW:02 29 SCT:04 50 BKN:07 60	10.00		84	28.9	76	24.3	72	22.2	67	14	200		29.71			29.90	FM-15	0.00	29.89
31	1554	7	SCT:04 35 BKN:07 300	10.00		87	30.6	77	24.7	72	22.2	61	13	210		29.70	6	+0.06	29.88	FM-15	T	29.88
31	1654	7	SCT:04 35 BKN:07 300	10.00		84	28.9	76	24.6	73	22.8	70	8	190		29.68			29.87	FM-15	0.00	29.86
31	1754	7	SCT:04 35 BKN:07 300	10.00		84	28.9	76	24.6	73	22.8	70	9	190		29.68			29.87	FM-15	0.00	29.86
31	1854	7	SCT:04 35 SCT:04 100 BKN:07 300	10.00		81	27.2	75	24.1	73	22.8	77	6	190		29.69	5	+0.01	29.88	FM-15	0.00	29.87
31	1900	4	41	9.94		81	27.2	75	24.1	73	22.8	77	6	190		29.69	5	+0.01	29.88	FM-12		
31	1954	7	SCT:04 40 BKN:07 85 BKN:07 300	10.00		79	26.1	75	23.8	73	22.8	82	7	180		29.70			29.89	FM-15	0.00	29.88
31	2054	7	FEW:02 37 BKN:07 80	10.00		80	26.7	75	23.6	72	22.2	76	14	220		29.71			29.90	FM-15	0.00	29.89
31	2154	7	FEW:02 30 FEW:02 65 BKN:07 170	10.00		76	24.4	70	20.8	66	18.9	72	9	270		29.71	0	-0.02	29.90	FM-15	0.00	29.89
31	2254	7	BKN:07 170	10.00		74	23.3	69	20.8	67	19.4	79	0	000		29.71			29.90	FM-15	T	29.89
31	2354	7	FEW:02 45 SCT:04 180 BKN:07 300	10.00		72	22.2	69	20.4	67	19.4	84	0	000		29.70			29.88	FM-15	0.00	29.88

Local Climatological Data Hourly Precipitation May 2018

Generated on 08/29/2018

Date	For Hour (LST) Ending at																						Date			
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID	
01																								01		
02																								02		
03													M											03		
04																								04		
05														T										05		
06																								06		
07																								07		
08																								08		
09																								09		
10																0.02s	0.34	T						10		
11																						T	T	11		
12																								12		
13																								13		
14																			T	0.23	T	T	T	14		
15												T	T											15		
16			T				T	T			0.04	0.01				0.54s	0.03	0.02	0.18	0.01	0.19	0.01	0.01	T	16	
17	0.02	T												0.01	T		0.04	0.07	0.01	T	0.70	1.02	0.80	T	17	
18	0.17	0.22	0.20	0.23	0.12	0.01	T	T	T	T				T	0.41	0.17	0.59	0.04	0.32	1.08	0.15	0.04	0.11	T	18	
19	0.01	0.01	0.01	T	T	T		T		0.07		0.26	0.02	0.27	0.01	0.01	T	0.01					T		19	
20																									20	
21																									21	
22																		0.71	0.63	T	T	0.03	0.01		22	
23		0.01	0.02																						23	
24																									24	
25													M												25	
26																				0.02	T			T	26	
27	T																								27	
28																			T	M	0.01	T			T	28
29	T	T																								29
30																0.04	0.03	T	T			T	T			30
31						T	T	T	T	T						T							T			31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)												
Ending Date Time (yyyy-mm-dd hh:mi)												

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing