

Local Climatological Data
Daily Summary
November 2018

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
 Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Generated on 12/16/2018

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather Type	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH				
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees			
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	74*	55	64	9.1				1	0	0634	1711		T	0.0	0	29.75		12.7	36	180	26	180	
02	72	64	68	13.4				0	3	0635	1710	RA BR	0.05	0.0	0	29.53		12.9	40	210	31	220	
03	64	42	53	-1.3				12	0	0636	1709	RA BR	0.09	0.0	0	29.85		8.4	29	290	23	280	
04	63	37	50	-4.0				15	0	0637	1708		0.00	0.0	0	30.24		6.2	17	100	14	090	
05	62	53	58	4.3				7	0	0638	1707	RA DZ BR	1.22	0.0	0	29.96		6.7	21	070	15	080	
06	72	54	63	9.5				2	0	0639	1706	RA DZ FG BR	0.21	0.0	0	29.76		8.7	32	300	25	290	
07	71	47	59	5.8				6	0	0640	1705		0.00	0.0	0	29.88		2.3	13	270	9	360	
08	63	51	57	4.1				8	0	0641	1704		0.00	0.0	0	30.01		8.2	23	030	18	020	
09	53	48	51	-1.6				14	0	0642	1703	RA DZ BR	0.44	0.0	0	29.93		6.9	15	270	12	270	
10	52	32	42	-10.3				23	0	0643	1703	RA	T	0.0	0	29.92		10.2	27	330	22	330	
11	50	29	40	-12.0				25	0	0645	1702		0.00	0.0	0	30.22		3.5	18	010	13	010	
12	51	32	42	-9.6				23	0	0646	1701	RA BR	0.76	0.0	0	30.17		3.3	12	020	10	020	
13	57	44	51	-0.3				14	0	0647	1700	RA BR	0.39	0.0	0	29.86		6.9	19	310	15	310	
14	46	39	43	-8.0				22	0	0648	1659		0.00	0.0	0	30.22		8.1	19	360	16	350	
15	46	36	41	-9.7				24	0	0649	1659	RA DZ BR	1.02	0.0	0	29.97		13.8	31	030	23	030	
16	53	35	44	-6.4				21	0	0650	1658	DZ BR	0.00s	0.0	0	29.72		9.9	26	250	20	260	
17	54	31	43	-7.0				22	0	0651	1657		0.00	0.0	0	30.05		1.2	14	020	12	040	
18	55	32	44	-5.7				21	0	0652	1657	BR	0.00	0.0	0	30.12		2.2	13	190	9	200	
19	60	35	48	-1.4				17	0	0653	1656	BR	0.00	0.0	0	29.91		5.0	13	240	9	170	
20	65	37	51	2.0				14	0	0654	1656	BR	0.00	0.0	0	29.79		8.0	26	290	21	330	
21	55	29	42	-6.7				23	0	0655	1655		0.00	0.0	0	29.98		5.7	20	330	16	020	
22	43	32	37	-11.3				28	0	0656	1654		0.00	0.0	0	30.22		8.1	22	050	17	050	
23	37	27	32	-16.0				33	0	0657	1654		0.00	0.0	0	30.34		5.0	18	040	14	040	
24	52	33	43	-4.6				22	0	0658	1654	RA BR	1.37	0.0	0	29.77		6.8	34s	300s	26	290	
25	62	34	48	0.7				17	0	0659	1653	MIFG BR FG	0.00	0.0	0	29.71		5.9	13	190	10	200	
26	57	41	49	2.1				16	0	0700	1653	RA DZ BR	0.10		0	29.51		10.1	29	270	23	280	
27	49	33	41	-5.6				24	0	0701	1652		0.00	0.0	0	29.49		9.8	23	330	20	300	
28	44	30	37	-9.2				28	0	0702	1652		0.00	0.0	0	29.65		10.9	26	270	20	310	
29	46	26*	36	-9.9				29	0	0703	1652		0.00	0.0	0	29.91		4.9	17	310	13	300	
30	52	36	44	-1.5				21	0	0704	1652	RA	T	0.0	0	29.85		5.0	13	200	10	200	
	56.0	38.5	47.3										1.47s			29.91	30.10	7.2					
	-5.4	-0.9	-3.1										-1.77s										
	Degree Days											Number of days with...											
	Monthly				Season-to-date				Temperature				Precipitation			Snow		Weather					
	Total	Departure	Total	Departure	Max	Min	Max	Min	Max	Min	Max	Min	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog						
Heating	535	92	736		>=90°	<=32°	<=32°	<=0°	0	0	10	0	2s	2s	0								
Cooling	3	-2	1965		0	0	10	0															
	Date of 5-sec to 3-sec wind equipment change				Sea Level Pressure				Greatest...														
	N/A				Maximum		Date		Time		24-Hr...		Snow Depth										
					30.62		23		0959		Precip		Snowfall										
					29.51		26		1510		1.37												
									Date														
									24-24														
	Station Augmentation																						
	Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																						

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service
Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W
Station: RICHMOND INTERNATIONAL AIRPORT, VA US 13740

Local Climatological Data Hourly Observations November 2018

Generated on 12/16/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	SCT:04 300	10.00		56	13.3	54	12.4	53	11.7	90	10	200		29.81	8	+0.02	30.00	FM-15	0.00	29.99
01	0100	4		9.94		56	13.3	54	12.4	53	11.7	90	10	200		29.81	8	+0.02	30.00	FM-12		
01	0154	7	FEW:02 300	10.00		56	13.3	54	12.4	53	11.7	90	7	200		29.80			29.99	FM-15	0.00	29.98
01	0254	7	FEW:02 300	10.00		56	13.3	54	12.4	53	11.7	90	7	200		29.79			29.98	FM-15	0.00	29.97
01	0354	7	FEW:02 300	10.00		55	12.8	54	12.2	53	11.7	93	9	190		29.79	6	+0.02	29.98	FM-15	0.00	29.97
01	0454	7	BKN:07 240 BKN:07 300	10.00		56	13.3	54	12.4	53	11.7	90	8	190		29.79			29.98	FM-15	0.00	29.97
01	0554	7	BKN:07 230 BKN:07 300	10.00		56	13.3	54	12.4	53	11.7	90	9	190		29.79			29.98	FM-15	0.00	29.97
01	0654	7	SCT:04 240 BKN:07 300	10.00		56	13.3	55	12.7	54	12.2	93	8	190		29.79	0	-0.00	29.98	FM-15	0.00	29.97
01	0700	4		9.94		56	13.3	55	12.7	54	12.2	93	8	190		29.79	9	0.00	29.98	FM-12		
01	0754	7	FEW:02 12 FEW:02 100 BKN:07 250	10.00		57	13.9	56	13.3	55	12.8	93	7	190		29.80			29.99	FM-15	0.00	29.98
01	0854	7	FEW:02 10 FEW:02 150	10.00		62	16.7	60	15.7	59	15.0	90	10	200		29.80			29.99	FM-15	0.00	29.98
01	0954	7	FEW:02 14 FEW:02 250	10.00		68	20.0	63	17.3	60	15.6	76	13	210		29.79	8	+0.00	29.98	FM-15	0.00	29.97
01	1054	7	FEW:02 15 BKN:07 300	10.00		72	22.2	64	17.8	59	15.0	64	17	230		29.78			29.96	FM-15	0.00	29.96
01	1154	7	FEW:02 31 BKN:07 300	10.00		72	22.2	64	17.5	58	14.4	61	23	220	31	29.77			29.96	FM-15	0.00	29.95
01	1254	7	SCT:04 34 BKN:07 300	10.00		71	21.7	63	17.3	58	14.4	63	13	220	31	29.75	8	+0.04	29.94	FM-15	0.00	29.93
01	1300	4	41	9.94		71	21.7	63	17.3	58	14.4	63	13	220		29.75	8	+0.04	29.94	FM-12		
01	1354	7	SCT:04 34 BKN:07 300	10.00		73	22.8	65	18.3	60	15.6	64	16	210	26	29.74			29.93	FM-15	0.00	29.92
01	1454	7	SCT:04 35 BKN:07 44 BKN:07 300	10.00		73	22.8	66	18.7	61	16.1	66	14	190		29.72			29.91	FM-15	0.00	29.90
01	1554	7	FEW:02 40 SCT:04 65 OVC:08 300	10.00		72	22.2	65	18.5	61	16.1	68	11	190		29.69	8	+0.06	29.88	FM-15	0.00	29.87
01	1654	7	FEW:02 40 SCT:04 65 OVC:08 300	10.00		70	21.1	65	18.4	62	16.7	76	9	180		29.69			29.88	FM-15	0.00	29.87
01	1754	7	BKN:07 60 OVC:08 300	10.00		69	20.6	65	18.2	62	16.7	78	8	140		29.68			29.87	FM-15	0.00	29.86
01	1854	7	SCT:04 55 OVC:08 240	10.00		68	20.0	64	18.0	62	16.7	81	11	150		29.65	8	+0.04	29.85	FM-15	0.00	29.83
01	1900	4	57	9.94		68	20.0	64	18.0	62	16.7	81	11	150		29.65	8	+0.04	29.85	FM-12		
01	1954	7	SCT:04 60 BKN:07 110 OVC:08 250	10.00		70	21.1	65	18.4	62	16.7	76	15	170		29.65			29.84	FM-15	0.00	29.83
01	2054	7	FEW:02 40 BKN:07 65 BKN:07 90	10.00		68	20.0	66	18.6	64	17.8	87	18	170		29.63			29.82	FM-15	T	29.81
01	2135	7	BKN:07 24 BKN:07 85	10.00		71	21.7	67	19.2	64	17.8	79	20	180	33	29.63				FM-16		29.81
01	2154	7	BKN:07 22 BKN:07 90	10.00		70	21.1	67	19.4	65	18.3	84	21	180	32	29.61	8	+0.04	29.80	FM-15	0.00	29.79

01	2254	7	BKN:07 20 OVC:08 220	10.00		70	21.1	67	19.4	65	18.3	84	20	180	31	29.58			29.76	FM-15	0.00	29.76
01	2354	7	BKN:07 18 OVC:08 23	10.00		71	21.7	67	19.6	65	18.3	81	21	180	36	29.54			29.73	FM-15	0.00	29.72
02	0040	7	SCT:04 20 BKN:07 80 OVC:08 150	10.00	-RA:02 RA RA	70	21.1	67	19.4	65	18.3	84	23	190	31	29.55				FM-16	T	29.73
02	0054	7	SCT:04 22 BKN:07 50 BKN:07 100	10.00	RA RA	70	21.1	67	19.4	65	18.3	84	22	200	28	29.56	5	+0.04	29.75	FM-15	T	29.74
02	0100	4	26	9.94	RA	70	21.1	67	19.4	65	18.3	84	22	200		29.56	5	+0.04	29.75	FM-12		
02	0154	7	SCT:04 26 BKN:07 41 OVC:08 90	10.00		70	21.1	67	19.4	65	18.3	84	14	190		29.56			29.75	FM-15	T	29.74
02	0254	7	BKN:07 50 OVC:08 65	10.00	-RA:02 RA RA	69	20.6	66	19.2	65	18.3	87	14	190		29.56			29.75	FM-15	T	29.74
02	0354	7	BKN:07 31 OVC:08 95	10.00		69	20.6	66	19.2	65	18.3	87	14	200		29.56	6	+0.01	29.74	FM-15	T	29.74
02	0435	7	OVC:08 27	10.00		69	20.6	66	19.2	65	18.3	87	14	200		29.56				FM-16		29.74
02	0454	7	BKN:07 27 OVC:08 35	10.00		69	20.6	66	19.2	65	18.3	87	13	200		29.56			29.75	FM-15	0.00	29.74
02	0536	7	SCT:04 25 BKN:07 30 OVC:08 45	10.00		69	20.6	66	19.2	65	18.3	87	14	190		29.57				FM-16		29.75
02	0554	7	SCT:04 42 BKN:07 50	10.00		69	20.6	66	19.2	65	18.3	87	11	200		29.57			29.75	FM-15	0.00	29.75
02	0654	7	FEW:02 33 SCT:04 48 OVC:08 150	10.00		69	20.6	66	19.2	65	18.3	87	14	180		29.57	1	-0.01	29.75	FM-15	0.00	29.75
02	0700	4	26	9.94		69	20.6	66	19.2	65	18.3	87	14	180		29.57	1	-0.01	29.75	FM-12		
02	0754	7	FEW:02 15 BKN:07 150 OVC:08 300	10.00		69	20.6	66	19.2	65	18.3	87	14	180		29.56			29.75	FM-15	0.00	29.74
02	0838	7	BKN:07 15 BKN:07 160 OVC:08 300	10.00		69	20.6	66	19.2	65	18.3	87	14	200		29.58				FM-16		29.76
02	0854	7	BKN:07 16 BKN:07 160 OVC:08 300	10.00		69	20.6	66	19.2	65	18.3	87	10	200		29.59			29.78	FM-15	0.00	29.77
02	0954	7	BKN:07 20 BKN:07 160 OVC:08 300	10.00		70	21.1	66	19.0	64	17.8	82	9	210		29.59	3	-0.02	29.78	FM-15	0.00	29.77
02	1054	7	BKN:07 20 BKN:07 110 OVC:08 170	10.00		70	21.1	66	19.0	64	17.8	82	11	200		29.59			29.78	FM-15	0.00	29.77
02	1154	7	BKN:07 21 BKN:07 120 OVC:08 300	10.00		71	21.7	67	19.2	64	17.8	79	10	200		29.57			29.76	FM-15	0.00	29.75
02	1254	7	BKN:07 22 BKN:07 120 OVC:08 300	10.00		71	21.7	67	19.2	64	17.8	79	13	200		29.55	8	+0.04	29.74	FM-15	0.00	29.73
02	1300	4	26	9.94		71	21.7	67	19.2	64	17.8	79	13	200		29.55	8	+0.04	29.74	FM-12		
02	1354	7	BKN:07 23 BKN:07 110 OVC:08 300	10.00		72	22.2	67	19.4	64	17.8	76	16	190		29.52			29.71	FM-15	0.00	29.70
02	1427	7	SCT:04 24 BKN:07 110 BKN:07 200	10.00		72	22.2	67	19.4	64	17.8	76	13	180		29.52				FM-16		29.69
02	1454	7	SCT:04 24 BKN:07 100 BKN:07 200	10.00		71	21.7	67	19.2	64	17.8	79	10	170		29.52			29.70	FM-15	0.00	29.69
02	1554	7	FEW:02 21 BKN:07 75 BKN:07 150	10.00		71	21.7	67	19.2	64	17.8	79	13	170		29.50	6	+0.05	29.69	FM-15	0.00	29.68

02	1654	7	FEW:02 20 BKN:07 45 OVC:08 150	10.00	-RA:02 RA RA	71	21.7	67	19.6	65	18.3	81	10	160		29.48			29.67	FM-15	T	29.66
02	1754	7	BKN:07 21 OVC:08 35	10.00		70	21.1	67	19.7	66	18.9	87	9	160		29.47			29.65	FM-15	T	29.64
02	1850	7	SCT:04 18 SCT:04 23 OVC:08 110	10.00		72	22.0	68	20.1	66	19.0	83	17	180		29.45				FM-16		29.63
02	1854	7	SCT:04 18 OVC:08 110	10.00		71	21.7	68	20.2	67	19.4	87	16	170		29.45	6	+0.03	29.63	FM-15	0.00	29.63
02	1900	4	15	9.94		71	21.7	68	20.2	67	19.4	87	16	170		29.45	6	+0.03	29.63	FM-12		
02	1927	7	BKN:07 15 OVC:08 100	10.00		71	21.7	68	20.2	67	19.4	87	15	170	24	29.44				FM-16		29.61
02	1954	7	BKN:07 17 OVC:08 100	10.00		71	21.7	68	19.9	66	18.9	84	17	160	26	29.42			29.60	FM-15	0.00	29.60
02	2052	6	SCT:04 22 BKN:07 33 OVC:08 50	4.00	RA:02 RA RA	66	19.0	64	17.9	63	17.0	88	20	210	33	29.47				FM-16		29.64
02	2054	7	SCT:04 22 BKN:07 33 OVC:08 50	4.00	RA:02 BR:1 RA RA	66	18.9	64	17.5	62	16.7	87	20	220	30	29.47			29.65	FM-15	0.03	29.64
02	2154	7	BKN:07 44 OVC:08 65	10.00	-RA:02 RA RA	64	17.8	63	17.1	62	16.7	93	10	200		29.47	3	-0.03	29.66	FM-15	T	29.65
02	2254	7	BKN:07 47 BKN:07 90	10.00		64	17.8	63	17.1	62	16.7	93	9	200		29.47			29.66	FM-15	T	29.65
02	2354	7	SCT:04 49 OVC:08 85	8.00	-RA:02 RA RA	64	17.8	63	17.1	62	16.7	93	9	180		29.47			29.65	FM-15	0.02	29.64
03	0054	7	FEW:02 19 BKN:07 50 OVC:08 85	10.00		63	17.2	62	16.6	61	16.1	93	0	000		29.48	3	-0.01	29.67	FM-15	0.01	29.66
03	0100	4	15	9.94		63	17.2	62	16.6	61	16.1	93	0	000		29.48	3	-0.01	29.67	FM-12		
03	0130	7	BKN:07 9 OVC:08 50	10.00		57	13.9	55	13.0	54	12.2	90	11	040		29.49				FM-16		29.67
03	0154	7	BKN:07 13 OVC:08 50	10.00		56	13.3	54	12.4	53	11.7	90	11	020		29.52			29.70	FM-15	0.00	29.69
03	0254	7	BKN:07 13 BKN:07 25 OVC:08 50	10.00		56	13.3	54	12.1	52	11.1	87	8	010		29.52			29.70	FM-15	0.00	29.69
03	0333	7	SCT:04 13 BKN:07 26 OVC:08 33	10.00		55	12.8	53	11.6	51	10.6	87	10	360		29.52				FM-16		29.69
03	0354	7	BKN:07 33 OVC:08 250	10.00		55	12.8	53	11.6	51	10.6	87	6	330		29.53	1	-0.05	29.72	FM-15	0.00	29.71
03	0454	7	BKN:07 33 BKN:07 250	10.00		55	12.8	52	11.3	50	10.0	83	10	310		29.59			29.78	FM-15	T	29.77
03	0554	7	SCT:04 16 BKN:07 29 OVC:08 42	5.00	RA:02 BR:1 RA RA	53	11.7	51	10.8	50	10.0	89	9	280		29.66			29.85	FM-15	0.07	29.84
03	0654	7	SCT:04 13 SCT:04 35 SCT:04 250	10.00		53	11.7	50	10.0	47	8.3	80	13	290		29.70	1	-0.17	29.89	FM-15	0.01	29.88
03	0700	4	15	9.94		53	11.7	50	10.0	47	8.3	80	13	290		29.70	1	-0.17	29.89	FM-12		
03	0754	7	FEW:02 18 FEW:02 50	10.00		53	11.7	50	10.0	47	8.3	80	15	280		29.76			29.95	FM-15	0.00	29.94
03	0854	7	FEW:02 15 FEW:02 50	10.00		55	12.8	50	10.0	45	7.2	69	11	260		29.81			30.00	FM-15	0.00	29.99
03	0954	7	FEW:02 20 FEW:02 50	10.00		57	13.9	49	9.3	40	4.4	53	13	280		29.85	1	-0.15	30.04	FM-15	0.00	30.03
03	1054	7	FEW:02 45	10.00		58	14.4	48	9.1	38	3.3	48	17	290		29.87			30.06	FM-15	0.00	30.05
03	1154	7	FEW:02 50	10.00		61	16.1	49	9.7	37	2.8	41	20	280	26	29.89			30.08	FM-15	0.00	30.07
03	1254	7	FEW:02 50 SCT:04 250	10.00		62	16.7	49	9.5	35	1.7	37	17	280	25	29.91	3	-0.06	30.10	FM-15	0.00	30.09
03	1300	4	57	9.94		62	16.7	49	9.5	35	1.7	37	17	280		29.91	3	-0.06	30.10	FM-12		
03	1354	7	FEW:02 65	10.00		62	16.7	49	9.3	34	1.1	35	13	280		29.93			30.12	FM-15	0.00	30.11

03	1454	7	FEW:02 60	10.00		62	16.7	49	9.3	34	1.1	35	13	290		29.96			30.15	FM-15	0.00	30.14
03	1554	7	CLR:00	10.00		61	16.1	48	8.9	33	0.6	35	9	300	16	29.99	3	-0.08	30.18	FM-15	0.00	30.17
03	1654	7	CLR:00	10.00		58	14.4	47	8.3	34	1.1	41	6	330		30.03			30.23	FM-15	0.00	30.21
03	1754	7	FEW:02 60	10.00		56	13.3	46	8.0	35	1.7	46	0	000		30.08			30.27	FM-15	0.00	30.26
03	1854	7	CLR:00	10.00		47	8.3	44	6.5	40	4.4	77	3	150		30.12	1	-0.13	30.31	FM-15	0.00	30.30
03	1900	4		9.94		47	8.3	44	6.5	40	4.4	77	3	150		30.12	1	-0.13	30.31	FM-12		
03	1954	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	0	000		30.14			30.33	FM-15	0.00	30.32
03	2054	7	CLR:00	10.00		46	7.8	44	6.5	41	5.0	83	3	360		30.17			30.36	FM-15	0.00	30.35
03	2154	7	CLR:00	10.00		45	7.2	42	5.7	39	3.9	80	3	030		30.19	3	-0.08	30.39	FM-15	0.00	30.37
03	2254	7	CLR:00	10.00		45	7.2	42	5.5	38	3.3	77	0	000		30.21			30.40	FM-15	0.00	30.39
03	2354	7	CLR:00	10.00		42	5.6	40	4.3	37	2.8	82	0	000		30.22			30.41	FM-15	0.00	30.40
04	0054	7	CLR:00	10.00		43	6.1	40	4.7	37	2.8	80	0	000		30.23	1	-0.04	30.42	FM-15	0.00	30.41
04	0100	4		9.94		43	6.1	40	4.7	37	2.8	80	0	000		30.23	1	-0.04	30.42	FM-12		
04	0154	7	CLR:00	10.00		41	5.0	39	3.8	36	2.2	82	3	040		30.24			30.43	FM-15	0.00	30.42
04	0254	7	CLR:00	10.00		41	5.0	38	3.6	35	1.7	79	3	050		30.24			30.44	FM-15	0.00	30.42
04	0354	7	CLR:00	10.00		41	5.0	38	3.6	35	1.7	79	3	060		30.25	1	-0.02	30.44	FM-15	0.00	30.43
04	0454	7	CLR:00	10.00		39	3.9	37	2.7	34	1.1	82	5	020		30.27			30.47	FM-15	0.00	30.45
04	0554	7	CLR:00	10.00		39	3.9	37	3.0	35	1.7	86	5	040		30.29			30.49	FM-15	0.00	30.47
04	0654	7	CLR:00	10.00		38	3.3	36	2.4	34	1.1	86	0	000		30.31	1	-0.06	30.51	FM-15	0.00	30.49
04	0700	4		9.94		38	3.3	36	2.4	34	1.1	86	0	000		30.31	1	-0.06	30.51	FM-12		
04	0754	7	CLR:00	10.00		46	7.8	43	6.0	39	3.9	77	3	050		30.34			30.54	FM-15	0.00	30.52
04	0854	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	8	070		30.35			30.55	FM-15	0.00	30.53
04	0954	7	CLR:00	10.00		55	12.8	47	8.6	39	3.9	55	9	080		30.34	0	-0.03	30.53	FM-15	0.00	30.52
04	1054	7	CLR:00	10.00		57	13.9	48	9.1	39	3.9	51	10	080		30.33			30.53	FM-15	0.00	30.51
04	1154	7	CLR:00	10.00		59	15.0	50	10.1	41	5.0	51	13	070		30.30			30.50	FM-15	0.00	30.48
04	1254	7	FEW:02 80	10.00		61	16.1	50	10.1	39	3.9	44	9	070		30.27	8	+0.07	30.46	FM-15	0.00	30.45
04	1300	4	74	9.94		61	16.1	50	10.1	39	3.9	44	9	070		30.27	8	+0.07	30.46	FM-12		
04	1354	7	SCT:04 50	10.00		62	16.7	51	10.6	40	4.4	44	10	090		30.24			30.43	FM-15	0.00	30.42
04	1454	7	SCT:04 45	10.00		62	16.7	52	11.1	42	5.6	48	6	120		30.22			30.42	FM-15	0.00	30.40
04	1554	7	BKN:07 43 BKN:07 50	10.00		60	15.6	52	11.0	44	6.7	56	11	110		30.21	6	+0.06	30.41	FM-15	0.00	30.39
04	1654	7	BKN:07 37 BKN:07 300	10.00		58	14.4	51	10.8	45	7.2	62	8	110		30.19			30.39	FM-15	0.00	30.37
04	1754	7	FEW:02 40 FEW:02 300	10.00		53	11.7	49	9.5	45	7.2	74	7	090		30.19			30.39	FM-15	0.00	30.37
04	1854	7	BKN:07 30	10.00		54	12.2	50	10.0	46	7.8	75	7	080		30.18	6	+0.03	30.38	FM-15	0.00	30.36
04	1900	4	26	9.94		54	12.2	50	10.0	46	7.8	75	7	080		30.18	6	+0.03	30.38	FM-12		
04	1954	7	OVC:08 32	10.00		53	11.7	50	10.0	47	8.3	80	6	070		30.18			30.38	FM-15	0.00	30.36
04	2054	7	SCT:04 30 OVC:08 300	10.00		51	10.6	49	9.2	46	7.8	83	5	030		30.18			30.37	FM-15	0.00	30.36
04	2154	7	BKN:07 50 BKN:07 75 OVC:08 250	10.00		52	11.1	49	9.7	47	8.3	83	5	030		30.19	5	+0.00	30.38	FM-15	0.00	30.37
04	2254	7	BKN:07 47 OVC:08 250	10.00		52	11.1	49	9.7	47	8.3	83	5	040		30.15			30.35	FM-15	0.00	30.33
04	2354	7	BKN:07 47 BKN:07 80	10.00		53	11.7	51	10.5	49	9.4	86	7	080		30.12			30.32	FM-15	0.00	30.30
05	0054	7	BKN:07 50 BKN:07 70 OVC:08 200	10.00		54	12.2	52	11.1	50	10.0	87	3	080		30.11	6	+0.08	30.30	FM-15	0.00	30.29
05	0100	4	57	9.94		54	12.2	52	11.1	50	10.0	87	3	080		30.11	6	+0.08	30.30	FM-12		
05	0154	7	FEW:02 35 BKN:07 47 OVC:08 150	10.00		54	12.2	52	11.3	51	10.6	90	6	060		30.08			30.27	FM-15	0.00	30.26
05	0254	7	FEW:02 85 BKN:07 95 OVC:08 110	6.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	14	080		29.99			30.19	FM-15	0.07	30.17
05	0342	7	BKN:07 12 BKN:07 40 OVC:08 100	8.00	-DZ:01 DZ DZ	57	13.9	55	13.0	54	12.2	90	9	060		29.98				FM-16	0.03	30.16

05	0354	7	BKN:07 12 BKN:07 40 OVC:08 95	8.00	-DZ:01 DZ DZ	57	13.9	55	13.0	54	12.2	90	8	070		29.97	7	+0.14	30.16	FM-15	0.02	30.15
05	0444	7	OVC:08 10	2.50	RA:02 BR:1 RA RA	56	13.3	55	13.0	55	12.8	97	8	010		29.99				FM-16	0.03	30.17
05	0454	7	OVC:08 10	2.50	RA:02 BR:1 RA RA	56	13.3	55	13.0	55	12.8	97	8	360		29.99			30.18	FM-15	0.08	30.17
05	0524	7	FEW:02 4 BKN:07 11 OVC:08 18	2.00	RA:02 BR:1 RA RA	56	13.3	55	13.0	55	12.8	97	10	030		29.97				FM-16	0.08	30.15
05	0554	7	FEW:02 3 BKN:07 13 OVC:08 26	2.00	RA:02 BR:1 RA RA	57	13.9	56	13.6	56	13.3	96	13	030		29.96			30.15	FM-15	0.25	30.14
05	0601	7	FEW:02 3 BKN:07 16 OVC:08 26	1.50	+RA:02 BR:1 RA RA	57	13.9	56	13.6	56	13.3	96	10	030		29.96				FM-16	0.07	30.14
05	0620	7	FEW:02 5 SCT:04 18 OVC:08 24	3.00	RA:02 BR:1 RA RA	58	14.4	57	13.8	56	13.3	93	10	040		29.95				FM-16	0.24	30.13
05	0630	7	FEW:02 4 BKN:07 23 OVC:08 31	1.75	+RA:02 BR:1 RA RA	58	14.4	57	13.8	56	13.3	93	10	030		29.94				FM-16	0.26	30.12
05	0642	7	BKN:07 4 OVC:08 25	2.00	+RA:02 BR:1 RA RA	58	14.4	57	14.1	57	13.9	97	10	050		29.94				FM-16	0.41	30.12
05	0654	7	BKN:07 4 BKN:07 23 OVC:08 34	2.00	+RA:02 BR:1 RA RA	58	14.4	57	14.1	57	13.9	97	8	040		29.93	8	+0.03	30.13	FM-15	0.49	30.11
05	0700	4	5	1.99	RA	58	14.4	57	14.1	57	13.9	97	8	040		29.93	8	+0.03	30.13	FM-12		
05	0707	7	BKN:07 5 BKN:07 23 OVC:08 34	1.50	+RA:02 BR:1 RA RA	58	14.4	57	14.1	57	13.9	97	3	VRB		29.95				FM-16	0.06	30.13
05	0724	7	SCT:04 5 BKN:07 23 OVC:08 50	2.50	RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	7	310		29.97				FM-16	0.16	30.15
05	0736	7	BKN:07 9 BKN:07 23 OVC:08 35	3.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	7	350		29.96				FM-16	0.17	30.14
05	0745	7	SCT:04 9 BKN:07 25 OVC:08 47	3.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	7	020		29.95				FM-16	0.18	30.13
05	0754	7	FEW:02 9 SCT:04 26 OVC:08 37	4.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	8	030		29.95			30.14	FM-15	0.17	30.13
05	0819	7	FEW:02 8 BKN:07 17 OVC:08 31	1.50	-RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	5	VRB		29.97				FM-16	0.02	30.15
05	0828	7	BKN:07 5 OVC:08 14	0.75	RA:02 BR:1 RA RA	59	15.0	58	14.7	58	14.4	96	6	300		29.97				FM-16	0.04	30.15
05	0845	7	SCT:04 5 BKN:07 16 OVC:08 31	1.00	-RA:02 BR:1 RA RA	59	15.0	58	14.7	58	14.4	96	7	350		29.96				FM-16	0.08	30.14
05	0852	6	SCT:04 5 BKN:07 16 OVC:08 31	3.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	57	14.0	94	7	340		29.96				FM-16		30.14
05	0854	7	SCT:04 5 BKN:07 16 OVC:08 34	3.00	-RA:02 BR:1 RA RA	59	15.0	58	14.7	58	14.4	96	6	350		29.96			30.15	FM-15	0.09	30.14
05	0926	7	SCT:04 4 BKN:07 20 OVC:08 33	1.50	-RA:02 BR:1 RA RA	60	15.6	59	14.9	58	14.4	93	6	340		29.95				FM-16	0.01	30.13
05	0940	7	FEW:02 5 BKN:07 23 OVC:08 35	1.25	-RA:02 BR:1 RA RA	60	15.6	59	14.9	58	14.4	93	7	020		29.94				FM-16	0.04	30.12
05	0954	7	SCT:04 3 BKN:07 23 OVC:08 35	5.00	-DZ:01 BR:1 DZ DZ	60	15.6	59	15.2	59	15.0	96	9	020		29.94	0	-0.00	30.13	FM-15	0.05	30.12

05	1003	7	BKN:07 3 BKN:07 28 OVC:08 55	5.00	-DZ:01 BR:1 DZ DZ	60	15.6	59	15.2	59	15.0	96	9	040		29.93				FM-16	T	30.11
05	1054	7	OVC:08 4	10.00	-RA:02 RA RA	62	16.7	61	16.0	60	15.6	93	7	360		29.93		30.12	FM-15	T	30.11	
05	1154	7	OVC:08 4	5.00	BR:1	61	16.1	60	15.5	59	15.0	93	11	350		29.91		30.10	FM-15	T	30.09	
05	1213	7	OVC:08 5	4.00	-DZ:01 BR:1 DZ DZ	61	16.1	60	15.5	59	15.0	93	11	350		29.90			FM-16	T	30.08	
05	1231	7	OVC:08 3	3.00	-DZ:01 BR:1 DZ DZ	60	15.6	59	14.9	58	14.4	93	10	310		29.90			FM-16	T	30.08	
05	1254	7	OVC:08 3	3.00	-DZ:01 BR:1 DZ DZ	60	15.6	59	14.9	58	14.4	93	8	310		29.90	8	+0.04	30.09	FM-15	T	30.08
05	1300	4	2	2.98	DZ	60	15.6	59	14.9	58	14.4	93	8	310		29.90	8	+0.04	30.09	FM-12		
05	1313	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	59	15.0	58	14.7	58	14.4	96	9	300		29.90			FM-16	T	30.08	
05	1354	7	OVC:08 4	2.50	-DZ:01 BR:1 DZ DZ	58	14.4	57	14.1	57	13.9	97	7	300		29.90		30.09	FM-15	T	30.08	
05	1415	7	OVC:08 4	4.00	BR:1	58	14.4	57	13.8	56	13.3	93	9	300		29.90			FM-16	T	30.08	
05	1454	7	OVC:08 4	5.00	BR:1	58	14.4	57	13.8	56	13.3	93	9	310		29.90		30.09	FM-15	T	30.08	
05	1554	7	OVC:08 4	8.00		56	13.3	55	12.7	54	12.2	93	8	310		29.92	3	-0.02	30.11	FM-15	0.00	30.10
05	1654	7	OVC:08 4	10.00		56	13.3	55	12.7	54	12.2	93	7	310		29.90		30.09	FM-15	0.00	30.08	
05	1754	7	OVC:08 4	10.00		56	13.3	55	12.7	54	12.2	93	7	300		29.91		30.10	FM-15	0.00	30.09	
05	1854	7	OVC:08 4	6.00	BR:1	55	12.8	54	12.2	53	11.7	93	7	340		29.92	3	-0.01	30.11	FM-15	0.00	30.10
05	1900	4	5	5.59		55	12.8	54	12.2	53	11.7	93	7	340		29.92	3	-0.01	30.11	FM-12		
05	1954	7	OVC:08 4	10.00		55	12.8	54	12.2	53	11.7	93	6	320		29.93		30.12	FM-15	0.00	30.11	
05	2054	7	OVC:08 4	9.00		55	12.8	54	12.2	53	11.7	93	0	000		29.93		30.12	FM-15	0.00	30.11	
05	2154	7	OVC:08 4	9.00		55	12.8	54	12.2	53	11.7	93	0	000		29.92	0	-0.00	30.12	FM-15	0.00	30.10
05	2254	7	OVC:08 4	6.00	BR:1	55	12.8	54	12.2	53	11.7	93	0	000		29.90		30.09	FM-15	0.00	30.08	
05	2354	7	OVC:08 3	2.50	BR:1	55	12.8	54	12.2	53	11.7	93	0	000		29.89		30.09	FM-15	0.00	30.07	
06	0027	7	VV:09 3	0.50	FG:2 FG	55	12.8	54	12.2	53	11.7	93	3	170		29.89			FM-16		30.07	
06	0054	7	VV:09 3	0.50	FG:2 FG	55	12.8	54	12.2	53	11.7	93	0	000		29.88	6	+0.05	30.07	FM-15	0.00	30.06
06	0100	4	2	0.50	FG	55	12.8	54	12.2	53	11.7	93	0	000		29.88	6	+0.05	30.07	FM-12		
06	0122	7	VV:09 3	1.00	BR:1	54	12.2	53	11.9	53	11.7	97	5	140		29.86			FM-16		30.04	
06	0154	7	OVC:08 2	1.25	BR:1	54	12.2	53	11.9	53	11.7	97	6	130		29.85		30.04	FM-15	0.00	30.03	
06	0217	7	BKN:07 2 OVC:08 12	2.00	BR:1	55	12.8	54	12.2	53	11.7	93	7	150		29.84			FM-16		30.02	
06	0238	7	OVC:08 2	1.75	BR:1	55	12.8	54	12.5	54	12.2	96	7	140		29.83			FM-16		30.01	
06	0254	7	OVC:08 2	1.75	BR:1	55	12.8	54	12.5	54	12.2	96	8	120		29.82		30.01	FM-15	0.00	30.00	
06	0316	7	OVC:08 3	3.00	BR:1	55	12.8	54	12.5	54	12.2	96	8	140		29.81			FM-16		29.99	
06	0354	7	OVC:08 2	4.00	BR:1	56	13.3	55	12.7	54	12.2	93	5	150		29.81	6	+0.06	30.01	FM-15	0.00	29.99
06	0445	7	OVC:08 2	1.75	RA:02 BR:1 RA RA	56	13.3	55	13.0	55	12.8	97	0	000		29.81			FM-16	0.01	29.99	
06	0454	7	OVC:08 2	1.50	-RA:02 BR:1 RA RA	56	13.3	55	13.0	55	12.8	97	0	000		29.81		30.00	FM-15	0.02	29.99	
06	0515	7	OVC:08 3	2.50	BR:1	56	13.3	55	13.0	55	12.8	97	6	130		29.79			FM-16	T	29.97	
06	0531	7	OVC:08 3	1.50	BR:1	56	13.3	55	13.0	55	12.8	97	7	130		29.77			FM-16	T	29.95	
06	0552	6	VV:09 3	1.00	BR:1	57	14.0	56	13.3	55	13.0	94	8	130		29.77			FM-16		29.95	
06	0554	7	VV:09 3	1.00	BR:1	57	13.9	56	13.6	56	13.3	96	8	130		29.76		29.96	FM-15	0.01	29.94	
06	0643	7	OVC:08 2	0.50s	BR:1 s s	59	15.0	58	14.4	57	13.9	93	7	170		29.75			FM-16		29.93	
06	0654	7	OVC:08 2	0.50	FG:2 FG	60	15.6	59	14.9	58	14.4	93	10	150		29.74	6	+0.06	29.93	FM-15	0.00	29.92
06	0700	4	2	0.50	FG	60	15.6	59	14.9	58	14.4	93	10	150		29.74	6	+0.06	29.93	FM-12		
06	0754	7	OVC:08 2	0.50	RA:02 FG:2 FG RA RA	63	17.2	62	16.9	62	16.7	97	18	180		29.75		29.94	FM-15	0.03	29.93	
06	0809	7	BKN:07 5 BKN:07 15 OVC:08 60	3.00	-RA:02 BR:1 RA RA	64	17.8	63	17.4	63	17.2	96	17	170	29	29.75			FM-16	0.03	29.93	
06	0833	7	OVC:08 4	1.75	-DZ:01 BR:1 DZ DZ	65	18.3	64	18.0	64	17.8	97	14	160		29.73			FM-16	0.03	29.91	
06	0845	7	OVC:08 4	2.50	-DZ:01 BR:1 DZ DZ	65	18.3	64	18.0	64	17.8	97	14	170		29.73			FM-16	0.04	29.91	
06	0854	7	OVC:08 4	3.00	BR:1	66	18.9	65	18.5	65	18.3	96	16	180		29.73		29.92	FM-15	0.02	29.91	
06	0919	7	OVC:08 5	4.00	BR:1	67	19.4	66	19.1	66	18.9	97	20	190	25	29.73			FM-16		29.91	
06	0954	7	BKN:07 9 BKN:07 25 OVC:08 300	6.00	BR:1	70	21.1	68	20.0	67	19.4	90	17	190	30	29.71	8	+0.04	29.90	FM-15	0.01	29.89
06	1012	7	OVC:08 12	9.00		70	21.1	68	20.0	67	19.4	90	14	200		29.73			FM-16		29.91	
06	1054	7	BKN:07 14 OVC:08 28	10.00		71	21.7	68	20.2	67	19.4	87	14	190		29.71		29.91	FM-15	0.00	29.89	
06	1107	7	BKN:07 16 OVC:08 35	10.00		71	21.7	68	20.2	67	19.4	87	17	190		29.71			FM-16		29.89	

06	1154	7	BKN:07 19 OVC:08 35	10.00		72	22.2	69	20.8	68	20.0	87	14	200		29.68			29.87	FM-15	0.00	29.86
06	1238	7	FEW:02 11 BKN:07 17 OVC:08 40	2.00	RA:02 BR:1 RA RA	66	18.9	64	17.5	62	16.7	87	24	300	32	29.69				FM-16	T	29.87
06	1254	7	FEW:02 11 BKN:07 21 OVC:08 40	2.50	-RA:02 BR:1 RA RA	63	17.2	61	16.2	60	15.6	90	9	270	23	29.69	5	+0.02	29.88	FM-15	0.12	29.87
06	1300	4	15	2.49	RA	63	17.2	61	16.2	60	15.6	90	9	270		29.69	5	+0.02	29.88	FM-12		
06	1304	7	FEW:02 16 BKN:07 32 OVC:08 55	7.00	-RA:02 RA RA	63	17.2	61	16.2	60	15.6	90	11	250		29.69				FM-16		29.87
06	1354	7	BKN:07 37 OVC:08 50	10.00	-RA:02 RA RA	64	17.8	62	16.5	60	15.6	87	7	240		29.67				FM-15	0.01	29.85
06	1454	7	BKN:07 46 BKN:07 70 OVC:08 95	10.00		64	17.8	62	16.8	61	16.1	90	6	210		29.68				FM-15	T	29.86
06	1554	7	OVC:08 60	10.00	-RA:02 RA RA	64	17.8	62	16.5	60	15.6	87	14	220		29.70	3	-0.01	29.89	FM-15	T	29.88
06	1654	7	SCT:04 80 BKN:07 120	10.00		63	17.2	61	16.2	60	15.6	90	7	210		29.68				FM-15	T	29.86
06	1754	7	BKN:07 100	10.00		63	17.2	61	16.2	60	15.6	90	10	220		29.71				FM-15	0.00	29.89
06	1854	7	SCT:04 110	10.00		62	16.7	61	16.0	60	15.6	93	5	250		29.73	3	-0.03	29.92	FM-15	T	29.91
06	1900	4		9.94		62	16.7	61	16.0	60	15.6	93	5	250		29.73	3	-0.03	29.92	FM-12		
06	1954	7	SCT:04 110	10.00		62	16.7	60	15.7	59	15.0	90	7	250		29.75				FM-15	0.00	29.93
06	2054	7	FEW:02 110	10.00		59	15.0	58	14.4	57	13.9	93	6	220		29.77				FM-15	0.00	29.95
06	2154	7	SCT:04 110	10.00		61	16.1	59	15.1	58	14.4	90	8	240		29.79	3	-0.06	29.98	FM-15	0.00	29.97
06	2254	7	FEW:02 110 BKN:07 250	10.00		60	15.6	58	14.6	57	13.9	90	8	240		29.79				FM-15	0.00	29.97
06	2354	7	BKN:07 250	10.00		60	15.6	58	14.6	57	13.9	90	7	260		29.80				FM-15	0.00	29.98
07	0054	7	BKN:07 250	10.00		58	14.4	56	13.5	55	12.8	90	6	260		29.81	3	-0.02	30.00	FM-15		29.99
07	0100	4		9.94		58	14.4	56	13.5	55	12.8	90	6	260		29.81	3	-0.02	30.00	FM-12		
07	0154	7	FEW:02 250	10.00		57	13.9	55	13.0	54	12.2	90	6	260		29.82				FM-15		30.00
07	0254	7	FEW:02 250	10.00		56	13.3	54	12.4	53	11.7	90	6	280		29.84				FM-15		30.02
07	0354	7	FEW:02 250	10.00		54	12.2	52	11.3	51	10.6	90	0	000		29.86	3	-0.05	30.05	FM-15		30.04
07	0454	7	FEW:02 250	10.00		51	10.6	49	9.7	48	8.9	89	0	000		29.87				FM-15		30.05
07	0554	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	0	000		29.89				FM-15		30.07
07	0654	7	FEW:02 200	10.00		48	8.9	47	8.1	45	7.2	89	0	000		29.90	1	-0.04	30.09	FM-15		30.08
07	0700	4		9.94		48	8.9	47	8.1	45	7.2	89	0	000		29.90	1	-0.04	30.09	FM-12		
07	0754	7	FEW:02 200	10.00		51	10.6	50	10.3	50	10.0	96	5	130		29.91				FM-15		30.09
07	0854	7	FEW:02 150	10.00		60	15.6	55	12.6	50	10.0	70	0	000		29.94				FM-15		30.12
07	0954	7	FEW:02 120	10.00		66	18.9	56	13.2	47	8.3	50	0	000		29.94	1	-0.04	30.14	FM-15	0.00	30.12
07	1054	7	SCT:04 120	10.00		68	20.0	54	12.5	42	5.6	39	7	310		29.93				FM-15	0.00	30.11
07	1154	7	BKN:07 120	10.00		67	19.4	54	12.0	41	5.0	39	7	200		29.92				FM-15	0.00	30.10
07	1254	7	BKN:07 130	10.00		68	20.0	55	12.7	43	6.1	40	6	190		29.90	8	+0.04	30.09	FM-15	0.00	30.08
07	1300	4		9.94		68	20.0	55	12.7	43	6.1	40	6	190		29.90	8	+0.04	30.09	FM-12		
07	1354	7	BKN:07 130	10.00		68	20.0	55	12.7	43	6.1	40	5	160		29.89				FM-15	0.00	30.07
07	1454	7	BKN:07 140	10.00		69	20.6	55	13.0	43	6.1	39	5	160		29.89				FM-15	0.00	30.07
07	1554	7	SCT:04 140	10.00		69	20.6	55	13.0	43	6.1	39	0	000		29.90	5	+0.00	30.09	FM-15	0.00	30.08
07	1654	7	FEW:02 140	10.00		66	18.9	55	13.0	46	7.8	49	0	000		29.91				FM-15	0.00	30.09
07	1754	7	SCT:04 140 SCT:04 300	10.00		58	14.4	54	12.1	50	10.0	75	0	000		29.92				FM-15	0.00	30.10
07	1854	7	OVC:08 190	10.00		57	13.9	54	12.1	51	10.6	81	3	070		29.92	1	-0.01	30.11	FM-15	0.00	30.10
07	1900	4		9.94		57	13.9	54	12.1	51	10.6	81	3	070		29.92	1	-0.01	30.11	FM-12		
07	1954	7	SCT:04 190	10.00		57	13.9	53	11.5	49	9.4	74	0	000		29.92				FM-15	0.00	30.10
07	2054	7	SCT:04 100 OVC:08 190	10.00		57	13.9	52	11.3	48	8.9	72	0	000		29.93				FM-15	0.00	30.11
07	2154	7	OVC:08 110	10.00		56	13.3	53	11.9	51	10.6	84	0	000		29.94	3	-0.03	30.14	FM-15	0.00	30.12
07	2254	7	OVC:08 100	10.00		55	12.8	53	11.6	51	10.6	87	0	000		29.94				FM-15	0.00	30.12
07	2354	7	OVC:08 95	10.00		57	13.9	54	12.4	52	11.1	83	0	000		29.93				FM-15	0.00	30.11
08	0054	7	OVC:08 100	10.00		56	13.3	54	12.1	52	11.1	87	3	030		29.92	8	+0.02	30.11	FM-15	0.00	30.10

08	0100	4		9.94		56	13.3	54	12.1	52	11.1	87	3	030		29.92	8	+0.02	30.11	FM-12		
08	0154	7	BKN:07 100 OVC:08 130	10.00		56	13.3	54	12.1	52	11.1	87	3	040		29.92			30.11	FM-15	0.00	30.10
08	0254	7	OVC:08 100	10.00		56	13.3	53	11.9	51	10.6	84	5	360		29.92			30.11	FM-15	0.00	30.10
08	0354	7	SCT:04 75 OVC:08 95	10.00		56	13.3	53	11.9	51	10.6	84	9	020		29.93	3	-0.01	30.12	FM-15	0.00	30.11
08	0454	7	OVC:08 100	10.00		56	13.3	50	10.2	45	7.2	67	13	010		29.95			30.15	FM-15	0.00	30.13
08	0554	7	OVC:08 100	10.00		55	12.8	48	8.8	40	4.4	57	13	030	21	29.97			30.16	FM-15	0.00	30.15
08	0654	7	BKN:07 100 OVC:08 250	10.00		54	12.2	47	8.3	39	3.9	57	10	020	21	29.99	1	-0.06	30.18	FM-15	0.00	30.17
08	0700	4		9.94		54	12.2	47	8.3	39	3.9	57	10	020		29.99	1	-0.06	30.18	FM-12		
08	0754	7	FEW:02 70 BKN:07 95 OVC:08 250	10.00		54	12.2	47	8.3	39	3.9	57	13	020		30.03			30.22	FM-15	0.00	30.21
08	0854	7	FEW:02 75 BKN:07 95 OVC:08 300	10.00		55	12.8	47	8.3	38	3.3	53	13	020		30.06			30.25	FM-15	0.00	30.24
08	0954	7	BKN:07 100 OVC:08 300	10.00		56	13.3	47	8.6	38	3.3	51	13	030	22	30.08	1	-0.09	30.27	FM-15	0.00	30.26
08	1054	7	SCT:04 95 OVC:08 300	10.00		59	15.0	48	8.8	35	1.7	41	13	020		30.08			30.28	FM-15	0.00	30.26
08	1154	7	FEW:02 95 OVC:08 300	10.00		60	15.6	48	9.0	35	1.7	39	11	050		30.07			30.27	FM-15	0.00	30.25
08	1254	7	FEW:02 95 BKN:07 300	10.00		61	16.1	49	9.7	37	2.8	41	8	030		30.05	8	+0.03	30.24	FM-15	0.00	30.23
08	1300	4		9.94		61	16.1	49	9.7	37	2.8	41	8	030		30.05	8	+0.03	30.24	FM-12		
08	1354	7	FEW:02 90 FEW:02 300	10.00		62	16.7	51	10.6	40	4.4	44	7	020		30.04			30.23	FM-15	0.00	30.22
08	1454	7	FEW:02 85 SCT:04 300	10.00		61	16.1	51	10.3	40	4.4	46	8	090		30.04			30.23	FM-15	0.00	30.22
08	1554	7	SCT:04 160 BKN:07 300	10.00		61	16.1	50	10.1	39	3.9	44	8	040		30.06	3	-0.01	30.25	FM-15	0.00	30.24
08	1654	7	BKN:07 160 BKN:07 300	10.00		56	13.3	47	8.6	38	3.3	51	9	040		30.06			30.25	FM-15	0.00	30.24
08	1754	7	OVC:08 150	10.00		55	12.8	48	8.8	40	4.4	57	6	040		30.08			30.27	FM-15	0.00	30.26
08	1854	7	OVC:08 140	10.00		53	11.7	47	8.2	40	4.4	61	6	070		30.09	3	-0.03	30.28	FM-15	0.00	30.27
08	1900	4		9.94		53	11.7	47	8.2	40	4.4	61	6	070		30.09	3	-0.03	30.28	FM-12		
08	1954	7	FEW:02 120 OVC:08 150	10.00		53	11.7	46	8.0	39	3.9	59	5	070		30.09			30.28	FM-15	0.00	30.27
08	2054	7	BKN:07 100 OVC:08 150	10.00		52	11.1	46	7.7	39	3.9	61	7	040		30.10			30.29	FM-15	0.00	30.28
08	2154	7	BKN:07 100 OVC:08 160	10.00		52	11.1	46	7.7	39	3.9	61	6	030		30.11	3	-0.02	30.30	FM-15	0.00	30.29
08	2254	7	OVC:08 120	10.00		51	10.6	46	7.7	40	4.4	66	5	050		30.09			30.28	FM-15	0.00	30.27
08	2354	7	OVC:08 110	10.00		51	10.6	46	7.7	40	4.4	66	6	020		30.10			30.29	FM-15	0.00	30.28
09	0054	7	OVC:08 100	10.00		51	10.6	46	7.9	41	5.0	69	5	030		30.10	6	+0.01	30.29	FM-15	T	30.28
09	0100	4		9.94		51	10.6	46	7.9	41	5.0	69	5	030		30.10	6	+0.01	30.29	FM-12		
09	0154	7	SCT:04 65 OVC:08 100	10.00	-RA:02 RA RA	50	10.0	47	8.1	43	6.1	77	6	010		30.08			30.28	FM-15	T	30.26
09	0254	7	OVC:08 75	10.00	-RA:02 RA RA	49	9.4	47	8.1	44	6.7	83	8	030		30.07			30.26	FM-15	T	30.25
09	0354	7	OVC:08 55	10.00		49	9.4	46	7.8	43	6.1	80	6	020		30.07	6	+0.03	30.26	FM-15	T	30.25
09	0454	7	SCT:04 55 OVC:08 70	7.00	-RA:02 RA RA	48	8.9	46	7.6	43	6.1	83	6	040		30.06			30.25	FM-15	0.01	30.24
09	0554	7	OVC:08 55	10.00	-RA:02 RA RA	48	8.9	46	7.8	44	6.7	86	7	040		30.03			30.22	FM-15	T	30.21
09	0654	7	SCT:04 46 OVC:08 55	10.00		48	8.9	46	7.8	44	6.7	86	8	080		30.01	8	+0.05	30.21	FM-15	T	30.19
09	0700	4	41	9.94		48	8.9	46	7.8	44	6.7	86	8	080		30.01	8	+0.05	30.21	FM-12		
09	0754	7	OVC:08 50	10.00		49	9.4	48	8.6	46	7.8	90	7	040		30.02			30.21	FM-15	0.00	30.20
09	0854	7	FEW:02 25 OVC:08 35	10.00		50	10.0	48	8.9	46	7.8	86	8	020		30.00			30.19	FM-15	T	30.18
09	0954	7	FEW:02 11 OVC:08 37	8.00	-RA:02 RA RA	51	10.6	49	9.4	47	8.3	86	8	070		29.97	8	+0.05	30.16	FM-15	T	30.15

09	1052	6	FEW:02 9 BKN:07 31 OVC:08 41	9.00		52	11.0	50	10.0	48	9.0	88	5	030		29.92				FM-16		30.10
09	1054	7	FEW:02 9 BKN:07 31 OVC:08 43	6.00	BR:1	52	11.1	50	10.0	48	8.9	86	3	030		29.92		30.12		FM-15	T	30.10
09	1111	7	BKN:07 9 OVC:08 18	5.00	-RA:02 BR:1 RA RA	52	11.1	50	10.3	49	9.4	89	3	VRB		29.90				FM-16	T	30.08
09	1146	7	BKN:07 12 OVC:08 22	4.00	-DZ:01 BR:1 DZ DZ	52	11.1	50	10.3	49	9.4	89	7	040		29.87				FM-16	T	30.05
09	1154	7	BKN:07 14 OVC:08 22	4.00	-DZ:01 BR:1 DZ DZ	53	11.7	51	10.8	50	10.0	89	5	050		29.87		30.06		FM-15	T	30.05
09	1207	7	BKN:07 6 OVC:08 17	4.00	-DZ:01 BR:1 DZ DZ	53	11.7	51	10.8	50	10.0	89	8	270		29.88				FM-16	T	30.06
09	1212	7	BKN:07 5 OVC:08 17	2.50	-RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	6	280		29.88				FM-16	0.01	30.06
09	1245	7	BKN:07 6 BKN:07 15 OVC:08 29	1.00	-RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	5	330		29.84				FM-16	0.07	30.02
09	1254	7	BKN:07 5 BKN:07 14 OVC:08 29	1.50	-RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	5	330		29.84	6	+0.13	30.03	FM-15	0.09	30.02
09	1300	4	5	1.49	RA	52	11.1	51	10.5	50	10.0	93	5	330		29.84	6	+0.13	30.03	FM-12		
09	1305	7	BKN:07 4 OVC:08 12	1.75	-RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	6	310		29.83				FM-16	0.01	30.01
09	1332	7	OVC:08 4	1.00	RA:02 BR:1 RA RA	51	10.6	50	10.3	50	10.0	96	8	330		29.82				FM-16	0.02	30.00
09	1354	7	BKN:07 4 OVC:08 13	1.75	-RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	7	310		29.82			30.01	FM-15	0.11	30.00
09	1412	7	BKN:07 4 BKN:07 15 OVC:08 25	3.00	-RA:02 BR:1 RA RA	51	10.6	50	10.3	50	10.0	96	7	320		29.80				FM-16	0.02	29.98
09	1433	7	BKN:07 4 BKN:07 15 OVC:08 30	2.50	-RA:02 BR:1 RA RA	51	10.6	50	10.3	50	10.0	96	6	340		29.80				FM-16	0.03	29.98
09	1454	7	BKN:07 4 OVC:08 25	2.00	RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	6	340		29.79			29.98	FM-15	0.04	29.97
09	1554	7	BKN:07 3 BKN:07 32 OVC:08 75	2.00	RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	5	010		29.75	8	+0.09	29.94	FM-15	0.14	29.93
09	1640	7	SCT:04 3 BKN:07 6 OVC:08 15	4.00	-RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	3	290		29.75				FM-16	0.05	29.93
09	1654	7	BKN:07 4 OVC:08 15	7.00		52	11.1	51	10.5	50	10.0	93	8	280		29.76			29.95	FM-15	0.05	29.94
09	1754	7	OVC:08 7	10.00		51	10.6	50	10.0	49	9.4	92	8	290		29.75			29.94	FM-15	0.01	29.93
09	1854	7	OVC:08 5	9.00		51	10.6	49	9.7	48	8.9	89	7	290		29.75	1	-0.00	29.94	FM-15	0.00	29.93
09	1900	4	5	8.70		51	10.6	49	9.7	48	8.9	89	7	290		29.75	1	-0.00	29.94	FM-12		
09	1918	7	OVC:08 4	8.00		51	10.6	50	10.0	49	9.4	92	8	260		29.75				FM-16		29.93
09	1954	7	OVC:08 4	7.00		50	10.0	49	9.4	48	8.9	93	8	290		29.75			29.94	FM-15	0.00	29.93
09	2054	7	OVC:08 3	6.00	BR:1	50	10.0	49	9.4	48	8.9	93	7	280		29.75			29.94	FM-15	0.00	29.93
09	2154	7	SCT:04 3 BKN:07 6 OVC:08 12	10.00		50	10.0	48	9.2	47	8.3	89	6	260		29.74	8	+0.01	29.93	FM-15	0.00	29.92
09	2254	7	BKN:07 7 OVC:08 130	10.00		49	9.4	48	8.9	47	8.3	93	9	270		29.75			29.94	FM-15	0.00	29.93
09	2352	6	SCT:04 7 BKN:07 50 BKN:07 230	10.00		50	10.0	48	8.9	46	8.0	88	7	260		29.73				FM-16		29.91
09	2354	7	SCT:04 7 BKN:07 50 BKN:07 230	10.00		50	10.0	48	9.2	47	8.3	89	9	270		29.74			29.93	FM-15	0.00	29.92
10	0054	7	FEW:02 9 BKN:07 55 OVC:08 230	10.00	-RA:02 RA RA	50	10.0	48	9.2	47	8.3	89	7	260		29.75	3	-0.01	29.94	FM-15	T	29.93

10	0100	4	8	9.94	RA	50	10.0	48	9.2	47	8.3	89	7	260		29.75	3	-0.01	29.94	FM-12		
10	0154	7	BKN:07 55 OVC:08 230	10.00		50	10.0	48	9.2	47	8.3	89	6	260		29.76			29.95	FM-15	T	29.94
10	0254	7	OVC:08 55	10.00		50	10.0	48	9.2	47	8.3	89	5	310		29.78			29.97	FM-15	0.00	29.96
10	0354	7	SCT:04 9 SCT:04 32 OVC:08 60	10.00		50	10.0	48	9.2	47	8.3	89	6	320		29.79	3	-0.04	29.98	FM-15	0.00	29.97
10	0454	7	BKN:07 60 OVC:08 250	10.00		50	10.0	48	8.9	46	7.8	86	8	310		29.82			30.01	FM-15	0.00	30.00
10	0554	7	FEW:02 60 SCT:04 250	10.00		47	8.3	45	7.3	43	6.1	86	7	310		29.83			30.03	FM-15	0.00	30.01
10	0654	7	FEW:02 60 FEW:02 250	10.00		45	7.2	42	5.5	38	3.3	77	7	300		29.85	1	-0.06	30.05	FM-15	0.00	30.03
10	0700	4	57	9.94		45	7.2	42	5.5	38	3.3	77	7	300		29.85	1	-0.06	30.05	FM-12		
10	0754	7	FEW:02 60 FEW:02 250	10.00		46	7.8	41	5.1	35	1.7	66	14	300		29.89			30.08	FM-15	0.00	30.07
10	0854	7	FEW:02 15 FEW:02 240	10.00		49	9.4	42	5.8	34	1.1	56	14	310		29.92			30.11	FM-15	0.00	30.10
10	0954	7	FEW:02 25 FEW:02 240	10.00		50	10.0	43	6.1	34	1.1	54	15	350		29.95	1	-0.09	30.14	FM-15	0.00	30.13
10	1054	7	FEW:02 47 FEW:02 250	10.00		50	10.0	41	5.3	30	-1.1	46	14	310		29.96			30.15	FM-15	0.00	30.14
10	1154	7	FEW:02 50	10.00		51	10.6	42	5.4	29	-1.7	43	16	330		29.96			30.16	FM-15	0.00	30.14
10	1254	7	FEW:02 55	10.00		51	10.6	41	5.0	27	-2.8	39	18	310	24	29.97	1	-0.02	30.16	FM-15	0.00	30.15
10	1300	4	57	9.94		51	10.6	41	5.0	27	-2.8	39	18	310		29.97	1	-0.02	30.16	FM-12		
10	1354	7	FEW:02 60	10.00		51	10.6	40	4.5	24	-4.4	35	14	340	24	29.99			30.19	FM-15	0.00	30.17
10	1454	7	FEW:02 65	10.00		50	10.0	39	3.9	22	-5.6	33	14	330	23	30.00			30.19	FM-15	0.00	30.18
10	1554	7	FEW:02 60	10.00		49	9.4	38	3.2	19	-7.2	31	10	340		30.03	3	-0.06	30.22	FM-15	0.00	30.21
10	1654	7	CLR:00	10.00		46	7.8	36	2.2	19	-7.2	34	9	320		30.05			30.25	FM-15	0.00	30.23
10	1754	7	CLR:00	10.00		41	5.0	34	1.3	23	-5.0	49	6	360		30.08			30.27	FM-15	0.00	30.26
10	1854	7	CLR:00	10.00		40	4.4	34	0.9	23	-5.0	51	10	350		30.10	3	-0.07	30.30	FM-15	0.00	30.28
10	1900	4		9.94		40	4.4	34	0.9	23	-5.0	51	10	350		30.10	3	-0.07	30.30	FM-12		
10	1954	7	CLR:00	10.00		38	3.3	32	0.0	21	-6.1	51	10	010		30.13			30.32	FM-15	0.00	30.31
10	2054	7	CLR:00	10.00		36	2.2	30	-1.0	19	-7.2	50	10	020		30.17			30.36	FM-15	0.00	30.35
10	2154	7	CLR:00	10.00		34	1.1	29	-1.7	19	-7.2	54	7	020		30.19	1	-0.08	30.38	FM-15	0.00	30.37
10	2254	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	7	020		30.20			30.39	FM-15	0.00	30.38
10	2354	7	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	10	020		30.20			30.40	FM-15	0.00	30.38
11	0054	7	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	9	010		30.20	1	-0.01	30.40	FM-15	0.00	30.38
11	0100	4		9.94		33	0.6	28	-2.1	19	-7.2	56	9	010		30.20	1	-0.01	30.40	FM-12		
11	0154	7	CLR:00	10.00		32	0.0	28	-2.4	19	-7.2	59	6	030		30.21			30.40	FM-15	0.00	30.39
11	0254	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	6	040		30.22			30.41	FM-15	0.00	30.40
11	0354	7	CLR:00	10.00		29	-1.7	26	-3.1	21	-6.1	72	7	010		30.22	3	-0.02	30.42	FM-15	0.00	30.40
11	0454	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	7	010		30.24			30.44	FM-15	0.00	30.42
11	0554	7	FEW:02 300	10.00		30	-1.1	27	-2.8	21	-6.1	69	0	000		30.25			30.45	FM-15	0.00	30.43
11	0654	7	FEW:02 300	10.00		30	-1.1	27	-2.6	22	-5.6	72	3	020		30.26	1	-0.04	30.46	FM-15	0.00	30.44
11	0700	4		9.94		30	-1.1	27	-2.6	22	-5.6	72	3	020		30.26	1	-0.04	30.46	FM-12		
11	0754	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	0	000		30.29			30.49	FM-15	0.00	30.47
11	0854	7	CLR:00	10.00		38	3.3	33	0.5	24	-4.4	57	8	020		30.30			30.50	FM-15	0.00	30.48
11	0954	7	CLR:00	10.00		41	5.0	35	1.4	24	-4.4	51	8	040		30.29	0	-0.03	30.49	FM-15	0.00	30.47
11	1054	7	CLR:00	10.00		44	6.7	37	2.7	26	-3.3	49	7	050		30.28			30.47	FM-15	0.00	30.46
11	1154	7	CLR:00	10.00		45	7.2	37	3.1	26	-3.3	48	3	VRB		30.25			30.45	FM-15	0.00	30.43
11	1254	7	CLR:00	10.00		48	8.9	39	4.0	26	-3.3	42	5	VRB		30.22	8	+0.07	30.42	FM-15	0.00	30.40
11	1300	4		9.94		48	8.9	39	4.0	26	-3.3	42	5			30.22	8	+0.07	30.42	FM-12		
11	1354	7	CLR:00	10.00		48	8.9	39	3.8	25	-3.9	41	3	VRB		30.20			30.40	FM-15	0.00	30.38
11	1454	7	CLR:00	10.00		48	8.9	39	3.8	25	-3.9	41	3	VRB		30.19			30.39	FM-15	0.00	30.37
11	1554	7	CLR:00	10.00		49	9.4	39	4.1	25	-3.9	39	0	000		30.19	6	+0.04	30.39	FM-15	0.00	30.37
11	1654	7	CLR:00	10.00		44	6.7	38	3.1	28	-2.2	53	6	180		30.20			30.39	FM-15	0.00	30.38
11	1754	7	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	3	140		30.20			30.40	FM-15	0.00	30.38
11	1854	7	CLR:00	10.00		38	3.3	35	1.6	30	-1.1	73	0	000		30.20	1	-0.01	30.40	FM-15	0.00	30.38

11	1900	4		9.94		38	3.3	35	1.6	30	-1.1	73	0	000		30.20	1	-0.01	30.40	FM-12		
11	1954	7	CLR:00	10.00		37	2.8	34	1.3	30	-1.1	76	0	000		30.21			30.41	FM-15	0.00	30.39
11	2054	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		30.21			30.40	FM-15	0.00	30.39
11	2154	7	CLR:00	10.00		35	1.7	33	0.4	29	-1.7	78	0	000		30.23	3	-0.02	30.42	FM-15	0.00	30.41
11	2254	7	CLR:00	10.00		34	1.1	32	0.1	29	-1.7	82	0	000		30.22			30.42	FM-15	0.00	30.40
11	2354	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	0	000		30.21			30.41	FM-15	0.00	30.39
12	0054	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	0	000		30.21	6	+0.02	30.41	FM-15	0.00	30.39
12	0100	4		9.94		33	0.6	31	-0.3	29	-1.7	85	0	000		30.21	6	+0.02	30.41	FM-12		
12	0154	7	FEW:02 120	10.00		33	0.6	31	-0.3	29	-1.7	85	0	000		30.21			30.41	FM-15	0.00	30.39
12	0254	7	SCT:04 140	10.00		32	0.0	31	-0.8	28	-2.2	85	0	000		30.19			30.39	FM-15	0.00	30.37
12	0354	7	BKN:07 140	10.00		34	1.1	32	0.3	30	-1.1	85	0	000		30.20	5	+0.01	30.40	FM-15	0.00	30.38
12	0454	7	SCT:04 140	10.00		34	1.1	33	0.5	31	-0.6	89	0	000		30.21			30.41	FM-15	0.00	30.39
12	0554	7	FEW:02 110 BKN:07 140 BKN:07 250	10.00		35	1.7	33	0.8	31	-0.6	85	3	360		30.22			30.42	FM-15	0.00	30.40
12	0654	7	BKN:07 110 BKN:07 140 BKN:07 250	10.00		36	2.2	34	1.3	32	0.0	86	0	000		30.22	0	-0.01	30.41	FM-15	0.00	30.40
12	0700	4		9.94		36	2.2	34	1.3	32	0.0	86	0	000		30.22	9	0.01	30.41	FM-12		
12	0754	7	BKN:07 100 BKN:07 140 OVC:08 250	10.00		38	3.3	37	2.6	35	1.7	89	0	000		30.23			30.43	FM-15	0.00	30.41
12	0854	7	SCT:04 90 BKN:07 240 BKN:07 300	10.00		41	5.0	39	4.0	37	2.8	86	0	000		30.23			30.42	FM-15	0.00	30.41
12	0954	7	FEW:02 85 BKN:07 230 BKN:07 300	10.00		44	6.7	41	5.0	37	2.8	76	0	000		30.22	0	-0.01	30.42	FM-15	0.00	30.40
12	1054	7	FEW:02 85 FEW:02 120 SCT:04 210	10.00		49	9.4	43	6.2	36	2.2	61	6	VRB		30.21			30.41	FM-15	0.00	30.39
12	1154	7	FEW:02 40 FEW:02 110 BKN:07 190	10.00		50	10.0	43	6.3	35	1.7	57	0	000		30.17			30.37	FM-15	0.00	30.35
12	1254	7	FEW:02 40 BKN:07 120 OVC:08 190	10.00		50	10.0	43	6.3	35	1.7	57	3	070		30.15	8	+0.08	30.34	FM-15	0.00	30.33
12	1300	4	41	9.94		50	10.0	43	6.3	35	1.7	57	3	070		30.15	8	+0.08	30.34	FM-12		
12	1354	7	BKN:07 37 OVC:08 120	10.00	-RA:02 RA RA	50	10.0	44	6.5	36	2.2	59	5	110		30.13			30.32	FM-15	T	30.31
12	1454	7	OVC:08 33	10.00	-RA:02 RA RA	50	10.0	44	6.7	37	2.8	61	5	010		30.12			30.32	FM-15	T	30.30
12	1554	7	BKN:07 33 OVC:08 55	5.00	-RA:02 RA RA	47	8.3	44	6.8	41	5.0	80	5	340		30.15	3	-0.00	30.35	FM-15	0.04s	30.33
12	1654	7	SCT:04 30 OVC:08 46	5.00	RA:02 BR:1 RA RA	44	6.7	43	5.9	41	5.0	89	8	030		30.12			30.31	FM-15	0.13	30.30
12	1754	7	FEW:02 10 SCT:04 32 OVC:08 45	4.00	RA:02 BR:1 RA RA	44	6.7	43	5.9	41	5.0	89	7	020		30.11			30.31	FM-15	0.16	30.29
12	1854	7	SCT:04 10 OVC:08 35	4.00	RA:02 BR:1 RA RA	44	6.7	43	6.2	42	5.6	93	6	010		30.11	6	+0.04	30.31	FM-15	0.13	30.29
12	1900	4	15	3.73	RA	44	6.7	43	6.2	42	5.6	93	6	010		30.11	6	+0.04	30.31	FM-12		
12	1903	7	SCT:04 6 OVC:08 35	4.00	RA:02 BR:1 RA RA	44	6.7	43	6.2	42	5.6	93	6	360		30.11				FM-16	0.02	30.29
12	1952	6	SCT:04 6 OVC:08 29	5.00	RA:02 BR:1 RA RA	45	7.0	44	6.7	43	6.0	93	7	020		30.09				FM-16		30.27
12	1954	7	SCT:04 6 OVC:08 29	5.00	RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	7	020		30.09			30.28	FM-15	0.11	30.27
12	2009	7	BKN:07 6 OVC:08 29	5.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	6	020		30.08				FM-16	0.02	30.26
12	2043	7	BKN:07 4 OVC:08 21	4.00	RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	6	010		30.06				FM-16	0.06	30.24
12	2054	7	BKN:07 4 OVC:08 21	5.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	5	020		30.06			30.25	FM-15	0.07	30.24

12	2126	7	OVC:08 5	6.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	5	030		30.03				FM-16	0.03	30.21
12	2136	7	OVC:08 4	6.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	5	040		30.03				FM-16	0.04	30.21
12	2154	7	OVC:08 4	6.00	-RA:02 BR:1 RA RA	46	7.8	45	7.0	43	6.1	89	5	050		30.02	8	+0.09	30.22	FM-15	0.04	30.20
12	2254	7	OVC:08 3	6.00	-RA:02 BR:1 RA RA	46	7.8	45	7.2	44	6.7	93	8	050		29.98			30.17	FM-15	0.04	30.16
12	2354	7	OVC:08 2	7.00	-RA:02 RA RA	48	8.9	47	8.3	46	7.8	93	7	050		29.92			30.11	FM-15	0.04	30.10
13	0052	6	SCT:04 2 BKN:07 6 OVC:08 33	4.00	-RA:02 BR:1 RA RA	48	9.0	47	8.3	46	8.0	94	0	000		29.86				FM-16		30.04
13	0054	7	SCT:04 2 BKN:07 6 OVC:08 37	4.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	47	8.3	93	0	000		29.85	8	+0.17	30.05	FM-15	0.08	30.03
13	0100	4	2	3.73	RA	49	9.4	48	8.9	47	8.3	93	0	000		29.85	8	+0.17	30.05	FM-12		
13	0152	6	OVC:08 4	5.00	RA:02 BR:1 RA RA	54	12.0	53	11.6	52	11.0	94	7	110		29.78				FM-16		29.96
13	0154	7	OVC:08 4	5.00	RA:02 BR:1 RA RA	53	11.7	52	11.1	51	10.6	93	7	110		29.78			29.97	FM-15	0.09	29.96
13	0209	7	BKN:07 4 OVC:08 20	1.75	+RA:02 BR:1 RA RA	54	12.2	53	11.6	52	11.1	93	6	130		29.77				FM-16	0.07	29.95
13	0226	7	BKN:07 6 BKN:07 11 OVC:08 17	3.00	RA:02 BR:1 RA RA	55	12.8	54	12.5	54	12.2	96	6	190		29.77				FM-16	0.16	29.95
13	0254	7	BKN:07 7 OVC:08 11	10.00	-RA:02 RA RA	57	13.9	56	13.6	56	13.3	96	9	230		29.77			29.96	FM-15	0.18	29.95
13	0323	7	OVC:08 4	8.00	-RA:02 RA RA	53	11.7	52	11.1	51	10.6	93	10	310		29.76				FM-16	0.01	29.94
13	0354	7	OVC:08 4	10.00	-RA:02 RA RA	50	10.0	49	9.4	48	8.9	93	7	300		29.76	6	+0.10	29.95	FM-15	0.02	29.94
13	0454	7	OVC:08 4	10.00		48	8.9	47	8.3	46	7.8	93	14	320		29.77			29.96	FM-15	0.01	29.95
13	0554	7	OVC:08 3	4.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	8	320		29.77			29.96	FM-15	0.01	29.95
13	0654	7	OVC:08 4	10.00	-RA:02 RA RA	45	7.2	44	6.4	42	5.6	90	10	320		29.79	3	-0.03	29.98	FM-15	T	29.97
13	0700	4	5	9.94	RA	45	7.2	44	6.4	42	5.6	90	10	320		29.79	3	-0.03	29.98	FM-12		
13	0733	7	OVC:08 5	10.00		45	7.2	44	6.4	42	5.6	90	7	320		29.80				FM-16	T	29.98
13	0754	7	OVC:08 5	10.00		45	7.2	44	6.4	42	5.6	90	9	300		29.82			30.01	FM-15	T	30.00
13	0854	7	OVC:08 6	10.00		46	7.8	45	7.0	43	6.1	89	7	310		29.83			30.02	FM-15	0.00	30.01
13	0954	7	BKN:07 8 OVC:08 120	10.00		48	8.9	46	7.8	44	6.7	86	5	320		29.84	1	-0.05	30.03	FM-15	0.00	30.02
13	1034	7	SCT:04 8 BKN:07 75 OVC:08 95	10.00		48	8.9	47	8.1	45	7.2	89	6	320		29.84				FM-16		30.02
13	1054	7	FEW:02 7 BKN:07 70 OVC:08 90	10.00		49	9.4	47	8.4	45	7.2	86	8	310		29.84			30.03	FM-15	0.00	30.02
13	1154	7	SCT:04 12 SCT:04 70 OVC:08 100	10.00		50	10.0	48	8.6	45	7.2	83	7	350		29.84			30.04	FM-15	0.00	30.02
13	1252	6	BKN:07 12 BKN:07 50 OVC:08 80	10.00		50	10.0	48	8.6	45	7.0	82	9	340		29.86				FM-16		30.04
13	1254	7	BKN:07 12 BKN:07 50 OVC:08 80	10.00		50	10.0	48	8.6	45	7.2	83	7	350		29.86	3	-0.02	30.05	FM-15	T	30.04
13	1300	4	15	9.94		50	10.0	48	8.6	45	7.2	83	7	350		29.86	3	-0.02	30.05	FM-12		
13	1317	7	SCT:04 12 BKN:07 70 OVC:08 90	10.00	-RA:02 RA RA	50	10.0	48	8.6	45	7.2	83	6	360		29.85				FM-16	T	30.03
13	1347	7	BKN:07 14 BKN:07 55 OVC:08 90	10.00	-RA:02 RA RA	50	10.0	48	8.6	45	7.2	83	7	360		29.85				FM-16	T	30.03
13	1354	7	BKN:07 13 BKN:07 50 OVC:08 85	10.00	-RA:02 RA RA	50	10.0	48	8.6	45	7.2	83	9	360		29.85			30.04	FM-15	T	30.03
13	1422	7	BKN:07 16 BKN:07 60 BKN:07 85	10.00		50	10.0	48	8.6	45	7.2	83	10	350		29.87				FM-16	T	30.05
13	1454	7	BKN:07 18 BKN:07 60 OVC:08 130	10.00	-RA:02 RA RA	50	10.0	47	8.4	44	6.7	80	9	330		29.89			30.08	FM-15	T	30.07

13	1510	7	SCT:04 17 OVC:08 60	10.00		50	10.0	47	8.4	44	6.7	80	6	350		29.89				FM-16	T	30.07
13	1554	7	FEW:02 18 BKN:07 48 OVC:08 60	10.00		50	10.0	47	8.4	44	6.7	80	6	340		29.91	3	-0.05	30.10	FM-15	T	30.09
13	1654	7	FEW:02 18 OVC:08 46	10.00		50	10.0	47	8.4	44	6.7	80	5	020		29.91			30.10	FM-15	0.00	30.09
13	1754	7	OVC:08 47	10.00	-RA:02 RA RA	49	9.4	47	8.1	44	6.7	83	7	360		29.94			30.14	FM-15	T	30.12
13	1854	7	OVC:08 49	10.00	-RA:02 RA RA	48	8.9	47	8.1	45	7.2	89	3	050		29.96	3	-0.05	30.16	FM-15	T	30.14
13	1900	4	41	9.94	RA	48	8.9	47	8.1	45	7.2	89	3	050		29.96	3	-0.05	30.16	FM-12		
13	1954	7	OVC:08 49	10.00		48	8.9	46	7.6	43	6.1	83	8	010		30.02			30.22	FM-15	T	30.20
13	2054	7	BKN:07 49 OVC:08 150	10.00		47	8.3	44	6.5	40	4.4	77	7	010		30.04			30.24	FM-15	0.00	30.22
13	2154	7	BKN:07 50 OVC:08 150	10.00		46	7.8	43	6.0	39	3.9	77	7	360		30.05	1	-0.09	30.24	FM-15	T	30.23
13	2254	7	SCT:04 50 OVC:08 180	10.00		45	7.2	43	6.0	40	4.4	83	0	000		30.08			30.27	FM-15	0.00	30.26
13	2354	7	SCT:04 30 OVC:08 180	10.00		45	7.2	41	5.3	37	2.8	74	8	360		30.08			30.27	FM-15	0.00	30.26
14	0054	7	OVC:08 150	10.00		44	6.7	41	5.0	37	2.8	76	7	020		30.08	1	-0.03	30.27	FM-15	0.00	30.26
14	0100	4		9.94		44	6.7	41	5.0	37	2.8	76	7	020		30.08	1	-0.03	30.27	FM-12		
14	0154	7	FEW:02 85 OVC:08 160	10.00		44	6.7	41	4.7	36	2.2	73	8	010		30.09			30.29	FM-15	0.00	30.27
14	0254	7	OVC:08 160	10.00		44	6.7	41	4.7	36	2.2	73	8	360		30.12			30.31	FM-15	0.00	30.30
14	0354	7	OVC:08 170	10.00		43	6.1	40	4.2	35	1.7	74	9	360		30.12	1	-0.04	30.32	FM-15	0.00	30.30
14	0454	7	OVC:08 170	10.00		43	6.1	40	4.2	35	1.7	74	7	010		30.15			30.35	FM-15	0.00	30.33
14	0554	7	OVC:08 180	10.00		42	5.6	39	3.7	34	1.1	73	9	030		30.18			30.38	FM-15	0.00	30.36
14	0654	7	OVC:08 180	10.00		41	5.0	37	2.9	32	0.0	70	8	020		30.21	1	-0.09	30.41	FM-15	0.00	30.39
14	0700	4		9.94		41	5.0	37	2.9	32	0.0	70	8	020		30.21	1	-0.09	30.41	FM-12		
14	0754	7	OVC:08 180	10.00		41	5.0	37	2.7	31	-0.6	67	8	030		30.24			30.44	FM-15	0.00	30.42
14	0854	7	OVC:08 180	10.00		41	5.0	37	2.5	30	-1.1	65	10	030		30.27			30.47	FM-15	0.00	30.45
14	0954	7	BKN:07 180 OVC:08 210	10.00		42	5.6	37	2.7	29	-1.7	60	7	030		30.29	1	-0.07	30.48	FM-15	0.00	30.47
14	1054	7	BKN:07 180 OVC:08 210	10.00		44	6.7	38	3.5	30	-1.1	58	14	020		30.28			30.48	FM-15	0.00	30.46
14	1154	7	OVC:08 180	10.00		45	7.2	38	3.6	29	-1.7	54	11	010		30.28			30.48	FM-15	0.00	30.46
14	1254	7	BKN:07 190 OVC:08 230	10.00		45	7.2	38	3.2	27	-2.8	49	9	360		30.27	8	+0.02	30.46	FM-15	0.00	30.45
14	1300	4		9.94		45	7.2	38	3.2	27	-2.8	49	9	360		30.27	8	+0.02	30.46	FM-12		
14	1354	7	OVC:08 190	10.00		45	7.2	37	3.1	26	-3.3	48	9	020		30.28			30.47	FM-15	0.00	30.46
14	1454	7	BKN:07 190 OVC:08 220	10.00		43	6.1	35	1.8	22	-5.6	43	15	360		30.28			30.47	FM-15	0.00	30.46
14	1554	7	BKN:07 180 OVC:08 210	10.00		42	5.6	35	1.8	24	-4.4	49	9	020		30.29	1	-0.02	30.48	FM-15	0.00	30.47
14	1654	7	BKN:07 180 OVC:08 250	10.00		41	5.0	35	1.8	26	-3.3	55	8	020		30.28			30.47	FM-15	0.00	30.46
14	1754	7	OVC:08 180	10.00		41	5.0	35	1.8	26	-3.3	55	7	040		30.29			30.49	FM-15	0.00	30.47
14	1854	7	OVC:08 180	10.00		40	4.4	35	1.5	26	-3.3	58	5	020		30.31	3	-0.02	30.51	FM-15	0.00	30.49
14	1900	4		9.94		40	4.4	35	1.5	26	-3.3	58	5	020		30.31	3	-0.02	30.51	FM-12		
14	1954	7	OVC:08 170	10.00		40	4.4	35	1.7	27	-2.8	60	6	020		30.31			30.51	FM-15	0.00	30.49
14	2054	7	OVC:08 170	10.00		40	4.4	35	1.7	27	-2.8	60	5	020		30.32			30.52	FM-15	0.00	30.50
14	2154	7	OVC:08 150	10.00		40	4.4	35	1.8	28	-2.2	63	7	010		30.32	3	-0.01	30.52	FM-15	0.00	30.50
14	2254	7	OVC:08 150	10.00		40	4.4	36	2.0	29	-1.7	65	3	040		30.32			30.52	FM-15	0.00	30.50
14	2354	7	BKN:07 150 OVC:08 200	10.00		39	3.9	35	1.7	29	-1.7	67	5	020		30.31			30.50	FM-15	0.00	30.49
15	0054	7	FEW:02 120 OVC:08 160	10.00		39	3.9	35	1.9	30	-1.1	70	8	010		30.30	8	+0.02	30.50	FM-15	0.00	30.48
15	0100	4		9.94		39	3.9	35	1.9	30	-1.1	70	8	010		30.30	8	+0.02	30.50	FM-12		
15	0154	7	FEW:02 70 OVC:08 100	10.00		40	4.4	36	2.2	30	-1.1	68	8	030		30.28			30.48	FM-15	0.00	30.46

15	0254	7	FEW:02 36 BKN:07 100 OVC:08 130	10.00	-RA:02 RA RA	39	3.9	35	1.9	30	-1.1	70	11	030		30.25			30.45	FM-15	T	30.43
15	0354	7	BKN:07 95 OVC:08 110	10.00	-RA:02 RA RA	37	2.8	35	1.7	32	0.0	82	11	030		30.24	6	+0.07	30.43	FM-15	0.02	30.42
15	0454	7	BKN:07 85 OVC:08 100	8.00	-RA:02 RA RA	37	2.8	35	1.9	33	0.6	86	11	030		30.23			30.43	FM-15	0.02	30.41
15	0554	7	OVC:08 70	10.00	-RA:02 RA RA	36	2.2	35	1.6	33	0.6	89	16	030		30.20			30.40	FM-15	0.02	30.38
15	0654	7	FEW:02 35 BKN:07 65 OVC:08 120	7.00	-RA:02 RA RA	36	2.2	35	1.6	33	0.6	89	11	040	20	30.19	8	+0.05	30.38	FM-15	0.02	30.37
15	0700	4	41	6.84	RA	36	2.2	35	1.6	33	0.6	89	11	040		30.19	8	+0.05	30.38	FM-12		
15	0747	7	SCT:04 8 BKN:07 75 OVC:08 95	7.00	-RA:02 RA RA	37	2.8	36	2.1	34	1.1	89	17	050		30.11				FM-16	0.02	30.29
15	0752	6	BKN:07 8 BKN:07 75 OVC:08 95	7.00	-RA:02 RA RA	37	3.0	36	2.1	34	1.0	87	13	040		30.10				FM-16		30.28
15	0754	7	BKN:07 8 BKN:07 75 OVC:08 95	7.00	-RA:02 RA RA	37	2.8	36	2.1	34	1.1	89	16	050		30.11			30.30	FM-15	0.03	30.29
15	0854	7	BKN:07 8 OVC:08 65	5.00	-RA:02 BR:1 RA RA	38	3.3	37	2.6	35	1.7	89	17	040	25	30.07			30.27	FM-15	0.02	30.25
15	0919	7	BKN:07 7 OVC:08 60	2.50	RA:02 BR:1 RA RA	38	3.3	37	2.6	35	1.7	89	17	030	24	30.06				FM-16	0.02	30.24
15	0938	7	BKN:07 7 OVC:08 55	1.75	+RA:02 BR:1 RA RA	37	2.8	36	2.1	34	1.1	89	18	030	25	30.05				FM-16	0.08	30.23
15	0954	7	BKN:07 6 OVC:08 14	2.00	RA:02 BR:1 RA RA	37	2.8	36	2.3	35	1.7	93	15	040	25	30.04	6	+0.15	30.24	FM-15	0.15	30.22
15	1034	7	BKN:07 6 OVC:08 15	1.25	+RA:02 BR:1 RA RA	38	3.3	37	2.6	35	1.7	89	21	040	31	29.99				FM-16	0.13	30.17
15	1054	7	OVC:08 7	2.50	RA:02 BR:1 RA RA	38	3.3	37	2.9	36	2.2	93	17	040	25	30.00			30.20	FM-15	0.21	30.18
15	1154	7	OVC:08 6	5.00	-RA:02 BR:1 RA RA	41	5.0	40	4.3	38	3.3	89	16	050	25	29.90			30.09	FM-15	0.12	30.08
15	1216	7	OVC:08 6	2.50	-RA:02 BR:1 RA RA	42	5.6	41	4.8	39	3.9	89	20	050	28	29.87				FM-16	0.01	30.05
15	1254	7	OVC:08 7	2.50	-RA:02 BR:1 RA RA	44	6.7	43	5.9	41	5.0	89	17	060	25	29.82	8	+0.22	30.01	FM-15	0.03	30.00
15	1300	4	8	2.49	RA	44	6.7	43	5.9	41	5.0	89	17	060		29.82s	8	+0.22	30.01	FM-12		
15	1335	7	OVC:08 7	1.75	-RA:02 BR:1 RA RA	45	7.2	44	6.4	42	5.6	90	16	050	24	29.76				FM-16	0.03	29.94
15	1354	7	OVC:08 7	1.75	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	18	040	25	29.74			29.93	FM-15	0.04	29.92
15	1454	7	OVC:08 7	1.50	RA:02 BR:1 RA RA	46	7.8	45	7.2	44	6.7	93	11	020	22	29.72			29.92	FM-15	0.11	29.90
15	1533	7	SCT:04 5 BKN:07 15 OVC:08 27	1.25	RA:02 BR:1 RA RA	46	7.8	45	7.2	44	6.7	93	14	360		29.71				FM-16	0.13	29.89
15	1546	7	SCT:04 4 BKN:07 14 OVC:08 30	1.50	RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	15	010	23	29.69				FM-16	0.15	29.87
15	1554	7	SCT:04 5 BKN:07 14 OVC:08 30	2.50	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	17	020		29.67	6	+0.14	29.87	FM-15	0.13	29.85
15	1604	7	BKN:07 5 OVC:08 14	3.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	15	020	24	29.66				FM-16	T	29.84
15	1654	7	OVC:08 5	5.00	-RA:02 BR:1 RA RA	44	6.7	43	6.1	42	5.6	93	15	010	22	29.62			29.81	FM-15	0.01	29.80
15	1752	6	BKN:07 5 OVC:08 10	2.50	-RA:02 BR:1 RA RA	43	6.0	41	5.1	39	4.0	87	16	350		29.60				FM-16		29.78
15	1754	7	BKN:07 5 OVC:08 10	2.50	-RA:02 BR:1 RA RA	43	6.1	42	5.4	40	4.4	89	16	350		29.60			29.79	FM-15	0.03	29.78
15	1844	7	OVC:08 5	3.00	-RA:02 BR:1 RA RA	41	5.0	40	4.3	38	3.3	89	13	320		29.57				FM-16	0.02	29.75
15	1854	7	OVC:08 5	4.00	-RA:02 BR:1 RA RA	40	4.4	39	4.0	38	3.3	93	14	320		29.57	6	+0.10	29.77	FM-15	0.03	29.75
15	1900	4	5	3.73	RA	40	4.4	39	4.0	38	3.3	93	14	320		29.57	6	+0.10	29.77	FM-12		
15	1954	7	BKN:07 5 OVC:08 12	4.00	-RA:02 BR:1 RA RA	39	3.9	38	3.4	37	2.8	93	11	330		29.55			29.75	FM-15	0.02	29.73
15	2054	7	OVC:08 5	3.00	-RA:02 BR:1 RA RA	38	3.3	37	2.9	36	2.2	93	13	290		29.56			29.75	FM-15	T	29.74
15	2154	7	OVC:08 5	3.00	-RA:02 BR:1 RA RA	38	3.3	37	2.9	36	2.2	93	11	280		29.56	5	+0.01	29.75	FM-15	0.01	29.74

15	2254	7	OVC:08 6	3.00	-DZ:01 BR:1 DZ DZ	37	2.8	36	2.3	35	1.7	93	11	260		29.56			29.75	FM-15	T	29.74
15	2354	7	BKN:07 5 OVC:08 10	3.00	-DZ:01 BR:1 DZ DZ	37	2.8	36	2.1	34	1.1	89	14	280		29.57			29.76	FM-15	T	29.75
16	0054	7	BKN:07 6 OVC:08 10	4.00	-DZ:01 BR:1 DZ DZ	37	2.8	36	2.3	35	1.7	93	13	270		29.58	3	-0.02	29.78	FM-15	0.00	29.76
16	0100	4	5	3.73	DZ	37	2.8	36	2.3	35	1.7	93	13	270		29.58	3	-0.02	29.78	FM-12		
16	0154	7	OVC:08 7	9.00		39	3.9	38	3.2	36	2.2	89	11	250		29.60			29.79	FM-15	0.00	29.78
16	0244	7	FEW:02 8 BKN:07 12	10.00		40	4.4	39	3.7	37	2.8	89	15	260	23	29.60				FM-16		29.78
16	0254	7	FEW:02 8 BKN:07 12	10.00		40	4.4	39	3.7	37	2.8	89	13	260	25	29.60			29.80	FM-15	0.00	29.78
16	0339	7	FEW:02 12	10.00		40	4.4	38	3.5	36	2.2	86	11	260		29.60				FM-16		29.78
16	0354	7	FEW:02 12	10.00		39	3.9	38	3.2	36	2.2	89	9	260		29.61	1	-0.03	29.80	FM-15	0.00	29.79
16	0454	7	CLR:00	10.00		39	3.9	37	2.9	35	1.7	86	13	250		29.64			29.83	FM-15	0.00	29.82
16	0554	7	CLR:00	10.00		39	3.9	37	2.7	34	1.1	82	10	250		29.68			29.87	FM-15	0.00	29.86
16	0654	7	CLR:00	10.00		38	3.3	36	2.2	33	0.6	83	11	250		29.70	1	-0.10	29.90	FM-15	0.00	29.88
16	0700	4		9.94		38	3.3	36	2.2	33	0.6	83	11	250		29.70	1	-0.10	29.90	FM-12		
16	0754	7	FEW:02 100	10.00		39	3.9	37	2.7	34	1.1	82	14	250		29.72			29.92	FM-15	0.00	29.90
16	0854	7	FEW:02 250	10.00		43	6.1	40	4.2	35	1.7	74	10	250		29.74			29.94	FM-15	0.00	29.92
16	0954	7	FEW:02 300	10.00		47	8.3	42	5.4	35	1.7	63	11	250		29.77	3	-0.06	29.96	FM-15	0.00	29.95
16	1054	7	FEW:02 300	10.00		48	8.9	42	5.5	34	1.1	58	15	230		29.78			29.98	FM-15	0.00	29.96
16	1154	6	FEW:02 35 FEW:02 300	10.00		50	10.0	43	6.3	35	1.7	57	14	250	21	29.77			29.97	FM-15	0.00	29.95
16	1254	6	FEW:02 40 FEW:02 300	10.00		52	11.1	44	6.8	35	1.7	53	14	240		29.75	8	+0.02	29.95	FM-15	0.00	29.93
16	1354	6	FEW:02 300	10.00		52	11.1	44	6.4	33	0.6	49	16	270		29.75			29.95	FM-15	0.00	29.93
16	1454	6	FEW:02 300	10.00		53	11.7	44	6.9	34	1.1	48	10	250		29.76			29.95	FM-15	0.00	29.94
16	1554	6	FEW:02 300	10.00		52	11.1	44	6.4	33	0.6	49	16	260		29.78	3	-0.02	29.97	FM-15	0.00	29.96
16	1654	6	FEW:02 300	10.00		50	10.0	43	5.8	33	0.6	52	9	230		29.80			29.99	FM-15	0.00	29.98
16	1754	6	FEW:02 300	10.00		43	6.1	39	4.0	34	1.1	71	6	200		29.81			30.01	FM-15	0.00	29.99
16	1854	6	FEW:02 300	10.00		42	5.6	39	3.7	34	1.1	73	7	180		29.83	1	-0.06	30.03	FM-15	0.00	30.01
16	1954	6	FEW:02 300	10.00		42	5.6	39	3.7	34	1.1	73	3	210		29.86			30.05	FM-15	0.00	30.04
16	2054	6	FEW:02 300	10.00		39	3.9	37	2.7	34	1.1	82	5	200		29.87			30.06	FM-15	0.00	30.05
16	2154	6	FEW:02 300	10.00		40	4.4	37	3.0	34	1.1	79	3	230		29.89	1	-0.06	30.09	FM-15	0.00	30.07
16	2254	6	CLR:00	10.00		37	2.8	35	1.7	32	0.0	82	0	000		29.90			30.10	FM-15	0.00	30.08
16	2354	6	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	3	190		29.92			30.11	FM-15	0.00	30.10
17	0054	6	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	0	000		29.94	3	-0.05	30.14	FM-15	0.00	30.12
17	0154	6	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	0	000		29.95			30.14	FM-15	0.00	30.13
17	0254	6	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	0	000		29.97			30.16	FM-15	0.00	30.15
17	0354	6	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	0	000		29.99	3	-0.04	30.18	FM-15	0.00	30.17
17	0454	6	CLR:00	9.00		33	0.6	31	-0.3	29	-1.7	85	0	000		30.01			30.20	FM-15	0.00	30.19
17	0554	6	FEW:02 300	10.00		33	0.6	31	-0.3	29	-1.7	85	0	000		30.03			30.23	FM-15	0.00	30.21
17	0654	6	FEW:02 300	9.00		32	0.0	31	-0.6	29	-1.7	88	0	000		30.07	3	-0.08	30.26	FM-15	0.00	30.25
17	0754	6	CLR:00	8.00		35	1.7	34	1.0	32	0.0	89	0	000		30.10			30.30	FM-15	0.00	30.28
17	0854	6	FEW:02 300	9.00		43	6.1	40	4.7	37	2.8	80	3	VRB		30.12			30.32	FM-15	0.00	30.30
17	0954	6	FEW:02 300	10.00		46	7.8	41	5.1	35	1.7	66	10	050		30.13	1	-0.06	30.32	FM-15	0.00	30.31
17	1054	6	FEW:02 300	10.00		47	8.3	41	5.2	34	1.1	61	5	080		30.12			30.32	FM-15	0.00	30.30
17	1154	6	FEW:02 300	10.00		49	9.4	42	5.6	33	0.6	55	3	VRB		30.10			30.30	FM-15	0.00	30.28
17	1254	6	FEW:02 35 FEW:02 300	10.00		52	11.1	44	6.6	34	1.1	50	3	VRB		30.08	8	+0.05	30.28	FM-15	0.00	30.26
17	1354	6	FEW:02 35	10.00		52	11.1	44	6.4	33	0.6	49	0	000		30.07			30.27	FM-15	0.00	30.25
17	1454	6	FEW:02 300	10.00		53	11.7	44	6.9	34	1.1	48	0	000		30.06			30.26	FM-15	0.00	30.24
17	1554	6	CLR:00	10.00		53	11.7	45	7.1	35	1.7	51	0	000		30.07	5	+0.01	30.27	FM-15	0.00	30.25
17	1654	6	FEW:02 300	10.00		50	10.0	43	6.3	35	1.7	57	0	000		30.09			30.28	FM-15	0.00	30.27
17	1701	6	FEW:02 300	10.00		49	9.4	43	6.2	36	2.2	61	0	000		30.09				FM-16		30.27
17	1754	6	FEW:02 300	10.00		44	6.7	41	5.0	37	2.8	76	0	000		30.10			30.30	FM-15	0.00	30.28
17	1854	6	CLR:00	10.00		41	5.0	39	4.0	37	2.8	86	3	050		30.12	1	-0.04	30.31	FM-15	0.00	30.30
17	1954	6	CLR:00	10.00		40	4.4	38	3.3	35	1.7	83	0	000		30.12			30.32	FM-15	0.00	30.30

17	2054	6	CLR:00	10.00		40	4.4	38	3.3	35	1.7	83	0	000		30.13			30.32	FM-15	0.00	30.31
17	2154	6	CLR:00	10.00		39	3.9	37	2.5	33	0.6	79	0	000		30.14	3	-0.02	30.33	FM-15	0.00	30.32
17	2254	6	CLR:00	7.00		37	2.8	35	1.9	33	0.6	86	0	000		30.14			30.34	FM-15	0.00	30.32
17	2354	6	FEW:02 300	9.00		36	2.2	34	1.3	32	0.0	86	0	000		30.14			30.34	FM-15	0.00	30.32
18	0054	6	FEW:02 300	5.00	BR:1	35	1.7	33	0.8	31	-0.6	85	0	000		30.15	1	-0.01	30.34	FM-15	0.00	30.33
18	0154	6	FEW:02 300	6.00	BR:1	34	1.1	33	0.5	31	-0.6	89	0	000		30.15			30.34	FM-15	0.00	30.33
18	0254	6	FEW:02 300	6.00	BR:1	34	1.1	33	0.5	31	-0.6	89	0	000		30.15			30.35	FM-15	0.00	30.33
18	0354	6	FEW:02 300	6.00	BR:1	33	0.6	32	-0.1	30	-1.1	89	0	000		30.15	2	-0.00	30.35	FM-15	0.00	30.33
18	0454	6	FEW:02 300	5.00	BR:1	32	0.0	31	-0.6	29	-1.7	88	0	000		30.16			30.35	FM-15	0.00	30.34
18	0554	6	FEW:02 300	7.00		33	0.6	32	-0.1	30	-1.1	89	3	340		30.17			30.37	FM-15	0.00	30.35
18	0654	6	FEW:02 300	5.00	BR:1	33	0.6	31	-0.3	29	-1.7	85	3	350		30.18	3	-0.03	30.38	FM-15	0.00	30.36
18	0754	6	SCT:04 300	4.00	BR:1	36	2.2	35	1.6	33	0.6	89	0	000		30.20			30.39	FM-15	0.00	30.38
18	0854	6	SCT:04 300	6.00	BR:1	42	5.6	41	5.1	40	4.4	92	5	130		30.20			30.39	FM-15	0.00	30.38
18	0954	6	BKN:07 300	10.00		47	8.3	43	6.3	39	3.9	74	7	120		30.18	8	+0.00	30.38	FM-15	0.00	30.36
18	1054	6	BKN:07 300	10.00		49	9.4	44	6.9	39	3.9	69	7	150		30.17			30.37	FM-15	0.00	30.35
18	1154	6	BKN:07 300	10.00		52	11.1	46	7.5	38	3.3	59	0	000		30.14			30.34	FM-15	0.00	30.32
18	1254	6	BKN:07 300	10.00		55	12.8	47	8.3	38	3.3	53	6	130		30.11	8	+0.07	30.30	FM-15	0.00	30.29
18	1354	6	BKN:07 300	10.00		54	12.2	46	8.1	38	3.3	55	5	190		30.09			30.28	FM-15	0.00	30.27
18	1454	6	OVC:08 300	10.00		54	12.2	46	7.6	36	2.2	51	6	180		30.08			30.27	FM-15	0.00	30.26
18	1554	6	BKN:07 300	10.00		53	11.7	46	8.0	39	3.9	59	5	180		30.07	6	+0.04	30.27	FM-15	0.00	30.25
18	1654	6	BKN:07 200 OVC:08 300	10.00		51	10.6	45	7.2	38	3.3	61	3	130		30.06			30.26	FM-15	0.00	30.24
18	1754	6	BKN:07 200 OVC:08 300	10.00		47	8.3	44	6.5	40	4.4	77	0	000		30.06			30.26	FM-15	0.00	30.24
18	1854	6	BKN:07 200 OVC:08 300	10.00		44	6.7	42	5.4	39	3.9	83	0	000		30.06	6	+0.01	30.25	FM-15	0.00	30.24
18	1954	6	BKN:07 210 OVC:08 300	10.00		44	6.7	42	5.4	39	3.9	83	3	130		30.05			30.24	FM-15	0.00	30.23
18	2054	6	BKN:07 200 OVC:08 300	10.00		44	6.7	41	5.2	38	3.3	79	0	000		30.04			30.24	FM-15	0.00	30.22
18	2154	6	BKN:07 210 OVC:08 300	10.00		41	5.0	39	4.0	37	2.8	86	0	000		30.04	5	+0.01	30.24	FM-15	0.00	30.22
18	2254	7	FEW:02 210 SCT:04 300	10.00		40	4.4	38	3.5	36	2.2	86	0	000		30.03			30.23	FM-15	0.00	30.21
18	2354	7	FEW:02 300	7.00		38	3.3	36	2.4	34	1.1	86	0	000		30.02			30.22	FM-15	0.00	30.20
19	0054	6	BKN:07 250	10.00		39	3.9	38	3.2	36	2.2	89	0	000		30.01	7	+0.04	30.20	FM-15	0.00	30.19
19	0154	6	BKN:07 240	10.00		38	3.3	36	2.4	34	1.1	86	0	000		29.99			30.18	FM-15	0.00	30.17
19	0254	6	BKN:07 240	10.00		37	2.8	36	2.1	34	1.1	89	3	170		29.99			30.18	FM-15	0.00	30.17
19	0354	7	SCT:04 240	10.00		38	3.3	36	2.4	34	1.1	86	0	000		29.98	6	+0.03	30.17	FM-15	0.00	30.16
19	0454	6	BKN:07 240	10.00		37	2.8	36	2.1	34	1.1	89	0	000		29.97			30.16	FM-15	0.00	30.15
19	0554	6	BKN:07 230	10.00		36	2.2	35	1.5	33	0.6	89	5	160		29.97			30.16	FM-15	0.00	30.15
19	0654	6	FEW:02 70 SCT:04 170 BKN:07 210	6.00	BR:1	36	2.2	35	1.5	33	0.6	89	6	180		29.97	6	+0.01	30.16	FM-15	0.00	30.15
19	0754	6	FEW:02 60 OVC:08 190	7.00		42	5.6	41	4.8	39	3.9	89	6	190		29.97			30.16	FM-15	0.00	30.15
19	0854	6	FEW:02 55 BKN:07 190 OVC:08 300	7.00		45	7.2	44	6.4	42	5.6	90	6	200		29.96			30.16	FM-15	0.00	30.14
19	0954	6	SCT:04 150 BKN:07 210 OVC:08 300	9.00		47	8.3	45	7.3	43	6.1	86	6	220		29.95	8	+0.01	30.15	FM-15	0.00	30.13
19	1054	6	SCT:04 190 OVC:08 300	9.00		53	11.7	49	9.4	45	7.2	74	7	220		29.94			30.14	FM-15	0.00	30.12
19	1154	6	FEW:02 150 BKN:07 220 BKN:07 300	10.00		57	13.9	51	10.5	45	7.2	64	7	220		29.91			30.11	FM-15	0.00	30.09
19	1254	6	FEW:02 150 BKN:07 200 BKN:07 300	10.00		58	14.4	51	10.8	45	7.2	62	6	220		29.88	8	+0.07	30.07	FM-15	0.00	30.06

19	1354	6	FEW:02 180 BKN:07 220 OVC:08 300	10.00		59	15.0	53	11.5	47	8.3	64	8	160		29.86			30.05	FM-15	0.00	30.04
19	1454	6	FEW:02 170 BKN:07 210 OVC:08 300	10.00		59	15.0	53	11.5	47	8.3	64	5	180		29.84			30.03	FM-15	0.00	30.02
19	1554	6	BKN:07 200 OVC:08 300	10.00		57	13.9	52	11.0	47	8.3	69	8	160		29.82	6	+0.06	30.01	FM-15	0.00	30.00
19	1654	6	BKN:07 200 BKN:07 300	10.00		55	12.8	51	10.5	47	8.3	74	6	170		29.81			30.01	FM-15	0.00	29.99
19	1754	6	BKN:07 200 BKN:07 300	10.00		51	10.6	49	9.2	46	7.8	83	6	190		29.82			30.01	FM-15	0.00	30.00
19	1854	6	BKN:07 200 OVC:08 300	10.00		51	10.6	49	9.2	46	7.8	83	6	170		29.81	8	+0.01	30.01	FM-15	0.00	29.99
19	1954	6	BKN:07 200	10.00		50	10.0	48	9.2	47	8.3	89	6	190		29.80			29.99	FM-15	0.00	29.98
19	2054	7	FEW:02 200	7.00		48	8.9	47	8.1	45	7.2	89	5	180		29.80			29.99	FM-15	0.00	29.98
19	2154	7	FEW:02 200	6.00	BR:1	47	8.3	46	7.8	45	7.2	93	7	190		29.79	6	+0.02	29.98	FM-15	0.00	29.97
19	2254	7	SCT:04 200	5.00	BR:1	50	10.0	48	9.2	47	8.3	89	7	200		29.78			29.97	FM-15	0.00	29.96
19	2350	7	SCT:04 5 SCT:04 190	4.00	BR:1	48	9.0	47	8.3	46	8.0	94	8	180		29.76				FM-16		29.94
19	2354	7	SCT:04 5 SCT:04 190	3.00	BR:1	49	9.4	48	8.6	46	7.8	90	7	180		29.77			29.96	FM-15	0.00	29.95
19	2356	6	BKN:07 5	3.00	BR:1	49	9.4	48	8.6	46	7.8	90	7	180		29.77				FM-16		29.95
19	2358	6	BKN:07 5 BKN:07 190	3.00	BR:1	49	9.4	48	8.9	47	8.3	93	7	190		29.76				FM-16		29.94
20	0011	6	BKN:07 4	3.00	BR:1	49	9.4	48	8.9	47	8.3	93	7	190		29.76				FM-16		29.94
20	0052	6	OVC:08 4	2.50	BR:1	48	9.0	47	8.3	46	8.0	94	7	180		29.75				FM-16		29.93
20	0054	6	OVC:08 4	2.00	BR:1	49	9.4	48	8.9	47	8.3	93	6	180		29.75	8	+0.03	29.94	FM-15	0.00	29.93
20	0134	6	SCT:04 3 BKN:07 150	2.00	BR:1	48	8.9	47	8.3	46	7.8	93	6	180		29.74				FM-16		29.92
20	0154	6	SCT:04 3 BKN:07 100	1.50	BR:1	48	8.9	47	8.3	46	7.8	93	6	210		29.74			29.93	FM-15	0.00	29.92
20	0206	6	SCT:04 3 BKN:07 100	1.00	BR:1	48	8.9	47	8.3	46	7.8	93	6	200		29.74				FM-16		29.92
20	0254	7	FEW:02 3 FEW:02 100	1.50	BR:1	47	8.3	46	7.5	44	6.7	90	5	200		29.72			29.91	FM-15	0.00	29.90
20	0307	7	FEW:02 3 FEW:02 100	2.00	BR:1	47	8.3	46	7.8	45	7.2	93	5	210		29.72				FM-16		29.90
20	0354	7	FEW:02 4 SCT:04 100	2.50	BR:1	46	7.8	45	7.2	44	6.7	93	5	220		29.71	6	+0.04	29.91	FM-15	0.00	29.89
20	0426	6	FEW:02 4 BKN:07 90	4.00	BR:1	49	9.4	48	8.9	47	8.3	93	8	230		29.72				FM-16		29.90
20	0454	6	BKN:07 85	5.00	BR:1	48	8.9	47	8.3	46	7.8	93	6	220		29.72			29.91	FM-15	0.00	29.90
20	0554	6	BKN:07 90	6.00	BR:1	50	10.0	48	9.2	47	8.3	89	8	220		29.72			29.91	FM-15	0.00	29.90
20	0654	6	BKN:07 90	6.00	BR:1	49	9.4	48	8.6	46	7.8	90	3	270		29.73	3	-0.01	29.92	FM-15	0.00	29.91
20	0754	7	SCT:04 85	7.00		49	9.4	48	8.6	46	7.8	90	5	260		29.74			29.94	FM-15	0.00	29.92
20	0854	6	FEW:02 55 BKN:07 90	9.00		52	11.1	50	10.0	48	8.9	86	5	270		29.76			29.95	FM-15	0.00	29.94
20	0954	6	FEW:02 55 SCT:04 90 BKN:07 300	10.00		56	13.3	52	11.0	48	8.9	75	8	300		29.78	3	-0.05	29.97	FM-15	0.00	29.96
20	1054	6	FEW:02 35 FEW:02 85 BKN:07 300	10.00		61	16.1	53	11.5	45	7.2	56	10	340		29.78			29.97	FM-15	0.00	29.96
20	1154	6	FEW:02 55 SCT:04 70 BKN:07 300	10.00		62	16.7	51	10.4	39	3.9	43	13	320		29.77			29.96	FM-15	0.00	29.95
20	1254	6	FEW:02 60 BKN:07 75	10.00		64	17.8	50	10.0	35	1.7	34	16	310	26	29.75	8	+0.02	29.95	FM-15	0.00	29.93
20	1354	6	FEW:02 60 BKN:07 70	10.00		60	15.6	48	9.0	35	1.7	39	16	340		29.77			29.96	FM-15	0.00	29.95
20	1454	6	FEW:02 55 BKN:07 70	10.00		59	15.0	48	8.7	35	1.7	41	17	330		29.80			29.99	FM-15	0.00	29.98

20	1554	6	FEW:02 50 BKN:07 70	10.00		57	13.9	46	8.0	34	1.1	42	13	320		29.83	3	-0.07	30.02	FM-15	0.00	30.01
20	1654	7	FEW:02 50 SCT:04 70	10.00		55	12.8	45	7.1	32	0.0	42	14	320		29.86			30.06	FM-15	0.00	30.04
20	1754	7	SCT:04 65	10.00		51	10.6	42	5.7	31	-0.6	46	9	330		29.90			30.09	FM-15	0.00	30.08
20	1854	7	FEW:02 65	10.00		49	9.4	41	4.8	29	-1.7	46	10	330		29.93	1	-0.10	30.12	FM-15	0.00	30.11
20	1954	6	CLR:00	10.00		45	7.2	38	3.6	29	-1.7	54	3	010		29.95			30.15	FM-15	0.00	30.13
20	2054	6	CLR:00	10.00		43	6.1	38	3.2	30	-1.1	60	6	340		29.96			30.16	FM-15	0.00	30.14
20	2154	6	CLR:00	10.00		42	5.6	37	2.7	29	-1.7	60	6	VRB		29.98	1	-0.06	30.18	FM-15	0.00	30.16
20	2254	6	CLR:00	10.00		39	3.9	35	1.9	30	-1.1	70	0	000		29.99			30.18	FM-15	0.00	30.17
20	2354	6	CLR:00	10.00		37	2.8	34	1.0	29	-1.7	73	3	330		29.99			30.18	FM-15	0.00	30.17
21	0054	6	CLR:00	10.00		34	1.1	32	-0.1	28	-2.2	79	0	000		30.00	3	-0.01	30.19	FM-15	0.00	30.18
21	0154	6	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	3	120		29.99			30.19	FM-15	0.00	30.17
21	0254	6	CLR:00	10.00		31	-0.6	29	-1.6	26	-3.3	82	0	000		30.00			30.19	FM-15	0.00	30.18
21	0354	6	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	3	170		29.99	8	+0.01	30.19	FM-15	0.00	30.17
21	0454	6	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	0	000		30.00			30.19	FM-15	0.00	30.18
21	0554	6	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	0	000		30.00			30.20	FM-15	0.00	30.18
21	0654	6	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	3	190		30.01	1	-0.02	30.20	FM-15	0.00	30.19
21	0754	6	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	3	180		30.01			30.21	FM-15	0.00	30.19
21	0854	6	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	8	200		30.01			30.21	FM-15	0.00	30.19
21	0954	6	CLR:00	10.00		44	6.7	39	3.7	31	-0.6	60	7	220		30.02	1	-0.01	30.22	FM-15	0.00	30.20
21	1054	6	CLR:00	10.00		48	8.9	40	4.7	30	-1.1	50	8	240		30.00			30.20	FM-15	0.00	30.18
21	1154	6	CLR:00	10.00		51	10.6	41	5.2	28	-2.2	41	10	250		29.98			30.17	FM-15	0.00	30.16
21	1254	6	CLR:00	10.00		52	11.1	42	5.5	28	-2.2	40	9	240		29.96	8	+0.06	30.15	FM-15	0.00	30.14
21	1354	6	CLR:00	10.00		54	12.2	43	5.9	27	-2.8	35	9	250		29.94			30.14	FM-15	0.00	30.12
21	1454	7	FEW:02 80	10.00		55	12.8	43	6.2	27	-2.8	34	10	260		29.94			30.13	FM-15	0.00	30.12
21	1554	7	FEW:02 80	10.00		54	12.2	43	5.9	27	-2.8	35	10	240		29.93	6	+0.02	30.13	FM-15	0.00	30.11
21	1654	6	CLR:00	10.00		51	10.6	42	5.4	29	-1.7	43	8	240		29.94			30.14	FM-15	0.00	30.12
21	1754	6	CLR:00	10.00		45	7.2	39	4.0	31	-0.6	58	6	190		29.96			30.15	FM-15	0.00	30.14
21	1854	6	CLR:00	10.00		45	7.2	40	4.2	32	0.0	61	3	180		29.97	3	-0.04	30.17	FM-15	0.00	30.15
21	1954	6	CLR:00	10.00		43	6.1	38	3.4	31	-0.6	63	0	000		29.98			30.18	FM-15	0.00	30.16
21	2054	6	CLR:00	10.00		43	6.1	38	3.4	31	-0.6	63	11	360		30.03			30.23	FM-15	0.00	30.21
21	2154	6	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	8	010		30.06	3	-0.09	30.25	FM-15	0.00	30.24
21	2254	6	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	8	010		30.08			30.27	FM-15	0.00	30.26
21	2354	6	CLR:00	10.00		37	2.8	34	0.9	28	-2.2	70	6	010		30.09			30.29	FM-15	0.00	30.27
22	0054	6	CLR:00	10.00		38	3.3	34	1.2	28	-2.2	68	3	020		30.10	1	-0.04	30.29	FM-15	0.00	30.28
22	0154	6	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	0	000		30.11			30.31	FM-15	0.00	30.29
22	0254	6	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	5	030		30.12			30.31	FM-15	0.00	30.30
22	0354	6	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	6	020		30.13	3	-0.03	30.33	FM-15	0.00	30.31
22	0454	6	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	7	010		30.15			30.35	FM-15	0.00	30.33
22	0554	6	CLR:00	10.00		32	0.0	29	-1.4	25	-3.9	75	7	360		30.17			30.37	FM-15	0.00	30.35
22	0654	6	CLR:00	10.00		32	0.0	29	-1.4	25	-3.9	75	9	010		30.20	3	-0.07	30.40	FM-15	0.00	30.38
22	0754	6	CLR:00	10.00		35	1.7	32	-0.2	26	-3.3	70	8	020		30.23			30.43	FM-15	0.00	30.41
22	0854	6	CLR:00	10.00		37	2.8	33	0.5	26	-3.3	65	11	030		30.26			30.45	FM-15	0.00	30.44
22	0954	7	FEW:02 300	10.00		39	3.9	33	0.8	24	-4.4	55	15	050		30.28	1	-0.08	30.47	FM-15	0.00	30.46
22	1054	7	SCT:04 300	10.00		41	5.0	34	1.1	22	-5.6	47	11	010		30.28			30.48	FM-15	0.00	30.46
22	1154	7	FEW:02 45 FEW:02 90 SCT:04 300	10.00		40	4.4	33	0.8	22	-5.6	49	8	080		30.27			30.47	FM-15	0.00	30.45
22	1254	7	FEW:02 50 FEW:02 90 SCT:04 300	10.00		42	5.6	34	1.3	21	-6.1	43	9	350	17	30.26	8	+0.02	30.45	FM-15	0.00	30.44
22	1354	7	FEW:02 49 FEW:02 90 FEW:02 300	10.00		43	6.1	35	1.6	21	-6.1	42	7	050		30.25			30.45	FM-15	0.00	30.43
22	1454	7	FEW:02 45 FEW:02 90	10.00		43	6.1	35	1.4	20	-6.7	40	5	020		30.25			30.44	FM-15	0.00	30.43
22	1554	7	FEW:02 90 FEW:02 300	10.00		41	5.0	33	0.8	20	-6.7	43	10	030		30.26	5	+0.00	30.45	FM-15	0.00	30.44

22	1654	7	SCT:04 47 SCT:04 90	10.00		36	2.2	30	-1.3	17	-8.3	46	10	040		30.29			30.49	FM-15	0.00	30.47
22	1754	7	OVC:08 50	10.00		36	2.2	28	-2.2	10	-12.2	34	13	040		30.31			30.51	FM-15	0.00	30.49
22	1854	7	BKN:07 55	10.00		34	1.1	27	-2.9	10	-12.2	37	10	030		30.33	1	-0.07	30.53	FM-15	0.00	30.51
22	1900	4	57	9.94		34	1.1	27	-2.9	10	-12.2	37	10	030		30.33	1	-0.07	30.53	FM-12		
22	1954	7	BKN:07 55	10.00		33	0.6	27	-3.0	12	-11.1	42	10	030		30.35			30.55	FM-15	0.00	30.53
22	2054	7	BKN:07 55	10.00		32	0.0	26	-3.1	14	-10.0	47	5	050		30.37			30.57	FM-15	0.00	30.55
22	2154	7	OVC:08 50	10.00		32	0.0	27	-3.0	15	-9.4	50	6	100		30.39	1	-0.06	30.59	FM-15	0.00	30.57
22	2254	7	OVC:08 50	10.00		32	0.0	26	-3.1	14	-10.0	47	8	050		30.40			30.60	FM-15	0.00	30.58
22	2354	7	OVC:08 50	10.00		32	0.0	26	-3.5	11	-11.7	41	9	050		30.39			30.59	FM-15	0.00	30.57
23	0054	7	OVC:08 46	10.00		31	-0.6	25	-3.9	11	-11.7	43	13	040		30.39	0	-0.00	30.59	FM-15	0.00	30.57
23	0100	4	41	9.94		31	-0.6	25	-3.9	11	-11.7	43	13	040		30.39	9	0.00	30.59	FM-12		
23	0154	7	OVC:08 48	10.00		31	-0.6	25	-3.9	11	-11.7	43	9	030		30.39			30.59	FM-15	0.00	30.57
23	0254	7	FEW:02 45 OVC:08 60	10.00		30	-1.1	25	-3.7	15	-9.4	54	10	050		30.38			30.57	FM-15	0.00	30.56
23	0354	7	BKN:07 60	10.00		29	-1.7	24	-4.2	14	-10.0	54	8	040		30.37	8	+0.02	30.57	FM-15	0.00	30.55
23	0454	7	FEW:02 60	10.00		27	-2.8	23	-4.9	14	-10.0	58	5	050		30.36			30.56	FM-15	0.00	30.54
23	0554	7	OVC:08 39	10.00		29	-1.7	24	-4.3	13	-10.6	51	0	000		30.38			30.58	FM-15	0.00	30.56
23	0654	7	OVC:08 39	10.00		29	-1.7	24	-4.6	11	-11.7	47	5	070		30.40	3	-0.03	30.60	FM-15	0.00	30.58
23	0700	4	41	9.94		29	-1.7	24	-4.6	11	-11.7	47	5	070		30.40	3	-0.03	30.60	FM-12		
23	0754	7	BKN:07 42 OVC:08 60	10.00		30	-1.1	25	-4.1	12	-11.1	47	5	110		30.42			30.62	FM-15	0.00	30.60
23	0854	7	OVC:08 39	10.00		31	-0.6	25	-3.7	12	-11.1	45	6	060		30.41			30.61	FM-15	0.00	30.59
23	0954	7	BKN:07 39	10.00		32	0.0	26	-3.2	13	-10.6	45	5	100		30.41	0	-0.01	30.61	FM-15	0.00	30.59
23	1054	7	OVC:08 40	10.00		33	0.6	27	-2.8	14	-10.0	45	0	000		30.40			30.60	FM-15	0.00	30.58
23	1154	7	OVC:08 41	10.00		34	1.1	27	-2.5	13	-10.6	42	3	VRB		30.36			30.56	FM-15	0.00	30.54
23	1254	7	OVC:08 41	10.00		35	1.7	29	-1.9	15	-9.4	44	3	040		30.32	8	+0.09	30.52	FM-15	0.00	30.50
23	1300	4	41	9.94		35	1.7	29	-1.9	15	-9.4	44	3	040		30.32	8	+0.09	30.52	FM-12		
23	1354	7	OVC:08 38	10.00		36	2.2	30	-1.3	17	-8.3	46	3	080		30.29			30.49	FM-15	0.00	30.47
23	1454	7	OVC:08 37	10.00		37	2.8	31	-0.7	19	-7.2	48	3	080		30.28			30.47	FM-15	0.00	30.46
23	1554	7	BKN:07 36	10.00		37	2.8	31	-0.5	20	-6.7	50	5	080		30.28	5	+0.05	30.48	FM-15	0.00	30.46
23	1654	7	BKN:07 36 OVC:08 300	10.00		36	2.2	30	-0.9	20	-6.7	52	6	100		30.27			30.47	FM-15	0.00	30.45
23	1754	7	FEW:02 29 BKN:07 37 OVC:08 300	10.00		34	1.1	30	-1.2	22	-5.6	61	3	050		30.26			30.46	FM-15	0.00	30.44
23	1841	7	OVC:08 29	10.00		35	1.7	30	-1.0	21	-6.1	57	5	080		30.25				FM-16		30.43
23	1854	7	OVC:08 29	10.00		35	1.7	30	-1.0	21	-6.1	57	3	020		30.25	8	+0.03	30.45	FM-15	0.00	30.43
23	1900	4	26	9.94		35	1.7	30	-1.0	21	-6.1	57	3	020		30.25	8	+0.03	30.45	FM-12		
23	1954	7	OVC:08 28	10.00		35	1.7	30	-1.0	21	-6.1	57	6	040		30.23			30.43	FM-15	0.00	30.41
23	2054	7	BKN:07 27	10.00		33	0.6	29	-1.7	21	-6.1	61	6	050		30.19			30.39	FM-15	0.00	30.37
23	2115	7	FEW:02 27 OVC:08 240	10.00		33	0.6	29	-1.7	21	-6.1	61	5	020		30.19				FM-16		30.37
23	2154	7	OVC:08 230	10.00		32	0.0	28	-2.1	21	-6.1	64	3	040		30.18	7	+0.07	30.37	FM-15	0.00	30.36
23	2254	7	OVC:08 210	10.00		32	0.0	29	-1.9	22	-5.6	66	5	360		30.15			30.35	FM-15	0.00	30.33
23	2354	7	BKN:07 30 BKN:07 36 OVC:08 210	10.00		33	0.6	29	-1.4	23	-5.0	66	5	020		30.12			30.32	FM-15	0.00	30.30
24	0015	7	BKN:07 28 OVC:08 210	10.00		34	1.1	30	-0.9	24	-4.4	67	6	040		30.10				FM-16		30.28
24	0054	7	BKN:07 23 OVC:08 210	10.00		34	1.1	31	-0.7	25	-3.9	70	7	020		30.08	8	+0.09	30.28	FM-15	0.00	30.26
24	0100	4	26	9.94		34	1.1	31	-0.7	25	-3.9	70	7	020		30.08	8	+0.09	30.28	FM-12		
24	0154	7	OVC:08 22	10.00		35	1.7	32	0.0	27	-2.8	72	6	020		30.06			30.26	FM-15	0.00	30.24
24	0254	7	OVC:08 16	10.00		36	2.2	33	0.5	28	-2.2	73	6	020		30.02			30.22	FM-15	0.00	30.20
24	0325	7	OVC:08 14	10.00		36	2.2	33	0.5	28	-2.2	73	8	030		29.99				FM-16		30.17
24	0354	7	OVC:08 13	10.00		36	2.2	33	0.7	29	-1.7	76	6	030		29.98	8	+0.11	30.17	FM-15	0.00	30.16
24	0454	7	OVC:08 11	10.00		37	2.8	34	1.2	30	-1.1	76	7	360		29.96			30.16	FM-15	0.00	30.14
24	0554	7	OVC:08 10	10.00		38	3.3	35	1.8	31	-0.6	76	7	020		29.93			30.12	FM-15	0.00	30.11

24	0608	7	OVC:08 9	10.00		38	3.3	36	2.0	32	0.0	79	8	030		29.91				FM-16		30.09
24	0654	7	OVC:08 8	10.00		38	3.3	36	2.2	33	0.6	83	6	040		29.89	8	+0.09	30.08	FM-15	0.00	30.07
24	0700	4	8	9.94		38	3.3	36	2.2	33	0.6	83	6	040		29.89	8	+0.09	30.08	FM-12		
24	0754	7	OVC:08 7	10.00		40	4.4	38	3.3	35	1.7	83	5	060		29.84			30.04	FM-15	0.00	30.02
24	0854	7	OVC:08 6	8.00		44	6.7	42	5.4	39	3.9	83	6	070		29.79			29.99	FM-15	0.00	29.97
24	0935	7	SCT:04 6 OVC:08 60	8.00		45	7.2	43	6.2	41	5.0	86	3	080		29.76				FM-16		29.94
24	0954	7	FEW:02 7 OVC:08 60	9.00		47	8.3	45	7.0	42	5.6	83	0	000		29.77	6	+0.12	29.96	FM-15	0.00	29.95
24	1054	7	SCT:04 60 OVC:08 75	7.00	-RA:02 RA RA	47	8.3	46	7.5	44	6.7	90	0	000		29.71			29.91	FM-15	0.01	29.89
24	1133	7	BKN:07 33 BKN:07 55 OVC:08 75	2.00	RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	0	000		29.71				FM-16	0.07	29.89
24	1151	7	BKN:07 22 BKN:07 42 OVC:08 70	1.75	RA:02 BR:1 RA RA	46	8.0	46	7.5	45	7.0	93	5	330		29.70				FM-16	0.15	29.88
24	1154	7	BKN:07 22 BKN:07 42 OVC:08 70	1.75	RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	5	330		29.69			29.89	FM-15	0.17	29.87
24	1215	7	SCT:04 16 BKN:07 55 OVC:08 80	2.50	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	6	010		29.67				FM-16	0.08	29.85
24	1239	7	FEW:02 5 BKN:07 26 OVC:08 75	2.00	+RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	93	6	050		29.62				FM-16	0.12	29.80
24	1251	7	BKN:07 3 BKN:07 8 OVC:08 16	1.50	RA:02 BR:1 RA RA	48	9.0	47	8.3	46	8.0	94	6	060		29.60				FM-16	0.18	29.78
24	1254	7	BKN:07 3 BKN:07 8 OVC:08 16	1.50	RA:02 BR:1 RA RA	49	9.4	48	8.9	47	8.3	93	6	050		29.60	8	+0.17	29.79	FM-15	0.17	29.78
24	1300	4	2	1.49	RA	49	9.4	48	8.9	47	8.3	93	6	050		29.60	8	+0.17	29.79	FM-12		
24	1354	7	BKN:07 5 BKN:07 50 OVC:08 80	1.75V	RA:02 BR:1 RA RA	52	11.1	51	10.5	50	10.0	93	0	000		29.55			29.75	FM-15	0.10	29.73
24	1410	7	BKN:07 5 OVC:08 50	0.75	+RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	93	7	310		29.55				FM-16	0.09	29.73
24	1427	7	BKN:07 5 BKN:07 15 OVC:08 42	1.25	+RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	93	8	300		29.54				FM-16	0.33	29.72
24	1438	7	BKN:07 4 BKN:07 9 OVC:08 15	1.50	RA:02 BR:1 RA RA	47	8.3	47	8.1	46	7.8	97	8	330		29.53				FM-16	0.38	29.71
24	1454	7	BKN:07 4 OVC:08 9	1.50	RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	7	330		29.52			29.70	FM-15	0.48	29.69
24	1528	7	BKN:07 3 BKN:07 13 OVC:08 20	0.75	+RA:02 BR:1 RA RA	44	6.7	44	6.4	43	6.1	96	14	290		29.52				FM-16	0.21	29.70
24	1534	7	BKN:07 4 OVC:08 13	1.75	+RA:02 BR:1 RA RA	44	6.7	43	6.1	42	5.6	93	22	290	31	29.53				FM-16	0.30	29.71
24	1546	7	BKN:07 5 OVC:08 13	2.00	-RA:02 BR:1 RA RA	41	5.0	41	4.7	40	4.4	96	26	290	33	29.54				FM-16	0.33	29.72
24	1554	7	BKN:07 6 OVC:08 15	2.50	-RA:02 BR:1 RA RA	39	3.9	38	3.4	37	2.8	93	22	310	34	29.54	5	+0.06	29.73	FM-15	0.32	29.72
24	1616	7	SCT:04 6 BKN:07 15 OVC:08 21	2.00	RA:02 BR:1 RA RA	42	5.6	41	4.8	39	3.9	89	17	330	24	29.53				FM-16	0.08	29.71
24	1645	7	FEW:02 6 OVC:08 32	4.00	-RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	13	360		29.50				FM-16	0.13	29.68
24	1654	7	FEW:02 6 OVC:08 34	7.00	-RA:02 RA RA	43	6.1	42	5.6	41	5.0	93	9	360		29.49			29.69	FM-15	0.12	29.67
24	1726	7	BKN:07 5 OVC:08 45	10.00		44	6.7	43	6.1	42	5.6	93	8	330		29.48				FM-16	T	29.66

24	1754	7	OVC:08 5	10.00		44	6.7	43	6.1	42	5.6	93	8	320		29.48			29.68	FM-15	T	29.66
24	1808	7	OVC:08 4	10.00		44	6.7	43	6.1	42	5.6	93	10	300		29.49				FM-16		29.67
24	1843	7	OVC:08 2	1.75	BR:1	44	6.7	43	6.1	42	5.6	93	11	300		29.50				FM-16		29.68
24	1852	6	OVC:08 2	1.00	BR:1	45	7.0	44	6.7	43	6.0	93	10	300		29.52				FM-16		29.69
24	1854	7	OVC:08 2	1.00	BR:1	44	6.7	44	6.4	43	6.1	96	8	300		29.52	3	-0.01	29.70	FM-15	0.00	29.69
24	1900	4	2	0.99		44	6.7	44	6.4	43	6.1	96	8	300		29.51	3	-0.01	29.70	FM-12		
24	1954	7	OVC:08 2	1.00	BR:1	44	6.7	43	6.1	42	5.6	93	9	290		29.54			29.74	FM-15	0.00	29.72
24	2017	7	OVC:08 2	2.00	BR:1	44	6.7	43	6.1	42	5.6	93	9	300		29.55				FM-16		29.73
24	2035	7	OVC:08 2	1.75	BR:1	44	6.7	43	6.1	42	5.6	93	9	290		29.56				FM-16		29.74
24	2054	7	OVC:08 2	1.25	BR:1	44	6.7	43	6.1	42	5.6	93	10	280		29.57			29.76	FM-15	0.00	29.75
24	2131	7	OVC:08 2	1.50	BR:1	43	6.1	42	5.6	41	5.0	93	8	290		29.58				FM-16		29.76
24	2150	7	OVC:08 3	3.00	BR:1	43	6.0	42	5.6	41	5.0	93	9	270		29.58				FM-16		29.76
24	2154	7	OVC:08 3	5.00	BR:1	43	6.1	42	5.6	41	5.0	93	9	270		29.58	0	-0.04	29.78	FM-15	0.00	29.76
24	2254	7	OVC:08 3	10.00		43	6.1	42	5.6	41	5.0	93	8	280		29.60			29.80	FM-15	0.00	29.78
24	2354	7	OVC:08 4	10.00		43	6.1	42	5.6	41	5.0	93	7	280		29.61			29.81	FM-15	0.00	29.79
25	0054	7	BKN:07 4	8.00		41	5.0	40	4.5	39	3.9	93	6	320		29.60	0	-0.02	29.80	FM-15	0.00	29.78
25	0100	4	5	7.46		41	5.0	40	4.5	39	3.9	93	6	320		29.60	9	0.02	29.80	FM-12		
25	0136	7	SCT:04 4	9.00		41	5.0	40	4.5	39	3.9	93	6	300		29.63				FM-16		29.81
25	0154	7	SCT:04 4	9.00		41	5.0	40	4.3	38	3.3	89	0	000		29.64			29.83	FM-15	0.00	29.82
25	0254	7	FEW:02 4	10.00		40	4.4	39	3.7	37	2.8	89	3	280		29.66			29.85	FM-15	0.00	29.84
25	0354	7	FEW:02 300	3.00	BR:1	35	1.7	34	1.2	33	0.6	93	5	220		29.67	1	-0.06	29.86	FM-15	0.00	29.85
25	0454	7	SCT:04 300	7.00		37	2.8	36	2.1	34	1.1	89	3	180		29.68			29.88	FM-15	0.00	29.86
25	0554	7	FEW:02 300	3.00	BR:1	36	2.2	35	1.5	33	0.6	89	5	190		29.71			29.90	FM-15	0.00	29.89
25	0654	7	FEW:02 300	7.00	MI:1 FG:2 FG	36	2.2	35	1.8	34	1.1	93	3	200		29.73	3	-0.07	29.93	FM-15	0.00	29.91
25	0700	4		6.84		36	2.2	35	1.8	34	1.1	93	3	200		29.73	3	-0.07	29.93	FM-12		
25	0754	7	CLR:00	5.00	MI:1 FG:2 FG	37	2.8	37	2.5	36	2.2	96	3	190		29.77			29.96	FM-15	0.00	29.95
25	0854	7	CLR:00	10.00		44	6.7	43	6.2	42	5.6	93	3	270		29.78			29.98	FM-15	0.00	29.96
25	0954	7	CLR:00	10.00		49	9.4	47	8.1	44	6.7	83	5	200		29.79	1	-0.06	29.99	FM-15	0.00	29.97
25	1054	7	CLR:00	10.00		54	12.2	49	9.7	45	7.2	72	3	260		29.79			29.98	FM-15	0.00	29.97
25	1154	7	FEW:02 250	10.00		59	15.0	52	11.3	46	7.8	62	5	250		29.77			29.96	FM-15	0.00	29.95
25	1254	7	FEW:02 250	10.00		61	16.1	53	11.5	45	7.2	56	7	210		29.75	8	+0.04	29.94	FM-15	0.00	29.93
25	1300	4		9.94		61	16.1	53	11.5	45	7.2	56	7	210		29.75	8	+0.04	29.94	FM-12		
25	1354	7	BKN:07 250	10.00		62	16.7	54	12.0	46	7.8	56	7	180		29.73			29.93	FM-15	0.00	29.91
25	1454	7	BKN:07 250	10.00		61	16.1	53	11.5	45	7.2	56	10	190		29.74			29.93	FM-15	0.00	29.92
25	1554	7	BKN:07 250	10.00		60	15.6	53	11.5	46	7.8	60	8	200		29.76	3	-0.01	29.96	FM-15	0.00	29.94
25	1654	7	FEW:02 100 BKN:07 250	10.00		54	12.2	50	10.0	46	7.8	75	3	140		29.77			29.96	FM-15	0.00	29.95
25	1754	7	BKN:07 250	10.00		50	10.0	48	8.6	45	7.2	83	5	170		29.77			29.96	FM-15	0.00	29.95
25	1854	7	SCT:04 250	10.00		48	8.9	46	7.6	43	6.1	83	3	160		29.76	8	+0.00	29.96	FM-15	0.00	29.94
25	1900	4		9.94		48	8.9	46	7.6	43	6.1	83	3	160		29.76	8	+0.00	29.96	FM-12		
25	1954	7	SCT:04 250	10.00		48	8.9	46	7.8	44	6.7	86	5	140		29.76			29.96	FM-15	0.00	29.94
25	2054	7	BKN:07 230	10.00		47	8.3	46	7.5	44	6.7	90	6	130		29.75			29.94	FM-15	0.00	29.93
25	2154	7	BKN:07 230	9.00		47	8.3	46	7.5	44	6.7	90	7	180		29.75	8	+0.01	29.94	FM-15	0.00	29.93
25	2254	7	OVC:08 210	9.00		47	8.3	46	7.5	44	6.7	90	7	200		29.75			29.94	FM-15	0.00	29.93
25	2354	7	BKN:07 150 OVC:08 200	10.00		47	8.3	46	7.5	44	6.7	90	6	140		29.75			29.94	FM-15	0.00	29.93
26	0054	7	FEW:02 100 OVC:08 150	10.00		48	8.9	47	8.1	45	7.2	89	5	160		29.72	8	+0.03	29.91	FM-15	0.00	29.90
26	0100	4		9.94		48	8.9	47	8.1	45	7.2	89	5	160		29.72	8	+0.03	29.91	FM-12		
26	0154	7	SCT:04 150 OVC:08 200	8.00		47	8.3	46	7.8	45	7.2	93	7	160		29.70			29.89	FM-15	0.00	29.88
26	0254	7	OVC:08 170	10.00		48	8.9	47	8.1	45	7.2	89	9	160		29.67			29.86	FM-15	0.00	29.85
26	0354	7	OVC:08 150	10.00		48	8.9	47	8.1	45	7.2	89	10	170		29.65	8	+0.07	29.84	FM-15	0.00	29.83
26	0454	7	FEW:02 110 OVC:08 200	10.00		47	8.3	45	7.3	43	6.1	86	9	160		29.62			29.81	FM-15	0.00	29.80
26	0554	7	BKN:07 90 OVC:08 120	10.00		47	8.3	46	7.5	44	6.7	90	10	150		29.58			29.77	FM-15	0.00	29.76

26	0654	7	BKN:07 19 OVC:08 85	10.00		47	8.3	46	7.5	44	6.7	90	7	150		29.57	6	+0.08	29.76	FM-15	T	29.75
26	0700	4	15	9.94		47	8.3	46	7.5	44	6.7	90	7	150		29.57	6	+0.08	29.76	FM-12		
26	0718	7	FEW:02 19 BKN:07 43 OVC:08 120	10.00		48	8.9	46	7.8	44	6.7	86	8	160		29.56				FM-16	0.01	29.74
26	0754	7	BKN:07 32 OVC:08 50	10.00	-RA:02 RA RA	48	8.9	46	7.8	44	6.7	86	8	140		29.54			29.73	FM-15	0.01	29.72
26	0854	7	BKN:07 30 OVC:08 55	10.00	-RA:02 RA RA	50	10.0	47	8.4	44	6.7	80	14	150		29.49			29.68	FM-15	T	29.67
26	0917	7	BKN:07 29 OVC:08 50	3.00	RA:02 BR:1 RA RA	49	9.4	47	8.4	45	7.2	86	9	170		29.50				FM-16	0.01	29.68
26	0928	7	SCT:04 31 BKN:07 50 OVC:08 70	9.00	-RA:02 RA RA	49	9.4	47	8.4	45	7.2	86	9	160		29.49				FM-16	0.03	29.67
26	0954	7	SCT:04 29 BKN:07 45 OVC:08 70	10.00	-RA:02 RA RA	49	9.4	48	8.6	46	7.8	90	8	140		29.47	8	+0.11	29.66	FM-15	0.04	29.64
26	1025	7	BKN:07 29 OVC:08 45	3.00	-RA:02 BR:1 RA RA	50	10.0	48	9.2	47	8.3	89	8	170		29.45				FM-16	0.01	29.63
26	1054	7	SCT:04 17 BKN:07 22 OVC:08 35	4.00	-RA:02 BR:1 RA RA	50	10.0	48	9.2	47	8.3	89	7	150		29.44			29.62	FM-15	0.03	29.61
26	1117	7	SCT:04 9 BKN:07 16 OVC:08 36	4.00	-RA:02 BR:1 RA RA	50	10.0	48	9.2	47	8.3	89	7	220		29.44				FM-16	0.01	29.61
26	1125	7	BKN:07 9 OVC:08 17	2.00	-RA:02 BR:1 RA RA	50	10.0	48	9.2	47	8.3	89	6	230		29.42				FM-16	0.02	29.60
26	1135	7	FEW:02 5 OVC:08 9	1.50	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	7	230		29.41				FM-16	0.03	29.58
26	1154	7	FEW:02 4 BKN:07 8 OVC:08 22	4.00	BR:1	50	10.0	49	9.7	49	9.4	96	3	220		29.39			29.57	FM-15	0.02	29.56
26	1252	6	OVC:08 5	1.75	-DZ:01 BR:1 DZ DZ	52	11.0	50	10.0	48	9.0	88	8	230		29.34				FM-16		29.52
26	1254	7	OVC:08 5	1.75	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	49	9.4	92	9	230		29.34	8	+0.12	29.53	FM-15	T	29.52
26	1300	4	5	1.74	DZ	51	10.6	50	10.0	49	9.4	92	9	230		29.34	8	+0.12	29.53	FM-12		
26	1310	7	OVC:08 5	2.50	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.8	51	10.6	97	9	190		29.33				FM-16	T	29.50
26	1334	7	OVC:08 5	5.00	BR:1	53	11.7	52	11.1	51	10.6	93	10	220		29.33				FM-16	T	29.50
26	1354	7	BKN:07 6 OVC:08 31	6.00	BR:1	54	12.2	53	11.6	52	11.1	93	11	230		29.33			29.52	FM-15	T	29.50
26	1424	7	FEW:02 8 BKN:07 17 OVC:08 35	10.00		55	12.8	53	11.9	52	11.1	90	13	230		29.33				FM-16		29.50
26	1454	7	SCT:04 17 OVC:08 28	10.00		56	13.3	54	12.1	52	11.1	87	9	260		29.33			29.51	FM-15	0.00	29.50
26	1522	7	FEW:02 17 BKN:07 36	10.00		56	13.3	53	11.8	51	10.6	84	13	250		29.34				FM-16		29.51
26	1554	7	BKN:07 42	10.00		57	13.9	53	11.8	50	10.0	78	11	240		29.34	5	+0.00	29.53	FM-15	0.00	29.52
26	1654	7	FEW:02 34 BKN:07 42	10.00		56	13.3	52	11.3	49	9.4	77	11	260		29.34			29.53	FM-15	0.00	29.52
26	1754	7	SCT:04 60	10.00		54	12.2	47	8.5	40	4.4	59	17	280	29	29.37			29.56	FM-15	0.00	29.55
26	1854	7	CLR:00	10.00		51	10.6	45	7.0	37	2.8	59	13	270		29.42	3	-0.08	29.61	FM-15	0.00	29.60
26	1900	4		9.94		51	10.6	45	7.0	37	2.8	59	13	270		29.42	3	-0.08	29.61	FM-12		
26	1954	7	CLR:00	10.00		49	9.4	43	6.0	35	1.7	59	15	280		29.44			29.63	FM-15	0.00	29.62
26	2054	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	16	270		29.44			29.64	FM-15	0.00	29.62
26	2154	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58	11	290	21	29.47	1	-0.04	29.65	FM-15	0.00	29.64
26	2254	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	10	270		29.47			29.67	FM-15	0.00	29.65
26	2354	7	CLR:00	10.00		41	5.0	37	2.5	30	-1.1	65	8	260		29.48			29.67	FM-15	0.00	29.66
27	0054	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	9	260		29.47	0	-0.01	29.66	FM-15	0.00	29.65
27	0100	4		9.94		40	4.4	36	2.0	29	-1.7	65	9	260		29.47	9	0.01	29.66	FM-12		
27	0154	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	10	240		29.48			29.68	FM-15	0.00	29.66
27	0254	7	CLR:00	10.00		39	3.9	35	1.5	28	-2.2	65	9	240		29.49			29.69	FM-15	0.00	29.67

27	0354	7	CLR:00	10.00		35	1.7	33	0.4	29	-1.7	78	8	220		29.50	1	-0.03	29.69	FM-15	0.00	29.68
27	0454	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	7	220		29.50			29.70	FM-15	0.00	29.68
27	0554	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	8	250		29.52			29.72	FM-15	0.00	29.70
27	0654	7	FEW:02 250	10.00		35	1.7	32	0.2	28	-2.2	76	8	250		29.53	3	-0.03	29.72	FM-15	0.00	29.71
27	0700	4		9.94		35	1.7	32	0.2	28	-2.2	76	8	250		29.53	3	-0.03	29.72	FM-12		
27	0754	7	FEW:02 300	10.00		37	2.8	34	0.8	28	-2.2	70	8	260		29.53			29.73	FM-15	0.00	29.71
27	0854	7	FEW:02 300	10.00		40	4.4	36	2.0	29	-1.7	65	8	270		29.55			29.74	FM-15	0.00	29.73
27	0954	7	FEW:02 40 SCT:04 300	10.00		45	7.2	38	3.2	27	-2.8	49	11	300		29.55	1	-0.02	29.74	FM-15	0.00	29.73
27	1054	7	FEW:02 45 FEW:02 300	10.00		46	7.8	37	3.0	24	-4.4	42	14	300		29.53			29.73	FM-15	0.00	29.71
27	1154	7	FEW:02 55 FEW:02 300	10.00		47	8.3	38	3.4	25	-3.9	42	16	300	21	29.50			29.70	FM-15	0.00	29.68
27	1254	7	FEW:02 55 SCT:04 300	10.00		48	8.9	39	3.7	25	-3.9	41	9	280	17	29.48	8	+0.07	29.67	FM-15	0.00	29.66
27	1300	4	57	9.94		48	8.9	39	3.7	25	-3.9	41	9	280		29.48	8	+0.07	29.67	FM-12		
27	1354	7	FEW:02 55 FEW:02 300	10.00		49	9.4	39	3.9	24	-4.4	38	13	300		29.47			29.66	FM-15	0.00	29.64
27	1454	7	FEW:02 55 FEW:02 300	10.00		48	8.9	38	3.4	23	-5.0	37	9	300	17	29.45			29.65	FM-15	0.00	29.63
27	1554	7	FEW:02 50 FEW:02 300	10.00		46	7.8	37	2.8	23	-5.0	40	14	310		29.47	5	+0.02	29.65	FM-15	0.00	29.64
27	1654	7	FEW:02 50 FEW:02 300	10.00		43	6.1	35	1.9	23	-5.0	45	10	290		29.48			29.67	FM-15	0.00	29.66
27	1754	7	FEW:02 50 SCT:04 300	10.00		41	5.0	34	1.1	22	-5.6	47	8	310		29.47			29.67	FM-15	0.00	29.65
27	1854	7	OVC:08 180	10.00		40	4.4	33	0.7	22	-5.6	49	11	310		29.49	1	-0.03	29.68	FM-15	0.00	29.67
27	1900	4		9.94		40	4.4	33	0.7	22	-5.6	49	11	310		29.49	1	-0.03	29.68	FM-12		
27	1954	7	OVC:08 200	10.00		38	3.3	32	0.1	22	-5.6	52	9	330		29.52			29.71	FM-15	0.00	29.69
27	2054	7	BKN:07 190	10.00		37	2.8	31	-0.7	19	-7.2	48	11	330		29.53			29.73	FM-15	0.00	29.71
27	2154	7	BKN:07 180	10.00		34	1.1	29	-1.7	19	-7.2	54	7	320		29.54	1	-0.05	29.73	FM-15	0.00	29.72
27	2254	7	BKN:07 180	10.00		34	1.1	29	-1.7	19	-7.2	54	7	300		29.54			29.73	FM-15	0.00	29.72
27	2354	7	BKN:07 150	10.00		33	0.6	28	-2.2	18	-7.8	54	9	300		29.54			29.73	FM-15	0.00	29.72
28	0054	7	BKN:07 50 BKN:07 150	10.00		33	0.6	28	-2.2	18	-7.8	54	9	290		29.54	1	-0.00	29.73	FM-15	0.00	29.72
28	0100	4	57	9.94		33	0.6	28	-2.2	18	-7.8	54	9	290		29.54			29.73	FM-12		
28	0154	7	FEW:02 55 BKN:07 150	10.00		33	0.6	28	-2.2	18	-7.8	54	11	280		29.55			29.74	FM-15	0.00	29.73
28	0254	7	FEW:02 180	10.00		32	0.0	27	-2.7	17	-8.3	54	11	280		29.56			29.75	FM-15	0.00	29.74
28	0354	7	CLR:00	10.00		32	0.0	27	-2.7	17	-8.3	54	11	270		29.57	3	-0.03	29.76	FM-15	0.00	29.75
28	0454	7	CLR:00	10.00		31	-0.6	26	-3.1	17	-8.3	56	9	270		29.58			29.78	FM-15	0.00	29.76
28	0554	7	CLR:00	10.00		30	-1.1	26	-3.4	17	-8.3	58	9	270		29.61			29.80	FM-15	0.00	29.79
28	0654	7	FEW:02 300	10.00		30	-1.1	26	-3.4	17	-8.3	58	9	280		29.62	3	-0.05	29.82	FM-15	0.00	29.80
28	0700	4		9.94		30	-1.1	26	-3.4	17	-8.3	58	9	280		29.62	3	-0.05	29.82	FM-12		
28	0754	7	FEW:02 40 FEW:02 200	10.00		31	-0.6	26	-3.2	16	-8.9	54	8	270		29.64			29.84	FM-15	0.00	29.82
28	0854	7	FEW:02 40 FEW:02 150	10.00		34	1.1	28	-2.3	15	-9.4	46	13	300		29.66			29.86	FM-15	0.00	29.84
28	0954	7	FEW:02 40 FEW:02 150	10.00		36	2.2	29	-1.6	15	-9.4	42	14	280	22	29.68	1	-0.06	29.88	FM-15	0.00	29.86
28	1054	7	FEW:02 40	10.00		38	3.3	30	-1.0	15	-9.4	39	16	310	21	29.69			29.89	FM-15	0.00	29.87
28	1154	7	FEW:02 40	10.00		40	4.4	31	-0.3	15	-9.4	36	14	300		29.68			29.87	FM-15	0.00	29.86
28	1254	7	FEW:02 40	10.00		42	5.6	33	0.4	15	-9.4	33	11	280	25	29.65	8	+0.03	29.85	FM-15	0.00	29.83
28	1300	4	41	9.94		42	5.6	33	0.4	15	-9.4	33	11	280		29.65	8	+0.03	29.85	FM-12		
28	1354	7	CLR:00	10.00		43	6.1	33	0.7	15	-9.4	32	15	290	23	29.67			29.86	FM-15	0.00	29.85
28	1454	7	CLR:00	10.00		43	6.1	33	0.6	14	-10.0	31	14	300	23	29.68			29.87	FM-15	0.00	29.86
28	1554	7	CLR:00	10.00		42	5.6	32	0.1	13	-10.6	30	16	310		29.69	1	-0.04	29.88	FM-15	0.00	29.87
28	1654	7	FEW:02 250	10.00		40	4.4	31	-0.4	14	-10.0	35	9	300		29.71			29.91	FM-15	0.00	29.89
28	1754	7	CLR:00	10.00		38	3.3	31	-0.8	16	-8.9	41	10	300		29.76			29.96	FM-15	0.00	29.94
28	1854	7	CLR:00	10.00		37	2.8	29	-1.4	14	-10.0	39	8	310		29.78	3	-0.09	29.98	FM-15	0.00	29.96

28	1900	4		9.94		37	2.8	29	-1.4	14	-10.0	39	8	310		29.78	3	-0.09	29.98	FM-12		
28	1954	7	CLR:00	10.00		36	2.2	29	-1.9	13	-10.6	39	8	310		29.80			29.99	FM-15	0.00	29.98
28	2054	7	CLR:00	10.00		35	1.7	28	-2.2	13	-10.6	40	10	300		29.80			30.00	FM-15	0.00	29.98
28	2154	7	CLR:00	10.00		34	1.1	27	-2.6	13	-10.6	42	10	300		29.82	3	-0.04	30.02	FM-15	0.00	30.00
28	2254	7	CLR:00	10.00		31	-0.6	25	-3.6	13	-10.6	47	5	320		29.84			30.04	FM-15	0.00	30.02
28	2354	7	CLR:00	10.00		31	-0.6	26	-3.5	14	-10.0	49	8	290		29.84			30.04	FM-15	0.00	30.02
29	0054	7	FEW:02 300	10.00		31	-0.6	26	-3.5	14	-10.0	49	9	300		29.85	1	-0.03	30.05	FM-15	0.00	30.03
29	0100	4		9.94		31	-0.6	26	-3.5	14	-10.0	49	9	300		29.85	1	-0.03	30.05	FM-12		
29	0154	7	CLR:00	10.00		30	-1.1	25	-3.9	14	-10.0	51	8	310		29.86			30.06	FM-15	0.00	30.04
29	0254	7	CLR:00	10.00		28	-2.2	24	-4.4	15	-9.4	58	6	320		29.87			30.07	FM-15	0.00	30.05
29	0354	7	CLR:00	10.00		28	-2.2	24	-4.4	15	-9.4	58	5	300		29.89	3	-0.03	30.09	FM-15	0.00	30.07
29	0454	7	CLR:00	10.00		27	-2.8	23	-4.8	15	-9.4	61	5	300		29.90			30.10	FM-15	0.00	30.08
29	0554	7	SCT:04 300	10.00		28	-2.2	24	-4.4	15	-9.4	58	3	280		29.91			30.11	FM-15	0.00	30.09
29	0654	7	BKN:07 230	10.00		27	-2.8	24	-4.7	16	-8.9	63	3	280		29.92	2	-0.04	30.12	FM-15	0.00	30.10
29	0700	4		9.94		27	-2.8	24	-4.7	16	-8.9	63	3	280		29.92	2	-0.04	30.12	FM-12		
29	0754	7	SCT:04 220 BKN:07 300	10.00		29	-1.7	25	-3.6	18	-7.8	63	0	000		29.93			30.13	FM-15	0.00	30.11
29	0854	7	FEW:02 210 SCT:04 300	10.00		33	0.6	28	-2.2	18	-7.8	54	7	320		29.95			30.15	FM-15	0.00	30.13
29	0954	7	FEW:02 210 FEW:02 300	10.00		37	2.8	31	-0.7	19	-7.2	48	7	350		29.97	3	-0.04	30.16	FM-15	0.00	30.15
29	1054	7	FEW:02 120 FEW:02 300	10.00		41	5.0	34	0.9	21	-6.1	45	7	VRB		29.98			30.18	FM-15	0.00	30.16
29	1154	7	FEW:02 120 FEW:02 300	10.00		42	5.6	34	0.9	19	-7.2	40	5	310		29.95			30.14	FM-15	0.00	30.13
29	1254	7	FEW:02 120 FEW:02 300	10.00		44	6.7	35	1.6	19	-7.2	37	6	290		29.93	8	+0.04	30.12	FM-15	0.00	30.11
29	1300	4		9.94		44	6.7	35	1.6	19	-7.2	37	6	290		29.93	8	+0.04	30.12	FM-12		
29	1354	7	FEW:02 150	10.00		45	7.2	35	1.8	18	-7.8	34	7	250		29.91			30.10	FM-15	0.00	30.09
29	1454	7	FEW:02 150	10.00		46	7.8	35	1.9	17	-8.3	31	7	260		29.88			30.07	FM-15	0.00	30.06
29	1554	7	FEW:02 150 FEW:02 300	10.00		46	7.8	35	1.9	17	-8.3	31	6	270		29.89	5	+0.04	30.09	FM-15	0.00	30.07
29	1654	7	FEW:02 150 FEW:02 300	10.00		40	4.4	33	0.8	22	-5.6	49	3	190		29.89			30.09	FM-15	0.00	30.07
29	1754	7	FEW:02 300	10.00		36	2.2	32	-0.2	24	-4.4	62	3	200		29.91			30.11	FM-15	0.00	30.09
29	1854	7	BKN:07 95 BKN:07 300	10.00		37	2.8	33	0.5	26	-3.3	65	3	130		29.92	3	-0.03	30.11	FM-15	0.00	30.10
29	1900	4		9.94		37	2.8	33	0.5	26	-3.3	65	3	130		29.92	3	-0.03	30.11	FM-12		
29	1954	7	FEW:02 300	10.00		35	1.7	31	-0.4	25	-3.9	67	0	000		29.92			30.12	FM-15	0.00	30.10
29	2054	7	FEW:02 100 FEW:02 300	10.00		33	0.6	30	-1.2	24	-4.4	70	5	130		29.91			30.11	FM-15	0.00	30.09
29	2154	7	SCT:04 85 BKN:07 100	10.00		35	1.7	32	-0.2	26	-3.3	70	3	180		29.91	8	+0.01	30.11	FM-15	0.00	30.09
29	2254	7	BKN:07 110	10.00		37	2.8	33	0.7	27	-2.8	67	5	130		29.90			30.10	FM-15	0.00	30.08
29	2354	7	BKN:07 95	10.00		38	3.3	34	1.2	28	-2.2	68	5	140		29.89			30.09	FM-15	0.00	30.07
30	0054	7	OVC:08 90	10.00		38	3.3	34	1.0	27	-2.8	65	6	130		29.88	8	+0.03	30.08	FM-15	0.00	30.06
30	0100	4		9.94		38	3.3	34	1.0	27	-2.8	65	6	130		29.88	8	+0.03	30.08	FM-12		
30	0154	7	OVC:08 60	10.00		40	4.4	35	1.8	28	-2.2	63	7	170		29.87			30.07	FM-15	0.00	30.05
30	0254	7	BKN:07 55	10.00		40	4.4	35	1.8	28	-2.2	63	8	190		29.87			30.06	FM-15	0.00	30.05
30	0354	7	FEW:02 55	10.00		38	3.3	34	1.2	28	-2.2	68	8	190		29.84	8	+0.04	30.04	FM-15	0.00	30.02
30	0454	7	FEW:02 55 SCT:04 300	10.00		37	2.8	34	0.8	28	-2.2	70	6	190		29.85			30.05	FM-15	0.00	30.03
30	0554	7	FEW:02 55 BKN:07 300	10.00		39	3.9	35	1.7	29	-1.7	67	5	180		29.84			30.04	FM-15	0.00	30.02
30	0654	7	OVC:08 90	10.00		41	5.0	37	2.9	32	0.0	70	6	180		29.84	8	+0.00	30.04	FM-15	0.00	30.02
30	0700	4		9.94		41	5.0	37	2.9	32	0.0	70	6	180		29.84			30.04	FM-12		
30	0754	7	BKN:07 90 OVC:08 300	10.00	-RA:02 RA RA	42	5.6	38	3.5	33	0.6	71	5	170		29.85			30.05	FM-15	T	30.03
30	0854	7	OVC:08 85	10.00	-RA:02 RA RA	42	5.6	39	4.1	36	2.2	79	5	190		29.86			30.06	FM-15	T	30.04

30	0954	7	FEW:02 45 SCT:04 75 BKN:07 95	10.00		44	6.7	41	4.9	37	2.8	76	3	150		29.86	0	-0.02	30.06	FM-15	T	30.04
30	1054	7	FEW:02 55 BKN:07 120 BKN:07 160	10.00		45	7.2	42	5.5	38	3.3	77	6	170		29.85			30.05	FM-15	0.00	30.03
30	1154	7	FEW:02 31 BKN:07 42 OVC:08 110	10.00		47	8.3	43	6.3	39	3.9	74	5	190		29.83			30.02	FM-15	T	30.01
30	1254	7	FEW:02 33 BKN:07 85 OVC:08 110	10.00		48	8.9	45	7.1	41	5.0	77	8	190		29.80	8	+0.06	30.00	FM-15	0.00	29.98
30	1300	4	26	9.94		48	8.9	45	7.1	41	5.0	77	8	190		29.80	8	+0.06	30.00	FM-12		
30	1354	7	FEW:02 49 SCT:04 95 BKN:07 120	10.00		50	10.0	46	7.9	42	5.6	74	6	220		29.79			29.98	FM-15	T	29.97
30	1454	7	FEW:02 18 SCT:04 120 BKN:07 250	10.00		52	11.1	48	8.9	44	6.7	75	7	220		29.80			30.00	FM-15	0.00	29.98
30	1554	7	FEW:02 110 SCT:04 250 OVC:08 300	10.00		51	10.6	48	8.9	45	7.2	80	5	190		29.81	3	-0.01	30.01	FM-15	0.00	29.99
30	1654	7	BKN:07 220 BKN:07 250 BKN:07 300	10.00		49	9.4	47	8.1	44	6.7	83	0	000		29.84			30.03	FM-15	0.00	30.02
30	1754	7	FEW:02 100 SCT:04 150 OVC:08 220	10.00		47	8.3	45	7.0	42	5.6	83	5	070		29.85			30.05	FM-15	0.00	30.03
30	1854	7	SCT:04 220 SCT:04 250	10.00		47	8.3	45	7.0	42	5.6	83	5	050		29.86	1	-0.05	30.05	FM-15	0.00	30.04
30	1900	4		9.94		47	8.3	45	7.0	42	5.6	83	5	050		29.86	1	-0.05	30.05	FM-12		
30	1954	7	FEW:02 250	10.00		45	7.2	43	6.2	41	5.0	86	0	000		29.88			30.07	FM-15	0.00	30.06
30	2054	7	FEW:02 60 BKN:07 130 BKN:07 250	10.00		45	7.2	43	6.0	40	4.4	83	6	040		29.90			30.10	FM-15	0.00	30.08
30	2154	7	FEW:02 65 BKN:07 120 BKN:07 250	10.00		44	6.7	41	4.9	37	2.8	76	5	040		29.92	1	-0.06	30.11	FM-15	0.00	30.10
30	2254	7	BKN:07 110 BKN:07 250	10.00		43	6.1	40	4.4	36	2.2	76	3	030		29.93			30.13	FM-15	0.00	30.11
30	2326	7	BKN:07 25 BKN:07 60 OVC:08 110	10.00		44	6.7	41	4.9	37	2.8	76	3	030		29.95				FM-16		30.13
30	2354	7	BKN:07 26 OVC:08 60	10.00		44	6.7	41	4.9	37	2.8	76	5	040		29.95			30.14	FM-15	0.00	30.13

Local Climatological Data
Hourly Precipitation
November 2018

Generated on 12/16/2018

Date	For Hour (LST) Ending at																						Date		
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID
01																									01
02	T	T	T	T													T	T						0.02	02
03	0.01				T	0.07	0.01														0.03	T	T		03
04																									04
05			0.07	0.02	0.08	0.25	0.49	0.17	0.09	0.05	T	T	T	T	T									05	
06					0.02	0.01		0.03	0.02	0.01			0.12	0.01	T	T	T		T					06	
07																								07	
08																								08	
09	T	T	T	T	0.01	T	T			T	T	T	0.09	0.11	0.04	0.14	0.05	0.01						09	
10	T	T																						10	
11																								11	
12														T	T	0.04s	0.13	0.16	0.13	0.11	0.07	0.04	0.04	0.04	12
13	0.08	0.09	0.18	0.02	0.01	0.01	T	T					T	T	T	T		T	T	T					13
14																									14
15			T	0.02	0.02	0.02	0.02	0.03	0.02	0.15	0.21	0.12	0.03	0.04	0.11	0.13	0.01	0.03	0.03	0.02	T	0.01	T	T	15
16																									16
17																									17
18																									18
19																									19
20																									20
21																									21
22																									22
23																									23
24											0.01	0.17	0.17	0.10	0.48	0.32	0.12	T							24
25																									25
26							T	0.01	T	0.04	0.03	0.02	T	T											26
27																									27
28																									28
29																									29
30								T	T	T		T		T											30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.14	0.21	0.25	0.28	0.33	0.40	0.52	0.63	0.76	0.82	0.92	0.98
Ending Date Time (yyyy-mm-dd hh:mi)	2018-11-24 14:15	2018-11-24 14:19	2018-11-24 14:22	2018-11-24 14:28	2018-11-24 14:37	2018-11-24 14:53	2018-11-24 15:06	2018-11-24 15:29	2018-11-24 15:34	2018-11-24 15:52	2018-11-24 16:27	2018-11-24 16:27

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 \$ = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing