

Local Climatological Data
Daily Summary
April 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/04/2019

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH																		
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type			TLC	Snow Fall		Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir											
	1	2	3	4	5	6	7	8	9	10	11	12	13			14	15	16	17	18	19	20	21	22	23												
01	53	31	42	-11.4				23	0	0555	1832				0.00	0.0	0	30.11		9.1	29	360	23	360													
02	46	30*	38	-15.8				27	0	0554	1833	RA BR			0.06	0.0	0	30.05		7.7	24	330	17	360													
03	70	31	51	-3.1				14	0	0552	1834	BR			0.00	0.0	0	30.01		9.2	30	260	21	220													
04	71	42	57	2.6				8	0	0551	1835				0.00	0.0	0	30.18		6.3	21	130	15	130													
05	55	48	52	-2.7				13	0	0549	1835	RA BR			0.56	0.0	0	30.08		5.7	25	070	20	070													
06	67	48	58	2.9				7	0	0548	1836	RA DZ FG BR			0.01	0.0	0	30.01		4.3	16	030	12	350													
07	75	52	64	8.6				1	0	0546	1837	FG BR			0.00	0.0	0	30.03		6.4	23	160	15	170													
08	83	58	71	15.3				0	6	0545	1838	TS RA BR			0.61	0.0	0	29.76		11.0	35s	290s	25	280													
09	76	62	69	13.0				0	4	0543	1839	RA			0.05	0.0	0	29.52		7.3	19	330	15	230													
10	76	49	63	6.7				2	0	0542	1840				0.00	0.0	0	29.65		6.1	20	100	16	110													
11	75	45	60	3.3				5	0	0541	1841				0.00	0.0	0	29.90		5.9	22	130	17	120													
12	75	56	66	9.0				0	1	0539	1842	RA			0.02	0.0	0	29.94		10.4	29	170	22	180													
13	71	61	66	8.7				0	1	0538	1843	RA BR			0.47	0.0	0	29.89		5.2	22	180	17	320													
14	79	64	72	14.4				0	7	0536	1844	RA BR			0.05	0.0	0	29.65		12.3	34	190	28	190													
15	74	48	61	3.1				4	0	0535	1844	TS RA BR			0.19	0.0	0	29.48		18.0	46	250	35	240													
16	71	43	57	-1.2				8	0	0533	1845				0.00	0.0	0	29.96		8.7	26	220	18	220													
17	85	50	68	9.5				0	3	0532	1846				0.00	0.0	0	29.87		7.6	25	110	20	100													
18	83	52	68	9.2				0	3	0531	1847				0.00	0.0	0	29.79		10.7	32	180	26	180													
19	76	65	71	12.0				0	6	0529	1848	RA BR			0.17	0.0	0	29.57		14.1	37	180	29	190													
20	70	55	63	3.7				2	0	0528	1849	RA BR			0.06	0.0	0	29.49		13.6	34	180	28	210													
21	69	46	58	-1.6				7	0	0527	1850				0.00	0.0	0	29.79		4.8	18	230	14	230													
22	74	54	64	4.1				1	0	0525	1851				T	0.0	0	29.92		8.8	25	320	20	330													
23	83	51	67	6.8				0	2	0524	1852				0.00	0.0	0	29.83		8.1	22	200	18	190													
24	85	62	74	13.6				0	9	0523	1853				0.00	0.0	0	29.66		8.4	25	300	20	310													
25	82	60	71	10.3				0	6	0522	1854				0.00	0.0	0	29.68		4.8	14	060	10	100													
26	80	56	68	7.0				0	3	0520	1854	TS RA FG			0.83	0.0	0	29.42		11.7	38	270	29	280													
27	74	50	62	0.8				3	0	0519	1855				0.00	0.0	0	29.62		10.9	31	240	25	250													
28	83	53	68	6.5				0	3	0518	1856				T	0.0	0	29.75		12.6	34	020	26	020													
29	60	50	55	-6.7				10	0	0517	1857	BR			0.00	0.0	0	30.14		7.6	22	030	17	020													
30	87*	53	70	8.0				0	5	0516	1858	BR			0.00					7.1	22	250	16	250													
Monthly Averages Totals																																					
Departure from Normal (1981-2010)																																					
Degree Days													Number of days with...																								
Monthly						Season-to-date						Temperature				Precipitation		Snow		Weather																	
Total		Departure				Total		Departure				Max		Min																							
Heating												>=90°		<=32°		<=32°		<=0°		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog									
Cooling																																					
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure						Greatest...																							
N/A								Maximum		Date		Time		24-Hr... Precip		Snowfall		Snow Depth																			
								Minimum																													
Station Augmentation													Date																								
Name: N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																																					

Local Climatological Data
Hourly Observations
April 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/04/2019

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		38	3.3	32	0.0	21	-6.1	51	20	360	24	29.99	3	-0.09	30.19	FM-15	0.00	30.17
01	0100	4		9.94		38	3.3	32	0.0	21	-6.1	51	20	360		29.99	3	-0.09	30.19	FM-12		
01	0154	7	CLR:00	10.00		35	1.7	29	-1.7	16	-8.9	46	18	350	28	30.01			30.21	FM-15	0.00	30.19
01	0254	7	CLR:00	10.00		34	1.1	28	-2.2	15	-9.4	46	17	350		30.04			30.23	FM-15	0.00	30.22
01	0354	7	CLR:00	10.00		32	0.0	27	-2.8	15	-9.4	50	11	360		30.07	3	-0.07	30.26	FM-15	0.00	30.25
01	0454	7	FEW:02 350	10.00		31	-0.6	26	-3.3	14	-10.0	49	5	340		30.11			30.30	FM-15	0.00	30.29
01	0554	7	FEW:02 45 FEW:02 350	10.00		31	-0.6	26	-3.3	15	-9.4	52	5	310		30.12			30.32	FM-15	0.00	30.30
01	0654	7	FEW:02 45 FEW:02 300	10.00		34	1.1	28	-2.2	14	-10.0	44	11	330		30.15	1	-0.08	30.35	FM-15	0.00	30.33
01	0700	4	41	9.94		34	1.1	28	-2.2	14	-10.0	44	11	330		30.15	1	-0.08	30.35	FM-12		
01	0754	7	FEW:02 300	10.00		37	2.8	29	-1.7	14	-10.0	39	15	350		30.16			30.36	FM-15	0.00	30.34
01	0854	7	FEW:02 300	10.00		39	3.9	31	-0.6	14	-10.0	36	18	330	26	30.17			30.37	FM-15	0.00	30.35
01	0954	7	FEW:02 45 FEW:02 300	10.00		42	5.6	33	0.6	14	-10.0	32	17	340	26	30.18	1	-0.04	30.38	FM-15	0.00	30.36
01	1054	7	FEW:02 300	10.00		44	6.7	34	1.1	15	-9.4	31	15	320		30.18			30.37	FM-15	0.00	30.36
01	1154	7	SCT:04 300	10.00		46	7.8	35	1.7	15	-9.4	29	9	290	16	30.17			30.37	FM-15	0.00	30.35
01	1254	7	SCT:04 300	10.00		47	8.3	35	1.7	13	-10.6	25	8	300		30.15	8	+0.03	30.35	FM-15	0.00	30.33
01	1300	4		9.94		47	8.3	35	1.7	13	-10.6	25	8	300		30.15	8	+0.03	30.35	FM-12		
01	1354	7	SCT:04 300	10.00		49	9.4	36	2.2	13	-10.6	23	8	320		30.14			30.33	FM-15	0.00	30.32
01	1454	7	BKN:07 300	10.00		51	10.6	38	3.3	14	-10.0	23	7	030		30.13			30.32	FM-15	0.00	30.31
01	1554	7	BKN:07 300	10.00		51	10.6	38	3.3	14	-10.0	23	3	VRB		30.12	6	+0.03	30.32	FM-15	0.00	30.30
01	1654	7	BKN:07 300	10.00		51	10.6	37	2.8	13	-10.6	22	0	000		30.13			30.32	FM-15	0.00	30.31
01	1754	7	SCT:04 300	10.00		49	9.4	37	2.8	17	-8.3	28	0	000		30.13			30.33	FM-15	0.00	30.31
01	1854	7	SCT:04 300	10.00		46	7.8	36	2.2	19	-7.2	34	3	100		30.14	1	-0.01	30.33	FM-15	0.00	30.32
01	1900	4		9.94		46	7.8	36	2.2	19	-7.2	34	3	100		30.14	1	-0.01	30.33	FM-12		
01	1954	7	SCT:04 300	10.00		44	6.7	35	1.7	19	-7.2	37	3	070		30.17			30.36	FM-15	0.00	30.35
01	2054	7	FEW:02 300	10.00		39	3.9	34	1.1	27	-2.8	62	8	090		30.18			30.37	FM-15	0.00	30.36
01	2154	7	FEW:02 300	10.00		38	3.3	33	0.6	26	-3.3	62	7	110		30.18	1	-0.04	30.38	FM-15	0.00	30.36
01	2254	7	FEW:02 300	10.00		37	2.8	33	0.6	27	-2.8	67	3	130		30.18			30.38	FM-15	0.00	30.36
01	2354	7	FEW:02 300	10.00		37	2.8	34	1.1	28	-2.2	70	3	120		30.18			30.38	FM-15	0.00	30.36
02	0054	7	BKN:07 230	10.00		36	2.2	33	0.6	28	-2.2	73	6	130		30.18	8	+0.01	30.37	FM-15	0.00	30.36
02	0100	4		9.94		36	2.2	33	0.6	28	-2.2	73	6	130		30.18	8	+0.01	30.37	FM-12		
02	0154	7	BKN:07 220	10.00		37	2.8	34	1.1	28	-2.2	70	0	000		30.17			30.37	FM-15	0.00	30.35
02	0254	7	FEW:02 220 BKN:07 300	10.00		35	1.7	32	0.0	28	-2.2	76	0	000		30.17			30.37	FM-15	0.00	30.35
02	0354	7	SCT:04 200 BKN:07 300	10.00		33	0.6	31	-0.6	28	-2.2	82	3	050		30.16	8	+0.02	30.35	FM-15	0.00	30.34
02	0454	7	SCT:04 300	10.00		31	-0.6	30	-1.1	27	-2.8	85	0	000		30.14			30.34	FM-15	0.00	30.32
02	0554	7	FEW:02 200 BKN:07 300	10.00		31	-0.6	30	-1.1	27	-2.8	85	5	020		30.13			30.32	FM-15	0.00	30.31
02	0654	7	FEW:02 200 BKN:07 300	10.00		34	1.1	32	0.0	30	-1.1	85	0	000		30.13	5	+0.03	30.33	FM-15	0.00	30.31
02	0700	4		9.94		34	1.1	32	0.0	30	-1.1	85	0	000		30.13	5	+0.03	30.33	FM-12		
02	0754	7	SCT:04 35 OVC:08 300	10.00		38	3.3	35	1.7	31	-0.6	76	6	030		30.12			30.32	FM-15	0.00	30.30
02	0854	7	BKN:07 34 BKN:07 50 OVC:08 300	10.00		42	5.6	37	2.8	31	-0.6	65	9	050		30.10			30.29	FM-15	0.00	30.28

02	0954	7	BKN:07 38 BKN:07 75 OVC:08 150	10.00	-RA:02 RA RA	44	6.7	38	3.3	29	-1.7	55	8	010		30.10	5	+0.03	30.30	FM-15	T	30.28
02	1054	7	BKN:07 33 OVC:08 60	10.00		45	7.2	39	3.9	30	-1.1	56	10	020		30.07			30.27	FM-15	T	30.25
02	1154	7	BKN:07 44 BKN:07 65 OVC:08 150	10.00	-RA:02 RA RA	43	6.1	40	4.4	35	1.7	74	8	030		30.05			30.24	FM-15	0.01	30.23
02	1254	7	FEW:02 40 BKN:07 65 OVC:08 95	10.00	-RA:02 RA RA	44	6.7	41	5.0	36	2.2	73	8	020		30.01	8	+0.09	30.20	FM-15	T	30.19
02	1300	4	41	9.94	RA	44	6.7	41	5.0	36	2.2	73	8	020		30.01	8	+0.09	30.20	FM-12		
02	1354	7	FEW:02 50 BKN:07 80 OVC:08 100	10.00		45	7.2	41	5.0	36	2.2	71	8	350		29.98			30.18	FM-15	T	30.16
02	1454	7	FEW:02 26 BKN:07 60 OVC:08 90	10.00	-RA:02 RA RA	46	7.8	42	5.6	37	2.8	71	9	030		29.94			30.13	FM-15	T	30.12
02	1554	7	FEW:02 50 OVC:08 65	10.00	-RA:02 RA RA	45	7.2	41	5.0	37	2.8	74	11	010		29.91	8	+0.09	30.11	FM-15	0.01s	30.09
02	1616	7	BKN:07 25 BKN:07 39 OVC:08 60	10.00	-RA:02 RA RA	45	7.2	42	5.6	39	3.9	80	11	360		29.91				FM-16	0.01	30.09
02	1654	7	OVC:08 25	10.00	-RA:02 RA RA	44	6.7	42	5.6	39	3.9	83	9	350		29.90			30.10	FM-15	T	30.08
02	1754	7	OVC:08 22	10.00	-RA:02 RA RA	43	6.1	41	5.0	38	3.3	82	16	340		29.90			30.10	FM-15	0.02	30.08
02	1852	6	SCT:04 24 SCT:04 45 OVC:08 60	10.00	-RA:02 RA RA	41	5.0	39	3.9	37	2.8	87	14	350		29.89				FM-16		30.07
02	1854	7	SCT:04 24 SCT:04 45 OVC:08 60	10.00	-RA:02 RA RA	41	5.0	39	3.9	37	2.8	86	14	350		29.89	8	+0.02	30.08	FM-15	0.02	30.07
02	1900	4	26	9.94	RA	41	5.0	39	3.9	37	2.8	86	14	350		29.89	8	+0.02	30.08	FM-12		
02	1954	7	FEW:02 24 SCT:04 60 BKN:07 90	10.00	-RA:02 RA RA	41	5.0	39	3.9	37	2.8	86	14	340		29.88			30.08	FM-15	T	30.06
02	2054	7	SCT:04 50 OVC:08 85	10.00		41	5.0	40	4.4	38	3.3	89	10	350		29.89			30.08	FM-15	0.00	30.07
02	2154	7	SCT:04 80 SCT:04 130	9.00		40	4.4	39	3.9	37	2.8	89	8	010		29.88	6	+0.01	30.08	FM-15	0.00	30.06
02	2227	7	BKN:07 10 BKN:07 80 OVC:08 130	8.00		41	5.0	40	4.4	38	3.3	89	10	320		29.91				FM-16		30.09
02	2252	6	FEW:02 5 OVC:08 10	7.00		41	5.0	39	3.9	37	2.8	87	13	310		29.91				FM-16		30.09
02	2254	7	FEW:02 5 OVC:08 10	7.00		40	4.4	39	3.9	37	2.8	89	13	310		29.91			30.11	FM-15	0.00	30.09
02	2303	7	FEW:02 5 OVC:08 9	6.00	BR:1	40	4.4	39	3.9	37	2.8	89	11	310		29.91				FM-16		30.09
02	2354	7	OVC:08 11	7.00		40	4.4	39	3.9	37	2.8	89	8	320		29.91			30.11	FM-15	0.00	30.09
03	0038	7	SCT:04 12	8.00		38	3.3	37	2.8	35	1.7	89	5	320		29.92				FM-16		30.10
03	0054	7	FEW:02 12	7.00		38	3.3	36	2.2	34	1.1	86	3	310		29.92	1	-0.04	30.12	FM-15	0.00	30.10
03	0100	4	15	6.84		38	3.3	36	2.2	34	1.1	86	3	310		29.92	1	-0.04	30.12	FM-12		
03	0154	7	CLR:00	7.00		37	2.8	36	2.2	34	1.1	89	5	260		29.94			30.13	FM-15	0.00	30.12
03	0254	7	CLR:00	8.00		36	2.2	35	1.7	33	0.6	89	5	260		29.95			30.15	FM-15	0.00	30.13
03	0354	7	CLR:00	9.00		35	1.7	34	1.1	32	0.0	89	6	270		29.96	1	-0.04	30.16	FM-15	0.00	30.14
03	0454	7	CLR:00	6.00	BR:1	32	0.0	31	-0.6	29	-1.7	88	5	210		29.99			30.19	FM-15	0.00	30.17
03	0554	7	CLR:00	5.00	BR:1	31	-0.6	30	-1.1	28	-2.2	89	5	200		30.02			30.21	FM-15	0.00	30.20
03	0654	7	CLR:00	7.00		34	1.1	33	0.6	32	0.0	92	3	180		30.04	1	-0.07	30.24	FM-15	0.00	30.22
03	0700	4		6.84		34	1.1	33	0.6	32	0.0	92	3	180		30.04	1	-0.07	30.24	FM-12		
03	0754	7	CLR:00	10.00		42	5.6	39	3.9	35	1.7	76	9	230		30.06			30.26	FM-15	0.00	30.24
03	0854	7	CLR:00	10.00		49	9.4	43	6.1	36	2.2	61	9	230		30.07			30.27	FM-15	0.00	30.25
03	0954	7	CLR:00	10.00		56	13.3	46	7.8	35	1.7	46	11	250		30.07	1	-0.04	30.27	FM-15	0.00	30.25

03	1054	7	CLR:00	10.00		61	16.1	48	8.9	34	1.1	36	10	250		30.07			30.26	FM-15	0.00	30.25
03	1154	7	CLR:00	10.00		64	17.8	49	9.4	31	-0.6	29	17	270	22	30.06			30.25	FM-15	0.00	30.24
03	1254	7	CLR:00	10.00		67	19.4	50	10.0	31	-0.6	26	16	250	23	30.05	8	+0.03	30.24	FM-15	0.00	30.23
03	1300	4		9.94		67	19.4	50	10.0	31	-0.6	26	16	250		30.05	8	+0.03	30.24	FM-12		
03	1354	7	CLR:00	10.00		67	19.4	50	10.0	31	-0.6	26	13	250	23	30.02			30.22	FM-15	0.00	30.20
03	1454	7	FEW:02 80 FEW:02 300	10.00		69	20.6	51	10.6	32	0.0	25	15	230		30.00			30.19	FM-15	0.00	30.18
03	1554	7	FEW:02 300	10.00		69	20.6	51	10.6	32	0.0	25	17	230	26	29.99	6	+0.06	30.18	FM-15	0.00	30.17
03	1654	7	FEW:02 300	10.00		69	20.6	51	10.6	31	-0.6	24	18	220		29.99			30.18	FM-15	0.00	30.17
03	1754	7	FEW:02 300	10.00		68	20.0	51	10.6	31	-0.6	25	13	220		29.99			30.19	FM-15	0.00	30.17
03	1854	7	FEW:02 300	10.00		56	13.3	46	7.8	34	1.1	44	8	190		30.01	3	-0.02	30.20	FM-15	0.00	30.19
03	1900	4		9.94		56	13.3	46	7.8	34	1.1	44	8	190		30.01	3	-0.02	30.20	FM-12		
03	1954	7	FEW:02 300	10.00		55	12.8	46	7.8	35	1.7	47	8	190		30.03			30.23	FM-15	0.00	30.21
03	2054	7	CLR:00	10.00		54	12.2	46	7.8	36	2.2	51	8	200		30.06			30.26	FM-15	0.00	30.24
03	2154	7	CLR:00	10.00		56	13.3	46	7.8	35	1.7	46	7	240		30.08	1	-0.07	30.27	FM-15	0.00	30.26
03	2254	7	CLR:00	10.00		57	13.9	46	7.8	34	1.1	42	5	330		30.10			30.29	FM-15	0.00	30.28
03	2354	7	CLR:00	10.00		50	10.0	44	6.7	36	2.2	59	3	020		30.12			30.31	FM-15	0.00	30.30
04	0054	7	CLR:00	10.00		44	6.7	40	4.4	35	1.7	71	5	160		30.12	1	-0.04	30.31	FM-15	0.00	30.30
04	0100	4		9.94		44	6.7	40	4.4	35	1.7	71	5	160		30.12	1	-0.04	30.31	FM-12		
04	0154	7	FEW:02 300	10.00		44	6.7	41	5.0	36	2.2	73	0	000		30.13			30.33	FM-15	0.00	30.31
04	0254	7	FEW:02 300	10.00		45	7.2	41	5.0	36	2.2	71	3	010		30.15			30.34	FM-15	0.00	30.33
04	0354	7	SCT:04 250	10.00		43	6.1	40	4.4	36	2.2	76	0	000		30.17	3	-0.05	30.36	FM-15	0.00	30.35
04	0454	7	OVC:08 190	10.00		44	6.7	41	5.0	36	2.2	73	0	000		30.18			30.38	FM-15	0.00	30.36
04	0554	7	BKN:07 180 BKN:07 250	10.00		44	6.7	41	5.0	37	2.8	76	0	000		30.21			30.41	FM-15	0.00	30.39
04	0654	7	FEW:02 120 FEW:02 200 BKN:07 300	10.00		47	8.3	43	6.1	39	3.9	74	3	360		30.24	3	-0.07	30.43	FM-15	0.00	30.42
04	0700	4		9.94		47	8.3	43	6.1	39	3.9	74	3	360		30.24	3	-0.07	30.43	FM-12		
04	0754	7	BKN:07 150 BKN:07 250	10.00		56	13.3	46	7.8	33	0.6	42	7	050		30.25			30.44	FM-15	0.00	30.43
04	0854	7	FEW:02 120 BKN:07 150 BKN:07 250	10.00		60	15.6	47	8.3	31	-0.6	33	9	060		30.23			30.43	FM-15	0.00	30.41
04	0954	7	BKN:07 140 BKN:07 250	10.00		63	17.2	48	8.9	29	-1.7	28	9	090		30.25	3	-0.01	30.44	FM-15	0.00	30.43
04	1054	7	FEW:02 140 FEW:02 250	10.00		66	18.9	49	9.4	29	-1.7	25	8	120		30.24			30.44	FM-15	0.00	30.42
04	1154	7	FEW:02 150 FEW:02 250	10.00		68	20.0	49	9.4	27	-2.8	21	3	VRB		30.23			30.42	FM-15	0.00	30.41
04	1254	7	FEW:02 130 FEW:02 300	10.00		69	20.6	50	10.0	29	-1.7	22	3	VRB		30.21	8	+0.04	30.40	FM-15	0.00	30.39
04	1300	4		9.94		69	20.6	50	10.0	29	-1.7	22	3			30.21	8	+0.04	30.40	FM-12		
04	1354	7	FEW:02 150 SCT:04 300	10.00		70	21.1	52	11.1	31	-0.6	23	10	VRB	17	30.18			30.37	FM-15	0.00	30.36
04	1454	7	BKN:07 300	10.00		70	21.1	51	10.6	30	-1.1	23	9	130		30.15			30.35	FM-15	0.00	30.33
04	1554	7	FEW:02 150 BKN:07 300	10.00		69	20.6	50	10.0	29	-1.7	22	7	150	16	30.14	6	+0.06	30.33	FM-15	0.00	30.32
04	1654	7	BKN:07 300	10.00		68	20.0	51	10.6	32	0.0	26	14	140		30.14			30.34	FM-15	0.00	30.32
04	1754	7	BKN:07 300	10.00		64	17.8	49	9.4	32	0.0	30	14	140		30.16			30.35	FM-15	0.00	30.34
04	1854	7	BKN:07 300	10.00		59	15.0	46	7.8	31	-0.6	35	10	110		30.16	3	-0.02	30.36	FM-15	0.00	30.34
04	1900	4		9.94		59	15.0	46	7.8	31	-0.6	35	10	110		30.16	3	-0.02	30.36	FM-12		
04	1954	7	BKN:07 300	10.00		56	13.3	44	6.7	28	-2.2	34	8	110		30.17			30.36	FM-15	0.00	30.35
04	2054	7	BKN:07 300	10.00		54	12.2	43	6.1	28	-2.2	37	8	120		30.16			30.35	FM-15	0.00	30.34
04	2154	7	OVC:08 300	10.00		53	11.7	43	6.1	29	-1.7	40	9	140		30.16	8	0.00	30.35	FM-15	0.00	30.34
04	2254	7	OVC:08 300	10.00		52	11.1	43	6.1	31	-0.6	45	8	120		30.14			30.34	FM-15	0.00	30.32
04	2354	7	OVC:08 200	10.00		51	10.6	44	6.7	35	1.7	54	6	130		30.13			30.33	FM-15	0.00	30.31
05	0054	7	OVC:08 190	10.00		50	10.0	44	6.7	37	2.8	61	7	120		30.13	6	+0.03	30.32	FM-15	0.00	30.31
05	0100	4		9.94		50	10.0	44	6.7	37	2.8	61	7	120		30.13	6	+0.03	30.32	FM-12		
05	0154	7	OVC:08 160	10.00		50	10.0	45	7.2	39	3.9	66	5	130		30.12			30.31	FM-15	0.00	30.30

05	0254	7	SCT:04 100 OVC:08 140	10.00		51	10.6	46	7.8	40	4.4	66	3	120		30.11			30.31	FM-15	0.00	30.29
05	0354	7	OVC:08 100	10.00		51	10.6	46	7.8	41	5.0	69	0	000		30.11	6	+0.02	30.30	FM-15	0.00	30.29
05	0454	7	BKN:07 65 OVC:08 90	10.00		51	10.6	46	7.8	41	5.0	69	3	070		30.11			30.30	FM-15	0.00	30.29
05	0554	7	SCT:04 50 OVC:08 70	10.00	-RA:02 RA RA	50	10.0	47	8.3	44	6.7	80	9	040		30.11			30.30	FM-15	0.01	30.29
05	0654	7	BKN:07 30 OVC:08 60	5.00	-RA:02 BR:1 RA RA	49	9.4	47	8.3	45	7.2	86	0	000		30.14	3	-0.03	30.34	FM-15	0.07	30.32
05	0700	4	26	4.97	RA	49	9.4	47	8.3	45	7.2	86	0	000		30.14	3	-0.03	30.34	FM-12		
05	0706	7	BKN:07 27 BKN:07 41 OVC:08 75	8.00	-RA:02 RA RA	49	9.4	48	8.9	46	7.8	90	6	040		30.15				FM-16	0.01	30.33
05	0754	7	BKN:07 26 OVC:08 70	5.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	46	7.8	90	5	050		30.15			30.35	FM-15	0.07	30.33
05	0841	7	FEW:02 20 BKN:07 60 OVC:08 75	5.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	46	7.8	90	7	080		30.16				FM-16	0.06	30.34
05	0852	6	SCT:04 7 BKN:07 60 OVC:08 75	4.00	-RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	94	6	080		30.16				FM-16		30.34
05	0854	7	BKN:07 7 OVC:08 60	4.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	46	7.8	90	5	070		30.16			30.36	FM-15	0.10	30.34
05	0948	7	SCT:04 6 SCT:04 26 OVC:08 75	4.00	RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	94	16	080		30.13				FM-16	0.15	30.31
05	0954	7	FEW:02 6 SCT:04 26 OVC:08 75	6.00	-RA:02 BR:1 RA RA	50	10.0	49	9.4	47	8.3	89	17	070		30.12	8	+0.04	30.31	FM-15	0.14	30.30
05	1054	7	SCT:04 7 OVC:08 70	8.00	-RA:02 RA RA	50	10.0	49	9.4	47	8.3	89	15	090		30.10			30.29	FM-15	0.01	30.28
05	1154	7	FEW:02 9 BKN:07 70 OVC:08 85	10.00		51	10.6	49	9.4	47	8.3	86	13	080		30.07			30.26	FM-15	T	30.25
05	1254	7	FEW:02 14 SCT:04 44 OVC:08 85	9.00	-RA:02 RA RA	53	11.7	50	10.0	48	8.9	83	6	080		30.06	6	+0.06	30.25	FM-15	T	30.24
05	1300	4	15	8.70	RA	53	11.7	50	10.0	48	8.9	83	6	080		30.06	6	+0.06	30.25	FM-12		
05	1354	7	SCT:04 14 BKN:07 60 OVC:08 70	6.00	-RA:02 BR:1 RA RA	53	11.7	51	10.6	49	9.4	86	0	000		30.05			30.24	FM-15	0.02	30.23
05	1454	7	FEW:02 50 BKN:07 65 OVC:08 110	6.00	-RA:02 BR:1 RA RA	54	12.2	52	11.1	51	10.6	90	5	070		30.01			30.20	FM-15	0.04	30.19
05	1552	6	BKN:07 10 BKN:07 34 OVC:08 60	6.00	-RA:02 BR:1 RA RA	55	12.8	53	11.7	52	11.1	88	6	070		29.99				FM-16		30.17
05	1554	7	BKN:07 10 BKN:07 34 OVC:08 60	6.00	-RA:02 BR:1 RA RA	55	12.8	53	11.7	52	11.1	90	6	080		29.99	8	+0.07	30.18	FM-15	T	30.17
05	1621	7	SCT:04 10 BKN:07 60 OVC:08 85	5.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	5	060		29.99				FM-16	0.01	30.17
05	1640	7	BKN:07 10 BKN:07 60 OVC:08 85	7.00	-RA:02 RA RA	55	12.8	54	12.2	53	11.7	93	5	030		29.99				FM-16	0.02	30.17
05	1652	6	BKN:07 8 BKN:07 15 OVC:08 90	7.00	-RA:02 RA RA	55	12.8	54	12.2	54	12.2	94	5	040		29.99				FM-16		30.17
05	1654	7	BKN:07 8 BKN:07 15 OVC:08 70	7.00	-RA:02 RA RA	55	12.8	54	12.2	53	11.7	93	3	030		29.99			30.19	FM-15	0.03	30.17
05	1754	7	BKN:07 8 OVC:08 14	5.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	5	020		30.00			30.19	FM-15	0.01	30.18

05	1813	7	SCT:04 7 BKN:07 14 OVC:08 50	7.00	-RA:02 RA RA	55	12.8	54	12.2	53	11.7	93	7	010		30.00				FM-16	0.01	30.18
05	1852	6	OVC:08 8	6.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	54	12.2	94	6	020		30.00				FM-16		30.18
05	1854	7	OVC:08 8	6.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	6	020		30.00	1	-0.01	30.19	FM-15	0.01	30.18
05	1900	4	8	5.59	RA	55	12.8	54	12.2	53	11.7	93	6	020		30.00	1	-0.01	30.19	FM-12		
05	1952	6	SCT:04 4 BKN:07 44 OVC:08 55	5.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	52	11.1	94	6	060		30.00				FM-16		30.18
05	1954	7	SCT:04 4 BKN:07 44 OVC:08 55	4.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	52	11.1	93	6	050		30.00			30.19	FM-15	0.02	30.18
05	2031	7	BKN:07 4 BKN:07 39 OVC:08 46	4.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	7	060		30.00				FM-16	0.01	30.18
05	2054	7	BKN:07 4 OVC:08 48	8.00	-RA:02 RA RA	54	12.2	53	11.7	53	11.7	97	5	040		30.01			30.20	FM-15	0.01	30.19
05	2154	7	OVC:08 3	5.00	BR:1	54	12.2	53	11.7	52	11.1	93	3	040		30.01	3	-0.01	30.20	FM-15	0.01	30.19
05	2254	7	OVC:08 3	6.00	BR:1	54	12.2	53	11.7	52	11.1	93	6	040		30.00			30.19	FM-15	0.01	30.18
05	2352	6	OVC:08 3	2.50	BR:1	54	12.2	53	11.7	52	11.1	94	6	360		30.00				FM-16		30.18
05	2354	7	OVC:08 3	2.00	BR:1	54	12.2	53	11.7	52	11.1	93	5	360		30.00			30.19	FM-15	0.00	30.18
06	0037	7	VV:09 2	0.25	FG:2 FG	53	11.7	52	11.1	52	11.1	96	8	350		29.99				FM-16		30.17
06	0051	7	VV:09 2	0.50	FG:2 FG	52	11.1	52	11.1	52	11.1	100	8	340		29.99				FM-16		30.17
06	0054	7	VV:09 2	0.50	FG:2 FG	52	11.1	51	10.6	51	10.6	97	10	340		29.99	6	+0.01	30.18	FM-15	0.00	30.17
06	0100	4	2	0.50	FG	52	11.1	51	10.6	51	10.6	97	10	340		29.99	6	+0.01	30.18	FM-12		
06	0118	7	VV:09 2	0.25	FG:2 FG	51	10.6	50	10.0	50	10.0	96	8	340		29.98				FM-16		30.16
06	0125	7	VV:09 2	0.25	FG:2 FG	51	10.6	50	10.0	50	10.0	96	8	340		29.98				FM-16		30.16
06	0154	7	OVC:08 2	0.75	BR:1	51	10.6	50	10.0	49	9.4	92	8	340		29.98			30.17	FM-15	0.00	30.16
06	0206	7	OVC:08 2	1.50	BR:1	50	10.0	49	9.4	49	9.4	96	8	350		29.98				FM-16		30.16
06	0252	6	OVC:08 3	3.00	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	94	6	360		29.97				FM-16		30.15
06	0254	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	50	10.0	49	9.4	49	9.4	96	6	010		29.97			30.16	FM-15	0.01	30.15
06	0354	7	OVC:08 3	5.00	BR:1	50	10.0	49	9.4	48	8.9	93	7	010		29.97	5	+0.02	30.16	FM-15	T	30.15
06	0411	7	OVC:08 3	1.75	BR:1	50	10.0	49	9.4	48	8.9	93	8	340		29.98				FM-16		30.16
06	0418	7	OVC:08 3	0.75	BR:1	49	9.4	48	8.9	48	8.9	97	6	350		29.98				FM-16		30.16
06	0454	7	VV:09 2	0.50	FG:2 FG	49	9.4	48	8.9	47	8.3	93	9	350		29.98			30.17	FM-15	0.00	30.16
06	0532	7	OVC:08 2	1.50	BR:1	48	8.9	48	8.9	47	8.3	96	9	360		29.99				FM-16		30.17
06	0545	7	OVC:08 2	2.50	BR:1	48	8.9	48	8.9	47	8.3	96	6	360		30.00				FM-16		30.18
06	0552	6	OVC:08 2	1.00	BR:1	48	8.9	47	8.3	46	7.8	94	6	340		30.00				FM-16		30.18
06	0554	7	OVC:08 2	1.00	BR:1	49	9.4	48	8.9	47	8.3	93	6	340		30.00			30.19	FM-15	0.00	30.18
06	0608	7	OVC:08 2	0.50	FG:2 FG	49	9.4	48	8.9	47	8.3	93	6	030		30.00				FM-16		30.18
06	0654	7	VV:09 3	0.50	FG:2 FG	49	9.4	48	8.9	47	8.3	93	0	000		30.02	3	-0.05	30.22	FM-15	0.00	30.20
06	0700	4	2	0.50	FG	49	9.4	48	8.9	47	8.3	93	0	000		30.02	3	-0.05	30.22	FM-12		
06	0754	7	OVC:08 2	0.75	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	8.9	93	6	010		30.03			30.23	FM-15	T	30.21
06	0822	7	OVC:08 3	1.00	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	49	9.4	96	7	350		30.04				FM-16	T	30.22
06	0854	7	OVC:08 4	1.00	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	49	9.4	92	6	010		30.04			30.24	FM-15	T	30.22
06	0913	7	BKN:07 5 OVC:08 11	1.50	BR:1	51	10.6	50	10.0	50	10.0	96	7	010		30.05				FM-16	T	30.23
06	0923	7	BKN:07 6 OVC:08 11	2.50	BR:1	51	10.6	50	10.0	50	10.0	96	7	360		30.05				FM-16	T	30.23
06	0932	7	BKN:07 6 OVC:08 11	4.00	BR:1	51	10.6	50	10.0	50	10.0	96	7	010		30.05				FM-16	T	30.23
06	0954	7	OVC:08 6	5.00	BR:1	52	11.1	50	10.0	49	9.4	89	6	010		30.05	1	-0.03	30.25	FM-15	T	30.23
06	1054	7	OVC:08 6	6.00	BR:1	53	11.7	51	10.6	50	10.0	89	5	010		30.06			30.25	FM-15	0.00	30.24
06	1154	7	OVC:08 8	6.00	BR:1	54	12.2	52	11.1	50	10.0	87	0	000		30.05			30.24	FM-15	0.00	30.23
06	1254	7	BKN:07 10	7.00		57	13.9	54	12.2	51	10.6	81	3	VRB		30.04	8	+0.01	30.23	FM-15	0.00	30.22
06	1300	4	15	6.84		57	13.9	54	12.2	51	10.6	81	3			30.04	8	+0.01	30.23	FM-12		
06	1338	7	SCT:04 13 BKN:07 250	8.00		60	15.6	56	13.3	53	11.7	78	3	VRB		30.03				FM-16		30.21
06	1354	7	FEW:02 13 BKN:07 250	8.00		61	16.1	56	13.3	52	11.1	72	6	VRB		30.02			30.22	FM-15	0.00	30.20

06	1454	7	FEW:02 15 SCT:04 250	10.00		64	17.8	57	13.9	52	11.1	65	3	VRB		30.01			30.20	FM-15	0.00	30.19
06	1554	7	FEW:02 15 FEW:02 250	10.00		66	18.9	59	15.0	53	11.7	63	3	VRB		30.00	6	+0.04	30.19	FM-15	0.00	30.18
06	1654	7	FEW:02 20 FEW:02 300	10.00		64	17.8	57	13.9	52	11.1	65	3	VRB		29.99			30.18	FM-15	0.00	30.17
06	1754	7	FEW:02 30 FEW:02 100 FEW:02 300	10.00		64	17.8	57	13.9	52	11.1	65	3	020		30.00			30.19	FM-15	0.00	30.18
06	1854	7	SCT:04 30 SCT:04 100 SCT:04 300	10.00		61	16.1	57	13.9	53	11.7	75	0	000		30.02	3	-0.01	30.21	FM-15	0.00	30.20
06	1900	4	26	9.94		61	16.1	57	13.9	53	11.7	75	0	000		30.02	3	-0.01	30.21	FM-12		
06	1945	7	BKN:07 29 BKN:07 300	10.00		59	15.0	56	13.3	53	11.7	81	5	170		30.04				FM-16		30.22
06	1954	7	BKN:07 29 BKN:07 300	10.00		59	15.0	56	13.3	53	11.7	81	6	160		30.04			30.23	FM-15	0.00	30.22
06	2021	7	FEW:02 29 BKN:07 90 BKN:07 300	10.00		58	14.4	55	12.8	53	11.7	84	0	000		30.04				FM-16		30.22
06	2054	7	SCT:04 90 SCT:04 300	10.00		59	15.0	56	13.3	53	11.7	81	0	000		30.05			30.25	FM-15	0.00	30.23
06	2154	7	BKN:07 90 BKN:07 300	10.00		57	13.9	55	12.8	53	11.7	87	7	110		30.07	1	-0.05	30.26	FM-15	0.00	30.25
06	2254	7	BKN:07 90 BKN:07 300	10.00		56	13.3	54	12.2	53	11.7	90	0	000		30.07			30.26	FM-15	0.00	30.25
06	2354	7	OVC:08 90	10.00		56	13.3	54	12.2	53	11.7	90	0	000		30.08			30.27	FM-15	0.00	30.26
07	0054	7	OVC:08 90	10.00		56	13.3	54	12.2	53	11.7	90	0	000		30.07	0	-0.01	30.27	FM-15	0.00	30.25
07	0100	4		9.94		56	13.3	54	12.2	53	11.7	90	0	000		30.07	9	+0.01	30.27	FM-12		
07	0154	7	OVC:08 95	10.00		54	12.2	53	11.7	52	11.1	93	3	160		30.05			30.24	FM-15	0.00	30.23
07	0254	7	BKN:07 90 OVC:08 300	7.00		53	11.7	52	11.1	51	10.6	93	0	000		30.04			30.23	FM-15	0.00	30.22
07	0354	7	OVC:08 90	8.00		55	12.8	54	12.2	53	11.7	93	5	220		30.06	5	+0.01	30.25	FM-15	0.00	30.24
07	0454	7	BKN:07 90 BKN:07 300	6.00	BR:1	53	11.7	52	11.1	51	10.6	93	5	150		30.05			30.24	FM-15	0.00	30.23
07	0501	7	FEW:02 3 BKN:07 90 BKN:07 300	7.00		52	11.1	51	10.6	50	10.0	93	3	160		30.06				FM-16		30.24
07	0514	7	BKN:07 3 OVC:08 90	4.00	BR:1	53	11.7	52	11.1	51	10.6	93	0	000		30.07				FM-16		30.25
07	0532	7	VV:09 2	0.50	FG:2 FG	54	12.2	53	11.7	52	11.1	93	6	230		30.08				FM-16		30.26
07	0554	7	VV:09 2	0.25	FG:2 FG	53	11.7	52	11.1	52	11.1	96	3	150		30.07			30.27	FM-15	0.00	30.25
07	0603	7	VV:09 2	0.25	FG:2 FG	53	11.7	52	11.1	52	11.1	96	3	170		30.08				FM-16		30.26
07	0654	7	VV:09 2	0.25	FG:2 FG	53	11.7	53	11.7	53	11.7	100	5	190		30.10	3	-0.04	30.29	FM-15	0.00	30.28
07	0700	4	2	0.25	FG	53	11.7	53	11.7	53	11.7	100	5	190		30.10	3	-0.04	30.29	FM-12		
07	0740	7	BKN:07 2	0.25	FG:2 FG	54	12.2	54	12.2	54	12.2	100	3	170		30.10				FM-16		30.28
07	0754	7	BKN:07 2	0.50	FG:2 FG	55	12.8	54	12.2	54	12.2	96	0	000		30.10			30.29	FM-15	0.00	30.28
07	0805	7	BKN:07 2	1.50	BR:1	55	12.8	55	12.8	55	12.8	100	0	000		30.10				FM-16		30.28
07	0817	7	BKN:07 2	5.00	BR:1	57	13.9	56	13.3	55	12.8	93	3	VRB		30.10				FM-16		30.28
07	0838	7	FEW:02 4 SCT:04 80 BKN:07 250	7.00		58	14.4	57	13.9	56	13.3	93	0	000		30.10				FM-16		30.28
07	0854	7	FEW:02 5 SCT:04 80 BKN:07 250	10.00		59	15.0	57	13.9	56	13.3	90	3	VRB		30.11			30.30	FM-15	0.00	30.29
07	0954	7	FEW:02 20 BKN:07 300	10.00		64	17.8	59	15.0	55	12.8	73	3	160		30.09	8	+0.01	30.28	FM-15	0.00	30.27
07	1054	7	FEW:02 20 BKN:07 300	10.00		67	19.4	60	15.6	54	12.2	63	7	170		30.07			30.26	FM-15	0.00	30.25
07	1154	7	FEW:02 25 SCT:04 120 SCT:04 300	10.00		70	21.1	61	16.1	55	12.8	59	8	150		30.04			30.23	FM-15	0.00	30.22

07	1254	7	SCT:04 30	10.00		72	22.2	63	17.2	56	13.3	57	11	140		30.01	8	+0.08	30.20	FM-15	0.00	30.19
07	1300	4	26	9.94		72	22.2	63	17.2	56	13.3	57	11	140		30.01	8	+0.08	30.20	FM-12		
07	1354	7	SCT:04 36 SCT:04 80	10.00		73	22.8	63	17.2	56	13.3	55	10	180		29.97			30.16	FM-15	0.00	30.15
07	1454	7	SCT:04 44 BKN:07 100	10.00		74	23.3	63	17.2	55	12.8	52	14	150		29.94			30.14	FM-15	0.00	30.12
07	1554	7	SCT:04 47 BKN:07 180 BKN:07 300	10.00		75	23.9	63	17.2	55	12.8	50	10	160	18	29.93	6	+0.08	30.12	FM-15	0.00	30.11
07	1654	7	SCT:04 60 BKN:07 110 BKN:07 300	10.00		73	22.8	62	16.7	54	12.2	51	13	190		29.93			30.12	FM-15	0.00	30.11
07	1754	7	FEW:02 75 BKN:07 110	10.00		72	22.2	62	16.7	55	12.8	55	8	170		29.92			30.11	FM-15	0.00	30.10
07	1854	7	FEW:02 55 OVC:08 80	10.00		68	20.0	60	15.6	54	12.2	61	9	140		29.92	6	+0.01	30.11	FM-15	0.00	30.10
07	1900	4	57	9.94		68	20.0	60	15.6	54	12.2	61	9	140		29.92	6	+0.01	30.11	FM-12		
07	1954	7	BKN:07 90 BKN:07 200	10.00		66	18.9	59	15.0	53	11.7	63	7	160		29.92			30.12	FM-15	0.00	30.10
07	2054	7	FEW:02 90 BKN:07 170	10.00		63	17.2	57	13.9	53	11.7	70	6	160		29.92			30.12	FM-15	0.00	30.10
07	2154	7	FEW:02 50 BKN:07 130	10.00		61	16.1	57	13.9	54	12.2	78	5	170		29.89	8	+0.03	30.09	FM-15	0.00	30.07
07	2254	7	BKN:07 95 BKN:07 130	10.00		62	16.7	59	15.0	56	13.3	80	9	180		29.89			30.08	FM-15	0.00	30.07
07	2354	7	FEW:02 95 BKN:07 130 BKN:07 160	10.00		63	17.2	59	15.0	56	13.3	78	9	190		29.90			30.09	FM-15	0.00	30.08
08	0054	7	FEW:02 80 SCT:04 140	10.00		63	17.2	59	15.0	56	13.3	78	10	200		29.87	8	+0.02	30.06	FM-15	0.00	30.05
08	0100	4	74	9.94		63	17.2	59	15.0	56	13.3	78	10	200		29.87	8	+0.02	30.06	FM-12		
08	0154	7	SCT:04 130 BKN:07 150	10.00		61	16.1	58	14.4	56	13.3	84	9	200		29.84			30.03	FM-15	0.00	30.02
08	0254	7	FEW:02 130	10.00		60	15.6	57	13.9	55	12.8	84	8	200		29.82			30.01	FM-15	0.00	30.00
08	0354	7	FEW:02 130	10.00		58	14.4	56	13.3	55	12.8	90	9	190		29.81	6	+0.06	30.00	FM-15	0.00	29.99
08	0454	7	FEW:02 120	10.00		60	15.6	58	14.4	56	13.3	86	8	210		29.81			29.99	FM-15	0.00	29.99
08	0554	7	FEW:02 150 FEW:02 200	10.00		59	15.0	57	13.9	56	13.3	90	7	200		29.81			30.00	FM-15	0.00	29.99
08	0654	7	FEW:02 15 FEW:02 150	10.00		61	16.1	59	15.0	58	14.4	90	8	190		29.82	3	-0.01	30.01	FM-15	0.00	30.00
08	0700	4	15	9.94		61	16.1	59	15.0	58	14.4	90	8	190		29.82	3	-0.01	30.01	FM-12		
08	0717	7	BKN:07 14 BKN:07 150	10.00		63	17.2	61	16.1	59	15.0	87	10	220		29.82				FM-16		30.00
08	0754	7	OVC:08 12	10.00		65	18.3	62	16.7	60	15.6	84	11	230		29.82			30.01	FM-15	0.00	30.00
08	0854	7	BKN:07 15	10.00		69	20.6	64	17.8	61	16.1	76	13	230		29.81			30.00	FM-15	0.00	29.99
08	0910	7	SCT:04 17 SCT:04 150 BKN:07 300	10.00		70	21.1	65	18.3	62	16.7	76	10	220	22	29.80				FM-16		29.98
08	0954	7	FEW:02 18 FEW:02 150 SCT:04 300	10.00		73	22.8	66	18.9	62	16.7	69	14	210		29.78	8	+0.04	29.97	FM-15	0.00	29.96
08	1054	7	FEW:02 31 FEW:02 150 BKN:07 300	10.00		77	25.0	68	20.0	63	17.2	62	11	210		29.76			29.95	FM-15	0.00	29.94
08	1154	7	FEW:02 37 FEW:02 150 BKN:07 300	10.00		80	26.7	69	20.6	62	16.7	54	17	210	22	29.72			29.91	FM-15	0.00	29.90
08	1254	7	FEW:02 43 FEW:02 210 BKN:07 300	10.00		82	27.8	69	20.6	62	16.7	51	14	210	21	29.69	8	+0.09	29.88	FM-15	0.00	29.87
08	1300	4	41	9.94		82	27.8	69	20.6	62	16.7	51	14	210		29.69	8	+0.09	29.88	FM-12		

08	1354	7	FEW:02 45 SCT:04 160 SCT:04 210	10.00		81	27.2	69	20.6	62	16.7	53	17	220		29.67			29.85	FM-15	0.00	29.85
08	1454	7	FEW:02 37 BKN:07 170 OVC:08 300	10.00		80	26.7	69	20.6	63	17.2	56	14	200		29.64			29.83	FM-15	0.00	29.82
08	1554	7	FEW:02 37 BKN:07 180 OVC:08 300	10.00		80	26.7	69	20.6	62	16.7	54	14	200		29.62	8	+0.07	29.81	FM-15	0.00	29.80
08	1654	7	FEW:02 40 BKN:07 150 OVC:08 300	10.00		79	26.1	68	20.0	62	16.7	56	11	190		29.60			29.79	FM-15	0.00	29.78
08	1752	6	FEW:02 40 SCT:04 75	7.00		72	22.2	68	20.0	66	18.9	83	10	240		29.66				FM-16		29.84
08	1754	7	FEW:02 40 SCT:04 75	6.00	TS	73	22.8	69	20.6	67	19.4	81	17	260	21	29.68			29.87	FM-15	0.06	29.86
08	1759	7	FEW:02 15 BKN:07 75 OVC:08 95	1.00	TS:7 +RA:02 BR:1 RA TS RA	69	20.6	66	18.9	65	18.3	87	25	280	36	29.70				FM-16	0.04	29.88
08	1806	7	FEW:02 15 BKN:07 75 OVC:08 95	0.75	TS:7 +RA:02 BR:1 RA TS RA	66	18.9	65	18.3	64	17.8	93	15	270	36	29.69				FM-16	0.46	29.87
08	1813	7	FEW:02 15 BKN:07 75 OVC:08 95	0.75	TS:7 +RA:02 BR:1 RA TS RA	67	19.4	65	18.3	64	17.8	91	13	270	22	29.69				FM-16	0.52	29.87
08	1824	7	BKN:07 15 BKN:07 38 OVC:08 90	5.00	TS:7 RA:02 BR:1 RA TS RA	66	18.9	65	18.3	64	17.8	93	11	280		29.68				FM-16	0.55	29.86
08	1844	7	FEW:02 19 SCT:04 38 BKN:07 95	10.00		66	18.9	65	18.3	64	17.8	93	6	290		29.67				FM-16	0.57	29.85
08	1854	7	FEW:02 10 SCT:04 38 BKN:07 90	10.00		66	18.9	64	17.8	63	17.2	90	6	290		29.67	3	-0.05	29.86	FM-15	0.53	29.85
08	1900	4	15	9.94		66	18.9	64	17.8	63	17.2	90	6	290		29.67	3	-0.05	29.86	FM-12		
08	1954	7	SCT:04 36 BKN:07 80 OVC:08 100	10.00		64	17.8	63	17.2	63	17.2	96	8	200		29.66			29.85	FM-15	T	29.84
08	2054	7	BKN:07 49 OVC:08 60	10.00		65	18.3	64	17.8	63	17.2	93	8	170		29.64			29.83	FM-15	0.00	29.82
08	2154	7	FEW:02 42 SCT:04 80 OVC:08 150	10.00		65	18.3	64	17.8	63	17.2	93	7	190		29.63	6	+0.04	29.82	FM-15	0.00	29.81
08	2252	6	SCT:04 9 OVC:08 70	10.00		64	17.8	63	17.2	63	17.2	94	10	200		29.63				FM-16		29.81
08	2254	7	SCT:04 9 OVC:08 70	10.00		65	18.3	64	17.8	63	17.2	93	10	200		29.63			29.82	FM-15	0.00	29.81
08	2309	7	BKN:07 9 OVC:08 70	10.00		65	18.3	64	17.8	63	17.2	93	10	200		29.62				FM-16		29.80
08	2354	7	BKN:07 9 BKN:07 25 OVC:08 75	5.00	-RA:02 BR:1 RA RA	65	18.3	64	17.8	63	17.2	93	11	220		29.62			29.81	FM-15	0.02	29.80
09	0023	7	OVC:08 10	10.00	-RA:02 RA RA	65	18.3	64	17.8	63	17.2	93	11	220		29.61				FM-16	0.01	29.79
09	0052	6	OVC:08 8	10.00	-RA:02 RA RA	64	17.8	63	17.2	63	17.2	94	9	240		29.61				FM-16		29.79
09	0054	7	OVC:08 8	10.00	-RA:02 RA RA	65	18.3	64	17.8	63	17.2	93	9	230		29.61	8	+0.02	29.80	FM-15	T	29.79
09	0100	4	8	9.94	RA	65	18.3	64	17.8	63	17.2	93	9	230		29.61	8	+0.02	29.80	FM-12		
09	0154	7	OVC:08 9	7.00	-RA:02 RA RA	65	18.3	64	17.8	63	17.2	93	7	240		29.59			29.78	FM-15	0.03	29.77
09	0254	7	BKN:07 8 OVC:08 31	9.00	-RA:02 RA RA	64	17.8	63	17.2	63	17.2	96	7	230		29.57			29.76	FM-15	0.01	29.75
09	0354	7	BKN:07 8 OVC:08 60	10.00		64	17.8	63	17.2	62	16.7	93	6	210		29.54	8	+0.07	29.73	FM-15	0.01	29.72
09	0436	7	SCT:04 7 OVC:08 65	10.00		63	17.2	62	16.7	62	16.7	97	6	210		29.53				FM-16		29.71

09	0452	6	BKN:07 7 OVC:08 70	10.00		64	17.8	63	17.2	63	17.2	94	8	250		29.54				FM-16		29.72
09	0454	7	OVC:08 8	10.00		64	17.8	63	17.2	62	16.7	93	7	250		29.54			29.73	FM-15	0.00	29.72
09	0554	7	OVC:08 7	10.00		65	18.3	64	17.8	63	17.2	93	7	250		29.54			29.73	FM-15	0.00	29.72
09	0652	6	SCT:04 12 BKN:07 60 BKN:07 120	10.00		64	17.8	63	17.2	63	17.2	94	8	250		29.55				FM-16		29.73
09	0654	7	SCT:04 12 BKN:07 60 BKN:07 120	10.00		65	18.3	64	17.8	63	17.2	93	8	250		29.55	3	-0.01	29.73	FM-15	0.00	29.73
09	0725	7	SCT:04 6 BKN:07 12 BKN:07 130	9.00		66	18.9	65	18.3	64	17.8	93	7	280		29.54				FM-16		29.72
09	0754	7	BKN:07 10 BKN:07 130 OVC:08 300	10.00		66	18.9	64	17.8	63	17.2	90	8	300		29.52			29.71	FM-15	0.00	29.70
09	0828	7	SCT:04 11 SCT:04 130 OVC:08 300	10.00		67	19.4	65	18.3	63	17.2	87	6	310		29.52				FM-16		29.70
09	0854	7	FEW:02 11 BKN:07 230 OVC:08 300	10.00		68	20.0	65	18.3	63	17.2	84	6	320		29.52			29.71	FM-15	0.00	29.70
09	0954	7	FEW:02 12 FEW:02 120 BKN:07 210	10.00		70	21.1	65	18.3	62	16.7	76	8	310		29.54	5	+0.01	29.73	FM-15	0.00	29.72
09	1054	7	FEW:02 15 FEW:02 120 BKN:07 190	10.00		71	21.7	65	18.3	61	16.1	71	5	290		29.53			29.72	FM-15	0.00	29.71
09	1154	7	FEW:02 21 OVC:08 200	10.00		71	21.7	63	17.2	58	14.4	63	0	000		29.50			29.69	FM-15	0.00	29.68
09	1254	7	FEW:02 25 BKN:07 220 OVC:08 300	10.00		73	22.8	64	17.8	59	15.0	62	8	240		29.49	7	+0.05	29.68	FM-15	0.00	29.67
09	1300	4	26	9.94		73	22.8	64	17.8	59	15.0	62	8	240		29.49	7	+0.05	29.68	FM-12		
09	1354	7	SCT:04 31 BKN:07 210 OVC:08 300	10.00		74	23.3	64	17.8	58	14.4	57	7	220		29.47			29.65	FM-15	0.00	29.64
09	1454	7	SCT:04 45 SCT:04 210 OVC:08 300	10.00		75	23.9	64	17.8	56	13.3	52	6	220		29.44			29.62	FM-15	0.00	29.61
09	1554	7	FEW:02 50 SCT:04 210 OVC:08 300	10.00		75	23.9	63	17.2	55	12.8	50	13	250		29.42	6	+0.08	29.60	FM-15	0.00	29.60
09	1654	7	FEW:02 50 FEW:02 210 OVC:08 300	10.00		75	23.9	63	17.2	55	12.8	50	13	230		29.44			29.62	FM-15	0.00	29.61
09	1754	7	FEW:02 50 FEW:02 210 OVC:08 300	10.00		74	23.3	63	17.2	55	12.8	52	8	220		29.44			29.62	FM-15	0.00	29.61
09	1854	7	FEW:02 50 BKN:07 300	10.00		67	19.4	61	16.1	56	13.3	68	7	210		29.44	1	-0.02	29.62	FM-15	0.00	29.62
09	1900	4	57	9.94		67	19.4	61	16.1	56	13.3	68	7	210		29.44	1	-0.02	29.62	FM-12		
09	1954	7	FEW:02 50 BKN:07 300	10.00		65	18.3	60	15.6	56	13.3	73	6	190		29.44			29.63	FM-15	0.00	29.62
09	2054	7	BKN:07 300	10.00		65	18.3	60	15.6	57	13.9	76	8	210		29.47			29.66	FM-15	0.00	29.65
09	2154	7	SCT:04 90 SCT:04 300	10.00		67	19.4	61	16.1	57	13.9	71	8	240		29.49	3	-0.05	29.67	FM-15	0.00	29.67
09	2254	7	SCT:04 90 SCT:04 300	10.00		65	18.3	60	15.6	56	13.3	73	6	340		29.53			29.72	FM-15	0.00	29.71
09	2354	7	FEW:02 90 FEW:02 300	10.00		63	17.2	55	12.8	49	9.4	60	9	010		29.56			29.75	FM-15	0.00	29.74
10	0054	7	FEW:02 300	10.00		61	16.1	49	9.4	37	2.8	41	10	010		29.57	1	-0.08	29.76	FM-15	0.00	29.75
10	0100	4		9.94		61	16.1	49	9.4	37	2.8	41	10	010		29.57	1	-0.08	29.76	FM-12		
10	0154	7	FEW:02 300	10.00		58	14.4	47	8.3	34	1.1	41	8	010		29.59			29.78	FM-15	0.00	29.77

10	0254	7	FEW:02 300	10.00		58	14.4	45	7.2	30	-1.1	35	7	030		29.62			29.80	FM-15	0.00	29.80
10	0354	7	FEW:02 300	10.00		54	12.2	45	7.2	33	0.6	45	7	010		29.63	2	-0.06	29.82	FM-15	0.00	29.81
10	0454	7	SCT:04 300	10.00		54	12.2	44	6.7	32	0.0	43	5	010		29.65			29.84	FM-15	0.00	29.83
10	0554	7	SCT:04 300	10.00		51	10.6	44	6.7	35	1.7	54	3	350		29.68			29.87	FM-15	0.00	29.86
10	0654	7	SCT:04 300	10.00		55	12.8	46	7.8	36	2.2	49	0	000		29.69	1	-0.06	29.88	FM-15	0.00	29.87
10	0700	4		9.94		55	12.8	46	7.8	36	2.2	49	0	000		29.69	1	-0.06	29.88	FM-12		
10	0754	7	FEW:02 300	10.00		61	16.1	49	9.4	35	1.7	38	3	040		29.69			29.88	FM-15	0.00	29.87
10	0854	7	FEW:02 300	10.00		65	18.3	50	10.0	35	1.7	33	3	VRB		29.69			29.88	FM-15	0.00	29.87
10	0954	7	FEW:02 300	10.00		68	20.0	51	10.6	33	0.6	27	8	300		29.70	3	-0.01	29.89	FM-15	0.00	29.88
10	1054	7	FEW:02 300	10.00		70	21.1	51	10.6	31	-0.6	23	8	320		29.70			29.89	FM-15	0.00	29.88
10	1154	7	BKN:07 300	10.00		70	21.1	51	10.6	30	-1.1	23	5	200		29.68			29.87	FM-15	0.00	29.86
10	1254	7	BKN:07 300	10.00		71	21.7	52	11.1	33	0.6	25	5	VRB		29.67	8	+0.03	29.85	FM-15	0.00	29.85
10	1300	4		9.94		71	21.7	52	11.1	33	0.6	25	5			29.67	8	+0.03	29.85	FM-12		
10	1354	7	BKN:07 300	10.00		71	21.7	52	11.1	31	-0.6	23	10	220		29.66			29.85	FM-15	0.00	29.84
10	1454	7	BKN:07 300	10.00		74	23.3	53	11.7	32	0.0	21	8	VRB		29.64			29.83	FM-15	0.00	29.82
10	1554	7	BKN:07 300	10.00		74	23.3	53	11.7	31	-0.6	20	5	210		29.64	5	+0.02	29.84	FM-15	0.00	29.82
10	1654	7	BKN:07 300	10.00		74	23.3	53	11.7	32	0.0	21	7	340		29.65			29.84	FM-15	0.00	29.83
10	1754	7	BKN:07 300	10.00		72	22.2	53	11.7	33	0.6	24	5	040		29.66			29.85	FM-15	0.00	29.84
10	1854	7	BKN:07 300	10.00		68	20.0	52	11.1	35	1.7	30	3	090		29.67	3	-0.03	29.86	FM-15	0.00	29.85
10	1900	4		9.94		68	20.0	52	11.1	35	1.7	30	3	090		29.67	3	-0.03	29.86	FM-12		
10	1954	7	FEW:02 300	10.00		61	16.1	50	10.0	39	3.9	44	10	110		29.72			29.91	FM-15	0.00	29.90
10	2054	7	FEW:02 300	10.00		59	15.0	49	9.4	39	3.9	48	9	110		29.75			29.94	FM-15	0.00	29.93
10	2154	7	CLR:00	10.00		56	13.3	48	8.9	40	4.4	55	6	090		29.77	1	-0.10	29.96	FM-15	0.00	29.95
10	2254	7	FEW:02 300	10.00		54	12.2	47	8.3	40	4.4	59	6	070		29.80			29.99	FM-15	0.00	29.98
10	2354	7	FEW:02 300	10.00		52	11.1	47	8.3	41	5.0	66	5	080		29.81			30.00	FM-15	0.00	29.99
11	0054	7	FEW:02 300	10.00		51	10.6	46	7.8	40	4.4	66	0	000		29.81	1	-0.04	30.00	FM-15	0.00	29.99
11	0100	4		9.94		51	10.6	46	7.8	40	4.4	66	0	000		29.81	1	-0.04	30.00	FM-12		
11	0154	7	FEW:02 300	10.00		50	10.0	46	7.8	41	5.0	71	0	000		29.81			30.00	FM-15	0.00	29.99
11	0254	7	FEW:02 300	10.00		50	10.0	46	7.8	42	5.6	74	0	000		29.82			30.02	FM-15	0.00	30.00
11	0354	7	FEW:02 300	10.00		48	8.9	45	7.2	41	5.0	77	0	000		29.83	3	-0.02	30.03	FM-15	0.00	30.01
11	0454	7	FEW:02 300	10.00		45	7.2	43	6.1	41	5.0	86	5	100		29.85			30.04	FM-15	0.00	30.03
11	0554	7	SCT:04 300	10.00		48	8.9	45	7.2	41	5.0	77	0	000		29.88			30.07	FM-15	0.00	30.06
11	0654	7	FEW:02 150 BKN:07 300	10.00		52	11.1	48	8.9	44	6.7	75	5	040		29.92	3	-0.09	30.11	FM-15	0.00	30.10
11	0700	4		9.94		52	11.1	48	8.9	44	6.7	75	5	040		29.92	3	-0.09	30.11	FM-12		
11	0754	7	SCT:04 47 BKN:07 300	10.00		57	13.9	51	10.6	45	7.2	64	6	050		29.94			30.13	FM-15	0.00	30.12
11	0854	7	BKN:07 50 BKN:07 300	10.00		59	15.0	52	11.1	46	7.8	62	7	050		29.95			30.15	FM-15	0.00	30.13
11	0954	7	FEW:02 55 BKN:07 300	10.00		64	17.8	55	12.8	48	8.9	56	5	130		29.96	1	-0.04	30.16	FM-15	0.00	30.14
11	1054	7	FEW:02 55 BKN:07 300	10.00		67	19.4	57	13.9	48	8.9	51	5	VRB		29.95			30.14	FM-15	0.00	30.13
11	1154	7	FEW:02 40 FEW:02 55 BKN:07 300	10.00		70	21.1	59	15.0	50	10.0	49	7	160		29.94			30.13	FM-15	0.00	30.12
11	1254	7	FEW:02 36 BKN:07 300	10.00		72	22.2	59	15.0	49	9.4	44	14	160	18	29.92	6	+0.04	30.11	FM-15	0.00	30.10
11	1300	4	41	9.94		72	22.2	59	15.0	49	9.4	44	14	160		29.92	6	+0.04	30.11	FM-12		
11	1354	7	FEW:02 33 OVC:08 300	10.00		73	22.8	60	15.6	50	10.0	44	9	160		29.90			30.09	FM-15	0.00	30.08
11	1454	7	FEW:02 33 OVC:08 300	10.00		74	23.3	61	16.1	51	10.6	45	6	150		29.89			30.08	FM-15	0.00	30.07
11	1554	7	FEW:02 35 BKN:07 300	10.00		72	22.2	61	16.1	53	11.7	52	14	130	21	29.88	6	+0.04	30.08	FM-15	0.00	30.06
11	1654	7	BKN:07 300	10.00		69	20.6	59	15.0	52	11.1	55	15	110		29.89			30.09	FM-15	0.00	30.07
11	1754	7	OVC:08 250	10.00		65	18.3	58	14.4	52	11.1	63	11	100		29.91			30.10	FM-15	0.00	30.09
11	1854	7	OVC:08 250	10.00		62	16.7	56	13.3	52	11.1	70	8	100		29.93	3	-0.04	30.12	FM-15	0.00	30.11
11	1900	4		9.94		62	16.7	56	13.3	52	11.1	70	8	100		29.93	3	-0.04	30.12	FM-12		

11	1954	7	OVC:08 300	10.00		60	15.6	55	12.8	51	10.6	72	7	090		29.95			30.15	FM-15	0.00	30.13
11	2054	7	OVC:08 300	10.00		58	14.4	55	12.8	52	11.1	81	7	100		29.97			30.16	FM-15	0.00	30.15
11	2154	7	OVC:08 300	10.00		57	13.9	54	12.2	52	11.1	83	6	120		29.97	1	-0.04	30.16	FM-15	0.00	30.15
11	2254	7	OVC:08 300	10.00		56	13.3	54	12.2	52	11.1	87	5	120		29.97			30.16	FM-15	0.00	30.15
11	2354	7	OVC:08 300	10.00		56	13.3	54	12.2	52	11.1	87	3	150		29.97			30.17	FM-15	0.00	30.15
12	0054	7	SCT:04 300	10.00		59	15.0	56	13.3	54	12.2	83	8	160		29.97	8	0.00	30.16	FM-15	0.00	30.15
12	0100	4		9.94		59	15.0	56	13.3	54	12.2	83	8	160		29.97	8	0.00	30.16	FM-12		
12	0154	7	SCT:04 300	10.00		59	15.0	57	13.9	55	12.8	87	8	160		29.95			30.14	FM-15	0.00	30.13
12	0254	7	SCT:04 300	10.00		59	15.0	57	13.9	55	12.8	87	9	150		29.95			30.14	FM-15	0.00	30.13
12	0354	7	SCT:04 300	10.00		60	15.6	58	14.4	56	13.3	86	7	160		29.95	6	+0.02	30.14	FM-15	0.00	30.13
12	0454	7	SCT:04 300	10.00		58	14.4	56	13.3	55	12.8	90	10	140		29.95			30.14	FM-15	0.00	30.13
12	0554	7	BKN:07 300	10.00		58	14.4	56	13.3	55	12.8	90	8	150		29.96			30.15	FM-15	0.00	30.14
12	0654	7	FEW:02 50 FEW:02 150 BKN:07 300	10.00		61	16.1	59	15.0	57	13.9	87	8	150		29.98	3	-0.03	30.17	FM-15	0.00	30.16
12	0700	4	57	9.94		61	16.1	59	15.0	57	13.9	87	8	150		29.98	3	-0.03	30.17	FM-12		
12	0754	7	BKN:07 55 OVC:08 300	10.00		64	17.8	61	16.1	58	14.4	81	10	150		29.98			30.17	FM-15	0.00	30.16
12	0854	7	FEW:02 25 OVC:08 55	10.00		66	18.9	62	16.7	59	15.0	78	10	160		29.97			30.16	FM-15	0.00	30.15
12	0954	7	FEW:02 27 BKN:07 48 OVC:08 70	10.00		70	21.1	63	17.2	59	15.0	68	13	170		29.96	8	+0.01	30.16	FM-15	0.00	30.14
12	1054	7	FEW:02 23 BKN:07 50 OVC:08 120	9.00		73	22.8	64	17.8	59	15.0	62	17	160	24	29.95			30.14	FM-15	0.00	30.13
12	1154	7	FEW:02 22 BKN:07 39 OVC:08 50	6.00	RA:02 RA RA	72	22.2	65	18.3	60	15.6	66	13	160		29.95			30.14	FM-15	T	30.13
12	1254	7	SCT:04 33 BKN:07 48 OVC:08 70	6.00	-RA:02 RA RA	70	21.1	66	18.9	63	17.2	79	11	200		29.94	6	+0.03	30.13	FM-15	0.01	30.12
12	1300	4	26	5.59	RA	70	21.1	66	18.9	63	17.2	79	11	200		29.94	6	+0.03	30.13	FM-12		
12	1354	7	FEW:02 22 BKN:07 45 OVC:08 75	7.00	-RA:02 RA RA	70	21.1	65	18.3	62	16.7	76	13	170	20	29.92			30.11	FM-15	T	30.10
12	1454	7	BKN:07 55 BKN:07 75 BKN:07 100	10.00		70	21.1	66	18.9	64	17.8	82	6	130		29.88			30.07	FM-15	T	30.06
12	1554	7	BKN:07 55 BKN:07 140 OVC:08 300	10.00		73	22.8	67	19.4	63	17.2	71	5	180		29.87	6	+0.07	30.06	FM-15	0.00	30.05
12	1654	7	BKN:07 55 OVC:08 300	10.00		73	22.8	66	18.9	62	16.7	69	6	190		29.88			30.07	FM-15	0.00	30.06
12	1754	7	BKN:07 50 OVC:08 75	10.00		74	23.3	64	17.8	57	13.9	56	10	160		29.89			30.08	FM-15	0.00	30.07
12	1854	7	BKN:07 45 OVC:08 250	10.00		72	22.2	64	17.8	58	14.4	61	13	160		29.88	0	-0.01	30.07	FM-15	T	30.06
12	1900	4	41	9.94		72	22.2	64	17.8	58	14.4	61	13	160		29.88	9	+0.01	30.07	FM-12		
12	1954	7	BKN:07 40 OVC:08 150	10.00		70	21.1	63	17.2	59	15.0	68	13	170	21	29.90			30.09	FM-15	T	30.08
12	2054	7	BKN:07 33 OVC:08 120	10.00	-RA:02 RA RA	69	20.6	64	17.8	60	15.6	73	15	170	22	29.92			30.11	FM-15	T	30.10
12	2154	7	SCT:04 40 OVC:08 190	10.00		68	20.0	63	17.2	60	15.6	76	16	160	25	29.90	0	-0.02	30.09	FM-15	T	30.08
12	2254	7	FEW:02 15 SCT:04 30 BKN:07 110	10.00		65	18.3	63	17.2	61	16.1	87	8	190		29.90			30.09	FM-15	0.01	30.08
12	2321	7	BKN:07 23 BKN:07 36 OVC:08 120	10.00	-RA:02 RA RA	65	18.3	63	17.2	61	16.1	87	9	200		29.90				FM-16	T	30.08

12	2344	7	FEW:02 23 BKN:07 35 BKN:07 60	10.00		65	18.3	63	17.2	61	16.1	87	13	170		29.88				FM-16	T	30.06
12	2354	7	FEW:02 23 BKN:07 33 OVC:08 160	10.00		66	18.9	63	17.2	61	16.1	84	13	180		29.89			30.08	FM-15	T	30.07
13	0012	7	BKN:07 29 OVC:08 43	10.00		66	18.9	63	17.2	61	16.1	84	15	190		29.89				FM-16		30.07
13	0054	7	OVC:08 15	10.00		66	18.9	64	17.8	62	16.7	87	11	180		29.89	8	+0.01	30.07	FM-15	0.00	30.07
13	0100	4	15	9.94		66	18.9	64	17.8	62	16.7	87	11	180		29.89	8	+0.01	30.07	FM-12		
13	0101	7	OVC:08 14	10.00		66	18.9	64	17.8	62	16.7	87	11	190		29.88				FM-16		30.06
13	0154	7	OVC:08 12	10.00		66	18.9	64	17.8	62	16.7	87	10	180		29.87			30.06	FM-15	0.00	30.05
13	0254	7	OVC:08 10	10.00		66	18.9	64	17.8	63	17.2	90	14	190		29.87			30.06	FM-15	0.00	30.05
13	0344	7	OVC:08 9	10.00		66	18.9	64	17.8	63	17.2	90	10	200		29.88				FM-16		30.06
13	0354	7	OVC:08 9	10.00		66	18.9	65	18.3	64	17.8	93	10	200		29.88	5	+0.01	30.07	FM-15	0.00	30.06
13	0452	6	OVC:08 7	2.00	RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	94	9	310		29.91				FM-16		30.09
13	0454	7	BKN:07 8 OVC:08 19	2.00	RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	93	10	320		29.91			30.09	FM-15	0.05	30.09
13	0501	7	SCT:04 8 OVC:08 19	2.50	RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	93	9	300		29.91				FM-16	0.02	30.09
13	0535	7	FEW:02 5 BKN:07 33 OVC:08 42	4.00	RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	3	350		29.92				FM-16	0.22	30.10
13	0554	7	FEW:02 5 OVC:08 50	6.00	-RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	3	250		29.93			30.12	FM-15	0.21	30.11
13	0654	7	FEW:02 5 OVC:08 50	8.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	0	000		29.94	1	-0.06	30.12	FM-15	0.07	30.12
13	0700	4	5	7.46	RA	62	16.7	61	16.1	60	15.6	93	0	000		29.94	1	-0.06	30.12	FM-12		
13	0754	7	SCT:04 9 OVC:08 60	10.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	5	110		29.93			30.12	FM-15	0.06	30.11
13	0854	7	FEW:02 9 SCT:04 50 OVC:08 90	10.00	-RA:02 RA RA	63	17.2	62	16.7	61	16.1	93	5	110		29.93			30.12	FM-15	0.07	30.11
13	0941	7	BKN:07 6 BKN:07 85 OVC:08 100	10.00	-RA:02 RA RA	64	17.8	63	17.2	62	16.7	93	3	050		29.94				FM-16	0.01	30.12
13	0954	7	BKN:07 6 BKN:07 85 OVC:08 100	10.00		65	18.3	63	17.2	62	16.7	90	3	030		29.94	3	-0.01	30.13	FM-15	T	30.12
13	1054	7	BKN:07 8 BKN:07 45 OVC:08 70	10.00	-RA:02 RA RA	65	18.3	63	17.2	62	16.7	90	0	000		29.93			30.12	FM-15	T	30.11
13	1129	7	BKN:07 12 BKN:07 70 OVC:08 110	10.00	-RA:02 RA RA	65	18.3	63	17.2	62	16.7	90	3	060		29.94				FM-16	T	30.12
13	1154	7	BKN:07 12 BKN:07 70 OVC:08 110	10.00	-RA:02 RA RA	66	18.9	64	17.8	62	16.7	87	7	010		29.92			30.11	FM-15	T	30.10
13	1252	6	SCT:04 12 BKN:07 40 OVC:08 70	10.00		66	18.9	65	18.3	64	17.8	94	0	000		29.95				FM-16		30.13
13	1254	7	SCT:04 12 BKN:07 40 OVC:08 70	10.00		67	19.4	65	18.3	63	17.2	87	0	000		29.95	3	0.00	30.14	FM-15	0.01	30.13
13	1300	4	15	9.94		67	19.4	65	18.3	63	17.2	87	0	000		29.95	3	0.00	30.14	FM-12		
13	1352	6	BKN:07 15 BKN:07 34 OVC:08 65	10.00		70	21.1	66	18.9	63	17.2	78	7	310		29.92				FM-16		30.10
13	1354	7	SCT:04 15 BKN:07 34 OVC:08 65	10.00		69	20.6	65	18.3	63	17.2	81	6	310		29.92			30.11	FM-15	0.00	30.10
13	1454	7	FEW:02 15 SCT:04 85 OVC:08 250	10.00		69	20.6	65	18.3	63	17.2	81	3	190		29.90			30.09	FM-15	0.00	30.08

13	1542	7	BKN:07 16	10.00		69	20.6	65	18.3	63	17.2	81	6	170		29.89				FM-16		30.07
13	1554	7	OVC:08 20	10.00		69	20.6	66	18.9	64	17.8	84	8	180		29.90	5	+0.04	30.09	FM-15	0.00	30.08
13	1629	7	FEW:02 12 SCT:04 21 BKN:07 110	10.00		68	20.0	66	18.9	64	17.8	87	6	180		29.90				FM-16		30.08
13	1654	7	FEW:02 12 OVC:08 110	10.00		68	20.0	66	18.9	64	17.8	87	5	190		29.90			30.09	FM-15	0.00	30.08
13	1754	7	FEW:02 20 BKN:07 100 BKN:07 300	10.00		67	19.4	65	18.3	63	17.2	87	6	150		29.87			30.06	FM-15	0.00	30.05
13	1854	7	FEW:02 80 SCT:04 150	10.00		65	18.3	64	17.8	63	17.2	93	7	150		29.86	8	+0.04	30.05	FM-15	0.00	30.04
13	1900	4	74	9.94		65	18.3	64	17.8	63	17.2	93	7	150		29.86	8	+0.04	30.05	FM-12		
13	1954	7	FEW:02 75 BKN:07 200	10.00		64	17.8	63	17.2	62	16.7	93	0	000		29.87			30.06	FM-15	0.00	30.05
13	2054	7	FEW:02 80	5.00	BR:1	63	17.2	62	16.7	62	16.7	97	6	160		29.85			30.04	FM-15	0.00	30.03
13	2133	7	FEW:02 4 SCT:04 12	4.00	BR:1	62	16.7	61	16.1	60	15.6	93	5	170		29.85				FM-16		30.03
13	2152	7	BKN:07 2 OVC:08 11	1.00	BR:1	61	16.1	61	16.1	61	16.1	100	5	210		29.85				FM-16		30.03
13	2154	7	BKN:07 2 OVC:08 11	1.00	BR:1	62	16.7	61	16.1	60	15.6	93	5	200		29.85	8	+0.01	30.04	FM-15	0.00	30.03
13	2211	7	BKN:07 2 OVC:08 14	2.00	BR:1	63	17.2	62	16.7	62	16.7	97	0	000		29.85				FM-16		30.03
13	2222	7	SCT:04 2 OVC:08 14	3.00	BR:1	63	17.2	62	16.7	62	16.7	97	3	150		29.84				FM-16		30.02
13	2254	7	FEW:02 3 OVC:08 14	5.00	BR:1	63	17.2	62	16.7	62	16.7	97	0	000		29.82			30.01	FM-15	0.00	30.00
13	2307	7	BKN:07 4 OVC:08 15	6.00	BR:1	63	17.2	62	16.7	62	16.7	97	3	150		29.82				FM-16		30.00
13	2354	7	OVC:08 3	5.00	BR:1	64	17.8	63	17.2	63	17.2	96	0	000		29.82			30.01	FM-15	0.00	30.00
14	0018	7	BKN:07 3 OVC:08 7	2.00	BR:1	65	18.3	64	17.8	64	17.8	97	0	000		29.81				FM-16		29.99
14	0030	7	SCT:04 3 BKN:07 7 OVC:08 12	2.50	BR:1	65	18.3	64	17.8	64	17.8	97	3	160		29.81				FM-16		29.99
14	0049	7	SCT:04 8 OVC:08 12	3.00	BR:1	64	17.8	64	17.8	64	17.8	100	3	160		29.80				FM-16		29.98
14	0050	7	BKN:07 8 OVC:08 12	3.00	BR:1	64	17.8	64	17.8	64	17.8	100	3	150		29.80				FM-16		29.98
14	0052	6	SCT:04 8 OVC:08 12	4.00	BR:1	64	17.8	64	17.8	64	17.8	100	5	150		29.80				FM-16		29.98
14	0054	7	BKN:07 8 OVC:08 12	4.00	BR:1	65	18.3	64	17.8	64	17.8	97	3	150		29.79	6	+0.03	29.98	FM-15	0.00	29.97
14	0100	4	8	3.73		65	18.3	64	17.8	64	17.8	97	3	150		29.79	6	+0.03	29.98	FM-12		
14	0101	7	OVC:08 10	4.00	BR:1	65	18.3	64	17.8	64	17.8	97	3	140		29.79				FM-16		29.97
14	0110	7	BKN:07 8 OVC:08 13	2.50	BR:1	65	18.3	64	17.8	64	17.8	97	3	130		29.78				FM-16		29.96
14	0120	7	OVC:08 8	3.00	BR:1	65	18.3	64	17.8	64	17.8	97	3	140		29.78				FM-16		29.96
14	0149	7	OVC:08 6	2.00	BR:1	64	17.8	64	17.8	64	17.8	100	0	000		29.78				FM-16		29.96
14	0154	7	BKN:07 6 OVC:08 9	2.00	BR:1	65	18.3	64	17.8	64	17.8	97	0	000		29.78			29.97	FM-15	0.00	29.96
14	0221	7	BKN:07 7 OVC:08 13	1.25	-RA:02 BR:1 RA RA	65	18.3	64	17.8	64	17.8	97	0	000		29.78				FM-16	T	29.96
14	0236	7	OVC:08 6	0.75	BR:1	65	18.3	64	17.8	64	17.8	97	0	000		29.77				FM-16	T	29.95
14	0244	7	OVC:08 5	1.50	BR:1	65	18.3	64	17.8	64	17.8	97	0	000		29.78				FM-16	T	29.96
14	0252	7	OVC:08 3	1.25	-RA:02 BR:1 RA RA	64	17.8	64	17.8	64	17.8	100	0	000		29.78				FM-16	T	29.96
14	0254	7	OVC:08 3	1.00	-RA:02 BR:1 RA RA	65	18.3	64	17.8	64	17.8	97	0	000		29.78			29.97	FM-15	T	29.96
14	0322	7	OVC:08 3	1.75	BR:1	65	18.3	64	17.8	64	17.8	97	0	000		29.78				FM-16	0.01	29.96
14	0339	7	OVC:08 4	2.00	BR:1	65	18.3	64	17.8	64	17.8	97	3	140		29.78				FM-16	0.01	29.96
14	0354	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	65	18.3	64	17.8	64	17.8	97	0	000		29.78	1	0.00	29.97	FM-15	0.01	29.96
14	0414	7	OVC:08 3	1.75	BR:1	65	18.3	64	17.8	64	17.8	97	0	000		29.77				FM-16	T	29.95

14	0425	7	OVC:08 2	0.75	BR:1	65	18.3	64	17.8	64	17.8	97	5	140		29.77				FM-16	T	29.95
14	0452	6	BKN:07 3 OVC:08 11	1.25	BR:1	66	18.9	65	18.3	64	17.8	94	7	150		29.76				FM-16		29.94
14	0454	7	BKN:07 3 BKN:07 11 OVC:08 14	1.25	BR:1	66	18.9	65	18.3	65	18.3	96	7	150		29.76		29.95		FM-15	0.01	29.94
14	0510	7	BKN:07 4 OVC:08 11	2.00	-RA:02 BR:1 RA RA	66	18.9	65	18.3	65	18.3	96	7	150		29.76				FM-16	0.01	29.94
14	0526	7	SCT:04 4 BKN:07 8 OVC:08 20	4.00	BR:1	66	18.9	65	18.3	65	18.3	96	5	160		29.76				FM-16	0.01	29.94
14	0552	6	OVC:08 3	2.00	BR:1	66	18.9	65	18.3	64	17.8	94	8	170		29.76				FM-16		29.94
14	0554	7	OVC:08 3	2.00	BR:1	66	18.9	65	18.3	65	18.3	96	8	170		29.76		29.95		FM-15	T	29.94
14	0629	7	SCT:04 4 BKN:07 14 OVC:08 19	5.00	BR:1	67	19.4	66	18.9	66	18.9	97	8	170		29.76				FM-16		29.94
14	0652	6	FEW:02 4 BKN:07 22 OVC:08 70	6.00	BR:1	68	20.0	67	19.4	66	18.9	94	7	170		29.76				FM-16		29.94
14	0654	7	FEW:02 4 BKN:07 22 OVC:08 70	6.00	BR:1	68	20.0	67	19.4	67	19.4	96	7	160		29.76	8	+0.01	29.95	FM-15	0.00	29.94
14	0700	4	5	5.59		68	20.0	67	19.4	67	19.4	96	7	160		29.76	8	+0.01	29.95	FM-12		
14	0721	7	BKN:07 4 OVC:08 22	5.00	BR:1	68	20.0	67	19.4	67	19.4	96	9	160		29.74				FM-16		29.92
14	0752	6	BKN:07 6 OVC:08 12	4.00	BR:1	68	20.0	67	19.4	66	18.9	94	7	180		29.74				FM-16		29.92
14	0754	7	BKN:07 6 OVC:08 12	5.00	BR:1	69	20.6	68	20.0	67	19.4	93	8	190		29.74		29.93		FM-15	0.00	29.92
14	0852	6	SCT:04 9 BKN:07 15 BKN:07 27	10.00		72	22.2	69	20.6	68	20.0	88	11	160		29.71				FM-16		29.89
14	0854	7	SCT:04 9 BKN:07 15 OVC:08 27	10.00		71	21.7	69	20.6	68	20.0	90	13	160		29.71		29.89		FM-15	0.00	29.89
14	0954	7	SCT:04 9 BKN:07 18 OVC:08 25	10.00		73	22.8	69	20.6	67	19.4	81	14	190		29.68	8	+0.07	29.87	FM-15	0.00	29.86
14	1054	7	FEW:02 9 BKN:07 22 OVC:08 35	10.00		73	22.8	69	20.6	66	18.9	79	13	190		29.67		29.86		FM-15	0.00	29.85
14	1135	7	FEW:02 9 SCT:04 22 OVC:08 40	10.00		76	24.4	70	21.1	66	18.9	72	15	190	22	29.65				FM-16		29.83
14	1154	7	FEW:02 9 SCT:04 22 OVC:08 40	10.00		76	24.4	70	21.1	66	18.9	72	15	190		29.65		29.83		FM-15	0.00	29.83
14	1254	7	FEW:02 25 BKN:07 38 OVC:08 46	10.00		77	25.0	70	21.1	66	18.9	69	13	190		29.62	8	+0.07	29.81	FM-15	0.00	29.80
14	1300	4	26	9.94		77	25.0	70	21.1	66	18.9	69	13	190		29.62	8	+0.07	29.81	FM-12		
14	1354	7	SCT:04 31 OVC:08 200	10.00		78	25.6	70	21.1	65	18.3	64	16	170		29.57		29.76		FM-15	0.00	29.75
14	1454	7	SCT:04 29 BKN:07 38 BKN:07 47	10.00		78	25.6	70	21.1	65	18.3	64	15	180	24	29.53			29.72	FM-15	0.00	29.71
14	1554	7	SCT:04 44 BKN:07 120 OVC:08 250	10.00		79	26.1	70	21.1	65	18.3	62	18	180	24	29.50	6	+0.12	29.69	FM-15	0.00	29.68
14	1654	7	SCT:04 44 BKN:07 70 OVC:08 200	10.00		78	25.6	70	21.1	65	18.3	64	16	180	24	29.48			29.67	FM-15	0.00	29.66
14	1754	7	FEW:02 45 BKN:07 110 OVC:08 250	10.00		77	25.0	69	20.6	65	18.3	66	21	180	28	29.45			29.63	FM-15	0.00	29.63

14	1854	7	BKN:07 55 OVC:08 250	10.00		76	24.4	68	20.0	64	17.8	67	15	180	32	29.44	8	+0.07	29.62	FM-15	0.00	29.61
14	1900	4	57	9.94		76	24.4	68	20.0	64	17.8	67	15	180		29.43	8	+0.07	29.62	FM-12		
14	1954	7	BKN:07 36 OVC:08 250	10.00		75	23.9	69	20.6	65	18.3	71	23	180	29	29.41			29.60	FM-15	0.00	29.59
14	2054	7	FEW:02 35 BKN:07 170 OVC:08 250	10.00		75	23.9	69	20.6	66	18.9	74	18	180	24	29.39			29.57	FM-15	0.00	29.56
14	2154	7	BKN:07 31 OVC:08 45	10.00		75	23.9	69	20.6	66	18.9	74	18	190	25	29.36	8	+0.07	29.54	FM-15	0.00	29.54
14	2254	7	FEW:02 27 BKN:07 40 BKN:07 70	10.00		74	23.3	69	20.6	67	19.4	79	17	180		29.34			29.52	FM-15	0.00	29.52
14	2354	7	SCT:04 24 BKN:07 34 OVC:08 70	8.00	-RA:02 RA RA	73	22.8	70	21.1	68	20.0	84	16	180	21	29.31			29.49	FM-15	0.03	29.48
15	0054	7	SCT:04 30 BKN:07 43 OVC:08 75	10.00		73	22.8	69	20.6	67	19.4	81	15	210	24	29.26	8	+0.09	29.45	FM-15	T	29.44
15	0100	4	26	9.94		73	22.8	69	20.6	67	19.4	81	15	210		29.26	8	+0.09	29.45	FM-12		
15	0105	7	SCT:04 25 BKN:07 46 OVC:08 80	3.00	TS:7 RA:02 RA TS TS RA	70	21.1	67	19.4	65	18.3	84	29	250	46	29.28				FM-16	T	29.45
15	0118	7	SCT:04 28 BKN:07 34 OVC:08 70	3.00	TS:7 RA:02 BR:1 RA TS RA	67	19.4	65	18.3	64	17.8	91	20	240	37	29.26				FM-16	0.11	29.44
15	0148	7	FEW:02 30 SCT:04 85 OVC:08 100	10.00	-RA:02 RA RA	70	21.1	67	19.4	66	18.9	88	21	200	30	29.26				FM-16	0.17	29.44
15	0154	7	FEW:02 30 SCT:04 85 OVC:08 100	10.00	-RA:02 RA RA	69	20.6	66	18.9	65	18.3	87	16	200	25	29.26			29.44	FM-15	0.17	29.43
15	0254	7	FEW:02 15 BKN:07 90 BKN:07 120	10.00	-RA:02 RA RA	68	20.0	65	18.3	63	17.2	84	21	270	26	29.26			29.45	FM-15	0.02	29.44
15	0354	7	SCT:04 80 BKN:07 120	10.00		65	18.3	61	16.1	59	15.0	81	7	220		29.28	3	-0.02	29.46	FM-15	T	29.45
15	0454	7	FEW:02 120 SCT:04 170	10.00		62	16.7	60	15.6	58	14.4	86	8	200		29.28			29.47	FM-15	0.00	29.46
15	0554	7	FEW:02 34	10.00		62	16.7	59	15.0	56	13.3	80	11	230		29.31			29.49	FM-15	0.00	29.48
15	0654	7	FEW:02 85	10.00		64	17.8	58	14.4	54	12.2	70	14	250		29.34	3	-0.06	29.52	FM-15	0.00	29.51
15	0700	4		9.94		64	17.8	58	14.4	54	12.2	70	14	250		29.33	3	-0.06	29.52	FM-12		
15	0754	7	FEW:02 40 SCT:04 85	10.00		64	17.8	55	12.8	47	8.3	54	26	270	37	29.37			29.56	FM-15	0.00	29.55
15	0854	7	FEW:02 41	10.00		64	17.8	54	12.2	44	6.7	48	25	270	34	29.42			29.61	FM-15	0.00	29.60
15	0954	7	FEW:02 50	10.00		63	17.2	51	10.6	39	3.9	41	25	300	34	29.48	3	-0.15	29.67	FM-15	0.00	29.66
15	1054	7	FEW:02 55 FEW:02 300	10.00		62	16.7	49	9.4	35	1.7	37	25	290	38	29.53			29.72	FM-15	0.00	29.71
15	1154	7	FEW:02 55 FEW:02 300	10.00		65	18.3	50	10.0	35	1.7	33	24	280	34	29.54			29.73	FM-15	0.00	29.72
15	1254	7	FEW:02 60 BKN:07 300	10.00		66	18.9	51	10.6	36	2.2	33	25	280	34	29.55	1	-0.07	29.74	FM-15	0.00	29.73
15	1300	4	57	9.94		66	18.9	51	10.6	36	2.2	33	25	280		29.55	1	-0.07	29.74	FM-12		
15	1354	7	FEW:02 60 BKN:07 300	10.00		65	18.3	50	10.0	34	1.1	32	24	290	38	29.57			29.76	FM-15	0.00	29.75
15	1454	7	FEW:02 60 BKN:07 300	10.00		65	18.3	50	10.0	34	1.1	32	23	310	32	29.58			29.77	FM-15	0.00	29.76
15	1554	7	FEW:02 60 BKN:07 300	10.00		64	17.8	50	10.0	34	1.1	33	23	300	36	29.62	3	-0.07	29.81	FM-15	0.00	29.80
15	1654	7	FEW:02 60 SCT:04 300	10.00		62	16.7	49	9.4	34	1.1	35	18	320	32	29.67			29.86	FM-15	0.00	29.85
15	1754	7	FEW:02 60 FEW:02 300	10.00		59	15.0	46	7.8	31	-0.6	35	23	330	31	29.73			29.92	FM-15	0.00	29.91
15	1854	7	FEW:02 60	10.00		55	12.8	44	6.7	31	-0.6	40	21	320	28	29.77	1	-0.15	29.96	FM-15	0.00	29.95

15	1900	4	57	9.94		55	12.8	44	6.7	31	-0.6	40	21	320		29.77	1	-0.15	29.96	FM-12		
15	1954	7	CLR:00	10.00		52	11.1	43	6.1	32	0.0	47	11	330		29.82			30.01	FM-15	0.00	30.00
15	2054	7	CLR:00	10.00		51	10.6	42	5.6	31	-0.6	46	11	310		29.86			30.06	FM-15	0.00	30.04
15	2154	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	8	290		29.89	1	-0.12	30.08	FM-15	0.00	30.07
15	2254	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	14	290		29.92			30.11	FM-15	0.00	30.10
15	2354	7	CLR:00	10.00		48	8.9	41	5.0	31	-0.6	52	11	290		29.94			30.13	FM-15	0.00	30.12
16	0054	7	CLR:00	10.00		47	8.3	40	4.4	31	-0.6	54	8	270		29.94	1	-0.05	30.13	FM-15	0.00	30.12
16	0100	4		9.94		47	8.3	40	4.4	31	-0.6	54	8	270		29.94	1	-0.05	30.13	FM-12		
16	0154	7	CLR:00	10.00		46	7.8	40	4.4	32	0.0	58	7	240		29.95			30.14	FM-15	0.00	30.13
16	0254	7	CLR:00	10.00		44	6.7	39	3.9	32	0.0	63	7	270		29.97			30.16	FM-15	0.00	30.15
16	0354	7	CLR:00	10.00		44	6.7	39	3.9	32	0.0	63	7	280		29.98	3	-0.04	30.17	FM-15	0.00	30.16
16	0454	7	SCT:04 300	10.00		43	6.1	39	3.9	33	0.6	68	5	290		30.00			30.19	FM-15	0.00	30.18
16	0554	7	BKN:07 300	10.00		44	6.7	39	3.9	33	0.6	65	9	270		30.03			30.22	FM-15	0.00	30.21
16	0654	7	FEW:02 200 BKN:07 300	10.00		47	8.3	41	5.0	33	0.6	59	6	270		30.05	3	-0.07	30.25	FM-15	0.00	30.23
16	0700	4		9.94		47	8.3	41	5.0	33	0.6	59	6	270		30.05	3	-0.07	30.25	FM-12		
16	0754	7	SCT:04 240	10.00		51	10.6	43	6.1	34	1.1	52	9	280		30.08			30.27	FM-15	0.00	30.26
16	0854	7	FEW:02 250	10.00		55	12.8	45	7.2	34	1.1	45	6	290		30.08			30.27	FM-15	0.00	30.26
16	0954	7	SCT:04 250	10.00		58	14.4	47	8.3	33	0.6	39	6	280		30.07	0	-0.01	30.26	FM-15	0.00	30.25
16	1054	7	SCT:04 300	10.00		60	15.6	47	8.3	30	-1.1	32	3	320		30.05			30.24	FM-15	0.00	30.23
16	1154	7	SCT:04 300	10.00		61	16.1	47	8.3	31	-0.6	32	5	180		30.03			30.22	FM-15	0.00	30.21
16	1254	7	FEW:02 300	10.00		65	18.3	49	9.4	30	-1.1	27	13	220	17	29.99	8	+0.08	30.19	FM-15	0.00	30.17
16	1300	4		9.94		65	18.3	49	9.4	30	-1.1	27	13	220		29.99	8	+0.08	30.19	FM-12		
16	1354	7	FEW:02 300	10.00		69	20.6	51	10.6	30	-1.1	23	9	230		29.96			30.16	FM-15	0.00	30.14
16	1454	7	FEW:02 300	10.00		69	20.6	51	10.6	30	-1.1	23	13	220		29.93			30.12	FM-15	0.00	30.11
16	1554	7	BKN:07 300	10.00		69	20.6	51	10.6	30	-1.1	23	11	230	22	29.89	8	+0.10	30.09	FM-15	0.00	30.07
16	1654	7	BKN:07 300	10.00		70	21.1	51	10.6	31	-0.6	23	16	230		29.89			30.08	FM-15	0.00	30.07
16	1754	7	BKN:07 300	10.00		68	20.0	50	10.0	30	-1.1	24	15	210		29.88			30.08	FM-15	0.00	30.06
16	1854	7	SCT:04 300	10.00		63	17.2	50	10.0	35	1.7	35	9	190		29.88	6	+0.01	30.07	FM-15	0.00	30.06
16	1900	4		9.94		63	17.2	50	10.0	35	1.7	35	9	190		29.88	6	+0.01	30.07	FM-12		
16	1954	7	BKN:07 300	10.00		59	15.0	49	9.4	39	3.9	48	7	190		29.89			30.08	FM-15	0.00	30.07
16	2054	7	FEW:02 300	10.00		58	14.4	49	9.4	39	3.9	50	8	190		29.90			30.09	FM-15	0.00	30.08
16	2154	7	FEW:02 300	10.00		55	12.8	48	8.9	40	4.4	57	10	200		29.90	1	-0.02	30.10	FM-15	0.00	30.08
16	2254	7	FEW:02 300	10.00		54	12.2	47	8.3	39	3.9	57	9	200		29.91			30.10	FM-15	0.00	30.09
16	2354	7	BKN:07 100 BKN:07 300	10.00		57	13.9	48	8.9	39	3.9	51	11	200		29.90			30.09	FM-15	0.00	30.08
17	0054	7	FEW:02 100 SCT:04 300	10.00		56	13.3	48	8.9	39	3.9	53	9	210		29.88	8	+0.02	30.08	FM-15	0.00	30.06
17	0100	4		9.94		56	13.3	48	8.9	39	3.9	53	9	210		29.88	8	+0.02	30.08	FM-12		
17	0154	7	SCT:04 100 SCT:04 300	10.00		55	12.8	48	8.9	40	4.4	57	9	200		29.87			30.06	FM-15	0.00	30.05
17	0254	7	SCT:04 110 BKN:07 300	10.00		53	11.7	47	8.3	40	4.4	61	8	200		29.86			30.05	FM-15	0.00	30.04
17	0354	7	FEW:02 110 SCT:04 300	10.00		52	11.1	46	7.8	40	4.4	64	6	210		29.86	5	+0.02	30.06	FM-15	0.00	30.04
17	0454	7	SCT:04 110 SCT:04 300	10.00		51	10.6	46	7.8	41	5.0	69	6	190		29.86			30.05	FM-15	0.00	30.04
17	0554	7	FEW:02 120 SCT:04 300	10.00		50	10.0	46	7.8	42	5.6	74	6	190		29.87			30.06	FM-15	0.00	30.05
17	0654	7	FEW:02 150 SCT:04 300	10.00		56	13.3	50	10.0	43	6.1	62	7	220		29.89	3	-0.03	30.08	FM-15	0.00	30.07
17	0700	4		9.94		56	13.3	50	10.0	43	6.1	62	7	220		29.89	3	-0.03	30.08	FM-12		
17	0754	7	FEW:02 130 BKN:07 300	10.00		63	17.2	53	11.7	44	6.7	50	6	260		29.89			30.08	FM-15	0.00	30.07
17	0854	7	FEW:02 130 BKN:07 300	10.00		70	21.1	57	13.9	45	7.2	41	3	320		29.88			30.07	FM-15	0.00	30.06
17	0954	7	SCT:04 300	10.00		74	23.3	59	15.0	46	7.8	37	6	240		29.89	3	0.00	30.08	FM-15	0.00	30.07
17	1054	7	BKN:07 300	10.00		79	26.1	60	15.6	44	6.7	29	8	280		29.88			30.07	FM-15	0.00	30.06
17	1154	7	BKN:07 300	10.00		81	27.2	60	15.6	44	6.7	27	3	300		29.87			30.06	FM-15	0.00	30.05

17	1254	7	BKN:07 300	10.00		82	27.8	61	16.1	45	7.2	27	3	060		29.85	8	+0.04	30.04	FM-15	0.00	30.03
17	1300	4		9.94		82	27.8	61	16.1	45	7.2	27	3	060		29.85	8	+0.04	30.04	FM-12		
17	1354	7	FEW:02 50 BKN:07 300	10.00		84	28.9	62	16.7	46	7.8	27	6	360		29.84			30.03	FM-15	0.00	30.02
17	1454	7	FEW:02 50 FEW:02 220 BKN:07 300	10.00		83	28.3	62	16.7	46	7.8	27	9	160		29.82			30.01	FM-15	0.00	30.00
17	1554	7	FEW:02 50 BKN:07 300	10.00		83	28.3	62	16.7	46	7.8	27	7	160		29.80	8	+0.05	29.99	FM-15	0.00	29.98
17	1654	7	FEW:02 50 BKN:07 300	10.00		75	23.9	61	16.1	51	10.6	43	17	120		29.82			30.01	FM-15	0.00	30.00
17	1754	7	FEW:02 240 BKN:07 300	10.00		68	20.0	58	14.4	49	9.4	51	18	110	25	29.83			30.02	FM-15	0.00	30.01
17	1854	7	SCT:04 230 BKN:07 300	10.00		64	17.8	56	13.3	49	9.4	58	10	100		29.86	3	-0.06	30.05	FM-15	0.00	30.04
17	1900	4		9.94		64	17.8	56	13.3	49	9.4	58	10	100		29.86	3	-0.06	30.05	FM-12		
17	1954	7	SCT:04 240 BKN:07 300	10.00		61	16.1	53	11.7	45	7.2	56	8	110		29.86			30.05	FM-15	0.00	30.04
17	2054	7	FEW:02 240 BKN:07 300	10.00		59	15.0	53	11.7	47	8.3	64	7	100		29.88			30.07	FM-15	0.00	30.06
17	2154	7	OVC:08 250	10.00		58	14.4	52	11.1	47	8.3	67	8	120		29.88	0	-0.02	30.07	FM-15	0.00	30.06
17	2254	7	BKN:07 200 OVC:08 300	10.00		57	13.9	52	11.1	48	8.9	72	8	110		29.88			30.06	FM-15	0.00	30.06
17	2354	7	BKN:07 220 OVC:08 300	10.00		56	13.3	52	11.1	48	8.9	75	3	070		29.88			30.07	FM-15	0.00	30.06
18	0054	7	BKN:07 230 OVC:08 300	10.00		54	12.2	51	10.6	49	9.4	83	3	100		29.87	8	+0.01	30.06	FM-15	0.00	30.05
18	0100	4		9.94		54	12.2	51	10.6	49	9.4	83	3	100		29.87	8	+0.01	30.06	FM-12		
18	0154	7	BKN:07 190 OVC:08 300	10.00		54	12.2	51	10.6	49	9.4	83	0	000		29.85			30.03	FM-15	0.00	30.03
18	0254	7	SCT:04 170 BKN:07 220 BKN:07 300	10.00		53	11.7	51	10.6	49	9.4	86	0	000		29.83			30.01	FM-15	0.00	30.01
18	0354	7	FEW:02 220 OVC:08 300	10.00		52	11.1	50	10.0	48	8.9	86	3	020		29.82	6	+0.05	30.01	FM-15	0.00	30.00
18	0454	7	BKN:07 300	10.00		52	11.1	50	10.0	48	8.9	86	3	060		29.81			30.01	FM-15	0.00	29.99
18	0554	7	SCT:04 200 BKN:07 300	10.00		52	11.1	50	10.0	49	9.4	89	0	000		29.83			30.02	FM-15	0.00	30.01
18	0654	7	SCT:04 200 BKN:07 300	10.00		54	12.2	52	11.1	51	10.6	90	0	000		29.85	3	-0.02	30.04	FM-15	0.00	30.03
18	0700	4		9.94		54	12.2	52	11.1	51	10.6	90	0	000		29.85	3	-0.02	30.04	FM-12		
18	0754	7	FEW:02 110 FEW:02 210 BKN:07 300	10.00		59	15.0	56	13.3	53	11.7	81	3	190		29.84			30.03	FM-15	0.00	30.02
18	0854	7	FEW:02 110 OVC:08 300	10.00		65	18.3	60	15.6	56	13.3	73	8	200		29.85			30.04	FM-15	0.00	30.03
18	0954	7	FEW:02 110 BKN:07 300	10.00		68	20.0	62	16.7	57	13.9	68	8	210		29.85	3	-0.01	30.04	FM-15	0.00	30.03
18	1054	7	FEW:02 31 BKN:07 300	10.00		73	22.8	64	17.8	58	14.4	59	6	230		29.84			30.03	FM-15	0.00	30.02
18	1154	7	FEW:02 41 FEW:02 160 BKN:07 300	10.00		78	25.6	67	19.4	60	15.6	54	11	200	21	29.80			29.99	FM-15	0.00	29.98
18	1254	7	FEW:02 50 FEW:02 200 BKN:07 300	10.00		82	27.8	67	19.4	58	14.4	44	21	180		29.77	8	+0.08	29.96	FM-15	0.00	29.95
18	1300	4	57	9.94		82	27.8	67	19.4	58	14.4	44	21	180		29.77	8	+0.08	29.96	FM-12		
18	1354	7	FEW:02 200 BKN:07 300	10.00		82	27.8	66	18.9	56	13.3	41	20	190	26	29.74			29.93	FM-15	0.00	29.92
18	1454	7	FEW:02 60 BKN:07 300	10.00		83	28.3	66	18.9	55	12.8	38	18	180	25	29.72			29.91	FM-15	0.00	29.90
18	1554	7	BKN:07 300	10.00		81	27.2	62	16.7	49	9.4	33	23	190	29	29.71	6	+0.06	29.89	FM-15	0.00	29.89
18	1654	7	OVC:08 300	10.00		80	26.7	63	17.2	51	10.6	37	20	190		29.70			29.88	FM-15	0.00	29.88

18	1754	7	OVC:08 300	10.00		78	25.6	63	17.2	52	11.1	40	17	200	29	29.69		29.88	FM-15	0.00	29.87	
18	1854	7	OVC:08 300	10.00		75	23.9	63	17.2	54	12.2	48	13	180		29.68	6	+0.02	29.87	FM-15	0.00	29.86
18	1900	4		9.94		75	23.9	63	17.2	54	12.2	48	13	180		29.68	6	+0.02	29.87	FM-12		
18	1954	7	BKN:07 300	10.00		73	22.8	63	17.2	56	13.3	55	11	180		29.70			29.89	FM-15	0.00	29.88
18	2054	7	OVC:08 300	10.00		72	22.2	64	17.8	58	14.4	61	11	180	22	29.71			29.90	FM-15	0.00	29.89
18	2154	7	OVC:08 300	10.00		71	21.7	64	17.8	59	15.0	66	20	180	25	29.71	1	-0.03	29.90	FM-15	0.00	29.89
18	2254	7	BKN:07 240 OVC:08 300	10.00		70	21.1	63	17.2	59	15.0	68	22	180	32	29.71			29.91	FM-15	0.00	29.89
18	2354	7	SCT:04 220 OVC:08 300	10.00		68	20.0	63	17.2	59	15.0	73	15	190		29.71			29.90	FM-15	0.00	29.89
19	0054	7	SCT:04 210 BKN:07 300	10.00		68	20.0	63	17.2	59	15.0	73	17	180		29.69	8	+0.02	29.88	FM-15	0.00	29.87
19	0100	4		9.94		68	20.0	63	17.2	59	15.0	73	17	180		29.69	8	+0.02	29.88	FM-12		
19	0154	7	SCT:04 200 SCT:04 300	10.00		67	19.4	63	17.2	60	15.6	79	15	190		29.68			29.87	FM-15	0.00	29.86
19	0254	7	SCT:04 21 BKN:07 230 BKN:07 300	10.00		66	18.9	62	16.7	60	15.6	81	14	180		29.66			29.85	FM-15	0.00	29.84
19	0354	7	SCT:04 19 BKN:07 55 BKN:07 230	10.00		66	18.9	63	17.2	61	16.1	84	14	170		29.64	8	+0.05	29.83	FM-15	0.00	29.82
19	0442	7	SCT:04 19 BKN:07 25 OVC:08 70	10.00		65	18.3	63	17.2	62	16.7	90	8	170		29.62				FM-16	0.01	29.80
19	0454	7	SCT:04 19 BKN:07 25 OVC:08 70	10.00		65	18.3	63	17.2	62	16.7	90	10	160		29.61			29.80	FM-15	0.01	29.79
19	0554	7	OVC:08 16	10.00		66	18.9	64	17.8	63	17.2	90	11	170		29.62			29.81	FM-15	0.00	29.80
19	0654	7	BKN:07 18 OVC:08 37	10.00		68	20.0	66	18.9	64	17.8	87	15	170	22	29.64	5	+0.01	29.83	FM-15	0.00	29.82
19	0700	4	15	9.94		68	20.0	66	18.9	64	17.8	87	15	170		29.64	5	+0.01	29.83	FM-12		
19	0754	7	BKN:07 18 OVC:08 40	10.00		71	21.7	67	19.4	65	18.3	81	15	180	26	29.63			29.82	FM-15	0.00	29.81
19	0854	7	BKN:07 20 OVC:08 300	10.00		73	22.8	68	20.0	65	18.3	76	20	170	28	29.61			29.80	FM-15	0.00	29.79
19	0954	7	BKN:07 22 OVC:08 300	10.00		74	23.3	69	20.6	66	18.9	76	14	170	25	29.59	8	+0.04	29.78	FM-15	0.00	29.77
19	1054	7	BKN:07 28 BKN:07 85 OVC:08 300	10.00		76	24.4	70	21.1	66	18.9	72	15	180	31	29.58			29.77	FM-15	0.00	29.76
19	1130	7	BKN:07 30 BKN:07 70 BKN:07 140	10.00		75	23.9	69	20.6	66	18.9	74	20	160	26	29.56				FM-16		29.74
19	1154	7	BKN:07 29 BKN:07 60 OVC:08 120	10.00	-RA:02 RA RA	75	23.9	69	20.6	66	18.9	74	14	160		29.54			29.73	FM-15	T	29.72
19	1214	7	FEW:02 21 BKN:07 28 OVC:08 60	2.50	-RA:02 RA RA	72	22.2	69	20.6	67	19.4	84	16	160	28	29.53				FM-16	0.02	29.71
19	1224	7	FEW:02 20 BKN:07 29 OVC:08 80	9.00	-RA:02 RA RA	72	22.2	69	20.6	67	19.4	84	21	160	34	29.55				FM-16	0.06	29.73
19	1246	7	SCT:04 18 BKN:07 32 BKN:07 65	9.00	RA RA	72	22.2	69	20.6	68	20.0	87	22	170	31	29.53				FM-16	0.08	29.71
19	1254	7	SCT:04 21 BKN:07 44 BKN:07 80	10.00	RA RA	72	22.2	69	20.6	68	20.0	87	14	170	31	29.53	8	+0.07	29.71	FM-15	0.08	29.71
19	1300	4	26	9.94	RA	72	22.2	69	20.6	68	20.0	87	14	170		29.53	8	+0.07	29.71	FM-12		
19	1312	7	BKN:07 28 BKN:07 60 OVC:08 120	10.00		72	22.2	69	20.6	68	20.0	87	14	170	23	29.52				FM-16	T	29.70

19	1352	6	SCT:04 17 BKN:07 32 BKN:07 70	7.00	-RA:02 RA RA	73	22.8	71	21.7	70	21.1	89	24	180	32	29.52				FM-16		29.69
19	1354	7	SCT:04 17 BKN:07 32 BKN:07 70	7.00	-RA:02 RA RA	73	22.8	70	21.1	68	20.0	84	21	180	32	29.52			29.70	FM-15	T	29.69
19	1454	7	FEW:02 19 SCT:04 90 BKN:07 130	10.00		74	23.3	71	21.7	69	20.6	85	14	160	24	29.47			29.66	FM-15	0.01	29.65
19	1518	7	BKN:07 20 OVC:08 37	10.00		73	22.8	70	21.1	68	20.0	84	21	180	30	29.47				FM-16		29.64
19	1538	7	SCT:04 21 BKN:07 40 BKN:07 120	10.00		74	23.3	70	21.1	68	20.0	82	18	170	26	29.45				FM-16		29.63
19	1554	7	SCT:04 20 BKN:07 34 BKN:07 150	10.00		74	23.3	69	20.6	67	19.4	79	17	160	26	29.45	8	+0.07	29.64	FM-15	0.00	29.63
19	1654	7	BKN:07 19 OVC:08 24	10.00		73	22.8	69	20.6	67	19.4	81	16	170	22	29.44			29.63	FM-15	0.00	29.62
19	1754	7	BKN:07 17 OVC:08 45	10.00		72	22.2	69	20.6	68	20.0	87	15	140		29.42			29.61	FM-15	T	29.60
19	1806	7	FEW:02 21 SCT:04 27 BKN:07 49	10.00		71	21.7	69	20.6	68	20.0	90	13	150		29.42				FM-16		29.60
19	1854	7	BKN:07 34 OVC:08 80	5.00	-RA:02 BR:1 RA RA	70	21.1	69	20.6	68	20.0	93	13	140		29.41	6	+0.04	29.60	FM-15	0.07	29.59
19	1900	4	41	4.97	RA	70	21.1	69	20.6	68	20.0	93	13	140		29.41	6	+0.04	29.60	FM-12		
19	1913	7	SCT:04 19 BKN:07 29 OVC:08 49	10.00		71	21.7	68	20.0	67	19.4	87	18	200	37	29.44				FM-16	T	29.61
19	1932	7	SCT:04 22 BKN:07 40 OVC:08 110	10.00	-RA:02 RA RA	70	21.1	67	19.4	66	18.9	87	13	200		29.44				FM-16	T	29.61
19	1954	7	FEW:02 40 BKN:07 95 OVC:08 150	10.00		69	20.6	66	18.9	65	18.3	87	11	190		29.44			29.62	FM-15	T	29.62
19	2054	7	SCT:04 80 BKN:07 110 OVC:08 150	10.00		67	19.4	65	18.3	63	17.2	87	11	160		29.45			29.64	FM-15	0.00	29.63
19	2154	7	FEW:02 90 SCT:04 120 OVC:08 200	10.00		66	18.9	64	17.8	63	17.2	90	9	150		29.42	0	-0.01	29.61	FM-15	0.00	29.60
19	2245	7	FEW:02 19 BKN:07 26 BKN:07 31	10.00		65	18.3	64	17.8	63	17.2	93	9	140		29.42				FM-16		29.60
19	2254	7	BKN:07 16 OVC:08 30	10.00		66	18.9	64	17.8	63	17.2	90	10	140		29.42			29.60	FM-15	0.00	29.60
19	2354	7	OVC:08 17	10.00		66	18.9	64	17.8	63	17.2	90	13	170		29.44			29.62	FM-15	T	29.61
20	0054	7	OVC:08 19	10.00		67	19.4	65	18.3	63	17.2	87	9	160	18	29.42	0	-0.01	29.61	FM-15	0.00	29.60
20	0100	4	15	9.94		67	19.4	65	18.3	63	17.2	87	9	160		29.42	9	+0.01	29.61	FM-12		
20	0152	6	BKN:07 16 OVC:08 21	2.50	RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	88	9	150		29.41				FM-16		29.59
20	0154	7	FEW:02 9 BKN:07 16 OVC:08 23	2.50	+RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	8	150		29.41			29.60	FM-15	0.05	29.59
20	0205	7	SCT:04 9 BKN:07 16 OVC:08 20	6.00	-RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	13	160		29.41				FM-16	0.01	29.59
20	0210	7	BKN:07 9 BKN:07 15 OVC:08 20	9.00	-RA:02 RA RA	66	18.9	64	17.8	63	17.2	90	10	150		29.41				FM-16	0.01	29.58
20	0252	6	FEW:02 9 SCT:04 15 OVC:08 75	10.00		64	17.8	63	17.2	63	17.2	94	9	150		29.39				FM-16		29.56

20	0254	7	FEW:02 9 SCT:04 15 OVC:08 75	10.00		65	18.3	64	17.8	63	17.2	93	11	140		29.39			29.57	FM-15	T	29.56
20	0354	7	FEW:02 15 BKN:07 80	10.00		65	18.3	64	17.8	63	17.2	93	9	160		29.36	8	+0.06	29.55	FM-15	T	29.54
20	0452	7	SCT:04 15 SCT:04 23 OVC:08 29	10.00		64	17.8	63	17.2	63	17.2	94	10	180		29.39				FM-16		29.56
20	0454	7	SCT:04 15 SCT:04 23 BKN:07 29	10.00		65	18.3	64	17.8	63	17.2	93	10	180		29.39			29.57	FM-15	0.00	29.56
20	0512	7	FEW:02 15 SCT:04 28 SCT:04 38	10.00		65	18.3	64	17.8	63	17.2	93	9	180		29.39				FM-16		29.56
20	0554	7	SCT:04 47 BKN:07 85	10.00		63	17.2	62	16.7	61	16.1	93	10	180		29.41			29.59	FM-15	0.00	29.59
20	0654	7	SCT:04 50 SCT:04 85 BKN:07 300	10.00		63	17.2	57	13.9	52	11.1	68	14	220		29.44	3	-0.06	29.63	FM-15	0.00	29.62
20	0700	4	57	9.94		63	17.2	57	13.9	52	11.1	68	14	220		29.44	3	-0.06	29.63	FM-12		
20	0754	7	FEW:02 49 BKN:07 300	10.00		61	16.1	55	12.8	49	9.4	65	15	220		29.47			29.66	FM-15	0.00	29.65
20	0854	7	FEW:02 32 BKN:07 300	10.00		64	17.8	57	13.9	51	10.6	63	16	200		29.50			29.69	FM-15	0.00	29.68
20	0954	7	FEW:02 36 BKN:07 300	10.00		65	18.3	56	13.3	49	9.4	56	20	190		29.52	1	-0.08	29.71	FM-15	0.00	29.70
20	1054	7	FEW:02 41 FEW:02 300	10.00		66	18.9	56	13.3	47	8.3	50	16	210	26	29.53			29.72	FM-15	0.00	29.71
20	1154	7	FEW:02 47 SCT:04 350	10.00		68	20.0	57	13.9	48	8.9	49	15	190	26	29.53			29.72	FM-15	0.00	29.71
20	1254	7	SCT:04 50 BKN:07 350	10.00		68	20.0	57	13.9	47	8.3	47	16	190	25	29.53	0	-0.01	29.71	FM-15	0.00	29.71
20	1300	4	57	9.94		68	20.0	57	13.9	47	8.3	47	16	190		29.53	9	+0.01	29.71	FM-12		
20	1354	7	BKN:07 55 BKN:07 350	10.00		70	21.1	57	13.9	47	8.3	44	21	180		29.52			29.70	FM-15	0.00	29.69
20	1454	7	BKN:07 65	10.00		69	20.6	56	13.3	45	7.2	42	21	210	28	29.52			29.71	FM-15	0.00	29.70
20	1554	7	BKN:07 70	10.00		67	19.4	55	12.8	44	6.7	44	22	190	29	29.53	3	-0.01	29.72	FM-15	0.00	29.71
20	1654	7	BKN:07 80	10.00		66	18.9	54	12.2	44	6.7	45	18	190	25	29.56			29.75	FM-15	0.00	29.74
20	1754	7	BKN:07 90	10.00		65	18.3	53	11.7	42	5.6	43	17	210	23	29.58			29.77	FM-15	0.00	29.76
20	1854	7	BKN:07 80	10.00	-RA:02 RA RA	64	17.8	53	11.7	42	5.6	45	9	240		29.58	1	-0.05	29.78	FM-15	T	29.76
20	1900	4	74	9.94	RA	64	17.8	53	11.7	42	5.6	45	9	240		29.58	1	-0.05	29.78	FM-12		
20	1954	7	BKN:07 60 OVC:08 80	10.00		59	15.0	52	11.1	46	7.8	62	8	210		29.63			29.82	FM-15	0.01	29.81
20	2054	7	BKN:07 65	10.00		59	15.0	51	10.6	44	6.7	58	9	240		29.65			29.84	FM-15	T	29.83
20	2154	7	BKN:07 50 OVC:08 65	10.00		57	13.9	51	10.6	45	7.2	64	9	230		29.66	1	-0.08	29.86	FM-15	T	29.84
20	2254	7	OVC:08 70	10.00		55	12.8	50	10.0	46	7.8	72	6	190		29.68			29.87	FM-15	0.00	29.86
20	2354	7	BKN:07 80 OVC:08 90	10.00		55	12.8	50	10.0	46	7.8	72	11	210		29.70			29.89	FM-15	0.00	29.88
21	0054	7	OVC:08 85	10.00		54	12.2	49	9.4	45	7.2	72	11	230		29.70	1	-0.04	29.89	FM-15	0.00	29.88
21	0100	4		9.94		54	12.2	49	9.4	45	7.2	72	11	230		29.70	1	-0.04	29.89	FM-12		
21	0154	7	SCT:04 80	10.00		53	11.7	49	9.4	44	6.7	72	9	230		29.70			29.90	FM-15	0.00	29.88
21	0254	7	FEW:02 80	10.00		49	9.4	47	8.3	44	6.7	83	5	210		29.72			29.91	FM-15	0.00	29.90
21	0354	7	FEW:02 80	10.00		49	9.4	47	8.3	45	7.2	86	3	160		29.74	3	-0.04	29.93	FM-15	0.00	29.92
21	0454	7	FEW:02 80	10.00		47	8.3	46	7.8	44	6.7	90	5	150		29.75			29.95	FM-15	0.00	29.93
21	0554	7	FEW:02 80	10.00		47	8.3	46	7.8	45	7.2	93	3	170		29.78			29.97	FM-15	0.00	29.96
21	0654	7	FEW:02 80	10.00		51	10.6	49	9.4	48	8.9	89	7	190		29.79	1	-0.06	29.98	FM-15	0.00	29.97
21	0700	4	74	9.94		51	10.6	49	9.4	48	8.9	89	7	190		29.79	1	-0.06	29.98	FM-12		
21	0754	7	FEW:02 15 SCT:04 40 BKN:07 100	10.00		54	12.2	50	10.0	47	8.3	77	6	230		29.80			30.00	FM-15	0.00	29.98

21	0854	7	FEW:02 21 SCT:04 35 BKN:07 250	10.00		57	13.9	52	11.1	47	8.3	69	7	210		29.82			30.01	FM-15	0.00	30.00
21	0954	7	FEW:02 28 BKN:07 32 BKN:07 250	10.00		59	15.0	52	11.1	46	7.8	62	3	VRB		29.84	3	-0.05	30.03	FM-15	0.00	30.02
21	1054	7	SCT:04 28 BKN:07 32	10.00		63	17.2	54	12.2	45	7.2	52	8	230		29.83			30.03	FM-15	0.00	30.01
21	1154	7	SCT:04 32 BKN:07 47	10.00		63	17.2	53	11.7	44	6.7	50	6	180		29.83			30.02	FM-15	0.00	30.01
21	1254	7	BKN:07 50	10.00		66	18.9	54	12.2	42	5.6	42	3	VRB		29.82	8	+0.02	30.01	FM-15	0.00	30.00
21	1300	4	57	9.94		66	18.9	54	12.2	42	5.6	42	3			29.82	8	+0.02	30.01	FM-12		
21	1354	7	BKN:07 60	10.00		66	18.9	54	12.2	43	6.1	43	7	200		29.82			30.01	FM-15	0.00	30.00
21	1454	7	FEW:02 30 BKN:07 55 BKN:07 75	10.00		65	18.3	53	11.7	42	5.6	43	3	130		29.81			30.01	FM-15	0.00	29.99
21	1554	7	BKN:07 60	10.00		64	17.8	53	11.7	43	6.1	46	0	000		29.81	6	+0.01	30.01	FM-15	0.00	29.99
21	1654	7	BKN:07 60 BKN:07 90	10.00		65	18.3	54	12.2	43	6.1	45	3	200		29.82			30.01	FM-15	0.00	30.00
21	1754	7	FEW:02 60 SCT:04 90 BKN:07 140	10.00		65	18.3	53	11.7	42	5.6	43	0	000		29.83			30.02	FM-15	0.00	30.01
21	1854	7	SCT:04 65 BKN:07 150	10.00		63	17.2	54	12.2	45	7.2	52	5	110		29.85	3	-0.03	30.04	FM-15	0.00	30.03
21	1900	4	57	9.94		63	17.2	54	12.2	45	7.2	52	5	110		29.85	3	-0.03	30.04	FM-12		
21	1954	7	FEW:02 60 BKN:07 95 BKN:07 150	10.00		61	16.1	54	12.2	47	8.3	60	5	150		29.87			30.06	FM-15	0.00	30.05
21	2054	7	FEW:02 70 BKN:07 140	10.00		58	14.4	53	11.7	48	8.9	70	0	000		29.88			30.07	FM-15	0.00	30.06
21	2154	7	SCT:04 95 BKN:07 150	10.00		57	13.9	53	11.7	49	9.4	74	0	000		29.89	1	-0.05	30.09	FM-15	0.00	30.07
21	2254	7	FEW:02 60 BKN:07 95 OVC:08 120	10.00		58	14.4	53	11.7	49	9.4	72	5	310		29.89			30.08	FM-15	0.00	30.07
21	2354	7	BKN:07 120	10.00		58	14.4	53	11.7	48	8.9	70	10	320		29.90			30.09	FM-15	0.00	30.08
22	0054	7	FEW:02 75 BKN:07 130	10.00		58	14.4	51	10.6	45	7.2	62	13	350		29.89	8	+0.01	30.08	FM-15	0.00	30.07
22	0100	4	74	9.94		58	14.4	51	10.6	45	7.2	62	13	350		29.89	8	+0.01	30.08	FM-12		
22	0154	7	FEW:02 70 OVC:08 80	10.00		58	14.4	51	10.6	45	7.2	62	13	350		29.88			30.08	FM-15	0.00	30.06
22	0254	7	BKN:07 85 OVC:08 95	10.00		57	13.9	50	10.0	44	6.7	62	13	340		29.88			30.07	FM-15	0.00	30.06
22	0354	7	FEW:02 85 OVC:08 100	10.00		56	13.3	50	10.0	44	6.7	65	11	340		29.90	3	-0.01	30.09	FM-15	0.00	30.08
22	0454	7	FEW:02 90 BKN:07 110	10.00		55	12.8	50	10.0	44	6.7	67	9	340		29.92			30.11	FM-15	T	30.10
22	0554	7	FEW:02 120 SCT:04 140 SCT:04 250	10.00		55	12.8	50	10.0	44	6.7	67	9	320		29.93			30.12	FM-15	0.00	30.11
22	0654	7	BKN:07 75 BKN:07 250	10.00		55	12.8	50	10.0	44	6.7	67	9	320		29.96	3	-0.06	30.15	FM-15	0.00	30.14
22	0700	4	74	9.94		55	12.8	50	10.0	44	6.7	67	9	320		29.96	3	-0.06	30.15	FM-12		
22	0754	7	FEW:02 70 SCT:04 190 BKN:07 300	10.00		59	15.0	52	11.1	45	7.2	60	11	340	20	29.96			30.15	FM-15	0.00	30.14
22	0854	7	FEW:02 200 BKN:07 300	10.00		63	17.2	55	12.8	47	8.3	56	14	330		29.96			30.15	FM-15	0.00	30.14
22	0954	7	FEW:02 37 BKN:07 300	10.00		65	18.3	56	13.3	48	8.9	54	14	320		29.97	3	-0.01	30.16	FM-15	0.00	30.15
22	1054	7	SCT:04 39 BKN:07 300	10.00		68	20.0	57	13.9	48	8.9	49	14	360		29.96			30.16	FM-15	0.00	30.14

22	1154	7	FEW:02 44 SCT:04 75 BKN:07 300	10.00		69	20.6	57	13.9	48	8.9	47	14	330		29.96			30.15	FM-15	0.00	30.14
22	1226	7	FEW:02 45 SCT:04 75 BKN:07 300	10.00		70	21.1	58	14.4	48	8.9	46	16	350	23	29.95				FM-16		30.13
22	1254	7	SCT:04 46 SCT:04 75 BKN:07 300	10.00		70	21.1	58	14.4	48	8.9	46	7	350	22	29.94	8	+0.02	30.13	FM-15	0.00	30.12
22	1300	4	41	9.94		70	21.1	58	14.4	48	8.9	46	7	350		29.94	8	+0.02	30.13	FM-12		
22	1354	7	SCT:04 50 BKN:07 300	10.00		72	22.2	58	14.4	46	7.8	40	13	310		29.92			30.11	FM-15	0.00	30.10
22	1454	7	SCT:04 55 SCT:04 300	10.00		73	22.8	58	14.4	45	7.2	37	10	300		29.89			30.08	FM-15	0.00	30.07
22	1554	7	SCT:04 55 SCT:04 300	10.00		72	22.2	56	13.3	42	5.6	34	8	330		29.88	6	+0.06	30.07	FM-15	0.00	30.06
22	1654	7	SCT:04 70 SCT:04 300	10.00		73	22.8	57	13.9	42	5.6	33	13	340		29.88			30.07	FM-15	0.00	30.06
22	1754	7	SCT:04 80 SCT:04 300	10.00		72	22.2	56	13.3	42	5.6	34	9	340		29.89			30.09	FM-15	0.00	30.07
22	1854	7	FEW:02 80 FEW:02 300	10.00		69	20.6	55	12.8	42	5.6	38	7	310		29.90	3	-0.01	30.09	FM-15	0.00	30.08
22	1900	4	74	9.94		69	20.6	55	12.8	42	5.6	38	7	310		29.90	3	-0.01	30.09	FM-12		
22	1954	7	FEW:02 80 FEW:02 300	10.00		67	19.4	54	12.2	43	6.1	42	0	000		29.91			30.10	FM-15	0.00	30.09
22	2054	7	CLR:00	10.00		59	15.0	53	11.7	47	8.3	64	0	000		29.92			30.11	FM-15	0.00	30.10
22	2154	7	CLR:00	10.00		57	13.9	52	11.1	47	8.3	69	0	000		29.92	1	-0.03	30.11	FM-15	0.00	30.10
22	2254	7	CLR:00	10.00		57	13.9	52	11.1	48	8.9	72	0	000		29.92			30.11	FM-15	0.00	30.10
22	2354	7	CLR:00	10.00		55	12.8	50	10.0	46	7.8	72	0	000		29.93			30.12	FM-15	0.00	30.11
23	0054	7	CLR:00	10.00		54	12.2	50	10.0	46	7.8	75	0	000		29.92	8	+0.01	30.11	FM-15	0.00	30.10
23	0100	4		9.94		54	12.2	50	10.0	46	7.8	75	0	000		29.92	8	+0.01	30.11	FM-12		
23	0154	7	CLR:00	10.00		55	12.8	50	10.0	46	7.8	72	0	000		29.90			30.09	FM-15	0.00	30.08
23	0254	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	0	000		29.90			30.09	FM-15	0.00	30.08
23	0354	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	0	000		29.89	6	+0.02	30.09	FM-15	0.00	30.07
23	0454	7	CLR:00	10.00		51	10.6	49	9.4	46	7.8	83	0	000		29.89			30.09	FM-15	0.00	30.07
23	0554	7	FEW:02 250	10.00		54	12.2	50	10.0	47	8.3	77	0	000		29.90			30.10	FM-15	0.00	30.08
23	0654	7	FEW:02 250	10.00		61	16.1	54	12.2	47	8.3	60	5	VRB		29.91	3	-0.01	30.10	FM-15	0.00	30.09
23	0700	4		9.94		61	16.1	54	12.2	47	8.3	60	5			29.91	3	-0.01	30.10	FM-12		
23	0754	7	SCT:04 350	10.00		66	18.9	56	13.3	48	8.9	52	8	260		29.90			30.09	FM-15	0.00	30.08
23	0854	7	FEW:02 350	10.00		72	22.2	60	15.6	50	10.0	46	7	220		29.89			30.08	FM-15	0.00	30.07
23	0954	7	SCT:04 300	10.00		75	23.9	60	15.6	48	8.9	39	11	220		29.88	8	+0.02	30.07	FM-15	0.00	30.06
23	1054	7	FEW:02 300	10.00		77	25.0	60	15.6	47	8.3	35	10	240		29.86			30.05	FM-15	0.00	30.04
23	1154	7	FEW:02 300	10.00		79	26.1	61	16.1	48	8.9	34	13	240	18	29.83			30.01	FM-15	0.00	30.01
23	1254	7	BKN:07 300	10.00		81	27.2	62	16.7	49	9.4	33	10	230		29.79	8	+0.09	29.98	FM-15	0.00	29.97
23	1300	4		9.94		81	27.2	62	16.7	49	9.4	33	10	230		29.79	8	+0.09	29.98	FM-12		
23	1354	7	BKN:07 300	10.00		81	27.2	63	17.2	50	10.0	34	10	190		29.76			29.95	FM-15	0.00	29.94
23	1454	7	FEW:02 200 BKN:07 300	10.00		83	28.3	64	17.8	51	10.6	33	14	180		29.73			29.92	FM-15	0.00	29.91
23	1554	7	FEW:02 300	10.00		83	28.3	64	17.8	51	10.6	33	14	200		29.72	6	+0.08	29.91	FM-15	0.00	29.90
23	1654	7	FEW:02 300	10.00		82	27.8	64	17.8	51	10.6	34	14	190		29.70			29.89	FM-15	0.00	29.88
23	1754	7	FEW:02 300	10.00		80	26.7	63	17.2	51	10.6	37	14	190		29.69			29.88	FM-15	0.00	29.87
23	1854	7	SCT:04 300	10.00		73	22.8	61	16.1	53	11.7	50	10	190		29.68	6	+0.03	29.87	FM-15	0.00	29.86
23	1954	7	SCT:04 300	10.00		72	22.2	61	16.1	53	11.7	52	10	180		29.68			29.87	FM-15	0.00	29.86
23	2054	7	FEW:02 300	10.00		70	21.1	61	16.1	54	12.2	57	10	200		29.68			29.87	FM-15	0.00	29.86
23	2154	7	FEW:02 300	10.00		72	22.2	61	16.1	54	12.2	53	15	200		29.67	8	+0.01	29.86	FM-15	0.00	29.85
23	2254	7	FEW:02 300	10.00		70	21.1	61	16.1	54	12.2	57	9	200		29.66			29.85	FM-15	0.00	29.84
23	2354	7	FEW:02 100 SCT:04 300	10.00		68	20.0	60	15.6	55	12.8	63	10	200		29.66			29.85	FM-15	0.00	29.84

24	0054	6	FEW:02 100 SCT:04 200 BKN:07 300	10.00		68	20.0	60	15.6	55	12.8	63	10	220		29.65	8	+0.02	29.83	FM-15	0.00	29.83
24	0154	6	BKN:07 210 BKN:07 300	10.00		68	20.0	60	15.6	55	12.8	63	8	230		29.63			29.82	FM-15	0.00	29.81
24	0254	6	SCT:04 170 BKN:07 220 BKN:07 300	10.00		63	17.2	58	14.4	55	12.8	75	7	210		29.63			29.82	FM-15	0.00	29.81
24	0354	6	SCT:04 220 BKN:07 300	10.00		66	18.9	60	15.6	55	12.8	68	9	230		29.62	6	+0.02	29.81	FM-15	0.00	29.80
24	0454	6	SCT:04 160 SCT:04 220 BKN:07 300	10.00		66	18.9	60	15.6	55	12.8	68	8	250		29.63			29.82	FM-15	0.00	29.81
24	0554	6	SCT:04 170 BKN:07 220 BKN:07 300	10.00		66	18.9	60	15.6	55	12.8	68	5	240		29.65			29.84	FM-15	0.00	29.83
24	0654	6	FEW:02 130 SCT:04 190 BKN:07 300	10.00		68	20.0	60	15.6	55	12.8	63	8	270		29.67	3	-0.05	29.86	FM-15	0.00	29.85
24	0754	6	FEW:02 160 BKN:07 300	10.00		73	22.8	62	16.7	55	12.8	53	6	280		29.67			29.86	FM-15	0.00	29.85
24	0854	6	FEW:02 50 SCT:04 170 BKN:07 300	10.00		77	25.0	63	17.2	54	12.2	45	10	270		29.69			29.88	FM-15	0.00	29.87
24	0954	6	BKN:07 170	10.00		81	27.2	65	18.3	55	12.8	41	11	290		29.68	0	-0.01	29.87	FM-15	0.00	29.86
24	1054	6	FEW:02 50 BKN:07 170	10.00		79	26.1	64	17.8	54	12.2	42	14	320	23	29.68			29.87	FM-15	0.00	29.86
24	1154	6	FEW:02 60 SCT:04 160 BKN:07 300	10.00		83	28.3	66	18.9	55	12.8	38	15	330	23	29.67			29.86	FM-15	0.00	29.85
24	1254	6	FEW:02 60 BKN:07 170	10.00		80	26.7	64	17.8	54	12.2	41	14	290		29.66	8	+0.02	29.85	FM-15	0.00	29.84
24	1354	6	FEW:02 60 BKN:07 160 BKN:07 300	10.00		83	28.3	65	18.3	54	12.2	37	13	290		29.64			29.83	FM-15	0.00	29.82
24	1454	6	FEW:02 65 SCT:04 150 BKN:07 300	10.00		83	28.3	65	18.3	54	12.2	37	14	280	20	29.64			29.83	FM-15	0.00	29.82
24	1554	6	FEW:02 65 FEW:02 150 BKN:07 300	10.00		83	28.3	65	18.3	54	12.2	37	11	270		29.65	5	+0.01	29.84	FM-15	0.00	29.83
24	1654	7	FEW:02 65 SCT:04 140 BKN:07 300	10.00		81	27.2	64	17.8	53	11.7	38	8	280		29.65			29.84	FM-15	0.00	29.83
24	1754	7	FEW:02 150 BKN:07 300	10.00		80	26.7	64	17.8	54	12.2	41	0	000		29.65			29.84	FM-15	0.00	29.83
24	1854	7	FEW:02 150 BKN:07 300	10.00		74	23.3	63	17.2	56	13.3	54	0	000		29.66	3	-0.01	29.85	FM-15	0.00	29.84
24	1900	4		9.94		74	23.3	63	17.2	56	13.3	54	0	000		29.66	3	-0.01	29.85	FM-12		
24	1954	7	FEW:02 160 SCT:04 300	10.00		70	21.1	63	17.2	58	14.4	66	7	110		29.67			29.85	FM-15	0.00	29.85
24	2054	7	FEW:02 75 FEW:02 300	10.00		68	20.0	63	17.2	60	15.6	76	6	040		29.68			29.87	FM-15	0.00	29.86
24	2154	7	SCT:04 300	10.00		66	18.9	62	16.7	59	15.0	78	6	050		29.70	3	-0.04	29.89	FM-15	0.00	29.88
24	2254	7	BKN:07 110	10.00		67	19.4	62	16.7	59	15.0	76	6	080		29.71			29.90	FM-15	0.00	29.89
24	2354	7	OVC:08 130	10.00		66	18.9	61	16.1	58	14.4	75	6	090		29.71			29.90	FM-15	0.00	29.89
25	0054	7	FEW:02 75 BKN:07 100	10.00		65	18.3	60	15.6	57	13.9	76	5	110		29.70	0	0.00	29.89	FM-15	0.00	29.88
25	0100	4	74	9.94		65	18.3	60	15.6	57	13.9	76	5	110		29.70	9	0.00	29.89	FM-12		
25	0154	7	OVC:08 90	10.00		66	18.9	60	15.6	56	13.3	70	5	100		29.69			29.88	FM-15	0.00	29.87
25	0254	7	FEW:02 100 SCT:04 300	10.00		62	16.7	59	15.0	56	13.3	80	3	040		29.68			29.87	FM-15	0.00	29.86
25	0354	7	SCT:04 300	10.00		61	16.1	58	14.4	56	13.3	84	5	100		29.67	6	+0.03	29.86	FM-15	0.00	29.85
25	0454	7	SCT:04 300	10.00		61	16.1	58	14.4	55	12.8	81	7	060		29.68			29.87	FM-15	0.00	29.86

25	0554	7	FEW:02 100 SCT:04 300	10.00		61	16.1	58	14.4	55	12.8	81	3	010		29.71			29.90	FM-15	0.00	29.89
25	0654	7	FEW:02 100 FEW:02 250 BKN:07 300	10.00		63	17.2	60	15.6	57	13.9	81	7	060		29.72	3	-0.05	29.91	FM-15	0.00	29.90
25	0700	4		9.94		63	17.2	60	15.6	57	13.9	81	7	060		29.72	3	-0.05	29.91	FM-12		
25	0754	7	FEW:02 60 SCT:04 210 BKN:07 300	10.00		67	19.4	62	16.7	58	14.4	73	5	060		29.71			29.90	FM-15	0.00	29.89
25	0854	7	BKN:07 130 BKN:07 220 BKN:07 300	10.00		70	21.1	63	17.2	59	15.0	68	7	070		29.70			29.89	FM-15	0.00	29.88
25	0954	7	BKN:07 140 OVC:08 300	10.00		72	22.2	65	18.3	60	15.6	66	8	070		29.70	6	+0.02	29.89	FM-15	0.00	29.88
25	1054	7	FEW:02 110 BKN:07 150 OVC:08 300	10.00		73	22.8	66	18.9	61	16.1	66	11	060		29.68			29.87	FM-15	0.00	29.86
25	1154	7	BKN:07 140 OVC:08 300	10.00		74	23.3	66	18.9	61	16.1	64	6	VRB		29.67			29.86	FM-15	0.00	29.85
25	1254	7	BKN:07 150 OVC:08 300	10.00		79	26.1	68	20.0	61	16.1	54	0	000		29.68	5	+0.03	29.86	FM-15	0.00	29.86
25	1300	4		9.94		79	26.1	68	20.0	61	16.1	54	0	000		29.68	5	+0.03	29.86	FM-12		
25	1354	7	BKN:07 160 BKN:07 300	10.00		78	25.6	67	19.4	60	15.6	54	3	120		29.66			29.84	FM-15	0.00	29.84
25	1454	7	FEW:02 45 BKN:07 150 OVC:08 300	10.00		81	27.2	69	20.6	62	16.7	53	5	VRB		29.64			29.83	FM-15	0.00	29.82
25	1554	7	FEW:02 50 FEW:02 160 BKN:07 300	10.00		79	26.1	67	19.4	60	15.6	52	0	000		29.64	6	+0.04	29.83	FM-15	0.00	29.82
25	1654	7	FEW:02 220 BKN:07 300	10.00		79	26.1	67	19.4	60	15.6	52	0	000		29.64			29.83	FM-15	0.00	29.82
25	1754	7	FEW:02 220 OVC:08 300	10.00		77	25.0	68	20.0	62	16.7	60	6	160		29.64			29.83	FM-15	0.00	29.82
25	1854	7	FEW:02 230 OVC:08 300	10.00		73	22.8	67	19.4	64	17.8	74	6	080		29.65	3	-0.01	29.83	FM-15	0.00	29.83
25	1900	4		9.94		73	22.8	67	19.4	64	17.8	74	6	080		29.65	3	-0.01	29.83	FM-12		
25	1954	7	SCT:04 200 OVC:08 300	10.00		70	21.1	64	17.8	61	16.1	73	6	080		29.66			29.85	FM-15	0.00	29.84
25	2054	7	BKN:07 150 OVC:08 300	10.00		67	19.4	63	17.2	60	15.6	79	8	100		29.67			29.86	FM-15	0.00	29.85
25	2154	7	BKN:07 150 OVC:08 300	10.00		65	18.3	61	16.1	59	15.0	81	6	100		29.66	0	-0.01	29.85	FM-15	0.00	29.84
25	2254	7	FEW:02 70 BKN:07 180 OVC:08 300	10.00		63	17.2	60	15.6	57	13.9	81	6	100		29.64			29.83	FM-15	0.00	29.82
25	2354	7	SCT:04 220 BKN:07 300	10.00		62	16.7	59	15.0	57	13.9	84	0	000		29.63			29.82	FM-15	0.00	29.81
26	0054	7	FEW:02 240 BKN:07 300	10.00		61	16.1	58	14.4	56	13.3	84	3	060		29.62	7	+0.04	29.80	FM-15	0.00	29.80
26	0100	4		9.94		61	16.1	58	14.4	56	13.3	84	3	060		29.62	7	+0.04	29.80	FM-12		
26	0154	7	BKN:07 140 OVC:08 300	10.00		61	16.1	58	14.4	56	13.3	84	3	050		29.58			29.77	FM-15	0.00	29.76
26	0254	7	OVC:08 150	10.00		60	15.6	58	14.4	57	13.9	90	5	140		29.56			29.75	FM-15	0.00	29.74
26	0354	7	BKN:07 200 BKN:07 300	10.00		61	16.1	59	15.0	58	14.4	90	7	120		29.52	8	+0.10	29.70	FM-15	0.00	29.69
26	0454	7	BKN:07 65 OVC:08 150	9.00		63	17.2	61	16.1	60	15.6	90	6	140		29.50			29.69	FM-15	0.00	29.68
26	0554	7	FEW:02 15 SCT:04 60 OVC:08 150	10.00		64	17.8	62	16.7	60	15.6	87	8	170		29.50			29.69	FM-15	0.00	29.68
26	0654	7	SCT:04 75 BKN:07 140 OVC:08 300	10.00		67	19.4	63	17.2	60	15.6	79	14	190		29.49	7	+0.02	29.68	FM-15	0.00	29.67

26	0700	4	74	9.94		67	19.4	63	17.2	60	15.6	79	14	190		29.49	7	+0.02	29.68	FM-12		
26	0754	7	FEW:02 47 BKN:07 90 BKN:07 130	10.00		67	19.4	63	17.2	60	15.6	79	14	200		29.47			29.65	FM-15	T	29.64
26	0854	7	FEW:02 28 SCT:04 70 BKN:07 120	10.00	RA RA	66	18.9	63	17.2	61	16.1	84	14	180		29.45			29.63	FM-15	T	29.63
26	0902	7	FEW:02 28 BKN:07 70	8.00	TS RA	66	18.9	63	17.2	61	16.1	84	16	180		29.47				FM-16	0.01	29.64
26	0926	7	FEW:02 22 BKN:07 75 BKN:07 110	10.00		64	17.8	62	16.7	61	16.1	90	10	180		29.41				FM-16	0.03	29.59
26	0954	7	FEW:02 18 SCT:04 65 BKN:07 110	10.00		66	18.9	64	17.8	62	16.7	87	13	180		29.41	8	+0.08	29.59	FM-15	0.03	29.59
26	1054	7	FEW:02 12 SCT:04 95 BKN:07 120	10.00		70	21.1	66	18.9	64	17.8	82	21	190	24	29.36			29.54	FM-15	0.00	29.54
26	1154	7	SCT:04 25 BKN:07 120 BKN:07 300	10.00		75	23.9	68	20.0	64	17.8	69	18	180	25	29.31			29.50	FM-15	0.00	29.49
26	1254	7	SCT:04 41 BKN:07 65 BKN:07 130	10.00		77	25.0	66	18.9	60	15.6	56	22	210	30	29.26	8	+0.16	29.44	FM-15	0.00	29.43
26	1300	4	41	9.94		77	25.0	66	18.9	60	15.6	56	22	210		29.26	8	+0.16	29.44	FM-12		
26	1331	7	SCT:04 45 BKN:07 120 BKN:07 300	10.00	TS:7 TS TS	77	25.0	66	18.9	60	15.6	56	18	200	31	29.23				FM-16		29.40
26	1345	7	SCT:04 45 BKN:07 120 BKN:07 300	1.00V	TS:7 -RA:02 RA TS TS RA	72	22.2	66	18.9	63	17.2	73	22	240	30	29.25				FM-16	0.01	29.42
26	1346	7	SCT:04s 15s BKN:07s 39s	1.00	TS RA	71	21.7	66	18.9	63	17.2	76	25	240	33	29.26				FM-16	0.02	29.43
26	1352	7	SCT:04 6 BKN:07 21 OVC:08 46	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	64	17.8	62	16.7	61	16.1	88	18	240	37	29.25				FM-16	0.38	29.42
26	1354	7	SCT:04 6 BKN:07 21 OVC:08 46	4.00	TS:7 -RA:02 RA TS TS RA	65	18.3	62	16.7	60	15.6	84	18	250	37	29.25			29.43	FM-15	0.56	29.42
26	1400	7	FEW:02 7 SCT:04 21 BKN:07 42	7.00	TS:7 -RA:02 RA TS TS RA	66	18.9	63	17.2	61	16.1	84	15	250	25	29.25				FM-16	0.07	29.42
26	1452	6	FEW:02 27 BKN:07 65 OVC:08 90	10.00		61	16.1	58	14.4	55	12.8	83	13	250		29.28				FM-16		29.45
26	1454	7	FEW:02 27 BKN:07 65 OVC:08 90	10.00		60	15.6	58	14.4	56	13.3	86	13	240		29.28			29.47	FM-15	0.14	29.46
26	1554	7	FEW:02 40 BKN:07 75 OVC:08 120	10.00	-RA:02 RA RA	62	16.7	59	15.0	57	13.9	84	13	240		29.28	3	-0.04	29.47	FM-15	0.01	29.46
26	1654	7	FEW:02 45 SCT:04 80 OVC:08 110	10.00		62	16.7	59	15.0	57	13.9	84	13	250		29.26			29.45	FM-15	0.01	29.44
26	1754	7	FEW:02 45 BKN:07 75 OVC:08 100	7.00	-RA:02 RA RA	61	16.1	59	15.0	57	13.9	87	13	240		29.31			29.49	FM-15	0.03	29.48
26	1854	7	BKN:07 75 OVC:08 100	10.00	-RA:02 RA RA	60	15.6	58	14.4	56	13.3	86	7	300		29.34	3	-0.04	29.52	FM-15	T	29.51
26	1900	4	74	9.94	RA	60	15.6	58	14.4	56	13.3	86	7	300		29.33	3	-0.04	29.52	FM-12		
26	1954	7	BKN:07 40 BKN:07 70 OVC:08 100	10.00	-RA:02 RA RA	59	15.0	57	13.9	56	13.3	90	13	280		29.39			29.58	FM-15	0.01	29.57

26	2010	7	FEW:02 14 BKN:07 35 OVC:08 70	10.00	-RA:02 RA RA	58	14.4	55	12.8	52	11.1	81	14	320	26	29.41				FM-16	0.02	29.59
26	2054	7	FEW:02 30 BKN:07 45 OVC:08 70	10.00	-RA:02 RA RA	57	13.9	54	12.2	52	11.1	83	14	310		29.45			29.65	FM-15	0.04	29.63
26	2154	7	BKN:07 70 BKN:07 100	10.00		56	13.3	52	11.1	48	8.9	75	13	300		29.49	1	-0.16	29.68	FM-15	T	29.67
26	2254	7	FEW:02 80 SCT:04 110 OVC:08 140	10.00		56	13.3	50	10.0	45	7.2	67	9	280		29.50			29.69	FM-15	T	29.68
26	2354	7	FEW:02 80 FEW:02 110 BKN:07 150	10.00		56	13.3	50	10.0	44	6.7	65	9	280		29.53			29.72	FM-15	0.00	29.71
27	0054	7	BKN:07 90	10.00		56	13.3	50	10.0	43	6.1	62	10	260		29.54	1	-0.05	29.72	FM-15	0.00	29.72
27	0100	4		9.94		56	13.3	50	10.0	43	6.1	62	10	260		29.54	1	-0.05	29.72	FM-12		
27	0154	7	BKN:07 80	10.00		55	12.8	49	9.4	43	6.1	64	11	270		29.55			29.74	FM-15	0.00	29.73
27	0254	7	FEW:02 80	10.00		54	12.2	49	9.4	43	6.1	67	7	250		29.55			29.75	FM-15	0.00	29.73
27	0354	7	FEW:02 80	10.00		51	10.6	47	8.3	43	6.1	74	8	260		29.58	3	-0.04	29.77	FM-15	0.00	29.76
27	0454	7	CLR:00	10.00		50	10.0	46	7.8	42	5.6	74	7	230		29.60			29.80	FM-15	0.00	29.78
27	0554	7	CLR:00	10.00		50	10.0	45	7.2	40	4.4	68	10	240		29.65			29.84	FM-15	0.00	29.83
27	0654	7	CLR:00	10.00		53	11.7	46	7.8	39	3.9	59	8	240		29.67	3	-0.09	29.87	FM-15	0.00	29.85
27	0700	4		9.94		53	11.7	46	7.8	39	3.9	59	8	240		29.67	3	-0.09	29.87	FM-12		
27	0754	7	FEW:02 200	10.00		56	13.3	48	8.9	40	4.4	55	8	240		29.68			29.88	FM-15	0.00	29.86
27	0854	7	FEW:02 55	10.00		61	16.1	49	9.4	37	2.8	41	14	240	23	29.67			29.86	FM-15	0.00	29.85
27	0954	7	FEW:02 70 FEW:02 200	10.00		64	17.8	50	10.0	34	1.1	33	17	270	25	29.66	8	+0.01	29.85	FM-15	0.00	29.84
27	1054	7	FEW:02 70 FEW:02 200	10.00		66	18.9	51	10.6	34	1.1	30	18	250	30	29.66			29.85	FM-15	0.00	29.84
27	1154	7	FEW:02 70	10.00		68	20.0	52	11.1	35	1.7	30	18	260	30	29.65			29.84	FM-15	0.00	29.83
27	1254	7	FEW:02 75	10.00		69	20.6	53	11.7	36	2.2	30	17	260	24	29.64	8	+0.03	29.83	FM-15	0.00	29.82
27	1300	4	74	9.94		69	20.6	53	11.7	36	2.2	30	17	260		29.64	8	+0.03	29.83	FM-12		
27	1354	7	FEW:02 300	10.00		71	21.7	53	11.7	35	1.7	27	16	270	26	29.62			29.81	FM-15	0.00	29.80
27	1454	7	FEW:02 80 FEW:02 300	10.00		73	22.8	54	12.2	35	1.7	25	21	260	28	29.61			29.80	FM-15	0.00	29.79
27	1554	7	SCT:04 300	10.00		73	22.8	53	11.7	33	0.6	23	16	260	25	29.61	6	+0.03	29.80	FM-15	0.00	29.79
27	1654	7	FEW:02 300	10.00		74	23.3	54	12.2	35	1.7	24	14	250	25	29.61			29.81	FM-15	0.00	29.79
27	1754	7	FEW:02 150 FEW:02 300	10.00		73	22.8	54	12.2	36	2.2	26	13	250		29.63			29.82	FM-15	0.00	29.81
27	1854	7	FEW:02 150 SCT:04 300	10.00		65	18.3	53	11.7	41	5.0	42	6	220		29.65	3	-0.04	29.84	FM-15	0.00	29.83
27	1900	4		9.94		65	18.3	53	11.7	41	5.0	42	6	220		29.65	3	-0.04	29.84	FM-12		
27	1954	7	BKN:07 160	10.00		61	16.1	52	11.1	44	6.7	54	7	200		29.67			29.86	FM-15	0.00	29.85
27	2054	7	SCT:04 120 BKN:07 160	10.00		61	16.1	52	11.1	44	6.7	54	7	190		29.68			29.87	FM-15	0.00	29.86
27	2154	7	BKN:07 120	10.00		62	16.7	53	11.7	45	7.2	54	5	190		29.68	1	-0.04	29.88	FM-15	0.00	29.86
27	2254	7	SCT:04 120 BKN:07 140 OVC:08 220	10.00		61	16.1	53	11.7	46	7.8	58	3	220		29.70			29.90	FM-15	0.00	29.88
27	2354	7	SCT:04 120 BKN:07 160 OVC:08 220	10.00		61	16.1	54	12.2	48	8.9	63	0	000		29.73			29.91	FM-15	0.00	29.91
28	0054	7	SCT:04 120 OVC:08 160	10.00		63	17.2	51	10.6	40	4.4	43	6	060		29.73	1	-0.04	29.91	FM-15	0.00	29.91
28	0100	4		9.94		63	17.2	51	10.6	40	4.4	43	6	060		29.73	1	-0.04	29.91	FM-12		
28	0154	7	FEW:02 80 BKN:07 95 OVC:08 120	10.00		62	16.7	51	10.6	39	3.9	43	8	050		29.72			29.91	FM-15	0.00	29.90
28	0254	7	SCT:04 90 OVC:08 110	10.00		60	15.6	50	10.0	40	4.4	47	8	010		29.73			29.92	FM-15	T	29.91
28	0354	7	SCT:04 80 OVC:08 100	10.00		56	13.3	51	10.6	46	7.8	70	5	120		29.72	8	0.00	29.91	FM-15	T	29.90

28	0454	7	BKN:07 95	10.00		57	13.9	51	10.6	45	7.2	64	9	100		29.70			29.89	FM-15	0.00	29.88
28	0554	7	BKN:07 110 BKN:07 250	10.00		56	13.3	51	10.6	47	8.3	72	6	150		29.71			29.90	FM-15	0.00	29.89
28	0654	7	SCT:04 100 BKN:07 250	10.00		59	15.0	55	12.8	51	10.6	75	10	170		29.72	5	+0.01	29.91	FM-15	0.00	29.90
28	0700	4		9.94		59	15.0	55	12.8	51	10.6	75	10	170		29.72	5	+0.01	29.91	FM-12		
28	0754	7	BKN:07 100 BKN:07 250	10.00		63	17.2	56	13.3	51	10.6	65	8	210		29.72			29.91	FM-15	0.00	29.90
28	0854	7	SCT:04 100	10.00		67	19.4	58	14.4	51	10.6	57	10	230		29.71			29.90	FM-15	0.00	29.89
28	0954	7	FEW:02 85	10.00		71	21.7	60	15.6	52	11.1	51	7	230		29.71	5	0.00	29.90	FM-15	0.00	29.89
28	1054	7	FEW:02 85	10.00		76	24.4	62	16.7	52	11.1	43	15	220		29.71			29.90	FM-15	0.00	29.89
28	1154	7	FEW:02 60	10.00		79	26.1	63	17.2	51	10.6	38	17	230		29.69			29.88	FM-15	0.00	29.87
28	1254	7	FEW:02 55	10.00		81	27.2	64	17.8	52	11.1	37	11	240	22	29.68	8	+0.03	29.87	FM-15	0.00	29.86
28	1300	4	57	9.94		81	27.2	64	17.8	52	11.1	37	11	240		29.68	8	+0.03	29.87	FM-12		
28	1354	7	FEW:02 55 BKN:07 70 BKN:07 100	10.00		81	27.2	64	17.8	52	11.1	37	17	260		29.70			29.88	FM-15	0.00	29.88
28	1454	7	FEW:02 55 SCT:04 70 BKN:07 85	10.00		82	27.8	64	17.8	52	11.1	35	13	270		29.70			29.88	FM-15	0.00	29.88
28	1554	7	BKN:07 70 BKN:07 100	10.00		80	26.7	63	17.2	52	11.1	38	9	280		29.72	3	-0.03	29.91	FM-15	0.00	29.90
28	1654	7	BKN:07 75 BKN:07 110	10.00		80	26.7	64	17.8	53	11.7	39	9	350		29.75			29.94	FM-15	0.00	29.93
28	1754	7	BKN:07 70 BKN:07 110	10.00		76	24.4	62	16.7	52	11.1	43	26	020	33	29.81			29.99	FM-15	0.00	29.99
28	1854	7	BKN:07 80	10.00		68	20.0	58	14.4	50	10.0	53	23	020	33	29.88	3	-0.17	30.07	FM-15	0.00	30.06
28	1900	4	74	9.94		68	20.0	58	14.4	50	10.0	53	23	020		29.88	3	-0.17	30.07	FM-12		
28	1954	7	FEW:02 80	10.00		65	18.3	56	13.3	48	8.9	54	21	010	29	29.94			30.13	FM-15	0.00	30.12
28	2054	7	FEW:02 90	10.00		61	16.1	53	11.7	46	7.8	58	17	020	28	30.00			30.19	FM-15	0.00	30.18
28	2154	7	FEW:02 90	10.00		58	14.4	51	10.6	44	6.7	60	16	020	23	30.04	1	-0.16	30.23	FM-15	0.00	30.22
28	2254	7	BKN:07 70	10.00		56	13.3	51	10.6	46	7.8	70	16	030		30.06			30.25	FM-15	0.00	30.24
28	2354	7	SCT:04 65	10.00		54	12.2	49	9.4	44	6.7	69	14	040	23	30.09			30.28	FM-15	0.00	30.27
29	0054	7	OVC:08 65	10.00		53	11.7	47	8.3	41	5.0	64	10	030	21	30.11	1	-0.07	30.30	FM-15	0.00	30.29
29	0100	4	57	9.94		53	11.7	47	8.3	41	5.0	64	10	030		30.11	1	-0.07	30.30	FM-12		
29	0154	7	BKN:07 60	10.00		52	11.1	47	8.3	41	5.0	66	10	020		30.11			30.30	FM-15	0.00	30.29
29	0254	7	OVC:08 60	10.00		51	10.6	46	7.8	41	5.0	69	9	030		30.12			30.31	FM-15	0.00	30.30
29	0354	7	OVC:08 60	10.00		51	10.6	46	7.8	41	5.0	69	8	030		30.14	3	-0.03	30.33	FM-15	0.00	30.32
29	0454	7	OVC:08 60	10.00		50	10.0	46	7.8	42	5.6	74	7	040		30.17			30.36	FM-15	0.00	30.35
29	0554	7	BKN:07 60	10.00		51	10.6	46	7.8	41	5.0	69	7	040		30.18			30.37	FM-15	0.00	30.36
29	0654	7	BKN:07 60	10.00		51	10.6	45	7.2	39	3.9	64	7	060		30.19	1	-0.05	30.38	FM-15	0.00	30.37
29	0700	4	57	9.94		51	10.6	45	7.2	39	3.9	64	7	060		30.19	1	-0.05	30.38	FM-12		
29	0754	7	OVC:08 55	10.00		52	11.1	46	7.8	39	3.9	61	10	050		30.20			30.39	FM-15	0.00	30.38
29	0854	7	SCT:04 31 OVC:08 55	10.00		54	12.2	47	8.3	40	4.4	59	10	050		30.23			30.42	FM-15	0.00	30.41
29	0954	7	FEW:02 29 OVC:08 50	10.00		55	12.8	49	9.4	42	5.6	62	10	070		30.21	0	-0.02	30.40	FM-15	0.00	30.39
29	1054	7	FEW:02 30 OVC:08 50	10.00		57	13.9	50	10.0	43	6.1	60	5	040		30.21			30.40	FM-15	0.00	30.39
29	1154	7	BKN:07 32 OVC:08 50	10.00		57	13.9	50	10.0	44	6.7	62	6	070		30.19			30.39	FM-15	0.00	30.37
29	1254	7	OVC:08 30	10.00		59	15.0	52	11.1	46	7.8	62	6	080		30.18	8	+0.03	30.37	FM-15	0.00	30.36
29	1300	4	26	9.94		59	15.0	52	11.1	46	7.8	62	6	080		30.18	8	+0.03	30.37	FM-12		
29	1314	7	OVC:08 29	10.00		59	15.0	52	11.1	46	7.8	62	6	VRB		30.16				FM-16		30.34
29	1354	7	OVC:08 27	10.00		59	15.0	53	11.7	47	8.3	64	7	140		30.14			30.34	FM-15	0.00	30.32
29	1454	7	OVC:08 26	10.00		60	15.6	54	12.2	48	8.9	65	8	VRB		30.11			30.30	FM-15	0.00	30.29
29	1554	7	OVC:08 24	10.00		58	14.4	53	11.7	49	9.4	72	10	130		30.10	6	+0.07	30.29	FM-15	0.00	30.28
29	1654	7	OVC:08 20	10.00		58	14.4	53	11.7	49	9.4	72	9	150		30.09			30.28	FM-15	0.00	30.27
29	1754	7	OVC:08 18	10.00		57	13.9	53	11.7	50	10.0	78	6	150		30.10			30.29	FM-15	0.00	30.28

29	1854	7	BKN:07 19 OVC:08 24	10.00		56	13.3	53	11.7	51	10.6	84	8	150		30.08	8	+0.02	30.27	FM-15	0.00	30.26
29	1900	4	15	9.94		56	13.3	53	11.7	51	10.6	84	8	150		30.08	8	+0.02	30.27	FM-12		
29	1954	7	SCT:04 10 OVC:08 22	10.00		55	12.8	53	11.7	52	11.1	90	9	140		30.07			30.27	FM-15	0.00	30.25
29	2029	7	BKN:07 10 OVC:08 22	10.00		55	12.8	53	11.7	52	11.1	90	9	140		30.06				FM-16		30.24
29	2047	7	OVC:08 9	10.00		55	12.8	53	11.7	52	11.1	90	7	150		30.07				FM-16		30.25
29	2054	7	OVC:08 9	10.00		55	12.8	53	11.7	52	11.1	90	5	160		30.08			30.27	FM-15	0.00	30.26
29	2154	7	OVC:08 8	10.00		55	12.8	53	11.7	52	11.1	90	6	160		30.07	6	+0.01	30.26	FM-15	0.00	30.25
29	2254	7	OVC:08 7	8.00		54	12.2	53	11.7	52	11.1	93	3	160		30.05			30.25	FM-15	0.00	30.23
29	2352	6	SCT:04 6 OVC:08 19	6.00	BR:1	54	12.2	53	11.7	52	11.1	94	6	170		30.06				FM-16		30.24
29	2354	7	SCT:04 6 OVC:08 19	6.00	BR:1	54	12.2	53	11.7	52	11.1	93	5	160		30.06			30.25	FM-15	0.00	30.24
30	0019	7	FEW:02 6 FEW:02 22 OVC:08 150	5.00	BR:1	54	12.2	53	11.7	52	11.1	93	3	180		30.06				FM-16		30.24
30	0054	7	FEW:02 40 BKN:07 150	8.00		53	11.7	52	11.1	51	10.6	93	6	190		30.05	6	+0.02	30.24	FM-15	0.00	30.23
30	0100	4	41	7.46		53	11.7	52	11.1	51	10.6	93	6	190		30.05	6	+0.02	30.24	FM-12		
30	0154	7	FEW:02 26 OVC:08 32	9.00		55	12.8	53	11.7	52	11.1	90	6	190		30.03			30.23	FM-15	0.00	30.21
30	0221	7	OVC:08 23	10.00		55	12.8	53	11.7	52	11.1	90	8	190		30.02				FM-16		30.20
30	0254	7	BKN:07 21 OVC:08 30	10.00		55	12.8	53	11.7	52	11.1	90	7	190		30.01			30.20	FM-15	0.00	30.19
30	0354	7	BKN:07 15 BKN:07 28 BKN:07 150	9.00		54	12.2	53	11.7	52	11.1	93	7	190		30.01	5	+0.04	30.20	FM-15	0.00	30.19
30	0434	7	FEW:02 8 BKN:07 17 BKN:07 26	9.00		55	12.8	53	11.7	52	11.1	90	7	200		30.01				FM-16		30.19
30	0454	7	BKN:07 7 OVC:08 26	9.00		56	13.3	55	12.8	54	12.2	93	8	210		30.02			30.21	FM-15	0.00	30.20
30	0554	7	BKN:07 7 BKN:07 26 OVC:08 250	4.00	BR:1	57	13.9	56	13.3	55	12.8	93	10	210		30.03			30.23	FM-15	0.00	30.21
30	0639	7	SCT:04 5 SCT:04 250	6.00	BR:1	59	15.0	57	13.9	56	13.3	90	8	210		30.04				FM-16		30.22
30	0654	7	FEW:02 6 SCT:04 250	7.00		60	15.6	58	14.4	57	13.9	90	10	200		30.04	1	-0.03	30.23	FM-15	0.00	30.22
30	0700	4	5	6.84		60	15.6	58	14.4	57	13.9	90	10	200		30.04	1	-0.03	30.23	FM-12		
30	0754	7	SCT:04 200	10.00		66	18.9	62	16.7	59	15.0	78	11	230		30.04			30.23	FM-15	0.00	30.22
30	0854	7	SCT:04 300	10.00		72	22.2	65	18.3	60	15.6	66	13	260	22	30.04			30.23	FM-15	0.00	30.22
30	0954	7	FEW:02 150 FEW:02 300	10.00		76	24.4	67	19.4	61	16.1	60	11	260		30.04	3	0.00	30.23	FM-15	0.00	30.22
30	1054	7	FEW:02 160 SCT:04 300	10.00		79	26.1	68	20.0	61	16.1	54	7	260		30.03			30.22	FM-15	0.00	30.21
30	1154	7	FEW:02 170 SCT:04 300	10.00		81	27.2	69	20.6	62	16.7	53	7	VRB		30.01			30.20	FM-15	0.00	30.19
30	1254	7	FEW:02 45 FEW:02 180 SCT:04 300	10.00		83	28.3	70	21.1	63	17.2	51	6	VRB		29.99	8	+0.05	30.18	FM-15	0.00	30.17
30	1300	4	41	9.94		83	28.3	70	21.1	63	17.2	51	6			29.99	8	+0.05	30.18	FM-12		
30	1354	7	FEW:02 50 SCT:04 300	10.00		84	28.9	70	21.1	62	16.7	48	6	220		29.99			30.18	FM-15	0.00	30.17
30	1454	6	SCT:04 60 BKN:07 300	10.00		86	30.0	69	20.6	60	15.6	42	5	310		29.98			30.16	FM-15	0.00	30.16
30	1554	7	SCT:04 70 BKN:07 300	10.00		86	30.0	69	20.6	60	15.6	42	6	280		29.98	6	+0.02	30.17	FM-15	0.00	30.16
30	1654	6	SCT:04 65 BKN:07 300	10.00		85	29.4	70	21.1	62	16.7	46	7	200		29.98			30.17	FM-15	0.00	30.16

Local Climatological Data
Hourly Precipitation
April 2019

Generated on 05/04/2019

Date	For Hour (LST) Ending at																							Date	
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM		MID
01																									01
02										T	T	0.01	T	T	T	0.01s	T	0.02	0.02	T					02
03																									03
04																									04
05						0.01	0.07	0.07	0.10	0.14	0.01	T	T	0.02	0.04	T	0.03	0.01	0.01	0.02	0.01	0.01	0.01		05
06			0.01	T				T	T	T															06
07																									07
08																		0.06	0.53	T				0.02	08
09	T	0.03	0.01	0.01																					09
10																									10
11																									11
12												T	0.01	T	T				T	T	T	T	0.01	T	12
13					0.05	0.21	0.07	0.06	0.07	T	T	T	0.01												13
14			T	0.01	0.01	T																		0.03	14
15	T	0.17	0.02	T																					15
16																									16
17																									17
18																									18
19					0.01							T	0.08	T	0.01			T	0.07	T				T	19
20		0.05	T	T															T	0.01	T	T			20
21																									21
22					T																				22
23																									23
24																									24
25																									25
26								T	T	0.03				0.56	0.14	0.01	0.01	0.03	T	0.01	0.04	T	T		26
27																									27
28			T	T																					28
29																									29
30																		M	M	M	M	M	M	M	30
Maximum Short Duration Precipitation																									
Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180													
Precipitation (inches)																									
Ending Date Time (yyyy-mm-dd hh:mi)																									

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 \$ = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing