

Local Climatological Data
Daily Summary
August 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 09/08/2019

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH						
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees					
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir			
1	2	3	4	5	6	7	8	9	10	11	12	13				14	15	16	17	18	19	20	21	22	23
01	91	69	80	1.1				0	15	0513	1918	TS RA	0.15	0.0	0	29.90		3.8	15	230	14	230			
02	85	68	77	-1.8				0	12	0514	1917	TS RA BR	0.59	0.0	0	29.91		6.8	23	040	18	040			
03	90	69	80	1.3				0	15	0515	1916		0.00	0.0	0	29.83		2.7	12	120	9	130			
04	92	71	82	3.3				0	17	0516	1915	TS RA	0.01	0.0	0	29.76		5.7	23	190	17	180			
05	86	70	78	-0.6				0	13	0516	1914	TS RA BR	0.25	0.0	0	29.77		4.5	28	040	22	020			
06	89	68	79	0.5				0	14	0517	1913	BR	0.01	0.0	0	29.70		5.3	21	170	14	130			
07	90	71	81	2.5				0	16	0518	1911	TS	0.02	0.0	0	29.65		9.0	39	140	29	140			
08	92	67	80	1.6				0	15	0519	1910	TS	0.00	0.0	0	29.62		6.0	22s	300s	12	290			
09	94	69	82	3.7				0	17	0520	1909		0.00	0.0	0	29.64		7.8	28	270	24	270			
10	87	66	77	-1.3				0	12	0521	1908		0.00	0.0	0	29.73		5.7	19	300	16	310			
11	90	65	78	-0.2				0	13	0522	1907		0.00	0.0	0	29.83		5.2	16	340	13	010			
12	92	66	79	0.9				0	14	0522	1906		0.00	0.0	0	29.81		7.0	21	180	16	180			
13	93	75	84	6.0				0	19	0523	1904	TS	T	0.0	0	29.66		9.5	22	180	18	180			
14	93	71	82	4.0				0	17	0524	1903	TS	0.00	0.0	0	29.64		5.7	17	330	14	290			
15	89	74	82	4.1				0	17	0525	1902	TS RA BR HZ	0.25	0.0	0	29.75		6.3	22	250	18	240			
16	86	73	80	2.2				0	15	0526	1901	TS RA BR HZ	0.20	0.0	0	29.79		5.8	34	010	29	360			
17	93	71	82	4.3				0	17	0527	1859	RA FG BR	T	0.0	0	29.81		3.8	18	110	13	180			
18	94	70	82	4.4				0	17	0528	1858		0.00	0.0	0	29.82		3.7	15	200	12	210			
19	99*	74	87	9.5				0	22	0528	1857	TS	T	0.0	0	29.82		5.7	29	110	21	130			
20	97	72	85	7.6				0	20	0529	1856	TS RA	0.12	0.0	0	29.88		5.5	35s	340s	28	340			
21	90	73	82	4.7				0	17	0530	1854	BR	0.00	0.0	0	29.80		9.1	24	020	17	010			
22	96	73	85	7.8				0	20	0531	1853	TS RA BR	0.55	0.0	0	29.78		6.9	37	290	29	290			
23	87	66	77	0.0				0	12	0532	1851	RA	0.07	0.0	0	29.80		7.0	34	350	26	360			
24	81	65	73	-3.9				0	8	0533	1850	RA	0.03	0.0	0	29.95		8.1	21	350	17	010			
25	81	63	72	-4.8				0	7	0533	1849		0.00	0.0	0	29.97		9.7	26	030	21	050			
26	79	62	71	-5.6				0	6	0534	1847	RA	T	0.0	0	29.93		8.4	22	050	15	050			
27	84	64	74	-2.4				0	9	0535	1846		0.00	0.0	0	29.83		5.3	16	070	10	070			
28	86	68	77	0.7				0	12	0536	1844	RA	0.04	0.0	0	29.72		2.9	26	350	21	360			
29	86	64	75	-1.1				0	10	0537	1843		0.00	0.0	0	29.80		7.4	22	330	16	340			
30	92	59*	76	0.1				0	11	0538	1842		0.00	0.0	0	29.90		3.9	20	270	16	270			
31	93	63	78	2.3				0	13	0539	1840		0.00	0.0	0	29.97		4.6	16	050	13	060			
	89.6	68.4	79.0													29.80	29.99								
	2.0	1.0	1.5																						

Monthly Averages | Totals

Departure from Normal (1981-2010)												-2.37											
-----------------------------------	--	--	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	--	--

Degree Days				Number of days with...								
Monthly		Season-to-date		Temperature		Precipitation		Snow		Weather		
Total	Departure	Total	Departure	Max	Min	>=0.01"	>=0.1"	>=1"	T-Storms		Heavy Fog	
Heating				>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling				18	0	0	0	11s	6s			

Date of 5-sec to 3-sec wind equipment change			Sea Level Pressure			Greatest...		
N/A			Maximum	Date	Time	24-Hr...		Snow Depth
			Minimum			Precip	Snowfall	
			30.23	31	2359	0.74s		
			29.76	13	1711			
						Date		
						01-02		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

Local Climatological Data
Hourly Observations
August 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 09/08/2019

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	BKN:07 65 BKN:07 140 OVC:08 250	10.00		71	21.7	69	20.6	68	20.0	90	5	150		29.90	1	0.00	30.09	FM-15	0.00	30.08
01	0100	4	57	9.94		71	21.7	69	20.6	68	20.0	90	5	150		29.90	1	0.00	30.09	FM-12		
01	0154	7	FEW:02 65 FEW:02 150 SCT:04 250	10.00		69	20.6	68	20.0	67	19.4	93	6	130		29.89			30.08	FM-15	0.00	30.07
01	0254	7	FEW:02 250	10.00		70	21.1	69	20.6	68	20.0	93	6	220		29.89			30.07	FM-15	0.00	30.07
01	0354	7	FEW:02 250	10.00		70	21.1	68	20.0	67	19.4	90	6	320		29.88	6	+0.02	30.07	FM-15	0.00	30.06
01	0454	7	SCT:04 150 SCT:04 250	10.00		69	20.6	68	20.0	67	19.4	93	3	300		29.88			30.06	FM-15	0.00	30.06
01	0554	7	FEW:02 150 SCT:04 300	10.00		70	21.1	67	19.4	66	18.9	87	0	000		29.89			30.08	FM-15	0.00	30.07
01	0654	7	FEW:02 150 SCT:04 300	10.00		73	22.8	70	21.1	68	20.0	84	3	320		29.91	3	-0.03	30.09	FM-15	0.00	30.09
01	0700	4		9.94		73	22.8	70	21.1	68	20.0	84	3	320		29.91	3	-0.03	30.09	FM-12		
01	0754	4		10.00		77	25.0			65	18.3	66	5	280					30.11	FM-15		30.10
01	0854	4		10.00		81	27.2			65	18.3	58	5	270					30.11	FM-15		30.10
01	0954	7	FEW:02 200 FEW:02 300	10.00		83	28.3	72	22.2	66	18.9	57	0	000		29.93	1	-0.02	30.11	FM-15	0.00	30.11
01	1054	7	FEW:02 35 FEW:02 300	10.00		86	30.0	73	22.8	67	19.4	53	0	000		29.93			30.11	FM-15	0.00	30.11
01	1154	7	FEW:02 40 FEW:02 300	10.00		88	31.1	74	23.3	67	19.4	50	5	VRB		29.92			30.11	FM-15	0.00	30.10
01	1254	7	FEW:02 46	10.00		90	32.2	75	23.9	68	20.0	48	5	VRB		29.91	8	+0.01	30.10	FM-15	0.00	30.09
01	1300	4	41	9.94		90	32.2	75	23.9	68	20.0	48	5			29.91	8	+0.01	30.10	FM-12		
01	1354	7	FEW:02 50	10.00		90	32.2	74	23.3	67	19.4	47	0	000		29.89			30.07	FM-15	0.00	30.07
01	1454	7	SCT:04 60 SCT:04 110	10.00		89	31.7	74	23.3	67	19.4	48	0	000		29.86			30.05	FM-15	0.00	30.04
01	1554	7	BKN:07 50 BKN:07 250	10.00		86	30.0	74	23.3	69	20.6	57	7	180		29.86	6	+0.05	30.05	FM-15	0.00	30.04
01	1602	7	BKN:07 50 BKN:07 250	5.00	TS:7 RA:02 RA TS TS RA	85	29.4	75	23.9	70	21.1	61	8	210		29.87				FM-16	0.01	30.05
01	1624	7	SCT:04 50 BKN:07 90 BKN:07 250	6.00	-RA:02 RA RA	81	27.2	76	24.4	74	23.3	79	8	230		29.86				FM-16	0.15	30.04
01	1654	7	SCT:04 47 BKN:07 85 BKN:07 250	10.00		83	28.3	75	23.9	72	22.2	70	5	220		29.84			30.03	FM-15	0.15	30.02
01	1754	7	FEW:02 50 FEW:02 180 BKN:07 300	10.00		83	28.3	76	24.4	73	22.8	72	3	200		29.85			30.04	FM-15	0.00	30.03
01	1854	7	FEW:02 50 SCT:04 160 OVC:08 300	10.00		82	27.8	77	25.0	75	23.9	79	5	040		29.89	3	-0.03	30.08	FM-15	0.00	30.07
01	1900	4	57	9.94		82	27.8	77	25.0	75	23.9	79	5	040		29.89	3	-0.03	30.08	FM-12		
01	1954	7	BKN:07 55 BKN:07 140 OVC:08 300	10.00		80	26.7	75	23.9	72	22.2	76	8	100		29.89			30.07	FM-15	0.00	30.07
01	2054	7	SCT:04 60 BKN:07 120 BKN:07 300	10.00		79	26.1	74	23.3	72	22.2	79	9	130		29.89			30.07	FM-15	0.00	30.07

01	2154	7	FEW:02 60 FEW:02 120 OVC:08 250	10.00		78	25.6	73	22.8	70	21.1	76	6	160		29.89	7	0.00	30.07	FM-15	0.00	30.07
01	2254	7	OVC:08 230	10.00		77	25.0	73	22.8	71	21.7	82	3	150		29.89			30.08	FM-15	0.00	30.07
01	2354	7	OVC:08 200	10.00		76	24.4	73	22.8	71	21.7	85	3	120		29.90			30.09	FM-15	0.00	30.08
02	0054	7	FEW:02 85 OVC:08 210	10.00		76	24.4	73	22.8	71	21.7	85	7	140		29.91	3	-0.02	30.10	FM-15	0.00	30.09
02	0100	4		9.94		76	24.4	73	22.8	71	21.7	85	7	140		29.91	3	-0.02	30.10	FM-12		
02	0154	7	FEW:02 31 FEW:02 95 BKN:07 200	10.00		75	23.9	73	22.8	72	22.2	90	5	170		29.89			30.07	FM-15	0.00	30.07
02	0254	7	FEW:02 45 OVC:08 300	10.00		75	23.9	73	22.8	72	22.2	90	5	120		29.87			30.06	FM-15	0.00	30.05
02	0354	7	FEW:02 50 SCT:04 75 BKN:07 210	10.00		74	23.3	72	22.2	71	21.7	91	5	140		29.88	5	+0.03	30.07	FM-15	0.00	30.06
02	0426	7	BKN:07 18 BKN:07 50 BKN:07 110	10.00	RA RA	74	23.3	73	22.8	72	22.2	94	3	120		29.90				FM-16	T	30.08
02	0446	7	BKN:07 17 BKN:07 22 OVC:08 70	3.00	TS:7 RA:02 BR:1 RA TS RA	73	22.8	72	22.2	72	22.2	96	13	350		29.88				FM-16	0.21	30.06
02	0454	7	SCT:04 17 BKN:07 28 OVC:08 65	6.00	TS:7 -RA:02 BR:1 RA TS RA	73	22.8	72	22.2	72	22.2	96	5	320		29.89			30.08	FM-15	0.22	30.07
02	0512	7	BKN:07 4 BKN:07 17 OVC:08 65	7.00	TS:7 -RA:02 RA TS TS RA	73	22.8	72	22.2	71	21.7	94	18	040	23	29.91				FM-16	T	30.09
02	0532	7	FEW:02 4 BKN:07 30 OVC:08 42	8.00		71	21.7	69	20.6	68	20.0	90	13	030		29.92				FM-16	T	30.10
02	0554	7	SCT:04 6 BKN:07 34 OVC:08 45	7.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	6	030		29.94			30.13	FM-15	T	30.12
02	0604	7	SCT:04 6 BKN:07 36 OVC:08 47	1.50	+RA:02 BR:1 RA RA	69	20.6	68	20.0	67	19.4	93	8	360		29.94				FM-16	0.08	30.12
02	0626	7	FEW:02s 4s BKN:07s 24s	6.00	RA RA	68	20.0	67	19.4	67	19.4	96	9	050		29.94				FM-16	0.37	30.12
02	0654	7	BKN:07s 5s BKN:07s 24s	10.00		69	20.6	68	20.0	67	19.4	93	13	060		29.94	0	-0.05	30.12	FM-15	0.37	30.12
02	0700	4	5	9.94		69	20.6	68	20.0	67	19.4	93	13	060		29.94	9	+0.05	30.12	FM-12		
02	0717	7	FEW:02 6 SCT:04 24	10.00		69	20.6	68	20.0	67	19.4	93	8	060		29.94				FM-16		30.12
02	0754	7	FEW:02 6 BKN:07 70 BKN:07 100	10.00		71	21.7	69	20.6	68	20.0	90	7	060		29.93			30.12	FM-15	0.00	30.11
02	0854	7	FEW:02 55 SCT:04 75 BKN:07 100	10.00	RA RA	73	22.8	69	20.6	67	19.4	81	9	080		29.95			30.14	FM-15	T	30.13
02	0954	7	FEW:02 30 SCT:04 70 BKN:07 95	10.00	RA RA	73	22.8	70	21.1	68	20.0	84	11	120		29.94	0	-0.01	30.13	FM-15	T	30.12
02	1054	7	FEW:02 32 SCT:04 130 BKN:07 170	10.00		75	23.9	71	21.7	69	20.6	82	11	140		29.94			30.14	FM-15	T	30.12
02	1154	7	SCT:04 130 SCT:04 170 OVC:08 300	10.00		79	26.1	72	22.2	68	20.0	69	8	140		29.93			30.12	FM-15	0.00	30.11
02	1254	7	FEW:02 28 FEW:02 130 SCT:04 180	10.00		82	27.8	73	22.8	69	20.6	65	7	130		29.92	8	+0.02	30.11	FM-15	0.00	30.10
02	1300	4	26	9.94		82	27.8	73	22.8	69	20.6	65	7	130		29.92	8	+0.02	30.11	FM-12		

02	1354	7	SCT:04 31 SCT:04 120 BKN:07 180	10.00		83	28.3	74	23.3	70	21.1	65	8	130		29.91			30.09	FM-15	0.00	30.09
02	1454	7	FEW:02 30 SCT:04 240 OVC:08 300	10.00		83	28.3	74	23.3	70	21.1	65	10	120		29.89			30.08	FM-15	0.00	30.07
02	1554	7	FEW:02 35 BKN:07 300	10.00		83	28.3	72	22.2	67	19.4	59	11	120		29.88	6	+0.04	30.07	FM-15	0.00	30.06
02	1654	7	FEW:02 40 FEW:02 220 BKN:07 300	10.00		82	27.8	73	22.8	68	20.0	63	10	110		29.88			30.06	FM-15	0.00	30.06
02	1754	7	FEW:02 40 SCT:04 220 BKN:07 300	10.00		80	26.7	73	22.8	69	20.6	69	6	100		29.88			30.07	FM-15	0.00	30.06
02	1854	7	FEW:02 40 FEW:02 230 BKN:07 300	10.00		78	25.6	73	22.8	71	21.7	79	5	100		29.88	5	0.00	30.07	FM-15	0.00	30.06
02	1900	4	41	9.94		78	25.6	73	22.8	71	21.7	79	5	100		29.88	5	0.00	30.07	FM-12		
02	1954	7	SCT:04 25 BKN:07 50 BKN:07 300	10.00		76	24.4	71	21.7	69	20.6	79	7	180		29.88			30.07	FM-15	0.00	30.06
02	2054	7	FEW:02 70 BKN:07 300	10.00		74	23.3	71	21.7	69	20.6	85	0	000		29.90			30.09	FM-15	0.00	30.08
02	2154	7	SCT:04 300	10.00		73	22.8	70	21.1	69	20.6	87	3	130		29.90	0	-0.02	30.09	FM-15	0.00	30.08
02	2254	7	SCT:04 200 BKN:07 300	10.00		73	22.8	70	21.1	69	20.6	87	5	110		29.89			30.08	FM-15	0.00	30.07
02	2354	7	FEW:02 200 BKN:07 300	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.89			30.08	FM-15	0.00	30.07
03	0054	7	BKN:07 300	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.89	6	+0.01	30.08	FM-15	0.00	30.07
03	0100	4		9.94		72	22.2	70	21.1	69	20.6	91	0	000		29.89	6	+0.01	30.08	FM-12		
03	0154	7	SCT:04 190 OVC:08 300	10.00		71	21.7	70	21.1	69	20.6	94	0	000		29.87			30.06	FM-15	0.00	30.05
03	0254	7	SCT:04 190 BKN:07 300	10.00		71	21.7	70	21.1	69	20.6	94	3	030		29.86			30.05	FM-15	0.00	30.04
03	0354	7	OVC:08 240	9.00		70	21.1	69	20.6	68	20.0	93	0	000		29.85	6	+0.04	30.04	FM-15	0.00	30.03
03	0454	7	SCT:04 240 BKN:07 300	9.00		70	21.1	69	20.6	68	20.0	93	0	000		29.86			30.05	FM-15	0.00	30.04
03	0554	7	SCT:04 200 SCT:04 300	8.00		70	21.1	69	20.6	68	20.0	93	0	000		29.86			30.05	FM-15	0.00	30.04
03	0654	7	FEW:02 200 SCT:04 300	7.00		75	23.9	72	22.2	71	21.7	88	0	000		29.86	1	-0.01	30.05	FM-15	0.00	30.04
03	0700	4		6.84		75	23.9	72	22.2	71	21.7	88	0	000		29.86	1	-0.01	30.05	FM-12		
03	0754	7	FEW:02 15 SCT:04 300	10.00		78	25.6	73	22.8	71	21.7	79	0	000		29.86			30.05	FM-15	0.00	30.04
03	0854	7	FEW:02 22 FEW:02 150	10.00		81	27.2	73	22.8	69	20.6	67	0	000		29.86			30.05	FM-15	0.00	30.04
03	0954	7	SCT:04 26 SCT:04 300	10.00		82	27.8	74	23.3	70	21.1	67	5	030		29.86	8	+0.01	30.05	FM-15	0.00	30.04
03	1054	7	SCT:04 31 SCT:04 300	10.00		84	28.9	74	23.3	70	21.1	63	0	000		29.85			30.03	FM-15	0.00	30.03
03	1154	7	SCT:04 38 BKN:07 350	10.00		85	29.4	74	23.3	68	20.0	57	3	080		29.84			30.02	FM-15	0.00	30.02
03	1254	7	SCT:04 43 BKN:07 350	10.00		85	29.4	74	23.3	68	20.0	57	5	210		29.82	8	+0.04	30.01	FM-15	0.00	30.00
03	1300	4	41	9.94		85	29.4	74	23.3	68	20.0	57	5	210		29.82	8	+0.04	30.01	FM-12		
03	1354	7	FEW:02 43 SCT:04 55 BKN:07 350	10.00		86	30.0	74	23.3	69	20.6	57	6	170		29.79			29.98	FM-15	0.00	29.97
03	1454	7	FEW:02 49 BKN:07 350	10.00		89	31.7	75	23.9	69	20.6	52	0	000		29.77			29.96	FM-15	0.00	29.95
03	1554	7	FEW:02 45 BKN:07 300	10.00		88	31.1	74	23.3	68	20.0	52	0	000		29.76	6	+0.06	29.94	FM-15	0.00	29.94
03	1654	7	FEW:02 45 SCT:04 300	10.00		88	31.1	74	23.3	68	20.0	52	3	120		29.74			29.93	FM-15	0.00	29.92

03	1754	7	FEW:02 45 FEW:02 300	10.00		86	30.0	74	23.3	69	20.6	57	7	170		29.74			29.93	FM-15	0.00	29.92
03	1854	7	FEW:02 45 FEW:02 250	10.00		84	28.9	73	22.8	68	20.0	59	7	140		29.74	5	+0.01	29.93	FM-15	0.00	29.92
03	1900	4	41	9.94		84	28.9	73	22.8	68	20.0	59	7	140		29.74	5	+0.01	29.93	FM-12		
03	1954	7	FEW:02 50 FEW:02 250	10.00		80	26.7	73	22.8	69	20.6	69	7	150		29.76			29.94	FM-15	0.00	29.94
03	2054	7	FEW:02 55	10.00		77	25.0	73	22.8	71	21.7	82	7	140		29.78			29.97	FM-15	0.00	29.96
03	2154	7	FEW:02 55	10.00		77	25.0	73	22.8	71	21.7	82	7	150		29.78	1	-0.04	29.97	FM-15	0.00	29.96
03	2254	7	SCT:04 50 BKN:07 300	10.00		76	24.4	72	22.2	70	21.1	82	6	140		29.78			29.97	FM-15	0.00	29.96
03	2354	7	FEW:02 50 BKN:07 300	10.00		75	23.9	72	22.2	71	21.7	88	0	000		29.79			29.97	FM-15	0.00	29.97
04	0054	7	FEW:02 50 BKN:07 300	10.00		75	23.9	72	22.2	71	21.7	88	5	200		29.78	8	+0.01	29.96	FM-15	0.00	29.96
04	0100	4	57	9.94		75	23.9	72	22.2	71	21.7	88	5	200		29.78	8	+0.01	29.96	FM-12		
04	0154	7	BKN:07 300	10.00		73	22.8	71	21.7	70	21.1	90	5	190		29.77			29.96	FM-15	0.00	29.95
04	0254	7	BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.76			29.95	FM-15	0.00	29.94
04	0354	7	BKN:07 300	10.00		72	22.2	71	21.7	70	21.1	94	3	210		29.75	8	+0.02	29.94	FM-15	0.00	29.93
04	0454	7	SCT:04 300	10.00		73	22.8	71	21.7	70	21.1	90	3	220		29.75			29.94	FM-15	0.00	29.93
04	0554	7	FEW:02 200 FEW:02 300	10.00		72	22.2	71	21.7	70	21.1	94	3	170		29.77			29.95	FM-15	0.00	29.95
04	0654	7	FEW:02 200 SCT:04 300	10.00		77	25.0	74	23.3	72	22.2	85	5	240		29.77	3	-0.02	29.96	FM-15	0.00	29.95
04	0700	4		9.94		77	25.0	74	23.3	72	22.2	85	5	240		29.77	3	-0.02	29.96	FM-12		
04	0754	7	FEW:02 300	10.00		82	27.8	75	23.9	72	22.2	72	5	320		29.77			29.96	FM-15	0.00	29.95
04	0854	7	FEW:02 300	10.00		85	29.4	76	24.4	72	22.2	65	5	290		29.77			29.96	FM-15	0.00	29.95
04	0954	7	FEW:02 50 SCT:04 300	10.00		87	30.6	76	24.4	71	21.7	59	9	280		29.77	5	0.00	29.96	FM-15	0.00	29.95
04	1054	7	SCT:04 50 SCT:04 180	10.00		89	31.7	76	24.4	71	21.7	55	7	290		29.77			29.95	FM-15	0.00	29.95
04	1154	7	FEW:02 25 BKN:07 50	10.00		90	32.2	76	24.4	70	21.1	52	6	340		29.75			29.94	FM-15	0.00	29.93
04	1254	7	FEW:02 44 BKN:07 50 BKN:07 80	10.00		91	32.8	76	24.4	69	20.6	49				29.73	8	+0.04	29.92	FM-15	0.00	29.91
04	1300	4	41	9.94		91	32.8	76	24.4	69	20.6	49	0	000		29.73	8	+0.04	29.92	FM-12		
04	1303	7	FEW:02 44 BKN:07 50 BKN:07 80	10.00		90	32.2	76	24.4	69	20.6	50	6	VRB		29.73				FM-16		29.91
04	1352	6	FEW:02 7 BKN:07 50 BKN:07 80	10.00		79	26.1	73	22.8	70	21.1	74	9	150		29.73				FM-16		29.91
04	1354	7	FEW:02 7 BKN:07 50 BKN:07 80	10.00		79	26.1	73	22.8	70	21.1	74	8	150		29.73			29.92	FM-15	0.01	29.91
04	1454	7	FEW:02 20 BKN:07 60 BKN:07 85	10.00		80	26.7	73	22.8	70	21.1	71	8	210		29.73			29.92	FM-15	0.00	29.91
04	1554	7	FEW:02 60 BKN:07 300	10.00		85	29.4	75	23.9	70	21.1	61	6	160		29.72	8	+0.01	29.91	FM-15	0.00	29.90
04	1654	7	FEW:02 60 SCT:04 300	10.00		85	29.4	76	24.4	72	22.2	65	7	170		29.72			29.91	FM-15	0.00	29.90
04	1754	7	FEW:02 60 BKN:07 300	10.00		83	28.3	75	23.9	71	21.7	67	8	160		29.73			29.92	FM-15	0.00	29.91
04	1854	7	FEW:02 65 BKN:07 300	10.00		79	26.1	75	23.9	73	22.8	82	9	150		29.75	3	-0.03	29.94	FM-15	0.00	29.93
04	1900	4	57	9.94		79	26.1	75	23.9	73	22.8	82	9	150		29.75	3	-0.03	29.94	FM-12		
04	1952	6	BKN:07 14 OVC:08 75	10.00		77	25.0	74	23.3	73	22.8	89	3	030		29.77				FM-16		29.95
04	1954	7	BKN:07 14 OVC:08 75	10.00		77	25.0	74	23.3	73	22.8	88	3	030		29.77			29.96	FM-15	0.00	29.95

04	2019	7	SCT:04 14 BKN:07 22 OVC:08 100	10.00		77	25.0	74	23.3	73	22.8	88	8	180		29.78				FM-16		29.96
04	2021	7	SCT:04 14 BKN:07 25 OVC:08 100	10.00	TS:7 TS TS	77	25.0	74	23.3	73	22.8	88	7	180		29.78				FM-16		29.96
04	2054	7	SCT:04 19 BKN:07 55 OVC:08 110	10.00	-RA:02 RA RA	76	24.4	73	22.8	71	21.7	85	7	220		29.79			29.98	FM-15	T	29.97
04	2154	7	FEW:02 20 BKN:07 100	10.00		74	23.3	71	21.7	70	21.1	88	7	200		29.79	1	-0.04	29.98	FM-15	T	29.97
04	2254	7	FEW:02 120 OVC:08 300	10.00		73	22.8	71	21.7	70	21.1	90	6	190		29.77			29.96	FM-15	0.00	29.95
04	2354	7	FEW:02 110 OVC:08 250	10.00		73	22.8	71	21.7	70	21.1	90	6	230		29.78			29.96	FM-15	0.00	29.96
05	0054	7	FEW:02 140 OVC:08 250	10.00		74	23.3	71	21.7	70	21.1	88	8	270		29.76	6	+0.03	29.95	FM-15	0.00	29.94
05	0100	4		9.94		74	23.3	71	21.7	70	21.1	88	8	270		29.76	6	+0.03	29.95	FM-12		
05	0154	7	FEW:02 140 OVC:08 250	10.00		73	22.8	71	21.7	70	21.1	90	3	210		29.76			29.95	FM-15	0.00	29.94
05	0254	7	SCT:04 160 OVC:08 250	10.00		72	22.2	71	21.7	70	21.1	94	0	000		29.77			29.96	FM-15	0.00	29.95
05	0354	7	FEW:02 130 BKN:07 160 BKN:07 240	10.00		72	22.2	71	21.7	70	21.1	94	0	000		29.76	0	0.00	29.95	FM-15	0.00	29.94
05	0454	7	BKN:07 130 BKN:07 240	10.00		72	22.2	71	21.7	70	21.1	94	0	000		29.77			29.96	FM-15	0.00	29.95
05	0554	7	BKN:07 140 OVC:08 230	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.77			29.96	FM-15	0.00	29.95
05	0654	7	FEW:02 40 BKN:07 75 BKN:07 130	10.00		73	22.8	72	22.2	71	21.7	94	5	160		29.79	3	-0.03	29.98	FM-15	0.00	29.97
05	0700	4	41	9.94		73	22.8	72	22.2	71	21.7	94	5	160		29.79	3	-0.03	29.98	FM-12		
05	0754	7	FEW:02 40 SCT:04 75 BKN:07 130	10.00		75	23.9	72	22.2	71	21.7	88	3	180		29.80			29.99	FM-15	0.00	29.98
05	0833	7	FEW:02 9 FEW:02 75 BKN:07 130	10.00		77	25.0	74	23.3	72	22.2	85	5	190		29.80				FM-16		29.98
05	0854	7	SCT:04 10 BKN:07 130 BKN:07 230	10.00		77	25.0	74	23.3	73	22.8	88	6	190		29.81			29.99	FM-15	0.00	29.99
05	0954	7	FEW:02 15 BKN:07 150 BKN:07 230	10.00		82	27.8	76	24.4	73	22.8	74	6	140		29.81	1	-0.02	30.00	FM-15	0.00	29.99
05	1054	7	SCT:04 26 SCT:04 140 BKN:07 220	10.00		84	28.9	75	23.9	71	21.7	65	10	180		29.80			29.98	FM-15	0.00	29.98
05	1154	7	SCT:04 29 BKN:07 220 OVC:08 300	10.00		84	28.9	74	23.3	70	21.1	63	8	160		29.78			29.97	FM-15	0.00	29.96
05	1254	7	FEW:02 33 BKN:07 180 OVC:08 300	10.00		85	29.4	75	23.9	71	21.7	63	6	200		29.77	8	+0.04	29.95	FM-15	0.00	29.95
05	1300	4	26	9.94		85	29.4	75	23.9	71	21.7	63	6	200		29.77	8	+0.04	29.95	FM-12		
05	1354	7	FEW:02 36 SCT:04 130 BKN:07 170	10.00		84	28.9	74	23.3	70	21.1	63	7	160		29.75			29.94	FM-15	0.00	29.93
05	1454	7	FEW:02 35 SCT:04 130 BKN:07 170	10.00		86	30.0	76	24.4	71	21.7	61	7	120		29.74			29.92	FM-15	0.00	29.92
05	1554	7	SCT:04 35 SCT:04 170 OVC:08 300	10.00		85	29.4	75	23.9	70	21.1	61	6	080		29.73	6	+0.04	29.92	FM-15	0.00	29.91

05	1634	7	BKN:07 35 BKN:07 170 OVC:08 300	10.00	TS:7 TS TS	76	24.4	70	21.1	67	19.4	74	20	040	26	29.77				FM-16		29.95
05	1654	7	BKN:07 38 BKN:07 170 OVC:08 300	3.00	TS:7 +RA:02 BR:1 RA TS RA	71	21.7	70	21.1	69	20.6	94	16	030	26	29.79			29.98	FM-15	0.10	29.97
05	1713	7	BKN:07 38 BKN:07 170 OVC:08 300	9.00	TS:7 -RA:02 RA TS TS RA	72	22.2	70	21.1	69	20.6	91	14	320		29.79				FM-16	0.06	29.97
05	1754	7	SCT:04 50 BKN:07 75 OVC:08 100	6.00	TS:7 -RA:02 BR:1 RA TS RA	71	21.7	70	21.1	69	20.6	94	3	130		29.78			29.97	FM-15	0.06	29.96
05	1829	7	FEW:02 50 SCT:04 75 BKN:07 110	7.00	RA RA	72	22.2	70	21.1	69	20.6	91	3	060		29.75				FM-16	0.04	29.93
05	1854	7	FEW:02 50 FEW:02 80 BKN:07 120	10.00	RA RA	72	22.2	70	21.1	69	20.6	91	3	120		29.74	0	-0.01	29.93	FM-15	0.06	29.92
05	1900	4	57	9.94	RA	72	22.2	70	21.1	69	20.6	91	3	120		29.74	9	+0.01	29.93	FM-12		
05	1954	7	FEW:02 80 SCT:04 100 OVC:08 300	10.00		71	21.7	70	21.1	69	20.6	94	6	160		29.76			29.95	FM-15	0.01	29.94
05	2054	7	BKN:07 180 OVC:08 300	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.76			29.95	FM-15	0.02	29.94
05	2154	7	FEW:02 25 BKN:07 180 OVC:08 300	8.00		72	22.2	71	21.7	70	21.1	94	5	310		29.77	1	-0.03	29.96	FM-15	0.00	29.95
05	2254	7	FEW:02 23 FEW:02 180 SCT:04 300	9.00		72	22.2	70	21.1	69	20.6	91	0	000		29.76			29.95	FM-15	0.00	29.94
05	2354	7	FEW:02 180 SCT:04 300	5.00	BR:1	70	21.1	69	20.6	68	20.0	93	0	000		29.75			29.94	FM-15	0.00	29.93
06	0054	7	SCT:04 300	5.00	BR:1	70	21.1	69	20.6	68	20.0	93	0	000		29.74	6	+0.03	29.93	FM-15	0.00	29.92
06	0100	4		4.97		70	21.1	69	20.6	68	20.0	93	0	000		29.74	6	+0.03	29.93	FM-12		
06	0154	7	SCT:04 300	6.00	BR:1	68	20.0	67	19.4	66	18.9	93	0	000		29.74			29.93	FM-15	0.00	29.92
06	0254	7	SCT:04 300	10.00		71	21.7	70	21.1	69	20.6	94	0	000		29.73			29.92	FM-15	0.00	29.91
06	0354	7	SCT:04 300	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.73	8	+0.01	29.92	FM-15	0.00	29.91
06	0454	7	FEW:02 45 FEW:02 300	9.00		70	21.1	69	20.6	68	20.0	93	0	000		29.72			29.91	FM-15	0.00	29.90
06	0554	7	FEW:02 45 FEW:02 300	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.72			29.91	FM-15	0.00	29.90
06	0654	7	FEW:02 50 FEW:02 300	9.00		71	21.7	70	21.1	69	20.6	94	0	000		29.73	5	0.00	29.92	FM-15	0.00	29.91
06	0700	4	57	8.70		71	21.7	70	21.1	69	20.6	94	0	000		29.73	5	0.00	29.92	FM-12		
06	0723	4		10.00		73	22.8			70	21.1	90	5	180						FM-15		29.91
06	0754	7	FEW:02 2	10.00		74	23.3	72	22.2	71	21.7	91	5	180		29.73			29.92	FM-15	0.00	29.91
06	0854	7	FEW:02 9	10.00		78	25.6	74	23.3	72	22.2	82	5	170		29.73			29.92	FM-15	0.00	29.91
06	0954	7	FEW:02 18	10.00		81	27.2	75	23.9	72	22.2	74	5	230		29.73	0	0.00	29.92	FM-15	0.00	29.91
06	1054	7	FEW:02 26	10.00		84	28.9	75	23.9	71	21.7	65	5	VRB		29.72			29.91	FM-15	0.00	29.90
06	1154	7	SCT:04 36	10.00		86	30.0	76	24.4	71	21.7	61	5	190		29.71			29.90	FM-15	0.00	29.89
06	1254	7	SCT:04 36 BKN:07 70	10.00		86	30.0	76	24.4	71	21.7	61	10	170		29.69	8	+0.04	29.88	FM-15	0.00	29.87
06	1300	4	41	9.94		86	30.0	76	24.4	71	21.7	61	10	170		29.69	8	+0.04	29.88	FM-12		
06	1354	7	SCT:04 40	10.00		87	30.6	76	24.4	71	21.7	59	10	150		29.67			29.86	FM-15	0.00	29.85
06	1454	7	FEW:02 48	10.00		88	31.1	76	24.4	71	21.7	57	10	160		29.65			29.84	FM-15	0.00	29.83
06	1554	7	SCT:04 50	10.00		86	30.0	76	24.4	71	21.7	61	10	150		29.64	6	+0.05	29.83	FM-15	T	29.82
06	1654	7	FEW:02 25 SCT:04 55 SCT:04 100	10.00		85	29.4	77	25.0	73	22.8	68	6	190		29.65			29.83	FM-15	0.01	29.83
06	1754	7	SCT:04 55 SCT:04 100 SCT:04 300	10.00		86	30.0	76	24.4	71	21.7	61	9	180		29.64			29.83	FM-15	0.00	29.82

06	1854	7	SCT:04 70 SCT:04 100 SCT:04 300	10.00		83	28.3	75	23.9	71	21.7	67	7	160		29.65	3	0.00	29.83	FM-15	0.00	29.83
06	1900	4	74	9.94		83	28.3	75	23.9	71	21.7	67	7	160		29.65	3	0.00	29.83	FM-12		
06	1954	7	FEW:02 41 SCT:04 70 SCT:04 100	10.00		81	27.2	75	23.9	72	22.2	74	9	170		29.66			29.85	FM-15	0.00	29.84
06	2054	7	FEW:02 41 FEW:02 70 SCT:04 100	10.00		79	26.1	74	23.3	72	22.2	79	9	180		29.68			29.86	FM-15	0.00	29.86
06	2154	7	FEW:02 70 FEW:02 100 BKN:07 300	10.00		78	25.6	74	23.3	72	22.2	82	8	180		29.68	0	-0.03	29.86	FM-15	0.00	29.86
06	2254	7	FEW:02 100 BKN:07 300	10.00		77	25.0	74	23.3	72	22.2	85	8	170		29.68			29.87	FM-15	0.00	29.86
06	2354	7	BKN:07 300	10.00		75	23.9	73	22.8	72	22.2	90	6	170		29.67			29.86	FM-15	0.00	29.85
07	0054	7	BKN:07 300	10.00		75	23.9	73	22.8	72	22.2	90	6	180		29.67	8	+0.01	29.85	FM-15	0.00	29.85
07	0100	4		9.94		75	23.9	73	22.8	72	22.2	90	6	180		29.67	8	+0.01	29.85	FM-12		
07	0154	7	BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	5	200		29.66			29.85	FM-15	0.00	29.84
07	0254	7	BKN:07 300	10.00		74	23.3	73	22.8	72	22.2	94	9	200		29.66			29.84	FM-15	0.00	29.84
07	0354	7	SCT:04 200 BKN:07 300	10.00		75	23.9	72	22.2	71	21.7	88	7	200		29.65	8	+0.02	29.84	FM-15	0.00	29.83
07	0454	7	FEW:02 120 SCT:04 210 SCT:04 300	10.00		73	22.8	71	21.7	70	21.1	90	6	200		29.67			29.85	FM-15	0.00	29.85
07	0554	7	FEW:02 120 FEW:02 220 SCT:04 300	7.00		73	22.8	72	22.2	71	21.7	94	3	190		29.68			29.86	FM-15	0.00	29.86
07	0654	7	FEW:02 220 FEW:02 300	9.00		75	23.9	73	22.8	72	22.2	90	7	200		29.68	1	-0.03	29.87	FM-15	0.00	29.86
07	0700	4		8.70		75	23.9	73	22.8	72	22.2	90	7	200		29.68	1	-0.03	29.87	FM-12		
07	0754	7	SCT:04 200	10.00		78	25.6	74	23.3	72	22.2	82	9	210		29.68			29.87	FM-15	0.00	29.86
07	0854	7	FEW:02 60 FEW:02 170 SCT:04 300	10.00		82	27.8	76	24.4	73	22.8	74	7	190		29.68			29.87	FM-15	0.00	29.86
07	0954	7	FEW:02 80 FEW:02 170	10.00		85	29.4	77	25.0	73	22.8	68	8	220		29.67	8	+0.01	29.86	FM-15	0.00	29.85
07	1054	7	FEW:02 32 FEW:02 170	10.00		88	31.1	77	25.0	73	22.8	61	9	220		29.66			29.85	FM-15	0.00	29.84
07	1154	7	FEW:02 33 SCT:04 42 BKN:07 65	10.00		90	32.2	79	26.1	74	23.3	59	8	200		29.64			29.82	FM-15	0.00	29.82
07	1254	7	FEW:02 42 FEW:02 90 BKN:07 190	10.00	TS:7 TS TS	86	30.0	78	25.6	74	23.3	67	8	180		29.61	9	+0.06	29.80	FM-15	0.02	29.79
07	1300	4	41	9.94	TS	86	30.0	78	25.6	74	23.3	67	8	180		29.61	8	+0.06	29.80	FM-12		
07	1347	7	FEW:02 45 SCT:04 170 BKN:07 250	10.00		84	28.9	74	23.3	69	20.6	61	21	140	26	29.62				FM-16		29.80
07	1354	7	FEW:02 45 SCT:04 60 SCT:04 170	10.00		80	26.7	73	22.8	69	20.6	69	26	140	39	29.63			29.81	FM-15	0.00	29.81
07	1454	7	FEW:02 42 SCT:04 65 OVC:08 300	10.00	TS:7 TS TS	78	25.6	71	21.7	68	20.0	71	18	140		29.58			29.77	FM-15	0.00	29.76
07	1554	7	BKN:07 31 BKN:07 70 BKN:07 300	10.00		74	23.3	70	21.1	68	20.0	82	9	060		29.61	5	0.00	29.80	FM-15	0.00	29.79
07	1654	7	FEW:02 30 BKN:07 300	10.00		80	26.7	72	22.2	68	20.0	67	18	150	24	29.62			29.81	FM-15	0.00	29.80
07	1754	7	FEW:02 35 FEW:02 300	10.00		77	25.0	72	22.2	69	20.6	77	14	150		29.60			29.79	FM-15	0.00	29.78
07	1854	7	FEW:02 35 FEW:02 300	10.00		75	23.9	71	21.7	69	20.6	82	7	180		29.62	3	-0.01	29.81	FM-15	0.00	29.80

07	1900	4	41	9.94		75	23.9	71	21.7	69	20.6	82	7	180		29.62	3	-0.01	29.81	FM-12		
07	1954	7	BKN:07 10 OVC:08 40	10.00		73	22.8	71	21.7	70	21.1	90	15	020	20	29.65			29.84	FM-15	0.00	29.83
07	2033	7	SCT:04 14	10.00		73	22.8	70	21.1	69	20.6	87	3	090		29.65				FM-16		29.83
07	2054	7	FEW:02 14 FEW:02 300	10.00		72	22.2	70	21.1	69	20.6	91	5	150		29.67			29.85	FM-15	0.00	29.85
07	2154	7	FEW:02 30 SCT:04 150	10.00		71	21.7	70	21.1	69	20.6	94	3	200		29.65	0	-0.04	29.84	FM-15	0.00	29.83
07	2254	7	FEW:02 30 BKN:07 150	10.00		72	22.2	71	21.7	70	21.1	94	0	000		29.64			29.83	FM-15	0.00	29.82
07	2354	7	SCT:04 10 BKN:07 50 BKN:07 200	10.00		74	23.3	71	21.7	69	20.6	85	8	330		29.65			29.84	FM-15	0.00	29.83
08	0007	7	SCT:04 11 BKN:07 45 BKN:07 200	10.00	TS:7 TS TS	74	23.3	68	20.0	65	18.3	74	14	300	23	29.65				FM-16		29.83
08	0054	7	FEW:02 45 SCT:04 170 BKN:07 230	10.00		71	21.7	67	19.4	65	18.3	81	3	130		29.61	8	+0.04	29.80	FM-15	0.00	29.79
08	0100	4	41	9.94		71	21.7	67	19.4	65	18.3	81	3	130		29.61	8	+0.04	29.80	FM-12		
08	0154	7	SCT:04 230	10.00		70	21.1	67	19.4	65	18.3	84	0	000		29.63			29.82	FM-15	0.00	29.81
08	0254	7	FEW:02 230 FEW:02 300	10.00		67	19.4	65	18.3	64	17.8	91	5	170		29.61			29.80	FM-15	0.00	29.79
08	0354	7	FEW:02 120 SCT:04 300	10.00		69	20.6	66	18.9	65	18.3	87	0	000		29.61	8	0.00	29.80	FM-15	0.00	29.79
08	0452	6	BKN:07 10 BKN:07 120 BKN:07 300	10.00		68	20.0	67	19.4	66	18.9	94	5	340		29.62				FM-16		29.80
08	0454	7	BKN:07 10 BKN:07 120 BKN:07 300	10.00		68	20.0	67	19.4	66	18.9	93	5	340		29.62			29.81	FM-15	0.00	29.80
08	0538	7	FEW:02 8	10.00		69	20.6	67	19.4	66	18.9	90	3	340		29.62				FM-16		29.80
08	0554	7	FEW:02 8	10.00		69	20.6	67	19.4	66	18.9	90	3	300		29.62			29.81	FM-15	0.00	29.80
08	0652	6	BKN:07 6	10.00		72	22.2	71	21.7	70	21.1	94	7	300		29.64				FM-16		29.82
08	0654	7	BKN:07 6	10.00		72	22.2	70	21.1	69	20.6	91	7	300		29.64	3	-0.02	29.83	FM-15	0.00	29.82
08	0700	4	5	9.94		72	22.2	70	21.1	69	20.6	91	7	300		29.64	3	-0.02	29.83	FM-12		
08	0754	7	BKN:07 7	10.00		74	23.3	71	21.7	70	21.1	88	5	250		29.64			29.83	FM-15	0.00	29.82
08	0804	7	FEW:02 7 FEW:02 55	10.00		76	24.4	72	22.2	70	21.1	82	6	270		29.64				FM-16		29.82
08	0854	7	FEW:02 15	10.00		80	26.7	73	22.8	70	21.1	71	6	300		29.64			29.83	FM-15	0.00	29.82
08	0954	7	FEW:02 26	10.00		83	28.3	74	23.3	70	21.1	65	7	310		29.65	3	-0.01	29.84	FM-15	0.00	29.83
08	1054	7	FEW:02 36	10.00		86	30.0	74	23.3	68	20.0	55	6	310		29.64			29.83	FM-15	0.00	29.82
08	1154	7	FEW:02 50	10.00		88	31.1	73	22.8	65	18.3	46	6	VRB		29.63			29.82	FM-15	0.00	29.81
08	1254	7	SCT:04 55	10.00		90	32.2	72	22.2	63	17.2	41	8	280	17	29.63	6	+0.02	29.81	FM-15	0.00	29.81
08	1300	4	57	9.94		90	32.2	72	22.2	63	17.2	41	8	280		29.63	6	+0.02	29.81	FM-12		
08	1354	7	SCT:04 60	10.00		91	32.8	72	22.2	62	16.7	38	10	300		29.61			29.80	FM-15	0.00	29.79
08	1454	7	SCT:04 65	10.00		92	33.3	74	23.3	65	18.3	41	11	300	22	29.60			29.79	FM-15	0.00	29.78
08	1554	7	FEW:02 65	10.00		91	32.8	73	22.8	64	17.8	41	9	340		29.60	6	+0.03	29.78	FM-15	0.00	29.78
08	1654	7	FEW:02 65	10.00		91	32.8	71	21.7	61	16.1	37	11	290		29.60			29.79	FM-15	0.00	29.78
08	1754	7	FEW:02 65 FEW:02 200	10.00		90	32.2	71	21.7	60	15.6	37	9	300		29.60			29.79	FM-15	0.00	29.78
08	1854	7	FEW:02 150 FEW:02 300	10.00		87	30.6	70	21.1	61	16.1	42	6	290		29.62	3	-0.02	29.80	FM-15	0.00	29.80
08	1900	4		9.94		87	30.6	70	21.1	61	16.1	42	6	290		29.62	3	-0.02	29.80	FM-12		
08	1954	7	FEW:02 150	10.00		77	25.0	69	20.6	65	18.3	66	5	220		29.63			29.82	FM-15	0.00	29.81
08	2054	7	CLR:00	10.00		78	25.6	70	21.1	65	18.3	64	5	180		29.63			29.82	FM-15	0.00	29.81
08	2154	7	CLR:00	10.00		77	25.0	69	20.6	64	17.8	64	3	190		29.64	1	-0.02	29.82	FM-15	0.00	29.82
08	2254	7	CLR:00	10.00		76	24.4	69	20.6	65	18.3	69	7	250		29.63			29.82	FM-15	0.00	29.81
08	2354	7	FEW:02 250	10.00		78	25.6	69	20.6	64	17.8	62	8	240		29.64			29.82	FM-15	0.00	29.82
09	0054	7	FEW:02 250	10.00		77	25.0	69	20.6	64	17.8	64	6	250		29.63	8	0.00	29.82	FM-15	0.00	29.81
09	0100	4		9.94		77	25.0	69	20.6	64	17.8	64	6	250		29.63			29.82	FM-12		

09	0154	7	BKN:07 250	10.00		77	25.0	69	20.6	64	17.8	64	7	260		29.63			29.81	FM-15	0.00	29.81
09	0254	7	BKN:07 250	10.00		77	25.0	68	20.0	63	17.2	62	5	270		29.62			29.81	FM-15	0.00	29.80
09	0354	7	BKN:07 250	10.00		77	25.0	68	20.0	63	17.2	62	6	280		29.62	6	+0.02	29.80	FM-15	0.00	29.80
09	0454	7	FEW:02 130 SCT:04 240	10.00		71	21.7	67	19.4	64	17.8	79	3	210		29.62			29.80	FM-15	0.00	29.80
09	0554	7	SCT:04 130 SCT:04 240	10.00		70	21.1	67	19.4	65	18.3	84	3	160		29.64			29.83	FM-15	0.00	29.82
09	0654	7	BKN:07 220 BKN:07 300	10.00		76	24.4	70	21.1	66	18.9	72	0	000		29.67	3	-0.05	29.85	FM-15	0.00	29.85
09	0700	4		9.94		76	24.4	70	21.1	66	18.9	72	0	000		29.67	3	-0.05	29.85	FM-12		
09	0754	7	FEW:02 70 BKN:07 130 BKN:07 180	10.00		83	28.3	71	21.7	65	18.3	55	3	350		29.67			29.85	FM-15	0.00	29.85
09	0854	7	SCT:04 120 SCT:04 180	10.00		83	28.3	72	22.2	66	18.9	57	3	290		29.67			29.86	FM-15	0.00	29.85
09	0954	7	FEW:02 130	10.00		87	30.6	72	22.2	64	17.8	46	5	340		29.67	8	0.00	29.85	FM-15	0.00	29.85
09	1054	7	FEW:02 55 FEW:02 120	10.00		89	31.7	73	22.8	65	18.3	45	10	280		29.66			29.85	FM-15	0.00	29.84
09	1154	7	FEW:02 50	10.00		89	31.7	74	23.3	66	18.9	47	6	VRB		29.65			29.84	FM-15	0.00	29.83
09	1254	7	FEW:02 55 FEW:02 110	10.00		91	32.8	75	23.9	67	19.4	45	9	300		29.64	8	+0.02	29.83	FM-15	0.00	29.82
09	1300	4	57	9.94		91	32.8	75	23.9	67	19.4	45	9	300		29.64	8	+0.02	29.83	FM-12		
09	1354	7	FEW:02 60 FEW:02 100 SCT:04 300	10.00		93	33.9	74	23.3	64	17.8	38	11	280		29.61			29.80	FM-15	0.00	29.79
09	1454	7	FEW:02 60 FEW:02 100 SCT:04 300	10.00		93	33.9	72	22.2	62	16.7	36	17	280		29.60			29.78	FM-15	0.00	29.78
09	1554	7	SCT:04 60	10.00		94	34.4	73	22.8	62	16.7	35	17	290	26	29.60	6	+0.05	29.78	FM-15	0.00	29.78
09	1654	7	FEW:02 65 FEW:02 300	10.00		92	33.3	73	22.8	63	17.2	38	15	270	22	29.60			29.78	FM-15	0.00	29.78
09	1754	7	FEW:02 60 FEW:02 300	10.00		91	32.8	72	22.2	62	16.7	38	14	280		29.61			29.80	FM-15	0.00	29.79
09	1854	7	FEW:02 60	10.00		89	31.7	70	21.1	60	15.6	38	10	300		29.62	3	-0.02	29.80	FM-15	0.00	29.80
09	1900	4	57	9.94		89	31.7	70	21.1	60	15.6	38	10	300		29.62	3	-0.02	29.80	FM-12		
09	1954	7	FEW:02 60	10.00		85	29.4	71	21.7	64	17.8	50	9	280		29.63			29.82	FM-15	0.00	29.81
09	2054	7	CLR:00	10.00		84	28.9	71	21.7	65	18.3	53	9	280		29.65			29.84	FM-15	0.00	29.83
09	2154	7	FEW:02 120	10.00		81	27.2	71	21.7	66	18.9	61	3	240		29.67	3	-0.05	29.85	FM-15	0.00	29.85
09	2254	7	FEW:02 75	10.00		78	25.6	71	21.7	67	19.4	69	7	320		29.68			29.87	FM-15	0.00	29.86
09	2354	7	FEW:02 75	10.00		75	23.9	70	21.1	67	19.4	76	6	330		29.70			29.89	FM-15	0.00	29.88
10	0054	7	CLR:00	10.00		74	23.3	64	17.8	58	14.4	57	11	360		29.71	1	-0.04	29.90	FM-15	0.00	29.89
10	0100	4		9.94		74	23.3	64	17.8	58	14.4	57	11	360		29.71	1	-0.04	29.90	FM-12		
10	0154	7	CLR:00	10.00		71	21.7	63	17.2	57	13.9	61	7	360		29.72			29.90	FM-15	0.00	29.90
10	0254	7	CLR:00	10.00		69	20.6	62	16.7	57	13.9	66	6	350		29.72			29.90	FM-15	0.00	29.90
10	0354	7	CLR:00	10.00		67	19.4	61	16.1	57	13.9	71	6	340		29.72	3	-0.01	29.91	FM-15	0.00	29.90
10	0454	7	FEW:02 300	10.00		68	20.0	62	16.7	57	13.9	68	0	000		29.74			29.92	FM-15	0.00	29.92
10	0554	7	SCT:04 300	10.00		67	19.4	61	16.1	57	13.9	71	0	000		29.75			29.94	FM-15	0.00	29.93
10	0654	7	SCT:04 300	10.00		72	22.2	64	17.8	58	14.4	61	6	350		29.76	1	-0.04	29.95	FM-15	0.00	29.94
10	0700	4		9.94		72	22.2	64	17.8	58	14.4	61	6	350		29.76	1	-0.04	29.95	FM-12		
10	0754	7	SCT:04 300	10.00		76	24.4	65	18.3	58	14.4	54	6	360		29.77			29.96	FM-15	0.00	29.95
10	0854	7	FEW:02 50 SCT:04 300	10.00		79	26.1	65	18.3	56	13.3	45	7	020		29.78			29.96	FM-15	0.00	29.96
10	0954	7	FEW:02 100 BKN:07 300	10.00		80	26.7	65	18.3	55	12.8	42	5	010		29.79	1	-0.03	29.97	FM-15	0.00	29.97
10	1054	7	FEW:02 80 BKN:07 300	10.00		83	28.3	65	18.3	54	12.2	37	7	040		29.78			29.96	FM-15	0.00	29.96
10	1154	7	FEW:02 85 BKN:07 300	10.00		83	28.3	65	18.3	53	11.7	36	5	VRB		29.76			29.94	FM-15	0.00	29.94
10	1254	7	FEW:02 95 BKN:07 220	10.00		84	28.9	66	18.9	54	12.2	36	3	340		29.74	8	+0.05	29.93	FM-15	0.00	29.92
10	1300	4		9.94		84	28.9	66	18.9	54	12.2	36	3	340		29.74	8	+0.05	29.93	FM-12		

10	1354	7	FEW:02 60 SCT:04 200 SCT:04 240	10.00		86	30.0	67	19.4	56	13.3	36	10	260		29.72			29.91	FM-15	0.00	29.90
10	1454	7	FEW:02 65 FEW:02 100 BKN:07 250	10.00		85	29.4	68	20.0	58	14.4	40	10	280		29.71			29.90	FM-15	0.00	29.89
10	1554	7	FEW:02 65 BKN:07 200 BKN:07 300	10.00		86	30.0	68	20.0	58	14.4	39	10	330		29.71	6	+0.03	29.90	FM-15	0.00	29.89
10	1654	7	SCT:04 200 BKN:07 300	10.00		85	29.4	68	20.0	57	13.9	39	15	340		29.70			29.89	FM-15	0.00	29.88
10	1754	7	FEW:02 200	10.00		82	27.8	69	20.6	61	16.1	49	6	060		29.72			29.91	FM-15	0.00	29.90
10	1854	7	FEW:02 65 SCT:04 200	10.00		78	25.6	67	19.4	61	16.1	56	6	070		29.73	3	-0.02	29.92	FM-15	0.00	29.91
10	1900	4	57	9.94		78	25.6	67	19.4	61	16.1	56	6	070		29.73	3	-0.02	29.92	FM-12		
10	1954	7	SCT:04 70	10.00		74	23.3	67	19.4	62	16.7	67	5	130		29.75			29.94	FM-15	0.00	29.93
10	2054	7	SCT:04 70	10.00		73	22.8	66	18.9	62	16.7	69	3	110		29.77			29.96	FM-15	0.00	29.95
10	2154	7	SCT:04 80	10.00		72	22.2	66	18.9	62	16.7	71	3	090		29.79	1	-0.06	29.98	FM-15	0.00	29.97
10	2254	7	SCT:04 80	10.00		71	21.7	66	18.9	63	17.2	76	0	000		29.79			29.98	FM-15	0.00	29.97
10	2354	7	SCT:04 80	10.00		68	20.0	64	17.8	62	16.7	81	0	000		29.80			29.98	FM-15	0.00	29.98
11	0054	7	SCT:04 80	10.00		69	20.6	65	18.3	62	16.7	78	0	000		29.80	1	-0.01	29.98	FM-15	0.00	29.98
11	0100	4	74	9.94		69	20.6	65	18.3	62	16.7	78	0	000		29.80	1	-0.01	29.98	FM-12		
11	0154	7	SCT:04 80	10.00		67	19.4	64	17.8	62	16.7	84	3	340		29.79			29.98	FM-15	0.00	29.97
11	0254	7	SCT:04 80	10.00		67	19.4	64	17.8	62	16.7	84	5	340		29.79			29.98	FM-15	0.00	29.97
11	0354	7	FEW:02 80	10.00		67	19.4	64	17.8	62	16.7	84	3	340		29.80	3	0.00	29.99	FM-15	0.00	29.98
11	0454	7	CLR:00	10.00		65	18.3	63	17.2	61	16.1	87	6	330		29.81			30.00	FM-15	0.00	29.99
11	0554	7	FEW:02 80 FEW:02 300	10.00		66	18.9	62	16.7	60	15.6	81	6	350		29.85			30.03	FM-15	0.00	30.03
11	0654	7	FEW:02 300	10.00		69	20.6	64	17.8	60	15.6	73	7	360		29.86	1	-0.06	30.04	FM-15	0.00	30.04
11	0700	4		9.94		69	20.6	64	17.8	60	15.6	73	7	360		29.86	1	-0.06	30.04	FM-12		
11	0754	7	FEW:02 300	10.00		74	23.3	66	18.9	61	16.1	64	13	020		29.86			30.05	FM-15	0.00	30.04
11	0854	7	FEW:02 300	10.00		78	25.6	68	20.0	62	16.7	58	7	VRB		29.87			30.06	FM-15	0.00	30.05
11	0954	7	FEW:02 300	10.00		81	27.2	69	20.6	62	16.7	53	7	010		29.88	3	-0.03	30.07	FM-15	0.00	30.06
11	1054	7	FEW:02 55	10.00		84	28.9	69	20.6	60	15.6	44	7	340		29.89			30.08	FM-15	0.00	30.07
11	1154	7	FEW:02 55	10.00		86	30.0	69	20.6	59	15.0	40	8	010		29.87			30.06	FM-15	0.00	30.05
11	1254	7	FEW:02 60	10.00		86	30.0	68	20.0	58	14.4	39	0	000		29.87	8	+0.02	30.06	FM-15	0.00	30.05
11	1300	4	57	9.94		86	30.0	68	20.0	58	14.4	39	0	000		29.87	8	+0.02	30.06	FM-12		
11	1354	7	SCT:04 60	10.00		87	30.6	68	20.0	57	13.9	36	9	320		29.85			30.04	FM-15	0.00	30.03
11	1454	7	FEW:02 60 SCT:04 300	10.00		88	31.1	69	20.6	57	13.9	35	0	000		29.83			30.01	FM-15	0.00	30.01
11	1554	7	FEW:02 60 SCT:04 300	10.00		89	31.7	68	20.0	56	13.3	33	8	310		29.83	5	+0.04	30.02	FM-15	0.00	30.01
11	1654	7	FEW:02 60 SCT:04 300	10.00		87	30.6	68	20.0	56	13.3	35	0	000		29.82			30.01	FM-15	0.00	30.00
11	1754	7	FEW:02 60 FEW:02 300	10.00		86	30.0	67	19.4	55	12.8	35	6	340		29.81			30.00	FM-15	0.00	29.99
11	1854	7	FEW:02 70 FEW:02 300	10.00		80	26.7	68	20.0	61	16.1	52	6	040		29.82	5	+0.01	30.01	FM-15	0.00	30.00
11	1900	4	74	9.94		80	26.7	68	20.0	61	16.1	52	6	040		29.82	5	+0.01	30.01	FM-12		
11	1954	7	FEW:02 70 FEW:02 300	10.00		77	25.0	68	20.0	62	16.7	60	6	070		29.84			30.03	FM-15	0.00	30.02
11	2054	7	CLR:00	10.00		75	23.9	67	19.4	63	17.2	66	5	090		29.85			30.03	FM-15	0.00	30.03
11	2154	7	CLR:00	10.00		72	22.2	66	18.9	63	17.2	73	5	120		29.85	0	-0.02	30.03	FM-15	0.00	30.03
11	2254	7	CLR:00	10.00		70	21.1	65	18.3	62	16.7	76	5	140		29.85			30.03	FM-15	0.00	30.03
11	2354	7	FEW:02 350	10.00		70	21.1	65	18.3	62	16.7	76	5	140		29.85			30.04	FM-15	0.00	30.03
12	0054	7	BKN:07 350	10.00		70	21.1	65	18.3	62	16.7	76	3	130		29.85	0	0.00	30.04	FM-15	0.00	30.03
12	0100	4		9.94		70	21.1	65	18.3	62	16.7	76	3	130		29.85	9	0.00	30.04	FM-12		
12	0154	7	BKN:07 350	10.00		68	20.0	65	18.3	63	17.2	84	0	000		29.84			30.03	FM-15	0.00	30.02
12	0254	7	SCT:04 350	10.00		68	20.0	65	18.3	63	17.2	84	0	000		29.84			30.03	FM-15	0.00	30.02
12	0354	7	SCT:04 350	10.00		66	18.9	64	17.8	62	16.7	87	0	000		29.83	6	+0.01	30.02	FM-15	0.00	30.01

12	0454	7	SCT:04 350	10.00		67	19.4	65	18.3	63	17.2	87	0	000		29.84			30.03	FM-15	0.00	30.02
12	0554	7	SCT:04 350	10.00		67	19.4	65	18.3	63	17.2	87	3	140		29.85			30.04	FM-15	0.00	30.03
12	0654	7	FEW:02 150 FEW:02 300	10.00		71	21.7	68	20.0	67	19.4	87	6	190		29.86	1	-0.02	30.04	FM-15	0.00	30.04
12	0700	4		9.94		71	21.7	68	20.0	67	19.4	87	6	190		29.86	1	-0.02	30.04	FM-12		
12	0754	7	SCT:04 300	10.00		77	25.0	70	21.1	67	19.4	71	9	210		29.85			30.04	FM-15	0.00	30.03
12	0854	7	FEW:02 300	10.00		80	26.7	72	22.2	68	20.0	67	7	210		29.85			30.03	FM-15	0.00	30.03
12	0954	7	FEW:02 35 FEW:02 300	10.00		85	29.4	73	22.8	67	19.4	55	8	210		29.84	6	+0.01	30.03	FM-15	0.00	30.02
12	1054	7	FEW:02 46 FEW:02 300	10.00		87	30.6	72	22.2	65	18.3	48	8	210		29.84			30.03	FM-15	0.00	30.02
12	1154	7	SCT:04 55	10.00		90	32.2	72	22.2	63	17.2	41	8	VRB		29.84			30.03	FM-15	0.00	30.02
12	1254	7	SCT:04 60	10.00		89	31.7	72	22.2	64	17.8	43	9	140		29.81	8	+0.04	30.00	FM-15	0.00	29.99
12	1300	4	57	9.94		89	31.7	72	22.2	64	17.8	43	9	140		29.81	8	+0.04	30.00	FM-12		
12	1354	7	SCT:04 65 BKN:07 300	10.00		90	32.2	72	22.2	62	16.7	39	5	VRB		29.78			29.97	FM-15	0.00	29.96
12	1454	7	SCT:04 65 BKN:07 300	10.00		91	32.8	72	22.2	62	16.7	38	6	VRB		29.76			29.95	FM-15	0.00	29.94
12	1554	7	SCT:04 65 BKN:07 300	10.00		92	33.3	72	22.2	62	16.7	37	14	210		29.75	6	+0.06	29.93	FM-15	0.00	29.93
12	1654	7	FEW:02 65 OVC:08 300	10.00		89	31.7	72	22.2	63	17.2	42	11	160		29.73			29.92	FM-15	0.00	29.91
12	1754	7	FEW:02 65 OVC:08 300	10.00		86	30.0	72	22.2	65	18.3	49	13	170		29.74			29.92	FM-15	0.00	29.92
12	1854	7	OVC:08 300	10.00		83	28.3	70	21.1	63	17.2	51	11	170		29.74	5	+0.01	29.93	FM-15	0.00	29.92
12	1900	4		9.94		83	28.3	70	21.1	63	17.2	51	11	170		29.74	5	+0.01	29.93	FM-12		
12	1954	4		10.00		80	26.7			64	17.8	58	8	170					29.93	FM-15		29.92
12	2054	7	BKN:07 300	10.00		77	25.0	69	20.6	65	18.3	66	7	170		29.75			29.93	FM-15	0.00	29.93
12	2154	4		10.00		77	25.0			66	18.9	69	10	180					29.93	FM-15		29.92
12	2254	7	BKN:07 200 OVC:08 300	10.00		78	25.6	70	21.1	65	18.3	64	10	190		29.76			29.94	FM-15	0.00	29.94
12	2354	7	BKN:07 210	10.00		77	25.0	70	21.1	66	18.9	69	10	180		29.75			29.93	FM-15	0.00	29.93
13	0054	7	SCT:04 190 BKN:07 220	10.00		77	25.0	70	21.1	67	19.4	71	10	180		29.73	8	+0.01	29.91	FM-15	0.00	29.91
13	0100	4		9.94		77	25.0	70	21.1	67	19.4	71	10	180		29.73	8	+0.01	29.91	FM-12		
13	0154	7	BKN:07 190 BKN:07 210	10.00		77	25.0	70	21.1	67	19.4	71	10	190		29.72			29.91	FM-15	0.00	29.90
13	0254	7	FEW:02 48 BKN:07 150 BKN:07 190	10.00		77	25.0	71	21.7	68	20.0	74	13	200		29.71			29.90	FM-15	0.00	29.89
13	0354	7	BKN:07 150 BKN:07 170 OVC:08 240	10.00		76	24.4	71	21.7	68	20.0	77	8	190		29.70	6	+0.02	29.89	FM-15	0.00	29.88
13	0454	7	FEW:02 140 BKN:07 170	10.00		75	23.9	71	21.7	69	20.6	82	9	190		29.70			29.88	FM-15	0.00	29.88
13	0554	7	FEW:02 46 BKN:07 150 BKN:07 170	10.00		75	23.9	72	22.2	70	21.1	84	7	190		29.70			29.88	FM-15	0.00	29.88
13	0654	7	FEW:02 50 FEW:02 80 BKN:07 120	10.00		77	25.0	73	22.8	71	21.7	82	11	190		29.70	6	+0.01	29.88	FM-15	0.00	29.88
13	0700	4	57	9.94		77	25.0	73	22.8	71	21.7	82	11	190		29.70	6	+0.01	29.88	FM-12		
13	0754	7	FEW:02 15 SCT:04 80 BKN:07 110	10.00		79	26.1	74	23.3	72	22.2	79	14	210		29.69			29.87	FM-15	0.00	29.87
13	0854	7	FEW:02 60 BKN:07 110 BKN:07 150	10.00		80	26.7	75	23.9	72	22.2	76	13	200		29.68			29.87	FM-15	0.00	29.86
13	0954	7	FEW:02 20 FEW:02 50 BKN:07 110	10.00		83	28.3	76	24.4	73	22.8	72	14	190		29.68	5	+0.01	29.87	FM-15	0.00	29.86

13	1054	7	FEW:02 23 FEW:02 65 BKN:07 95	10.00		82	27.8	76	24.4	74	23.3	77	10	190		29.68			29.87	FM-15	0.00	29.86
13	1154	7	SCT:04 27 SCT:04 65 BKN:07 90	10.00		84	28.9	78	25.6	76	24.4	77	6	190		29.68			29.86	FM-15	0.00	29.86
13	1254	7	FEW:02 25 FEW:02 60 BKN:07 140	10.00		86	30.0	78	25.6	75	23.9	70	8	170		29.62	8	+0.06	29.81	FM-15	0.00	29.80
13	1300	4	26	9.94		86	30.0	78	25.6	75	23.9	70	8	170		29.62	8	+0.06	29.81	FM-12		
13	1313	7	BKN:07 25 OVC:08 150	10.00		86	30.0	78	25.6	75	23.9	70	9	200		29.64				FM-16		29.82
13	1345	7	FEW:02 24 SCT:04 33 SCT:04 95	10.00		87	30.6	78	25.6	75	23.9	67	9	220		29.63				FM-16		29.81
13	1354	7	SCT:04 33 SCT:04 90 BKN:07 150	10.00		88	31.1	79	26.1	75	23.9	66	9	210		29.63			29.81	FM-15	0.00	29.81
13	1454	7	SCT:04 30 SCT:04 90 BKN:07 150	10.00		90	32.2	79	26.1	75	23.9	62	6	200		29.59			29.78	FM-15	0.00	29.77
13	1554	7	SCT:04 40 SCT:04 100 BKN:07 300	10.00		92	33.3	79	26.1	74	23.3	56	7	270		29.58	8	+0.04	29.76	FM-15	0.00	29.76
13	1654	7	SCT:04 43 SCT:04 60 BKN:07 150	10.00		86	30.0	79	26.1	76	24.4	72	10	190		29.57			29.76	FM-15	0.00	29.75
13	1754	7	FEW:02 44 SCT:04 150 BKN:07 300	10.00		83	28.3	77	25.0	74	23.3	74	10	190		29.59			29.78	FM-15	0.00	29.77
13	1854	7	FEW:02 45 SCT:04 110 BKN:07 300	10.00		81	27.2	76	24.4	74	23.3	79	13	190		29.60	3	-0.02	29.78	FM-15	0.00	29.78
13	1900	4	41	9.94		81	27.2	76	24.4	74	23.3	79	13	190		29.60	3	-0.02	29.78	FM-12		
13	1954	7	FEW:02 45 SCT:04 130 SCT:04 200	10.00		80	26.7	76	24.4	74	23.3	82	10	210		29.62			29.80	FM-15	0.00	29.80
13	2054	7	SCT:04 50 BKN:07 110	10.00	TS	80	26.7	75	23.9	72	22.2	76	11	260		29.65			29.84	FM-15	T	29.83
13	2140	7	FEW:02 22 SCT:04 28 BKN:07 47	10.00		76	24.4	73	22.8	71	21.7	85	3	040		29.65				FM-16		29.83
13	2154	7	FEW:02 28 SCT:04 47 BKN:07 130	10.00		76	24.4	73	22.8	71	21.7	85	5	120		29.64	0	-0.04	29.82	FM-15	0.00	29.82
13	2254	7	SCT:04 120 BKN:07 160 OVC:08 300	10.00		75	23.9	72	22.2	71	21.7	88	6	180		29.60			29.79	FM-15	0.00	29.78
13	2354	7	SCT:04 130 BKN:07 150 BKN:07 300	10.00		75	23.9	73	22.8	72	22.2	90	7	200		29.60			29.79	FM-15	0.00	29.78
14	0054	7	SCT:04 160 BKN:07 300	10.00		76	24.4	73	22.8	72	22.2	88	9	210		29.60	6	+0.04	29.78	FM-15	0.00	29.78
14	0100	4		9.94		76	24.4	73	22.8	72	22.2	88	9	210		29.60	6	+0.04	29.78	FM-12		
14	0154	7	FEW:02 160 BKN:07 300	10.00		75	23.9	72	22.2	71	21.7	88	8	220		29.59			29.78	FM-15	0.00	29.77
14	0254	7	FEW:02 160 SCT:04 300	10.00		75	23.9	72	22.2	71	21.7	88	6	230		29.60			29.79	FM-15	0.00	29.78
14	0354	7	SCT:04 300	10.00		73	22.8	71	21.7	70	21.1	90	3	160		29.60	3	-0.01	29.79	FM-15	0.00	29.78
14	0454	7	BKN:07 300	10.00		71	21.7	70	21.1	70	21.1	96	6	200		29.62			29.81	FM-15	0.00	29.80
14	0554	7	SCT:04 100 BKN:07 300	10.00		75	23.9	72	22.2	71	21.7	88	7	230		29.63			29.82	FM-15	0.00	29.81
14	0654	7	FEW:02 120 BKN:07 300	10.00		78	25.6	73	22.8	71	21.7	79	10	240		29.65	2	-0.05	29.84	FM-15	0.00	29.83
14	0700	4		9.94		78	25.6	73	22.8	71	21.7	79	10	240		29.65	2	-0.05	29.84	FM-12		

14	0754	7	FEW:02 60 FEW:02 110 BKN:07 350	10.00		81	27.2	74	23.3	71	21.7	72	10	280		29.63			29.82	FM-15	0.00	29.81
14	0854	7	FEW:02 110 BKN:07 350	10.00		85	29.4	75	23.9	71	21.7	63	10	310		29.62			29.80	FM-15	0.00	29.80
14	0954	7	FEW:02 80 FEW:02 220 BKN:07 350	10.00		87	30.6	76	24.4	71	21.7	59	9	310		29.62	5	+0.03	29.81	FM-15	0.00	29.80
14	1054	7	FEW:02 33 FEW:02 110 BKN:07 350	10.00		89	31.7	77	25.0	72	22.2	57	3	030		29.64			29.83	FM-15	0.00	29.82
14	1154	7	SCT:04 37 BKN:07 60 BKN:07 350	10.00		91	32.8	77	25.0	71	21.7	52				29.65			29.83	FM-15	0.00	29.83
14	1158	7	SCT:04 37 BKN:07 60 BKN:07 350	10.00		90	32.2	77	25.0	71	21.7	54	0	000		29.65				FM-16		29.83
14	1254	7	FEW:02 42 SCT:04 55	10.00		91	32.8	77	25.0	71	21.7	52	3	VRB		29.65	0	-0.02	29.83	FM-15	0.00	29.83
14	1300	4	41	9.94		91	32.8	77	25.0	71	21.7	52	3			29.65	9	+0.02	29.83	FM-12		
14	1354	7	FEW:02 41 FEW:02 65 BKN:07 350	10.00		92	33.3	77	25.0	71	21.7	51	3	360		29.64			29.83	FM-15	0.00	29.82
14	1454	7	FEW:02 49 BKN:07 75 BKN:07 350	10.00		89	31.7	76	24.4	71	21.7	55	9	020		29.64			29.83	FM-15	0.00	29.82
14	1554	7	SCT:04 50 SCT:04 80 SCT:04 300	10.00		92	33.3	77	25.0	71	21.7	51	7	060		29.63	8	+0.02	29.82	FM-15	0.00	29.81
14	1654	7	SCT:04 50 SCT:04 80 SCT:04 300	10.00		92	33.3	77	25.0	70	21.1	49	5	020		29.62			29.81	FM-15	0.00	29.80
14	1754	7	SCT:04 55 SCT:04 100 SCT:04 300	10.00		88	31.1	76	24.4	71	21.7	57	7	040		29.63			29.82	FM-15	0.00	29.81
14	1854	7	FEW:02 60 SCT:04 80 SCT:04 120	10.00		86	30.0	77	25.0	73	22.8	65	5	080		29.65	3	-0.01	29.83	FM-15	0.00	29.83
14	1900	4	57	9.94		86	30.0	77	25.0	73	22.8	65	5	080		29.65	3	-0.01	29.83	FM-12		
14	1954	7	CLR:00	10.00		83	28.3	77	25.0	74	23.3	74	5	110		29.67			29.86	FM-15	0.00	29.85
14	1956	7	CLR:00	10.00		83	28.3	77	25.0	74	23.3	74	5	090		29.67				FM-16		29.85
14	2004	7	SCT:04 60 SCT:04 130 BKN:07 300	10.00	TS:7 TS TS	83	28.3	77	25.0	74	23.3	74	3	070		29.68				FM-16		29.86
14	2037	7	FEW:02 60 FEW:02 90 SCT:04 130	10.00		80	26.7	76	24.4	74	23.3	82	0	000		29.70				FM-16		29.88
14	2054	7	FEW:02 60 FEW:02 90 SCT:04 130	10.00		79	26.1	76	24.4	74	23.3	85	8	190		29.71			29.89	FM-15	0.00	29.89
14	2154	7	FEW:02 90 BKN:07 130	10.00		79	26.1	74	23.3	71	21.7	77	0	000		29.71	1	-0.07	29.90	FM-15	0.00	29.89
14	2254	7	SCT:04 90 BKN:07 130	10.00		79	26.1	74	23.3	71	21.7	77	0	000		29.72			29.90	FM-15	0.00	29.90
14	2354	7	SCT:04 43 BKN:07 110 BKN:07 190	10.00		77	25.0	73	22.8	71	21.7	82	0	000		29.74			29.92	FM-15	0.00	29.92
15	0054	7	FEW:02 45 SCT:04 100 BKN:07 150	10.00		78	25.6	74	23.3	72	22.2	82	6	310		29.72	0	-0.01	29.91	FM-15	T	29.90
15	0100	4	41	9.94		78	25.6	74	23.3	72	22.2	82	6	310		29.72	9	+0.01	29.91	FM-12		
15	0154	7	SCT:04 60 BKN:07 110 BKN:07 180	10.00		76	24.4	74	23.3	73	22.8	91	5	020		29.70			29.89	FM-15	T	29.88
15	0254	7	FEW:02 150	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.69			29.88	FM-15	0.00	29.87

15	0354	7	SCT:04 150	10.00		74	23.3	73	22.8	72	22.2	94	3	040		29.71	5	+0.01	29.89	FM-15	0.00	29.89
15	0436	7	SCT:04 7 BKN:07 150	10.00		75	23.9	74	23.3	73	22.8	94	3	010		29.72				FM-16		29.90
15	0454	7	SCT:04 7 BKN:07 150	10.00		75	23.9	74	23.3	73	22.8	94	0	000		29.72			29.91	FM-15	0.00	29.90
15	0554	7	BKN:07 140	6.00	BR:1	75	23.9	74	23.3	73	22.8	94	0	000		29.74			29.93	FM-15	0.00	29.92
15	0604	7	SCT:04 6 BKN:07 140	5.00	BR:1	75	23.9	74	23.3	74	23.3	96	5	040		29.75				FM-16		29.93
15	0615	7	BKN:07 5 OVC:08 130	5.00	BR:1	76	24.4	75	23.9	74	23.3	94	6	030		29.75				FM-16		29.93
15	0654	7	BKN:07 6 BKN:07 130	6.00	BR:1	77	25.0	76	24.4	75	23.9	94	7	040		29.76	3	-0.05	29.95	FM-15	0.00	29.94
15	0700	4	5	5.59		77	25.0	76	24.4	75	23.9	94	7	040		29.76	3	-0.05	29.95	FM-12		
15	0713	7	FEW:02 7 SCT:04 130	5.00	BR:1	78	25.6	76	24.4	75	23.9	90	7	050		29.76				FM-16		29.94
15	0739	7	BKN:07 8 BKN:07 120	6.00	BR:1	78	25.6	76	24.4	75	23.9	90	7	060		29.77				FM-16		29.95
15	0754	7	BKN:07 6 OVC:08 13	6.00	BR:1	78	25.6	76	24.4	75	23.9	90	7	080		29.77			29.96	FM-15	0.00	29.95
15	0828	7	FEW:02 7 BKN:07 11 BKN:07 130	6.00	HZ:7 FU HZ	81	27.2	77	25.0	75	23.9	82	7	090		29.78				FM-16		29.96
15	0854	7	FEW:02 11 BKN:07 17 BKN:07 110	7.00		82	27.8	77	25.0	75	23.9	79	9	070		29.78			29.97	FM-15	0.00	29.96
15	0954	7	FEW:02 17 BKN:07 23 BKN:07 110	9.00		85	29.4	78	25.6	75	23.9	72	8	030		29.79	1	-0.03	29.98	FM-15	0.00	29.97
15	1027	7	BKN:07 34 BKN:07 250	10.00		84	28.9	76	24.4	73	22.8	70	8	070		29.78				FM-16		29.96
15	1054	7	SCT:04 24 BKN:07 34 BKN:07 250	10.00		87	30.6	77	25.0	73	22.8	63	8	030		29.78			29.96	FM-15	0.00	29.96
15	1154	7	BKN:07 36 BKN:07 300	10.00		88	31.1	77	25.0	73	22.8	61	10	110		29.77			29.95	FM-15	0.00	29.95
15	1254	7	FEW:02 38 BKN:07 44 BKN:07 120	10.00		88	31.1	77	25.0	72	22.2	59	13	100		29.75	8	+0.04	29.94	FM-15	0.00	29.93
15	1300	4	41	9.94		88	31.1	77	25.0	72	22.2	59	13	100		29.75	8	+0.04	29.94	FM-12		
15	1352	7	FEW:02 33 SCT:04 60	10.00	TS HZ	82	27.8	76	24.4	73	22.8	74	8	100		29.73				FM-16	0.09	29.91
15	1354	7	FEW:02 33 SCT:04 60	10.00	TS HZ	82	27.8	76	24.4	73	22.8	74	9	100		29.73			29.91	FM-15	0.09	29.91
15	1448	7	BKN:07 45 BKN:07 55 OVC:08 110	2.50	TS:7 RA:02 BR:1 RA TS RA	75	23.9	74	23.3	73	22.8	94	11	270	22	29.74				FM-16	0.12	29.92
15	1454	7	BKN:07 45 BKN:07 55	5.00	TS RA	75	23.9	73	22.8	72	22.2	90	14	270		29.75			29.94	FM-15	0.14	29.93
15	1554	7	FEW:02 27 FEW:02 45 BKN:07 120	10.00		75	23.9	74	23.3	73	22.8	94	8	180		29.75	1	-0.02	29.94	FM-15	0.02	29.93
15	1654	7	FEW:02 25 FEW:02 45 SCT:04 120	10.00		77	25.0	74	23.3	72	22.2	85	6	050		29.74			29.92	FM-15	0.00	29.92
15	1754	7	FEW:02 25 FEW:02 50 SCT:04 140	10.00		79	26.1	76	24.4	74	23.3	85	5	090		29.74			29.93	FM-15	0.00	29.92
15	1813	7	BKN:07 16 BKN:07 250	10.00		79	26.1	76	24.4	75	23.9	88	6	110		29.74				FM-16		29.92
15	1854	7	BKN:07 15 BKN:07 250	10.00		78	25.6	76	24.4	75	23.9	90	9	090		29.74	6	+0.01	29.93	FM-15	0.00	29.92
15	1900	4	15	9.94		78	25.6	76	24.4	75	23.9	90	9	090		29.74	6	+0.01	29.93	FM-12		
15	1954	7	FEW:02 9 OVC:08 17	10.00		77	25.0	76	24.4	75	23.9	94	6	110		29.76			29.95	FM-15	0.00	29.94

15	2054	7	SCT:04 15	10.00		76	24.4	75	23.9	74	23.3	94	7	120		29.79			29.98	FM-15	0.00	29.97
15	2135	7	BKN:07 12	9.00		76	24.4	75	23.9	74	23.3	94	3	120		29.79				FM-16		29.97
15	2154	7	FEW:02 8 BKN:07 12	7.00		76	24.4	75	23.9	74	23.3	94	3	150		29.80	1	-0.06	29.98	FM-15	0.00	29.98
15	2233	7	FEW:02 11 SCT:04 300	9.00		74	23.3	73	22.8	72	22.2	94	3	210		29.78				FM-16		29.96
15	2251	7	FEW:02 8 OVC:08 11	10.00		75	23.9	74	23.3	73	22.8	94	5	190		29.77				FM-16		29.95
15	2254	7	FEW:02 8 OVC:08 11	10.00		75	23.9	74	23.3	73	22.8	94	5	190		29.77			29.96	FM-15	0.00	29.95
15	2256	7	BKN:07 8 OVC:08 11	10.00		75	23.9	74	23.3	73	22.8	94	5	180		29.77				FM-16		29.95
15	2354	7	OVC:08 7	10.00		75	23.9	74	23.3	73	22.8	94	3	340		29.78			29.97	FM-15	0.00	29.96
16	0054	7	BKN:07 9 OVC:08 15	9.00		75	23.9	74	23.3	73	22.8	94	3	020		29.79	5	+0.01	29.98	FM-15	0.00	29.97
16	0100	4	8	8.70		75	23.9	74	23.3	73	22.8	94	3	020		29.79	5	+0.01	29.98	FM-12		
16	0154	7	BKN:07 6 BKN:07 9 OVC:08 21	7.00		75	23.9	74	23.3	73	22.8	94	6	030		29.78			29.97	FM-15	0.00	29.96
16	0212	7	SCT:04 6 BKN:07 14 OVC:08 23	7.00		75	23.9	74	23.3	73	22.8	94	6	030		29.77				FM-16		29.95
16	0232	7	SCT:04 14 OVC:08 21	6.00	BR:1	75	23.9	74	23.3	73	22.8	94	6	050		29.76				FM-16		29.94
16	0252	6	FEW:02 5 BKN:07 21	6.00	BR:1	75	23.9	74	23.3	73	22.8	94	6	060		29.76				FM-16		29.94
16	0254	7	FEW:02 5 BKN:07 21	6.00	BR:1	74	23.3	73	22.8	73	22.8	97	6	060		29.76			29.95	FM-15	0.00	29.94
16	0324	7	BKN:07 5 OVC:08 25	6.00	BR:1	75	23.9	74	23.3	73	22.8	94	0	000		29.77				FM-16		29.95
16	0352	6	SCT:04 5 BKN:07 30 BKN:07 150	6.00	BR:1	73	22.8	73	22.8	73	22.8	100	0	000		29.77				FM-16		29.95
16	0354	7	SCT:04 5 BKN:07 30 BKN:07 150	6.00	BR:1	74	23.3	73	22.8	73	22.8	97	3	150		29.77	5	+0.01	29.96	FM-15	0.00	29.95
16	0454	7	FEW:02 30 SCT:04 150 BKN:07 250	6.00	BR:1	74	23.3	73	22.8	73	22.8	97	3	020		29.78			29.97	FM-15	0.00	29.96
16	0554	7	FEW:02 250	3.00	BR:1	73	22.8	72	22.2	72	22.2	96	5	060		29.78			29.97	FM-15	0.00	29.96
16	0611	7	FEW:02 250	2.00	BR:1	74	23.3	73	22.8	73	22.8	97	0	000		29.78				FM-16		29.96
16	0620	7	SCT:04 2 SCT:04 250	2.00	BR:1	75	23.9	74	23.3	74	23.3	96	0	000		29.78				FM-16		29.96
16	0633	7	BKN:07 2	4.00	BR:1	75	23.9	74	23.3	74	23.3	96	0	000		29.79				FM-16		29.97
16	0652	6	FEW:02 4 FEW:02 250	5.00	BR:1	75	23.9	74	23.3	73	22.8	94	3	010		29.79				FM-16		29.97
16	0654	7	FEW:02 4 FEW:02 250	5.00	BR:1	77	25.0	76	24.4	75	23.9	94	3	010		29.79	3	-0.01	29.98	FM-15	0.00	29.97
16	0700	4	5	4.97		77	25.0	76	24.4	75	23.9	94	3	010		29.79	3	-0.01	29.98	FM-12		
16	0726	7	BKN:07 6	6.00	HZ:7 FU HZ	79	26.1	76	24.4	74	23.3	85	3	VRB		29.80				FM-16		29.98
16	0754	7	SCT:04 7 BKN:07 50	10.00		79	26.1	76	24.4	75	23.9	88	5	360		29.81			30.00	FM-15	0.00	29.99
16	0842	7	BKN:07 8 BKN:07 55	10.00		80	26.7	77	25.0	75	23.9	85	0	000		29.81				FM-16		29.99
16	0854	7	BKN:07 11 BKN:07 55	10.00		80	26.7	77	25.0	75	23.9	85	7	070		29.81			30.00	FM-15	0.00	29.99
16	0909	7	BKN:07 16 BKN:07 55	10.00		81	27.2	77	25.0	75	23.9	82	3	070		29.82				FM-16		30.00
16	0954	7	BKN:07 18 BKN:07 50	10.00		83	28.3	77	25.0	75	23.9	77	7	050		29.81	0	-0.02	30.00	FM-15	0.00	29.99
16	1054	7	BKN:07 21 BKN:07 46	10.00		84	28.9	78	25.6	75	23.9	74	3	050		29.81			29.99	FM-15	0.00	29.99

16	1154	7	BKN:07 28 BKN:07 60 BKN:07 110	10.00	-RA:02 RA RA	84	28.9	78	25.6	76	24.4	77	3	VRB		29.80			29.99	FM-15	T	29.98
16	1219	7	BKN:07 31 BKN:07 60 BKN:07 110	10.00		83	28.3	77	25.0	75	23.9	77	8	340		29.81				FM-16	T	29.99
16	1231	7	BKN:07 28 BKN:07 70	10.00	TS RA	82	27.8	78	25.6	77	25.0	85	8	340		29.81				FM-16	T	29.99
16	1254	7	BKN:07 25 BKN:07 65 OVC:08 300	10.00	TS:7 -RA:02 RA TS TS RA	80	26.7	77	25.0	75	23.9	85	18	290	25	29.82	3	0.00	30.01	FM-15	T	30.00
16	1300	4	26	9.94		80	26.7	77	25.0	75	23.9	85	18	290		29.82	3	0.00	30.01	FM-12		
16	1305	7	FEW:02 14 BKN:07 25 OVC:08 65	2.50	TS:7 RA:02 BR:1 RA TS RA	75	23.9	73	22.8	72	22.2	90	26	320	33	29.81				FM-16	T	29.99
16	1315	7	FEW:02 14 BKN:07 26 OVC:08 65	1.00	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	71	21.7	70	21.1	90	26	360		29.81				FM-16	0.04	29.99
16	1323	7	FEW:02 10 SCT:04 22	10.00	TS RA	74	23.3	71	21.7	69	20.6	85	20	050	33	29.80				FM-16	0.19	29.98
16	1354	7	FEW:02 10 SCT:04 29	10.00	TS RA	77	25.0	73	22.8	71	21.7	82	6	070		29.81			30.00	FM-15	0.20	29.99
16	1419	7	FEW:02 30 SCT:04 60 BKN:07 110	10.00	RA RA	79	26.1	74	23.3	72	22.2	79	3	VRB		29.79				FM-16	T	29.97
16	1454	7	FEW:02 31 SCT:04 110 BKN:07 300	10.00		82	27.8	76	24.4	73	22.8	74	8	070		29.80			29.98	FM-15	T	29.98
16	1554	7	FEW:02 32 FEW:02 300	10.00		85	29.4	78	25.6	75	23.9	72	9	090		29.78	8	+0.03	29.97	FM-15	0.00	29.96
16	1654	7	FEW:02 35 FEW:02 110	10.00		84	28.9	76	24.4	73	22.8	70	10	070		29.77			29.96	FM-15	0.00	29.95
16	1754	7	FEW:02 23 FEW:02 120	10.00		83	28.3	77	25.0	74	23.3	74	10	140		29.76			29.95	FM-15	0.00	29.94
16	1854	7	FEW:02 34 FEW:02 300	10.00		79	26.1	75	23.9	73	22.8	82	9	130		29.79	3	0.00	29.98	FM-15	0.00	29.97
16	1900	4	41	9.94		79	26.1	75	23.9	73	22.8	82	9	130		29.79			29.98	FM-12		
16	1954	7	FEW:02 35 FEW:02 300	10.00		78	25.6	74	23.3	72	22.2	82	0	000		29.79			29.97	FM-15	0.00	29.97
16	2054	7	FEW:02 35 FEW:02 100	10.00		75	23.9	73	22.8	72	22.2	90	6	120		29.79			29.98	FM-15	0.00	29.97
16	2154	7	FEW:02 26 FEW:02 300	10.00		74	23.3	73	22.8	72	22.2	94	0	000		29.80	3	-0.01	29.99	FM-15	0.00	29.98
16	2254	7	FEW:02 120 FEW:02 300	10.00		74	23.3	73	22.8	72	22.2	94	3	160		29.80			29.98	FM-15	0.00	29.98
16	2354	7	FEW:02 300	10.00		74	23.3	73	22.8	72	22.2	94	5	140		29.80			29.98	FM-15	0.00	29.98
17	0054	7	FEW:02 300	10.00		73	22.8	72	22.2	72	22.2	96	0	000		29.80	3	0.00	29.99	FM-15	0.00	29.98
17	0100	4		9.94		73	22.8	72	22.2	72	22.2	96	0	000		29.80	3	0.00	29.99	FM-12		
17	0154	7	CLR:00	10.00		72	22.2	71	21.7	71	21.7	97	3	130		29.80			29.99	FM-15	0.00	29.98
17	0254	7	FEW:02 200	10.00		72	22.2	71	21.7	70	21.1	94	0	000		29.80			29.99	FM-15	0.00	29.98
17	0321	7	FEW:02 2 SCT:04 21 SCT:04 200	9.00		71	21.7	70	21.1	70	21.1	96	5	130		29.80				FM-16		29.98
17	0352	6	SCT:04 2 BKN:07 21	9.00		72	22.2	72	22.2	72	22.2	100	0	000		29.79				FM-16		29.97
17	0354	7	SCT:04 2 BKN:07 21	9.00		72	22.2	71	21.7	71	21.7	97	0	000		29.79	8	+0.01	29.98	FM-15	0.00	29.97
17	0436	7	BKN:07 2 BKN:07 29	4.00	BR:1	71	21.7	70	21.1	70	21.1	96	0	000		29.78				FM-16		29.96
17	0452	6	BKN:07 2 BKN:07 29	1.50	BR:1	72	22.2	71	21.7	70	21.1	94	3	130		29.78				FM-16		29.96
17	0454	7	BKN:07 2 BKN:07 29	1.50	BR:1	71	21.7	70	21.1	70	21.1	96	0	000		29.78			29.97	FM-15	0.00	29.96

17	0509	7	BKN:07 2 BKN:07 29	0.50	FG:2 FG	71	21.7	71	21.7	71	21.7	100	0	000		29.79				FM-16		29.97
17	0517	7	BKN:07 2 BKN:07 29	0.50	FG:2 FG	71	21.7	71	21.7	71	21.7	100	3	150		29.79				FM-16		29.97
17	0554	7	VV:09 3	0.25	FG:2 FG	72	22.2	72	22.2	72	22.2	100	3	190		29.81			30.00	FM-15	0.00	29.99
17	0601	7	VV:09 3	0.25	FG:2 FG	72	22.2	72	22.2	72	22.2	100	3	200		29.81				FM-16		29.99
17	0625	7	OVC:08 3	0.75	BR:1	73	22.8	73	22.8	73	22.8	100	3	250		29.81				FM-16		29.99
17	0632	7	OVC:08 2	1.50	BR:1	74	23.3	73	22.8	73	22.8	97	0	000		29.81				FM-16		29.99
17	0636	7	OVC:08 2	2.00	BR:1	73	22.8	73	22.8	73	22.8	100	0	000		29.81				FM-16		29.99
17	0646	7	OVC:08 2	4.00	BR:1	74	23.3	73	22.8	73	22.8	97	0	000		29.81				FM-16		29.99
17	0654	7	OVC:08 3	4.00	-RA:02 BR:1 RA RA	74	23.3	74	23.3	74	23.3	100	0	000		29.81	3	-0.02	30.00	FM-15	T	29.99
17	0700	4	2	3.73	RA	74	23.3	74	23.3	74	23.3	100	0	000		29.81	3	-0.02	30.00	FM-12		
17	0704	7	OVC:08 4	2.00	BR:1	74	23.3	74	23.3	74	23.3	100	0	000		29.81				FM-16	T	29.99
17	0722	7	OVC:08 4	1.75	BR:1	75	23.9	75	23.9	75	23.9	100	0	000		29.82				FM-16	T	30.00
17	0754	7	OVC:08 3	1.50	BR:1	76	24.4	75	23.9	74	23.3	94	0	000		29.82		30.01		FM-15	T	30.00
17	0832	7	OVC:08 3	2.00	BR:1	76	24.4	75	23.9	75	23.9	97	0	000		29.82				FM-16		30.00
17	0854	7	OVC:08 4	2.50	BR:1	79	26.1	76	24.4	75	23.9	88	0	000		29.83			30.02	FM-15	0.00	30.01
17	0902	7	OVC:08 5	3.00	BR:1	79	26.1	76	24.4	75	23.9	88	3	070		29.83				FM-16		30.01
17	0954	7	OVC:08 8	5.00	BR:1	79	26.1	77	25.0	76	24.4	90	5	180		29.84	1	-0.03	30.03	FM-15	0.00	30.02
17	1039	7	OVC:08 10	8.00		80	26.7	77	25.0	76	24.4	87	0	000		29.85				FM-16		30.03
17	1054	7	OVC:08 11	8.00		82	27.8	78	25.6	76	24.4	82	0	000		29.86			30.04	FM-15	0.00	30.04
17	1141	7	BKN:07 16	10.00		83	28.3	78	25.6	76	24.4	79	7	140		29.85				FM-16		30.03
17	1154	7	BKN:07 17	10.00		83	28.3	78	25.6	76	24.4	79	7	140		29.85			30.03	FM-15	0.00	30.03
17	1230	7	SCT:04 19 SCT:04 300	10.00		85	29.4	79	26.1	76	24.4	75	5	VRB		29.83				FM-16		30.01
17	1254	7	SCT:04 21 SCT:04 300	10.00		86	30.0	79	26.1	76	24.4	72	6	VRB		29.82	8	+0.01	30.01	FM-15	0.00	30.00
17	1300	4	26	9.94		86	30.0	79	26.1	76	24.4	72	6			29.82	8	+0.01	30.01	FM-12		
17	1354	7	SCT:04 31 BKN:07 300	10.00		90	32.2	79	26.1	74	23.3	59	3	VRB		29.81			29.99	FM-15	0.00	29.99
17	1454	7	SCT:04 36 BKN:07 300	10.00		90	32.2	77	25.0	72	22.2	56	0	000		29.80			29.98	FM-15	0.00	29.98
17	1554	7	FEW:02 40 FEW:02 200 BKN:07 300	10.00		90	32.2	77	25.0	72	22.2	56	5	190		29.77	8	+0.05	29.96	FM-15	0.00	29.95
17	1654	7	FEW:02 40 FEW:02 200 BKN:07 300	10.00		88	31.1	78	25.6	74	23.3	63	9	170		29.79			29.98	FM-15	0.00	29.97
17	1754	7	FEW:02 40 SCT:04 120 OVC:08 300	10.00		86	30.0	78	25.6	75	23.9	70	8	160		29.79			29.98	FM-15	0.00	29.97
17	1854	7	BKN:07 190 BKN:07 300	10.00		83	28.3	77	25.0	75	23.9	77	7	170		29.79	0	-0.02	29.98	FM-15	0.00	29.97
17	1900	4		9.94		83	28.3	77	25.0	75	23.9	77	7	170		29.79	9	+0.02	29.98	FM-12		
17	1954	7	FEW:02 190 OVC:08 300	10.00		82	27.8	77	25.0	75	23.9	79	11	220		29.79			29.98	FM-15	0.00	29.97
17	2054	7	OVC:08 300	10.00		80	26.7	73	22.8	69	20.6	69	7	230		29.81			30.00	FM-15	0.00	29.99
17	2154	7	FEW:02 220 OVC:08 300	10.00		77	25.0	72	22.2	69	20.6	77	3	250		29.81	3	-0.02	30.00	FM-15	0.00	29.99
17	2254	7	BKN:07 270	10.00		76	24.4	71	21.7	69	20.6	79	3	260		29.81			30.00	FM-15	0.00	29.99
17	2354	7	BKN:07 250	10.00		73	22.8	70	21.1	69	20.6	87	7	190		29.82			30.01	FM-15	0.00	30.00
18	0054	7	SCT:04 250	10.00		72	22.2	70	21.1	69	20.6	91	8	180		29.82	0	-0.01	30.01	FM-15	0.00	30.00
18	0100	4		9.94		72	22.2	70	21.1	69	20.6	91	8	180		29.82	9	+0.01	30.01	FM-12		
18	0154	7	BKN:07 250	10.00		72	22.2	70	21.1	69	20.6	91	3	190		29.81			30.00	FM-15	0.00	29.99
18	0254	7	BKN:07 300	10.00		71	21.7	69	20.6	68	20.0	90	5	170		29.81			29.99	FM-15	0.00	29.99
18	0354	7	BKN:07 300	10.00		71	21.7	69	20.6	68	20.0	90	0	000		29.81	5	+0.01	30.00	FM-15	0.00	29.99
18	0454	7	BKN:07 300	10.00		71	21.7	70	21.1	69	20.6	94	0	000		29.81			29.99	FM-15	0.00	29.99
18	0554	7	FEW:02 250 SCT:04 300	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.83			30.01	FM-15	0.00	30.01

18	0654	7	FEW:02 250 SCT:04 300	10.00		73	22.8	72	22.2	71	21.7	94	5	160		29.83	3	-0.02	30.02	FM-15	0.00	30.01
18	0700	4		9.94		73	22.8	72	22.2	71	21.7	94	5	160		29.83	3	-0.02	30.02	FM-12		
18	0754	7	FEW:02 300	10.00		77	25.0	74	23.3	72	22.2	85	7	170		29.84			30.02	FM-15	0.00	30.02
18	0854	7	FEW:02 300	10.00		82	27.8	76	24.4	73	22.8	74	6	VRB		29.83			30.02	FM-15	0.00	30.01
18	0954	7	FEW:02 300	10.00		85	29.4	76	24.4	72	22.2	65	0	000		29.84	2	-0.01	30.02	FM-15	0.00	30.02
18	1054	7	FEW:02 50 SCT:04 300	10.00		89	31.7	77	25.0	72	22.2	57	5	030		29.83			30.02	FM-15	0.00	30.01
18	1154	7	FEW:02 50 SCT:04 300	10.00		89	31.7	76	24.4	71	21.7	55	3	230		29.84			30.02	FM-15	0.00	30.02
18	1254	7	FEW:02 40 SCT:04 300	10.00		90	32.2	76	24.4	70	21.1	52	6	170		29.84	6	0.00	30.02	FM-15	0.00	30.02
18	1300	4	41	9.94		90	32.2	76	24.4	70	21.1	52	6	170		29.84			30.02	FM-12		
18	1354	7	FEW:02 40 SCT:04 300	10.00		92	33.3	76	24.4	69	20.6	47	6	150		29.82			30.01	FM-15	0.00	30.00
18	1454	7	FEW:02 40	10.00		93	33.9	76	24.4	68	20.0	44	0	000		29.79			29.98	FM-15	0.00	29.97
18	1554	7	FEW:02 40 FEW:02 300	10.00		92	33.3	77	25.0	70	21.1	49	5	190		29.78	6	+0.06	29.97	FM-15	0.00	29.96
18	1654	7	FEW:02 50 FEW:02 300	10.00		91	32.8	76	24.4	69	20.6	49	5	VRB		29.78			29.96	FM-15	0.00	29.96
18	1754	7	FEW:02 50 FEW:02 300	10.00		90	32.2	77	25.0	71	21.7	54	8	180		29.77			29.96	FM-15	0.00	29.95
18	1854	7	FEW:02 50 FEW:02 300	10.00		86	30.0	76	24.4	71	21.7	61	6	160		29.77	5	+0.01	29.96	FM-15	0.00	29.95
18	1900	4	57	9.94		86	30.0	76	24.4	71	21.7	61	6	160		29.77	5	+0.01	29.96	FM-12		
18	1954	7	CLR:00	10.00		83	28.3	76	24.4	73	22.8	72	5	150		29.79			29.97	FM-15	0.00	29.97
18	2054	7	CLR:00	10.00		80	26.7	75	23.9	73	22.8	79	7	130		29.80			29.98	FM-15	0.00	29.98
18	2154	7	FEW:02 300	10.00		79	26.1	75	23.9	73	22.8	82	0	000		29.81	2	-0.04	30.00	FM-15	0.00	29.99
18	2254	7	FEW:02 300	10.00		78	25.6	75	23.9	73	22.8	85	5	160		29.81			30.00	FM-15	0.00	29.99
18	2354	7	FEW:02 300	10.00		78	25.6	75	23.9	73	22.8	85	3	160		29.81			30.00	FM-15	0.00	29.99
19	0054	7	CLR:00	10.00		77	25.0	74	23.3	73	22.8	88	3	140		29.80	8	+0.01	29.99	FM-15	0.00	29.98
19	0100	4		9.94		77	25.0	74	23.3	73	22.8	88	3	140		29.80	8	+0.01	29.99	FM-12		
19	0154	7	CLR:00	10.00		76	24.4	74	23.3	73	22.8	91	0	000		29.80			29.98	FM-15	0.00	29.98
19	0254	7	FEW:02 150	10.00		76	24.4	74	23.3	73	22.8	91	0	000		29.80			29.99	FM-15	0.00	29.98
19	0354	7	FEW:02 150	10.00		75	23.9	74	23.3	73	22.8	94	0	000		29.81	3	0.00	29.99	FM-15	0.00	29.99
19	0454	7	FEW:02 50	10.00		75	23.9	73	22.8	72	22.2	90	5	170		29.81			29.99	FM-15	0.00	29.99
19	0554	7	FEW:02 50	10.00		75	23.9	73	22.8	72	22.2	90	3	170		29.83			30.02	FM-15	0.00	30.01
19	0654	7	FEW:02 50 FEW:02 100	8.00		78	25.6	75	23.9	74	23.3	87	6	200		29.84	3	-0.03	30.03	FM-15	0.00	30.02
19	0700	4	57	7.46		78	25.6	75	23.9	74	23.3	87	6	200		29.84	3	-0.03	30.03	FM-12		
19	0754	7	FEW:02 100 FEW:02 300	10.00		82	27.8	76	24.4	74	23.3	77	7	220		29.84			30.02	FM-15	0.00	30.02
19	0854	7	FEW:02 100 FEW:02 300	10.00		87	30.6	78	25.6	75	23.9	67	3	170		29.84			30.02	FM-15	0.00	30.02
19	0954	7	FEW:02 110 FEW:02 300	10.00		90	32.2	80	26.7	76	24.4	63	3	180		29.84	5	0.00	30.03	FM-15	0.00	30.02
19	1054	7	FEW:02 41 FEW:02 120 SCT:04 300	10.00		93	33.9	79	26.1	74	23.3	54	7	VRB		29.84			30.03	FM-15	0.00	30.02
19	1154	7	FEW:02 47 SCT:04 300	10.00		95	35.0	78	25.6	71	21.7	46	3	VRB		29.83			30.02	FM-15	0.00	30.01
19	1254	7	SCT:04 60 BKN:07 300	10.00		97	36.1	78	25.6	70	21.1	42	11	180		29.82	8	+0.01	30.01	FM-15	0.00	30.00
19	1300	4	57	9.94		97	36.1	78	25.6	70	21.1	42	11	180		29.82	8	+0.01	30.01	FM-12		
19	1354	7	SCT:04 60 SCT:04 110 BKN:07 300	10.00		97	36.1	77	25.0	69	20.6	40	7	180		29.80			29.99	FM-15	0.00	29.98
19	1443	7	SCT:04 65 SCT:04 160 BKN:07 300	10.00	TS:7 TS TS	96	35.6	78	25.6	70	21.1	43	9	280		29.79				FM-16	T	29.97

19	1454	7	SCT:04 65 SCT:04 160 BKN:07 300	10.00	TS:7 TS TS	96	35.6	78	25.6	70	21.1	43	5	230		29.79			29.98	FM-15	T	29.97
19	1531	7	SCT:04 60 SCT:04 160 BKN:07 300	10.00		90	32.2	77	25.0	72	22.2	56	11	110		29.79				FM-16		29.97
19	1552	6	SCT:04 60 SCT:04 160 BKN:07 300	10.00	TS:7 TS	93	33.9	78	25.6	72	22.2	49	11	120		29.79				FM-16		29.97
19	1554	7	SCT:04 60 SCT:04 160 BKN:07 300	10.00	TS:7 TS TS	93	33.9	78	25.6	72	22.2	50	15	130		29.79	5	+0.01	29.98	FM-15	0.00	29.97
19	1652	6	SCT:04 60 SCT:04 160 BKN:07 300	10.00		88	31.1	76	24.4	70	21.1	55	13	170		29.79				FM-16		29.97
19	1654	7	SCT:04 60 SCT:04 160 BKN:07 300	10.00		88	31.1	76	24.4	70	21.1	55	13	160		29.79			29.98	FM-15	0.00	29.97
19	1754	7	FEW:02 60 SCT:04 160 SCT:04 220	10.00		86	30.0	72	22.2	64	17.8	48	10	190		29.78			29.97	FM-15	0.00	29.96
19	1854	7	FEW:02 60 FEW:02 160 SCT:04 220	10.00		85	29.4	72	22.2	66	18.9	53	0	000		29.81	3	-0.02	29.99	FM-15	0.00	29.99
19	1900	4	57	9.94		85	29.4	72	22.2	66	18.9	53	0	000		29.81	3	-0.02	29.99	FM-12		
19	1954	7	FEW:02 60 BKN:07 230 OVC:08 300	10.00		82	27.8	73	22.8	68	20.0	63	3	VRB		29.84			30.02	FM-15	0.00	30.02
19	2054	7	FEW:02 60 BKN:07 230 OVC:08 300	10.00		84	28.9	73	22.8	68	20.0	59	8	270		29.86			30.04	FM-15	0.00	30.04
19	2154	7	BKN:07 230 OVC:08 300	10.00		79	26.1	73	22.8	70	21.1	74	8	190		29.86	1	-0.05	30.04	FM-15	0.00	30.04
19	2254	7	BKN:07 230 BKN:07 300	10.00		81	27.2	73	22.8	69	20.6	67	8	210		29.86			30.05	FM-15	0.00	30.04
19	2354	7	BKN:07 250 BKN:07 300	10.00		81	27.2	72	22.2	68	20.0	65	7	270		29.86			30.05	FM-15	0.00	30.04
20	0054	7	SCT:04 250 BKN:07 300	10.00		75	23.9	71	21.7	69	20.6	82	5	200		29.86	0	0.00	30.05	FM-15	0.00	30.04
20	0100	4		9.94		75	23.9	71	21.7	69	20.6	82	5	200		29.86	9	0.00	30.05	FM-12		
20	0154	7	BKN:07 240 BKN:07 300	10.00		74	23.3	71	21.7	69	20.6	85	5	210		29.86			30.05	FM-15	0.00	30.04
20	0254	7	FEW:02 250 SCT:04 300	10.00		75	23.9	70	21.1	68	20.0	79	5	170		29.88			30.06	FM-15	0.00	30.06
20	0354	7	FEW:02 250 BKN:07 300	10.00		73	22.8	70	21.1	68	20.0	84	6	200		29.87	0	-0.01	30.06	FM-15	0.00	30.05
20	0454	7	BKN:07 300	10.00		73	22.8	70	21.1	69	20.6	87	5	210		29.89			30.07	FM-15	0.00	30.07
20	0554	7	FEW:02 250 SCT:04 300	10.00		73	22.8	70	21.1	69	20.6	87	6	200		29.89			30.08	FM-15	0.00	30.07
20	0654	7	SCT:04 300	10.00		76	24.4	72	22.2	70	21.1	82	5	190		29.91	3	-0.04	30.10	FM-15	0.00	30.09
20	0700	4		9.94		76	24.4	72	22.2	70	21.1	82	5	190		29.91	3	-0.04	30.10	FM-12		
20	0754	7	BKN:07 300	10.00		81	27.2	74	23.3	70	21.1	69	5	290		29.91			30.09	FM-15	0.00	30.09
20	0854	7	FEW:02 150 BKN:07 300	10.00		85	29.4	76	24.4	72	22.2	65	3	020		29.91			30.09	FM-15	0.00	30.09
20	0954	7	FEW:02 150 BKN:07 300	10.00		88	31.1	77	25.0	72	22.2	59	3	020		29.91	5	0.00	30.10	FM-15	0.00	30.09
20	1054	7	FEW:02 40 SCT:04 300	10.00		92	33.3	78	25.6	72	22.2	52	6	010		29.91			30.09	FM-15	0.00	30.09
20	1154	7	FEW:02 45 SCT:04 300	10.00		92	33.3	78	25.6	72	22.2	52	5	VRB		29.89			30.07	FM-15	0.00	30.07
20	1254	7	FEW:02 50 BKN:07 300	10.00		94	34.4	78	25.6	72	22.2	49	7	160		29.88	8	+0.03	30.06	FM-15	0.00	30.06
20	1300	4	57	9.94		94	34.4	78	25.6	72	22.2	49	7	160		29.88	8	+0.03	30.06	FM-12		

20	1354	7	FEW:02 50 BKN:07 300	10.00		95	35.0	77	25.0	70	21.1	44	5	VRB		29.85			30.04	FM-15	0.00	30.03
20	1432	7	FEW:02 50 BKN:07 300	10.00	TS:7 TS TS	95	35.0	79	26.1	72	22.2	47	7	VRB		29.84				FM-16		30.02
20	1454	7	FEW:02 50 SCT:04 110	10.00	TS	92	33.3	78	25.6	73	22.8	54	8	190		29.84			30.03	FM-15	0.00	30.02
20	1513	7	SCT:04 49 SCT:04 70 BKN:07 90	3.00	TS:7 +RA:02 RA TS TS RA	83	28.3	77	25.0	74	23.3	74	23	VRB	34	29.86				FM-16	0.03	30.04
20	1519	7	SCT:04 49 SCT:04 90	3.00	TS RA	80	26.7	72	22.2	68	20.0	67	22	360	36	29.86				FM-16	0.05	30.04
20	1554	7	SCT:04 55 BKN:07 120	10.00	TS RA	*	**	*	**	*	**	*	6	030		29.85			30.04	FM-15	0.05	30.03
20	1654	7	FEW:02 33 FEW:02 55	10.00	TS RA	82	27.8	77	25.0	75	23.9	79	6	140		29.83			30.02	FM-15	T	30.01
20	1732	7	FEW:02 50 FEW:02 80 BKN:07 190	10.00		84	28.9	77	25.0	74	23.3	72	0	000		29.82				FM-16		30.00
20	1754	7	FEW:02 50 FEW:02 80 BKN:07 190	10.00		84	28.9	76	24.4	72	22.2	67	0	000		29.82			30.01	FM-15	0.00	30.00
20	1854	7	SCT:04 50 BKN:07 120	10.00		83	28.3	77	25.0	74	23.3	74	5	180		29.85	3	0.00	30.04	FM-15	0.00	30.03
20	1900	4	57	9.94		83	28.3	77	25.0	74	23.3	74	5	180		29.85			30.04	FM-12		
20	1945	7	SCT:04 55 BKN:07 110 OVC:08 190	10.00	TS:7 TS TS	80	26.7	73	22.8	70	21.1	71	6	VRB		29.86				FM-16	T	30.04
20	1954	7	SCT:04 55 BKN:07 110 OVC:08 190	10.00	TS:7 TS TS	80	26.7	73	22.8	70	21.1	71	7	VRB		29.88			30.06	FM-15	T	30.06
20	2047	7	BKN:07 45 BKN:07 110 OVC:08 190	10.00		74	23.3	72	22.2	71	21.7	91	14	080		29.89				FM-16		30.07
20	2054	7	BKN:07 47 BKN:07 110 OVC:08 190	10.00		74	23.3	72	22.2	71	21.7	91	10	070		29.90			30.09	FM-15	0.00	30.08
20	2106	7	SCT:04 8 SCT:04 31 OVC:08 47	10.00		74	23.3	72	22.2	71	21.7	91	20	350		29.93				FM-16		30.11
20	2115	7	BKN:07 8 BKN:07 33 OVC:08 50	10.00		74	23.3	72	22.2	71	21.7	91	22	040		29.91				FM-16		30.09
20	2129	7	BKN:07 8 BKN:07 33 OVC:08 50	10.00	-RA:02 RA RA	74	23.3	72	22.2	71	21.7	91	15	040	29	29.92				FM-16	0.01	30.10
20	2152	6	SCT:04 8 BKN:07 33 OVC:08 50	10.00	TS:7 -RA:02 RA TS RA	73	22.8	72	22.2	72	22.2	94	9	360	21	29.92				FM-16		30.10
20	2154	7	SCT:04 8 BKN:07 33 OVC:08 50	10.00	TS:7 -RA:02 RA TS TS RA	73	22.8	72	22.2	71	21.7	94	11	010	21	29.92	1	-0.06	30.10	FM-15	0.07s	30.10
20	2254	7	FEW:02s 6s SCT:04s 36s	10.00	TS RA	74	23.3	72	22.2	71	21.7	91	6	140		29.90			30.09	FM-15	T	30.08
20	2345	7	FEW:02 36 SCT:04 170 BKN:07 300	10.00		72	22.2	71	21.7	71	21.7	97	5	210		29.89				FM-16		30.07
20	2354	7	FEW:02 36 SCT:04 170 BKN:07 300	10.00		73	22.8	72	22.2	71	21.7	94	6	200		29.89			30.07	FM-15	0.00	30.07
21	0054	7	SCT:04 170 BKN:07 300	10.00		74	23.3	73	22.8	72	22.2	94	9	190		29.86	8	+0.06	30.05	FM-15	0.00	30.04
21	0100	4		9.94		74	23.3	73	22.8	72	22.2	94	9	190		29.86	8	+0.06	30.05	FM-12		

21	0120	7	SCT:04 3 SCT:04 170 BKN:07 300	8.00		74	23.3	73	22.8	72	22.2	94	9	170		29.86				FM-16		30.04
21	0129	7	BKN:07 3 BKN:07 170 OVC:08 300	6.00	BR:1	74	23.3	73	22.8	73	22.8	97	7	180		29.86				FM-16		30.04
21	0152	6	SCT:04 3 SCT:04 170 BKN:07 300	7.00		73	22.8	72	22.2	72	22.2	94	7	180		29.86				FM-16		30.04
21	0154	7	SCT:04 3 SCT:04 170 BKN:07 300	8.00		74	23.3	73	22.8	72	22.2	94	7	180		29.85			30.04	FM-15	0.00	30.03
21	0254	7	BKN:07 170 OVC:08 300	10.00		73	22.8	72	22.2	72	22.2	96	6	200		29.84			30.03	FM-15	0.00	30.02
21	0354	7	BKN:07 170 OVC:08 300	10.00		73	22.8	72	22.2	71	21.7	94	8	200		29.84	6	+0.02	30.03	FM-15	0.00	30.02
21	0454	7	SCT:04 130 BKN:07 170 BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	7	200		29.84			30.03	FM-15	0.00	30.02
21	0554	7	FEW:02 130 BKN:07 170 BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	7	210		29.84			30.03	FM-15	0.00	30.02
21	0654	7	BKN:07 150 BKN:07 190 BKN:07 300	10.00		75	23.9	72	22.2	71	21.7	88	6	210		29.85	3	-0.01	30.03	FM-15	0.00	30.03
21	0700	4		9.94		75	23.9	72	22.2	71	21.7	88	6	210		29.85	3	-0.01	30.03	FM-12		
21	0754	7	FEW:02 20 BKN:07 150 BKN:07 200	10.00		78	25.6	73	22.8	71	21.7	79	10	210		29.84			30.03	FM-15	0.00	30.02
21	0854	7	FEW:02 15 FEW:02 21 BKN:07 130	10.00		79	26.1	75	23.9	73	22.8	82	14	200		29.83			30.02	FM-15	0.00	30.01
21	0954	7	SCT:04 21 BKN:07 130 OVC:08 300	10.00		82	27.8	76	24.4	73	22.8	74	7	210		29.82	8	+0.02	30.01	FM-15	0.00	30.00
21	1002	7	BKN:07 22 BKN:07 130 OVC:08 300	10.00		82	27.8	76	24.4	73	22.8	74	8	190		29.82				FM-16		30.00
21	1038	7	SCT:04 23 BKN:07 41 BKN:07 130	10.00		83	28.3	75	23.9	72	22.2	70	13	180		29.82				FM-16		30.00
21	1054	7	SCT:04 27 BKN:07 48 BKN:07 130	10.00		86	30.0	76	24.4	72	22.2	63	10	200		29.82			30.00	FM-15	0.00	30.00
21	1154	7	SCT:04 29 BKN:07 50 BKN:07 130	10.00		84	28.9	76	24.4	72	22.2	67	11	240		29.79			29.98	FM-15	0.00	29.97
21	1254	7	SCT:04 29 SCT:04 55 BKN:07 300	10.00		87	30.6	77	25.0	72	22.2	61	9	230	21	29.77	8	+0.05	29.96	FM-15	0.00	29.95
21	1300	4	26	9.94		87	30.6	77	25.0	72	22.2	61	9	230		29.77	8	+0.05	29.96	FM-12		
21	1354	7	SCT:04 36 BKN:07 300	10.00		88	31.1	76	24.4	71	21.7	57	9	230		29.75			29.94	FM-15	0.00	29.93
21	1454	7	SCT:04 38 SCT:04 110 BKN:07 300	10.00		89	31.7	76	24.4	71	21.7	55	11	230		29.75			29.94	FM-15	0.00	29.93
21	1554	7	FEW:02 40 SCT:04 300	10.00		90	32.2	77	25.0	72	22.2	56	14	210		29.74	6	+0.03	29.93	FM-15	0.00	29.92
21	1654	7	FEW:02 40 SCT:04 300	10.00		90	32.2	78	25.6	73	22.8	58	10	210		29.74			29.92	FM-15	0.00	29.92
21	1754	7	FEW:02 40 SCT:04 300	10.00		89	31.7	78	25.6	73	22.8	59	9	200		29.72			29.90	FM-15	0.00	29.90
21	1854	7	FEW:02 40 BKN:07 300	10.00		85	29.4	77	25.0	73	22.8	68	7	190		29.73	5	+0.01	29.91	FM-15	0.00	29.91
21	1900	4	41	9.94		85	29.4	77	25.0	73	22.8	68	7	190		29.73	5	+0.01	29.91	FM-12		

21	1954	7	FEW:02 40 FEW:02 80 BKN:07 300	10.00		83	28.3	76	24.4	73	22.8	72	17	350	23	29.77			29.95	FM-15	0.00	29.95
21	2054	7	FEW:02 40 FEW:02 80 BKN:07 300	10.00		82	27.8	76	24.4	73	22.8	74	6	110		29.74			29.93	FM-15	0.00	29.92
21	2154	7	FEW:02 80 SCT:04 300	10.00		77	25.0	73	22.8	71	21.7	82	6	110		29.76	1	-0.04	29.95	FM-15	0.00	29.94
21	2254	7	FEW:02 300	10.00		77	25.0	73	22.8	71	21.7	82	3	200		29.77			29.95	FM-15	0.00	29.95
21	2354	7	FEW:02 300	10.00		81	27.2	72	22.2	68	20.0	65	14	240		29.77			29.96	FM-15	0.00	29.95
22	0054	7	SCT:04 80 SCT:04 300	10.00		79	26.1	72	22.2	68	20.0	69	10	230		29.77	1	-0.01	29.96	FM-15	0.00	29.95
22	0100	4	74	9.94		79	26.1	72	22.2	68	20.0	69	10	230		29.77	1	-0.01	29.96	FM-12		
22	0154	7	FEW:02 85 SCT:04 300	10.00		77	25.0	70	21.1	67	19.4	71	11	250		29.76			29.94	FM-15	0.00	29.94
22	0254	7	FEW:02 300	10.00		76	24.4	70	21.1	67	19.4	74	9	240		29.75			29.93	FM-15	0.00	29.93
22	0354	7	FEW:02 300	10.00		75	23.9	70	21.1	67	19.4	76	9	250		29.75	6	+0.02	29.93	FM-15	0.00	29.93
22	0454	7	FEW:02 300	10.00		74	23.3	69	20.6	67	19.4	79	5	270		29.76			29.95	FM-15	0.00	29.94
22	0554	7	FEW:02 150 FEW:02 300	10.00		74	23.3	70	21.1	68	20.0	82	7	270		29.79			29.97	FM-15	0.00	29.97
22	0654	7	FEW:02 150 FEW:02 300	10.00		76	24.4	71	21.7	69	20.6	79	5	240		29.81	3	-0.06	29.99	FM-15	0.00	29.99
22	0700	4		9.94		76	24.4	71	21.7	69	20.6	79	5	240		29.81	3	-0.06	29.99	FM-12		
22	0754	7	FEW:02 120 SCT:04 300	10.00		80	26.7	73	22.8	70	21.1	71	5	VRB		29.81			30.00	FM-15	0.00	29.99
22	0854	7	FEW:02 120 BKN:07 300	10.00		83	28.3	75	23.9	71	21.7	67	6	220		29.81			29.99	FM-15	0.00	29.99
22	0954	7	FEW:02 150 BKN:07 300	10.00		86	30.0	76	24.4	71	21.7	61	6	210		29.81	1	0.00	30.00	FM-15	0.00	29.99
22	1054	7	FEW:02 150 BKN:07 300	10.00		89	31.7	76	24.4	71	21.7	55	7	210		29.80			29.98	FM-15	0.00	29.98
22	1154	7	FEW:02 50 BKN:07 300	10.00		92	33.3	77	25.0	71	21.7	51	3	240		29.79			29.98	FM-15	0.00	29.97
22	1254	7	BKN:07 49 BKN:07 300	10.00		92	33.3	77	25.0	71	21.7	51	7	210		29.77	8	+0.04	29.96	FM-15	0.00	29.95
22	1300	4	41	9.94		92	33.3	77	25.0	71	21.7	51	7	210		29.77	8	+0.04	29.96	FM-12		
22	1354	7	SCT:04 50 SCT:04 70 BKN:07 300	10.00		95	35.0	78	25.6	71	21.7	46	5	VRB		29.75			29.94	FM-15	0.00	29.93
22	1454	7	BKN:07 55 BKN:07 300	10.00		92	33.3	78	25.6	73	22.8	54	8	070		29.72			29.91	FM-15	0.00	29.90
22	1554	7	SCT:04 55 BKN:07 250	10.00	TS:7 TS TS	92	33.3	77	25.0	71	21.7	51	5	160		29.71	6	+0.06	29.90	FM-15	0.00	29.89
22	1654	7	BKN:07 55 BKN:07 300	10.00		81	27.2	72	22.2	68	20.0	65	8	VRB		29.75			29.94	FM-15	T	29.93
22	1732	7	FEW:02 15 BKN:07 33 BKN:07 95	3.00	TS:7 +RA:02 RA TS TS RA	78	25.6	73	22.8	71	21.7	79	24	300	37	29.82				FM-16	T	30.00
22	1735	7	FEW:02 15 BKN:07 33 OVC:08 90	1.50	TS:7 +RA:02 BR:1 RA TS RA	76	24.4	73	22.8	72	22.2	88	21	300	37	29.83				FM-16	T	30.01
22	1740	7	BKN:07 15 BKN:07 33 OVC:08 50	1.25	TS:7 +RA:02 BR:1 RA TS RA	74	23.3	73	22.8	72	22.2	94	15	330	29	29.82				FM-16	0.16	30.00
22	1748	7	FEW:02 15 BKN:07 31 OVC:08 50	2.00	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	72	22.2	72	22.2	94	15	350		29.81				FM-16	0.41	29.99
22	1754	7	FEW:02 15 BKN:07 35 OVC:08 90	3.00	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	72	22.2	71	21.7	94	11	360		29.80			29.98	FM-15	0.46	29.98
22	1838	7	FEW:02 30 BKN:07 100 OVC:08 150	8.00	-RA:02 RA RA	73	22.8	72	22.2	71	21.7	94	5	140		29.80				FM-16	0.05	29.98

22	1854	7	FEW:02 30 BKN:07 110 OVC:08 150	9.00	-RA:02 RA RA	73	22.8	72	22.2	71	21.7	94	7	160		29.79	0	-0.07	29.97	FM-15	0.06	29.97
22	1900	4	26	8.70	RA	73	22.8	72	22.2	71	21.7	94	7	160		29.79	9	+0.07	29.97	FM-12		
22	1954	7	SCT:04 90 OVC:08 200	10.00		73	22.8	72	22.2	72	22.2	96	6	180		29.77			29.96	FM-15	0.03	29.95
22	2054	7	BKN:07 190 OVC:08 250	10.00		74	23.3	73	22.8	73	22.8	97	8	210		29.78			29.97	FM-15	0.00	29.96
22	2154	7	OVC:08 180	10.00		75	23.9	74	23.3	73	22.8	94	7	220		29.79	3	-0.01	29.98	FM-15	0.00	29.97
22	2254	7	FEW:02 110 BKN:07 150	10.00		74	23.3	73	22.8	72	22.2	94	8	200		29.79			29.98	FM-15	0.00	29.97
22	2354	7	SCT:04 200	10.00		73	22.8	72	22.2	71	21.7	94	7	200		29.79			29.97	FM-15	0.00	29.97
23	0054	7	SCT:04 150 BKN:07 250	10.00		73	22.8	71	21.7	70	21.1	90	3	190		29.78	8	+0.01	29.97	FM-15	0.00	29.96
23	0100	4		9.94		73	22.8	71	21.7	70	21.1	90	3	190		29.78	8	+0.01	29.97	FM-12		
23	0154	7	SCT:04 250	10.00		73	22.8	71	21.7	70	21.1	90	8	220		29.77			29.96	FM-15	0.00	29.95
23	0254	7	SCT:04 180 SCT:04 250	10.00		72	22.2	71	21.7	70	21.1	94	6	200		29.77			29.95	FM-15	0.00	29.95
23	0354	7	FEW:02 190 SCT:04 250	10.00		72	22.2	71	21.7	70	21.1	94	5	210		29.77	5	+0.01	29.96	FM-15	0.00	29.95
23	0454	7	FEW:02 190 FEW:02 250	10.00		73	22.8	71	21.7	70	21.1	90	6	250		29.78			29.97	FM-15	0.00	29.96
23	0554	7	FEW:02 150 FEW:02 190 SCT:04 250	10.00		73	22.8	71	21.7	70	21.1	90	5	260		29.79			29.98	FM-15	0.00	29.97
23	0654	7	FEW:02 8 FEW:02 200 BKN:07 250	10.00		75	23.9	72	22.2	71	21.7	88	0	000		29.79	1	-0.02	29.98	FM-15	0.00	29.97
23	0700	4	8	9.94		75	23.9	72	22.2	71	21.7	88	0	000		29.79	1	-0.02	29.98	FM-12		
23	0754	7	FEW:02 9 FEW:02 150 SCT:04 300	8.00		78	25.6	74	23.3	72	22.2	82	0	000		29.80			29.98	FM-15	0.00	29.98
23	0815	7	BKN:07 11 BKN:07 150	8.00		77	25.0	74	23.3	72	22.2	85	5	200		29.80				FM-16		29.98
23	0854	7	BKN:07 13 BKN:07 100	9.00		77	25.0	74	23.3	72	22.2	85	0	000		29.81			30.00	FM-15	0.00	29.99
23	0912	7	BKN:07 16 BKN:07 150	10.00		79	26.1	74	23.3	72	22.2	79	0	000		29.81				FM-16		29.99
23	0954	7	BKN:07 15 BKN:07 150	10.00		80	26.7	75	23.9	73	22.8	79	3	020		29.81	3	-0.02	30.00	FM-15	0.00	29.99
23	1054	7	BKN:07 16 BKN:07 21 OVC:08 27	10.00		80	26.7	75	23.9	73	22.8	79	7	350		29.81			30.00	FM-15	0.00	29.99
23	1127	7	FEW:02 17 SCT:04 26 BKN:07 120	10.00		79	26.1	75	23.9	73	22.8	82	7	020		29.80				FM-16	T	29.98
23	1148	7	SCT:04 11 BKN:07 21 BKN:07 150	10.00		81	27.2	75	23.9	73	22.8	79	7	020		29.80				FM-16	T	29.98
23	1154	7	BKN:07 12 BKN:07 21 BKN:07 150	10.00		80	26.7	75	23.9	73	22.8	79	7	VRB		29.81			30.00	FM-15	T	29.99
23	1222	7	BKN:07 16 BKN:07 190 OVC:08 300	10.00		81	27.2	75	23.9	73	22.8	77	5	VRB		29.80				FM-16		29.98
23	1246	7	SCT:04 17 BKN:07 190	10.00		83	28.3	77	25.0	74	23.3	74	8	020		29.78				FM-16		29.96
23	1254	7	SCT:04 17 BKN:07 190	10.00		82	27.8	76	24.4	73	22.8	74	6	340		29.78	8	+0.04	29.97	FM-15	0.00	29.96
23	1300	4	15	9.94		82	27.8	76	24.4	73	22.8	74	6	340		29.78	8	+0.04	29.97	FM-12		
23	1354	7	FEW:02 27 SCT:04 60 BKN:07 140	10.00		84	28.9	76	24.4	72	22.2	67	6	350		29.77			29.95	FM-15	0.00	29.95

23	1454	7	BKN:07 30 BKN:07 60 BKN:07 140	10.00		85	29.4	76	24.4	72	22.2	65	9	340		29.76			29.95	FM-15	0.00	29.94
23	1550	7	BKN:07 11 OVC:08 29	10.00		75	23.9	72	22.2	70	21.1	83	23	020	31	29.79				FM-16		29.97
23	1554	7	FEW:02 7 BKN:07 10 OVC:08 25	10.00		74	23.3	71	21.7	69	20.6	85	20	010	29	29.79	3	-0.01	29.98	FM-15	0.00	29.97
23	1654	7	BKN:07 10 OVC:08 40	10.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	13	020		29.80			29.99	FM-15	T	29.98
23	1717	7	BKN:07 7 BKN:07 30 OVC:08 90	10.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	10	030		29.80				FM-16	0.02	29.98
23	1754	7	BKN:07 7 OVC:08 25	10.00		70	21.1	68	20.0	67	19.4	90	10	020		29.80			29.99	FM-15	0.02	29.98
23	1854	7	OVC:08 7	10.00		69	20.6	68	20.0	67	19.4	93	14	010		29.84	3	-0.05	30.03	FM-15	0.00	30.02
23	1900	4	8	9.94		69	20.6	68	20.0	67	19.4	93	14	010		29.84	3	-0.05	30.03	FM-12		
23	1923	7	SCT:04 7 BKN:07 15 OVC:08 25	10.00		69	20.6	67	19.4	66	18.9	90	10	010		29.85				FM-16		30.03
23	1954	7	BKN:07 7 OVC:08 20	10.00		69	20.6	67	19.4	66	18.9	90	10	360		29.86			30.05	FM-15	0.00	30.04
23	2033	7	FEW:02 7 OVC:08 11	10.00		68	20.0	67	19.4	66	18.9	93	10	360		29.88				FM-16		30.06
23	2054	7	FEW:02 8 OVC:08 12	10.00		68	20.0	66	18.9	65	18.3	90	8	360		29.88			30.07	FM-15	T	30.06
23	2119	7	OVC:08 9	10.00		68	20.0	66	18.9	65	18.3	90	10	020		29.88				FM-16	0.01	30.06
23	2154	7	FEW:02 7 BKN:07 10 OVC:08 30	10.00		68	20.0	66	18.9	65	18.3	90	7	340		29.90	1	-0.06	30.09	FM-15	0.05s	30.08
23	2216	7	BKN:07 8 OVC:08 50	10.00		68	20.0	67	19.4	66	18.9	93	7	360		29.90				FM-16		30.08
23	2254	7	BKN:07 8 BKN:07 50 OVC:08 160	10.00		67	19.4	66	18.9	65	18.3	93	8	350		29.91			30.09	FM-15	0.00	30.09
23	2257	7	SCT:04 8 BKN:07 12 BKN:07 50	10.00		67	19.4	65	18.3	64	17.8	91	7	360		29.91				FM-16		30.09
23	2352	6	SCT:04 8 SCT:04 12 OVC:08 110	10.00		66	18.9	64	17.8	63	17.2	88	9	330		29.91				FM-16		30.09
23	2354	7	SCT:04 8 SCT:04 12 OVC:08 110	10.00		66	18.9	64	17.8	63	17.2	90	9	340		29.91			30.10	FM-15	0.00	30.09
24	0054	7	FEW:02 8 SCT:04 90 OVC:08 150	10.00		66	18.9	64	17.8	62	16.7	87	9	340		29.90	0	0.00	30.09	FM-15	0.00	30.08
24	0100	4	8	9.94		66	18.9	64	17.8	62	16.7	87	9	340		29.90	9	0.00	30.09	FM-12		
24	0154	7	FEW:02 8 FEW:02 75 BKN:07 100	10.00		66	18.9	64	17.8	62	16.7	87	10	340		29.90			30.09	FM-15	0.00	30.08
24	0254	7	SCT:04 55 BKN:07 80 OVC:08 95	10.00	-RA:02 RA RA	65	18.3	64	17.8	63	17.2	93	6	350		29.91			30.10	FM-15	0.01	30.09
24	0354	7	BKN:07 65 BKN:07 85 OVC:08 100	9.00	-RA:02 RA RA	65	18.3	64	17.8	63	17.2	93	8	010		29.91	0	-0.01	30.10	FM-15	0.02	30.09
24	0454	7	OVC:08 55	10.00		66	18.9	64	17.8	63	17.2	90	7	360		29.92			30.11	FM-15	T	30.10
24	0554	7	OVC:08 55	10.00		66	18.9	65	18.3	64	17.8	93	8	010		29.93			30.12	FM-15	0.00	30.11
24	0654	7	BKN:07 55 OVC:08 95	10.00		67	19.4	65	18.3	64	17.8	91	9	010		29.95	1	-0.04	30.14	FM-15	0.00	30.13
24	0700	4	57	9.94		67	19.4	65	18.3	64	17.8	91	9	010		29.95	1	-0.04	30.14	FM-12		
24	0754	7	OVC:08 60	10.00		68	20.0	66	18.9	64	17.8	87	10	020		29.97			30.16	FM-15	0.00	30.15

24	0854	7	FEW:02 15 OVC:08 60	10.00		69	20.6	66	18.9	64	17.8	84	7	020		29.98			30.17	FM-15	0.00	30.16
24	0954	7	FEW:02 20 BKN:07 60	10.00		70	21.1	66	18.9	63	17.2	79	8	010		29.99	1	-0.04	30.18	FM-15	0.00	30.17
24	1054	7	FEW:02 20 BKN:07 65	10.00		72	22.2	66	18.9	63	17.2	73	9	030		29.99			30.17	FM-15	0.00	30.17
24	1154	7	FEW:02 50 BKN:07 70	10.00		75	23.9	66	18.9	61	16.1	62	6	VRB		29.98			30.17	FM-15	0.00	30.16
24	1254	7	FEW:02 50 SCT:04 65 BKN:07 350	10.00		78	25.6	66	18.9	58	14.4	50	9	VRB		29.97	8	+0.01	30.16	FM-15	0.00	30.15
24	1300	4	57	9.94		78	25.6	66	18.9	58	14.4	50	9	010		29.97	8	+0.01	30.16	FM-12		
24	1354	7	FEW:02 50 FEW:02 70 SCT:04 240	10.00		79	26.1	65	18.3	55	12.8	44	11	020	18	29.97			30.16	FM-15	0.00	30.15
24	1454	7	FEW:02 55 FEW:02 100 SCT:04 350	10.00		81	27.2	65	18.3	55	12.8	41	10	020		29.95			30.14	FM-15	0.00	30.13
24	1554	7	FEW:02 55 SCT:04 110 BKN:07 300	10.00		80	26.7	64	17.8	54	12.2	41	11	020		29.96	5	+0.02	30.14	FM-15	0.00	30.14
24	1654	7	FEW:02 55 SCT:04 90 BKN:07 300	10.00		77	25.0	63	17.2	54	12.2	45	9	040		29.94			30.13	FM-15	0.00	30.12
24	1754	7	BKN:07 75 BKN:07 300	10.00		76	24.4	64	17.8	56	13.3	50	6	030		29.95			30.14	FM-15	0.00	30.13
24	1854	7	BKN:07 90 BKN:07 300	10.00		72	22.2	63	17.2	57	13.9	59	6	010		29.96	3	0.00	30.15	FM-15	0.00	30.14
24	1900	4		9.94		72	22.2	63	17.2	57	13.9	59	6	010		29.96	3	0.00	30.15	FM-12		
24	1954	7	SCT:04 90	10.00		69	20.6	62	16.7	58	14.4	68	6	020		29.97			30.16	FM-15	0.00	30.15
24	2054	7	FEW:02 55 SCT:04 90	10.00		68	20.0	63	17.2	59	15.0	73	7	020		29.99			30.18	FM-15	0.00	30.17
24	2154	7	BKN:07 85	10.00		68	20.0	63	17.2	60	15.6	76	8	050		29.99	1	-0.04	30.18	FM-15	0.00	30.17
24	2254	7	BKN:07 45	10.00		68	20.0	64	17.8	61	16.1	78	7	040		30.00			30.19	FM-15	0.00	30.18
24	2354	7	SCT:04 60 OVC:08 80	10.00		69	20.6	64	17.8	61	16.1	76	7	040		29.99			30.18	FM-15	0.00	30.17
25	0054	7	FEW:02 60 OVC:08 75	10.00		69	20.6	63	17.2	59	15.0	70	9	030		29.98	8	+0.01	30.17	FM-15	0.00	30.16
25	0100	4	57	9.94		69	20.6	63	17.2	59	15.0	70	9	030		29.98	8	+0.01	30.17	FM-12		
25	0154	7	FEW:02 60 OVC:08 75	10.00		68	20.0	63	17.2	59	15.0	73	8	030		29.97			30.16	FM-15	0.00	30.15
25	0254	7	OVC:08 70	10.00		68	20.0	63	17.2	59	15.0	73	7	010		29.97			30.16	FM-15	0.00	30.15
25	0354	7	OVC:08 75	10.00		67	19.4	63	17.2	60	15.6	79	7	010		29.97	6	+0.01	30.16	FM-15	0.00	30.15
25	0454	7	OVC:08 70	10.00		66	18.9	62	16.7	60	15.6	81	7	010		29.97			30.16	FM-15	0.00	30.15
25	0554	7	BKN:07 70	10.00		66	18.9	62	16.7	60	15.6	81	8	020		29.98			30.17	FM-15	0.00	30.16
25	0654	7	FEW:02 70 SCT:04 90	10.00		67	19.4	63	17.2	60	15.6	79	7	020		29.99	3	-0.03	30.18	FM-15	0.00	30.17
25	0700	4	74	9.94		67	19.4	63	17.2	60	15.6	79	7	020		29.99	3	-0.03	30.18	FM-12		
25	0754	7	FEW:02 80 SCT:04 200	10.00		71	21.7	64	17.8	59	15.0	66	11	030		29.99			30.18	FM-15	0.00	30.17
25	0854	7	FEW:02 200	10.00		74	23.3	64	17.8	57	13.9	56	10	030		30.00			30.19	FM-15	0.00	30.18
25	0954	7	FEW:02 45 SCT:04 250	10.00		75	23.9	63	17.2	55	12.8	50	16	030		30.00	2	-0.01	30.19	FM-15	0.00	30.18
25	1054	7	FEW:02 35 BKN:07 50	10.00		76	24.4	64	17.8	55	12.8	48	13	040	22	29.99			30.18	FM-15	0.00	30.17
25	1154	7	FEW:02 43 BKN:07 50 BKN:07 60	10.00		77	25.0	66	18.9	59	15.0	54	15	030	21	29.97			30.16	FM-15	0.00	30.15
25	1254	7	FEW:02 43 BKN:07 50 BKN:07 60	10.00		77	25.0	67	19.4	61	16.1	58	13	040		29.97	6	+0.03	30.15	FM-15	0.00	30.15
25	1300	4	41	9.94		77	25.0	67	19.4	61	16.1	58	13	040		29.97	6	+0.03	30.15	FM-12		

25	1354	7	SCT:04 37 BKN:07 65	10.00		78	25.6	66	18.9	59	15.0	52	11	070		29.95			30.14	FM-15	0.00	30.13
25	1454	7	FEW:02 45 BKN:07 65	10.00		79	26.1	67	19.4	60	15.6	52	13	060	20	29.94			30.13	FM-15	0.00	30.12
25	1554	7	FEW:02 43 FEW:02 70 SCT:04 250	10.00		80	26.7	67	19.4	60	15.6	51	17	040	23	29.93	6	+0.03	30.12	FM-15	0.00	30.11
25	1654	7	SCT:04 35 BKN:07 75 BKN:07 250	10.00		78	25.6	68	20.0	63	17.2	60	13	020		29.94			30.13	FM-15	0.00	30.12
25	1754	7	FEW:02 40 BKN:07 75 BKN:07 250	10.00		75	23.9	67	19.4	62	16.7	64	10	040		29.94			30.13	FM-15	0.00	30.12
25	1854	7	BKN:07 43 BKN:07 75 BKN:07 250	10.00		73	22.8	65	18.3	60	15.6	64	7	050		29.94	1	-0.01	30.13	FM-15	0.00	30.12
25	1900	4	41	9.94		73	22.8	65	18.3	60	15.6	64	7	050		29.94	1	-0.01	30.13	FM-12		
25	1954	7	BKN:07 80 BKN:07 250	10.00		70	21.1	63	17.2	59	15.0	68	7	050		29.96			30.15	FM-15	0.00	30.14
25	2054	7	FEW:02 80 SCT:04 250	10.00		68	20.0	63	17.2	59	15.0	73	8	050		29.97			30.16	FM-15	0.00	30.15
25	2154	7	SCT:04 250	10.00		66	18.9	62	16.7	59	15.0	78	3	020		29.98	1	-0.04	30.17	FM-15	0.00	30.16
25	2254	7	FEW:02 75 FEW:02 250	10.00		65	18.3	61	16.1	59	15.0	81	6	340		29.98			30.16	FM-15	0.00	30.16
25	2354	7	SCT:04 300	10.00		63	17.2	61	16.1	59	15.0	87	7	360		29.97			30.16	FM-15	0.00	30.15
26	0054	7	SCT:04 300	10.00		63	17.2	61	16.1	59	15.0	87	7	360		29.95	8	+0.03	30.14	FM-15	0.00	30.13
26	0100	4		9.94		63	17.2	61	16.1	59	15.0	87	7	360		29.95	8	+0.03	30.14	FM-12		
26	0154	7	BKN:07 300	10.00		63	17.2	61	16.1	60	15.6	90	8	360		29.95			30.14	FM-15	0.00	30.13
26	0254	7	FEW:02 65 FEW:02 300	10.00		62	16.7	61	16.1	60	15.6	93	8	360		29.95			30.14	FM-15	0.00	30.13
26	0354	7	FEW:02 65	10.00		62	16.7	61	16.1	60	15.6	93	9	360		29.94	8	+0.01	30.13	FM-15	0.00	30.12
26	0454	7	BKN:07 70	10.00		63	17.2	62	16.7	61	16.1	93	8	010		29.94			30.13	FM-15	0.00	30.12
26	0554	7	FEW:02 10 BKN:07 70	10.00		64	17.8	62	16.7	61	16.1	90	10	010		29.96			30.14	FM-15	0.00	30.14
26	0637	7	FEW:02 8 BKN:07 75	10.00		64	17.8	62	16.7	61	16.1	90	10	360		29.97				FM-16		30.15
26	0654	7	SCT:04 8 BKN:07 75 BKN:07 250	10.00		64	17.8	63	17.2	62	16.7	93	9	010		29.96	3	-0.02	30.15	FM-15	0.00	30.14
26	0700	4	8	9.94		64	17.8	63	17.2	62	16.7	93	9	010		29.96	3	-0.02	30.15	FM-12		
26	0733	7	BKN:07 9 BKN:07 70	10.00		67	19.4	65	18.3	63	17.2	87	10	010		29.96				FM-16		30.14
26	0754	7	BKN:07 10 BKN:07 70	10.00		67	19.4	65	18.3	63	17.2	87	9	360		29.96			30.15	FM-15	0.00	30.14
26	0854	7	BKN:07 12 OVC:08 70	10.00		70	21.1	66	18.9	64	17.8	82	8	010		29.97			30.16	FM-15	0.00	30.15
26	0921	7	BKN:07 15 OVC:08 65	10.00		72	22.2	68	20.0	65	18.3	79	10	360		29.96				FM-16		30.14
26	0954	7	BKN:07 18 OVC:08 29	10.00		72	22.2	68	20.0	65	18.3	79	10	030		29.96	0	0.00	30.15	FM-15	0.00	30.14
26	1054	7	BKN:07 22 OVC:08 34	10.00		75	23.9	68	20.0	64	17.8	69	10	020		29.95			30.14	FM-15	0.00	30.13
26	1130	7	SCT:04 26 BKN:07 39 OVC:08 65	10.00		76	24.4	68	20.0	63	17.2	64	9	050		29.95				FM-16		30.13
26	1154	7	FEW:02 26 SCT:04 41 BKN:07 65	10.00		79	26.1	69	20.6	64	17.8	60	7	020		29.94			30.13	FM-15	0.00	30.12
26	1254	7	FEW:02 27 SCT:04 41 BKN:07 55	10.00		76	24.4	68	20.0	63	17.2	64	10	050		29.94	5	+0.02	30.13	FM-15	0.00	30.12
26	1300	4	26	9.94		76	24.4	68	20.0	63	17.2	64	10	050		29.94	5	+0.02	30.13	FM-12		

26	1354	7	FEW:02 26 SCT:04 43 OVC:08 60	10.00		76	24.4	68	20.0	64	17.8	67	8	050		29.92			30.11	FM-15	T	30.10
26	1454	7	FEW:02 26 OVC:08 50	10.00		75	23.9	68	20.0	64	17.8	69	9	030		29.91			30.10	FM-15	0.00	30.09
26	1554	7	FEW:02 26 BKN:07 36 OVC:08 55	5.00	-RA:02 RA RA	72	22.2	68	20.0	65	18.3	79	13	040		29.90	6	+0.04	30.09	FM-15	T	30.08
26	1654	7	FEW:02 35 OVC:08 50	10.00		73	22.8	68	20.0	65	18.3	76	10	040		29.90			30.09	FM-15	T	30.08
26	1754	7	FEW:02 25 BKN:07 30 OVC:08 50	10.00		72	22.2	67	19.4	64	17.8	76	10	070		29.89			30.08	FM-15	0.00	30.07
26	1854	7	OVC:08 36	10.00		71	21.7	67	19.4	64	17.8	79	7	040		29.90	5	+0.01	30.09	FM-15	0.00	30.08
26	1900	4	41	9.94		71	21.7	67	19.4	64	17.8	79	7	040		29.90	5	+0.01	30.09	FM-12		
26	1954	7	BKN:07 34 BKN:07 42 OVC:08 55	10.00		71	21.7	67	19.4	64	17.8	79	6	030		29.91			30.10	FM-15	0.00	30.09
26	2054	7	FEW:02 42 OVC:08 60	10.00		70	21.1	66	18.9	64	17.8	82	6	050		29.93			30.11	FM-15	0.00	30.11
26	2154	7	SCT:04 65 SCT:04 240	10.00		68	20.0	65	18.3	63	17.2	84	6	060		29.93	1	-0.04	30.12	FM-15	0.00	30.11
26	2254	7	BKN:07 60 OVC:08 250	10.00		68	20.0	66	18.9	64	17.8	87	5	070		29.92			30.11	FM-15	0.00	30.10
26	2354	7	BKN:07 55	10.00		67	19.4	65	18.3	63	17.2	87	8	090		29.91			30.10	FM-15	0.00	30.09
27	0054	7	SCT:04 50	10.00		66	18.9	64	17.8	62	16.7	87	5	090		29.90	8	+0.03	30.09	FM-15	0.00	30.08
27	0100	4	57	9.94		66	18.9	64	17.8	62	16.7	87	5	090		29.90	8	+0.03	30.09	FM-12		
27	0154	7	BKN:07 300	10.00		65	18.3	63	17.2	62	16.7	90	5	360		29.89			30.08	FM-15	0.00	30.07
27	0254	7	FEW:02 50 BKN:07 300	10.00		64	17.8	62	16.7	61	16.1	90	5	350		29.87			30.06	FM-15	0.00	30.05
27	0354	7	OVC:08 300	10.00		64	17.8	63	17.2	62	16.7	93	6	350		29.85	8	+0.05	30.04	FM-15	0.00	30.03
27	0454	7	FEW:02 220 OVC:08 300	10.00		64	17.8	63	17.2	62	16.7	93	6	340		29.85			30.04	FM-15	0.00	30.03
27	0513	7	BKN:07 15 OVC:08 300	10.00		64	17.8	63	17.2	62	16.7	93	7	330		29.86				FM-16		30.04
27	0536	7	OVC:08 14	10.00		64	17.8	63	17.2	62	16.7	93	6	350		29.86				FM-16		30.04
27	0554	7	SCT:04 14 OVC:08 250	10.00		64	17.8	63	17.2	62	16.7	93	7	340		29.86			30.05	FM-15	0.00	30.04
27	0654	7	FEW:02 15 SCT:04 220 BKN:07 300	10.00		65	18.3	63	17.2	62	16.7	90	6	010		29.87	3	-0.02	30.06	FM-15	0.00	30.05
27	0700	4	15	9.94		65	18.3	63	17.2	62	16.7	90	6	010		29.87	3	-0.02	30.06	FM-12		
27	0754	7	FEW:02 15 BKN:07 150 BKN:07 230	10.00		71	21.7	67	19.4	65	18.3	81	7	030		29.88			30.06	FM-15	0.00	30.06
27	0854	7	FEW:02 15 BKN:07 150 BKN:07 230	10.00		72	22.2	68	20.0	65	18.3	79	7	020		29.88			30.07	FM-15	0.00	30.06
27	0954	7	FEW:02 13 BKN:07 160 OVC:08 300	10.00		74	23.3	69	20.6	66	18.9	76	3	VRB		29.87	8	0.00	30.06	FM-15	0.00	30.05
27	1054	7	SCT:04 16 BKN:07 170 BKN:07 300	10.00		78	25.6	70	21.1	66	18.9	67	3	VRB		29.86			30.05	FM-15	0.00	30.04
27	1154	7	SCT:04 30 BKN:07 160 BKN:07 300	10.00		81	27.2	71	21.7	66	18.9	61	8	340		29.84			30.03	FM-15	0.00	30.02
27	1254	7	SCT:04 37 BKN:07 100 BKN:07 170	10.00		83	28.3	72	22.2	66	18.9	57	8	VRB		29.82	8	+0.06	30.01	FM-15	0.00	30.00
27	1300	4	41	9.94		83	28.3	72	22.2	66	18.9	57	8	010		29.82	8	+0.06	30.01	FM-12		
27	1354	7	BKN:07 40 BKN:07 120 BKN:07 300	10.00		82	27.8	71	21.7	65	18.3	56	5	VRB		29.80			29.99	FM-15	0.00	29.98

27	1454	7	SCT:04 45 BKN:07 120 BKN:07 300	10.00		82	27.8	71	21.7	65	18.3	56	6	360		29.79			29.97	FM-15	0.00	29.97
27	1554	7	SCT:04 50 SCT:04 120 BKN:07 300	10.00		82	27.8	71	21.7	66	18.9	58	5	010		29.78	6	+0.04	29.96	FM-15	0.00	29.96
27	1654	7	SCT:04 35 SCT:04 44 BKN:07 120	10.00		81	27.2	71	21.7	66	18.9	61	7	070		29.77			29.96	FM-15	0.00	29.95
27	1754	7	FEW:02 41 SCT:04 50 SCT:04 150	10.00		79	26.1	71	21.7	67	19.4	67	8	080		29.76			29.95	FM-15	0.00	29.94
27	1854	7	FEW:02 41 FEW:02 50 SCT:04 150	10.00		76	24.4	71	21.7	68	20.0	77	6	080		29.76	6	+0.01	29.95	FM-15	0.00	29.94
27	1900	4	41	9.94		76	24.4	71	21.7	68	20.0	77	6	080		29.76	6	+0.01	29.95	FM-12		
27	1954	7	FEW:02 50 SCT:04 210 BKN:07 300	10.00		74	23.3	71	21.7	69	20.6	85	5	060		29.78			29.97	FM-15	0.00	29.96
27	2054	7	FEW:02 50 OVC:08 210	10.00		74	23.3	71	21.7	69	20.6	85	6	070		29.79			29.98	FM-15	0.00	29.97
27	2154	7	BKN:07 220	10.00		73	22.8	70	21.1	69	20.6	87	3	090		29.79	0	-0.03	29.98	FM-15	0.00	29.97
27	2254	7	SCT:04 220 SCT:04 300	10.00		72	22.2	70	21.1	69	20.6	91	3	360		29.78			29.97	FM-15	0.00	29.96
27	2354	7	FEW:02 220	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.77			29.96	FM-15	0.00	29.95
28	0054	7	SCT:04 180	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.76	8	+0.03	29.95	FM-15	0.00	29.94
28	0100	4		9.94		70	21.1	69	20.6	68	20.0	93	0	000		29.76	8	+0.03	29.95	FM-12		
28	0154	7	FEW:02 150 BKN:07 220	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.75			29.93	FM-15	0.00	29.93
28	0254	7	SCT:04 150 BKN:07 220	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.73			29.92	FM-15	0.00	29.91
28	0354	7	BKN:07 220	10.00		70	21.1	69	20.6	68	20.0	93	3	290		29.72	6	+0.04	29.91	FM-15	0.00	29.90
28	0454	7	BKN:07 45	10.00		71	21.7	69	20.6	68	20.0	90	5	330		29.72			29.91	FM-15	0.00	29.90
28	0554	7	SCT:04 180 BKN:07 230	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.73			29.92	FM-15	0.00	29.91
28	0654	7	FEW:02 45 FEW:02 120 BKN:07 170	10.00		73	22.8	70	21.1	69	20.6	87	5	340		29.72	0	0.00	29.91	FM-15	0.00	29.90
28	0700	4	41	9.94		73	22.8	70	21.1	69	20.6	87	5	340		29.72	9	0.00	29.91	FM-12		
28	0754	7	FEW:02 40 FEW:02 120 SCT:04 170	10.00		76	24.4	72	22.2	70	21.1	82	3	340		29.71			29.90	FM-15	0.00	29.89
28	0854	7	FEW:02 35 FEW:02 120 BKN:07 170	10.00		79	26.1	72	22.2	69	20.6	72	0	000		29.71			29.90	FM-15	0.00	29.89
28	0954	7	FEW:02 24 BKN:07 39 BKN:07 120	10.00		80	26.7	72	22.2	68	20.0	67	5	300		29.71	6	+0.01	29.90	FM-15	0.00	29.89
28	1054	7	FEW:02 32 OVC:08 41	10.00		80	26.7	73	22.8	69	20.6	69	0	000		29.70			29.89	FM-15	0.00	29.88
28	1126	7	BKN:07 29 OVC:08 43	10.00		81	27.2	73	22.8	69	20.6	67	5	060		29.70				FM-16		29.88
28	1154	7	FEW:02 25 BKN:07 34 OVC:08 41	10.00		80	26.7	73	22.8	69	20.6	69	0	000		29.69			29.88	FM-15	0.00	29.87
28	1247	7	BKN:07 27 OVC:08 35	10.00		80	26.7	73	22.8	69	20.6	69	0	000		29.69				FM-16		29.87
28	1254	7	BKN:07 25 OVC:08 34	10.00		80	26.7	73	22.8	69	20.6	69	0	000		29.69	6	+0.02	29.88	FM-15	0.00	29.87
28	1300	4	26	9.94		80	26.7	73	22.8	69	20.6	69	0	000		29.69	6	+0.02	29.88	FM-12		
28	1329	7	BKN:07 30 OVC:08 40	10.00		81	27.2	74	23.3	70	21.1	69	6	090		29.68				FM-16		29.86
28	1354	7	BKN:07 28 OVC:08 40	10.00		80	26.7	72	22.2	68	20.0	67	0	000		29.67			29.86	FM-15	0.00	29.85

28	1440	7	BKN:07 32 BKN:07 50	10.00		83	28.3	74	23.3	69	20.6	63	3	020		29.66				FM-16		29.84
28	1454	7	BKN:07 32 BKN:07 50	10.00		83	28.3	74	23.3	69	20.6	63	0	000		29.66			29.85	FM-15	0.00	29.84
28	1554	7	FEW:02 32 FEW:02 50 SCT:04 250	10.00		85	29.4	74	23.3	69	20.6	59	5	VRB		29.65	6	+0.04	29.84	FM-15	0.00	29.83
28	1654	7	FEW:02 42 BKN:07 75 BKN:07 250	10.00		83	28.3	74	23.3	70	21.1	65	3	030		29.66			29.85	FM-15	0.00	29.84
28	1754	7	FEW:02 30 BKN:07 35 BKN:07 75	10.00	RA RA	71	21.7	68	20.0	66	18.9	84	11	360		29.69			29.88	FM-15	0.02	29.87
28	1854	7	BKN:07 75 BKN:07 250	10.00		71	21.7	68	20.0	66	18.9	84	7	020		29.69	0	-0.03	29.88	FM-15	0.02	29.87
28	1900	4	74	9.94		71	21.7	68	20.0	66	18.9	84	7	020		29.69	9	+0.03	29.88	FM-12		
28	1954	7	BKN:07 90 BKN:07 250	10.00		70	21.1	67	19.4	66	18.9	87	3	360		29.69			29.88	FM-15	0.00	29.87
28	2054	7	FEW:02 95 SCT:04 250	10.00		70	21.1	67	19.4	66	18.9	87	5	310		29.70			29.89	FM-15	0.00	29.88
28	2154	7	SCT:04 250	10.00		69	20.6	66	18.9	65	18.3	87	3	300		29.71	3	-0.02	29.90	FM-15	0.00	29.89
28	2254	7	SCT:04 250	10.00		68	20.0	66	18.9	65	18.3	90	6	330		29.72			29.91	FM-15	0.00	29.90
28	2354	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	6	320		29.73			29.92	FM-15	0.00	29.91
29	0054	7	FEW:02 70	10.00		68	20.0	66	18.9	65	18.3	90	5	310		29.74	1	-0.03	29.93	FM-15	0.00	29.92
29	0100	4	74	9.94		68	20.0	66	18.9	65	18.3	90	5	310		29.74	1	-0.03	29.93	FM-12		
29	0154	7	FEW:02 60	10.00		67	19.4	65	18.3	64	17.8	91	5	320		29.74			29.93	FM-15	0.00	29.92
29	0254	7	CLR:00	10.00		67	19.4	65	18.3	63	17.2	87	7	330		29.74			29.93	FM-15	0.00	29.92
29	0354	7	CLR:00	10.00		66	18.9	64	17.8	62	16.7	87	7	340		29.76	3	-0.02	29.95	FM-15	0.00	29.94
29	0454	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	9	340		29.77			29.96	FM-15	0.00	29.95
29	0554	7	CLR:00	10.00		65	18.3	61	16.1	59	15.0	81	7	340		29.79			29.98	FM-15	0.00	29.97
29	0654	7	CLR:00	10.00		68	20.0	63	17.2	59	15.0	73	11	340		29.81	3	-0.05	30.00	FM-15	0.00	29.99
29	0700	4		9.94		68	20.0	63	17.2	59	15.0	73	11	340		29.81	3	-0.05	30.00	FM-12		
29	0754	7	CLR:00	10.00		73	22.8	64	17.8	59	15.0	62	13	340		29.83			30.01	FM-15	0.00	30.01
29	0854	7	CLR:00	10.00		77	25.0	65	18.3	58	14.4	52	9	340		29.85			30.04	FM-15	0.00	30.03
29	0954	7	FEW:02 50	10.00		80	26.7	64	17.8	54	12.2	41	13	360	22	29.87	1	-0.06	30.06	FM-15	0.00	30.05
29	1054	7	FEW:02 55	10.00		81	27.2	65	18.3	55	12.8	41	9	330		29.87			30.06	FM-15	0.00	30.05
29	1154	7	FEW:02 55	10.00		84	28.9	66	18.9	55	12.8	37	13	340	16	29.86			30.05	FM-15	0.00	30.04
29	1254	7	FEW:02 65	10.00		83	28.3	65	18.3	53	11.7	36	9	280	21	29.84	8	+0.02	30.03	FM-15	0.00	30.02
29	1300	4	57	9.94		83	28.3	65	18.3	53	11.7	36	9	280		29.84	8	+0.02	30.03	FM-12		
29	1354	7	FEW:02 65	10.00		85	29.4	66	18.9	53	11.7	33	15	340		29.83			30.01	FM-15	0.00	30.01
29	1454	7	FEW:02 75	10.00		85	29.4	64	17.8	50	10.0	30	6	270		29.81			30.00	FM-15	0.00	29.99
29	1554	7	FEW:02 75	10.00		86	30.0	66	18.9	53	11.7	32	11	310		29.80	6	+0.04	29.99	FM-15	0.00	29.98
29	1654	7	CLR:00	10.00		85	29.4	66	18.9	54	12.2	35	7	330		29.80			29.99	FM-15	0.00	29.98
29	1754	7	CLR:00	10.00		82	27.8	66	18.9	55	12.8	40	7	360		29.81			30.00	FM-15	0.00	29.99
29	1854	7	FEW:02 300	10.00		78	25.6	64	17.8	55	12.8	45	3	330		29.84	3	-0.03	30.03	FM-15	0.00	30.02
29	1900	4		9.94		78	25.6	64	17.8	55	12.8	45	3	330		29.84	3	-0.03	30.03	FM-12		
29	1954	7	FEW:02 300	10.00		71	21.7	63	17.2	58	14.4	63	3	150		29.85			30.04	FM-15	0.00	30.03
29	2054	7	FEW:02 300	10.00		68	20.0	62	16.7	58	14.4	70	5	130		29.86			30.05	FM-15	0.00	30.04
29	2154	7	FEW:02 300	10.00		67	19.4	61	16.1	57	13.9	71	0	000		29.86	1	-0.03	30.05	FM-15	0.00	30.04
29	2254	7	CLR:00	10.00		66	18.9	61	16.1	58	14.4	75	3	120		29.87			30.06	FM-15	0.00	30.05
29	2354	7	CLR:00	10.00		66	18.9	62	16.7	60	15.6	81	0	000		29.88			30.07	FM-15	0.00	30.06
30	0054	7	CLR:00	10.00		65	18.3	61	16.1	59	15.0	81	3	210		29.89	1	-0.02	30.07	FM-15	0.00	30.07
30	0100	4		9.94		65	18.3	61	16.1	59	15.0	81	3	210		29.89	1	-0.02	30.07	FM-12		
30	0154	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	0	000		29.88			30.07	FM-15	0.00	30.06
30	0254	7	CLR:00	10.00		62	16.7	60	15.6	59	15.0	90	0	000		29.88			30.07	FM-15	0.00	30.06
30	0354	7	CLR:00	10.00		61	16.1	59	15.0	57	13.9	87	0	000		29.88	6	+0.01	30.06	FM-15	0.00	30.06
30	0454	7	CLR:00	10.00		60	15.6	58	14.4	56	13.3	86	6	220		29.89			30.08	FM-15	0.00	30.07
30	0554	7	CLR:00	10.00		60	15.6	58	14.4	57	13.9	90	0	000		29.90			30.09	FM-15	0.00	30.08
30	0654	7	FEW:02 300	10.00		65	18.3	63	17.2	61	16.1	87	3	200		29.91	1	-0.03	30.10	FM-15	0.00	30.09

30	0700	4		9.94		65	18.3	63	17.2	61	16.1	87	3	200		29.91	1	-0.03	30.10	FM-12		
30	0754	7	FEW:02 300	10.00		72	22.2	64	17.8	59	15.0	64	5	240		29.91			30.10	FM-15	0.00	30.09
30	0854	7	FEW:02 300	10.00		77	25.0	66	18.9	59	15.0	54	3	220		29.92			30.11	FM-15	0.00	30.10
30	0954	7	FEW:02 300	10.00		81	27.2	67	19.4	59	15.0	47	0	000		29.93	3	-0.02	30.12	FM-15	0.00	30.11
30	1054	7	SCT:04 300	10.00		86	30.0	68	20.0	57	13.9	37	8	270		29.93			30.12	FM-15	0.00	30.11
30	1154	7	FEW:02 70 SCT:04 300	10.00		87	30.6	66	18.9	53	11.7	31	15	280	20	29.92			30.11	FM-15	0.00	30.10
30	1254	7	SCT:04 300	10.00		89	31.7	66	18.9	51	10.6	27	10	280	17	29.90	8	+0.03	30.09	FM-15	0.00	30.08
30	1300	4		9.94		89	31.7	66	18.9	51	10.6	27	10	280		29.90	8	+0.03	30.09	FM-12		
30	1354	7	FEW:02 80 BKN:07 300	10.00		91	32.8	68	20.0	53	11.7	27	8	VRB		29.89			30.08	FM-15	0.00	30.07
30	1454	6	BKN:07 300	10.00		91	32.8	68	20.0	54	12.2	28	8	240		29.87			30.06	FM-15	0.00	30.05
30	1554	7	SCT:04 300	10.00		91	32.8	68	20.0	53	11.7	27	6	310		29.87	6	+0.03	30.06	FM-15	0.00	30.05
30	1654	7	SCT:04 300	10.00		90	32.2	67	19.4	53	11.7	28	6	310		29.87			30.06	FM-15	0.00	30.05
30	1754	7	BKN:07 300	10.00		85	29.4	69	20.6	59	15.0	42	7	080		29.88			30.07	FM-15	0.00	30.06
30	1854	7	SCT:04 300	10.00		81	27.2	69	20.6	62	16.7	53	5	080		29.89	3	-0.02	30.08	FM-15	0.00	30.07
30	1900	4		9.94		81	27.2	69	20.6	62	16.7	53	5	080		29.89	3	-0.02	30.08	FM-12		
30	1954	7	FEW:02 300	10.00		75	23.9	67	19.4	62	16.7	64	0	000		29.91			30.10	FM-15	0.00	30.09
30	2054	7	FEW:02 300	10.00		73	22.8	66	18.9	62	16.7	69	0	000		29.93			30.12	FM-15	0.00	30.11
30	2154	7	FEW:02 300	10.00		71	21.7	65	18.3	62	16.7	73	0	000		29.93	1	-0.04	30.12	FM-15	0.00	30.11
30	2254	7	FEW:02 300	10.00		72	22.2	66	18.9	63	17.2	73	0	000		29.94			30.13	FM-15	0.00	30.12
30	2354	7	FEW:02 300	10.00		69	20.6	65	18.3	63	17.2	81	0	000		29.95			30.14	FM-15	0.00	30.13
31	0054	7	FEW:02 300	10.00		70	21.1	65	18.3	62	16.7	76	3	160		29.95	1	-0.02	30.14	FM-15	0.00	30.13
31	0100	4		9.94		70	21.1	65	18.3	62	16.7	76	3	160		29.95	1	-0.02	30.14	FM-12		
31	0154	7	CLR:00	10.00		69	20.6	65	18.3	62	16.7	78	3	160		29.95			30.13	FM-15	0.00	30.13
31	0254	7	CLR:00	10.00		69	20.6	65	18.3	62	16.7	78	0	000		29.95			30.13	FM-15	0.00	30.13
31	0354	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	5	200		29.95	5	0.00	30.14	FM-15	0.00	30.13
31	0454	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.96			30.15	FM-15	0.00	30.14
31	0554	7	FEW:02 300	10.00		64	17.8	62	16.7	60	15.6	87	0	000		29.97			30.16	FM-15	0.00	30.15
31	0654	7	SCT:04 300	10.00		69	20.6	65	18.3	63	17.2	81	0	000		29.98	1	-0.03	30.16	FM-15	0.00	30.16
31	0700	4		9.94		69	20.6	65	18.3	63	17.2	81	0	000		29.98	1	-0.03	30.16	FM-12		
31	0754	7	FEW:02 350	10.00		76	24.4	68	20.0	63	17.2	64	0	000		29.99			30.18	FM-15	0.00	30.17
31	0854	7	FEW:02 180 FEW:02 350	10.00		81	27.2	70	21.1	64	17.8	57	5	350		30.00			30.19	FM-15	0.00	30.18
31	0954	7	FEW:02 350	10.00		85	29.4	72	22.2	65	18.3	51	3	VRB		30.00	1	-0.02	30.19	FM-15	0.00	30.18
31	1054	7	FEW:02 350	10.00		88	31.1	73	22.8	66	18.9	48	5	060		30.00			30.18	FM-15	0.00	30.18
31	1154	7	FEW:02 60 FEW:02 350	10.00		90	32.2	74	23.3	66	18.9	45	7	060		30.00			30.18	FM-15	0.00	30.18
31	1254	7	FEW:02 60 FEW:02 350	10.00		93	33.9	75	23.9	66	18.9	41	8	020		29.99	8	+0.01	30.18	FM-15	0.00	30.17
31	1300	4	57	9.94		93	33.9	75	23.9	66	18.9	41	8	020		29.99	8	+0.01	30.18	FM-12		
31	1354	7	FEW:02 60 FEW:02 120	10.00		92	33.3	74	23.3	65	18.3	41	10	040		29.98			30.16	FM-15	0.00	30.16
31	1454	7	SCT:04 60 SCT:04 85	10.00		92	33.3	74	23.3	65	18.3	41	9	050		29.97			30.16	FM-15	0.00	30.15
31	1554	7	FEW:02 70	10.00		91	32.8	72	22.2	63	17.2	39	8	100		29.96	7	+0.03	30.15	FM-15	0.00	30.14
31	1654	7	FEW:02 65	10.00		90	32.2	73	22.8	64	17.8	42	10	070		29.96			30.14	FM-15	0.00	30.14
31	1754	7	FEW:02 45 FEW:02 70 FEW:02 300	10.00		86	30.0	71	21.7	63	17.2	46	9	110		29.96			30.15	FM-15	0.00	30.14
31	1854	7	FEW:02 45 FEW:02 70 FEW:02 300	10.00		81	27.2	69	20.6	63	17.2	54	7	090		29.98	3	-0.01	30.16	FM-15	0.00	30.16
31	1900	4	41	9.94		81	27.2	69	20.6	63	17.2	54	7	090		29.98	3	-0.01	30.16	FM-12		
31	1954	7	FEW:02 300	10.00		78	25.6	68	20.0	63	17.2	60	6	060		29.99			30.18	FM-15	0.00	30.17
31	2054	7	FEW:02 300	10.00		76	24.4	68	20.0	63	17.2	64	8	090		30.00			30.19	FM-15	0.00	30.18
31	2154	7	FEW:02 300	10.00		74	23.3	68	20.0	64	17.8	71	0	000		30.02	3	-0.04	30.20	FM-15	0.00	30.20
31	2254	7	FEW:02 300	10.00		71	21.7	67	19.4	65	18.3	81	6	120		30.03			30.22	FM-15	0.00	30.21
31	2354	4		10.00		71	21.7			66	18.9	84	0	000					30.23	FM-15		30.23

Local Climatological Data
Hourly Precipitation
August 2019

Generated on 09/08/2019

Date	For Hour (LST) Ending at																						Date			
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID	
01								M	M								0.15								01	
02					0.22	T	0.37		T	T	T														02	
03																									03	
04														0.01							T	T			04	
05																	0.10	0.06	0.06	0.01	0.02				05	
06																T	0.01								06	
07													0.02												07	
08																									08	
09																									09	
10																									10	
11																									11	
12																				M		M			12	
13																					T				13	
14																									14	
15	T	T															0.09	0.14	0.02						15	
16													T	T	0.20	T									16	
17								T	T																17	
18																									18	
19																T									19	
20																	0.05	T			T		0.07s	T	20	
21																									21	
22																		T	0.46	0.06	0.03				22	
23													T					T	0.02			T	0.05s		23	
24			0.01	0.02	T																				24	
25																									25	
26															T		T	T							26	
27																									27	
28																			0.02	0.02					28	
29																									29	
30																									30	
31																									M	31
Maximum Short Duration Precipitation																										
Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180														
Precipitation (inches)	0.22	0.35	0.43	0.46	0.47	0.47	0.49	0.51	0.55	0.59	0.59	0.59s														
Ending Date Time (yyyy-mm-dd hh:mi)	2019-08-22 17:43	2019-08-22 17:46	2019-08-22 17:50	2019-08-22 17:55	2019-08-22 18:01	2019-08-22 18:01	2019-08-22 18:36	2019-08-22 18:44	2019-08-02 06:19	2019-08-02 06:24	2019-08-02 06:24	2019-08-02 06:24														

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing