

Local Climatological Data Daily Summary December 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/30/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH																																				
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees																																			
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir																																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23																																	
01	50	40	45	-0.5				20	0	0705	1651	RA DZ BR	0.56	0.0	0	29.48		7.1	19	130	15	130																																	
02	51	42	47	1.8				18	0	0706	1651	RA	0.15	0.0	0	29.42		9.9	27	320	21	290																																	
03	52	37	45	0.1				20	0	0707	1651		0.00	0.0	0	29.55		8.0	21	280	17	310																																	
04	53	31	42	-2.5				23	0	0708	1651		0.00	0.0	0			7.6	21	240	17	220																																	
05	54	32	43	-1.2				22	0	0709	1651		0.00	0.0	0	29.80		7.9	26	260	20	270																																	
06	57	26	42	-1.9				23	0	0710	1651		0.00	0.0	0	29.97		7.1	24	220	18	210																																	
07	48	27	38	-5.5				27	0	0710	1651		0.00	0.0	0	30.19		7.0	23	360	18	010																																	
08	51	25	38	-5.2				27	0	0711	1651	RA BR	0.21	0.0	0	30.23		3.7	12	130	9	340																																	
09	60	44	52	9.1				13	0	0712	1651	RA FG BR	0.41	0.0	0	29.87		7.9	24	200	18	210																																	
10	68	48	58	15.4				7	0	0713	1651	RA BR	0.28	0.0	0	29.77		10.8	26	220	21	220																																	
11	48	29	39	-3.3				26	0	0714	1651	RA SN BR	0.53	0.1	T	30.15		7.9	23	020	17	020																																	
12	41	25	33	-9.0				32	0	0714	1651		0.00	0.0	0	30.46		5.3	18	070	14	050																																	
13	41	30	36	-5.7				29	0	0715	1652	RA BR	0.43	0.0	0	30.06		7.6	16	320	13	340																																	
14	56	41	49	7.5				16	0	0716	1652	RA DZ FG BR	0.09	0.0	0	29.36		8.2	29	240	23	240																																	
15	57	39	48	6.8				17	0	0717	1652		0.00	0.0	0			10.2	25	310	18	250																																	
16	52	39	46	5.1				19	0	0717	1653		T	0.0	0	29.99		6.2	15	030	13	030																																	
17	52	38	45	4.3				20	0	0718	1653	RA DZ FG BR	0.35	0.0	0	29.64		7.1	28	010	22	020																																	
18	46	29	38	-2.5				27	0	0718	1653		0.00	0.0	0	29.82		9.9	33	270	25	270																																	
19	38	22*	30	-10.2				35	0	0719	1654		0.00	0.0	0	30.21		5.2	18	010	15	010																																	
20	45	23	34	-6.0				31	0	0720	1654		0.00	0.0	0	30.35		4.6	20	050	16	060																																	
21	45	27	36	-3.8				29	0	0720	1655		0.00	0.0	0	30.37		0.7	8	140	6	350																																	
22	49	25	37	-2.6				28	0	0721	1655		0.00	0.0	0	30.20		1.6	8	160	6	200																																	
23	54	34	44	4.6				21	0	0721	1656		0.00	0.0	0	29.98		1.3	7	340	7	340																																	
24	58	33	46	6.8				19	0	0722	1656		0.00	0.0	0	29.87		6.0	19	050	15	020																																	
25	55	29	42	2.9				23	0	0722	1657	BR	0.00	0.0	0	29.99		1.9	9	180	8	190																																	
26	64	30	47	8.1				18	0	0722	1657	FG FZFG BR	Ts	0.0	0	30.03		3.0	12	140	9	140																																	
27	61	40	51	12.3				14	0	0723	1658	FG BR	0.00	0.0	0	30.08		2.9	12	230	9	230																																	
28	67	39	53	14.4				12	0	0723	1659	MIFG BR FG	0.00	0.0	0	30.03		2.5	13	080	9	140																																	
29	63	47	55	16.5				10	0	0723	1659	RA DZ BR	0.25	0.0	0	29.91		7.1	19	170	15	170																																	
30	73*	49	61	22.7				4	0	0724	1700		0.01	0.0	0	29.49		12.4	32	180	22	200																																	
31	57	41	49	10.8				16	0	0724	1701		0.00	0.0	0	29.55		7.4	26	240	20	280																																	
	53.7	34.2	44.0									Monthly Averages Totals	3.27s			29.90	30.09	6.3																																					
	3.0	2.8	3.0									Departure from Normal (1981-2010)	0.01s																																										
	Degree Days										Number of days with...																																												
	Monthly					Season-to-date					Temperature					Precipitation					Snow					Weather																													
	Total		Departure			Total		Departure			Max		Min			>=0.01"		>=0.1"			>=1"		T-Storms		Heavy Fog																														
	Heating		651			-92			1336		>=90°		<=32°			<=32°		<=0°			10s		8s			0																													
	Cooling		0			-1			2006		0		0			15		0																																					
	Date of 5-sec to 3-sec wind equipment change										Sea Level Pressure										Greatest...																																		
	N/A										Maximum					30.76					Date					12					Time					1109					24-Hr...					Snowfall					Snow Depth				
											Minimum					29.39					14					1417					0.81s																								
																															10-11																								
	Station Augmentation																																																						
	Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																																																						

Local Climatological Data Hourly Observations December 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/30/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0052	6	OVC:08 5	2.00	-RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	0	000		29.80				FM-16		29.98
01	0054	7	OVC:08 5	2.00	-RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	0	000		29.80	5	+0.01	29.99	FM-15	0.02	29.98
01	0100	4	5	1.99	RA	41	5.0	40	4.4	39	3.9	93	0	000		29.80	5	+0.01	29.99	FM-12		
01	0102	7	OVC:08 5	1.50	-RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	3	090		29.79				FM-16	0.01	29.97
01	0116	7	OVC:08 4	1.75	-RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	5	120		29.78				FM-16	0.03	29.96
01	0126	7	BKN:07 4 OVC:08 9	2.00	-RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	6	120		29.78				FM-16	0.04	29.96
01	0134	7	BKN:07 5 OVC:08 14	2.50	-RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	6	130		29.77				FM-16	0.04	29.95
01	0144	7	BKN:07 5 OVC:08 14	3.00	BR:1	41	5.0	40	4.4	39	3.9	93	6	120		29.76				FM-16	0.04	29.94
01	0154	7	OVC:08 3	4.00	BR:1	41	5.0	40	4.4	39	3.9	93	6	120		29.76		29.96		FM-15	0.03	29.94
01	0254	7	OVC:08 4	4.00	-RA:02 BR:1 RA RA	41	5.0	41	5.0	40	4.4	96	8	110		29.73		29.92		FM-15	0.01	29.91
01	0352	6	OVC:08 3	2.50	RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	7	110		29.69				FM-16		29.87
01	0354	7	OVC:08 3	2.50	-RA:02 BR:1 RA RA	41	5.0	41	5.0	40	4.4	96	8	100		29.69	8	+0.11	29.88	FM-15	0.01	29.87
01	0412	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	41	5.0	41	5.0	40	4.4	96	7	100		29.68				FM-16	0.01	29.86
01	0454	7	OVC:08 4	8.00		42	5.6	41	5.0	40	4.4	92	7	130		29.68		29.87		FM-15	0.02	29.86
01	0554	7	OVC:08 3	3.00	BR:1	42	5.6	42	5.6	41	5.0	96	6	130		29.67		29.86		FM-15	T	29.85
01	0603	7	OVC:08 3	2.50	BR:1	42	5.6	42	5.6	41	5.0	96	7	130		29.67				FM-16		29.85
01	0651	7	OVC:08 5	5.00	-RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	8	110		29.64				FM-16	0.03	29.82
01	0654	7	OVC:08 5	4.00	-RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	8	110		29.63	8	+0.05	29.83	FM-15	0.03	29.81
01	0700	4	5	3.73	RA	43	6.1	42	5.6	41	5.0	93	8	110		29.63	8	+0.05	29.83	FM-12		
01	0711	7	OVC:08 4	5.00	RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	5	100		29.63				FM-16	T	29.81
01	0754	7	OVC:08 4	4.00	RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	8	120		29.60		29.80		FM-15	0.07	29.78
01	0836	7	BKN:07 4 OVC:08 9	2.50	RA:02 BR:1 RA RA	44	6.7	43	6.1	42	5.6	93	8	110		29.60				FM-16	0.07	29.78
01	0854	7	BKN:07 4 OVC:08 9	2.50	RA:02 BR:1 RA RA	44	6.7	43	6.1	42	5.6	93	8	120		29.58		29.78		FM-15	0.12	29.76
01	0900	7	OVC:08 5	4.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	8	110		29.57				FM-16	0.02	29.75
01	0933	7	OVC:08 5	2.50	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	9	130		29.55				FM-16	0.04	29.73
01	0940	7	BKN:07 5 OVC:08 9	6.00	-RA:02 BR:1 RA RA	45	7.2	45	7.2	44	6.7	97	10	140		29.55				FM-16	0.07	29.73
01	0954	7	BKN:07 6 OVC:08 9	7.00	-RA:02 RA RA	46	7.8	45	7.2	44	6.7	93	15	130		29.53	8	+0.10	29.72	FM-15	0.06	29.71
01	1044	7	OVC:08 4	6.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	11	130		29.49				FM-16	T	29.67
01	1054	7	OVC:08 4	5.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	11	130		29.48		29.67		FM-15	0.01	29.66
01	1100	7	OVC:08 4	2.50	RA:02 BR:1 RA RA	47	8.3	47	8.3	46	7.8	97	14	130		29.47				FM-16	T	29.64
01	1114	7	OVC:08 4	4.00	-RA:02 BR:1 RA RA	47	8.3	47	8.3	46	7.8	97	8	140		29.47				FM-16	0.07	29.64
01	1125	7	OVC:08 5	2.00	RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	93	6	VRB		29.45				FM-16	0.07	29.63
01	1138	7	OVC:08 5	3.00	-RA:02 BR:1 RA RA	48	8.9	47	8.3	46	7.8	93	9	110		29.41				FM-16	0.09	29.59
01	1154	7	BKN:07 5 OVC:08 11	6.00	-RA:02 BR:1 RA RA	48	8.9	48	8.9	47	8.3	96	10	110		29.39		29.58		FM-15	0.10	29.56
01	1204	7	BKN:07 5 OVC:08 11	2.00	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.9	47	8.3	93	10	130		29.39				FM-16	T	29.56
01	1213	7	OVC:08 5	1.50	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.9	47	8.3	93	9	160		29.39				FM-16	0.01	29.56
01	1233	7	OVC:08 4	2.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	48	8.9	97	3	160		29.37				FM-16	0.03	29.55
01	1244	7	OVC:08 4	1.25	-RA:02 BR:1 RA RA	49	9.4	48	8.9	48	8.9	97	5	200		29.36				FM-16	0.04	29.54
01	1254	7	OVC:08 5	1.50	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	3	190		29.34	6	+0.19	29.54	FM-15	0.05	29.52
01	1300	4	5	1.49	RA	50	10.0	49	9.4	48	8.9	93	3	190		29.34	6	+0.19	29.54	FM-12		

01	1326	7	OVC:08 5	1.25	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	8.9	93	3	250		29.34				FM-16	0.02	29.51
01	1346	7	OVC:08 4	1.50	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	8.9	93	5	290		29.31				FM-16	0.03	29.48
01	1352	6	OVC:08 4	2.00	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	8.9	94	5	290		29.29				FM-16		29.47
01	1354	7	OVC:08 4	2.00	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	8.9	93	5	300		29.29			29.49	FM-15	0.03	29.47
01	1421	7	BKN:07 4 OVC:08 8	3.00	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.9	48	8.9	97	5	280		29.29				FM-16	T	29.47
01	1437	7	BKN:07 4 OVC:08 8	2.00	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.9	48	8.9	97	7	280		29.31				FM-16	T	29.48
01	1452	6	OVC:08 5	2.00	-DZ:01 BR:1 DZ DZ	48	8.9	48	8.9	48	8.9	100	7	280		29.31				FM-16		29.48
01	1454	7	OVC:08 5	2.00	-DZ:01 BR:1 DZ DZ	50	10.0	49	9.4	48	8.9	93	7	290		29.31		29.50	FM-15	T	29.48	
01	1531	7	OVC:08 4	2.00	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.9	48	8.9	97	5	270		29.31				FM-16	T	29.48
01	1541	7	OVC:08 4	1.50	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.9	48	8.9	97	7	280		29.29				FM-16	T	29.47
01	1552	6	OVC:08 4	2.00	-DZ:01 BR:1 DZ DZ	48	8.9	48	8.9	48	8.9	100	6	280		29.31				FM-16		29.48
01	1554	7	OVC:08 4	2.00	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.9	48	8.9	97	6	280		29.31	6	+0.04	29.49	FM-15	T	29.48
01	1623	7	OVC:08 4	3.00	-DZ:01 BR:1 DZ DZ	49	9.4	48	8.9	47	8.3	93	8	280		29.31				FM-16	T	29.48
01	1654	7	OVC:08 4	6.00	BR:1	48	8.9	47	8.3	47	8.3	96	7	290		29.31		29.50		FM-15	T	29.49
01	1716	7	OVC:08 5	10.00		48	8.9	47	8.3	47	8.3	96	7	290		29.31				FM-16		29.49
01	1726	7	OVC:08 3	2.00	BR:1	48	8.9	47	8.3	47	8.3	96	10	330		29.31				FM-16		29.48
01	1754	7	OVC:08 3	2.00	BR:1	48	8.9	47	8.3	46	7.8	93	7	320		29.31		29.49		FM-15	0.00	29.48
01	1854	7	OVC:08 4	2.00	BR:1	47	8.3	46	7.8	45	7.2	93	7	300		29.33	3	-0.02	29.52	FM-15	0.00	29.50
01	1900	4	5	1.99		47	8.3	46	7.8	45	7.2	93	7	300		29.32	3	-0.02	29.52	FM-12		
01	1947	7	BKN:07 3 OVC:08 8	7.00		47	8.3	46	7.8	45	7.2	93	9	260		29.34				FM-16		29.51
01	1954	7	BKN:07 3 OVC:08 8	7.00		47	8.3	46	7.8	45	7.2	93	9	270		29.34		29.53		FM-15	0.00	29.51
01	2030	7	BKN:07 5 OVC:08 16	10.00		46	7.8	45	7.2	44	6.7	93	8	270		29.33				FM-16		29.50
01	2054	7	BKN:07 5 OVC:08 14	10.00		46	7.8	45	7.2	44	6.7	93	6	270		29.33		29.51		FM-15	0.00	29.50
01	2154	7	BKN:07 5 OVC:08 12	7.00		46	7.8	45	7.2	44	6.7	93	8	340		29.34	1	-0.01	29.52	FM-15	0.00	29.51
01	2254	7	BKN:07 6 OVC:08 13	10.00		45	7.2	44	6.7	43	6.1	93	6	330		29.36		29.54		FM-15	0.00	29.53
01	2330	7	FEW:02 7 BKN:07 12	10.00		45	7.2	44	6.7	42	5.6	90	6	280		29.36				FM-16	T	29.53
01	2345	7	SCT:04 13	10.00		43	6.1	42	5.6	41	5.0	93	6	310		29.36				FM-16	T	29.53
01	2354	7	FEW:02 13	10.00		43	6.1	42	5.6	41	5.0	93	5	320		29.36		29.54		FM-15	T	29.53
02	0025	7	BKN:07 11	9.00		44	6.7	43	6.1	42	5.6	93	10	350		29.34				FM-16		29.51
02	0041	7	BKN:07 7 OVC:08 11	10.00		44	6.7	43	6.1	42	5.6	93	6	330		29.34				FM-16		29.51
02	0054	7	BKN:07 7 OVC:08 11	10.00		44	6.7	43	6.1	42	5.6	93	6	340		29.34	8	0.00	29.52	FM-15	0.00	29.51
02	0100	4	8	9.94		44	6.7	43	6.1	42	5.6	93	6	340		29.33	8	0.00	29.52	FM-12		
02	0154	7	BKN:07 7 OVC:08 11	10.00		44	6.7	43	6.1	41	5.0	89	5	320		29.36		29.55		FM-15	0.00	29.54
02	0254	7	BKN:07 9 BKN:07 14 OVC:08 19	10.00	-RA:02 RA RA	44	6.7	43	6.1	41	5.0	89	5	330		29.36		29.55		FM-15	T	29.54
02	0321	7	SCT:04 11 BKN:07 60 OVC:08 80	10.00	-RA:02 RA RA	43	6.1	42	5.6	41	5.0	93	3	320		29.37				FM-16	T	29.55
02	0342	7	SCT:04 9 BKN:07 20 OVC:08 45	9.00	-RA:02 RA RA	43	6.1	42	5.6	41	5.0	93	7	310		29.37				FM-16	0.01	29.55
02	0354	7	SCT:04 9 BKN:07 16 OVC:08 45	7.00	-RA:02 RA RA	43	6.1	42	5.6	41	5.0	93	6	310		29.37	1	-0.05	29.57	FM-15	0.02s	29.55
02	0454	7	SCT:04 11 BKN:07 18 OVC:08 22	7.00	RA:02 RA RA	42	5.6	41	5.0	39	3.9	89	11	330		29.39		29.59		FM-15	0.05	29.57
02	0554	7	BKN:07 29 OVC:08 34	7.00	-RA:02 RA RA	42	5.6	41	5.0	39	3.9	89	9	300		29.41		29.60		FM-15	0.05	29.59

02	0621	7	FEW:02 25 OVC:08 37	10.00	-RA:02 RA RA	42	5.6	41	5.0	39	3.9	89	6	290		29.41				FM-16	0.01	29.59
02	0654	7	SCT:04 24 OVC:08 38	10.00	-RA:02 RA RA	42	5.6	41	5.0	39	3.9	89	5	290		29.42	1	-0.04	29.61	FM-15	0.03	29.60
02	0700	4	26	9.94	RA	42	5.6	41	5.0	39	3.9	89	5	290		29.42	1	-0.04	29.61	FM-12		
02	0754	7	FEW:02 38 OVC:08 70	10.00		42	5.6	41	5.0	39	3.9	89	6	250		29.42			29.62	FM-15	T	29.60
02	0854	7	FEW:02 60 BKN:07 85 BKN:07 180	10.00		43	6.1	42	5.6	40	4.4	89	6	240		29.44			29.63	FM-15	0.00	29.61
02	0954	7	FEW:02 18 FEW:02 80 BKN:07 130	10.00		49	9.4	45	7.2	41	5.0	74	9	310		29.44	1	-0.02	29.63	FM-15	0.00	29.62
02	1054	7	FEW:02 22 SCT:04 60 BKN:07 130	10.00		48	8.9	43	6.1	37	2.8	66	11	300		29.44			29.62	FM-15	0.00	29.61
02	1154	7	BKN:07 38 BKN:07 130	10.00		48	8.9	41	5.0	32	0.0	54	17	300		29.41			29.60	FM-15	0.00	29.59
02	1254	7	SCT:04 42 BKN:07 130 BKN:07 300	10.00		50	10.0	42	5.6	33	0.6	52	15	320		29.39	8	+0.05	29.58	FM-15	0.00	29.57
02	1300	4	41	9.94		50	10.0	42	5.6	33	0.6	52	15	320		29.39	8	+0.05	29.58	FM-12		
02	1354	7	SCT:04 44 BKN:07 65 BKN:07 130	10.00		50	10.0	42	5.6	32	0.0	50	13	290		29.39			29.58	FM-15	0.00	29.57
02	1454	7	FEW:02 48 BKN:07 75 OVC:08 300	10.00		48	8.9	40	4.4	30	-1.1	50	14	320		29.41			29.59	FM-15	0.00	29.58
02	1554	7	FEW:02 50 SCT:04 85 BKN:07 130	10.00		47	8.3	40	4.4	30	-1.1	52	9	290		29.42	3	-0.04	29.62	FM-15	0.00	29.60
02	1654	7	SCT:04 70 BKN:07 85 BKN:07 110	10.00		47	8.3	40	4.4	31	-0.6	54	8	290		29.45			29.64	FM-15	0.00	29.63
02	1754	7	OVC:08 55	10.00		47	8.3	40	4.4	30	-1.1	52	14	330	23	29.48			29.67	FM-15	T	29.66
02	1854	7	BKN:07 60 OVC:08 75	10.00		47	8.3	40	4.4	31	-0.6	54	16	310		29.48	1	-0.06	29.68	FM-15	T	29.66
02	1900	4	57	9.94		47	8.3	40	4.4	31	-0.6	54	16	310		29.48	1	-0.06	29.68	FM-12		
02	1954	7	BKN:07 65 BKN:07 300	10.00		45	7.2	39	3.9	31	-0.6	58	10	310		29.49			29.69	FM-15	0.00	29.67
02	2054	7	OVC:08 65	10.00		45	7.2	39	3.9	32	0.0	61	11	310		29.50			29.70	FM-15	0.00	29.68
02	2154	7	OVC:08 50	10.00		45	7.2	39	3.9	31	-0.6	58	10	290		29.52	1	-0.02	29.70	FM-15	0.00	29.69
02	2254	7	OVC:08 50	10.00		45	7.2	39	3.9	31	-0.6	58	10	300		29.52			29.71	FM-15	0.00	29.70
02	2354	7	BKN:07 49 OVC:08 110	10.00		44	6.7	38	3.3	30	-1.1	58	11	290		29.52			29.70	FM-15	0.00	29.69
03	0054	7	OVC:08 46	10.00		44	6.7	39	3.9	31	-0.6	60	14	310		29.52	1	-0.01	29.71	FM-15	0.00	29.70
03	0100	4	41	9.94		44	6.7	39	3.9	31	-0.6	60	14	310		29.52	1	-0.01	29.71	FM-12		
03	0154	7	OVC:08 42	10.00		44	6.7	39	3.9	31	-0.6	60	8	330		29.54			29.73	FM-15	0.00	29.72
03	0254	7	OVC:08 49	10.00		43	6.1	38	3.3	32	0.0	65	13	340		29.54			29.74	FM-15	0.00	29.72
03	0354	7	OVC:08 50	10.00		43	6.1	38	3.3	30	-1.1	60	9	340		29.54	0	-0.02	29.73	FM-15	0.00	29.72
03	0454	7	FEW:02 50	10.00		40	4.4	36	2.2	30	-1.1	68	5	290		29.53			29.72	FM-15	0.00	29.71
03	0554	7	FEW:02 50	10.00		38	3.3	35	1.7	30	-1.1	73	7	260		29.55			29.75	FM-15	0.00	29.73
03	0654	7	FEW:02 40 FEW:02 250	10.00		37	2.8	34	1.1	29	-1.7	73	6	280		29.58	3	-0.04	29.78	FM-15	0.00	29.76
03	0700	4	41	9.94		37	2.8	34	1.1	29	-1.7	73	6	280		29.58	3	-0.04	29.78	FM-12		
03	0754	7	FEW:02 45 SCT:04 250	10.00		38	3.3	34	1.1	29	-1.7	70	7	270		29.60			29.80	FM-15	0.00	29.78
03	0854	7	FEW:02 35 BKN:07 250	10.00		42	5.6	37	2.8	29	-1.7	60	10	280		29.61			29.80	FM-15	0.00	29.79
03	0954	7	FEW:02 45 SCT:04 270	10.00		45	7.2	38	3.3	29	-1.7	54	10	300		29.61	1	-0.03	29.80	FM-15	0.00	29.79
03	1054	7	FEW:02 40 SCT:04 300	10.00		47	8.3	39	3.9	28	-2.2	48	14	300		29.59			29.79	FM-15	0.00	29.77

03	1154	7	FEW:02 43 FEW:02 300	10.00		49	9.4	41	5.0	29	-1.7	46	11	290	20	29.56			29.75	FM-15	0.00	29.74
03	1254	7	FEW:02 45 SCT:04 300	10.00		51	10.6	42	5.6	30	-1.1	44	7	290		29.54	6	+0.07	29.73	FM-15	0.00	29.72
03	1300	4	41	9.94		51	10.6	42	5.6	30	-1.1	44	7	290		29.54	6	+0.07	29.73	FM-12		
03	1354	7	FEW:02 200 SCT:04 300	10.00		51	10.6	42	5.6	29	-1.7	43	9	300		29.52			29.72	FM-15	0.00	29.70
03	1454	7	FEW:02 200 BKN:07 300	10.00		51	10.6	41	5.0	28	-2.2	41	13	270		29.52			29.71	FM-15	0.00	29.70
03	1554	7	SCT:04 190 BKN:07 300	10.00		50	10.0	41	5.0	28	-2.2	43	11	280		29.53	5	+0.01	29.72	FM-15	0.00	29.71
03	1654	7	SCT:04 160 BKN:07 300	10.00		48	8.9	40	4.4	28	-2.2	46	3	290		29.52			29.71	FM-15	0.00	29.70
03	1754	7	SCT:04 180 BKN:07 300	10.00		44	6.7	39	3.9	31	-0.6	60	3	190		29.52			29.71	FM-15	0.00	29.69
03	1854	7	FEW:02 180 BKN:07 300	10.00		40	4.4	36	2.2	31	-0.6	70	3	200		29.53	3	0.00	29.72	FM-15	0.00	29.71
03	1900	4		9.94		40	4.4	36	2.2	31	-0.6	70	3	200		29.53	3	0.00	29.72	FM-12		
03	1954	4		10.00		39	3.9			32	0.0	76	6	210					29.72	FM-15		29.70
03	2054	7	BKN:07 180 OVC:08 300	10.00		43	6.1	38	3.3	32	0.0	65	7	250		29.53			29.72	FM-15	0.00	29.71
03	2154	4		10.00		42	5.6			32	0.0	68	3	240					29.70	FM-15		29.69
03	2254	7	OVC:08 160	10.00		40	4.4	37	2.8	32	0.0	73	5	210		29.50			29.70	FM-15	0.00	29.68
03	2354	7	OVC:08 150	10.00		41	5.0	37	2.8	32	0.0	70	7	250		29.49			29.69	FM-15	0.00	29.67
04	0054	7	FEW:02 120 OVC:08 140	10.00		41	5.0	37	2.8	31	-0.6	67	3	270		29.47	8	+0.04	29.67	FM-15	0.00	29.65
04	0100	4		9.94		41	5.0	37	2.8	31	-0.6	67	3	270		29.47	8	+0.04	29.67	FM-12		
04	0154	7	SCT:04 120 OVC:08 130	10.00		40	4.4	37	2.8	32	0.0	73	6	280		29.48			29.67	FM-15	0.00	29.66
04	0254	7	OVC:08 120	10.00		39	3.9	36	2.2	31	-0.6	73	5	290		29.47			29.66	FM-15	0.00	29.65
04	0354	7	OVC:08 110	10.00		39	3.9	35	1.7	30	-1.1	70	7	310		29.48	3	-0.01	29.67	FM-15	0.00	29.66
04	0454	7	SCT:04 110	10.00		36	2.2	33	0.6	29	-1.7	76	5	020		29.47			29.66	FM-15	0.00	29.64
04	0554	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	6	310		29.49			29.68	FM-15	0.00	29.67
04	0654	7	SCT:04 110	10.00		33	0.6	31	-0.6	29	-1.7	85	0	000		29.48	6	0.00	29.67	FM-15	0.00	29.66
04	0700	4		9.94		33	0.6	31	-0.6	29	-1.7	85	0	000		29.48	6	0.00	29.67	FM-12		
04	0754	4		10.00		36	2.2			30	-1.1	79	0	000					29.68	FM-15		29.67
04	0854	4		10.00		41	5.0			32	0.0	70	5	250					29.70	FM-15		29.69
04	0954	4		10.00		41	5.0			32	0.0	70	7	220					29.70	FM-15		29.68
04	1054	4		10.00		44	6.7			31	-0.6	60	7	210					29.67	FM-15		29.66
04	1154	7	FEW:02 110 SCT:04 170	10.00		48	8.9	40	4.4	29	-1.7	48	9	230		29.44			29.63	FM-15	0.00	29.62
04	1254	7	FEW:02 170 BKN:07 300	10.00		50	10.0	40	4.4	26	-3.3	39	14	230		29.41	8	+0.11	29.59	FM-15	0.00	29.58
04	1300	4		9.94		50	10.0	40	4.4	26	-3.3	39	14	230		29.40	8	+0.11	29.59	FM-12		
04	1354	7	FEW:02 45 FEW:02 120 BKN:07 200	10.00		51	10.6	42	5.6	29	-1.7	43	14	230		29.39			29.58	FM-15	0.00	29.56
04	1454	7	FEW:02 50 SCT:04 200	10.00		52	11.1	42	5.6	30	-1.1	43	11	260		29.39			29.58	FM-15	0.00	29.57
04	1554	7	FEW:02 49 FEW:02 200	10.00		52	11.1	42	5.6	29	-1.7	41	11	230	21	29.39	5	+0.01	29.59	FM-15	0.00	29.57
04	1654	7	SCT:04 85	10.00		49	9.4	41	5.0	31	-0.6	50	9	220		29.41			29.59	FM-15	0.00	29.58
04	1754	7	BKN:07 80	10.00		49	9.4	41	5.0	31	-0.6	50	7	250		29.44			29.63	FM-15	0.00	29.62
04	1854	7	FEW:02 80	10.00		49	9.4	40	4.4	27	-2.8	43	11	290		29.47	3	-0.07	29.66	FM-15	0.00	29.64
04	1900	4	74	9.94		49	9.4	40	4.4	27	-2.8	43	11	290		29.46	3	-0.07	29.66	FM-12		
04	1954	7	CLR:00	10.00		48	8.9	39	3.9	26	-3.3	42	8	280		29.48			29.67	FM-15	0.00	29.66
04	2054	7	CLR:00	10.00		47	8.3	38	3.3	25	-3.9	42	7	250		29.49			29.68	FM-15	0.00	29.67
04	2154	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	8	240		29.49	1	-0.03	29.69	FM-15	0.00	29.67
04	2254	7	CLR:00	10.00		46	7.8	38	3.3	25	-3.9	44	10	240		29.49			29.68	FM-15	0.00	29.67
04	2354	7	FEW:02 70	10.00		45	7.2	37	2.8	25	-3.9	46	11	240		29.49			29.68	FM-15	0.00	29.67

05	0054	7	FEW:02 65	10.00		43	6.1	36	2.2	26	-3.3	51	8	270		29.50	3	-0.01	29.69	FM-15	0.00	29.68
05	0100	4	57	9.94		43	6.1	36	2.2	26	-3.3	51	8	270		29.50	3	-0.01	29.69	FM-12		
05	0154	7	SCT:04 70	10.00		42	5.6	36	2.2	26	-3.3	53	6	240		29.53			29.73	FM-15	0.00	29.71
05	0254	7	SCT:04 65 BKN:07 110	10.00		41	5.0	35	1.7	27	-2.8	57	7	260		29.58			29.78	FM-15	0.00	29.76
05	0354	7	SCT:04 65	10.00		43	6.1	37	2.8	27	-2.8	53	14	310	21	29.62	3	-0.12	29.81	FM-15	0.00	29.80
05	0454	7	FEW:02 65	10.00		42	5.6	36	2.2	27	-2.8	55	11	280		29.65			29.84	FM-15	0.00	29.83
05	0554	7	SCT:04 65	10.00		41	5.0	35	1.7	27	-2.8	57	6	280		29.69			29.88	FM-15	0.00	29.87
05	0654	7	SCT:04 65	10.00		41	5.0	35	1.7	27	-2.8	57	7	280		29.73	3	-0.12	29.93	FM-15	0.00	29.91
05	0700	4	57	9.94		41	5.0	35	1.7	27	-2.8	57	7	280		29.73	3	-0.12	29.93	FM-12		
05	0754	7	FEW:02 65	10.00		42	5.6	36	2.2	27	-2.8	55	8	270		29.76			29.96	FM-15	0.00	29.94
05	0854	7	FEW:02 65	10.00		44	6.7	38	3.3	28	-2.2	53	9	250		29.79			29.99	FM-15	0.00	29.97
05	0954	7	SCT:04 60	10.00		45	7.2	37	2.8	25	-3.9	46	13	280		29.83	3	-0.10	30.02	FM-15	0.00	30.01
05	1054	7	SCT:04 55	10.00		47	8.3	38	3.3	23	-5.0	39	14	270		29.83			30.03	FM-15	0.00	30.01
05	1154	7	FEW:02 55	10.00		49	9.4	39	3.9	24	-4.4	38	9	280		29.83			30.02	FM-15	0.00	30.01
05	1254	7	FEW:02 60	10.00		50	10.0	40	4.4	24	-4.4	36	13	300	26	29.81	8	+0.02	30.01	FM-15	0.00	29.99
05	1300	4	57	9.94		50	10.0	40	4.4	24	-4.4	36	13	300		29.81	8	+0.02	30.01	FM-12		
05	1354	7	FEW:02 60	10.00		52	11.1	41	5.0	24	-4.4	34	14	290	25	29.81			30.01	FM-15	0.00	29.99
05	1454	7	CLR:00	10.00		54	12.2	42	5.6	24	-4.4	31	10	270		29.82			30.02	FM-15	0.00	30.00
05	1554	7	CLR:00	10.00		53	11.7	41	5.0	23	-5.0	31	13	290	18	29.84	3	-0.04	30.04	FM-15	0.00	30.02
05	1654	7	CLR:00	10.00		50	10.0	39	3.9	23	-5.0	35	7	280		29.87			30.07	FM-15	0.00	30.05
05	1754	7	CLR:00	10.00		41	5.0	35	1.7	26	-3.3	55	3	180		29.90			30.10	FM-15	0.00	30.08
05	1854	7	CLR:00	10.00		40	4.4	35	1.7	26	-3.3	58	5	220		29.93	3	-0.09	30.13	FM-15	0.00	30.11
05	1900	4		9.94		40	4.4	35	1.7	26	-3.3	58	5	220		29.93	3	-0.09	30.13	FM-12		
05	1954	7	CLR:00	10.00		36	2.2	33	0.6	27	-2.8	70	5	190		29.95			30.14	FM-15	0.00	30.13
05	2054	7	CLR:00	10.00		36	2.2	33	0.6	28	-2.2	73	5	030		29.96			30.16	FM-15	0.00	30.14
05	2154	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	3	140		29.98	3	-0.05	30.18	FM-15	0.00	30.16
05	2254	7	BKN:07 220	10.00		35	1.7	32	0.0	26	-3.3	70	0	000		30.00			30.19	FM-15	0.00	30.18
05	2354	7	FEW:02 220	10.00		34	1.1	32	0.0	28	-2.2	79	0	000		30.02			30.21	FM-15	0.00	30.20
06	0054	7	SCT:04 220	10.00		30	-1.1	29	-1.7	26	-3.3	85	3	030		30.02	1	-0.04	30.22	FM-15	0.00	30.20
06	0100	4		9.94		30	-1.1	29	-1.7	26	-3.3	85	3	030		30.02	1	-0.04	30.22	FM-12		
06	0154	7	FEW:02 220	10.00		30	-1.1	28	-2.2	25	-3.9	82	0	000		30.02			30.22	FM-15	0.00	30.20
06	0254	7	SCT:04 200	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.02			30.22	FM-15	0.00	30.20
06	0354	7	CLR:00	10.00		30	-1.1	29	-1.7	26	-3.3	85	3	100		30.00	8	+0.01	30.20	FM-15	0.00	30.18
06	0454	7	CLR:00	10.00		27	-2.8	26	-3.3	25	-3.9	92	5	220		30.01			30.21	FM-15	0.00	30.19
06	0554	7	CLR:00	10.00		27	-2.8	26	-3.3	24	-4.4	89	5	150		30.01			30.21	FM-15	0.00	30.19
06	0654	7	FEW:02 250	10.00		29	-1.7	28	-2.2	26	-3.3	89	5	170		30.01	1	-0.01	30.21	FM-15	0.00	30.19
06	0700	4		9.94		29	-1.7	28	-2.2	26	-3.3	89	5	170		30.01	1	-0.01	30.21	FM-12		
06	0754	7	FEW:02 120 BKN:07 250	10.00		31	-0.6	30	-1.1	28	-2.2	89	3	200		30.01			30.21	FM-15	0.00	30.19
06	0854	7	SCT:04 150 BKN:07 210 BKN:07 240	10.00		38	3.3	36	2.2	32	0.0	79	0	000		30.01			30.21	FM-15	0.00	30.19
06	0954	7	FEW:02 130 BKN:07 150	10.00		44	6.7	39	3.9	32	0.0	63	9	190		30.01	1	0.00	30.21	FM-15	0.00	30.19
06	1054	7	FEW:02 120 OVC:08 250	10.00		51	10.6	42	5.6	31	-0.6	46	11	210		29.99			30.19	FM-15	0.00	30.17
06	1154	7	BKN:07 100 OVC:08 120	10.00		54	12.2	44	6.7	31	-0.6	42	10	220		29.96			30.16	FM-15	0.00	30.14
06	1254	7	OVC:08 110	10.00		55	12.8	44	6.7	30	-1.1	38	9	220	21	29.94	7	+0.07	30.14	FM-15	0.00	30.12
06	1300	4		9.94		55	12.8	44	6.7	30	-1.1	38	9	220		29.94	7	+0.07	30.14	FM-12		
06	1354	7	BKN:07 110 OVC:08 130	10.00		57	13.9	45	7.2	30	-1.1	36	11	220		29.92			30.11	FM-15	0.00	30.10
06	1454	7	FEW:02 90 BKN:07 100 OVC:08 120	10.00		56	13.3	45	7.2	31	-0.6	39	13	220		29.91			30.11	FM-15	0.00	30.09
06	1554	7	BKN:07 110 BKN:07 150 OVC:08 250	10.00		55	12.8	45	7.2	32	0.0	42	13	210		29.91	6	+0.03	30.11	FM-15	0.00	30.09

06	1654	7	BKN:07 110 OVC:08 250	10.00		53	11.7	44	6.7	33	0.6	47	10	210		29.92			30.11	FM-15	0.00	30.10
06	1754	7	SCT:04 100 BKN:07 160 OVC:08 250	10.00		53	11.7	44	6.7	33	0.6	47	9	220		29.93			30.12	FM-15	0.00	30.11
06	1854	7	SCT:04 100 OVC:08 200	10.00		51	10.6	43	6.1	34	1.1	52	9	210		29.93	1	-0.02	30.13	FM-15	0.00	30.11
06	1900	4		9.94		51	10.6	43	6.1	34	1.1	52	9	210		29.93	1	-0.02	30.13	FM-12		
06	1954	7	BKN:07 100 OVC:08 150	10.00		52	11.1	44	6.7	34	1.1	50	10	220		29.94			30.13	FM-15	0.00	30.12
06	2054	7	OVC:08 100	10.00		52	11.1	44	6.7	35	1.7	53	8	250		29.95			30.15	FM-15	0.00	30.13
06	2154	7	BKN:07 90 OVC:08 120	10.00		52	11.1	44	6.7	34	1.1	50	10	250		29.96	1	-0.03	30.15	FM-15	0.00	30.14
06	2254	7	SCT:04 80 BKN:07 110	10.00		50	10.0	43	6.1	34	1.1	54	8	250		29.97			30.16	FM-15	0.00	30.15
06	2354	7	FEW:02 110	10.00		48	8.9	42	5.6	34	1.1	58	5	260		29.97			30.16	FM-15	0.00	30.15
07	0054	7	FEW:02 60	10.00		42	5.6	39	3.9	34	1.1	73	7	040		29.98	1	-0.02	30.17	FM-15	0.00	30.16
07	0100	4	57	9.94		42	5.6	39	3.9	34	1.1	73	7	040		29.98	1	-0.02	30.17	FM-12		
07	0154	7	FEW:02 60	10.00		42	5.6	39	3.9	34	1.1	73	7	360		30.01			30.20	FM-15	0.00	30.19
07	0254	7	FEW:02 60	10.00		45	7.2	41	5.0	36	2.2	71	10	010		30.04			30.23	FM-15	0.00	30.22
07	0354	7	CLR:00	10.00		43	6.1	38	3.3	32	0.0	65	13	020		30.07	3	-0.09	30.26	FM-15	0.00	30.25
07	0454	7	FEW:02 60	10.00		41	5.0	36	2.2	27	-2.8	57	16	010		30.10			30.29	FM-15	0.00	30.28
07	0554	7	FEW:02 60	10.00		40	4.4	34	1.1	24	-4.4	53	15	010		30.13			30.33	FM-15	0.00	30.31
07	0654	7	FEW:02 60	10.00		38	3.3	33	0.6	24	-4.4	57	9	020		30.16	2	-0.09	30.36	FM-15	0.00	30.34
07	0700	4	57	9.94		38	3.3	33	0.6	24	-4.4	57	9	020		30.16	2	-0.09	30.36	FM-12		
07	0754	7	FEW:02 40 FEW:02 60	10.00		38	3.3	33	0.6	25	-3.9	60	9	010		30.19			30.38	FM-15	0.00	30.37
07	0854	7	FEW:02 38	10.00		40	4.4	34	1.1	23	-5.0	51	13	030		30.21			30.41	FM-15	0.00	30.39
07	0954	7	FEW:02 45	10.00		42	5.6	35	1.7	24	-4.4	49	11	030		30.23	1	-0.07	30.42	FM-15	0.00	30.41
07	1054	7	FEW:02 44 FEW:02 300	10.00		44	6.7	36	2.2	23	-5.0	43	9	020		30.23			30.42	FM-15	0.00	30.41
07	1154	7	FEW:02 45 BKN:07 300	10.00		46	7.8	37	2.8	23	-5.0	40	9	040		30.21			30.41	FM-15	0.00	30.39
07	1254	7	SCT:04 300	10.00		46	7.8	37	2.8	22	-5.6	38	3	060		30.20	8	+0.03	30.40	FM-15	0.00	30.38
07	1300	4		9.94		46	7.8	37	2.8	22	-5.6	38	3	060		30.20	8	+0.03	30.40	FM-12		
07	1354	7	FEW:02 300	10.00		48	8.9	38	3.3	22	-5.6	36	0	000		30.19			30.39	FM-15	0.00	30.37
07	1454	7	FEW:02 300	10.00		48	8.9	37	2.8	19	-7.2	32	7	010		30.20			30.40	FM-15	0.00	30.38
07	1554	7	FEW:02 300	10.00		46	7.8	36	2.2	20	-6.7	35	6	020		30.22	3	-0.02	30.41	FM-15	0.00	30.40
07	1654	7	SCT:04 300	10.00		43	6.1	34	1.1	19	-7.2	38	3	070		30.22			30.42	FM-15	0.00	30.40
07	1754	7	FEW:02 300	10.00		38	3.3	33	0.6	23	-5.0	55	5	020		30.24			30.44	FM-15	0.00	30.42
07	1854	7	FEW:02 300	10.00		35	1.7	31	-0.6	23	-5.0	61	5	070		30.25	3	-0.04	30.45	FM-15	0.00	30.43
07	1900	4		9.94		35	1.7	31	-0.6	23	-5.0	61	5	070		30.25	3	-0.04	30.45	FM-12		
07	1954	7	CLR:00	10.00		33	0.6	29	-1.7	22	-5.6	64	0	000		30.27			30.47	FM-15	0.00	30.45
07	2054	7	CLR:00	10.00		32	0.0	29	-1.7	23	-5.0	69	3	030		30.27			30.47	FM-15	0.00	30.45
07	2154	7	CLR:00	10.00		30	-1.1	28	-2.2	23	-5.0	75	3	120		30.28	1	-0.03	30.48	FM-15	0.00	30.46
07	2254	7	CLR:00	10.00		30	-1.1	28	-2.2	23	-5.0	75	3	010		30.30			30.49	FM-15	0.00	30.48
07	2354	7	CLR:00	10.00		28	-2.2	26	-3.3	22	-5.6	78	0	000		30.30			30.50	FM-15	0.00	30.48
08	0054	7	CLR:00	10.00		29	-1.7	27	-2.8	22	-5.6	75	3	340		30.31	1	-0.02	30.50	FM-15	0.00	30.49
08	0100	4		9.94		29	-1.7	27	-2.8	22	-5.6	75	3	340		30.31	1	-0.02	30.50	FM-12		
08	0154	7	CLR:00	10.00		27	-2.8	25	-3.9	22	-5.6	81	0	000		30.31			30.51	FM-15	0.00	30.49
08	0254	7	FEW:02 300	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.31			30.51	FM-15	0.00	30.49
08	0354	7	FEW:02 300	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.31	0	-0.01	30.51	FM-15	0.00	30.49
08	0454	7	FEW:02 300	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.31			30.51	FM-15	0.00	30.49
08	0554	7	FEW:02 300	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.32			30.52	FM-15	0.00	30.50
08	0654	7	FEW:02 300	10.00		26	-3.3	25	-3.9	23	-5.0	88	3	340		30.32	2	-0.01	30.52	FM-15	0.00	30.50
08	0700	4		9.94		26	-3.3	25	-3.9	23	-5.0	88	3	340		30.32	2	-0.01	30.52	FM-12		
08	0754	7	BKN:07 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	5	340		30.32			30.52	FM-15	0.00	30.50
08	0854	7	BKN:07 300	10.00		33	0.6	31	-0.6	27	-2.8	78	5	350		30.33			30.53	FM-15	0.00	30.51
08	0954	7	BKN:07 300	10.00		40	4.4	35	1.7	28	-2.2	63	5	050		30.33	1	-0.01	30.53	FM-15	0.00	30.51

08	1054	7	BKN:07 300	10.00		45	7.2	39	3.9	31	-0.6	58	5	110		30.32			30.51	FM-15	0.00	30.50
08	1154	7	FEW:02 45 BKN:07 300	10.00		47	8.3	41	5.0	33	0.6	59	9	110		30.29			30.48	FM-15	0.00	30.47
08	1254	7	BKN:07 300	10.00		49	9.4	42	5.6	33	0.6	55	6	VRB		30.25	8	+0.08	30.45	FM-15	0.00	30.43
08	1300	4		9.94		49	9.4	42	5.6	33	0.6	55	6			30.25	8	+0.08	30.45	FM-12		
08	1354	7	BKN:07 300	10.00		50	10.0	42	5.6	31	-0.6	48	5	130		30.22			30.42	FM-15	0.00	30.40
08	1454	7	SCT:04 50 BKN:07 300	10.00		51	10.6	43	6.1	33	0.6	50	7	070		30.20			30.40	FM-15	0.00	30.38
08	1554	7	FEW:02 49 SCT:04 80 BKN:07 300	10.00		50	10.0	43	6.1	34	1.1	54	6	140		30.19	6	+0.06	30.38	FM-15	0.00	30.37
08	1654	7	SCT:04 46 BKN:07 75 OVC:08 300	10.00		49	9.4	43	6.1	35	1.7	59	0	000		30.17			30.37	FM-15	0.00	30.35
08	1754	7	BKN:07 41 OVC:08 60	10.00		49	9.4	44	6.7	37	2.8	64	3	090		30.18			30.38	FM-15	0.00	30.36
08	1854	7	BKN:07 34 OVC:08 50	10.00		48	8.9	43	6.1	38	3.3	68	6	120		30.17	6	+0.01	30.37	FM-15	0.00	30.35
08	1900	4	41	9.94		48	8.9	43	6.1	38	3.3	68	6	120		30.17	6	+0.01	30.37	FM-12		
08	1954	7	FEW:02 35 BKN:07 60 OVC:08 80	10.00		47	8.3	43	6.1	39	3.9	74	5	130		30.16			30.35	FM-15	0.00	30.34
08	2054	7	BKN:07 40 OVC:08 55	8.00	-RA:02 RA RA	47	8.3	43	6.1	39	3.9	74	0	000		30.17			30.36	FM-15	T	30.35
08	2104	7	FEW:02 15 BKN:07 25 OVC:08 40	3.00	-RA:02 RA RA	47	8.3	44	6.7	40	4.4	77	0	000		30.16				FM-16	T	30.34
08	2112	7	BKN:07 17 OVC:08 30	2.00	RA:02 BR:1 RA RA	45	7.2	43	6.1	41	5.0	86	0	000		30.16				FM-16	0.01	30.34
08	2137	7	FEW:02 7 OVC:08 28	2.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	3	350		30.15				FM-16	0.04	30.33
08	2144	7	BKN:07 7 OVC:08 28	2.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	3	360		30.15				FM-16	0.05	30.33
08	2154	7	BKN:07 7 OVC:08 22	2.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	3	040		30.14	8	+0.03	30.34	FM-15	0.06s	30.32
08	2254	7	BKN:07 3 OVC:08 11	2.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	44	6.7	100	8	350		30.12			30.31	FM-15	0.05	30.30
08	2314	7	BKN:07 3 OVC:08 16	1.50	RA:02 BR:1 RA RA	44	6.7	44	6.7	44	6.7	100	7	010		30.11				FM-16	0.02	30.29
08	2354	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	6	340		30.09			30.29	FM-15	0.10	30.27
09	0003	7	BKN:07 3 OVC:08 14	1.50	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	010		30.08				FM-16	0.03	30.26
09	0031	7	BKN:07 3 OVC:08 20	2.00	RA:02 BR:1 RA RA	44	6.7	44	6.7	44	6.7	100	5	340		30.07				FM-16	0.14	30.25
09	0054	7	BKN:07 3 OVC:08 20	2.50	-RA:02 BR:1 RA RA	44	6.7	44	6.7	44	6.7	100	5	360		30.06	8	+0.08	30.26	FM-15	0.17	30.24
09	0100	4	2	2.49	RA	44	6.7	44	6.7	44	6.7	100	5	360		30.06	8	+0.08	30.26	FM-12		
09	0154	7	BKN:07 3 OVC:08 33	2.50	-RA:02 BR:1 RA RA	44	6.7	44	6.7	44	6.7	100	3	VRB		30.05			30.24	FM-15	0.14	30.23
09	0216	7	SCT:04 3 OVC:08 29	3.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	44	6.7	100	3	010		30.03				FM-16	0.04	30.21
09	0254	7	FEW:02 3 OVC:08 35	5.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	44	6.7	100	5	090		30.01			30.21	FM-15	0.05	30.19
09	0328	7	BKN:07 3 OVC:08 35	7.00		44	6.7	44	6.7	44	6.7	100	0	000		29.99				FM-16	T	30.17
09	0354	7	OVC:08 3	10.00		44	6.7	44	6.7	44	6.7	100	0	000		29.97	8	+0.09	30.16	FM-15	0.00	30.15
09	0454	7	OVC:08 3	6.00	BR:1	44	6.7	44	6.7	44	6.7	100	7	270		29.98			30.17	FM-15	0.00	30.16
09	0536	7	OVC:08 3	2.50	BR:1	45	7.2	45	7.2	45	7.2	100	0	000		29.96				FM-16		30.14
09	0554	7	OVC:08 3	1.50	BR:1	45	7.2	45	7.2	45	7.2	100	0	000		29.96			30.15	FM-15	0.00	30.14
09	0611	7	OVC:08 2	1.00	BR:1	44	6.7	44	6.7	44	6.7	100	3	160		29.95				FM-16		30.13
09	0629	7	VV:09 3	0.75	BR:1	44	6.7	44	6.7	44	6.7	100	3	190		29.96				FM-16		30.14
09	0654	7	VV:09 3	0.50	FG:2 FG	45	7.2	45	7.2	45	7.2	100	5	190		29.95	8	+0.01	30.15	FM-15	0.00	30.13

09	0700	4	2	0.50	FG	45	7.2	45	7.2	45	7.2	100	5	190		29.95	8	+0.01	30.15	FM-12		
09	0754	7	VV:09 3	0.12	FG:2 FG	45	7.2	45	7.2	45	7.2	100	7	210		29.95			30.15	FM-15	0.00	30.13
09	0837	7	VV:09 2	0.12	FG:2 FG	45	7.2	45	7.2	45	7.2	100	3	210		29.94				FM-16		30.12
09	0851	7	VV:09 3	0.12	FG:2 FG	45	7.2	45	7.2	45	7.2	100	5	230		29.94				FM-16		30.12
09	0854	7	VV:09 3	0.12	FG:2 FG	45	7.2	45	7.2	45	7.2	100	6	220		29.94			30.14	FM-15	0.00	30.12
09	0954	7	VV:09 2	0.12	FG:2 FG	47	8.3	47	8.3	47	8.3	100	7	170		29.94	5	+0.01	30.14	FM-15	0.00	30.12
09	1004	7	VV:09 3	0.25	FG:2 FG	47	8.3	47	8.3	47	8.3	100	7	220		29.95				FM-16		30.13
09	1016	7	VV:09 3	0.50	FG:2 FG	47	8.3	47	8.3	47	8.3	100	8	200		29.95				FM-16		30.13
09	1054	7	OVC:08 3	0.50	-RA:02 FG:2 FG RA RA	47	8.3	47	8.3	47	8.3	100	8	220		29.93			30.12	FM-15	T	30.11
09	1109	7	OVC:08 3	1.25	-RA:02 BR:1 RA RA	47	8.3	47	8.3	47	8.3	100	10	230		29.92				FM-16	T	30.10
09	1123	7	OVC:08 3	1.50	-RA:02 BR:1 RA RA	47	8.3	47	8.3	47	8.3	100	7	190		29.90				FM-16	T	30.08
09	1133	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	47	8.3	47	8.3	47	8.3	100	6	220		29.90				FM-16	0.01	30.08
09	1154	7	OVC:08 3	2.50	BR:1	48	8.9	48	8.9	48	8.9	100	7	170		29.87			30.07	FM-15	0.01	30.05
09	1254	7	OVC:08 3	2.50	BR:1	48	8.9	48	8.9	48	8.9	100	7	190		29.83	8	+0.11	30.03	FM-15	T	30.01
09	1300	4	2	2.49		48	8.9	48	8.9	48	8.9	100	7	190		29.83	8	+0.11	30.03	FM-12		
09	1354	7	OVC:08 3	2.50	BR:1	49	9.4	49	9.4	49	9.4	100	8	180		29.79			29.98	FM-15	0.00	29.97
09	1454	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	50	10.0	49	9.4	49	9.4	96	9	180		29.76			29.96	FM-15	T	29.94
09	1554	7	BKN:07 4 OVC:08 28	2.50	-RA:02 BR:1 RA RA	50	10.0	50	10.0	50	10.0	100	7	190		29.76	6	+0.07	29.95	FM-15	0.02	29.94
09	1609	7	BKN:07 5 BKN:07 35 OVC:08 95	2.50	-RA:02 BR:1 RA RA	50	10.0	50	10.0	50	10.0	100	10	180		29.74				FM-16	0.01	29.92
09	1654	7	BKN:07 7 BKN:07 80 OVC:08 120	5.00	BR:1	52	11.1	51	10.6	51	10.6	97	10	190		29.73			29.92	FM-15	0.02	29.91
09	1731	7	SCT:04 7 SCT:04 85 BKN:07 130	10.00		52	11.1	51	10.6	51	10.6	97	9	200		29.73				FM-16		29.91
09	1754	7	FEW:02 10 SCT:04 85 BKN:07 130	10.00		52	11.1	51	10.6	51	10.6	97	10	190		29.72			29.92	FM-15	0.00	29.90
09	1810	7	BKN:07 12 BKN:07 85 OVC:08 130	10.00		53	11.7	52	11.1	52	11.1	96	10	200		29.73				FM-16		29.91
09	1844	7	OVC:08 9	9.00		53	11.7	53	11.7	53	11.7	100	10	200		29.73				FM-16		29.91
09	1854	7	OVC:08 9	9.00		54	12.2	53	11.7	53	11.7	97	11	200		29.73	5	+0.03	29.92	FM-15	0.00	29.91
09	1900	4	8	8.70		54	12.2	53	11.7	53	11.7	97	11	200		29.73	5	+0.03	29.92	FM-12		
09	1954	7	BKN:07 12 OVC:08 17	10.00		55	12.8	54	12.2	54	12.2	96	11	190		29.72			29.91	FM-15	0.00	29.90
09	2012	7	OVC:08 15	10.00		56	13.3	55	12.8	54	12.2	93	11	190		29.72				FM-16		29.90
09	2034	7	BKN:07 14 BKN:07 21 OVC:08 29	10.00		56	13.3	55	12.8	55	12.8	97	11	190		29.72				FM-16		29.90
09	2054	7	SCT:04 14 BKN:07 24 OVC:08 150	10.00		56	13.3	55	12.8	55	12.8	97	11	190		29.73			29.92	FM-15	0.00	29.91
09	2154	7	BKN:07 16 OVC:08 24	10.00		59	15.0	58	14.4	57	13.9	93	13	200		29.73	3	-0.01	29.92	FM-15	0.00	29.91
09	2254	7	BKN:07 19 BKN:07 26 OVC:08 120	10.00		60	15.6	58	14.4	57	13.9	90	17	210		29.71			29.91	FM-15	0.00	29.89
09	2322	7	SCT:04 20 BKN:07 110 OVC:08 130	10.00		60	15.6	58	14.4	57	13.9	90	16	210		29.72				FM-16		29.90
09	2354	7	BKN:07 20 OVC:08 110	10.00		60	15.6	58	14.4	57	13.9	90	13	220		29.72			29.92	FM-15	0.00	29.90
10	0052	6	SCT:04 24 OVC:08 110	10.00		61	16.1	58	14.4	55	12.8	83	11	220		29.72				FM-16		29.90
10	0054	7	SCT:04 24 OVC:08 110	10.00		60	15.6	58	14.4	56	13.3	86	10	220		29.72	0	0.00	29.91	FM-15	0.00	29.90
10	0100	4	26	9.94		60	15.6	58	14.4	56	13.3	86	10	220		29.72	9	0.00	29.91	FM-12		

10	0126	7	BKN:07 22 BKN:07 120 OVC:08 300	10.00		61	16.1	58	14.4	56	13.3	84	17	230	24	29.72				FM-16		29.90
10	0152	6	SCT:04 21 BKN:07 130 OVC:08 300	10.00		57	13.9	56	13.3	55	12.8	94	14	250		29.72				FM-16		29.90
10	0154	7	SCT:04 21 BKN:07 130 OVC:08 300	10.00		58	14.4	56	13.3	55	12.8	90	13	250		29.72			29.91	FM-15	0.00	29.90
10	0252	6	BKN:07 19 OVC:08 140	10.00		57	13.9	55	12.8	54	12.2	88	14	220		29.72				FM-16		29.90
10	0254	7	BKN:07 19 OVC:08 140	10.00		57	13.9	55	12.8	54	12.2	90	16	220		29.72			29.91	FM-15	0.00	29.90
10	0354	7	OVC:08 15	10.00		57	13.9	56	13.3	55	12.8	93	11	220		29.71	8	+0.01	29.90	FM-15	0.00	29.89
10	0454	7	OVC:08 18	10.00		58	14.4	56	13.3	55	12.8	90	13	210		29.71			29.91	FM-15	0.00	29.89
10	0554	7	OVC:08 15	10.00		58	14.4	57	13.9	56	13.3	93	10	210		29.71			29.91	FM-15	0.00	29.89
10	0654	7	OVC:08 17	10.00		60	15.6	58	14.4	57	13.9	90	14	220		29.71	0	0.00	29.91	FM-15	0.00	29.89
10	0700	4	15	9.94		60	15.6	58	14.4	57	13.9	90	14	220		29.71	9	0.00	29.91	FM-12		
10	0754	7	BKN:07 22 BKN:07 43 BKN:07 250	10.00		61	16.1	59	15.0	58	14.4	90	13	210		29.73			29.92	FM-15	0.00	29.91
10	0854	7	BKN:07 21 BKN:07 140 BKN:07 230	10.00		64	17.8	61	16.1	59	15.0	84	15	210		29.73			29.93	FM-15	0.00	29.91
10	0906	7	SCT:04 19 BKN:07 140 BKN:07 210	10.00		64	17.8	61	16.1	59	15.0	84	15	210		29.73				FM-16		29.91
10	0954	7	FEW:02 21 FEW:02 45 BKN:07 150	10.00		65	18.3	61	16.1	59	15.0	81	13	210		29.73	0	-0.01	29.92	FM-15	0.00	29.91
10	1054	7	SCT:04 25 SCT:04 55 BKN:07 85	10.00		67	19.4	62	16.7	59	15.0	76	15	220		29.73			29.92	FM-15	0.00	29.91
10	1115	7	BKN:07 27 BKN:07 49 OVC:08 60	10.00		67	19.4	62	16.7	59	15.0	76	16	230		29.72				FM-16		29.90
10	1154	7	BKN:07 26 BKN:07 55 OVC:08 80	10.00		68	20.0	63	17.2	59	15.0	73	13	220		29.70			29.89	FM-15	0.00	29.88
10	1224	7	BKN:07 21 OVC:08 32	2.50	-RA:02 BR:1 RA RA	64	17.8	62	16.7	60	15.6	87	10	290	22	29.71				FM-16	T	29.89
10	1237	7	FEW:02 15 BKN:07 21 OVC:08 32	10.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	8	290		29.70				FM-16	0.02	29.88
10	1254	7	FEW:02 7 BKN:07 22 OVC:08 55	10.00	-RA:02 RA RA	61	16.1	60	15.6	60	15.6	97	10	290		29.70	5	+0.03	29.89	FM-15	0.02	29.88
10	1300	4	8	9.94	RA	61	16.1	60	15.6	60	15.6	97	10	290		29.70	5	+0.03	29.89	FM-12		
10	1317	7	BKN:07 7 OVC:08 20	1.25	-RA:02 BR:1 RA RA	61	16.1	60	15.6	60	15.6	97	11	290		29.70				FM-16	0.03	29.88
10	1328	7	SCT:04 6 BKN:07 15 OVC:08 21	1.50	-RA:02 BR:1 RA RA	61	16.1	60	15.6	60	15.6	97	14	280		29.71				FM-16	0.04	29.89
10	1343	7	SCT:04 8 SCT:04 17 OVC:08 27	3.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	93	15	270	25	29.71				FM-16	0.07	29.89
10	1354	7	SCT:04 9 SCT:04 21 OVC:08 29	5.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	93	13	260		29.71			29.90	FM-15	0.07	29.89
10	1408	7	SCT:04 10 OVC:08 33	10.00		60	15.6	59	15.0	59	15.0	96	10	250		29.70				FM-16	T	29.88
10	1454	7	FEW:02 19 OVC:08 32	8.00	-RA:02 RA RA	60	15.6	59	15.0	58	14.4	93	6	260		29.72			29.91	FM-15	T	29.90
10	1554	7	OVC:08 39	6.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	8	250		29.74	3	-0.04	29.93	FM-15	0.01	29.92

10	1654	7	OVC:08 47	10.00	-RA:02 RA RA	59	15.0	58	14.4	57	13.9	93	7	250		29.76			29.95	FM-15	0.01	29.94
10	1754	7	OVC:08 50	10.00		59	15.0	58	14.4	57	13.9	93	9	270		29.81			30.01	FM-15	T	29.99
10	1852	6	BKN:07 28 OVC:08 50	10.00	-RA:02 RA RA	57	13.9	56	13.3	55	12.8	94	9	320		29.85				FM-16		30.03
10	1854	7	BKN:07 26 OVC:08 50	10.00	-RA:02 RA RA	57	13.9	55	12.8	54	12.2	90	13	310	21	29.85	3	-0.12	30.04	FM-15	0.03	30.03
10	1900	4	26	9.94	RA	57	13.9	55	12.8	54	12.2	90	13	310		29.85	3	-0.12	30.04	FM-12		
10	1924	7	FEW:02 24 OVC:08 34	6.00	RA:02 BR:1 RA RA	55	12.8	53	11.7	51	10.6	87	11	300		29.87				FM-16	0.02	30.05
10	1954	7	BKN:07 33 BKN:07 40 OVC:08 50	6.00	-RA:02 BR:1 RA RA	53	11.7	51	10.6	50	10.0	89	11	310		29.89			30.08	FM-15	0.03	30.07
10	2054	7	SCT:04 50 OVC:08 60	7.00	-RA:02 RA RA	51	10.6	50	10.0	50	10.0	96	6	340		29.89			30.09	FM-15	0.03	30.07
10	2154	7	FEW:02 40 OVC:08 60	10.00	-RA:02 RA RA	51	10.6	50	10.0	50	10.0	96	5	280		29.91	1	-0.06	30.11	FM-15	0.02	30.09
10	2254	7	FEW:02 39 BKN:07 50 OVC:08 70	7.00	-RA:02 RA RA	50	10.0	49	9.4	48	8.9	93	8	300		29.95			30.14	FM-15	0.04	30.13
10	2352	6	FEW:02 7 OVC:08 60	7.00	-RA:02 RA RA	48	8.9	47	8.3	46	7.8	94	8	290		29.95				FM-16		30.13
10	2354	7	FEW:02 7 OVC:08 60	7.00	-RA:02 RA RA	49	9.4	48	8.9	47	8.3	93	9	300		29.94			30.13	FM-15	0.02	30.12
11	0025	7	FEW:02 7 BKN:07 27 OVC:08 60	4.00	-RA:02 BR:1 RA RA	48	8.9	48	8.9	47	8.3	96	9	300		29.95				FM-16	0.03	30.13
11	0052	6	SCT:04 9 BKN:07 12 OVC:08 19	5.00	-RA:02 BR:1 RA RA	46	7.8	46	7.8	46	7.8	100	11	310		29.95				FM-16		30.13
11	0054	7	SCT:04 9 BKN:07 12 OVC:08 19	5.00	-RA:02 BR:1 RA RA	47	8.3	47	8.3	46	7.8	97	9	310		29.96	1	-0.04	30.15	FM-15	0.06	30.14
11	0100	4	8	4.97	RA	47	8.3	47	8.3	46	7.8	97	9	310		29.96	1	-0.04	30.15	FM-12		
11	0142	7	BKN:07 7 OVC:08 12	3.00	RA:02 BR:1 RA RA	45	7.2	45	7.2	44	6.7	97	8	030		29.99				FM-16	0.09	30.17
11	0154	7	OVC:08 7	4.00	RA:02 BR:1 RA RA	44	6.7	44	6.7	44	6.7	100	9	030		30.00			30.19	FM-15	0.12	30.18
11	0223	7	SCT:04 7 OVC:08 12	2.50	RA:02 BR:1 RA RA	43	6.1	43	6.1	42	5.6	97	15	020	21	30.01				FM-16	0.07	30.19
11	0254	7	SCT:04 8 OVC:08 16	4.00	-RA:02 BR:1 RA RA	41	5.0	41	5.0	40	4.4	96	14	020	23	30.02			30.21	FM-15	0.12	30.20
11	0314	7	BKN:07 8 OVC:08 16	5.00	-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	13	020		30.03				FM-16	0.01	30.21
11	0354	7	SCT:04 8 BKN:07 13 OVC:08 33	5.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	15	010		30.05	1	-0.09	30.24	FM-15	0.05	30.23
11	0435	7	SCT:04 9 BKN:07 19 OVC:08 37	5.00	RA:02 BR:1 RA RA	35	1.7	34	1.1	33	0.6	93	11	360		30.09				FM-16	0.08	30.27
11	0452	6	SCT:04 15 BKN:07 31 OVC:08 70	4.00	-SN:03 BR:1 SN	34	1.1	34	1.1	34	1.1	100	11	010		30.07				FM-16		30.25
11	0454	7	SCT:04 15 BKN:07 45 OVC:08 70	3.00	-SN:03 BR:1 SN	34	1.1	33	0.6	32	0.0	92	10	010		30.06			30.26	FM-15	0.11	30.24
11	0513	7	FEW:02 5 BKN:07 27 OVC:08 70	2.00	-SN:03 BR:1 SN	33	0.6	33	0.6	32	0.0	96	9	360		30.08				FM-16	0.04	30.26
11	0534	7	BKN:07 5 BKN:07 11 OVC:08 17	3.00	-SN:03 BR:1 SN	33	0.6	33	0.6	33	0.6	100	8	340		30.12				FM-16	0.05	30.30
11	0554	7	BKN:07 7 OVC:08 33	3.00	-SN:03 BR:1 SN	33	0.6	33	0.6	32	0.0	96	8	360		30.13			30.33	FM-15	0.06	30.31

11	0614	7	SCT:04 7 BKN:07 35 OVC:08 47	10.00		33	0.6	33	0.6	32	0.0	96	8	360		30.12				FM-16	T	30.30
11	0639	7	FEW:02 7 BKN:07 27 OVC:08 60	10.00		33	0.6	33	0.6	32	0.0	96	6	010		30.13				FM-16	T	30.31
11	0654	7	FEW:02 7 BKN:07 25 OVC:08 60	6.00	-SN:03 SN	33	0.6	33	0.6	32	0.0	96	6	010		30.14	1	-0.09	30.33	FM-15	T	30.32
11	0700	4	8	5.59		33	0.6	33	0.6	32	0.0	96	6	010		30.14	1	-0.09	30.33	FM-12		
11	0752	6	FEW:02 9 FEW:02 19 BKN:07 32	10.00		34	1.1	33	0.6	32	0.0	93	8	350		30.18				FM-16		30.36
11	0754	7	FEW:02 9 FEW:02 19 BKN:07 32	10.00		33	0.6	33	0.6	32	0.0	96	8	360		30.18			30.37	FM-15	0.01	30.36
11	0854	7	FEW:02 13 BKN:07 40 BKN:07 100	10.00		35	1.7	34	1.1	32	0.0	89	5	360		30.21			30.40	FM-15	0.00	30.39
11	0954	7	FEW:02 12 SCT:04 41 SCT:04 110	10.00		38	3.3	36	2.2	32	0.0	79	7	350		30.22	1	-0.08	30.41	FM-15	0.00	30.40
11	1054	7	SCT:04 23 SCT:04 42 BKN:07 300	10.00		40	4.4	36	2.2	31	-0.6	70	10	350		30.20			30.40	FM-15	0.00	30.38
11	1154	7	SCT:04 31 BKN:07 300	10.00		41	5.0	36	2.2	29	-1.7	62	11	310		30.19			30.39	FM-15	0.00	30.37
11	1254	7	SCT:04 35 BKN:07 300	10.00		43	6.1	36	2.2	24	-4.4	47	13	290	20	30.19	6	+0.02	30.39	FM-15	0.00	30.37
11	1300	4	41	9.94		43	6.1	36	2.2	24	-4.4	47	13	290		30.19	6	+0.02	30.39	FM-12		
11	1354	7	FEW:02 41 BKN:07 300	10.00		44	6.7	37	2.8	25	-3.9	47	9	300		30.18			30.38	FM-15	0.00	30.36
11	1454	7	FEW:02 43 SCT:04 300	10.00		45	7.2	37	2.8	25	-3.9	46	9	VRB		30.19			30.39	FM-15	0.00	30.37
11	1554	7	SCT:04 300	10.00		44	6.7	36	2.2	22	-5.6	41	9	300		30.23	3	-0.04	30.43	FM-15	0.00	30.41
11	1654	7	BKN:07 300	10.00		41	5.0	33	0.6	19	-7.2	41	8	320		30.22			30.42	FM-15	0.00	30.40
11	1754	7	BKN:07 300	10.00		36	2.2	31	-0.6	22	-5.6	57	3	230		30.26			30.46	FM-15	0.00	30.44
11	1854	7	SCT:04 300	10.00		34	1.1	30	-1.1	24	-4.4	67	5	210		30.28	3	-0.05	30.48	FM-15	0.00	30.46
11	1900	4		9.94		34	1.1	30	-1.1	24	-4.4	67	5	210		30.28	3	-0.05	30.48	FM-12		
11	1954	7	FEW:02 300	10.00		34	1.1	30	-1.1	22	-5.6	61	0	000		30.29			30.49	FM-15	0.00	30.47
11	2054	7	FEW:02 300	10.00		31	-0.6	29	-1.7	25	-3.9	79	0	000		30.31			30.51	FM-15	0.00	30.49
11	2154	7	CLR:00	10.00		31	-0.6	29	-1.7	25	-3.9	79	0	000		30.33	3	-0.05	30.53	FM-15	0.00	30.51
11	2254	7	CLR:00	10.00		29	-1.7	27	-2.8	24	-4.4	82	9	350		30.36			30.56	FM-15	0.00	30.54
11	2354	7	CLR:00	10.00		32	0.0	29	-1.7	22	-5.6	66	11	030		30.39			30.58	FM-15	0.00	30.57
12	0054	7	CLR:00	10.00		31	-0.6	28	-2.2	21	-6.1	67	9	030		30.39	1	-0.06	30.59	FM-15	0.00	30.57
12	0100	4		9.94		31	-0.6	28	-2.2	21	-6.1	67	9	030		30.39	1	-0.06	30.59	FM-12		
12	0154	7	CLR:00	10.00		30	-1.1	27	-2.8	20	-6.7	66	6	040		30.41			30.60	FM-15	0.00	30.59
12	0254	7	CLR:00	10.00		30	-1.1	26	-3.3	19	-7.2	64	3	040		30.43			30.63	FM-15	0.00	30.61
12	0354	7	CLR:00	10.00		29	-1.7	26	-3.3	19	-7.2	66	0	000		30.44	3	-0.05	30.64	FM-15	0.00	30.62
12	0454	7	CLR:00	10.00		28	-2.2	25	-3.9	20	-6.7	72	5	360		30.48			30.68	FM-15	0.00	30.66
12	0554	7	CLR:00	10.00		28	-2.2	25	-3.9	20	-6.7	72	0	000		30.49			30.69	FM-15	0.00	30.67
12	0654	7	FEW:02 250	10.00		25	-3.9	24	-4.4	21	-6.1	85	3	020		30.50	1	-0.06	30.70	FM-15	0.00	30.68
12	0700	4		9.94		25	-3.9	24	-4.4	21	-6.1	85	3	020		30.50	1	-0.06	30.70	FM-12		
12	0754	7	FEW:02 250	10.00		29	-1.7	26	-3.3	21	-6.1	72	5	040		30.52			30.72	FM-15	0.00	30.70
12	0854	7	SCT:04 300	10.00		33	0.6	29	-1.7	22	-5.6	64	8	050		30.54			30.74	FM-15	0.00	30.72
12	0954	7	FEW:02 300	10.00		36	2.2	31	-0.6	23	-5.0	59	11	060		30.55	1	-0.05	30.75	FM-15	0.00	30.73
12	1054	7	FEW:02 300	10.00		37	2.8	32	0.0	24	-4.4	59	7	050		30.56			30.76	FM-15	0.00	30.74
12	1154	7	FEW:02 40 FEW:02 300	10.00		39	3.9	33	0.6	24	-4.4	55	6	040		30.53			30.73	FM-15	0.00	30.71
12	1254	7	FEW:02 40 SCT:04 300	10.00		39	3.9	33	0.6	23	-5.0	53	5	VRB		30.50	8	+0.05	30.70	FM-15	0.00	30.68

12	1300	4	41	9.94		39	3.9	33	0.6	23	-5.0	53	5			30.50	8	+0.05	30.70	FM-12		
12	1354	7	FEW:02 44 BKN:07 300	10.00		41	5.0	34	1.1	21	-6.1	45	3	110		30.48			30.68	FM-15	0.00	30.66
12	1454	7	FEW:02 45 BKN:07 300	10.00		41	5.0	34	1.1	21	-6.1	45	6	100		30.47			30.67	FM-15	0.00	30.65
12	1554	7	FEW:02 45 BKN:07 300	10.00		40	4.4	33	0.6	19	-7.2	43	8	090		30.46	6	+0.04	30.66	FM-15	0.00	30.64
12	1654	7	FEW:02 45 BKN:07 300	10.00		35	1.7	30	-1.1	21	-6.1	57	7	120		30.45			30.65	FM-15	0.00	30.63
12	1754	7	SCT:04 300	10.00		35	1.7	31	-0.6	24	-4.4	64	3	080		30.44			30.64	FM-15	0.00	30.62
12	1854	7	SCT:04 300	10.00		33	0.6	30	-1.1	25	-3.9	72	6	060		30.44	6	+0.02	30.63	FM-15	0.00	30.62
12	1900	4		9.94		33	0.6	30	-1.1	25	-3.9	72	6	060		30.44	6	+0.02	30.63	FM-12		
12	1954	7	FEW:02 35 OVC:08 300	10.00		31	-0.6	29	-1.7	25	-3.9	79	6	050		30.43			30.63	FM-15	0.00	30.61
12	2054	7	FEW:02 35 OVC:08 300	10.00		31	-0.6	29	-1.7	25	-3.9	79	5	060		30.41			30.61	FM-15	0.00	30.59
12	2154	7	SCT:04 40 OVC:08 300	10.00		31	-0.6	29	-1.7	25	-3.9	79	6	040		30.37	8	+0.06	30.58	FM-15	0.00	30.55
12	2254	7	FEW:02 40 OVC:08 300	10.00		30	-1.1	28	-2.2	25	-3.9	82	5	010		30.36			30.56	FM-15	0.00	30.54
12	2354	7	OVC:08 300	10.00		30	-1.1	28	-2.2	25	-3.9	82	6	360		30.33			30.53	FM-15	0.00	30.51
13	0054	7	OVC:08 300	10.00		31	-0.6	29	-1.7	25	-3.9	79	8	350		30.30	8	+0.07	30.50	FM-15	0.00	30.48
13	0100	4		9.94		31	-0.6	29	-1.7	25	-3.9	79	8	350		30.30	8	+0.07	30.50	FM-12		
13	0154	7	BKN:07 60 OVC:08 300	10.00		32	0.0	30	-1.1	26	-3.3	79	8	020		30.26			30.46	FM-15	0.00	30.44
13	0254	7	SCT:04 55 BKN:07 300	10.00		31	-0.6	29	-1.7	26	-3.3	82	6	350		30.24			30.44	FM-15	0.00	30.42
13	0354	7	BKN:07 60 OVC:08 300	10.00		32	0.0	30	-1.1	27	-2.8	82	10	030		30.21	6	+0.09	30.41	FM-15	0.00	30.39
13	0454	7	FEW:02 18 OVC:08 65	10.00		33	0.6	31	-0.6	28	-2.2	82	8	340		30.19			30.39	FM-15	0.00	30.37
13	0516	7	BKN:07 18 OVC:08 65	10.00		33	0.6	31	-0.6	28	-2.2	82	9	350		30.19				FM-16		30.37
13	0552	6	OVC:08 13	10.00		34	1.1	32	0.0	28	-2.2	81	11	340		30.19				FM-16		30.37
13	0554	7	OVC:08 13	10.00		34	1.1	32	0.0	28	-2.2	79	10	340		30.19			30.39	FM-15	0.00	30.37
13	0640	7	OVC:08 9	10.00		34	1.1	32	0.0	29	-1.7	82	8	010		30.16				FM-16		30.34
13	0654	7	OVC:08 8	10.00		34	1.1	32	0.0	29	-1.7	82	8	030		30.15	8	+0.06	30.35	FM-15	0.00	30.33
13	0700	4	8	9.94		34	1.1	32	0.0	29	-1.7	82	8	030		30.15	8	+0.06	30.35	FM-12		
13	0754	7	OVC:08 7	10.00		34	1.1	32	0.0	30	-1.1	85	9	330		30.17			30.37	FM-15	T	30.35
13	0852	6	OVC:08 6	6.00	-RA:02 BR:1 RA RA	36	2.2	34	1.1	32	0.0	87	7	020		30.14				FM-16		30.32
13	0854	7	OVC:08 5	5.00	-RA:02 BR:1 RA RA	35	1.7	34	1.1	32	0.0	89	7	020		30.14			30.34	FM-15	0.01	30.32
13	0952	6	OVC:08 4	4.00	-RA:02 BR:1 RA RA	36	2.2	35	1.7	34	1.1	93	7	340		30.13				FM-16		30.31
13	0954	7	OVC:08 4	4.00	-RA:02 BR:1 RA RA	35	1.7	35	1.7	34	1.1	96	7	350		30.13	8	+0.02	30.33	FM-15	0.03	30.31
13	1040	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	36	2.2	36	2.2	36	2.2	100	6	360		30.10				FM-16	0.01	30.28
13	1054	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	7	360		30.09			30.29	FM-15	0.01	30.27
13	1130	7	OVC:08 2	1.25	-RA:02 BR:1 RA RA	37	2.8	37	2.8	37	2.8	100	6	360		30.07				FM-16	T	30.25
13	1154	7	OVC:08 2	1.25	-RA:02 BR:1 RA RA	38	3.3	38	3.3	38	3.3	100	7	360		30.05			30.24	FM-15	T	30.23
13	1254	7	OVC:08 2	1.25	-RA:02 BR:1 RA RA	39	3.9	39	3.9	38	3.3	96	7	340		30.00	8	+0.13	30.20	FM-15	0.01	30.18
13	1300	4	2	1.24	RA	39	3.9	39	3.9	38	3.3	96	7	340		30.00	8	+0.13	30.20	FM-12		
13	1349	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	6	010		29.96				FM-16	0.02	30.14
13	1354	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	39	3.9	39	3.9	39	3.9	100	7	020		29.95			30.15	FM-15	0.02	30.13
13	1454	7	OVC:08 2	3.00	-RA:02 BR:1 RA RA	40	4.4	40	4.4	40	4.4	100	6	060		29.90			30.09	FM-15	T	30.08
13	1531	7	OVC:08 2	1.25	-RA:02 BR:1 RA RA	40	4.4	40	4.4	40	4.4	100	9	360		29.89				FM-16	T	30.07
13	1554	7	OVC:08 2	1.25	-RA:02 BR:1 RA RA	40	4.4	40	4.4	40	4.4	100	7	020		29.87	8	+0.09	30.07	FM-15	0.01	30.05
13	1614	7	OVC:08 2	1.50	-RA:02 BR:1 RA RA	40	4.4	40	4.4	40	4.4	100	7	020		29.85				FM-16	T	30.03
13	1652	6	OVC:08 2	2.00	-RA:02 BR:1 RA RA	39	3.9	39	3.9	39	3.9	100	7	360		29.84				FM-16		30.02
13	1654	7	OVC:08 2	2.00	RA:02 BR:1 RA RA	40	4.4	40	4.4	40	4.4	100	8	010		29.84			30.03	FM-15	0.02	30.02
13	1754	7	OVC:08 3	2.50	RA:02 BR:1 RA RA	40	4.4	40	4.4	40	4.4	100	7	010		29.81			30.01	FM-15	0.07	29.99
13	1854	7	OVC:08 3	2.50	RA:02 BR:1 RA RA	40	4.4	40	4.4	40	4.4	100	9	340		29.79	6	+0.07	29.99	FM-15	0.09	29.97
13	1900	4	2	2.49	RA	40	4.4	40	4.4	40	4.4	100	9	340		29.79	6	+0.07	29.99	FM-12		

13	1911	7	BKN:07 3 OVC:08 8	3.00	-RA:02 BR:1 RA RA	40	4.4	40	4.4	40	4.4	100	5	020		29.78				FM-16	0.02	29.96
13	1954	4		4.00	RA	40	4.4			40	4.4	100	5	340					29.94	FM-15	0.06	29.93
13	2054	4		3.00	RA	41	5.0			40	4.4	96	8	010					29.89	FM-15	0.04	29.88
13	2154	4		3.00	RA	40	4.4			40	4.4	100	10	340					29.85	FM-15	0.05	29.84
13	2254	4		7.00	RA	40	4.4			40	4.4	100	7	360					29.81	FM-15	0.02	29.80
13	2354	4		6.00		41	5.0			41	5.0	100	6	010					29.76	FM-15	T	29.74
14	0054	7	OVC:08 3	5.00	BR:1	41	5.0	41	5.0	40	4.4	96	7	320		29.53	6	+0.13	29.72	FM-15	T	29.71
14	0100	4	2	4.97		41	5.0	41	5.0	40	4.4	96	7	320		29.53	6	+0.13	29.72	FM-12		
14	0112	7	OVC:08 2	2.00	-RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	6	310		29.52				FM-16	T	29.70
14	0129	7	OVC:08 2	1.50	-RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	6	330		29.52				FM-16	0.01	29.69
14	0139	7	OVC:08 2	1.00	RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	6	340		29.50				FM-16	0.02	29.68
14	0152	6	OVC:08 2	1.50	RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	6	350		29.49				FM-16		29.67
14	0154	7	OVC:08 2	1.50	RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	6	350		29.49			29.68	FM-15	0.05	29.67
14	0205	7	OVC:08 2	2.50	-RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	7	350		29.48				FM-16	0.01	29.66
14	0218	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	7	340		29.47				FM-16	0.02	29.64
14	0254	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	3	020		29.44			29.64	FM-15	0.01	29.62
14	0336	7	OVC:08 3	1.75	BR:1	41	5.0	41	5.0	41	5.0	100	3	330		29.42				FM-16	0.01	29.60
14	0354	7	OVC:08 2	1.50	BR:1	41	5.0	41	5.0	41	5.0	100	5	340		29.41	6	+0.12	29.60	FM-15	0.01	29.59
14	0417	7	OVC:08 2	1.00	BR:1	41	5.0	41	5.0	41	5.0	100	6	310		29.41				FM-16		29.58
14	0452	7	OVC:08 2	0.75	BR:1	41	5.0	41	5.0	41	5.0	100	3	310		29.39				FM-16		29.57
14	0454	7	VV:09 3	0.75	BR:1	41	5.0	41	5.0	41	5.0	100	3	340		29.39			29.57	FM-15	0.00	29.56
14	0554	7	VV:09 2	0.50	FG:2 FG	42	5.6	42	5.6	42	5.6	100	0	000		29.36			29.56	FM-15	0.00	29.54
14	0635	7	VV:09 5	1.00	-RA:02 BR:1 RA RA	42	5.6	42	5.6	42	5.6	100	3	350		29.34				FM-16	T	29.52
14	0654	7	FEW:02 2 OVC:08 7	1.00	-RA:02 BR:1 RA RA	42	5.6	42	5.6	42	5.6	100	0	000		29.34	8	+0.06	29.52	FM-15	0.01	29.51
14	0700	4	2	0.99	RA	42	5.6	42	5.6	42	5.6	100	0	000		29.33	8	+0.06	29.52	FM-12		
14	0706	7	SCT:04 2 OVC:08 8	2.00	BR:1	42	5.6	42	5.6	42	5.6	100	0	000		29.34				FM-16	T	29.51
14	0736	7	SCT:04 3 OVC:08 7	1.50	-RA:02 BR:1 RA RA	42	5.6	42	5.6	42	5.6	100	0	000		29.31				FM-16	T	29.49
14	0751	7	BKN:07 5 OVC:08 9	2.00	-RA:02 BR:1 RA RA	43	6.1	43	6.1	43	6.1	100	0	000		29.31				FM-16	T	29.48
14	0754	7	OVC:08 5	2.50	-RA:02 BR:1 RA RA	42	5.6	42	5.6	42	5.6	100	0	000		29.31			29.50	FM-15	T	29.48
14	0809	7	BKN:07 4 OVC:08 10	1.25	-RA:02 BR:1 RA RA	42	5.6	42	5.6	42	5.6	100	6	190		29.31				FM-16	T	29.49
14	0854	7	OVC:08 3	1.00	-DZ:01 BR:1 DZ DZ	43	6.1	43	6.1	43	6.1	100	3	210		29.28			29.47	FM-15	0.01	29.46
14	0929	7	OVC:08 2	0.50	FG:2 FG	43	6.1	43	6.1	43	6.1	100	6	230		29.28				FM-16	T	29.46
14	0954	7	OVC:08 2	0.75	BR:1	44	6.7	44	6.7	44	6.7	100	6	210		29.28	6	+0.05	29.47	FM-15	T	29.46
14	1047	7	OVC:08 3	4.00	BR:1	45	7.2	45	7.2	45	7.2	100	9	210		29.23				FM-16	T	29.40
14	1054	4		4.00		46	7.8			45	7.2	96	11	230					29.44	FM-15	T	29.42
14	1154	7	OVC:08 4	10.00		46	7.8	46	7.8	45	7.2	96	10	230		29.25			29.44	FM-15	0.00	29.42
14	1232	7	OVC:08 6	10.00		48	8.9	47	8.3	47	8.3	96	10	230		29.23				FM-16		29.41
14	1254	7	BKN:07 8 BKN:07 100	10.00		49	9.4	48	8.9	47	8.3	93	10	230		29.23	6	+0.06	29.41	FM-15	0.00	29.40
14	1300	4	8	9.94		49	9.4	48	8.9	47	8.3	93	10	230		29.22	6	+0.06	29.41	FM-12		
14	1329	7	BKN:07 10	10.00		51	10.6	49	9.4	48	8.9	89	9	220		29.22				FM-16		29.39
14	1354	7	BKN:07 10 BKN:07 300	10.00		53	11.7	51	10.6	49	9.4	86	11	230		29.21			29.39	FM-15	0.00	29.38
14	1454	7	BKN:07 15 BKN:07 100 BKN:07 300	10.00		54	12.2	51	10.6	49	9.4	83	14	230	21	29.22			29.41	FM-15	0.00	29.39
14	1522	7	FEW:02 15 SCT:04 100 BKN:07 300	10.00		54	12.2	51	10.6	49	9.4	83	13	230		29.22				FM-16		29.39
14	1554	7	FEW:02 22 SCT:04 95 SCT:04 300	10.00		55	12.8	51	10.6	47	8.3	74	16	240	29	29.25	3	-0.02	29.44	FM-15	0.00	29.42
14	1654	7	FEW:02 110 FEW:02 300	10.00		53	11.7	50	10.0	47	8.3	80	11	220		29.28			29.46	FM-15	0.00	29.45

14	1754	7	CLR:00	10.00		54	12.2	49	9.4	44	6.7	69	13	260		29.31			29.49	FM-15	0.00	29.48
14	1854	7	CLR:00	10.00		52	11.1	46	7.8	40	4.4	64	17	260	24	29.36	3	-0.11	29.55	FM-15	0.00	29.53
14	1900	4		9.94		52	11.1	46	7.8	40	4.4	64	17	260		29.35	3	-0.11	29.55	FM-12		
14	1954	4		10.00		50	10.0			37	2.8	61	14	280					29.60	FM-15		29.58
14	2054	4		10.00		49	9.4			36	2.2	61	10	280					29.65	FM-15		29.63
14	2154	7	FEW:02 200	10.00		46	7.8	41	5.0	34	1.1	63	5	270		29.49	1	-0.14	29.68	FM-15	0.00	29.67
14	2254	4		10.00		45	7.2			35	1.7	68	10	250					29.72	FM-15		29.71
14	2354	4		10.00		44	6.7			34	1.1	68	10	260					29.75	FM-15		29.73
15	0054	7	SCT:04 120 BKN:07 180	10.00		44	6.7	39	3.9	33	0.6	65	9	250		29.58	1	-0.09	29.77	FM-15	0.00	29.76
15	0100	4		9.94		44	6.7	39	3.9	33	0.6	65	9	250		29.58	1	-0.09	29.77	FM-12		
15	0154	4		10.00		43	6.1			33	0.6	68							29.80	FM-15		29.78
15	0157	7	FEW:02 120 FEW:02 180	10.00		43	6.1	39	3.9	33	0.6	68	9	250		29.60				FM-16		29.78
15	0254	4		10.00		43	6.1			33	0.6	68	11	240					29.82	FM-15		29.81
15	0354	7	CLR:00	10.00		42	5.6	38	3.3	33	0.6	71	10	240		29.65	1	-0.07	29.84	FM-15	0.00	29.83
15	0454	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	10	230		29.67			29.87	FM-15	0.00	29.85
15	0554	7	CLR:00	10.00		41	5.0	38	3.3	33	0.6	73	11	240		29.71			29.90	FM-15	0.00	29.89
15	0654	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	11	230		29.74	3	-0.09	29.94	FM-15	0.00	29.92
15	0700	4		9.94		40	4.4	37	2.8	33	0.6	77	11	230		29.74	3	-0.09	29.94	FM-12		
15	0754	7	CLR:00	10.00		40	4.4	37	2.8	34	1.1	79	10	210		29.76			29.96	FM-15	0.00	29.94
15	0854	7	FEW:02 200	10.00		44	6.7	40	4.4	35	1.7	71	11	240		29.80			30.00	FM-15	0.00	29.98
15	0954	7	FEW:02 50 SCT:04 220	10.00		49	9.4	43	6.1	36	2.2	61	11	230		29.83	3	-0.09	30.02	FM-15	0.00	30.01
15	1054	7	FEW:02 55 FEW:02 220	10.00		53	11.7	45	7.2	35	1.7	51	16	250		29.84			30.04	FM-15	0.00	30.02
15	1154	4		10.00		55	12.8			35	1.7	47	11	270					30.01	FM-15		30.00
15	1254	4		10.00		56	13.3			33	0.6	42	14	250					30.01	FM-15		30.00
15	1300	4	57	9.94		56	13.3	46	7.8	33	0.6	42	14	250		29.82	8	+0.01	30.01	FM-12		
15	1354	7	FEW:02 55	10.00		56	13.3	45	7.2	32	0.0	40	16	260	21	29.82			30.02	FM-15	0.00	30.00
15	1454	7	FEW:02 60	10.00		57	13.9	46	7.8	33	0.6	41	10	260		29.84			30.03	FM-15	0.00	30.02
15	1554	7	FEW:02 60	10.00		56	13.3	46	7.8	33	0.6	42	10	240		29.86	3	-0.05	30.06	FM-15	0.00	30.04
15	1654	7	FEW:02 60	10.00		53	11.7	44	6.7	33	0.6	47	8	240		29.89			30.08	FM-15	0.00	30.07
15	1754	7	FEW:02 60	10.00		46	7.8	41	5.0	34	1.1	63	7	190		29.91			30.11	FM-15	0.00	30.09
15	1854	7	FEW:02 100	10.00		48	8.9	42	5.6	34	1.1	58	7	240		29.94	2	-0.07	30.13	FM-15	0.00	30.12
15	1900	4		9.94		48	8.9	42	5.6	34	1.1	58	7	240		29.94	2	-0.07	30.13	FM-12		
15	1954	7	FEW:02 100	10.00		45	7.2	41	5.0	35	1.7	68	3	220		29.95			30.15	FM-15	0.00	30.13
15	2054	7	SCT:04 130	10.00		41	5.0	39	3.9	36	2.2	82	5	230		29.97			30.17	FM-15	0.00	30.15
15	2154	7	BKN:07 120	10.00		44	6.7	41	5.0	36	2.2	73	13	360		30.00	3	-0.07	30.20	FM-15	0.00	30.18
15	2254	7	OVC:08 100	10.00		44	6.7	39	3.9	32	0.0	63	10	040		30.00			30.19	FM-15	0.00	30.18
15	2354	7	SCT:04 100	10.00		42	5.6	37	2.8	30	-1.1	62	7	070		29.99			30.19	FM-15	0.00	30.17
16	0054	7	BKN:07 95	10.00		42	5.6	37	2.8	31	-0.6	65	6	040		30.02	3	-0.01	30.21	FM-15	0.00	30.20
16	0100	4		9.94		42	5.6	37	2.8	31	-0.6	65	6	040		30.02	3	-0.01	30.21	FM-12		
16	0154	4		10.00		42	5.6			29	-1.7	60	9	070					30.23	FM-15		30.22
16	0254	7	BKN:07 80 BKN:07 120 BKN:07 140	10.00		40	4.4	36	2.2	29	-1.7	65	7	080		30.04			30.23	FM-15	0.00	30.22
16	0354	7	SCT:04 140 BKN:07 210	10.00		40	4.4	36	2.2	30	-1.1	68	7	080		30.02	0	-0.01	30.22	FM-15	0.00	30.20
16	0454	7	FEW:02 120 BKN:07 150 OVC:08 190	10.00		39	3.9	35	1.7	30	-1.1	70	7	110		30.01			30.21	FM-15	0.00	30.19
16	0554	7	FEW:02 85 BKN:07 110 OVC:08 140	10.00		39	3.9	36	2.2	31	-0.6	73	7	120		30.02			30.21	FM-15	0.00	30.20
16	0654	7	BKN:07 40 BKN:07 80	10.00		40	4.4	36	2.2	31	-0.6	70	7	090		30.03	3	-0.01	30.23	FM-15	T	30.21
16	0700	4	41	9.94		40	4.4	36	2.2	31	-0.6	70	7	090		30.03	3	-0.01	30.23	FM-12		
16	0754	7	BKN:07 34	10.00		40	4.4	36	2.2	30	-1.1	68	6	100		30.05			30.24	FM-15	0.00	30.23

16	0854	7	OVC:08 31	10.00		42	5.6	37	2.8	31	-0.6	65	3	VRB		30.06			30.26	FM-15	0.00	30.24
16	0954	7	OVC:08 38	10.00		43	6.1	39	3.9	33	0.6	68	5	090		30.04	0	-0.01	30.23	FM-15	0.00	30.22
16	1054	4		10.00		47	8.3			36	2.2	66	5	110					30.19	FM-15		30.17
16	1154	7	FEW:02 22 SCT:04 34 BKN:07 110	10.00		50	10.0	44	6.7	37	2.8	61	0	000		29.97			30.16	FM-15	0.00	30.15
16	1254	7	FEW:02 26 SCT:04 32 BKN:07 110	10.00		50	10.0	44	6.7	37	2.8	61	9	350		29.96	6	+0.07	30.16	FM-15	0.00	30.14
16	1300	4	26	9.94		50	10.0	44	6.7	37	2.8	61	9	350		29.96	6	+0.07	30.16	FM-12		
16	1354	4		10.00		49	9.4			38	3.3	66	6	340					30.13	FM-15		30.12
16	1454	7	SCT:04 33 BKN:07 120 BKN:07 300	10.00		49	9.4	44	6.7	39	3.9	69	7	030		29.93			30.12	FM-15	0.00	30.11
16	1554	7	FEW:02 33 SCT:04 95 BKN:07 300	10.00		46	7.8	43	6.1	39	3.9	77	9	360		29.94	5	+0.02	30.14	FM-15	0.00	30.12
16	1654	7	FEW:02 43 SCT:04 85 BKN:07 300	10.00		44	6.7	41	5.0	38	3.3	79	7	020		29.94			30.14	FM-15	0.00	30.12
16	1754	4		10.00		43	6.1			38	3.3	82	7	010					30.14	FM-15		30.13
16	1834	7	FEW:02 9 BKN:07 49 OVC:08 55	10.00		41	5.0	40	4.4	38	3.3	89	11	040		29.96				FM-16		30.14
16	1854	4		10.00		41	5.0			37	2.8	86	9	020			9	+0.01	30.15	FM-15		30.13
16	1900	4	8	9.94		41	5.0	39	3.9	37	2.8	86	9	020		29.95	3	-0.01	30.15	FM-12		
16	1952	6	BKN:07 8 OVC:08 50	10.00		39	3.9	38	3.3	37	2.8	93	10	040		29.95				FM-16		30.13
16	1954	7	BKN:07 8 OVC:08 50	10.00		40	4.4	39	3.9	37	2.8	89	10	040		29.95			30.15	FM-15	0.00	30.13
16	2026	7	SCT:04 8 OVC:08 60	9.00		40	4.4	39	3.9	37	2.8	89	7	030		29.92				FM-16		30.10
16	2054	7	SCT:04 60 SCT:04 95 BKN:07 300	9.00		40	4.4	39	3.9	37	2.8	89	5	020		29.92			30.11	FM-15	0.00	30.10
16	2103	7	FEW:02 7 SCT:04 60 BKN:07 100	9.00		40	4.4	39	3.9	37	2.8	89	5	030		29.90				FM-16		30.08
16	2152	6	BKN:07 7 OVC:08 60	9.00		39	3.9	38	3.3	37	2.8	93	5	020		29.89				FM-16		30.07
16	2154	7	BKN:07 7 OVC:08 60	8.00		39	3.9	38	3.3	37	2.8	93	3	010		29.89	8	+0.06	30.09	FM-15	0.00	30.07
16	2254	7	OVC:08 7	8.00		40	4.4	39	3.9	37	2.8	89	5	030		29.86			30.06	FM-15	0.00	30.04
16	2354	7	OVC:08 6	7.00		40	4.4	39	3.9	38	3.3	93	5	350		29.85			30.05	FM-15	0.00	30.03
17	0054	7	OVC:08 4	3.00	BR:1	39	3.9	39	3.9	38	3.3	96	10	340		29.84	6	+0.05	30.04	FM-15	0.00	30.02
17	0100	4	5	2.98		39	3.9	39	3.9	38	3.3	96	10	340		29.84	6	+0.05	30.04	FM-12		
17	0124	7	OVC:08 3	2.00	BR:1	39	3.9	39	3.9	38	3.3	96	9	340		29.84				FM-16		30.02
17	0134	7	OVC:08 3	1.50	-RA:02 BR:1 RA RA	39	3.9	39	3.9	38	3.3	96	9	350		29.83				FM-16	T	30.01
17	0154	7	OVC:08 2	2.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	38	3.3	100	8	360		29.83			30.02	FM-15	T	30.01
17	0227	7	OVC:08 3	1.00	RA:02 BR:1 RA RA	38	3.3	38	3.3	38	3.3	100	8	010		29.81				FM-16	T	29.99
17	0247	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	38	3.3	100	8	350		29.82				FM-16	0.02	30.00
17	0254	7	OVC:08 3	3.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	38	3.3	100	8	350		29.81			30.01	FM-15	0.02	29.99
17	0354	7	BKN:07 5 OVC:08 11	5.00	BR:1	38	3.3	38	3.3	37	2.8	97	5	110		29.75	8	+0.09	29.95	FM-15	T	29.93
17	0418	7	BKN:07 4 OVC:08 9	4.00	BR:1	38	3.3	38	3.3	38	3.3	100	3	140		29.74				FM-16		29.92
17	0452	6	OVC:08 5	4.00	BR:1	39	3.9	38	3.3	37	2.8	93	5	160		29.72				FM-16		29.90
17	0454	7	BKN:07 3 OVC:08 6	4.00	BR:1	38	3.3	38	3.3	38	3.3	100	6	150		29.72			29.91	FM-15	0.00	29.90
17	0554	7	OVC:08 3	3.00	BR:1	39	3.9	39	3.9	39	3.9	100	0	000		29.70			29.89	FM-15	0.00	29.88
17	0611	7	OVC:08 3	2.00	BR:1	39	3.9	39	3.9	39	3.9	100	3	270		29.70				FM-16		29.88
17	0630	7	OVC:08 2	1.50	BR:1	39	3.9	39	3.9	39	3.9	100	3	190		29.68				FM-16		29.86

17	0643	7	OVC:08 2	0.75	BR:1	39	3.9	39	3.9	39	3.9	100	5	190		29.68				FM-16		29.86
17	0654	7	OVC:08 2	0.50	FG:2 FG	39	3.9	39	3.9	39	3.9	100	5	170		29.67	6	+0.08	29.87	FM-15	0.00	29.85
17	0700	4	2	0.50	FG	39	3.9	39	3.9	39	3.9	100	5	170		29.67	6	+0.08	29.87	FM-12		
17	0735	7	OVC:08 2	0.75	-RA:02 BR:1 RA RA	41	5.0	41	5.0	41	5.0	100	13	180		29.64				FM-16	T	29.82
17	0754	7	OVC:08 2	0.50	-RA:02 FG:2 FG RA RA	42	5.6	42	5.6	42	5.6	100	6	340		29.64			29.83	FM-15	T	29.82
17	0847	7	OVC:08 2	1.00	-RA:02 BR:1 RA RA	43	6.1	43	6.1	43	6.1	100	3	100		29.62				FM-16	0.02	29.80
17	0854	7	OVC:08 3	1.25	-RA:02 BR:1 RA RA	43	6.1	43	6.1	43	6.1	100	7	330		29.63			29.83	FM-15	0.02	29.81
17	0906	7	OVC:08 3	1.75	-RA:02 BR:1 RA RA	42	5.6	42	5.6	42	5.6	100	6	350		29.63				FM-16	T	29.81
17	0925	7	OVC:08 3	2.00	BR:1	42	5.6	42	5.6	42	5.6	100	7	330		29.62				FM-16	T	29.80
17	0954	7	OVC:08 3	2.00	BR:1	42	5.6	42	5.6	42	5.6	100	5	020		29.60	6	+0.07	29.80	FM-15	T	29.78
17	1054	7	OVC:08 3	2.00	BR:1	43	6.1	43	6.1	43	6.1	100	0	000		29.57			29.76	FM-15	0.00	29.75
17	1121	7	OVC:08 3	1.50	BR:1	44	6.7	44	6.7	43	6.1	96	0	000		29.54				FM-16		29.72
17	1139	7	OVC:08 3	1.25	BR:1	45	7.2	45	7.2	44	6.7	97	0	000		29.52				FM-16		29.70
17	1154	7	OVC:08 3	1.00	BR:1	45	7.2	45	7.2	45	7.2	100	0	000		29.52			29.71	FM-15	0.00	29.69
17	1254	7	OVC:08 3	1.00	BR:1	48	8.9	48	8.9	48	8.9	100	0	000		29.48	7	+0.12	29.67	FM-15	0.00	29.66
17	1300	4	2	0.99		48	8.9	48	8.9	48	8.9	100	0	000		29.48	7	+0.12	29.67	FM-12		
17	1336	7	BKN:07 3 OVC:08 19	1.50	BR:1	50	10.0	49	9.4	48	8.9	93	0	000		29.47				FM-16		29.64
17	1354	7	SCT:04 3 OVC:08 20	1.50	BR:1	50	10.0	49	9.4	49	9.4	96	0	000		29.45			29.65	FM-15	0.00	29.63
17	1422	7	BKN:07 18 OVC:08 25	2.00	BR:1	51	10.6	50	10.0	50	10.0	96	3	320		29.47				FM-16		29.64
17	1452	6	OVC:08 22	3.00	BR:1	52	11.1	51	10.6	50	10.0	94	0	000		29.45				FM-16		29.63
17	1454	7	OVC:08 22	3.00	BR:1	52	11.1	51	10.6	50	10.0	93	0	000		29.45			29.65	FM-15	0.00	29.63
17	1514	7	BKN:07 22 OVC:08 30	2.50	-RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	0	000		29.47				FM-16	T	29.64
17	1554	7	BKN:07 19 BKN:07 31 OVC:08 46	2.00	-RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	0	000		29.47	5	+0.01	29.66	FM-15	T	29.65
17	1606	7	FEW:02 18 BKN:07 32 OVC:08 44	2.00	-DZ:01 BR:1 DZ DZ	52	11.1	51	10.6	51	10.6	97	0	000		29.47				FM-16	T	29.65
17	1633	7	SCT:04 16 BKN:07 23 OVC:08 36	2.00	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	50	10.0	96	5	360		29.47				FM-16	T	29.64
17	1643	7	FEW:02 4 BKN:07 14 OVC:08 31	2.00	-DZ:01 BR:1 DZ DZ	51	10.6	50	10.0	50	10.0	96	11	340		29.47				FM-16	T	29.65
17	1652	6	BKN:07 4 BKN:07 14 OVC:08 20	2.00	-DZ:01 BR:1 DZ DZ	50	10.0	50	10.0	50	10.0	100	10	360		29.47				FM-16		29.64
17	1654	7	BKN:07 4 BKN:07 14 OVC:08 20	2.00	-DZ:01 BR:1 DZ DZ	50	10.0	50	10.0	50	10.0	100	15	350		29.47			29.66	FM-15	T	29.64
17	1730	7	BKN:07 4 BKN:07 14 OVC:08 21	1.50	+RA:02 BR:1 RA RA	47	8.3	47	8.3	47	8.3	100	11	010	22	29.49				FM-16	0.09	29.67
17	1739	7	BKN:07 6 OVC:08 14	2.00	+RA:02 BR:1 RA RA	47	8.3	47	8.3	46	7.8	97	17	010	23	29.50				FM-16	0.14	29.68
17	1747	7	SCT:04 6 BKN:07 11 OVC:08 21	2.00	RA:02 BR:1 RA RA	46	7.8	46	7.8	46	7.8	100	15	020		29.50				FM-16	0.19	29.68
17	1752	6	SCT:04 6 BKN:07 11 OVC:08 21	3.00	-RA:02 BR:1 RA RA	46	7.8	46	7.8	45	7.2	93	18	030	22	29.52				FM-16		29.69
17	1754	7	BKN:07 6 BKN:07 14 OVC:08 21	3.00	-RA:02 BR:1 RA RA	45	7.2	45	7.2	45	7.2	100	21	020	25	29.52			29.70	FM-15	0.19	29.69
17	1851	7	BKN:07 11 BKN:07 19 OVC:08 55	8.00	-RA:02 RA RA	43	6.1	41	5.0	39	3.9	87	13	010		29.57				FM-16	0.08	29.75

17	1854	7	BKN:07 11 BKN:07 19 OVC:08 55	10.00	-RA:02 RA RA	42	5.6	41	5.0	40	4.4	92	15	010		29.56	0	-0.10	29.76	FM-15	0.08	29.74
17	1900	4	15	9.94	RA	42	5.6	41	5.0	40	4.4	92	15	010		29.56	9	+0.10	29.76	FM-12		
17	1932	7	SCT:04 11 OVC:08 24	5.00	RA:02 BR:1 RA RA	41	5.0	41	5.0	40	4.4	96	14	010		29.59				FM-16	0.02	29.77
17	1952	6	FEW:02 9 OVC:08 240	10.00	-RA:02 RA RA	41	5.0	40	4.4	39	3.9	93	10	360		29.60				FM-16		29.78
17	1954	7	FEW:02 9 OVC:08 240	10.00	-RA:02 RA RA	41	5.0	41	5.0	40	4.4	96	11	010		29.60			29.80	FM-15	0.04	29.78
17	2001	7	BKN:07 28 OVC:08 34	10.00	-RA:02 RA RA	41	5.0	40	4.4	39	3.9	93	13	010		29.60				FM-16	T	29.78
17	2052	6	FEW:02 26 BKN:07 40 OVC:08 60	10.00		41	5.0	39	3.9	37	2.8	87	10	360		29.64				FM-16		29.82
17	2054	7	FEW:02 26 BKN:07 40 OVC:08 60	10.00		41	5.0	40	4.4	38	3.3	89	15	360		29.63			29.83	FM-15	T	29.81
17	2154	7	OVC:08 60	10.00		41	5.0	38	3.3	35	1.7	79	15	360		29.66	1	-0.10	29.85	FM-15	0.00	29.84
17	2254	7	OVC:08 65	10.00		40	4.4	37	2.8	34	1.1	79	8	360		29.68			29.87	FM-15	0.00	29.86
17	2354	7	OVC:08 70	10.00		40	4.4	37	2.8	33	0.6	77	11	360		29.69			29.88	FM-15	0.00	29.87
18	0054	7	BKN:07 85	10.00		39	3.9	35	1.7	30	-1.1	70	15	010	21	29.71	2	-0.05	29.90	FM-15	0.00	29.89
18	0100	4		9.94		39	3.9	35	1.7	30	-1.1	70	15	010		29.71	2	-0.05	29.90	FM-12		
18	0154	7	BKN:07 90	10.00		38	3.3	35	1.7	30	-1.1	73	10	010		29.73			29.93	FM-15	0.00	29.91
18	0254	7	BKN:07 49	10.00		37	2.8	34	1.1	29	-1.7	73	10	360		29.77			29.97	FM-15	0.00	29.95
18	0354	7	FEW:02 50	10.00		34	1.1	32	0.0	28	-2.2	79	8	350		29.77	1	-0.06	29.97	FM-15	0.00	29.95
18	0454	7	FEW:02 50	10.00		34	1.1	32	0.0	28	-2.2	79	9	350		29.80			29.99	FM-15	0.00	29.98
18	0554	7	CLR:00	10.00		33	0.6	30	-1.1	26	-3.3	75	8	360		29.82			30.02	FM-15	0.00	30.00
18	0654	7	FEW:02 50	10.00		31	-0.6	29	-1.7	24	-4.4	76	6	340		29.85	2	-0.07	30.04	FM-15	0.00	30.03
18	0700	4	57	9.94		31	-0.6	29	-1.7	24	-4.4	76	6	340		29.85	2	-0.07	30.04	FM-12		
18	0754	7	FEW:02 50 FEW:02 300	10.00		31	-0.6	29	-1.7	25	-3.9	79	5	300		29.86			30.06	FM-15	0.00	30.04
18	0854	7	FEW:02 300	10.00		36	2.2	32	0.0	24	-4.4	62	6	290		29.88			30.08	FM-15	0.00	30.06
18	0954	7	FEW:02 300	10.00		38	3.3	33	0.6	24	-4.4	57	5	240		29.89	1	-0.05	30.09	FM-15	0.00	30.07
18	1054	7	FEW:02 300	10.00		41	5.0	34	1.1	22	-5.6	47	10	240		29.87			30.06	FM-15	0.00	30.05
18	1154	7	FEW:02 45 FEW:02 300	10.00		43	6.1	35	1.7	21	-6.1	42	16	230		29.83			30.03	FM-15	0.00	30.01
18	1254	7	FEW:02 55 FEW:02 300	10.00		45	7.2	36	2.2	20	-6.7	37	14	250		29.81	8	+0.09	30.00	FM-15	0.00	29.99
18	1300	4	57	9.94		45	7.2	36	2.2	20	-6.7	37	14	250		29.81	8	+0.09	30.00	FM-12		
18	1354	7	FEW:02 65	10.00		46	7.8	36	2.2	18	-7.8	32	20	290		29.80			30.00	FM-15	0.00	29.98
18	1454	7	FEW:02 65	10.00		46	7.8	35	1.7	17	-8.3	31	14	270		29.80			29.99	FM-15	0.00	29.98
18	1554	7	FEW:02 60	10.00		45	7.2	35	1.7	18	-7.8	34	9	280		29.80	5	+0.01	30.00	FM-15	0.00	29.98
18	1654	7	FEW:02 60	10.00		43	6.1	34	1.1	18	-7.8	37	8	280		29.83			30.02	FM-15	0.00	30.01
18	1754	7	FEW:02 55	10.00		42	5.6	33	0.6	16	-8.9	35	17	300		29.86			30.06	FM-15	0.00	30.04
18	1854	7	CLR:00	10.00		39	3.9	31	-0.6	16	-8.9	39	9	300		29.90	3	-0.09	30.09	FM-15	0.00	30.08
18	1900	4		9.94		39	3.9	31	-0.6	16	-8.9	39	9	300		29.90	3	-0.09	30.09	FM-12		
18	1954	7	CLR:00	10.00		37	2.8	29	-1.7	14	-10.0	39	9	320		29.93			30.13	FM-15	0.00	30.11
18	2054	7	CLR:00	10.00		35	1.7	28	-2.2	13	-10.6	40	9	330		29.96			30.16	FM-15	0.00	30.14
18	2154	7	CLR:00	10.00		33	0.6	27	-2.8	12	-11.1	42	8	330		29.98	1	-0.09	30.18	FM-15	0.00	30.16
18	2254	7	CLR:00	10.00		31	-0.6	25	-3.9	13	-10.6	47	8	330		30.01			30.21	FM-15	0.00	30.19
18	2354	7	CLR:00	10.00		29	-1.7	24	-4.4	13	-10.6	51	5	340		30.04			30.24	FM-15	0.00	30.22
19	0054	7	CLR:00	10.00		28	-2.2	24	-4.4	14	-10.0	56	9	330		30.06	1	-0.07	30.25	FM-15	0.00	30.24
19	0100	4		9.94		28	-2.2	24	-4.4	14	-10.0	56	9	330		30.06	1	-0.07	30.25	FM-12		
19	0154	7	CLR:00	10.00		28	-2.2	24	-4.4	13	-10.6	53	7	320		30.09			30.29	FM-15	0.00	30.27
19	0254	7	CLR:00	10.00		27	-2.8	23	-5.0	15	-9.4	61	10	020		30.13			30.32	FM-15	0.00	30.31
19	0354	7	CLR:00	10.00		25	-3.9	22	-5.6	13	-10.6	60	9	020		30.15	1	-0.09	30.35	FM-15	0.00	30.33
19	0454	7	CLR:00	10.00		25	-3.9	21	-6.1	12	-11.1	58	7	350		30.18			30.37	FM-15	0.00	30.36
19	0554	7	CLR:00	10.00		23	-5.0	20	-6.7	11	-11.7	60	5	360		30.21			30.41	FM-15	0.00	30.39
19	0654	7	CLR:00	10.00		22	-5.6	19	-7.2	12	-11.1	66	6	010		30.24	3	-0.09	30.44	FM-15	0.00	30.42

19	0700	4		9.94		22	-5.6	19	-7.2	12	-11.1	66	6	010		30.24	3	-0.09	30.44	FM-12		
19	0754	7	CLR:00	10.00		24	-4.4	21	-6.1	12	-11.1	60	6	010		30.27			30.47	FM-15	0.00	30.45
19	0854	7	CLR:00	10.00		26	-3.3	22	-5.6	10	-12.2	51	13	360		30.31			30.51	FM-15	0.00	30.49
19	0954	7	CLR:00	10.00		29	-1.7	24	-4.4	11	-11.7	47	9	010		30.32	1	-0.08	30.52	FM-15	0.00	30.50
19	1054	7	CLR:00	10.00		30	-1.1	24	-4.4	11	-11.7	45	3	270		30.31			30.51	FM-15	0.00	30.49
19	1154	7	CLR:00	10.00		33	0.6	26	-3.3	11	-11.7	40	3	VRB		30.27			30.47	FM-15	0.00	30.45
19	1254	7	CLR:00	10.00		35	1.7	28	-2.2	12	-11.1	38	5	VRB		30.26	8	+0.06	30.46	FM-15	0.00	30.44
19	1300	4		9.94		35	1.7	28	-2.2	12	-11.1	38	5			30.26	8	+0.06	30.46	FM-12		
19	1354	7	CLR:00	10.00		36	2.2	28	-2.2	10	-12.2	34	11	300		30.25			30.45	FM-15	0.00	30.43
19	1454	7	CLR:00	10.00		37	2.8	29	-1.7	10	-12.2	33	10	320		30.25			30.45	FM-15	0.00	30.43
19	1554	7	CLR:00	10.00		36	2.2	28	-2.2	11	-11.7	35	3	210		30.26	5	0.00	30.46	FM-15	0.00	30.44
19	1654	7	CLR:00	10.00		35	1.7	27	-2.8	10	-12.2	35	3	270		30.26			30.46	FM-15	0.00	30.44
19	1754	7	CLR:00	10.00		31	-0.6	26	-3.3	14	-10.0	49	0	000		30.27			30.47	FM-15	0.00	30.45
19	1854	7	CLR:00	10.00		29	-1.7	25	-3.9	16	-8.9	58	0	000		30.29	3	-0.03	30.49	FM-15	0.00	30.47
19	1900	4		9.94		29	-1.7	25	-3.9	16	-8.9	58	0	000		30.29	3	-0.03	30.49	FM-12		
19	1954	7	CLR:00	10.00		28	-2.2	24	-4.4	14	-10.0	56	0	000		30.30			30.50	FM-15	0.00	30.48
19	2054	7	CLR:00	10.00		27	-2.8	24	-4.4	17	-8.3	66	0	000		30.30			30.50	FM-15	0.00	30.48
19	2154	7	CLR:00	10.00		27	-2.8	24	-4.4	18	-7.8	69	3	120		30.30	1	-0.01	30.50	FM-15	0.00	30.48
19	2254	7	CLR:00	10.00		26	-3.3	24	-4.4	18	-7.8	71	0	000		30.30			30.50	FM-15	0.00	30.48
19	2354	7	CLR:00	10.00		26	-3.3	24	-4.4	19	-7.2	75	0	000		30.30			30.50	FM-15	0.00	30.48
20	0054	7	CLR:00	10.00		25	-3.9	23	-5.0	19	-7.2	78	3	170		30.29	8	+0.01	30.49	FM-15	0.00	30.47
20	0100	4		9.94		25	-3.9	23	-5.0	19	-7.2	78	3	170		30.29	8	+0.01	30.49	FM-12		
20	0154	7	CLR:00	10.00		26	-3.3	24	-4.4	19	-7.2	75	5	150		30.29			30.49	FM-15	0.00	30.47
20	0254	7	CLR:00	10.00		25	-3.9	23	-5.0	18	-7.8	75	3	180		30.30			30.50	FM-15	0.00	30.48
20	0354	7	CLR:00	10.00		26	-3.3	24	-4.4	18	-7.8	71	5	190		30.29	8	0.00	30.49	FM-15	0.00	30.47
20	0454	7	CLR:00	10.00		27	-2.8	24	-4.4	18	-7.8	69	5	210		30.29			30.49	FM-15	0.00	30.47
20	0554	7	CLR:00	10.00		25	-3.9	23	-5.0	19	-7.2	78	3	010		30.32			30.52	FM-15	0.00	30.50
20	0654	7	CLR:00	10.00		24	-4.4	22	-5.6	19	-7.2	81	5	040		30.34	3	-0.06	30.54	FM-15	0.00	30.52
20	0700	4		9.94		24	-4.4	22	-5.6	19	-7.2	81	5	040		30.34	3	-0.06	30.54	FM-12		
20	0754	7	CLR:00	10.00		25	-3.9	23	-5.0	20	-6.7	81	0	000		30.36			30.56	FM-15	0.00	30.54
20	0854	7	FEW:02 300	10.00		32	0.0	29	-1.7	22	-5.6	66	0	000		30.38			30.58	FM-15	0.00	30.56
20	0954	7	FEW:02 300	10.00		36	2.2	30	-1.1	20	-6.7	52	7	030		30.39	1	-0.05	30.59	FM-15	0.00	30.57
20	1054	7	FEW:02 300	10.00		40	4.4	33	0.6	19	-7.2	43	16	050		30.40			30.60	FM-15	0.00	30.58
20	1154	7	FEW:02 300	10.00		42	5.6	34	1.1	20	-6.7	41	11	050		30.38			30.58	FM-15	0.00	30.56
20	1254	7	FEW:02 300	10.00		43	6.1	35	1.7	21	-6.1	42	7	VRB		30.36	8	+0.03	30.56	FM-15	0.00	30.54
20	1300	4		9.94		43	6.1	35	1.7	21	-6.1	42	7			30.36	8	+0.03	30.56	FM-12		
20	1354	7	FEW:02 300	10.00		44	6.7	35	1.7	21	-6.1	40	7	030		30.36			30.55	FM-15	0.00	30.54
20	1454	7	FEW:02 300	10.00		44	6.7	35	1.7	21	-6.1	40	0	000		30.37			30.57	FM-15	0.00	30.55
20	1554	7	SCT:04 300	10.00		43	6.1	35	1.7	21	-6.1	42	6	030		30.38	3	-0.02	30.58	FM-15	0.00	30.56
20	1654	7	SCT:04 300	10.00		39	3.9	33	0.6	21	-6.1	48	7	030		30.40			30.60	FM-15	0.00	30.58
20	1754	7	SCT:04 300	10.00		36	2.2	31	-0.6	22	-5.6	57	6	050		30.42			30.62	FM-15	0.00	30.60
20	1854	7	BKN:07 300	10.00		35	1.7	30	-1.1	21	-6.1	57	7	060		30.43	1	-0.05	30.63	FM-15	0.00	30.61
20	1900	4		9.94		35	1.7	30	-1.1	21	-6.1	57	7	060		30.43	1	-0.05	30.63	FM-12		
20	1954	7	BKN:07 300	10.00		34	1.1	30	-1.1	21	-6.1	59	3	060		30.44			30.64	FM-15	0.00	30.62
20	2054	7	BKN:07 300	10.00		32	0.0	29	-1.7	22	-5.6	66	3	120		30.43			30.63	FM-15	0.00	30.61
20	2154	7	SCT:04 300	10.00		31	-0.6	28	-2.2	23	-5.0	72	0	000		30.43	0	-0.01	30.63	FM-15	0.00	30.61
20	2254	7	BKN:07 250	10.00		29	-1.7	27	-2.8	24	-4.4	82	0	000		30.43			30.63	FM-15	0.00	30.61
20	2354	7	OVC:08 240	10.00		31	-0.6	28	-2.2	23	-5.0	72	0	000		30.44			30.63	FM-15	0.00	30.62
21	0054	7	OVC:08 240	10.00		30	-1.1	28	-2.2	23	-5.0	75	0	000		30.44	3	0.00	30.63	FM-15	0.00	30.62
21	0100	4		9.94		30	-1.1	28	-2.2	23	-5.0	75	0	000		30.44	3	0.00	30.63	FM-12		
21	0154	7	OVC:08 240	10.00		30	-1.1	28	-2.2	24	-4.4	79	3	360		30.44			30.64	FM-15	0.00	30.62
21	0254	7	OVC:08 240	10.00		30	-1.1	28	-2.2	24	-4.4	79	0	000		30.44			30.64	FM-15	0.00	30.62
21	0354	7	SCT:04 240 BKN:07 300	10.00		29	-1.7	27	-2.8	23	-5.0	78	0	000		30.44	0	0.00	30.64	FM-15	0.00	30.62
21	0454	7	BKN:07 300	10.00		29	-1.7	27	-2.8	23	-5.0	78	0	000		30.43			30.63	FM-15	0.00	30.61
21	0554	7	OVC:08 300	10.00		29	-1.7	27	-2.8	23	-5.0	78	3	350		30.44			30.64	FM-15	0.00	30.62
21	0654	7	OVC:08 300	10.00		29	-1.7	27	-2.8	23	-5.0	78	0	000		30.44	6	0.00	30.63	FM-15	0.00	30.62

21	0700	4		9.94		29	-1.7	27	-2.8	23	-5.0	78	0	000		30.44	6	0.00	30.63	FM-12		
21	0754	7	BKN:07 180 OVC:08 300	9.00		29	-1.7	27	-2.8	24	-4.4	82	0	000		30.43			30.63	FM-15	0.00	30.61
21	0854	7	FEW:02 170 SCT:04 220 OVC:08 300	8.00		32	0.0	30	-1.1	25	-3.9	75	0	000		30.44			30.64	FM-15	0.00	30.62
21	0954	7	OVC:08 170	8.00		35	1.7	31	-0.6	25	-3.9	67	0	000		30.42	8	+0.01	30.62	FM-15	0.00	30.60
21	1054	7	FEW:02 200 OVC:08 300	8.00		38	3.3	33	0.6	23	-5.0	55	0	000		30.41			30.61	FM-15	0.00	30.59
21	1154	7	BKN:07 200 OVC:08 300	9.00		40	4.4	33	0.6	19	-7.2	43	0	000		30.37			30.57	FM-15	0.00	30.55
21	1254	7	BKN:07 190 BKN:07 300	9.00		41	5.0	33	0.6	20	-6.7	43	0	000		30.34	8	+0.08	30.54	FM-15	0.00	30.52
21	1300	4		8.70		41	5.0	33	0.6	20	-6.7	43	0	000		30.34	8	+0.08	30.54	FM-12		
21	1354	7	BKN:07 190 OVC:08 210	10.00		42	5.6	34	1.1	21	-6.1	43	0	000		30.33			30.53	FM-15	0.00	30.51
21	1454	7	FEW:02 160 BKN:07 220 OVC:08 300	10.00		43	6.1	35	1.7	23	-5.0	45	3	090		30.30			30.50	FM-15	0.00	30.48
21	1554	7	FEW:02 160 SCT:04 220 BKN:07 300	10.00		43	6.1	36	2.2	24	-4.4	47	3	160		30.30	6	+0.05	30.50	FM-15	0.00	30.48
21	1654	7	SCT:04 180 BKN:07 230 BKN:07 300	10.00		41	5.0	33	0.6	20	-6.7	43	3	100		30.29			30.49	FM-15	0.00	30.47
21	1754	7	BKN:07 230 BKN:07 300	10.00		37	2.8	31	-0.6	21	-6.1	52	0	000		30.29			30.49	FM-15	0.00	30.47
21	1854	7	FEW:02 230 SCT:04 300	10.00		33	0.6	30	-1.1	24	-4.4	70	0	000		30.29	5	0.00	30.49	FM-15	0.00	30.47
21	1900	4		9.94		33	0.6	30	-1.1	24	-4.4	70	0	000		30.29	5	0.00	30.49	FM-12		
21	1954	7	SCT:04 300	10.00		33	0.6	30	-1.1	24	-4.4	70	0	000		30.31			30.51	FM-15	0.00	30.49
21	2054	7	FEW:02 300	10.00		30	-1.1	28	-2.2	23	-5.0	75	0	000		30.31			30.51	FM-15	0.00	30.49
21	2154	7	FEW:02 300	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.30	0	-0.01	30.50	FM-15	0.00	30.48
21	2254	7	FEW:02 300	9.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.29			30.49	FM-15	0.00	30.47
21	2354	7	FEW:02 300	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.28			30.47	FM-15	0.00	30.46
22	0054	7	FEW:02 300	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.26	8	+0.04	30.46	FM-15	0.00	30.44
22	0100	4		9.94		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.26	8	+0.04	30.46	FM-12		
22	0154	7	FEW:02 300	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.26			30.46	FM-15	0.00	30.44
22	0254	7	FEW:02 300	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.25			30.45	FM-15	0.00	30.43
22	0354	7	FEW:02 300	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.24	8	+0.01	30.44	FM-15	0.00	30.42
22	0454	7	FEW:02 300	10.00		25	-3.9	25	-3.9	24	-4.4	96	0	000		30.24			30.44	FM-15	0.00	30.42
22	0554	7	FEW:02 300	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.25			30.45	FM-15	0.00	30.43
22	0654	7	SCT:04 200 BKN:07 300	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.23	8	+0.01	30.43	FM-15	0.00	30.41
22	0700	4		9.94		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.23	8	+0.01	30.43	FM-12		
22	0754	7	FEW:02 200 BKN:07 300	8.00		26	-3.3	25	-3.9	24	-4.4	92	0	000		30.26			30.46	FM-15	0.00	30.44
22	0854	7	BKN:07 300	9.00		31	-0.6	30	-1.1	28	-2.2	89	0	000		30.26			30.46	FM-15	0.00	30.44
22	0954	7	BKN:07 300	10.00		38	3.3	35	1.7	31	-0.6	76	5	190		30.27	1	-0.03	30.47	FM-15	0.00	30.45
22	1054	7	FEW:02 180 OVC:08 300	10.00		43	6.1	37	2.8	29	-1.7	58	5	180		30.26			30.46	FM-15	0.00	30.44
22	1154	7	OVC:08 300	10.00		44	6.7	38	3.3	29	-1.7	55	3	VRB		30.23			30.42	FM-15	0.00	30.41
22	1254	7	OVC:08 300	10.00		47	8.3	40	4.4	30	-1.1	52	0	000		30.19	8	+0.07	30.39	FM-15	0.00	30.37
22	1300	4		9.94		47	8.3	40	4.4	30	-1.1	52	0	000		30.19	8	+0.07	30.39	FM-12		
22	1354	7	OVC:08 300	10.00		48	8.9	40	4.4	30	-1.1	50	0	000		30.17			30.37	FM-15	0.00	30.35
22	1454	7	FEW:02 180 OVC:08 300	10.00		48	8.9	40	4.4	30	-1.1	50	3	190		30.15			30.34	FM-15	0.00	30.33
22	1554	7	BKN:07 210 OVC:08 300	10.00		46	7.8	40	4.4	32	0.0	58	5	180		30.15	6	+0.04	30.34	FM-15	0.00	30.33
22	1654	7	OVC:08 200	10.00		45	7.2	39	3.9	31	-0.6	58	0	000		30.15			30.35	FM-15	0.00	30.33
22	1754	7	OVC:08 190	10.00		42	5.6	38	3.3	32	0.0	68	3	140		30.14			30.34	FM-15	0.00	30.32

22	1854	7	OVC:08 190	10.00		42	5.6	38	3.3	32	0.0	68	0	000		30.13	8	+0.01	30.33	FM-15	0.00	30.31
22	1900	4		9.94		42	5.6	38	3.3	32	0.0	68	0	000		30.13	8	+0.01	30.33	FM-12		
22	1954	7	OVC:08 200	10.00		40	4.4	37	2.8	32	0.0	73	0	000		30.14			30.33	FM-15	0.00	30.32
22	2054	7	OVC:08 200	10.00		38	3.3	36	2.2	33	0.6	83	5	190		30.12			30.32	FM-15	0.00	30.30
22	2154	7	FEW:02 210 OVC:08 250	10.00		39	3.9	36	2.2	32	0.0	76	6	190		30.11	8	+0.02	30.31	FM-15	0.00	30.29
22	2254	7	SCT:04 160 OVC:08 220	10.00		39	3.9	36	2.2	32	0.0	76	3	160		30.10			30.30	FM-15	0.00	30.28
22	2354	7	BKN:07 160 OVC:08 220	10.00		38	3.3	36	2.2	33	0.6	83	3	170		30.08			30.27	FM-15	0.00	30.26
23	0054	7	BKN:07 170 OVC:08 250	9.00		37	2.8	35	1.7	33	0.6	86	0	000		30.06	8	+0.05	30.26	FM-15	0.00	30.24
23	0100	4		8.70		37	2.8	35	1.7	33	0.6	86	0	000		30.06	8	+0.05	30.26	FM-12		
23	0154	7	SCT:04 240 BKN:07 300	10.00		35	1.7	34	1.1	32	0.0	89	3	040		30.06			30.25	FM-15	0.00	30.24
23	0254	7	SCT:04 250	10.00		35	1.7	34	1.1	32	0.0	89	0	000		30.05			30.25	FM-15	0.00	30.23
23	0354	7	BKN:07 250	10.00		36	2.2	34	1.1	32	0.0	86	0	000		30.04	8	+0.02	30.24	FM-15	0.00	30.22
23	0454	7	OVC:08 230	10.00		35	1.7	34	1.1	32	0.0	89	3	160		30.04			30.23	FM-15	0.00	30.22
23	0554	7	OVC:08 240	10.00		35	1.7	34	1.1	33	0.6	93	0	000		30.02			30.22	FM-15	0.00	30.20
23	0654	7	OVC:08 250	9.00		35	1.7	34	1.1	33	0.6	93	0	000		30.01	8	+0.03	30.21	FM-15	0.00	30.19
23	0700	4		8.70		35	1.7	34	1.1	33	0.6	93	0	000		30.01	8	+0.03	30.21	FM-12		
23	0754	7	FEW:02 110 OVC:08 250	9.00		35	1.7	35	1.7	34	1.1	96	3	190		30.03			30.23	FM-15	0.00	30.21
23	0854	7	FEW:02 100 OVC:08 250	8.00		39	3.9	37	2.8	35	1.7	86	5	030		30.03			30.23	FM-15	0.00	30.21
23	0954	7	FEW:02 100 OVC:08 300	7.00		42	5.6	39	3.9	36	2.2	79	0	000		30.03	0	-0.01	30.22	FM-15	0.00	30.21
23	1054	7	FEW:02 40 SCT:04 250 OVC:08 300	7.00		46	7.8	42	5.6	36	2.2	68	0	000		30.01			30.20	FM-15	0.00	30.19
23	1154	7	FEW:02 35 FEW:02 220 OVC:08 300	7.00		50	10.0	44	6.7	36	2.2	59	0	000		29.98			30.17	FM-15	0.00	30.16
23	1254	7	FEW:02 40 BKN:07 300	8.00		52	11.1	44	6.7	33	0.6	49	0	000		29.94	8	+0.08	30.14	FM-15	0.00	30.12
23	1300	4	41	7.46		52	11.1	44	6.7	33	0.6	49	0	000		29.94	8	+0.08	30.14	FM-12		
23	1354	7	FEW:02 50 FEW:02 240 BKN:07 300	9.00		54	12.2	44	6.7	31	-0.6	42	3	140		29.92			30.12	FM-15	0.00	30.10
23	1454	7	FEW:02 60 BKN:07 300	10.00		54	12.2	44	6.7	32	0.0	43	0	000		29.93			30.12	FM-15	0.00	30.11
23	1554	7	FEW:02 45 OVC:08 300	10.00		53	11.7	44	6.7	34	1.1	48	3	190		29.92	6	+0.02	30.12	FM-15	0.00	30.10
23	1654	7	FEW:02 45 OVC:08 300	10.00		51	10.6	43	6.1	33	0.6	50	0	000		29.92			30.12	FM-15	0.00	30.10
23	1754	7	OVC:08 300	10.00		47	8.3	42	5.6	35	1.7	63	0	000		29.91			30.10	FM-15	0.00	30.09
23	1854	7	FEW:02 36 OVC:08 300	10.00		46	7.8	41	5.0	35	1.7	66	0	000		29.90	8	+0.02	30.09	FM-15	0.00	30.08
23	1900	4	41	9.94		46	7.8	41	5.0	35	1.7	66	0	000		29.90	8	+0.02	30.09	FM-12		
23	1954	7	FEW:02 36 OVC:08 300	9.00		43	6.1	40	4.4	35	1.7	74	0	000		29.88			30.07	FM-15	0.00	30.06
23	2054	7	BKN:07 300	10.00		43	6.1	40	4.4	35	1.7	74	0	000		29.88			30.08	FM-15	0.00	30.06
23	2154	7	BKN:07 300	10.00		39	3.9	37	2.8	35	1.7	86	0	000		29.88	6	+0.02	30.07	FM-15	0.00	30.06
23	2254	7	FEW:02 30 BKN:07 300	10.00		39	3.9	37	2.8	35	1.7	86	7	340		29.88			30.07	FM-15	0.00	30.06
23	2354	7	BKN:07 42 BKN:07 300	10.00		42	5.6	39	3.9	35	1.7	76	3	320		29.86			30.06	FM-15	0.00	30.04
24	0054	7	FEW:02 40 BKN:07 300	10.00		39	3.9	37	2.8	35	1.7	86	0	000		29.83	8	+0.04	30.03	FM-15	0.00	30.01
24	0100	4	41	9.94		39	3.9	37	2.8	35	1.7	86	0	000		29.83	8	+0.04	30.03	FM-12		
24	0154	7	BKN:07 300	10.00		39	3.9	37	2.8	35	1.7	86	0	000		29.83			30.03	FM-15	0.00	30.01
24	0254	7	BKN:07 300	10.00		38	3.3	37	2.8	35	1.7	89	0	000		29.83			30.03	FM-15	0.00	30.01

24	0354	7	BKN:07 300	10.00		37	2.8	36	2.2	34	1.1	89	6	350		29.82	8	+0.01	30.01	FM-15	0.00	30.00
24	0454	7	BKN:07 300	10.00		37	2.8	35	1.7	33	0.6	86	0	000		29.81			30.00	FM-15	0.00	29.99
24	0554	7	BKN:07 300	10.00		36	2.2	35	1.7	33	0.6	89	5	360		29.82			30.02	FM-15	0.00	30.00
24	0654	7	FEW:02 180 FEW:02 300	10.00		39	3.9	36	2.2	32	0.0	76	3	330		29.84	3	-0.02	30.03	FM-15	0.00	30.02
24	0700	4		9.94		39	3.9	36	2.2	32	0.0	76	3	330		29.84	3	-0.02	30.03	FM-12		
24	0754	7	SCT:04 300	10.00		37	2.8	35	1.7	32	0.0	82	6	010		29.85			30.05	FM-15	0.00	30.03
24	0854	7	FEW:02 350	10.00		46	7.8	41	5.0	35	1.7	66	6	040		29.89			30.09	FM-15	0.00	30.07
24	0954	7	BKN:07 300	10.00		51	10.6	44	6.7	35	1.7	54	14	040		29.92	3	-0.08	30.11	FM-15	0.00	30.10
24	1054	7	FEW:02 220 BKN:07 350	10.00		54	12.2	45	7.2	35	1.7	49	10	040		29.91			30.11	FM-15	0.00	30.09
24	1154	7	FEW:02 220 BKN:07 350	10.00		56	13.3	47	8.3	36	2.2	47	13	030		29.89			30.08	FM-15	0.00	30.07
24	1254	7	FEW:02 210 BKN:07 350	10.00		57	13.9	47	8.3	36	2.2	45	13	010		29.87	8	+0.04	30.07	FM-15	0.00	30.05
24	1300	4		9.94		57	13.9	47	8.3	36	2.2	45	13	010		29.87	8	+0.04	30.07	FM-12		
24	1354	7	BKN:07 350	10.00		57	13.9	47	8.3	36	2.2	45	11	020		29.87			30.07	FM-15	0.00	30.05
24	1454	7	BKN:07 350	10.00		57	13.9	47	8.3	36	2.2	45	8	010		29.89			30.08	FM-15	0.00	30.07
24	1554	7	BKN:07 350	10.00		53	11.7	45	7.2	36	2.2	52	11	030		29.90	3	-0.03	30.10	FM-15	0.00	30.08
24	1654	7	BKN:07 300	10.00		48	8.9	42	5.6	35	1.7	61	8	050		29.90			30.10	FM-15	0.00	30.08
24	1754	7	BKN:07 300	10.00		45	7.2	40	4.4	34	1.1	66	9	040		29.93			30.12	FM-15	0.00	30.11
24	1854	7	BKN:07 300	10.00		42	5.6	38	3.3	33	0.6	71	6	030		29.94	3	-0.04	30.13	FM-15	0.00	30.12
24	1900	4		9.94		42	5.6	38	3.3	33	0.6	71	6	030		29.94	3	-0.04	30.13	FM-12		
24	1954	7	BKN:07 300	10.00		41	5.0	38	3.3	33	0.6	73	7	060		29.96			30.16	FM-15	0.00	30.14
24	2054	7	BKN:07 300	10.00		40	4.4	37	2.8	33	0.6	77	5	040		29.98			30.17	FM-15	0.00	30.16
24	2154	7	BKN:07 300	10.00		39	3.9	36	2.2	32	0.0	76	0	000		29.98	1	-0.04	30.18	FM-15	0.00	30.16
24	2254	7	SCT:04 300	10.00		35	1.7	33	0.6	31	-0.6	85	0	000		29.99			30.19	FM-15	0.00	30.17
24	2354	7	SCT:04 300	8.00		34	1.1	32	0.0	30	-1.1	85	3	340		29.98			30.17	FM-15	0.00	30.16
25	0054	7	SCT:04 300	6.00	BR:1	33	0.6	32	0.0	30	-1.1	89	0	000		29.99	1	-0.01	30.18	FM-15	0.00	30.17
25	0100	4		5.59		33	0.6	32	0.0	30	-1.1	89	0	000		29.99	1	-0.01	30.18	FM-12		
25	0154	7	CLR:00	6.00	BR:1	31	-0.6	30	-1.1	29	-1.7	92	3	350		29.99			30.18	FM-15	0.00	30.17
25	0254	7	CLR:00	4.00	BR:1	31	-0.6	30	-1.1	29	-1.7	92	0	000		29.99			30.19	FM-15	0.00	30.17
25	0354	7	CLR:00	5.00	BR:1	31	-0.6	30	-1.1	29	-1.7	92	3	010		29.99	3	-0.01	30.19	FM-15	0.00	30.17
25	0454	7	CLR:00	5.00	BR:1	31	-0.6	30	-1.1	29	-1.7	92	3	340		29.99			30.18	FM-15	0.00	30.17
25	0554	7	CLR:00	5.00	BR:1	31	-0.6	30	-1.1	29	-1.7	92	3	340		30.00			30.19	FM-15	0.00	30.18
25	0654	7	SCT:04 300	6.00	BR:1	30	-1.1	29	-1.7	28	-2.2	92	5	350		30.01	3	-0.01	30.21	FM-15	0.00	30.19
25	0700	4		5.59		30	-1.1	29	-1.7	28	-2.2	92	5	350		30.01	3	-0.01	30.21	FM-12		
25	0754	7	FEW:02 40 BKN:07 300	5.00	BR:1	30	-1.1	29	-1.7	28	-2.2	92	0	000		30.02			30.22	FM-15	0.00	30.20
25	0854	7	FEW:02 350	6.00	BR:1	36	2.2	34	1.1	32	0.0	86	0	000		30.03			30.23	FM-15	0.00	30.21
25	0954	7	FEW:02 350	7.00		43	6.1	40	4.4	35	1.7	74	6	060		30.04	1	-0.03	30.24	FM-15	0.00	30.22
25	1054	7	FEW:02 350	8.00		47	8.3	42	5.6	36	2.2	66	0	000		30.04			30.24	FM-15	0.00	30.22
25	1154	7	BKN:07 300	10.00		50	10.0	44	6.7	38	3.3	63	0	000		30.01			30.21	FM-15	0.00	30.19
25	1254	7	BKN:07 300	10.00		52	11.1	45	7.2	38	3.3	59	0	000		29.99	8	+0.05	30.18	FM-15	0.00	30.17
25	1300	4		9.94		52	11.1	45	7.2	38	3.3	59	0	000		29.99	8	+0.05	30.18	FM-12		
25	1354	7	BKN:07 300	10.00		54	12.2	47	8.3	39	3.9	57	0	000		29.96			30.16	FM-15	0.00	30.14
25	1454	7	BKN:07 300	10.00		53	11.7	47	8.3	41	5.0	64	5	190		29.96			30.16	FM-15	0.00	30.14
25	1554	7	FEW:02 200 BKN:07 300	10.00		52	11.1	46	7.8	39	3.9	61	6	160		29.96	6	+0.03	30.15	FM-15	0.00	30.14
25	1654	7	FEW:02 150 BKN:07 300	10.00		49	9.4	44	6.7	39	3.9	69	0	000		29.95			30.15	FM-15	0.00	30.13
25	1754	7	BKN:07 300	10.00		44	6.7	41	5.0	38	3.3	79	0	000		29.97			30.16	FM-15	0.00	30.15
25	1854	7	SCT:04 300	10.00		40	4.4	39	3.9	37	2.8	89	0	000		29.98	3	-0.03	30.18	FM-15	0.00	30.16
25	1900	4		9.94		40	4.4	39	3.9	37	2.8	89	0	000		29.98	3	-0.03	30.18	FM-12		
25	1954	7	SCT:04 300	10.00		37	2.8	36	2.2	35	1.7	93	3	210		29.99			30.19	FM-15	0.00	30.17
25	2054	7	FEW:02 300	10.00		35	1.7	34	1.1	33	0.6	93	3	140		29.97			30.16	FM-15	0.00	30.15
25	2154	7	CLR:00	10.00		38	3.3	37	2.8	35	1.7	89	5	180		29.97	8	+0.01	30.16	FM-15	0.00	30.15
25	2254	7	CLR:00	10.00		38	3.3	37	2.8	36	2.2	93	0	000		29.97			30.16	FM-15	0.00	30.15

25	2354	7	CLR:00	9.00		33	0.6	33	0.6	32	0.0	96	0	000		29.95			30.15	FM-15	0.00	30.13
26	0054	7	FEW:02 300	3.00	BR:1	35	1.7	35	1.7	34	1.1	96	0	000		29.97	3	0.00	30.16	FM-15	0.00	30.15
26	0100	4		2.98		35	1.7	35	1.7	34	1.1	96	0	000		29.97	3	0.00	30.16	FM-12		
26	0119	7	SCT:04 6	4.00	BR:1	33	0.6	33	0.6	32	0.0	96	0	000		29.97				FM-16		30.15
26	0140	7	BKN:07 4	2.00	BR:1	32	0.0	32	0.0	31	-0.6	96	3	100		29.98				FM-16		30.16
26	0154	7	BKN:07 4	2.00	BR:1	32	0.0	32	0.0	31	-0.6	96	0	000		29.98			30.18	FM-15	0.00	30.16
26	0254	7	OVC:08 2	1.00	BR:1	31	-0.6	31	-0.6	30	-1.1	96	7	140		29.98			30.18	FM-15	0.00	30.16
26	0333	7	VV:09 3	1.00	BR:1	33	0.6	33	0.6	33	0.6	100	3	160		29.98				FM-16		30.16
26	0351	7	VV:09 2	1.00	BR:1	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.98				FM-16		30.16
26	0354	7	VV:09 2	1.00	BR:1	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.98	2	0.00	30.18	FM-15	0.00	30.16
26	0406	7	VV:09 1	1.00	BR:1	31	-0.6	31	-0.6	31	-0.6	100	3	130		29.98				FM-16		30.16
26	0427	7	VV:09 2	1.00	BR:1	31	-0.6	31	-0.6	31	-0.6	100	5	360		29.99				FM-16		30.17
26	0438	7	VV:09 2	1.00	BR:1	32	0.0	32	0.0	32	0.0	100	6	360		30.00				FM-16		30.18
26	0454	7	VV:09 2	0.50	FG:2 FG	32	0.0	32	0.0	32	0.0	100	5	040		30.00			30.20	FM-15	0.00	30.18
26	0554	7	VV:09 2	0.50	FZ:8 FG:2 FG	31	-0.6	31	-0.6	31	-0.6	100	3	170		30.02			30.22	FM-15	0.00	30.20
26	0617	7	BKN:07 2	0.75	BR:1	31	-0.6	31	-0.6	31	-0.6	100	5	150		30.03				FM-16		30.21
26	0629	7	SCT:04 2	2.00	BR:1	31	-0.6	31	-0.6	31	-0.6	100	5	150		30.03				FM-16		30.21
26	0654	7	FEW:02 2 SCT:04 300	3.00	BR:1	30	-1.1	30	-1.1	30	-1.1	100	0	000		30.04	1	-0.05	30.24	FM-15	0.00	30.22
26	0700	4	2	2.98		30	-1.1	30	-1.1	30	-1.1	100	0	000		30.04	1	-0.05	30.24	FM-12		
26	0754	7	FEW:02 300	6.00	BR:1	30	-1.1	30	-1.1	30	-1.1	100	0	000		30.05			30.25	FM-15	0.00	30.23
26	0821	7	FEW:02 2 SCT:04 300	4.00	BR:1	33	0.6	33	0.6	33	0.6	100	3	190		30.06				FM-16		30.24
26	0854	7	FEW:02 5 SCT:04 300	6.00	BR:1	37	2.8	37	2.8	37	2.8	100	3	210		30.07			30.27	FM-15	0.00	30.25
26	0954	7	FEW:02 9 FEW:02 65 SCT:04 300	10.00		45	7.2	42	5.6	39	3.9	80	0	000		30.08	2	-0.05	30.28	FM-15	0.00	30.26
26	1054	7	BKN:07 300	10.00		50	10.0	45	7.2	39	3.9	66	0	000		30.08			30.27	FM-15	0.00	30.26
26	1154	7	BKN:07 300	10.00		54	12.2	47	8.3	40	4.4	59	0	000		30.05			30.24	FM-15	0.00	30.23
26	1254	7	BKN:07 300	10.00		59	15.0	50	10.0	40	4.4	49	0	000		30.03	8	+0.05	30.23	FM-15	0.00	30.21
26	1300	4		9.94		59	15.0	50	10.0	40	4.4	49	0	000		30.03	8	+0.05	30.23	FM-12		
26	1354	7	SCT:04 300	10.00		63s	63ss	52	11.1	41	5.0	45	0	000		30.02			30.22	FM-15	0.00	30.20
26	1454	7	SCT:04 300	10.00		63	17.2	52	11.1	41	5.0	45	6	080		30.04			30.23	FM-15	0.00	30.22
26	1554	7	FEW:02 70 BKN:07 300	10.00		62	16.7	51	10.6	41	5.0	46	5	090		30.06	3	-0.03	30.26	FM-15	0.00	30.24
26	1654	7	BKN:07 300	10.00		57	13.9	50	10.0	43	6.1	60	5	080		30.07			30.27	FM-15	0.00	30.25
26	1754	7	SCT:04 300	10.00		54	12.2	49	9.4	43	6.1	67	5	080		30.08			30.27	FM-15	0.00	30.26
26	1854	7	FEW:02 300	10.00		50	10.0	46	7.8	42	5.6	74	6	110		30.09	3	-0.03	30.29	FM-15	0.00	30.27
26	1900	4		9.94		50	10.0	46	7.8	42	5.6	74	6	110		30.09	3	-0.03	30.29	FM-12		
26	1954	7	FEW:02 300	10.00		48	8.9	45	7.2	42	5.6	80	8	110		30.11			30.30	FM-15	0.00	30.29
26	2054	7	FEW:02 300	10.00		45	7.2	44	6.7	42	5.6	90	6	130		30.12			30.32	FM-15	0.00	30.30
26	2154	7	FEW:02 300	10.00		44	6.7	43	6.1	42	5.6	93	6	150		30.13	1	-0.04	30.33	FM-15	0.00	30.31
26	2254	7	FEW:02 300	10.00		43	6.1	42	5.6	41	5.0	93	0	000		30.13			30.33	FM-15	0.00	30.31
26	2352	6	SCT:04 6 SCT:04 300	8.00		39	3.9	39	3.9	39	3.9	100	5	040		30.13				FM-16		30.31
26	2354	7	SCT:04 6 SCT:04 300	7.00		40	4.4	40	4.4	40	4.4	100	5	050		30.13			30.32	FM-15	0.00	30.31
27	0015	7	BKN:07 5	5.00	BR:1	41	5.0	41	5.0	41	5.0	100	3	060		30.12				FM-16		30.30
27	0052	6	OVC:08 3	6.00	BR:1	43	6.1	43	6.1	43	6.1	100	5	100		30.12				FM-16		30.30
27	0054	7	OVC:08 3	2.00	BR:1	43	6.1	43	6.1	43	6.1	100	3	110		30.12	8	+0.01	30.32	FM-15	0.00	30.30
27	0100	4	2	1.99		43	6.1	43	6.1	43	6.1	100	3	110		30.12	8	+0.01	30.32	FM-12		
27	0108	7	OVC:08 3	0.50	FG:2 FG	44	6.7	44	6.7	44	6.7	100	3	090		30.12				FM-16		30.30
27	0115	7	VV:09 2	0.25	FG:2 FG	44	6.7	44	6.7	44	6.7	100	3	090		30.12				FM-16		30.30
27	0130	7	VV:09 2	0.12	FG:2 FG	44	6.7	44	6.7	44	6.7	100	5	100		30.13				FM-16		30.31
27	0154	7	VV:09 2	0.00	FG:2 FG FG	43	6.1	43	6.1	43	6.1	100	3	100		30.13			30.32	FM-15	0.00	30.31
27	0254	7	VV:09 2	0.00	FG:2 FG FG	43	6.1	43	6.1	43	6.1	100	6	140		30.12			30.31	FM-15	0.00	30.30
27	0344	7	VV:09 2	0.12	FG:2 FG	43	6.1	43	6.1	43	6.1	100	0	000		30.12				FM-16		30.30

27	0354	7	VV:09 2	0.12	FG:2 FG		43	6.1	43	6.1	43	6.1	100	0	000		30.12	8	0.00	30.31	FM-15	0.00	30.30
27	0427	7	VV:09 2	0.12	FG:2 FG		42	5.6	42	5.6	42	5.6	100	3	190		30.12			30.31	FM-16		30.30
27	0454	7	VV:09 2	0.12	FG:2 FG		42	5.6	42	5.6	42	5.6	100	0	000		30.12			30.31	FM-15	0.00	30.30
27	0542	7	VV:09 2	0.12	FG:2 FG		42	5.6	42	5.6	42	5.6	100	3	190		30.12				FM-16		30.30
27	0554	7	VV:09 2	0.12	FG:2 FG		42	5.6	42	5.6	42	5.6	100	0	000		30.12			30.31	FM-15	0.00	30.30
27	0605	7	VV:09 2	0.12	FG:2 FG		41	5.0	41	5.0	41	5.0	100	0	000		30.12				FM-16		30.30
27	0615	7	VV:09 2	0.12	FG:2 FG		41	5.0	41	5.0	41	5.0	100	5	140		30.12				FM-16		30.30
27	0630	7	VV:09 2	0.12	FG:2 FG		41	5.0	41	5.0	41	5.0	100	0	000		30.12				FM-16		30.30
27	0640	7	VV:09 2	0.12	FG:2 FG		41	5.0	41	5.0	41	5.0	100	0	000		30.12				FM-16		30.30
27	0652	6	VV:09 2	0.12	FG:2 FG		41	5.0	41	5.0	41	5.0	100	0	000		30.13				FM-16		30.31
27	0654	7	VV:09 2	0.12	FG:2 FG		41	5.0	41	5.0	41	5.0	100	0	000		30.13	3	-0.01	30.33	FM-15	0.00	30.31
27	0700	4	2	0.12	FG		41	5.0	41	5.0	41	5.0	100	0	000		30.13	3	-0.01	30.33	FM-12		
27	0709	7	VV:09 2	0.12	FG:2 FG		41	5.0	41	5.0	41	5.0	100	0	000		30.13				FM-16		30.31
27	0754	7	VV:09 2	0.12	FG:2 FG		42	5.6	42	5.6	42	5.6	100	0	000		30.13			30.33	FM-15	0.00	30.31
27	0854	7	VV:09 2	0.12	FG:2 FG		42	5.6	42	5.6	42	5.6	100	3	150		30.14			30.34	FM-15	0.00	30.32
27	0901	7	VV:09 2	0.25	FG:2 FG		43	6.1	43	6.1	43	6.1	100	3	150		30.14				FM-16		30.32
27	0934	7	VV:09 2	0.25	FG:2 FG		44	6.7	44	6.7	44	6.7	100	0	000		30.15				FM-16		30.33
27	0954	7	OVC:08 2	0.75	BR:1		44	6.7	44	6.7	44	6.7	100	3	200		30.14	3	-0.01	30.34	FM-15	0.00	30.32
27	0958	7	OVC:08 2	1.50	BR:1		45	7.2	45	7.2	45	7.2	100	5	VRB		30.14				FM-16		30.32
27	1005	7	OVC:08 2	3.00	BR:1		45	7.2	45	7.2	45	7.2	100	5	180		30.14				FM-16		30.32
27	1035	7	SCT:04 3 SCT:04 80 BKN:07 300	10.00			46	7.8	46	7.8	45	7.2	96	7	200		30.13				FM-16		30.31
27	1054	7	FEW:02 3 FEW:02 80 BKN:07 300	10.00			48	8.9	47	8.3	46	7.8	93	7	170		30.12			30.32	FM-15	0.00	30.30
27	1154	7	FEW:02 150 BKN:07 300	10.00			54	12.2	51	10.6	48	8.9	80	8	240		30.08			30.28	FM-15	0.00	30.26
27	1254	7	FEW:02 150 OVC:08 300	10.00			58	14.4	53	11.7	49	9.4	72	6	220		30.05	8	+0.10	30.24	FM-15	0.00	30.23
27	1300	4		9.94			58	14.4	53	11.7	49	9.4	72	6	220		30.05	8	+0.10	30.24	FM-12		
27	1354	7	FEW:02 150 OVC:08 300	10.00			58	14.4	53	11.7	49	9.4	72	6	160		30.02			30.21	FM-15	0.00	30.20
27	1454	7	FEW:02 150 OVC:08 300	10.00			60	15.6	55	12.8	51	10.6	72	5	170		30.01			30.20	FM-15	0.00	30.19
27	1554	7	FEW:02 150 SCT:04 240 OVC:08 300	10.00			59	15.0	55	12.8	52	11.1	78	0	000		30.02	5	+0.03	30.21	FM-15	0.00	30.20
27	1654	7	FEW:02 120 OVC:08 230	10.00			56	13.3	53	11.7	51	10.6	84	3	170		30.02			30.21	FM-15	0.00	30.20
27	1754	7	BKN:07 240	10.00			55	12.8	52	11.1	50	10.0	83	6	180		30.02			30.22	FM-15	0.00	30.20
27	1854	7	OVC:08 240	10.00			53	11.7	51	10.6	49	9.4	86	0	000		30.02	3	-0.01	30.22	FM-15	0.00	30.20
27	1900	4		9.94			53	11.7	51	10.6	49	9.4	86	0	000		30.02	3	-0.01	30.22	FM-12		
27	1954	7	OVC:08 230	10.00			53	11.7	51	10.6	50	10.0	89	0	000		30.04			30.24	FM-15	0.00	30.22
27	2054	7	BKN:07 240	10.00			50	10.0	49	9.4	48	8.9	93	0	000		30.04			30.24	FM-15	0.00	30.22
27	2154	7	BKN:07 250	10.00			48	8.9	48	8.9	48	8.9	100	3	180		30.03	0	-0.01	30.23	FM-15	0.00	30.21
27	2254	7	OVC:08 240	10.00			47	8.3	47	8.3	46	7.8	97	3	200		30.02			30.22	FM-15	0.00	30.20
27	2354	7	BKN:07 210 OVC:08 250	10.00			50	10.0	49	9.4	49	9.4	96	3	210		30.01			30.20	FM-15	0.00	30.19
28	0054	7	BKN:07 250	4.00	BR:1		49	9.4	49	9.4	49	9.4	100	0	000		30.00	6	+0.03	30.19	FM-15	0.00	30.18
28	0100	4		3.73			49	9.4	49	9.4	49	9.4	100	0	000		30.00	6	+0.03	30.19	FM-12		
28	0154	7	FEW:02 250	10.00	MI:1 FG:2 FG		46	7.8	46	7.8	46	7.8	100	0	000		30.00			30.20	FM-15	0.00	30.18
28	0254	7	FEW:02 250	10.00	MI:1 FG:2 FG		44	6.7	44	6.7	43	6.1	96	0	000		30.01			30.20	FM-15	0.00	30.19
28	0354	7	FEW:02 250	10.00	MI:1 FG:2 FG		43	6.1	43	6.1	43	6.1	100	0	000		30.01	1	-0.01	30.20	FM-15	0.00	30.19
28	0454	7	FEW:02 250	10.00	MI:1 FG:2 FG		43	6.1	43	6.1	42	5.6	97	0	000		30.02			30.21	FM-15	0.00	30.20
28	0554	7	BKN:07 60 OVC:08 250	8.00			43	6.1	43	6.1	43	6.1	100	0	000		30.03			30.23	FM-15	0.00	30.21
28	0654	7	BKN:07 55	10.00			45	7.2	45	7.2	45	7.2	100	0	000		30.04	2	-0.03	30.24	FM-15	0.00	30.22
28	0700	4	57	9.94			45	7.2	45	7.2	45	7.2	100	0	000		30.04	2	-0.03	30.24	FM-12		

28	0754	7	FEW:02 55 SCT:04 300	7.00		46	7.8	46	7.8	45	7.2	96	0	000		30.06			30.25	FM-15	0.00	30.24
28	0854	7	FEW:02 55 BKN:07 300	10.00		52	11.1	49	9.4	47	8.3	83	0	000		30.09			30.28	FM-15	0.00	30.27
28	0954	7	FEW:02 55 BKN:07 300	10.00		57	13.9	52	11.1	47	8.3	69	0	000		30.09	1	-0.05	30.29	FM-15	0.00	30.27
28	1054	7	BKN:07 300	10.00		62	16.7	55	12.8	48	8.9	60	3	VRB		30.09			30.28	FM-15	0.00	30.27
28	1154	7	BKN:07 300	10.00		65	18.3	56	13.3	48	8.9	54	6	VRB		30.07			30.26	FM-15	0.00	30.25
28	1254	7	BKN:07 300	10.00		65	18.3	56	13.3	48	8.9	54	5	140		30.04	8	+0.06	30.23	FM-15	0.00	30.22
28	1300	4		9.94		65	18.3	56	13.3	48	8.9	54	5	140		30.04	8	+0.06	30.23	FM-12		
28	1354	7	FEW:02 42 BKN:07 300	10.00		66	18.9	56	13.3	48	8.9	52	6	100		30.02			30.21	FM-15	0.00	30.20
28	1454	7	FEW:02 40 BKN:07 300	10.00		66	18.9	57	13.9	49	9.4	54	5	140		30.02			30.21	FM-15	0.00	30.20
28	1554	7	BKN:07 300	10.00		64	17.8	56	13.3	49	9.4	58	6	190		30.02	5	+0.01	30.22	FM-15	0.00	30.20
28	1654	7	BKN:07 300	10.00		62	16.7	55	12.8	49	9.4	62	6	150		30.02			30.22	FM-15	0.00	30.20
28	1754	7	FEW:02 300	10.00		55	12.8	51	10.6	47	8.3	74	5	150		30.04			30.23	FM-15	0.00	30.22
28	1854	7	FEW:02 300	10.00		56	13.3	51	10.6	47	8.3	72	8	150		30.04	1	-0.01	30.23	FM-15	0.00	30.22
28	1900	4		9.94		56	13.3	51	10.6	47	8.3	72	8	150		30.04	1	-0.01	30.23	FM-12		
28	1954	7	BKN:07 300	10.00		53	11.7	49	9.4	46	7.8	77	3	120		30.04			30.24	FM-15	0.00	30.22
28	2054	7	SCT:04 300	10.00		50	10.0	48	8.9	46	7.8	86	5	130		30.04			30.23	FM-15	0.00	30.22
28	2154	7	FEW:02 120 SCT:04 300	10.00		50	10.0	48	8.9	45	7.2	83	0	000		30.05	2	-0.01	30.24	FM-15	0.00	30.23
28	2254	7	BKN:07 150	10.00		51	10.6	49	9.4	46	7.8	83	5	140		30.04			30.23	FM-15	0.00	30.22
28	2354	7	OVC:08 150	10.00		51	10.6	49	9.4	46	7.8	83	0	000		30.03			30.22	FM-15	0.00	30.21
29	0054	7	OVC:08 140	10.00		51	10.6	49	9.4	46	7.8	83	5	140		30.01	8	+0.04	30.21	FM-15	0.00	30.19
29	0100	4		9.94		51	10.6	49	9.4	46	7.8	83	5	140		30.01	8	+0.04	30.21	FM-12		
29	0154	7	OVC:08 140	10.00		51	10.6	49	9.4	47	8.3	86	5	130		30.01			30.20	FM-15	0.00	30.19
29	0254	7	SCT:04 47 SCT:04 140 OVC:08 250	10.00		50	10.0	48	8.9	46	7.8	86	5	130		30.00			30.19	FM-15	0.00	30.18
29	0354	7	SCT:04 41 OVC:08 250	10.00		50	10.0	48	8.9	46	7.8	86	3	140		30.00	6	+0.02	30.19	FM-15	0.00	30.18
29	0454	7	SCT:04 34 BKN:07 250	10.00		47	8.3	46	7.8	45	7.2	93	6	130		29.98			30.17	FM-15	0.00	30.16
29	0554	7	FEW:02 34 BKN:07 250	10.00		49	9.4	47	8.3	45	7.2	86	5	160		29.98			30.18	FM-15	0.00	30.16
29	0654	7	FEW:02 34 BKN:07 65	10.00		50	10.0	48	8.9	46	7.8	86	5	150		29.98	6	+0.01	30.17	FM-15	0.00	30.16
29	0700	4	41	9.94		50	10.0	48	8.9	46	7.8	86	5	150		29.98	6	+0.01	30.17	FM-12		
29	0754	7	BKN:07 60 OVC:08 250	10.00		51	10.6	49	9.4	47	8.3	86	6	140		29.98			30.17	FM-15	0.00	30.16
29	0854	7	FEW:02 27 BKN:07 39 OVC:08 48	7.00	-RA:02 RA RA	52	11.1	50	10.0	49	9.4	89	6	160		29.99			30.18	FM-15	T	30.17
29	0930	7	BKN:07 25 BKN:07 32 OVC:08 42	5.00	-RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	5	160		29.98				FM-16	T	30.16
29	0954	7	BKN:07 24 OVC:08 35	5.00	-RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	5	160		29.98	0	0.00	30.18	FM-15	0.01	30.16
29	1009	7	BKN:07 22 BKN:07 35 OVC:08 48	2.00	-RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	8	150		29.98				FM-16	0.01	30.16
29	1032	7	BKN:07 16 OVC:08 31	1.50	-RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	7	140		29.98				FM-16	0.02	30.16
29	1045	7	SCT:04 4 BKN:07 13 OVC:08 17	1.00	RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	5	140		29.97				FM-16	0.03	30.15
29	1054	7	BKN:07 4 OVC:08 13	1.25	-RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	6	150		29.96			30.15	FM-15	0.05	30.14
29	1143	7	OVC:08 3	0.75	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.2	54	12.2	96	8	150		29.92				FM-16	0.02	30.10
29	1154	7	OVC:08 3	1.00	-DZ:01 BR:1 DZ DZ	55	12.8	54	12.2	54	12.2	96	9	140		29.90			30.10	FM-15	0.03	30.08

29	1237	7	BKN:07 4 BKN:07 11 OVC:08 50	4.00	-RA:02 BR:1 RA RA	56	13.3	55	12.8	55	12.8	97	8	160		29.88				FM-16	0.04	30.06
29	1252	6	BKN:07 4 OVC:08 8	2.00	-DZ:01 BR:1 DZ DZ	55	12.8	55	12.8	55	12.8	100	9	150		29.87				FM-16		30.05
29	1254	7	BKN:07 4 OVC:08 8	2.00	-DZ:01 BR:1 DZ DZ	56	13.3	55	12.8	55	12.8	97	10	150		29.88	8	+0.11	30.07	FM-15	0.05	30.06
29	1300	4	5	1.99	DZ	56	13.3	55	12.8	55	12.8	97	10	150		29.88	8	+0.11	30.07	FM-12		
29	1302	7	BKN:07 4 OVC:08 10	1.50	-RA:02 BR:1 RA RA	56	13.3	56	13.3	56	13.3	100	9	150		29.87				FM-16	0.01	30.05
29	1313	7	BKN:07 4 OVC:08 10	3.00	-RA:02 BR:1 RA RA	56	13.3	56	13.3	56	13.3	100	8	150		29.86				FM-16	0.02	30.04
29	1354	7	OVC:08 4	4.00	-DZ:01 BR:1 DZ DZ	57	13.9	57	13.9	57	13.9	100	8	160		29.84			30.03	FM-15	0.03	30.02
29	1447	7	OVC:08 4	2.50	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	57	13.9	97	6	170		29.83				FM-16	T	30.01
29	1454	7	OVC:08 3	2.50	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	57	13.9	97	7	170		29.83			30.02	FM-15	T	30.01
29	1554	7	OVC:08 3	2.50	BR:1	58	14.4	58	14.4	58	14.4	100	6	150		29.82	6	+0.05	30.01	FM-15	T	30.00
29	1654	7	OVC:08 3	3.00	BR:1	58	14.4	58	14.4	58	14.4	100	7	140		29.80			30.00	FM-15	0.00	29.98
29	1754	7	OVC:08 3	4.00	BR:1	59	15.0	58	14.4	58	14.4	96	8	130		29.78			29.98	FM-15	0.00	29.96
29	1852	6	SCT:04 5 BKN:07 70 OVC:08 95	8.00		59	15.0	59	15.0	59	15.0	100	8	150		29.76				FM-16		29.94
29	1854	7	SCT:04 5 BKN:07 70 OVC:08 95	8.00		59	15.0	59	15.0	59	15.0	100	7	150		29.76	6	+0.04	29.95	FM-15	0.00	29.94
29	1900	4	5	7.46		59	15.0	59	15.0	59	15.0	100	7	150		29.76	6	+0.04	29.95	FM-12		
29	1954	7	SCT:04 29 SCT:04 70 OVC:08 100	10.00		60	15.6	59	15.0	59	15.0	96	7	160		29.74			29.93	FM-15	0.00	29.92
29	2054	7	BKN:07 28 BKN:07 35 OVC:08 90	4.00	-DZ:01 BR:1 DZ DZ	60	15.6	60	15.6	60	15.6	100	8	140		29.71			29.91	FM-15	0.02	29.89
29	2134	7	BKN:07 12 BKN:07 24 OVC:08 75	10.00		62	16.7	61	16.1	61	16.1	96	10	170		29.70				FM-16	T	29.88
29	2154	7	BKN:07 10 OVC:08 24	10.00		62	16.7	61	16.1	61	16.1	96	11	170		29.69	6	+0.07	29.88	FM-15	T	29.87
29	2254	7	BKN:07 10 OVC:08 65	10.00		63	17.2	62	16.7	62	16.7	97	13	170		29.66			29.86	FM-15	0.00	29.84
29	2312	7	BKN:07 8 OVC:08 13	6.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	62	16.7	97	11	180		29.66				FM-16	T	29.84
29	2325	7	BKN:07 8 BKN:07 12 OVC:08 17	2.50	-RA:02 BR:1 RA RA	63	17.2	62	16.7	62	16.7	97	11	170		29.65				FM-16	0.03	29.83
29	2352	6	BKN:07 6 OVC:08 12	4.00	-RA:02 BR:1 RA RA	63	17.2	63	17.2	63	17.2	100	15	170		29.62				FM-16		29.80
29	2354	7	BKN:07 6 OVC:08 12	10.00	-RA:02 RA RA	63	17.2	63	17.2	63	17.2	100	13	170		29.62			29.81	FM-15	0.06	29.80
30	0041	7	FEW:02 6 BKN:07 12 OVC:08 18	10.00		64	17.8	63	17.2	63	17.2	96	17	180		29.60				FM-16	0.01	29.78
30	0054	7	FEW:02 9 BKN:07 14 OVC:08 18	10.00		64	17.8	63	17.2	63	17.2	96	15	170		29.60	8	+0.09	29.79	FM-15	0.01	29.78
30	0100	4	8	9.94		64	17.8	63	17.2	63	17.2	96	15	170		29.60	8	+0.09	29.79	FM-12		
30	0154	7	BKN:07 13 OVC:08 18	10.00		65	18.3	64	17.8	63	17.2	93	21	170	29	29.56			29.76	FM-15	T	29.74
30	0254	7	BKN:07 14 OVC:08 21	10.00		66	18.9	65	18.3	64	17.8	93	16	190		29.56			29.75	FM-15	0.00	29.74
30	0331	7	SCT:04 14 BKN:07 20 OVC:08 35	10.00		66	18.9	65	18.3	64	17.8	93	21	200		29.56				FM-16		29.74
30	0354	7	FEW:02 15 BKN:07 19 OVC:08 47	10.00		66	18.9	64	17.8	63	17.2	90	15	190		29.55	6	+0.04	29.74	FM-15	0.00	29.73

30	0454	7	BKN:07 16 OVC:08 220	10.00		65	18.3	64	17.8	63	17.2	93	14	180		29.52			29.70	FM-15	0.00	29.69
30	0554	7	FEW:02 12 BKN:07 16 OVC:08 25	10.00		66	18.9	65	18.3	64	17.8	93	14	190		29.50			29.69	FM-15	0.00	29.68
30	0654	7	SCT:04 21 BKN:07 29 BKN:07 50	10.00		66	18.9	65	18.3	64	17.8	93	15	180		29.50	6	+0.06	29.69	FM-15	0.00	29.68
30	0700	4	26	9.94		66	18.9	65	18.3	64	17.8	93	15	180		29.50	6	+0.06	29.69	FM-12		
30	0746	7	SCT:04 18 OVC:08 250	10.00		66	18.9	65	18.3	64	17.8	93	13	170		29.47				FM-16		29.65
30	0754	7	SCT:04 17 BKN:07 250	10.00		66	18.9	65	18.3	64	17.8	93	13	180		29.47			29.66	FM-15	0.00	29.65
30	0854	7	FEW:02 15 SCT:04 48 BKN:07 240	10.00		67	19.4	65	18.3	64	17.8	91	14	180		29.47			29.65	FM-15	0.00	29.64
30	0954	7	SCT:04 17 BKN:07 43 BKN:07 220	10.00		69	20.6	66	18.9	65	18.3	87	16	190		29.47	5	+0.03	29.65	FM-15	0.00	29.64
30	1009	7	FEW:02 15 BKN:07 23 BKN:07 44	10.00		69	20.6	66	18.9	65	18.3	87	15	200	23	29.47				FM-16		29.65
30	1030	7	SCT:04 23 BKN:07 43 OVC:08 220	10.00		69	20.6	66	18.9	65	18.3	87	15	200	25	29.47				FM-16		29.64
30	1054	7	FEW:02 24 BKN:07 45 OVC:08 220	10.00		71	21.7	67	19.4	64	17.8	79	16	210	25	29.45			29.64	FM-15	0.00	29.63
30	1154	7	BKN:07 33 BKN:07 48 BKN:07 220	10.00		72	22.2	66	18.9	63	17.2	73	20	230	26	29.44			29.62	FM-15	0.00	29.61
30	1251	7	SCT:04 31 BKN:07 55 BKN:07 220	10.00		70	21.1	66	18.9	63	17.2	78	10	280		29.41				FM-16		29.59
30	1254	7	FEW:02 30 SCT:04 55 BKN:07 220	10.00		70	21.1	65	18.3	62	16.7	76	10	290		29.41	6	+0.05	29.59	FM-15	0.00	29.59
30	1300	4	26	9.94		70	21.1	65	18.3	62	16.7	76	10	290		29.41	6	+0.05	29.59	FM-12		
30	1354	7	FEW:02 30 SCT:04 70 SCT:04 300	10.00		71	21.7	64	17.8	60	15.6	68	11	270		29.41			29.59	FM-15	0.00	29.58
30	1454	7	FEW:02 30 SCT:04 300	10.00		72	22.2	62	16.7	56	13.3	57	13	270		29.41			29.59	FM-15	0.00	29.59
30	1554	7	FEW:02 37 FEW:02 300	10.00		71	21.7	61	16.1	53	11.7	53	15	250		29.42	3	-0.01	29.60	FM-15	0.00	29.60
30	1654	7	FEW:02 37 FEW:02 300	10.00		68	20.0	58	14.4	50	10.0	53	10	250		29.44			29.62	FM-15	0.00	29.61
30	1754	7	FEW:02 300	10.00		65	18.3	54	12.2	44	6.7	47	8	250		29.45			29.64	FM-15	0.00	29.63
30	1854	7	CLR:00	10.00		63	17.2	50	10.0	36	2.2	37	8	270		29.47	3	-0.05	29.66	FM-15	0.00	29.65
30	1900	4		9.94		63	17.2	50	10.0	36	2.2	37	8	270		29.47	3	-0.05	29.66	FM-12		
30	1954	7	CLR:00	10.00		62	16.7	47	8.3	29s	29ss	29	9	270		29.49			29.68	FM-15	0.00	29.67
30	2054	7	CLR:00	10.00		60	15.6	46	7.8	30	-1.1	32	9	250		29.50			29.69	FM-15	0.00	29.68
30	2154	7	CLR:00	10.00		58	14.4	45	7.2	30	-1.1	35	10	260		29.50	1	-0.03	29.69	FM-15	0.00	29.68
30	2254	7	CLR:00	10.00		55	12.8	44	6.7	30	-1.1	38	5	280		29.50			29.69	FM-15	0.00	29.68
30	2354	7	CLR:00	10.00		52	11.1	43	6.1	31	-0.6	45	0	000		29.52			29.70	FM-15	0.00	29.69
31	0042	7	FEW:02 1	2.00	BR:1	45	7.2	44	6.7	43	6.1	93	7	050		29.52				FM-16		29.69
31	0043	7	VV:09 2	0.50	FG:2 FG	45	7.2	45	7.2	44	6.7	97	7	060		29.52				FM-16		29.69
31	0054	7	VV:09 2	0.12	FG:2 FG	47	8.3	47	8.3	47	8.3	100	5	050		29.52	3	-0.01	29.71	FM-15	0.00	29.70
31	0100	4	2	0.12	FG	47	8.3	47	8.3	47	8.3	100	5	050		29.52	3	-0.01	29.71	FM-12		
31	0107	7	VV:09 2	0.12	FG:2 FG	47	8.3	47	8.3	47	8.3	100	3	040		29.52				FM-16		29.70
31	0117	7	VV:09 2	0.50	FG:2 FG	48	8.9	48	8.9	48	8.9	100	6	030		29.52				FM-16		29.70
31	0124	7	VV:09 2	0.50	FG:2 FG	48	8.9	48	8.9	47	8.3	96	5	360		29.52				FM-16		29.70
31	0134	7	OVC:08 3	3.00	BR:1	48	8.9	48	8.9	48	8.9	100	5	010		29.53				FM-16		29.71

31	0143	7	OVC:08 5	6.00	BR:1	48	8.9	48	8.9	48	8.9	100	3	020		29.53				FM-16		29.71
31	0154	7	OVC:08 5	6.00	BR:1	48	8.9	48	8.9	47	8.3	96	0	000		29.53			29.72	FM-15	0.00	29.71
31	0254	7	BKN:07 7	7.00		48	8.9	48	8.9	47	8.3	96	5	020		29.54			29.73	FM-15	0.00	29.72
31	0354	7	OVC:08 5	9.00		48	8.9	48	8.9	47	8.3	96	5	020		29.54	1	-0.03	29.73	FM-15	0.00	29.72
31	0411	7	OVC:08 4	9.00		48	8.9	47	8.3	46	7.8	93	7	010		29.54				FM-16		29.72
31	0454	7	OVC:08 3	2.00	BR:1	46	7.8	46	7.8	46	7.8	100	5	060		29.55			29.74	FM-15	0.00	29.73
31	0554	7	OVC:08 2	2.00	BR:1	46	7.8	46	7.8	46	7.8	100	5	020		29.57			29.76	FM-15	0.00	29.75
31	0638	7	BKN:07 3 OVC:08 8	4.00	BR:1	46	7.8	46	7.8	45	7.2	96	5	360		29.58				FM-16		29.76
31	0654	7	OVC:08 5	6.00	BR:1	46	7.8	46	7.8	45	7.2	96	5	020		29.59	3	-0.05	29.78	FM-15	0.00	29.77
31	0700	4	5	5.59		46	7.8	46	7.8	45	7.2	96	5	020		29.59	3	-0.05	29.78	FM-12		
31	0754	7	BKN:07 7	6.00	BR:1	45	7.2	45	7.2	44	6.7	97	3	100		29.59			29.78	FM-15	0.00	29.77
31	0854	7	BKN:07 5	7.00		46	7.8	45	7.2	44	6.7	93	5	200		29.60			29.79	FM-15	0.00	29.78
31	0954	7	BKN:07 9	8.00		48	8.9	46	7.8	44	6.7	86	7	200		29.61	3	-0.02	29.80	FM-15	0.00	29.79
31	1015	7	FEW:02 9 FEW:02 80	10.00		50	10.0	47	8.3	44	6.7	80	9	230		29.60				FM-16		29.78
31	1054	7	FEW:02 10 FEW:02 60	10.00		51	10.6	47	8.3	42	5.6	71	9	220		29.59			29.78	FM-15	0.00	29.77
31	1154	7	FEW:02 30	10.00		54	12.2	45	7.2	35	1.7	49	13	260		29.56			29.75	FM-15	0.00	29.74
31	1254	7	BKN:07 60	10.00		55	12.8	44	6.7	30	-1.1	38	14	240		29.55	6	+0.06	29.74	FM-15	0.00	29.73
31	1300	4	57	9.94		55	12.8	44	6.7	30	-1.1	38	14	240		29.55	6	+0.06	29.74	FM-12		
31	1354	7	SCT:04 60	10.00		55	12.8	44	6.7	30	-1.1	38	14	260		29.54			29.73	FM-15	0.00	29.72
31	1454	7	FEW:02 60	10.00		56	13.3	44	6.7	30	-1.1	37	10	240		29.53			29.72	FM-15	0.00	29.71
31	1554	7	FEW:02 65	10.00		55	12.8	44	6.7	29	-1.7	37	11	240		29.54	5	+0.01	29.73	FM-15	0.00	29.72
31	1654	7	CLR:00	10.00		53	11.7	43	6.1	30	-1.1	41	11	230		29.54			29.73	FM-15	0.00	29.72
31	1754	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58	7	200		29.55			29.74	FM-15	0.00	29.73
31	1854	7	CLR:00	10.00		43	6.1	38	3.3	31	-0.6	63	8	200		29.55	2	-0.02	29.75	FM-15	0.00	29.73
31	1900	4		9.94		43	6.1	38	3.3	31	-0.6	63	8	200		29.55	2	-0.02	29.75	FM-12		
31	1954	7	CLR:00	10.00		44	6.7	39	3.9	31	-0.6	60	6	210		29.55			29.75	FM-15	0.00	29.73
31	2054	7	CLR:00	10.00		46	7.8	40	4.4	31	-0.6	56	8	240		29.56			29.76	FM-15	0.00	29.74
31	2154	7	CLR:00	10.00		46	7.8	39	3.9	30	-1.1	54	7	260		29.58	3	-0.02	29.77	FM-15	0.00	29.76
31	2254	7	CLR:00	10.00		45	7.2	38	3.3	29	-1.7	54	7	260		29.58			29.77	FM-15	0.00	29.76
31	2354	7	CLR:00	10.00		45	7.2	38	3.3	28	-2.2	52	9	270		29.58			29.78	FM-15	0.00	29.76

Local Climatological Data
Hourly Precipitation
December 2019

Generated on 01/30/2020

Date	For Hour (LST) Ending at																					Date					
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID		
01	0.02	0.03	0.01	0.01	0.02	T	0.03	0.07	0.12	0.06	0.01	0.10	0.05	0.03	T	T	T							T	01		
02			T	0.02s	0.05	0.05	0.03	T										T	T						02		
03																					M		M		03		
04								M	M	M	M														04		
05																									05		
06																									06		
07																									07		
08																							T	0.06s	0.05	0.10	08
09	0.17	0.14	0.05								T	0.01	T		T	0.02	0.02								09		
10													0.02	0.07	T	0.01	0.01	T	0.03	0.03	0.03	0.02	0.04	0.02	10		
11	0.06	0.12	0.12	0.05	0.11	0.06	T	0.01																	11		
12																									12		
13								T	0.01	0.03	0.01	T	0.01	0.02	T	0.01	0.02	0.07	0.09	0.06	0.04	0.05	0.02	T	13		
14	T	0.05	0.01	0.01			0.01	T	0.01	T	T									M	M		M	M	14		
15		M	M									M	M												15		
16		M					T				M			M				M	M						16		
17		T	0.02	T				T	0.02	T						T	T	0.19	0.08	0.04	T				17		
18																									18		
19																									19		
20																									20		
21																									21		
22																									22		
23																									23		
24																									24		
25																									25		
26																									26		
27																									27		
28																									28		
29									T	0.01	0.05	0.03	0.05	0.03	T	T						0.02	T		0.06	29	
30	0.01	T																							30		
31																									31		

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.04	0.07	0.10	0.13	0.19	0.20	0.23	0.26	0.27	0.31	0.36	0.42
Ending Date Time (yyyy-mm-dd hh:mi)	2019-12-17 17:47	2019-12-17 17:31	2019-12-17 17:36	2019-12-17 17:39	2019-12-17 17:47	2019-12-17 18:01	2019-12-17 18:08	2019-12-17 18:36	2019-12-17 18:40	2019-12-09 01:59	2019-12-09 02:08	2019-12-09 02:08

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing