

Local Climatological Data
Daily Summary
July 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 08/23/2019

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH									
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees								
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
01	89	66	78	-0.7				0	13	0452	1934		0.00	0.0	0	29.78		6.9	18	020	14	010						
02	95	66	81	2.2				0	16	0452	1934		0.00	0.0	0	29.73		5.8	18	210	14	200						
03	99	71	85	6.1				0	20	0453	1934	TS RA	0.69	0.0	0	29.72		5.9	51s	260s	40	270						
04	95	72	84	5.0				0	19	0453	1934	TS RA FG BR	2.05	0.0	0	29.85		5.2	28s	310s	23	320						
05	90	71	81	1.9				0	16	0454	1934	FG BR	0.00	0.0	0	29.92		5.1	14	220	12	230						
06	90	74	82	2.8				0	17	0454	1934		0.06	0.0	0	29.80		7.7	21	220	17	220						
07	92	73	83	3.7				0	18	0455	1933	TS RA BR	1.66	0.0	0	29.70		5.3	24	190	21	180						
08	87	72	80	0.6				0	15	0455	1933	RA	0.05	0.0	0	29.72		6.4	28	030	21	030						
09	86	67	77	-2.4				0	12	0456	1933		0.00	0.0	0	29.89		6.7	16	100	12	070						
10	89	67	78	-1.5				0	13	0457	1932		0.00	0.0	0	29.87		4.5	13	200	12	210						
11	92	72	82	2.5				0	17	0457	1932	TS RA BR	0.53	0.0	0	29.72		8.2	45	310	35	320						
12	91	73	82	2.5				0	17	0458	1932		T	0.0	0	29.67		5.6	19	180	14	320						
13	93	74	84	4.4				0	19	0459	1931		0.00	0.0	0	29.79		4.8	16	030	13	030						
14	95	73	84	4.4				0	19	0459	1931	BR	0.00	0.0	0	29.84		5.5	15	260	13	260						
15	93	74	84	4.4				0	19	0500	1930		0.00	0.0	0	29.89		6.3	16	020	14	010						
16	94	75	85	5.4				0	20	0501	1930	TS RA	T	0.0	0	29.88		5.3	28	170	21	160						
17	98	75	87	7.4				0	22	0501	1929	TS	0.02	0.0	0	29.79		9.5	38	210	31	210						
18	95	76	86	6.5				0	21	0502	1929	TS RA BR	0.27	0.0	0	29.73		8.5	36s	320s	30	320						
19	95	75	85	5.5				0	20	0503	1928		T	0.0	0	29.77		3.9	16	190	12	180						
20	99	77	88	8.5				0	23	0504	1927		0.00	0.0	0	29.74		7.6	24	210	17	260						
21	100*	75	88	8.6				0	23	0504	1927		0.00	0.0	0	29.73		5.7	25	240	20	240						
22	97	73	85	5.6				0	20	0505	1926	RA	0.01	0.0	0	29.68		11.5	33	200	26	200						
23	76	66	71	-8.4				0	6	0506	1925	RA BR	0.42	0.0	0	29.72		7.8	23	360	18	360						
24	85	67	76	-3.3				0	11	0507	1924	RA BR	0.00s	0.0	0	29.78		8.1	21	050	15	360						
25	88	65	77	-2.3				0	12	0507	1924		0.00s	0.0	0	29.94		4.5	17	040	13	040						
26	89	65	77	-2.2				0	12	0508	1923		0.00	0.0	0	30.07		3.0	16	100	14	060						
27	89	64*	77	-2.2				0	12	0509	1922		0.00	0.0	0	30.07		3.6	16	140	13	140						
28	94	67	81	1.9				0	16	0510	1921		0.00	0.0	0	29.97		5.9	19	180	15	180						
29	95	69	82	3.0				0	17	0511	1920		0.00	0.0	0	29.87		7.0	21	210	16	210						
30	95	70	83	4.0				0	18	0511	1919		0.00	0.0	0	29.84		8.3	24	220	18	180						
31	95	70	83	4.1				0	18	0512	1919	TS RA HZ	0.46	0.0	0	29.86		7.0	44	310	33	320						
Monthly Averages Totals													6.22s			29.81	30.00	6.3										
Departure from Normal (1981-2010)													1.71s															
Degree Days										Number of days with...																		
Monthly					Season-to-date					Temperature				Precipitation		Snow		Weather										
Total		Departure			Total		Departure			Max		Min																
Heating		0			0		0			>=90°		<=32°		<=32°		<=0°		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog		
Cooling		512			69			1155			22		0		0		0		7s		3s		0					
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure				Greatest...																
N/A								Maximum		30.31		Date		27		Time		0855		24-Hr... Precip		Snowfall		Snow Depth				
								Minimum		29.80				11		1739				2.60s								
																Date				03-04								
Station Augmentation																												
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																												

Local Climatological Data
Hourly Observations
July 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 08/23/2019

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	FEW:02 80 FEW:02 350	10.00		74	23.3	65	18.3	59	15.0	60	6	330		29.73	1	-0.04	29.92	FM-15	0.00	29.91
01	0100	4	74	9.94		74	23.3	65	18.3	59	15.0	60	6	330		29.73	1	-0.04	29.92	FM-12		
01	0154	7	FEW:02 70	10.00		73	22.8	64	17.8	59	15.0	62	10	360		29.74			29.93	FM-15	0.00	29.92
01	0254	7	FEW:02 85	10.00		72	22.2	64	17.8	59	15.0	64	8	020		29.74			29.93	FM-15	0.00	29.92
01	0354	7	CLR:00	10.00		68	20.0	63	17.2	60	15.6	76	7	360		29.75	3	-0.02	29.94	FM-15	0.00	29.93
01	0454	7	FEW:02 350	10.00		67	19.4	63	17.2	60	15.6	79	8	010		29.76			29.95	FM-15	0.00	29.94
01	0554	7	FEW:02 350	10.00		70	21.1	64	17.8	60	15.6	71	9	010		29.79			29.98	FM-15	0.00	29.97
01	0654	7	BKN:07 350	10.00		73	22.8	64	17.8	59	15.0	62	7	010		29.81	3	-0.06	30.00	FM-15	0.00	29.99
01	0700	4		9.94		73	22.8	64	17.8	59	15.0	62	7	010		29.81	3	-0.06	30.00	FM-12		
01	0754	7	BKN:07 300	10.00		77	25.0	66	18.9	59	15.0	54	10	030		29.82			30.00	FM-15	0.00	30.00
01	0854	7	FEW:02 45 BKN:07 300	10.00		79	26.1	67	19.4	59	15.0	50	8	020		29.82			30.01	FM-15	0.00	30.00
01	0954	7	FEW:02 45 BKN:07 300	10.00		81	27.2	67	19.4	59	15.0	47	6	VRB		29.82	2	-0.01	30.01	FM-15	0.00	30.00
01	1054	7	FEW:02 55 BKN:07 300	10.00		83	28.3	67	19.4	58	14.4	43	7	VRB		29.82			30.01	FM-15	0.00	30.00
01	1154	7	FEW:02 60 BKN:07 300	10.00		84	28.9	67	19.4	57	13.9	40	11	010	17	29.81			30.00	FM-15	0.00	29.99
01	1254	7	FEW:02 60 BKN:07 300	10.00		85	29.4	67	19.4	56	13.3	37	5	VRB		29.81	8	+0.01	29.99	FM-15	0.00	29.99
01	1300	4	57	9.94		85	29.4	67	19.4	56	13.3	37	5			29.81	8	+0.01	29.99	FM-12		
01	1354	7	FEW:02 70 BKN:07 300	10.00		87	30.6	68	20.0	57	13.9	36	6	040		29.79			29.98	FM-15	0.00	29.97
01	1454	7	FEW:02 70 BKN:07 300	10.00		87	30.6	66	18.9	53	11.7	31	7	310		29.78			29.97	FM-15	0.00	29.96
01	1554	7	FEW:02 70 BKN:07 300	10.00		88	31.1	68	20.0	55	12.8	33	8	VRB		29.77	6	+0.03	29.96	FM-15	0.00	29.95
01	1654	7	BKN:07 300	10.00		87	30.6	68	20.0	56	13.3	35	6	340		29.76			29.95	FM-15	0.00	29.94
01	1754	7	BKN:07 300	10.00		86	30.0	67	19.4	55	12.8	35	8	340		29.77			29.96	FM-15	0.00	29.95
01	1854	7	BKN:07 300	10.00		83	28.3	67	19.4	57	13.9	41	6	340		29.77	5	0.00	29.96	FM-15	0.00	29.95
01	1900	4		9.94		83	28.3	67	19.4	57	13.9	41	6	340		29.77	5	0.00	29.96	FM-12		
01	1954	7	BKN:07 300	10.00		76	24.4	67	19.4	62	16.7	62	6	140		29.77			29.96	FM-15	0.00	29.95
01	2054	7	BKN:07 300	10.00		74	23.3	67	19.4	62	16.7	67	3	090		29.78			29.97	FM-15	0.00	29.96
01	2154	7	SCT:04 300	10.00		71	21.7	67	19.4	64	17.8	79	7	120		29.79	3	-0.01	29.97	FM-15	0.00	29.97
01	2254	7	SCT:04 300	10.00		71	21.7	66	18.9	63	17.2	76	5	150		29.78			29.97	FM-15	0.00	29.96
01	2354	7	FEW:02 250	10.00		69	20.6	66	18.9	64	17.8	84	3	150		29.79			29.98	FM-15	0.00	29.97
02	0054	7	CLR:00	10.00		68	20.0	65	18.3	63	17.2	84	3	170		29.79	3	-0.01	29.98	FM-15	0.00	29.97
02	0100	4		9.94		68	20.0	65	18.3	63	17.2	84	3	170		29.79	3	-0.01	29.98	FM-12		
02	0154	7	FEW:02 250	10.00		67	19.4	65	18.3	63	17.2	87	0	000		29.78			29.97	FM-15	0.00	29.96
02	0254	7	FEW:02 250	10.00		67	19.4	65	18.3	64	17.8	91	3	180		29.78			29.96	FM-15	0.00	29.96
02	0354	7	FEW:02 250	10.00		67	19.4	65	18.3	63	17.2	87	0	000		29.78	5	+0.01	29.97	FM-15	0.00	29.96
02	0454	7	BKN:07 250	9.00		66	18.9	64	17.8	63	17.2	90	0	000		29.78			29.97	FM-15	0.00	29.96
02	0554	7	FEW:02 250	9.00		68	20.0	66	18.9	65	18.3	90	3	180		29.79			29.97	FM-15	0.00	29.97
02	0654	7	FEW:02 250	10.00		74	23.3	68	20.0	65	18.3	74	6	210		29.78	0	0.00	29.97	FM-15	0.00	29.96
02	0700	4		9.94		74	23.3	68	20.0	65	18.3	74	6	210		29.78	9	0.00	29.97	FM-12		
02	0754	7	BKN:07 300	10.00		78	25.6	70	21.1	65	18.3	64	8	210		29.77			29.96	FM-15	0.00	29.95
02	0854	7	SCT:04 300	10.00		83	28.3	72	22.2	66	18.9	57	9	230		29.78			29.96	FM-15	0.00	29.96
02	0954	7	BKN:07 300	10.00		86	30.0	73	22.8	66	18.9	51	8	230		29.77	8	+0.01	29.95	FM-15	0.00	29.95

02	1054	7	FEW:02 50 BKN:07 300	10.00		88	31.1	73	22.8	65	18.3	46	3	VRB		29.77			29.95	FM-15	0.00	29.95
02	1154	7	FEW:02 60 BKN:07 300	10.00		90	32.2	73	22.8	64	17.8	42	7	VRB		29.75			29.94	FM-15	0.00	29.93
02	1254	7	FEW:02 65 BKN:07 300	10.00		92	33.3	72	22.2	61	16.1	36	9	220		29.73	8	+0.04	29.91	FM-15	0.00	29.91
02	1300	4	57	9.94		92	33.3	72	22.2	61	16.1	36	9	220		29.73	8	+0.04	29.91	FM-12		
02	1354	7	FEW:02 70 BKN:07 300	10.00		93	33.9	72	22.2	62	16.7	36	8	200		29.71			29.89	FM-15	0.00	29.89
02	1454	7	FEW:02 70 SCT:04 300	10.00		95	35.0	74	23.3	63	17.2	35	9	220		29.69			29.88	FM-15	0.00	29.87
02	1554	7	FEW:02 70 FEW:02 300	10.00		94	34.4	73	22.8	63	17.2	36	11	190		29.67	6	+0.05	29.86	FM-15	0.00	29.85
02	1654	7	FEW:02 300	10.00		92	33.3	73	22.8	63	17.2	38	9	210		29.66			29.85	FM-15	0.00	29.84
02	1754	7	FEW:02 70 FEW:02 300	10.00		92	33.3	73	22.8	63	17.2	38	11	200		29.67			29.85	FM-15	0.00	29.85
02	1854	7	FEW:02 70 FEW:02 130 SCT:04 300	10.00		88	31.1	72	22.2	63	17.2	43	8	190		29.66	6	+0.01	29.85	FM-15	0.00	29.84
02	1900	4	74	9.94		88	31.1	72	22.2	63	17.2	43	8	190		29.66	6	+0.01	29.85	FM-12		
02	1954	7	FEW:02 70 FEW:02 130 SCT:04 300	10.00		81	27.2	71	21.7	66	18.9	61	5	220		29.66			29.85	FM-15	0.00	29.84
02	2054	7	FEW:02 130 FEW:02 300	10.00		81	27.2	71	21.7	66	18.9	61	3	180		29.68			29.86	FM-15	0.00	29.86
02	2154	7	FEW:02 300	10.00		79	26.1	70	21.1	66	18.9	65	0	000		29.68	3	-0.01	29.86	FM-15	0.00	29.86
02	2254	7	FEW:02 170 FEW:02 300	10.00		82	27.8	72	22.2	67	19.4	60	7	270		29.70			29.89	FM-15	0.00	29.88
02	2354	7	SCT:04 180	10.00		76	24.4	71	21.7	68	20.0	77	5	220		29.70			29.88	FM-15	0.00	29.88
03	0054	7	FEW:02 150	10.00		79	26.1	72	22.2	68	20.0	69	7	300		29.69	0	-0.01	29.88	FM-15	0.00	29.87
03	0100	4		9.94		79	26.1	72	22.2	68	20.0	69	7	300		29.69	9	+0.01	29.88	FM-12		
03	0154	7	CLR:00	10.00		78	25.6	71	21.7	68	20.0	71	0	000		29.67			29.86	FM-15	0.00	29.85
03	0254	7	FEW:02 180	10.00		72	22.2	69	20.6	68	20.0	87	5	190		29.67			29.86	FM-15	0.00	29.85
03	0354	7	FEW:02 200	10.00		73	22.8	70	21.1	69	20.6	87	0	000		29.67	6	+0.02	29.85	FM-15	0.00	29.85
03	0454	7	FEW:02 90 FEW:02 200	10.00		71	21.7	69	20.6	68	20.0	90	3	220		29.68			29.86	FM-15	0.00	29.86
03	0554	7	FEW:02 90	10.00		76	24.4	72	22.2	70	21.1	82	3	310		29.70			29.88	FM-15	0.00	29.88
03	0654	7	FEW:02 180	10.00		80	26.7	73	22.8	70	21.1	71	8	330		29.72	3	-0.05	29.91	FM-15	0.00	29.90
03	0700	4		9.94		80	26.7	73	22.8	70	21.1	71	8	330		29.72	3	-0.05	29.91	FM-12		
03	0754	7	FEW:02 180	10.00		85	29.4	75	23.9	70	21.1	61	7	010		29.74			29.92	FM-15	0.00	29.92
03	0854	7	FEW:02 200	10.00		88	31.1	74	23.3	67	19.4	50	9	010		29.74			29.92	FM-15	0.00	29.92
03	0954	7	FEW:02 200	10.00		90	32.2	74	23.3	66	18.9	45	9	010		29.74	1	-0.02	29.93	FM-15	0.00	29.92
03	1054	7	FEW:02 60 FEW:02 200	10.00		93	33.9	75	23.9	66	18.9	41	8	330		29.74			29.93	FM-15	0.00	29.92
03	1154	7	FEW:02 65 FEW:02 200	10.00		94	34.4	75	23.9	66	18.9	40	7	030		29.73			29.92	FM-15	0.00	29.91
03	1237	7	FEW:02 65 SCT:04 250	10.00		96	35.6	75	23.9	65	18.3	36	3	VRB		29.73				FM-16		29.91
03	1254	7	FEW:02 70 SCT:04 250	10.00		95	35.0	75	23.9	65	18.3	37	6	320	16	29.72	8	+0.02	29.91	FM-15	0.00	29.90
03	1300	4	74	9.94		95	35.0	75	23.9	65	18.3	37	6	320		29.72	8	+0.02	29.91	FM-12		
03	1354	7	FEW:02 65 SCT:04 250	10.00		97	36.1	75	23.9	65	18.3	35	8	030		29.70			29.88	FM-15	0.00	29.88
03	1454	7	FEW:02 65 SCT:04 250	10.00		97	36.1	75	23.9	65	18.3	35	0	000		29.69			29.88	FM-15	0.00	29.87
03	1554	7	FEW:02 65 FEW:02 250	10.00		97	36.1	74	23.3	63	17.2	33	5	VRB		29.68	6	+0.05	29.86	FM-15	0.00	29.86
03	1654	7	FEW:02 70 FEW:02 250	10.00		95	35.0	75	23.9	65	18.3	37	7	070		29.66			29.85	FM-15	0.00	29.84
03	1754	7	SCT:04 75 SCT:04 250	10.00		92	33.3	75	23.9	68	20.0	46	5	100		29.67			29.85	FM-15	0.00	29.85

03	1854	7	BKN:07 65 BKN:07 140 BKN:07 250	10.00		87	30.6	73	22.8	66	18.9	50	11	280	21	29.70	3	-0.03	29.89	FM-15	0.00	29.88
03	1900	4	57	9.94		87	30.6	73	22.8	66	18.9	50	11	280		29.70	3	-0.03	29.89	FM-12		
03	1902	7	BKN:07 60 BKN:07 140 BKN:07 250	8.00	TS:7 -RA:02 RA TS TS RA	83	28.3	73	22.8	68	20.0	61	32	270	47	29.72				FM-16	T	29.90
03	1912	7	FEW:02s 9s BKN:07s 60s	0.50s	TS RA s	74	23.3	71	21.7	69	20.6	85	33	250	52	29.74				FM-16	0.08	29.92
03	1934	7	SCT:04s 33s BKN:07s 60s	1.50	TS RA	75	23.9	70	21.1	67	19.4	76	17	170	26	29.74				FM-16	0.64	29.92
03	1937	7	SCT:04s 33s BKN:07s 65s	3.00	TS RA	76	24.4	70	21.1	67	19.4	74	21	170	26	29.75				FM-16	0.64	29.93
03	1945	7	SCT:04 33 SCT:04 65	9.00	TS RA	76	24.4	71	21.7	68	20.0	77	14	160		29.75				FM-16	0.66	29.93
03	1954	7	SCT:04 40 SCT:04 65	10.00	TS RA	75	23.9	70	21.1	68	20.0	79	14	150		29.75			29.93	FM-15	0.66	29.93
03	2028	7	SCT:04 27 SCT:04 50 BKN:07 110	10.00		75	23.9	71	21.7	69	20.6	82	8	130		29.74				FM-16	0.03	29.92
03	2054	7	FEW:02 55 SCT:04 110 OVC:08 150	10.00		74	23.3	71	21.7	70	21.1	88	6	100		29.74			29.93	FM-15	0.03	29.92
03	2154	7	SCT:04 150 OVC:08 250	10.00		73	22.8	70	21.1	69	20.6	87	0	000		29.76	1	-0.06	29.95	FM-15	0.00	29.94
03	2254	7	FEW:02 150 BKN:07 250	10.00		73	22.8	70	21.1	69	20.6	87	5	190		29.77			29.96	FM-15	0.00	29.95
03	2354	7	FEW:02 150 BKN:07 300	10.00		76	24.4	72	22.2	70	21.1	82	9	310		29.78			29.97	FM-15	0.00	29.96
04	0054	7	FEW:02 150 SCT:04 300	10.00		74	23.3	71	21.7	70	21.1	88	5	040		29.78	0	-0.01	29.96	FM-15	0.00	29.96
04	0100	4		9.94		74	23.3	71	21.7	70	21.1	88	5	040		29.78	9	+0.01	29.96	FM-12		
04	0154	7	FEW:02 150	10.00		74	23.3	71	21.7	70	21.1	88	0	000		29.77			29.96	FM-15	0.00	29.95
04	0254	7	FEW:02 150	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.77			29.95	FM-15	0.00	29.95
04	0354	7	FEW:02 150	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.78	5	0.00	29.96	FM-15	0.00	29.96
04	0454	7	FEW:02 150 SCT:04 300	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.80			29.98	FM-15	0.00	29.98
04	0554	7	FEW:02 160 BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.81			30.00	FM-15	0.00	29.99
04	0654	7	FEW:02 95 SCT:04 160 BKN:07 300	10.00		80	26.7	75	23.9	72	22.2	76	0	000		29.83	1	-0.05	30.01	FM-15	0.00	30.01
04	0700	4		9.94		80	26.7	75	23.9	72	22.2	76	0	000		29.83	1	-0.05	30.01	FM-12		
04	0754	7	SCT:04 170 BKN:07 300	10.00		82	27.8	75	23.9	72	22.2	72	0	000		29.83			30.02	FM-15	0.00	30.01
04	0854	7	FEW:02 30 FEW:02 110 SCT:04 170	10.00		84	28.9	76	24.4	73	22.8	70	0	000		29.84			30.03	FM-15	0.00	30.02
04	0954	7	FEW:02 65 BKN:07 160 BKN:07 300	10.00		87	30.6	78	25.6	74	23.3	65	6	150		29.85	2	-0.02	30.03	FM-15	0.00	30.03
04	1054	7	FEW:02 30 FEW:02 65 SCT:04 160	10.00		88	31.1	79	26.1	75	23.9	66	8	100		29.86			30.04	FM-15	0.00	30.04
04	1154	7	FEW:02 35 FEW:02 65	10.00		91	32.8	80	26.7	76	24.4	61	6	190		29.85			30.04	FM-15	0.00	30.03
04	1254	7	FEW:02 39 SCT:04 160 BKN:07 300	10.00		92	33.3	79	26.1	74	23.3	56	7	VRB		29.82	8	+0.04	30.00	FM-15	0.00	30.00

04	1300	4	41	9.94		92	33.3	79	26.1	74	23.3	56	7			29.82	8	+0.04	30.00	FM-12		
04	1354	7	SCT:04 45 BKN:07 300	10.00		94	34.4	78	25.6	71	21.7	48	8	160	17	29.79			29.98	FM-15	0.00	29.97
04	1454	7	FEW:02 46 SCT:04 170 BKN:07 300	10.00		94	34.4	78	25.6	72	22.2	49	11	160	20	29.78			29.96	FM-15	0.00	29.96
04	1554	7	SCT:04 50 BKN:07 60 BKN:07 300	10.00	TS:7 TS TS	85	29.4	77	25.0	73	22.8	68	18	030	23	29.81	5	+0.01	30.00	FM-15	0.00	29.99
04	1654	7	BKN:07 55 BKN:07 90 OVC:08 300	7.00	TS:7 TS TS	78	25.6	73	22.8	71	21.7	79	18	330	29	29.84			30.03	FM-15	0.00	30.02
04	1714	7	SCT:04 10 BKN:07 29 OVC:08 45	0.75	TS:7 +RA:02 BR:1 RA TS RA	74	23.3	73	22.8	72	22.2	94	3	VRB		29.91				FM-16	0.35	30.09
04	1722	7	BKN:07 12 BKN:07 29 OVC:08 45	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	74	23.3	73	22.8	73	22.8	97	3	250		29.89				FM-16	0.78	30.07
04	1748	7	FEW:02 8 OVC:08 17	1.50	TS:7 +RA:02 BR:1 RA TS RA	72	22.2	72	22.2	72	22.2	100	5	060		29.88				FM-16	1.81	30.06
04	1754	7	FEW:02 8 SCT:04 17 OVC:08 75	3.00	TS:7 RA:02 BR:1 RA TS RA	72	22.2	71	21.7	70	21.1	94	10	130		29.88			30.06	FM-15	1.86	30.06
04	1847	7	FEW:02 23 SCT:04 70 OVC:08 140	10.00	-RA:02 RA RA	74	23.3	73	22.8	72	22.2	94	5	080		29.87				FM-16	0.06	30.05
04	1854	7	FEW:02 23 SCT:04 75 OVC:08 130	10.00	-RA:02 RA RA	74	23.3	73	22.8	72	22.2	94	6	010		29.87	0	-0.02	30.06	FM-15	0.05	30.05
04	1900	4	26	9.94	RA	74	23.3	73	22.8	72	22.2	94	6	010		29.87	9	+0.02	30.06	FM-12		
04	1948	7	FEW:02 8 FEW:02 50	8.00	RA RA	73	22.8	72	22.2	72	22.2	94	17	230	26	29.92				FM-16	0.05	30.10
04	1954	7	FEW:02 8 SCT:04 30	10.00	RA RA	74	23.3	72	22.2	71	21.7	91	11	220		29.91			30.10	FM-15	0.04	30.09
04	2013	6	FEW:02 18 BKN:07 65 OVC:08 75	6.00	TS:7 -RA:02 BR:1 RA TS RA	74	23.3	73	22.8	72	22.2	94	9	220		29.91				FM-16		30.09
04	2018	7	FEW:02 9 OVC:08 65	6.00	TS:7 -RA:02 BR:1 RA TS RA	75	23.9	73	22.8	72	22.2	90	7	250		29.92				FM-16	0.08	30.10
04	2052	6	FEW:02 7 BKN:07 50 OVC:08 80	6.00	-RA:02 BR:1 RA RA	73	22.8	72	22.2	72	22.2	94	0	000		29.90				FM-16		30.08
04	2054	7	FEW:02 7 BKN:07 50 OVC:08 140	10.00		74	23.3	73	22.8	72	22.2	94	0	000		29.90			30.09	FM-15	0.09	30.08
04	2154	7	SCT:04 9 BKN:07 95 BKN:07 130	6.00	RA	74	23.3	73	22.8	72	22.2	94	0	000		29.88	8	+0.04	30.07	FM-15	0.01	30.06
04	2219	7	FEW:02 3 BKN:07 9 BKN:07 210	5.00	BR:1	74	23.3	73	22.8	72	22.2	94	6	050		29.88				FM-16		30.06
04	2237	7	FEW:02 3 SCT:04 8 BKN:07 180	5.00	BR:1	74	23.3	73	22.8	72	22.2	94	5	020		29.87				FM-16		30.05
04	2248	7	FEW:02 3 BKN:07 8 BKN:07 180	4.00	BR:1	73	22.8	72	22.2	72	22.2	94	6	360		29.87				FM-16		30.05
04	2254	7	BKN:07 3 BKN:07 8 BKN:07 180	4.00	BR:1	74	23.3	73	22.8	72	22.2	94	5	010		29.87			30.06	FM-15	0.00	30.05
04	2354	7	BKN:07 5 OVC:08 140	6.00	BR:1	74	23.3	73	22.8	73	22.8	97	6	220		29.91			30.09	FM-15	0.00	30.09
05	0033	7	SCT:04 5 BKN:07 160	5.00	BR:1	74	23.3	73	22.8	72	22.2	94	3	290		29.90				FM-16		30.08

05	0054	7	SCT:04 4 BKN:07 200	4.00	BR:1	74	23.3	73	22.8	72	22.2	94	0	000		29.90	0	-0.03	30.08	FM-15	0.00	30.08
05	0100	4	5	3.73		74	23.3	73	22.8	72	22.2	94	0	000		29.90	9	+0.03	30.08	FM-12		
05	0154	7	FEW:02 4 BKN:07 160	3.00	BR:1	73	22.8	72	22.2	72	22.2	96	0	000		29.91			30.10	FM-15	0.00	30.09
05	0254	7	SCT:04 3 BKN:07 200	3.00	BR:1	72	22.2	71	21.7	71	21.7	97	0	000		29.92			30.10	FM-15	0.00	30.10
05	0315	7	BKN:07 2	2.00	BR:1	72	22.2	71	21.7	71	21.7	97	0	000		29.91				FM-16		30.09
05	0354	7	VV:09 2	0.50	FG:2 FG	72	22.2	71	21.7	71	21.7	97	5	090		29.91	0	-0.01	30.10	FM-15	0.00	30.09
05	0434	7	OVC:08 2	1.50	BR:1	71	21.7	71	21.7	71	21.7	100	6	190		29.92				FM-16		30.10
05	0452	6	BKN:07 2	0.75	BR:1	72	22.2	72	22.2	72	22.2	100	6	200		29.93				FM-16		30.11
05	0454	7	BKN:07 2	0.75	BR:1	71	21.7	71	21.7	71	21.7	100	6	200		29.93			30.12	FM-15	0.00	30.11
05	0511	7	VV:09 2	0.50	FG:2 FG	72	22.2	71	21.7	71	21.7	97	6	190		29.94				FM-16		30.12
05	0520	7	VV:09 2	0.50	FG:2 FG	72	22.2	71	21.7	71	21.7	97	3	190		29.94				FM-16		30.12
05	0538	7	BKN:07 2	0.75	BR:1	72	22.2	72	22.2	72	22.2	100	0	000		29.94				FM-16		30.12
05	0554	7	BKN:07 2	0.75	BR:1	73	22.8	73	22.8	73	22.8	100	5	230		29.93			30.12	FM-15	0.00	30.11
05	0615	7	OVC:08 4	1.50	BR:1	73	22.8	73	22.8	73	22.8	100	7	220		29.94				FM-16		30.12
05	0635	7	OVC:08 5	3.00	BR:1	74	23.3	73	22.8	73	22.8	97	7	210		29.95				FM-16		30.13
05	0654	7	BKN:07 5 BKN:07 250	4.00	BR:1	74	23.3	73	22.8	73	22.8	97	3	180		29.94	1	-0.03	30.14	FM-15	0.00	30.12
05	0700	4	5	3.73		74	23.3	73	22.8	73	22.8	97	3	180		29.94	1	-0.03	30.14	FM-12		
05	0754	7	BKN:07 8 BKN:07 150	7.00		77	25.0	74	23.3	73	22.8	88	6	230		29.95			30.14	FM-15	0.00	30.13
05	0818	7	BKN:07 11 BKN:07 150	10.00		78	25.6	75	23.9	74	23.3	87	3	190		29.95				FM-16		30.13
05	0854	7	BKN:07 12 BKN:07 150	10.00		78	25.6	75	23.9	73	22.8	85	7	210		29.95			30.14	FM-15	0.00	30.13
05	0935	7	BKN:07 15 BKN:07 150 BKN:07 300	10.00		80	26.7	75	23.9	73	22.8	79	7	210		29.95				FM-16		30.13
05	0954	7	BKN:07 17 BKN:07 150 BKN:07 300	10.00		81	27.2	75	23.9	73	22.8	77	8	220		29.95	1	-0.01	30.14	FM-15	0.00	30.13
05	1054	7	BKN:07 23 BKN:07 150 BKN:07 300	10.00		84	28.9	76	24.4	72	22.2	67	9	260		29.95			30.14	FM-15	0.00	30.13
05	1154	7	BKN:07 27 BKN:07 300	10.00		86	30.0	76	24.4	72	22.2	63	8	290		29.94			30.12	FM-15	0.00	30.12
05	1214	7	BKN:07 30 BKN:07 300	10.00		85	29.4	76	24.4	72	22.2	65	5	210		29.93				FM-16		30.11
05	1254	7	SCT:04 33 BKN:07 300	10.00		87	30.6	77	25.0	72	22.2	61	0	000		29.92	8	+0.03	30.11	FM-15	0.00	30.10
05	1300	4	26	9.94		87	30.6	77	25.0	72	22.2	61	0	000		29.92	8	+0.03	30.11	FM-12		
05	1354	7	SCT:04 38 SCT:04 300	10.00		88	31.1	77	25.0	72	22.2	59	7	190		29.90			30.09	FM-15	0.00	30.08
05	1454	7	SCT:04 41 SCT:04 300	10.00		88	31.1	76	24.4	71	21.7	57	6	VRB		29.88			30.07	FM-15	0.00	30.06
05	1554	7	SCT:04 43 SCT:04 300	10.00		89	31.7	76	24.4	71	21.7	55	3	VRB		29.88	6	+0.04	30.07	FM-15	0.00	30.06
05	1654	7	SCT:04 45 SCT:04 100 BKN:07 300	10.00		88	31.1	77	25.0	72	22.2	59	8	170		29.86			30.05	FM-15	0.00	30.04
05	1754	7	FEW:02 45 BKN:07 100 BKN:07 300	10.00		86	30.0	77	25.0	73	22.8	65	10	240		29.86			30.05	FM-15	0.00	30.04
05	1854	7	FEW:02 45 FEW:02 100 FEW:02 300	10.00		84	28.9	76	24.4	73	22.8	70	5	170		29.86	6	+0.02	30.05	FM-15	0.00	30.04
05	1900	4	41	9.94		84	28.9	76	24.4	73	22.8	70	5	170		29.86	6	+0.02	30.05	FM-12		
05	1954	7	FEW:02 40 FEW:02 120 FEW:02 300	10.00		81	27.2	77	25.0	75	23.9	82	3	180		29.87			30.05	FM-15	0.00	30.05

05	2054	7	FEW:02 39 FEW:02 150 FEW:02 300	10.00		79	26.1	76	24.4	75	23.9	88	7	180		29.89			30.07	FM-15	0.00	30.07
05	2154	7	FEW:02 300	10.00		78	25.6	75	23.9	74	23.3	87	7	170		29.88	0	-0.02	30.07	FM-15	0.00	30.06
05	2254	7	FEW:02 300	10.00		77	25.0	74	23.3	73	22.8	88	6	180		29.89			30.08	FM-15	0.00	30.07
05	2354	7	FEW:02 300	10.00		76	24.4	74	23.3	73	22.8	91	5	190		29.88			30.06	FM-15	0.00	30.06
06	0054	7	FEW:02 300	10.00		76	24.4	74	23.3	73	22.8	91	5	170		29.86	8	+0.02	30.05	FM-15	0.00	30.04
06	0100	4		9.94		76	24.4	74	23.3	73	22.8	91	5	170		29.86	8	+0.02	30.05	FM-12		
06	0154	7	SCT:04 300	10.00		75	23.9	74	23.3	73	22.8	94	6	190		29.85			30.03	FM-15	0.00	30.03
06	0254	7	SCT:04 300	9.00		75	23.9	74	23.3	73	22.8	94	3	180		29.83			30.02	FM-15	0.00	30.01
06	0314	7	FEW:02 8 SCT:04 300	8.00		74	23.3	73	22.8	73	22.8	97	3	160		29.83				FM-16		30.01
06	0332	7	BKN:07 8 OVC:08 300	8.00		74	23.3	73	22.8	73	22.8	97	5	180		29.83				FM-16		30.01
06	0354	7	OVC:08 8	9.00		74	23.3	73	22.8	73	22.8	97	5	180		29.83	5	+0.03	30.02	FM-15	0.00	30.01
06	0454	7	OVC:08 6	8.00		75	23.9	74	23.3	73	22.8	94	7	190		29.84			30.02	FM-15	0.00	30.02
06	0554	7	OVC:08 6	8.00		75	23.9	74	23.3	73	22.8	94	8	220		29.85			30.03	FM-15	0.00	30.03
06	0652	6	SCT:04 8 SCT:04 300	9.00		77	25.0	74	23.3	73	22.8	89	7	210		29.85				FM-16		30.03
06	0654	7	SCT:04 8 SCT:04 300	10.00		77	25.0	75	23.9	74	23.3	90	8	200		29.86	3	-0.02	30.04	FM-15	0.00	30.04
06	0700	4	8	9.94		77	25.0	75	23.9	74	23.3	90	8	200		29.86	3	-0.02	30.04	FM-12		
06	0711	7	BKN:07 9	8.00		77	25.0	75	23.9	74	23.3	90	10	VRB		29.85				FM-16		30.03
06	0726	7	BKN:07 10	8.00		78	25.6	75	23.9	74	23.3	87	9	220		29.85				FM-16		30.03
06	0754	7	BKN:07 12	8.00		79	26.1	76	24.4	74	23.3	85	9	220		29.85			30.04	FM-15	0.00	30.03
06	0854	7	BKN:07 14 BKN:07 120	8.00		81	27.2	76	24.4	74	23.3	79	8	200		29.85			30.03	FM-15	0.00	30.03
06	0907	7	FEW:02 14 SCT:04 120 BKN:07 300	9.00		82	27.8	76	24.4	74	23.3	77	8	190		29.84				FM-16		30.02
06	0954	7	FEW:02 17 BKN:07 190 BKN:07 230	10.00		83	28.3	77	25.0	75	23.9	77	7	170		29.84	8	+0.02	30.02	FM-15	0.00	30.02
06	1054	7	SCT:04 23 BKN:07 230	10.00		88	31.1	79	26.1	76	24.4	68	13	200		29.83			30.01	FM-15	0.00	30.01
06	1154	7	FEW:02 39 SCT:04 55 BKN:07 160	10.00		89	31.7	80	26.7	76	24.4	65	8	200		29.81			29.99	FM-15	0.00	29.99
06	1254	7	BKN:07 31 BKN:07 65	7.00		84	28.9	78	25.6	76	24.4	77	13	210		29.78	8	+0.05	29.97	FM-15	0.06	29.96
06	1300	4	26	6.84		84	28.9	78	25.6	76	24.4	77	13	210		29.78	8	+0.05	29.97	FM-12		
06	1354	7	FEW:02 27 BKN:07 170 BKN:07 210	10.00		85	29.4	79	26.1	76	24.4	75	3	270		29.75			29.94	FM-15	T	29.93
06	1454	7	FEW:02 27 SCT:04 35	10.00		88	31.1	80	26.7	77	25.0	70	8	250		29.75			29.93	FM-15	0.00	29.93
06	1554	7	FEW:02 38 FEW:02 48 BKN:07 250	10.00		90	32.2	79	26.1	74	23.3	59	13	240		29.72	6	+0.06	29.91	FM-15	0.00	29.90
06	1654	7	FEW:02 35 SCT:04 200 BKN:07 250	10.00		88	31.1	79	26.1	75	23.9	66	10	230		29.71			29.90	FM-15	0.00	29.89
06	1754	7	FEW:02 35 FEW:02 200 SCT:04 250	10.00		89	31.7	79	26.1	75	23.9	63	9	250		29.71			29.90	FM-15	0.00	29.89
06	1854	7	FEW:02 150 FEW:02 200 SCT:04 250	10.00		87	30.6	78	25.6	75	23.9	67	7	210		29.71	6	+0.01	29.90	FM-15	0.00	29.89
06	1900	4		9.94		87	30.6	78	25.6	75	23.9	67	7	210		29.71	6	+0.01	29.90	FM-12		
06	1954	7	FEW:02 200 FEW:02 250	10.00		82	27.8	78	25.6	77	25.0	85	5	210		29.72			29.91	FM-15	0.00	29.90
06	2054	7	FEW:02 250	10.00		81	27.2	78	25.6	77	25.0	88	7	220		29.73			29.92	FM-15	0.00	29.91

06	2154	7	SCT:04 250	10.00		80	26.7	78	25.6	77	25.0	90	5	190		29.72	0	-0.01	29.91	FM-15	0.00	29.90
06	2254	7	SCT:04 250	10.00		80	26.7	78	25.6	77	25.0	90	6	190		29.73			29.91	FM-15	0.00	29.91
06	2354	7	FEW:02 55 SCT:04 70 BKN:07 110	10.00		83	28.3	77	25.0	75	23.9	77	14	260		29.72			29.91	FM-15	0.00	29.90
07	0054	7	FEW:02 110 BKN:07 220	10.00		82	27.8	76	24.4	74	23.3	77	10	250		29.70	8	+0.02	29.89	FM-15	0.00	29.88
07	0100	4		9.94		82	27.8	76	24.4	74	23.3	77	10	250		29.70	8	+0.02	29.89	FM-12		
07	0154	7	SCT:04 75 BKN:07 220	10.00		80	26.7	75	23.9	73	22.8	79	3	310		29.70			29.89	FM-15	0.00	29.88
07	0254	7	SCT:04 220	10.00		79	26.1	74	23.3	72	22.2	79	3	240		29.69			29.87	FM-15	0.00	29.87
07	0354	7	SCT:04 220	10.00		78	25.6	74	23.3	72	22.2	82	5	250		29.69	5	+0.01	29.88	FM-15	0.00	29.87
07	0454	7	BKN:07 130 BKN:07 250	10.00		77	25.0	74	23.3	72	22.2	85	7	230		29.71			29.89	FM-15	0.00	29.89
07	0554	7	BKN:07 150 BKN:07 250	10.00		78	25.6	74	23.3	72	22.2	82	5	220		29.71			29.90	FM-15	0.00	29.89
07	0654	7	FEW:02 100 BKN:07 220	10.00		81	27.2	75	23.9	72	22.2	74	5	280		29.72	1	-0.03	29.91	FM-15	0.00	29.90
07	0700	4		9.94		81	27.2	75	23.9	72	22.2	74	5	280		29.72	1	-0.03	29.91	FM-12		
07	0754	7	SCT:04 80 BKN:07 180 BKN:07 300	10.00		84	28.9	76	24.4	73	22.8	70	3	330		29.74			29.93	FM-15	0.00	29.92
07	0854	7	FEW:02 37 SCT:04 100 BKN:07 250	10.00		84	28.9	76	24.4	72	22.2	67	5	360		29.73			29.92	FM-15	0.00	29.91
07	0954	7	FEW:02 37 SCT:04 180 BKN:07 300	10.00		87	30.6	78	25.6	74	23.3	65	7	VRB		29.74	1	-0.02	29.93	FM-15	0.00	29.92
07	1054	7	FEW:02 37 BKN:07 180 BKN:07 300	10.00		88	31.1	77	25.0	72	22.2	59	5	050		29.74			29.93	FM-15	0.00	29.92
07	1154	7	SCT:04 37 BKN:07 110 BKN:07 180	10.00		87	30.6	78	25.6	74	23.3	65	8	080		29.73			29.92	FM-15	0.00	29.91
07	1254	7	FEW:02 37 SCT:04 110 BKN:07 300	10.00		90	32.2	77	25.0	72	22.2	56	7	VRB		29.70	8	+0.04	29.88	FM-15	0.00	29.88
07	1300	4	41	9.94		90	32.2	77	25.0	72	22.2	56	7			29.70	8	+0.04	29.88	FM-12		
07	1354	7	FEW:02 37 SCT:04 100 BKN:07 300	10.00		88	31.1	76	24.4	71	21.7	57	6	VRB		29.68			29.86	FM-15	0.00	29.86
07	1454	7	FEW:02 37 SCT:04 100 BKN:07 300	10.00		91	32.8	77	25.0	71	21.7	52	3	VRB		29.66			29.84	FM-15	0.00	29.84
07	1554	7	BKN:07 38 BKN:07 100 BKN:07 300	10.00		89	31.7	78	25.6	73	22.8	59	8	100		29.67	5	+0.03	29.85	FM-15	0.00	29.85
07	1634	7	BKN:07 39 BKN:07 46 OVC:08 70	10.00	TS:7 TS TS	82	27.8	74	23.3	71	21.7	69	17	190		29.66				FM-16		29.84
07	1654	7	BKN:07 40 BKN:07 50 OVC:08 95	10.00	TS:7 TS TS	78	25.6	74	23.3	72	22.2	82	13	200		29.66			29.85	FM-15	T	29.84
07	1715	7	SCT:04 15 BKN:07 37 OVC:08 70	1.75	TS:7 +RA:02 BR:1 RA TS RA	75	23.9	74	23.3	73	22.8	94	11	040	18	29.72				FM-16	0.15	29.90
07	1724	7	BKN:07 15 BKN:07 37 OVC:08 75	1.00	TS:7 +RA:02 BR:1 RA TS RA	74	23.3	73	22.8	73	22.8	97	7	100	21	29.70				FM-16	0.50	29.88
07	1737	7	BKN:07 15 OVC:08 35	0.75	TS:7 +RA:02 BR:1 RA TS RA	74	23.3	73	22.8	73	22.8	97	6	230		29.69				FM-16	1.01	29.87
07	1752	6	FEW:02 15 BKN:07 37 OVC:08 70	1.50	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	73	22.8	73	22.8	100	9	070		29.71				FM-16		29.89

07	1754	7	FEW:02 15 BKN:07 40 OVC:08 80	2.00	TS:7 +RA:02 BR:1 RA TS RA	74	23.3	73	22.8	73	22.8	97	8	070		29.71			29.90	FM-15	1.22	29.89
07	1804	7	BKN:07 45 OVC:08 80	3.00	TS:7 RA:02 BR:1 RA TS RA	74	23.3	73	22.8	73	22.8	97	0	000		29.71				FM-16	0.03	29.89
07	1818	7	BKN:07 49 OVC:08 70	2.50	TS:7 +RA:02 BR:1 RA TS RA	74	23.3	73	22.8	73	22.8	97	8	130		29.70				FM-16	0.16	29.88
07	1838	7	BKN:07 49 OVC:08 70	4.00	TS:7 +RA:02 BR:1 RA TS RA	75	23.9	74	23.3	73	22.8	94	5	120		29.71				FM-16	0.23	29.89
07	1852	6	FEW:02 15 BKN:07 60 OVC:08 90	6.00	-RA:02 BR:1 RA RA	75	23.9	74	23.3	73	22.8	94	5	150		29.71				FM-16		29.89
07	1854	7	FEW:02 15 BKN:07 60 OVC:08 90	7.00	-RA:02 RA RA	75	23.9	74	23.3	73	22.8	94	5	160		29.71	3	-0.04	29.90	FM-15	0.23	29.89
07	1900	4	15	6.84	RA	75	23.9	74	23.3	73	22.8	94	5	160		29.71	3	-0.04	29.90	FM-12		
07	1932	7	SCT:04 5 BKN:07 85 OVC:08 110	9.00	-RA:02 RA RA	75	23.9	74	23.3	73	22.8	94	5	030		29.71				FM-16	T	29.89
07	1942	7	BKN:07 5 BKN:07 75 OVC:08 110	6.00	RA:02 BR:1 RA RA	75	23.9	74	23.3	73	22.8	94	3	030		29.70				FM-16	0.03	29.88
07	1954	7	BKN:07 7 BKN:07 48 OVC:08 80	3.00	+RA:02 BR:1 RA RA	75	23.9	74	23.3	74	23.3	96	0	000		29.70			29.88	FM-15	0.10	29.88
07	2014	7	SCT:04 7 SCT:04 50 OVC:08 100	5.00	RA:02 BR:1 RA RA	75	23.9	74	23.3	74	23.3	96	5	050		29.69				FM-16	0.07	29.87
07	2052	6	SCT:04 3 BKN:07 11 OVC:08 120	10.00	-RA:02 RA RA	75	23.9	74	23.3	73	22.8	94	0	000		29.70				FM-16		29.88
07	2054	7	SCT:04 3 BKN:07 11 OVC:08 120	10.00	-RA:02 RA RA	75	23.9	74	23.3	73	22.8	94	3	070		29.70			29.89	FM-15	0.08	29.88
07	2120	7	SCT:04 3 OVC:08 9	10.00	-RA:02 RA RA	74	23.3	73	22.8	73	22.8	97	7	110		29.71				FM-16	0.01	29.89
07	2154	7	FEW:02 3 BKN:07 9 OVC:08 16	10.00	-RA:02 RA RA	75	23.9	74	23.3	74	23.3	96	7	140		29.70	1	-0.01	29.89	FM-15	0.02	29.88
07	2224	7	OVC:08 13	10.00	-RA:02 RA RA	75	23.9	74	23.3	73	22.8	94	6	100		29.71				FM-16	0.01	29.89
07	2252	6	FEW:02 13 BKN:07 18 OVC:08 100	10.00		73	22.8	73	22.8	73	22.8	100	6	140		29.70				FM-16		29.88
07	2254	7	FEW:02 13 BKN:07 18 OVC:08 100	10.00		74	23.3	73	22.8	73	22.8	97	5	140		29.70			29.89	FM-15	0.01	29.88
07	2317	7	FEW:02 4 SCT:04 17 OVC:08 130	10.00		74	23.3	73	22.8	73	22.8	97	5	170		29.69				FM-16		29.87
07	2354	7	FEW:02 20 OVC:08 160	10.00		74	23.3	73	22.8	73	22.8	97	7	190		29.68			29.86	FM-15	0.00	29.86
08	0018	7	BKN:07 4 OVC:08 150	10.00		75	23.9	74	23.3	73	22.8	94	0	000		29.69				FM-16		29.87
08	0054	7	BKN:07 4 OVC:08 200	10.00		75	23.9	74	23.3	74	23.3	96	3	120		29.68	5	+0.02	29.87	FM-15	0.00	29.86
08	0100	4	5	9.94		75	23.9	74	23.3	74	23.3	96	3	120		29.68	5	+0.02	29.87	FM-12		
08	0154	7	OVC:08 4	10.00		74	23.3	73	22.8	73	22.8	97	5	080		29.69			29.88	FM-15	0.00	29.87
08	0254	7	OVC:08 5	10.00		75	23.9	74	23.3	73	22.8	94	0	000		29.67			29.85	FM-15	0.00	29.85
08	0354	7	BKN:07 5 OVC:08 11	10.00		75	23.9	74	23.3	73	22.8	94	0	000		29.66	8	+0.02	29.84	FM-15	0.00	29.84
08	0454	7	BKN:07 8 BKN:07 30 OVC:08 250	10.00		75	23.9	74	23.3	74	23.3	96	0	000		29.67			29.86	FM-15	0.00	29.85

08	0519	7	FEW:02 9 BKN:07 80 BKN:07 300	7.00		75	23.9	74	23.3	73	22.8	94	0	000		29.67				FM-16		29.85
08	0554	7	FEW:02 9 BKN:07 80 BKN:07 300	8.00		77	25.0	75	23.9	74	23.3	90	5	030		29.67			29.86	FM-15	0.00	29.85
08	0654	7	FEW:02 4 BKN:07 85 BKN:07 300	8.00		78	25.6	76	24.4	75	23.9	90	3	090		29.68	2	-0.02	29.87	FM-15	0.00	29.86
08	0700	4	5	7.46		78	25.6	76	24.4	75	23.9	90	3	090		29.68	2	-0.02	29.87	FM-12		
08	0723	7	BKN:07 7 BKN:07 29 BKN:07 85	8.00		78	25.6	75	23.9	74	23.3	87	0	000		29.69				FM-16		29.87
08	0746	7	SCT:04 8 BKN:07 33 BKN:07 85	8.00		79	26.1	76	24.4	75	23.9	88	5	340		29.68				FM-16		29.86
08	0752	6	SCT:04 8 BKN:07 28 BKN:07 85	8.00		79	26.1	75	23.9	73	22.8	84	3	320		29.68				FM-16		29.86
08	0754	7	SCT:04 8 BKN:07 27 BKN:07 85	8.00		79	26.1	76	24.4	74	23.3	85	3	300		29.68			29.87	FM-15	0.00	29.86
08	0838	7	BKN:07 14 OVC:08 29	10.00		80	26.7	76	24.4	74	23.3	82	5	290		29.68				FM-16		29.86
08	0854	7	BKN:07 16 OVC:08 30	10.00		80	26.7	76	24.4	74	23.3	82	5	300		29.68			29.87	FM-15	0.00	29.86
08	0954	7	BKN:07 25 BKN:07 36	10.00		82	27.8	76	24.4	74	23.3	77	3	300		29.69	3	-0.01	29.87	FM-15	0.00	29.87
08	1030	7	SCT:04 19 BKN:07 45	10.00		83	28.3	77	25.0	74	23.3	74	7	320		29.69				FM-16		29.87
08	1054	7	SCT:04 21 BKN:07 45	10.00		84	28.9	77	25.0	74	23.3	72	3	VRB		29.69			29.87	FM-15	0.00	29.87
08	1154	7	BKN:07 30 BKN:07 46	10.00	-RA:02 RA RA	83	28.3	77	25.0	74	23.3	74	13	340		29.68			29.87	FM-15	0.02	29.86
08	1254	7	SCT:04 27 SCT:04 55 BKN:07 75	10.00		85	29.4	77	25.0	74	23.3	70	14	010		29.68	8	+0.01	29.86	FM-15	T	29.86
08	1300	4	26	9.94		85	29.4	77	25.0	74	23.3	70	14	010		29.68	8	+0.01	29.86	FM-12		
08	1354	7	FEW:02 11 SCT:04 28 SCT:04 110	10.00		79	26.1	76	24.4	74	23.3	85	10	050		29.70			29.88	FM-15	0.03	29.88
08	1454	7	SCT:04 23 SCT:04 120 SCT:04 300	10.00		83	28.3	75	23.9	72	22.2	70	11	040		29.70			29.88	FM-15	0.00	29.88
08	1552	6	BKN:07 25 BKN:07 120 BKN:07 300	10.00		82	27.8	75	23.9	72	22.2	70	7	050		29.70				FM-16		29.88
08	1554	7	BKN:07 25 BKN:07 120 BKN:07 300	10.00		82	27.8	74	23.3	71	21.7	69	7	050		29.70	1	-0.03	29.89	FM-15	0.00	29.88
08	1654	7	BKN:07 17 OVC:08 32	10.00		77	25.0	74	23.3	72	22.2	85	13	050		29.72			29.91	FM-15	T	29.90
08	1709	7	BKN:07 11 OVC:08 19	10.00		76	24.4	73	22.8	72	22.2	88	14	050		29.73				FM-16		29.91
08	1754	7	OVC:08 10	9.00		74	23.3	72	22.2	71	21.7	91	11	050		29.75			29.94	FM-15	0.00	29.93
08	1844	7	SCT:04 13 BKN:07 19 BKN:07 32	10.00		74	23.3	71	21.7	69	20.6	85	9	050		29.77				FM-16		29.95
08	1854	7	SCT:04 13 BKN:07 19 BKN:07 32	10.00		74	23.3	71	21.7	69	20.6	85	9	050		29.78	3	-0.07	29.97	FM-15	0.00	29.96
08	1900	4	15	9.94		74	23.3	71	21.7	69	20.6	85	9	050		29.78	3	-0.07	29.97	FM-12		
08	1933	7	SCT:04 25 SCT:04 36 BKN:07 300	10.00		73	22.8	70	21.1	69	20.6	87	8	050		29.79				FM-16		29.97

08	1954	7	FEW:02 25 BKN:07 36 BKN:07 300	10.00		73	22.8	70	21.1	69	20.6	87	7	030		29.80			29.99	FM-15	0.00	29.98
08	2054	7	OVC:08 32	10.00		74	23.3	70	21.1	68	20.0	82	7	040		29.82			30.01	FM-15	0.00	30.00
08	2154	7	BKN:07 32 OVC:08 300	10.00		73	22.8	70	21.1	68	20.0	84	8	030		29.82	1	-0.04	30.01	FM-15	0.00	30.00
08	2254	7	BKN:07 33 OVC:08 300	10.00		73	22.8	69	20.6	66	18.9	79	6	050		29.83			30.01	FM-15	0.00	30.01
08	2354	7	BKN:07 32 BKN:07 300	10.00		72	22.2	68	20.0	66	18.9	82	6	040		29.83			30.02	FM-15	0.00	30.01
09	0054	7	BKN:07 40	10.00		71	21.7	67	19.4	65	18.3	81	6	360		29.84	1	-0.02	30.03	FM-15	0.00	30.02
09	0100	4	41	9.94		71	21.7	67	19.4	65	18.3	81	6	360		29.84	1	-0.02	30.03	FM-12		
09	0154	7	FEW:02 40	10.00		69	20.6	66	18.9	65	18.3	87	6	020		29.84			30.03	FM-15	0.00	30.02
09	0254	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	9	010		29.85			30.03	FM-15	0.00	30.03
09	0354	7	CLR:00	10.00		67	19.4	66	18.9	65	18.3	93	6	360		29.85	3	-0.01	30.04	FM-15	0.00	30.03
09	0454	7	FEW:02 40	10.00		67	19.4	65	18.3	64	17.8	91	6	350		29.87			30.06	FM-15	0.00	30.05
09	0554	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	6	010		29.88			30.07	FM-15	0.00	30.06
09	0654	7	CLR:00	10.00		72	22.2	68	20.0	66	18.9	82	7	020		29.89	1	-0.04	30.08	FM-15	0.00	30.07
09	0700	4		9.94		72	22.2	68	20.0	66	18.9	82	7	020		29.89	1	-0.04	30.08	FM-12		
09	0754	7	CLR:00	10.00		76	24.4	70	21.1	67	19.4	74	7	070		29.90			30.09	FM-15	0.00	30.08
09	0854	7	FEW:02 30	10.00		78	25.6	70	21.1	65	18.3	64	7	060		29.90			30.09	FM-15	0.00	30.08
09	0954	7	FEW:02 33	10.00		80	26.7	70	21.1	65	18.3	60	9	060		29.91	1	-0.02	30.10	FM-15	0.00	30.09
09	1054	7	FEW:02 35	10.00		81	27.2	71	21.7	65	18.3	58	6	VRB		29.92			30.11	FM-15	0.00	30.10
09	1154	7	SCT:04 39	10.00		83	28.3	71	21.7	64	17.8	53	6	080		29.91			30.10	FM-15	0.00	30.09
09	1254	7	SCT:04 41	10.00		84	28.9	72	22.2	66	18.9	55	9	080		29.91	8	+0.01	30.09	FM-15	0.00	30.09
09	1300	4	41	9.94		84	28.9	72	22.2	66	18.9	55	9	080		29.91	8	+0.01	30.09	FM-12		
09	1354	7	SCT:04 42	10.00		84	28.9	72	22.2	65	18.3	53	5	VRB		29.89			30.08	FM-15	0.00	30.07
09	1454	7	SCT:04 46	10.00		84	28.9	72	22.2	65	18.3	53	8	110		29.88			30.07	FM-15	0.00	30.06
09	1554	7	SCT:04 46	10.00		85	29.4	72	22.2	66	18.9	53	8	090		29.87	6	+0.03	30.06	FM-15	0.00	30.05
09	1654	7	FEW:02 46	10.00		85	29.4	72	22.2	65	18.3	51	6	130		29.87			30.06	FM-15	0.00	30.05
09	1754	7	FEW:02 50	10.00		83	28.3	71	21.7	65	18.3	55	8	130		29.87			30.06	FM-15	0.00	30.05
09	1854	7	FEW:02 50	10.00		81	27.2	71	21.7	66	18.9	61	9	150		29.87	3	0.00	30.06	FM-15	0.00	30.05
09	1900	4	57	9.94		81	27.2	71	21.7	66	18.9	61	9	150		29.87	3	0.00	30.06	FM-12		
09	1954	7	FEW:02 50 FEW:02 300	10.00		77	25.0	70	21.1	67	19.4	71	8	140		29.88			30.07	FM-15	0.00	30.06
09	2054	7	FEW:02 300	10.00		75	23.9	70	21.1	67	19.4	76	7	140		29.91			30.10	FM-15	0.00	30.09
09	2154	7	FEW:02 300	10.00		73	22.8	69	20.6	67	19.4	81	8	140		29.92	1	-0.04	30.11	FM-15	0.00	30.10
09	2254	7	FEW:02 300	10.00		71	21.7	68	20.0	66	18.9	84	5	120		29.91			30.10	FM-15	0.00	30.09
09	2354	7	CLR:00	10.00		71	21.7	68	20.0	66	18.9	84	0	000		29.90			30.09	FM-15	0.00	30.08
10	0054	7	CLR:00	10.00		69	20.6	67	19.4	66	18.9	90	0	000		29.90	6	+0.02	30.09	FM-15	0.00	30.08
10	0100	4		9.94		69	20.6	67	19.4	66	18.9	90	0	000		29.90	6	+0.02	30.09	FM-12		
10	0154	7	CLR:00	10.00		69	20.6	67	19.4	66	18.9	90	0	000		29.90			30.09	FM-15	0.00	30.08
10	0254	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	3	140		29.90			30.09	FM-15	0.00	30.08
10	0354	7	CLR:00	10.00		67	19.4	65	18.3	64	17.8	91	0	000		29.90	3	0.00	30.09	FM-15	0.00	30.08
10	0454	7	FEW:02 50	10.00		67	19.4	65	18.3	64	17.8	91	3	190		29.91			30.10	FM-15	0.00	30.09
10	0554	7	FEW:02 50 FEW:02 300	10.00		68	20.0	66	18.9	65	18.3	90	3	180		29.91			30.09	FM-15	0.00	30.09
10	0654	7	SCT:04 50 SCT:04 300	10.00		72	22.2	68	20.0	66	18.9	82	5	200		29.91	3	-0.01	30.10	FM-15	0.00	30.09
10	0700	4	57	9.94		72	22.2	68	20.0	66	18.9	82	5	200		29.91	3	-0.01	30.10	FM-12		
10	0754	7	BKN:07 50 BKN:07 300	10.00		75	23.9	69	20.6	66	18.9	74	0	000		29.92			30.11	FM-15	0.00	30.10
10	0854	7	FEW:02 50 SCT:04 300	10.00		79	26.1	70	21.1	65	18.3	62	6	130		29.91			30.10	FM-15	0.00	30.09
10	0954	7	FEW:02 50 FEW:02 300	10.00		81	27.2	70	21.1	64	17.8	57	7	VRB		29.90	8	+0.01	30.09	FM-15	0.00	30.08
10	1054	7	FEW:02 50 FEW:02 300	10.00		84	28.9	70	21.1	63	17.2	49	7	140		29.90			30.09	FM-15	0.00	30.08

10	1154	7	FEW:02 50 FEW:02 150 SCT:04 300	10.00		85	29.4	71	21.7	63	17.2	48	7	130		29.89			30.08	FM-15	0.00	30.07
10	1254	7	FEW:02 50 FEW:02 150 BKN:07 300	10.00		86	30.0	72	22.2	64	17.8	48	0	000		29.88	8	+0.02	30.07	FM-15	0.00	30.06
10	1300	4	57	9.94		86	30.0	72	22.2	64	17.8	48	0	000		29.88	8	+0.02	30.07	FM-12		
10	1354	7	SCT:04 55 BKN:07 300	10.00		87	30.6	72	22.2	64	17.8	46	7	140		29.87			30.06	FM-15	0.00	30.05
10	1454	7	BKN:07 55 BKN:07 300	10.00		89	31.7	74	23.3	66	18.9	47	7	VRB		29.85			30.04	FM-15	0.00	30.03
10	1554	7	BKN:07 60 BKN:07 300	10.00		87	30.6	73	22.8	66	18.9	50	7	160		29.84	8	+0.04	30.03	FM-15	0.00	30.02
10	1654	7	FEW:02 60 FEW:02 300	10.00		87	30.6	73	22.8	66	18.9	50	6	160		29.82			30.01	FM-15	0.00	30.00
10	1754	7	FEW:02 60 SCT:04 300	10.00		86	30.0	73	22.8	66	18.9	51	9	140		29.81			30.00	FM-15	0.00	29.99
10	1854	7	FEW:02 50 FEW:02 100 FEW:02 300	10.00		84	28.9	74	23.3	69	20.6	61	7	140		29.81	6	+0.03	30.00	FM-15	0.00	29.99
10	1900	4	57	9.94		84	28.9	74	23.3	69	20.6	61	7	140		29.81	6	+0.03	30.00	FM-12		
10	1954	7	FEW:02 100 FEW:02 300	10.00		80	26.7	73	22.8	69	20.6	69	6	120		29.81			30.00	FM-15	0.00	29.99
10	2054	7	FEW:02 300	10.00		79	26.1	73	22.8	70	21.1	74	8	130		29.82			30.01	FM-15	0.00	30.00
10	2154	7	FEW:02 300	10.00		77	25.0	74	23.3	72	22.2	85	5	140		29.82	0	-0.01	30.00	FM-15	0.00	30.00
10	2254	7	FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.82			30.00	FM-15	0.00	30.00
10	2354	7	CLR:00	10.00		76	24.4	74	23.3	73	22.8	91	6	150		29.81			30.00	FM-15	0.00	29.99
11	0054	7	SCT:04 70	10.00		75	23.9	74	23.3	73	22.8	94	3	150		29.81	8	+0.01	29.99	FM-15	0.00	29.99
11	0100	4	74	9.94		75	23.9	74	23.3	73	22.8	94	3	150		29.81	8	+0.01	29.99	FM-12		
11	0154	7	FEW:02 70	10.00		75	23.9	74	23.3	73	22.8	94	5	160		29.79			29.97	FM-15	0.00	29.97
11	0229	7	FEW:02 4 SCT:04 70	10.00		74	23.3	73	22.8	73	22.8	97	0	000		29.78				FM-16		29.96
11	0243	7	BKN:07 3 BKN:07 70	10.00		75	23.9	74	23.3	73	22.8	94	0	000		29.78				FM-16		29.96
11	0252	6	SCT:04 3 BKN:07 70	10.00		75	23.9	74	23.3	73	22.8	94	0	000		29.78				FM-16		29.96
11	0254	7	SCT:04 3 BKN:07 70	10.00		75	23.9	74	23.3	73	22.8	94	0	000		29.78			29.97	FM-15	0.00	29.96
11	0354	7	FEW:02 3 FEW:02 55	10.00		75	23.9	74	23.3	74	23.3	96	6	160		29.77	6	+0.03	29.96	FM-15	0.00	29.95
11	0454	7	FEW:02 50 FEW:02 300	10.00		74	23.3	73	22.8	73	22.8	97	3	180		29.78			29.96	FM-15	0.00	29.96
11	0554	7	FEW:02 50 FEW:02 300	10.00		75	23.9	74	23.3	73	22.8	94	3	140		29.78			29.96	FM-15	0.00	29.96
11	0654	7	FEW:02 60 FEW:02 300	10.00		78	25.6	75	23.9	74	23.3	87	9	200		29.78	3	-0.01	29.97	FM-15	0.00	29.96
11	0700	4	57	9.94		78	25.6	75	23.9	74	23.3	87	9	200		29.78	3	-0.01	29.97	FM-12		
11	0754	7	FEW:02 110	10.00		81	27.2	76	24.4	74	23.3	79	10	200		29.78			29.97	FM-15	0.00	29.96
11	0854	7	FEW:02 15 FEW:02 110	10.00		84	28.9	77	25.0	74	23.3	72	9	190		29.77			29.95	FM-15	0.00	29.95
11	0954	7	SCT:04 25 SCT:04 150	10.00		86	30.0	78	25.6	75	23.9	70	11	180		29.76	8	+0.02	29.94	FM-15	0.00	29.94
11	1054	7	FEW:02 29 BKN:07 170	10.00		88	31.1	79	26.1	75	23.9	66	13	200		29.75			29.93	FM-15	0.00	29.93
11	1154	7	FEW:02 32 SCT:04 170 BKN:07 350	10.00		89	31.7	78	25.6	74	23.3	61	10	230		29.72			29.91	FM-15	0.00	29.90
11	1254	7	SCT:04 35 BKN:07 350	10.00		90	32.2	79	26.1	74	23.3	59	15	180		29.69	8	+0.07	29.87	FM-15	0.00	29.87
11	1300	4	41	9.94		90	32.2	79	26.1	74	23.3	59	15	180		29.69	8	+0.07	29.87	FM-12		
11	1354	7	SCT:04 38 SCT:04 350	10.00		91	32.8	79	26.1	74	23.3	57	10	VRB	21	29.66			29.85	FM-15	0.00	29.84

11	1454	7	FEW:02 40 SCT:04 50 SCT:04 70	10.00		91	32.8	79	26.1	74	23.3	57	11	200		29.63			29.81	FM-15	0.00	29.81
11	1554	7	SCT:04 45 SCT:04 100 BKN:07 250	10.00		92	33.3	79	26.1	74	23.3	56	14	210		29.62	6	+0.06	29.81	FM-15	0.00	29.80
11	1654	7	SCT:04 45 SCT:04 100 BKN:07 150	10.00		91	32.8	78	25.6	73	22.8	56	13	220		29.62			29.80	FM-15	0.00	29.80
11	1754	7	SCT:04 40 BKN:07 85 BKN:07 130	10.00		86	30.0	79	26.1	76	24.4	72	7	250		29.62			29.80	FM-15	0.19	29.80
11	1815	7	BKN:07 33 BKN:07 45 BKN:07 75	10.00		79	26.1	73	22.8	70	21.1	74	34s	320	45	29.67				FM-16		29.85
11	1828	7	SCT:04 33 BKN:07 50 OVC:08 75	2.50	TS:7 RA:02 BR:1 RA TS RA	74	23.3	71	21.7	70	21.1	88	25	320	44	29.69				FM-16	T	29.87
11	1831	7	SCT:04 31 BKN:07 48 OVC:08 80	1.25	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	71	21.7	70	21.1	90	24	310	39	29.69				FM-16	0.06	29.87
11	1846	7	SCT:04 37 BKN:07 55 OVC:08 80	3.00	TS:7 RA:02 BR:1 RA TS RA	73	22.8	71	21.7	70	21.1	90	10	280	22	29.66				FM-16	0.22	29.84
11	1854	7	SCT:04 37 BKN:07 50 OVC:08 110	9.00	TS:7 -RA:02 RA TS TS RA	73	22.8	72	22.2	71	21.7	94	13	280		29.66	3	-0.04	29.85	FM-15	0.23	29.84
11	1900	4	41	8.70		73	22.8	72	22.2	71	21.7	94	13	280		29.66	3	-0.04	29.85	FM-12		
11	1945	7	BKN:07 110 OVC:08 150	9.00	-RA:02 RA RA	73	22.8	72	22.2	71	21.7	94	6	110		29.67				FM-16	0.10	29.85
11	1954	7	BKN:07 110 OVC:08 150	10.00	-RA:02 RA RA	73	22.8	72	22.2	71	21.7	94	6	110		29.66			29.85	FM-15	0.10	29.84
11	2054	7	SCT:04 110 OVC:08 150	10.00		73	22.8	72	22.2	71	21.7	94	5	090		29.67			29.85	FM-15	0.01	29.85
11	2116	7	SCT:04 4 SCT:04 110 OVC:08 140	10.00		73	22.8	72	22.2	72	22.2	96	8	170		29.67				FM-16		29.85
11	2154	7	FEW:02 4 SCT:04 95 OVC:08 140	10.00		73	22.8	72	22.2	72	22.2	96	7	190		29.68	3	-0.02	29.87	FM-15	T	29.86
11	2254	7	FEW:02 4 FEW:02 110 OVC:08 130	10.00		73	22.8	72	22.2	72	22.2	96	7	190		29.67			29.85	FM-15	T	29.85
11	2354	7	SCT:04 4 BKN:07 170	10.00		73	22.8	72	22.2	72	22.2	96	6	170		29.64			29.82	FM-15	0.00	29.82
12	0004	7	BKN:07 4 BKN:07 170	10.00		73	22.8	72	22.2	72	22.2	96	9	190		29.64				FM-16		29.82
12	0035	7	OVC:08 5	10.00		73	22.8	72	22.2	72	22.2	96	5	210		29.64				FM-16		29.82
12	0054	7	OVC:08 6	10.00		73	22.8	72	22.2	72	22.2	96	3	190		29.63	6	+0.05	29.81	FM-15	0.00	29.81
12	0100	4	5	9.94		73	22.8	72	22.2	72	22.2	96	3	190		29.63	6	+0.05	29.81	FM-12		
12	0132	7	SCT:04 7 SCT:04 170	10.00		73	22.8	72	22.2	72	22.2	96	5	230		29.63				FM-16		29.81
12	0154	7	FEW:02 7 FEW:02 60 SCT:04 170	10.00		74	23.3	73	22.8	72	22.2	94	5	310		29.63			29.82	FM-15	0.00	29.81
12	0254	7	FEW:02 50 SCT:04 75 BKN:07 90	10.00		74	23.3	73	22.8	72	22.2	94	3	240		29.63			29.81	FM-15	0.00	29.81
12	0354	7	FEW:02 75 SCT:04 90 SCT:04 170	9.00		73	22.8	72	22.2	71	21.7	94	5	200		29.63	1	0.00	29.82	FM-15	0.00	29.81
12	0416	7	SCT:04 8 BKN:07 85 BKN:07 170	8.00		73	22.8	72	22.2	72	22.2	96	6	200		29.64				FM-16		29.82

12	0452	6	BKN:07 8 OVC:08 85	10.00		73	22.8	72	22.2	72	22.2	94	7	210		29.64				FM-16		29.82
12	0454	7	BKN:07 8 OVC:08 85	10.00		74	23.3	73	22.8	72	22.2	94	7	200		29.64			29.83	FM-15	0.00	29.82
12	0554	7	OVC:08 5	7.00		74	23.3	73	22.8	73	22.8	97	8	240		29.65			29.84	FM-15	0.00	29.83
12	0654	7	BKN:07 5 OVC:08 9	9.00		75	23.9	74	23.3	73	22.8	94	7	240		29.67	3	-0.04	29.86	FM-15	0.00	29.85
12	0700	4	5	8.70		75	23.9	74	23.3	73	22.8	94	7	240		29.67	3	-0.04	29.86	FM-12		
12	0735	7	OVC:08 10	8.00		77	25.0	74	23.3	73	22.8	88	8	290		29.68				FM-16		29.86
12	0754	7	BKN:07 11	9.00		77	25.0	74	23.3	73	22.8	88	7	300		29.68			29.87	FM-15	0.00	29.86
12	0854	7	BKN:07 13 BKN:07 350	10.00		78	25.6	75	23.9	73	22.8	85	5	190		29.68			29.87	FM-15	0.00	29.86
12	0938	7	SCT:04 15 BKN:07 350	10.00		80	26.7	75	23.9	73	22.8	79	6	VRB		29.68				FM-16		29.86
12	0954	7	SCT:04 15 BKN:07 350	10.00		81	27.2	75	23.9	73	22.8	77	5	260		29.69	1	-0.02	29.88	FM-15	0.00	29.87
12	1054	7	FEW:02 21 BKN:07 350	10.00		84	28.9	76	24.4	73	22.8	70	3	VRB		29.68			29.87	FM-15	0.00	29.86
12	1154	7	FEW:02 26 BKN:07 350	10.00		86	30.0	77	25.0	73	22.8	65	3	200		29.67			29.86	FM-15	0.00	29.85
12	1254	7	FEW:02 35 BKN:07 350	10.00		89	31.7	77	25.0	72	22.2	57	7	280		29.66	8	+0.02	29.85	FM-15	0.00	29.84
12	1300	4	41	9.94		89	31.7	77	25.0	72	22.2	57	7	280		29.66	8	+0.02	29.85	FM-12		
12	1354	7	FEW:02 40 BKN:07 350	10.00		90	32.2	77	25.0	71	21.7	54	3	VRB		29.66			29.84	FM-15	0.00	29.84
12	1454	7	SCT:04 50 BKN:07 90 BKN:07 350	10.00		89	31.7	77	25.0	72	22.2	57	8	220		29.64			29.83	FM-15	0.00	29.82
12	1554	7	SCT:04 40 SCT:04 90 BKN:07 350	10.00		90	32.2	79	26.1	74	23.3	59	13	190		29.63	8	+0.04	29.81	FM-15	0.00	29.81
12	1654	7	BKN:07 45 BKN:07 90 BKN:07 350	10.00		88	31.1	79	26.1	75	23.9	66	9	200		29.63			29.82	FM-15	0.00	29.81
12	1754	7	BKN:07 45 BKN:07 100 BKN:07 350	10.00		83	28.3	76	24.4	73	22.8	72	8	010		29.65			29.83	FM-15	T	29.83
12	1854	7	FEW:02 45 FEW:02 100 SCT:04 350	10.00		82	27.8	75	23.9	72	22.2	72	5	060		29.67	3	-0.04	29.85	FM-15	0.00	29.85
12	1900	4	41	9.94		82	27.8	75	23.9	72	22.2	72	5	060		29.67	3	-0.04	29.85	FM-12		
12	1954	7	SCT:04 50 SCT:04 100 BKN:07 350	10.00		80	26.7	75	23.9	72	22.2	76	5	070		29.68			29.87	FM-15	0.00	29.86
12	2054	7	FEW:02 65 BKN:07 110 BKN:07 350	10.00		78	25.6	75	23.9	73	22.8	85	5	070		29.71			29.90	FM-15	0.00	29.89
12	2154	7	FEW:02 60 SCT:04 110 SCT:04 350	10.00		77	25.0	74	23.3	73	22.8	88	3	130		29.72	1	-0.05	29.91	FM-15	0.00	29.90
12	2254	7	BKN:07 50 BKN:07 110 BKN:07 350	10.00		79	26.1	74	23.3	72	22.2	79	5	040		29.72			29.91	FM-15	0.00	29.90
12	2354	7	SCT:04 50 BKN:07 65 BKN:07 110	10.00		77	25.0	74	23.3	73	22.8	88	3	070		29.72			29.91	FM-15	0.00	29.90
13	0054	7	BKN:07 48 BKN:07 100	10.00		77	25.0	74	23.3	73	22.8	88	7	140		29.72	0	0.00	29.91	FM-15	0.00	29.90
13	0100	4	41	9.94		77	25.0	74	23.3	73	22.8	88	7	140		29.72	9	0.00	29.91	FM-12		
13	0154	7	SCT:04 50 SCT:04 65 BKN:07 100	10.00		77	25.0	74	23.3	73	22.8	88	3	020		29.73			29.92	FM-15	0.00	29.91

13	0254	7	FEW:02 70 FEW:02 110 SCT:04 300	10.00		76	24.4	73	22.8	72	22.2	88	3	010		29.73			29.92	FM-15	0.00	29.91
13	0354	7	FEW:02 70 FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	5	360		29.74	1	-0.02	29.93	FM-15	0.00	29.92
13	0454	7	FEW:02 90 FEW:02 300	10.00		74	23.3	72	22.2	71	21.7	91	7	020		29.76			29.94	FM-15	0.00	29.94
13	0554	7	FEW:02 85 FEW:02 300	10.00		76	24.4	71	21.7	69	20.6	79	7	030		29.78			29.96	FM-15	0.00	29.96
13	0654	7	FEW:02 90 FEW:02 300	10.00		79	26.1	72	22.2	69	20.6	72	9	020		29.80	3	-0.06	29.98	FM-15	0.00	29.98
13	0700	4		9.94		79	26.1	72	22.2	69	20.6	72	9	020		29.80	3	-0.06	29.98	FM-12		
13	0754	7	FEW:02 47 FEW:02 75	10.00		81	27.2	73	22.8	69	20.6	67	8	040		29.82			30.00	FM-15	0.00	30.00
13	0854	7	FEW:02 50	10.00		84	28.9	74	23.3	70	21.1	63	7	040		29.82			30.01	FM-15	0.00	30.00
13	0954	7	FEW:02 50	10.00		85	29.4	74	23.3	69	20.6	59	6	090		29.84	1	-0.04	30.03	FM-15	0.00	30.02
13	1054	7	FEW:02 55 SCT:04 80	10.00		87	30.6	75	23.9	69	20.6	55	3	VRB		29.84			30.03	FM-15	0.00	30.02
13	1154	7	SCT:04 48 BKN:07 55	10.00		88	31.1	74	23.3	68	20.0	52	3	VRB		29.83			30.02	FM-15	0.00	30.01
13	1254	7	SCT:04 47 BKN:07 55	10.00		89	31.7	75	23.9	69	20.6	52	3	220		29.82	8	+0.02	30.01	FM-15	0.00	30.00
13	1300	4	41	9.94		89	31.7	75	23.9	69	20.6	52	3	220		29.82	8	+0.02	30.01	FM-12		
13	1354	7	SCT:04 55	10.00		90	32.2	75	23.9	68	20.0	48	3	180		29.79			29.98	FM-15	0.00	29.97
13	1454	7	SCT:04 55 SCT:04 250	10.00		91	32.8	75	23.9	67	19.4	45	8	210		29.77			29.96	FM-15	0.00	29.95
13	1554	7	FEW:02 60 FEW:02 250	10.00		92	33.3	75	23.9	67	19.4	44	6	240		29.77	5	+0.04	29.96	FM-15	0.00	29.95
13	1654	7	FEW:02 60 FEW:02 250	10.00		92	33.3	74	23.3	66	18.9	43	0	000		29.77			29.96	FM-15	0.00	29.95
13	1754	7	FEW:02 60 FEW:02 150 FEW:02 250	10.00		91	32.8	75	23.9	67	19.4	45	9	220		29.78			29.97	FM-15	0.00	29.96
13	1854	7	FEW:02 60 FEW:02 150 FEW:02 250	10.00		87	30.6	75	23.9	69	20.6	55	8	220		29.80	3	-0.02	29.98	FM-15	0.00	29.98
13	1900	4	57	9.94		87	30.6	75	23.9	69	20.6	55	8	220		29.80	3	-0.02	29.98	FM-12		
13	1954	7	FEW:02 60 FEW:02 250	10.00		86	30.0	74	23.3	68	20.0	55	7	230		29.80			29.98	FM-15	0.00	29.98
13	2054	7	FEW:02 250	10.00		80	26.7	73	22.8	70	21.1	71	5	200		29.81			29.99	FM-15	0.00	29.99
13	2154	7	CLR:00	10.00		79	26.1	73	22.8	70	21.1	74	0	000		29.80	0	0.00	29.98	FM-15	0.00	29.98
13	2254	7	FEW:02 250	10.00		75	23.9	72	22.2	70	21.1	84	0	000		29.80			29.99	FM-15	0.00	29.98
13	2354	7	FEW:02 300	10.00		76	24.4	72	22.2	70	21.1	82	0	000		29.80			29.99	FM-15	0.00	29.98
14	0054	7	SCT:04 300	10.00		75	23.9	72	22.2	70	21.1	84	3	200		29.81	1	-0.01	29.99	FM-15	0.00	29.99
14	0100	4		9.94		75	23.9	72	22.2	70	21.1	84	3	200		29.81	1	-0.01	29.99	FM-12		
14	0154	7	SCT:04 300	10.00		75	23.9	72	22.2	71	21.7	88	0	000		29.80			29.99	FM-15	0.00	29.98
14	0254	7	SCT:04 300	9.00		74	23.3	73	22.8	72	22.2	94	6	190		29.80			29.98	FM-15	0.00	29.98
14	0354	7	SCT:04 300	7.00		75	23.9	73	22.8	72	22.2	90	0	000		29.81	3	0.00	30.00	FM-15	0.00	29.99
14	0454	7	SCT:04 300	5.00	BR:1	73	22.8	72	22.2	72	22.2	96	6	040		29.83			30.01	FM-15	0.00	30.01
14	0554	7	SCT:04 300	7.00		74	23.3	73	22.8	72	22.2	94	0	000		29.83			30.02	FM-15	0.00	30.01
14	0654	7	SCT:04 300	10.00		80	26.7	75	23.9	72	22.2	76	0	000		29.85	1	-0.04	30.03	FM-15	0.00	30.03
14	0700	4		9.94		80	26.7	75	23.9	72	22.2	76	0	000		29.85	1	-0.04	30.03	FM-12		
14	0754	7	SCT:04 300	10.00		85	29.4	74	23.3	69	20.6	59	6	040		29.86			30.05	FM-15	0.00	30.04
14	0854	7	FEW:02 300	10.00		87	30.6	75	23.9	69	20.6	55	6	040		29.87			30.06	FM-15	0.00	30.05
14	0954	7	FEW:02 300	10.00		89	31.7	74	23.3	66	18.9	47	7	010		29.87	1	-0.03	30.06	FM-15	0.00	30.05
14	1054	7	FEW:02 300	10.00		91	32.8	75	23.9	67	19.4	45	8	360		29.87			30.06	FM-15	0.00	30.05
14	1154	7	FEW:02 60 SCT:04 300	10.00		92	33.3	74	23.3	66	18.9	43	5	VRB		29.86			30.04	FM-15	0.00	30.04
14	1254	7	FEW:02 60 BKN:07 300	10.00		92	33.3	75	23.9	67	19.4	44	3	VRB		29.85	8	+0.03	30.03	FM-15	0.00	30.03
14	1300	4	57	9.94		92	33.3	75	23.9	67	19.4	44	3			29.85	8	+0.03	30.03	FM-12		

14	1354	7	FEW:02 60 BKN:07 300	10.00		94	34.4	75	23.9	66	18.9	40	6	VRB		29.84			30.02	FM-15	0.00	30.02
14	1454	7	FEW:02 60	10.00		95	35.0	76	24.4	67	19.4	40	8	340		29.82			30.01	FM-15	0.00	30.00
14	1554	7	FEW:02 60 FEW:02 300	10.00		95	35.0	76	24.4	68	20.0	41	9	VRB		29.81	8	+0.04	29.99	FM-15	0.00	29.99
14	1654	7	FEW:02 65 SCT:04 300	10.00		94	34.4	75	23.9	66	18.9	40	10	260		29.80			29.99	FM-15	0.00	29.98
14	1754	7	FEW:02 70 SCT:04 300	10.00		93	33.9	75	23.9	67	19.4	42	9	260		29.81			29.99	FM-15	0.00	29.99
14	1854	7	FEW:02 70 BKN:07 120 BKN:07 300	10.00		91	32.8	74	23.3	66	18.9	44	7	280		29.81	3	0.00	30.00	FM-15	0.00	29.99
14	1900	4	74	9.94		91	32.8	74	23.3	66	18.9	44	7	280		29.81	3	0.00	30.00	FM-12		
14	1954	7	FEW:02 70 FEW:02 120 BKN:07 300	10.00		88	31.1	76	24.4	70	21.1	55	7	250		29.82			30.01	FM-15	0.00	30.00
14	2054	7	FEW:02 150 BKN:07 300	10.00		81	27.2	75	23.9	72	22.2	74	5	220		29.83			30.02	FM-15	0.00	30.01
14	2154	7	SCT:04 300	10.00		85	29.4	75	23.9	71	21.7	63	6	290		29.84	1	-0.03	30.03	FM-15	0.00	30.02
14	2254	7	FEW:02 70 FEW:02 150 SCT:04 300	10.00		84	28.9	75	23.9	71	21.7	65	7	310		29.86			30.05	FM-15	0.00	30.04
14	2354	7	SCT:04 80	10.00		83	28.3	74	23.3	69	20.6	63	8	310		29.86			30.05	FM-15	0.00	30.04
15	0054	7	FEW:02 65	10.00		81	27.2	73	22.8	69	20.6	67	8	330		29.87	1	-0.02	30.05	FM-15	0.00	30.05
15	0100	4	57	9.94		81	27.2	73	22.8	69	20.6	67	8	330		29.87	1	-0.02	30.05	FM-12		
15	0154	7	FEW:02 70	10.00		79	26.1	73	22.8	70	21.1	74	8	360		29.86			30.05	FM-15	0.00	30.04
15	0254	7	FEW:02 70	10.00		77	25.0	72	22.2	70	21.1	79	9	010		29.87			30.05	FM-15	0.00	30.05
15	0354	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	7	010		29.88	3	-0.01	30.06	FM-15	0.00	30.06
15	0454	7	FEW:02 100 FEW:02 220	10.00		75	23.9	71	21.7	69	20.6	82	5	010		29.89			30.08	FM-15	0.00	30.07
15	0554	7	FEW:02 100 FEW:02 250	10.00		76	24.4	71	21.7	68	20.0	77	6	360		29.90			30.09	FM-15	0.00	30.08
15	0654	7	FEW:02 1 SCT:04 250	10.00		79	26.1	71	21.7	66	18.9	65	8	010		29.92	3	-0.05	30.11	FM-15	0.00	30.10
15	0700	4	1	9.94		79	26.1	71	21.7	66	18.9	65	8	010		29.92	3	-0.05	30.11	FM-12		
15	0754	7	BKN:07 300	10.00		83	28.3	71	21.7	65	18.3	55	8	020		29.93			30.12	FM-15	0.00	30.11
15	0854	7	BKN:07 300	10.00		85	29.4	71	21.7	63	17.2	48	7	010		29.94			30.12	FM-15	0.00	30.12
15	0954	7	BKN:07 300	10.00		87	30.6	70	21.1	61	16.1	42	13	350		29.93	0	-0.01	30.12	FM-15	0.00	30.11
15	1054	7	BKN:07 300	10.00		87	30.6	71	21.7	63	17.2	45	13	030		29.93			30.11	FM-15	0.00	30.11
15	1154	7	FEW:02 55 SCT:04 300	10.00		88	31.1	72	22.2	63	17.2	43	7	030		29.92			30.11	FM-15	0.00	30.10
15	1254	7	FEW:02 60 FEW:02 300	10.00		90	32.2	73	22.8	64	17.8	42	7	010		29.91	8	+0.02	30.09	FM-15	0.00	30.09
15	1300	4	57	9.94		90	32.2	73	22.8	64	17.8	42	7	010		29.91	8	+0.02	30.09	FM-12		
15	1354	7	FEW:02 60 FEW:02 300	10.00		90	32.2	72	22.2	63	17.2	41	6	250		29.89			30.07	FM-15	0.00	30.07
15	1454	7	FEW:02 60 FEW:02 300	10.00		92	33.3	73	22.8	64	17.8	40	5	350		29.88			30.06	FM-15	0.00	30.06
15	1554	7	FEW:02 60 FEW:02 300	10.00		91	32.8	74	23.3	66	18.9	44	7	080		29.86	6	+0.04	30.05	FM-15	0.00	30.04
15	1654	7	SCT:04 60 SCT:04 300	10.00		90	32.2	74	23.3	66	18.9	45	6	VRB		29.85			30.03	FM-15	0.00	30.03
15	1754	7	SCT:04 75 BKN:07 300	10.00		87	30.6	74	23.3	68	20.0	53	3	080		29.86			30.04	FM-15	0.00	30.04
15	1854	7	FEW:02 70 BKN:07 300	10.00		85	29.4	76	24.4	72	22.2	65	5	200		29.86	5	0.00	30.05	FM-15	0.00	30.04
15	1900	4	74	9.94		85	29.4	76	24.4	72	22.2	65	5	200		29.86	5	0.00	30.05	FM-12		
15	1954	7	FEW:02 70 BKN:07 300	10.00		83	28.3	74	23.3	70	21.1	65	3	120		29.88			30.06	FM-15	0.00	30.06
15	2054	7	SCT:04 55 BKN:07 300	10.00		81	27.2	74	23.3	70	21.1	69	5	130		29.89			30.07	FM-15	0.00	30.07

15	2154	7	SCT:04 55 SCT:04 300	10.00		83	28.3	73	22.8	68	20.0	61	0	000		29.89	1	-0.03	30.08	FM-15	0.00	30.07
15	2254	7	FEW:02 55 FEW:02 300	10.00		80	26.7	74	23.3	71	21.7	74	5	150		29.90			30.08	FM-15	0.00	30.08
15	2354	7	FEW:02 80	10.00		78	25.6	73	22.8	71	21.7	79	3	170		29.90			30.09	FM-15	0.00	30.08
16	0054	7	FEW:02 90 FEW:02 350	10.00		75	23.9	72	22.2	71	21.7	88	3	190		29.89	8	+0.01	30.07	FM-15	0.00	30.07
16	0100	4		9.94		75	23.9	72	22.2	71	21.7	88	3	190		29.89	8	+0.01	30.07	FM-12		
16	0154	7	BKN:07 350	10.00		76	24.4	73	22.8	72	22.2	88	5	180		29.88			30.06	FM-15	0.00	30.06
16	0254	7	FEW:02 150 BKN:07 350	10.00		79	26.1	75	23.9	73	22.8	82	3	280		29.88			30.06	FM-15	0.00	30.06
16	0354	7	FEW:02 150 BKN:07 350	10.00		78	25.6	75	23.9	73	22.8	85	0	000		29.89	3	0.00	30.08	FM-15	0.00	30.07
16	0454	7	FEW:02 150 BKN:07 350	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.91			30.09	FM-15	0.00	30.09
16	0554	7	FEW:02 170 BKN:07 300	10.00		76	24.4	74	23.3	73	22.8	91	0	000		29.92			30.10	FM-15	0.00	30.10
16	0654	7	FEW:02 150 SCT:04 170 BKN:07 300	10.00		79	26.1	76	24.4	74	23.3	85	0	000		29.92	1	-0.03	30.10	FM-15	0.00	30.10
16	0700	4		9.94		79	26.1	76	24.4	74	23.3	85	0	000		29.92	1	-0.03	30.10	FM-12		
16	0754	7	SCT:04 150 BKN:07 300	10.00		84	28.9	76	24.4	73	22.8	70	3	VRB		29.92			30.11	FM-15	0.00	30.10
16	0854	7	FEW:02 150 SCT:04 190 BKN:07 300	10.00		88	31.1	77	25.0	73	22.8	61	3	VRB		29.92			30.10	FM-15	0.00	30.10
16	0954	7	FEW:02 180 FEW:02 230 BKN:07 300	10.00		90	32.2	78	25.6	73	22.8	58	7	270		29.91	8	0.00	30.10	FM-15	0.00	30.09
16	1054	7	BKN:07 220 OVC:08 300	10.00		91	32.8	78	25.6	73	22.8	56	6	240		29.92			30.11	FM-15	0.00	30.10
16	1154	7	FEW:02 31 SCT:04 200 OVC:08 300	10.00		90	32.2	79	26.1	75	23.9	62	6	160		29.91			30.10	FM-15	0.00	30.09
16	1254	7	FEW:02 35 SCT:04 220 OVC:08 300	10.00		92	33.3	80	26.7	75	23.9	58	3	130		29.89	8	+0.03	30.08	FM-15	0.00	30.07
16	1300	4	41	9.94		92	33.3	80	26.7	75	23.9	58	3	130		29.89	8	+0.03	30.08	FM-12		
16	1354	7	FEW:02 32 FEW:02 120 SCT:04 170	10.00		92	33.3	79	26.1	74	23.3	56	6	140		29.87			30.05	FM-15	T	30.05
16	1454	7	FEW:02 35 SCT:04 55 BKN:07 230	10.00		93	33.9	80	26.7	75	23.9	56	11	160		29.85			30.04	FM-15	0.00	30.03
16	1554	7	FEW:02 55 BKN:07 190 OVC:08 300	10.00		90	32.2	79	26.1	74	23.3	59	10	160		29.84	6	+0.05	30.03	FM-15	0.00	30.02
16	1654	7	SCT:04 55 BKN:07 160 OVC:08 300	10.00		89	31.7	80	26.7	76	24.4	65	9	160		29.84			30.03	FM-15	0.00	30.02
16	1752	6	SCT:04 55 BKN:07 160 BKN:07 300	10.00	TS:7 TS	90	32.2	82	27.8	79	26.1	71	5	160		29.84				FM-16		30.02
16	1754	7	SCT:04 55 BKN:07 160 BKN:07 300	10.00	TS:7 TS TS	89	31.7	81	27.2	78	25.6	70	5	160		29.84			30.03	FM-15	0.00	30.02
16	1831	7	FEW:02 27 SCT:04 45	10.00		83	28.3	76	24.4	73	22.8	72	17	170	25	29.86				FM-16		30.04
16	1854	7	SCT:04 60 BKN:07 160 OVC:08 300	10.00		83	28.3	75	23.9	71	21.7	67	18	180	23	29.85	3	-0.01	30.04	FM-15	0.00	30.03
16	1900	4	57	9.94		83	28.3	75	23.9	71	21.7	67	18	180		29.85	3	-0.01	30.04	FM-12		

16	1954	7	FEW:02 60 FEW:02 110 BKN:07 160	10.00		81	27.2	74	23.3	71	21.7	72	8	060		29.89			30.08	FM-15	0.00	30.07
16	2054	7	FEW:02 110 OVC:08 150	10.00		80	26.7	74	23.3	71	21.7	74	5	070		29.88			30.07	FM-15	0.00	30.06
16	2154	7	OVC:08 150	10.00		80	26.7	75	23.9	72	22.2	76	5	170		29.88	0	-0.03	30.06	FM-15	0.00	30.06
16	2254	7	SCT:04 150 OVC:08 210	10.00		78	25.6	74	23.3	72	22.2	82	6	180		29.88			30.07	FM-15	0.00	30.06
16	2354	7	BKN:07 160 OVC:08 190	10.00	-RA:02 RA RA	78	25.6	74	23.3	72	22.2	82	5	180		29.87			30.06	FM-15	T	30.05
17	0054	7	FEW:02 120 OVC:08 160	10.00		77	25.0	74	23.3	72	22.2	85	6	180		29.86	8	+0.01	30.05	FM-15	T	30.04
17	0100	4		9.94		77	25.0	74	23.3	72	22.2	85	6	180		29.86	8	+0.01	30.05	FM-12		
17	0154	7	BKN:07 150 OVC:08 230	10.00		77	25.0	74	23.3	72	22.2	85	5	190		29.85			30.04	FM-15	0.00	30.03
17	0254	7	BKN:07 170 OVC:08 240	10.00		76	24.4	74	23.3	73	22.8	91	5	170		29.84			30.02	FM-15	0.00	30.02
17	0354	7	FEW:02 170 SCT:04 240	10.00		75	23.9	74	23.3	73	22.8	94	3	180		29.84	5	+0.02	30.03	FM-15	0.00	30.02
17	0454	7	FEW:02 210 BKN:07 300	8.00		75	23.9	74	23.3	73	22.8	94	5	200		29.84			30.03	FM-15	0.00	30.02
17	0554	7	FEW:02 170 BKN:07 300	7.00		76	24.4	75	23.9	74	23.3	94	3	170		29.84			30.03	FM-15	0.00	30.02
17	0654	7	FEW:02 150 BKN:07 300	8.00		80	26.7	77	25.0	75	23.9	85	8	190		29.84	1	0.00	30.03	FM-15	0.00	30.02
17	0700	4		7.46		80	26.7	77	25.0	75	23.9	85	8	190		29.84	1	0.00	30.03	FM-12		
17	0754	7	FEW:02 150 BKN:07 300	10.00		84	28.9	78	25.6	76	24.4	77	8	200		29.85			30.04	FM-15	0.00	30.03
17	0854	7	BKN:07 300	10.00		87	30.6	78	25.6	75	23.9	67	10	220		29.84			30.03	FM-15	0.00	30.02
17	0954	7	BKN:07 300	10.00		92	33.3	79	26.1	74	23.3	56	13	220		29.83	8	+0.01	30.02	FM-15	0.00	30.01
17	1054	7	FEW:02 50 BKN:07 300	10.00		93	33.9	78	25.6	72	22.2	50	16	210		29.83			30.01	FM-15	0.00	30.01
17	1154	7	FEW:02 60 BKN:07 300	10.00		96	35.6	77	25.0	69	20.6	41	17	250	23	29.81			29.99	FM-15	0.00	29.99
17	1254	7	FEW:02 60 BKN:07 300	10.00		95	35.0	76	24.4	68	20.0	41	18	230	25	29.80	8	+0.03	29.98	FM-15	0.00	29.98
17	1300	4	57	9.94		95	35.0	76	24.4	68	20.0	41	18	230		29.80	8	+0.03	29.98	FM-12		
17	1354	7	FEW:02 65 FEW:02 150 BKN:07 300	10.00		97	36.1	77	25.0	68	20.0	39	17	240		29.77			29.96	FM-15	0.00	29.95
17	1454	7	FEW:02 65 FEW:02 150 BKN:07 300	10.00		97	36.1	78	25.6	70	21.1	42	16	220		29.75			29.94	FM-15	0.00	29.93
17	1554	7	FEW:02 65 FEW:02 150 SCT:04 300	10.00		97	36.1	77	25.0	69	20.6	40	20	210		29.73	6	+0.07	29.91	FM-15	0.00	29.91
17	1654	7	SCT:04 65 SCT:04 120 BKN:07 300	10.00		94	34.4	76	24.4	68	20.0	43	15	210		29.72			29.91	FM-15	0.00	29.90
17	1754	7	SCT:04 60 BKN:07 120 BKN:07 200	10.00		93	33.9	76	24.4	69	20.6	46	14	240		29.73			29.92	FM-15	0.00	29.91
17	1854	7	SCT:04 55 SCT:04 120	10.00		90	32.2	77	25.0	71	21.7	54	6	250		29.72	8	0.00	29.91	FM-15	T	29.90
17	1900	4	57	9.94		90	32.2	77	25.0	71	21.7	54	6	250		29.72	8	0.00	29.91	FM-12		
17	1954	7	BKN:07 65 BKN:07 110 BKN:07 200	10.00		88	31.1	77	25.0	72	22.2	59	10	250		29.73			29.91	FM-15	0.00	29.91
17	1959	7	BKN:07 65 BKN:07 110	10.00	ITS RA	89	31.7	76	24.4	71	21.7	55	21	250	26	29.73				FM-16		29.91
17	2041	7	FEW:02 60 SCT:04 95 BKN:07 220	10.00		76	24.4	73	22.8	72	22.2	88	7	180		29.76				FM-16	0.02	29.94

17	2054	7	FEW:02 60 FEW:02 95 BKN:07 200	10.00		76	24.4	73	22.8	72	22.2	88	6	180		29.76			29.94	FM-15	0.02	29.94
17	2154	7	SCT:04 80 OVC:08 160	10.00		76	24.4	73	22.8	72	22.2	88	0	000		29.76	1	-0.04	29.94	FM-15	0.00	29.94
17	2254	7	BKN:07 160 BKN:07 300	10.00		76	24.4	74	23.3	73	22.8	91	3	200		29.75			29.93	FM-15	0.00	29.93
17	2354	7	BKN:07 170	10.00		77	25.0	75	23.9	74	23.3	90	5	200		29.75			29.94	FM-15	0.00	29.93
18	0054	7	SCT:04 65 BKN:07 170	10.00		77	25.0	74	23.3	73	22.8	88	8	180		29.75	6	+0.01	29.93	FM-15	0.00	29.93
18	0100	4	57	9.94		77	25.0	74	23.3	73	22.8	88	8	180		29.75	6	+0.01	29.93	FM-12		
18	0154	7	BKN:07 160	10.00		77	25.0	75	23.9	74	23.3	90	7	180		29.74			29.93	FM-15	0.00	29.92
18	0254	7	BKN:07 190	10.00		77	25.0	75	23.9	74	23.3	90	9	210		29.72			29.91	FM-15	0.00	29.90
18	0354	7	FEW:02 190	10.00		77	25.0	75	23.9	74	23.3	90	8	200		29.72	6	+0.03	29.90	FM-15	0.00	29.90
18	0454	7	FEW:02 190 SCT:04 300	10.00		77	25.0	75	23.9	74	23.3	90	10	210		29.72			29.91	FM-15	0.00	29.90
18	0554	7	FEW:02 200 SCT:04 300	10.00		78	25.6	76	24.4	75	23.9	90	9	210		29.74			29.92	FM-15	0.00	29.92
18	0654	7	FEW:02 200 FEW:02 300	10.00		80	26.7	77	25.0	75	23.9	85	9	210		29.74	3	-0.03	29.93	FM-15	0.00	29.92
18	0700	4		9.94		80	26.7	77	25.0	75	23.9	85	9	210		29.74	3	-0.03	29.93	FM-12		
18	0754	7	FEW:02 70 FEW:02 100	10.00		83	28.3	77	25.0	75	23.9	77	11	210		29.75			29.94	FM-15	0.00	29.93
18	0854	7	FEW:02 70	10.00		87	30.6	78	25.6	75	23.9	67	11	220		29.75			29.93	FM-15	0.00	29.93
18	0954	7	FEW:02 35	10.00		88	31.1	77	25.0	73	22.8	61	9	240		29.74	8	0.00	29.93	FM-15	0.00	29.92
18	1054	7	FEW:02 36 FEW:02 70	10.00		90	32.2	78	25.6	73	22.8	58	10	220		29.74			29.92	FM-15	0.00	29.92
18	1154	7	SCT:04 41	10.00		92	33.3	78	25.6	73	22.8	54	9	220	20	29.73			29.91	FM-15	0.00	29.91
18	1254	7	SCT:04 42 SCT:04 150	10.00		93	33.9	79	26.1	74	23.3	54	13	210		29.72	8	+0.02	29.90	FM-15	0.00	29.90
18	1300	4	41	9.94		93	33.9	79	26.1	74	23.3	54	13	210		29.72	8	+0.02	29.90	FM-12		
18	1354	7	SCT:04 49 BKN:07 70	10.00		94	34.4	78	25.6	72	22.2	49	9	220		29.71			29.89	FM-15	0.00	29.89
18	1454	7	SCT:04 48 BKN:07 60	10.00		94	34.4	79	26.1	73	22.8	51	11	240		29.70			29.88	FM-15	0.00	29.88
18	1554	7	SCT:04 50 SCT:04 120 SCT:04 200	10.00		95	35.0	79	26.1	72	22.2	47	10	240		29.68	8	+0.04	29.86	FM-15	0.00	29.86
18	1654	7	BKN:07 50 BKN:07 100 BKN:07 200	10.00		92	33.3	78	25.6	72	22.2	52	11	260		29.67			29.85	FM-15	0.00	29.85
18	1754	7	SCT:04 55 BKN:07 95 BKN:07 200	10.00		82	27.8	78	25.6	77	25.0	85	7	010		29.69			29.88	FM-15	0.05	29.87
18	1824	7	FEW:02s 15s BKN:07s 55s	10.00	TS RA	81	27.2	78	25.6	77	25.0	88	6	070		29.70				FM-16		29.88
18	1840	7	BKN:07 42 OVC:08 80	1.75V	TS:7 RA:02 RA TS TS RA	78	25.6	75	23.9	73	22.8	85	26	320	37	29.72				FM-16	0.02	29.90
18	1854	7	BKN:07 42 OVC:08 95	5.00	TS:7 -RA:02 BR:1 RA TS RA	77	25.0	74	23.3	73	22.8	88	7	300		29.73	3	-0.05	29.91	FM-15	0.18	29.91
18	1900	4	41	4.97		77	25.0	74	23.3	73	22.8	88	7	300		29.73	3	-0.05	29.91	FM-12		
18	1952	6	SCT:04 50 SCT:04 100 BKN:07 170	10.00	RA	79	26.1	76	24.4	75	23.9	89	6	090		29.70				FM-16		29.88
18	1954	7	SCT:04 50 SCT:04 100 BKN:07 170	10.00	RA RA	78	25.6	77	25.0	76	24.4	93	6	090		29.71			29.89	FM-15	0.02	29.89
18	2054	7	FEW:02 55 BKN:07 110 OVC:08 200	10.00		77	25.0	76	24.4	75	23.9	94	5	110		29.74			29.93	FM-15	0.02	29.92
18	2154	7	OVC:08 250	10.00		77	25.0	76	24.4	75	23.9	94	5	120		29.74	3	-0.01	29.92	FM-15	0.00	29.92

18	2254	7	FEW:02 50 SCT:04 110 OVC:08 250	10.00		77	25.0	76	24.4	75	23.9	94	5	210		29.75			29.94	FM-15	0.00	29.93
18	2354	7	FEW:02 50 OVC:08 300	10.00		77	25.0	76	24.4	75	23.9	94	3	170		29.74			29.93	FM-15	0.00	29.92
19	0054	7	OVC:08 300	10.00		77	25.0	76	24.4	75	23.9	94	5	180		29.74	1	-0.01	29.93	FM-15	0.00	29.92
19	0100	4		9.94		77	25.0	76	24.4	75	23.9	94	5	180		29.74	1	-0.01	29.93	FM-12		
19	0154	7	SCT:04 300	10.00		76	24.4	75	23.9	74	23.3	94	7	190		29.74			29.93	FM-15	0.00	29.92
19	0254	7	FEW:02 300	10.00		76	24.4	75	23.9	74	23.3	94	0	000		29.74			29.93	FM-15	0.00	29.92
19	0354	7	BKN:07 160	10.00		77	25.0	76	24.4	75	23.9	94	0	000		29.75	3	0.00	29.93	FM-15	0.00	29.93
19	0454	7	BKN:07 170	10.00		77	25.0	76	24.4	75	23.9	94	5	280		29.75			29.93	FM-15	0.00	29.93
19	0554	7	SCT:04 170 SCT:04 300	9.00		77	25.0	76	24.4	75	23.9	94	5	200		29.77			29.95	FM-15	0.00	29.95
19	0654	7	FEW:02 170 SCT:04 300	10.00		80	26.7	77	25.0	75	23.9	85	3	260		29.78	3	-0.03	29.96	FM-15	0.00	29.96
19	0700	4		9.94		80	26.7	77	25.0	75	23.9	85	3	260		29.78	3	-0.03	29.96	FM-12		
19	0754	7	FEW:02 12 FEW:02 150	10.00		83	28.3	79	26.1	77	25.0	82	0	000		29.78			29.97	FM-15	0.00	29.96
19	0854	7	FEW:02 10 FEW:02 150	10.00		88	31.1	79	26.1	75	23.9	66	3	010		29.80			29.98	FM-15	0.00	29.98
19	0954	7	FEW:02 22 FEW:02 150	10.00		89	31.7	80	26.7	76	24.4	65	0	000		29.80	1	-0.03	29.99	FM-15	0.00	29.98
19	1054	7	SCT:04 32	10.00		90	32.2	79	26.1	75	23.9	62	0	000		29.81			29.99	FM-15	0.00	29.99
19	1154	7	SCT:04 36	10.00		91	32.8	80	26.7	76	24.4	61	3	VRB		29.80			29.99	FM-15	0.00	29.98
19	1254	7	SCT:04 40 BKN:07 150	10.00		90	32.2	80	26.7	76	24.4	63	6	160		29.79	8	+0.01	29.98	FM-15	0.00	29.97
19	1300	4	41	9.94		90	32.2	80	26.7	76	24.4	63	6	160		29.79	8	+0.01	29.98	FM-12		
19	1354	7	SCT:04 45	10.00		93	33.9	80	26.7	75	23.9	56	0	000		29.78			29.96	FM-15	T	29.96
19	1454	7	SCT:04 55 SCT:04 150	10.00		94	34.4	79	26.1	73	22.8	51	6	190		29.77			29.96	FM-15	0.00	29.95
19	1554	7	FEW:02 48 FEW:02 110	10.00		94	34.4	80	26.7	74	23.3	52	9	160		29.75	8	+0.04	29.94	FM-15	0.00	29.93
19	1654	7	FEW:02 50 FEW:02 120	10.00		93	33.9	80	26.7	75	23.9	56	9	170		29.73			29.92	FM-15	0.00	29.91
19	1754	7	FEW:02 50 FEW:02 150	10.00		93	33.9	80	26.7	75	23.9	56	8	190		29.73			29.91	FM-15	0.00	29.91
19	1854	7	FEW:02 55 FEW:02 150	10.00		89	31.7	80	26.7	76	24.4	65	6	190		29.75	5	0.00	29.93	FM-15	0.00	29.93
19	1900	4	57	9.94		89	31.7	80	26.7	76	24.4	65	6	190		29.75	5	0.00	29.93	FM-12		
19	1954	7	FEW:02 55 FEW:02 150	10.00		85	29.4	79	26.1	76	24.4	75	6	190		29.75			29.93	FM-15	0.00	29.93
19	2054	7	CLR:00	10.00		83	28.3	77	25.0	75	23.9	77	7	200		29.77			29.95	FM-15	0.00	29.95
19	2154	7	CLR:00	10.00		82	27.8	78	25.6	76	24.4	82	0	000		29.77	3	-0.02	29.96	FM-15	0.00	29.95
19	2254	7	FEW:02 70	10.00		82	27.8	78	25.6	76	24.4	82	0	000		29.76			29.95	FM-15	0.00	29.94
19	2354	7	FEW:02 70	10.00		81	27.2	78	25.6	77	25.0	88	6	200		29.76			29.95	FM-15	0.00	29.94
20	0054	7	FEW:02 70	10.00		80	26.7	77	25.0	76	24.4	87	5	210		29.75	6	+0.02	29.94	FM-15	0.00	29.93
20	0100	4	74	9.94		80	26.7	77	25.0	76	24.4	87	5	210		29.75	6	+0.02	29.94	FM-12		
20	0154	7	FEW:02 70	10.00		82	27.8	78	25.6	76	24.4	82	7	230		29.75			29.93	FM-15	0.00	29.93
20	0254	7	SCT:04 75	10.00		82	27.8	77	25.0	75	23.9	79	7	240		29.74			29.93	FM-15	0.00	29.92
20	0354	7	FEW:02 70	10.00		79	26.1	76	24.4	75	23.9	88	7	250		29.75	5	+0.01	29.93	FM-15	0.00	29.93
20	0454	7	FEW:02 70 FEW:02 300	10.00		77	25.0	76	24.4	75	23.9	94	5	200		29.76			29.95	FM-15	0.00	29.94
20	0554	7	FEW:02 70 FEW:02 300	10.00		82	27.8	77	25.0	75	23.9	79	3	290		29.78			29.96	FM-15	0.00	29.96
20	0654	7	FEW:02 70 FEW:02 300	10.00		84	28.9	78	25.6	76	24.4	77	5	310		29.78	1	-0.04	29.97	FM-15	0.00	29.96
20	0700	4	74	9.94		84	28.9	78	25.6	76	24.4	77	5	310		29.78	1	-0.04	29.97	FM-12		
20	0754	7	FEW:02 65	10.00		88	31.1	79	26.1	76	24.4	68	6	340		29.78			29.97	FM-15	0.00	29.96
20	0854	7	CLR:00	10.00		90	32.2	80	26.7	76	24.4	63	5	050		29.78			29.97	FM-15	0.00	29.96
20	0954	7	FEW:02 45 FEW:02 150	10.00		93	33.9	80	26.7	75	23.9	56	6	010		29.79	3	0.00	29.97	FM-15	0.00	29.97

20	1054	7	FEW:02 40 FEW:02 150	10.00		94	34.4	79	26.1	73	22.8	51	5	010		29.79			29.97	FM-15	0.00	29.97
20	1154	7	SCT:04 55 BKN:07 65	10.00		94	34.4	79	26.1	73	22.8	51	6	210		29.77			29.96	FM-15	0.00	29.95
20	1254	7	FEW:02 50	10.00		95	35.0	80	26.7	74	23.3	51	8	150		29.74	8	+0.05	29.93	FM-15	0.00	29.92
20	1300	4	57	9.94		95	35.0	80	26.7	74	23.3	51	8	150		29.74	8	+0.05	29.93	FM-12		
20	1354	7	FEW:02 50 FEW:02 350	10.00		96	35.6	81	27.2	75	23.9	51	11	170		29.71			29.89	FM-15	0.00	29.89
20	1454	7	FEW:02 55 SCT:04 350	10.00		96	35.6	81	27.2	75	23.9	51	10	150		29.70			29.88	FM-15	0.00	29.88
20	1554	7	SCT:04 55 SCT:04 300	10.00		97	36.1	80	26.7	74	23.3	48	13	220		29.69	6	+0.05	29.88	FM-15	0.00	29.87
20	1654	7	FEW:02 55	10.00		97	36.1	80	26.7	73	22.8	46	11	250		29.70			29.88	FM-15	0.00	29.88
20	1754	7	FEW:02 300	10.00		95	35.0	79	26.1	72	22.2	47	13	240		29.70			29.89	FM-15	0.00	29.88
20	1854	7	FEW:02 180	10.00		93	33.9	79	26.1	73	22.8	52	8	240		29.71	1	-0.01	29.89	FM-15	0.00	29.89
20	1900	4		9.94		93	33.9	79	26.1	73	22.8	52	8	240		29.71	1	-0.01	29.89	FM-12		
20	1954	7	FEW:02 180	10.00		86	30.0	79	26.1	76	24.4	72	6	210		29.70			29.89	FM-15	0.00	29.88
20	2054	7	CLR:00	10.00		87	30.6	78	25.6	75	23.9	67	10	210		29.72			29.91	FM-15	0.00	29.90
20	2154	7	CLR:00	10.00		87	30.6	78	25.6	75	23.9	67	10	240		29.73	3	-0.02	29.91	FM-15	0.00	29.91
20	2254	7	FEW:02 80	10.00		85	29.4	77	25.0	74	23.3	70	9	240		29.72			29.91	FM-15	0.00	29.90
20	2354	7	FEW:02 80	10.00		84	28.9	77	25.0	74	23.3	72	8	240		29.72			29.91	FM-15	0.00	29.90
21	0054	7	FEW:02 75	10.00		83	28.3	77	25.0	74	23.3	74	6	250		29.73	3	0.00	29.92	FM-15	0.00	29.91
21	0100	4	74	9.94		83	28.3	77	25.0	74	23.3	74	6	250		29.73	3	0.00	29.92	FM-12		
21	0154	7	FEW:02 75	10.00		82	27.8	76	24.4	74	23.3	77	6	230		29.72			29.91	FM-15	0.00	29.90
21	0254	7	FEW:02 75	10.00		79	26.1	76	24.4	74	23.3	85	5	200		29.72			29.91	FM-15	0.00	29.90
21	0354	7	CLR:00	10.00		78	25.6	75	23.9	73	22.8	85	6	190		29.71	7	+0.02	29.90	FM-15	0.00	29.89
21	0454	7	FEW:02 80	10.00		77	25.0	74	23.3	72	22.2	85	3	230		29.72			29.91	FM-15	0.00	29.90
21	0554	7	FEW:02 80	10.00		79	26.1	74	23.3	72	22.2	79	6	210		29.73			29.91	FM-15	0.00	29.91
21	0654	7	FEW:02 150	10.00		81	27.2	75	23.9	73	22.8	77	8	250		29.74	3	-0.03	29.93	FM-15	0.00	29.92
21	0700	4		9.94		81	27.2	75	23.9	73	22.8	77	8	250		29.74	3	-0.03	29.93	FM-12		
21	0754	7	FEW:02 200	10.00		86	30.0	78	25.6	74	23.3	67	6	280		29.75			29.93	FM-15	0.00	29.93
21	0854	7	FEW:02 200	10.00		89	31.7	78	25.6	74	23.3	61	3	270		29.74			29.93	FM-15	0.00	29.92
21	0954	7	CLR:00	10.00		93	33.9	80	26.7	75	23.9	56	0	000		29.74	0	0.00	29.93	FM-15	0.00	29.92
21	1054	7	FEW:02 50	10.00		95	35.0	79	26.1	73	22.8	49	3	VRB		29.75			29.93	FM-15	0.00	29.93
21	1154	7	SCT:04 50	10.00		96	35.6	81	27.2	76	24.4	52	7	070		29.74			29.93	FM-15	0.00	29.92
21	1254	7	FEW:02 55	10.00		99	37.2	79	26.1	71	21.7	41	5	VRB		29.72	8	+0.02	29.91	FM-15	0.00	29.90
21	1300	4	57	9.94		99	37.2	79	26.1	71	21.7	41	5			29.72	8	+0.02	29.91	FM-12		
21	1354	7	FEW:02 60 SCT:04 250	10.00		100	37.8	80	26.7	72	22.2	41	6	VRB		29.70			29.89	FM-15	0.00	29.88
21	1454	7	FEW:02 55 SCT:04 300	10.00		93	33.9	81	27.2	76	24.4	58	11	180		29.71			29.89	FM-15	0.00	29.89
21	1554	7	FEW:02 55 BKN:07 300	10.00		91	32.8	79	26.1	74	23.3	57	9	210		29.70	6	+0.02	29.89	FM-15	0.00	29.88
21	1654	7	FEW:02 55 SCT:04 150 BKN:07 300	10.00		88	31.1	76	24.4	71	21.7	57	13	250		29.70			29.89	FM-15	0.00	29.88
21	1754	7	FEW:02 70 SCT:04 150 BKN:07 300	10.00		87	30.6	76	24.4	71	21.7	59	0	000		29.69			29.88	FM-15	0.00	29.87
21	1854	7	FEW:02 70 SCT:04 150 BKN:07 300	10.00		86	30.0	74	23.3	69	20.6	57	7	300		29.71	3	-0.01	29.90	FM-15	0.00	29.89
21	1900	4	74	9.94		86	30.0	74	23.3	69	20.6	57	7	300		29.71	3	-0.01	29.90	FM-12		
21	1954	7	FEW:02 70 SCT:04 150 SCT:04 300	10.00		84	28.9	74	23.3	69	20.6	61	5	260		29.72			29.91	FM-15	0.00	29.90
21	2054	7	SCT:04 300	10.00		83	28.3	74	23.3	70	21.1	65	5	280		29.74			29.93	FM-15	0.00	29.92
21	2154	7	CLR:00	10.00		77	25.0	73	22.8	71	21.7	82	6	170		29.73	0	-0.02	29.92	FM-15	0.00	29.91
21	2254	7	CLR:00	10.00		75	23.9	72	22.2	71	21.7	88	5	200		29.74			29.92	FM-15	0.00	29.92
21	2354	7	CLR:00	10.00		75	23.9	72	22.2	71	21.7	88	7	200		29.73			29.92	FM-15	0.00	29.91

22	0054	7	CLR:00	10.00		75	23.9	72	22.2	71	21.7	88	5	180		29.73	8	0.00	29.92	FM-15	0.00	29.91
22	0100	4		9.94		75	23.9	72	22.2	71	21.7	88	5	180		29.73	8	0.00	29.92	FM-12		
22	0154	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	5	170		29.73			29.92	FM-15	0.00	29.91
22	0254	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.72			29.91	FM-15	0.00	29.90
22	0354	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	3	190		29.71	8	+0.01	29.90	FM-15	0.00	29.89
22	0454	7	FEW:02 80	10.00		73	22.8	72	22.2	71	21.7	94	5	190		29.71			29.90	FM-15	0.00	29.89
22	0554	7	FEW:02 80	10.00		76	24.4	73	22.8	72	22.2	88	7	200		29.71			29.90	FM-15	0.00	29.89
22	0654	7	FEW:02 80	10.00		80	26.7	75	23.9	73	22.8	79	10	210		29.72	3	-0.01	29.91	FM-15	0.00	29.90
22	0700	4	74	9.94		80	26.7	75	23.9	73	22.8	79	10	210		29.72	3	-0.01	29.91	FM-12		
22	0754	7	FEW:02 150	10.00		84	28.9	76	24.4	73	22.8	70	10	220		29.71			29.90	FM-15	0.00	29.89
22	0854	7	FEW:02 150	10.00		87	30.6	77	25.0	73	22.8	63	13	240		29.71			29.89	FM-15	0.00	29.89
22	0954	7	FEW:02 35 FEW:02 200 FEW:02 300	10.00		89	31.7	78	25.6	74	23.3	61	15	230		29.71	5	+0.01	29.90	FM-15	0.00	29.89
22	1054	7	FEW:02 38 FEW:02 200 SCT:04 300	10.00		92	33.3	79	26.1	74	23.3	56	13	220	23	29.70			29.88	FM-15	0.00	29.88
22	1154	7	FEW:02 45 FEW:02 200 SCT:04 300	10.00		95	35.0	78	25.6	71	21.7	46	20	250		29.69			29.87	FM-15	0.00	29.87
22	1254	7	SCT:04 50 BKN:07 300	10.00		95	35.0	77	25.0	70	21.1	44	21	230	31	29.67	8	+0.04	29.85	FM-15	0.00	29.85
22	1300	4	57	9.94		95	35.0	77	25.0	70	21.1	44	21	230		29.67	8	+0.04	29.85	FM-12		
22	1354	7	SCT:04 55 BKN:07 300	10.00		97	36.1	78	25.6	71	21.7	43	20	230	28	29.65			29.84	FM-15	0.00	29.83
22	1454	7	FEW:02 50 BKN:07 150 BKN:07 300	10.00		95	35.0	78	25.6	71	21.7	46	16	250		29.63			29.82	FM-15	0.00	29.81
22	1554	7	FEW:02 55 BKN:07 150 BKN:07 300	10.00		92	33.3	77	25.0	70	21.1	49	15	250		29.64	5	+0.03	29.82	FM-15	0.00	29.82
22	1654	7	FEW:02 55 BKN:07 150 BKN:07 300	10.00		92	33.3	77	25.0	71	21.7	51	13	250		29.63			29.81	FM-15	0.00	29.81
22	1754	7	FEW:02 55 SCT:04 150 BKN:07 300	10.00		90	32.2	77	25.0	72	22.2	56	13	250		29.64			29.83	FM-15	0.00	29.82
22	1854	7	FEW:02 55 SCT:04 150 BKN:07 300	10.00		88	31.1	77	25.0	72	22.2	59	10	240		29.64	3	-0.01	29.83	FM-15	0.00	29.82
22	1900	4	57	9.94		88	31.1	77	25.0	72	22.2	59	10	240		29.64	3	-0.01	29.83	FM-12		
22	1954	7	SCT:04 60 BKN:07 220 OVC:08 300	10.00		85	29.4	74	23.3	69	20.6	59	11	300		29.65			29.83	FM-15	0.00	29.83
22	2054	7	SCT:04 65 SCT:04 80 OVC:08 190	8.00	-RA:02 RA RA	78	25.6	71	21.7	68	20.0	71	25	200	32	29.68			29.86	FM-15	0.01	29.86
22	2101	7	FEW:02 17 SCT:04 65 BKN:07 80	10.00	RA RA	75	23.9	70	21.1	67	19.4	76	15	210	32	29.66				FM-16	0.01	29.84
22	2154	7	SCT:04 70 SCT:04 110 OVC:08 150	10.00		74	23.3	71	21.7	69	20.6	85	10	190		29.66	0	-0.02	29.85	FM-15	T	29.84
22	2254	7	SCT:04 50 BKN:07 110 OVC:08 150	10.00	-RA:02 RA RA	74	23.3	71	21.7	70	21.1	88	8	200		29.66			29.85	FM-15	T	29.84
22	2354	7	FEW:02 70 BKN:07 100 OVC:08 150	10.00	-RA:02 RA RA	75	23.9	72	22.2	70	21.1	84	9	210		29.65			29.84	FM-15	T	29.83
23	0054	7	FEW:02 75 BKN:07 100 OVC:08 140	10.00		74	23.3	72	22.2	71	21.7	91	8	200		29.65	8	+0.01	29.83	FM-15	0.01	29.83
23	0100	4	74	9.94		74	23.3	72	22.2	71	21.7	91	8	200		29.65	8	+0.01	29.83	FM-12		

23	0154	7	BKN:07 100 OVC:08 150	10.00		74	23.3	72	22.2	71	21.7	91	8	220		29.65			29.83	FM-15	T	29.83
23	0254	7	BKN:07 55 OVC:08 120	10.00		75	23.9	72	22.2	71	21.7	88	8	230		29.66			29.84	FM-15	T	29.84
23	0354	7	BKN:07 40 OVC:08 120	10.00		75	23.9	72	22.2	70	21.1	84	10	220		29.68	3	-0.03	29.87	FM-15	0.00	29.86
23	0407	7	BKN:07 25 OVC:08 100	8.00	-RA:02 RA RA	75	23.9	72	22.2	71	21.7	88	9	220		29.68				FM-16	T	29.86
23	0454	7	BKN:07 16 OVC:08 24	6.00	RA:02 BR:1 RA RA	74	23.3	72	22.2	71	21.7	91	8	250		29.70			29.89	FM-15	0.03	29.88
23	0503	7	BKN:07 12 OVC:08 23	7.00	-RA:02 RA RA	72	22.2	69	20.6	68	20.0	87	9	340		29.71				FM-16	0.01	29.89
23	0518	7	SCT:04 11 OVC:08 18	8.00	-RA:02 RA RA	71	21.7	69	20.6	68	20.0	90	9	340		29.72				FM-16	0.02	29.90
23	0542	7	SCT:04 15 BKN:07 90 OVC:08 130	10.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	13	350		29.69				FM-16	0.05	29.87
23	0554	7	FEW:02 4 SCT:04 20 BKN:07 90	10.00		70	21.1	68	20.0	67	19.4	90	10	330		29.70			29.88	FM-15	0.04	29.88
23	0605	7	FEW:02 5 BKN:07 24 OVC:08 90	10.00		70	21.1	67	19.4	66	18.9	87	9	320		29.71				FM-16		29.89
23	0652	6	OVC:08 30	10.00	-RA:02 RA RA	70	21.1	66	18.9	64	17.8	83	8	360		29.73				FM-16		29.91
23	0654	7	OVC:08 30	10.00	-RA:02 RA RA	69	20.6	66	18.9	65	18.3	87	8	360		29.73	3	-0.05	29.91	FM-15	T	29.91
23	0700	4	26	9.94	RA	69	20.6	66	18.9	65	18.3	87	8	360		29.73	3	-0.05	29.91	FM-12		
23	0754	7	OVC:08 39	10.00		70	21.1	67	19.4	65	18.3	84	7	010		29.74			29.93	FM-15	T	29.92
23	0854	7	FEW:02 10 BKN:07 43 OVC:08 70	9.00	-RA:02 RA RA	69	20.6	66	18.9	65	18.3	87	8	010		29.75			29.94	FM-15	T	29.93
23	0923	7	BKN:07 12 BKN:07 43 OVC:08 80	8.00	-RA:02 RA RA	69	20.6	66	18.9	65	18.3	87	10	340		29.76				FM-16	T	29.94
23	0937	7	SCT:04 12 BKN:07 23 OVC:08 43	5.00	-RA:02 BR:1 RA RA	69	20.6	67	19.4	66	18.9	90	9	360		29.75				FM-16	0.01	29.93
23	0954	7	SCT:04 13 BKN:07 23 OVC:08 44	10.00	-RA:02 RA RA	68	20.0	67	19.4	66	18.9	93	13	360		29.75	1	-0.02	29.94	FM-15	0.03s	29.93
23	1033	7	FEW:02 11 SCT:04 20 OVC:08 41	10.00	-RA:02 RA RA	69	20.6	66	18.9	65	18.3	87	8	020		29.75				FM-16	0.01	29.93
23	1054	7	SCT:04 11 BKN:07 40 OVC:08 55	8.00	-RA:02 RA RA	68	20.0	66	18.9	64	17.8	87	10	010		29.74			29.93	FM-15	T	29.92
23	1154	7	FEW:02 12 SCT:04 27 BKN:07 60	5.00	-RA:02 BR:1 RA RA	67	19.4	65	18.3	64	17.8	91	10	030		29.73			29.92	FM-15	0.02	29.91
23	1201	7	SCT:04 7 BKN:07 37 BKN:07 60	5.00	RA:02 BR:1 RA RA	67	19.4	65	18.3	64	17.8	91	9	350		29.73				FM-16	T	29.91
23	1254	7	SCT:04 9 BKN:07 37 OVC:08 70	9.00	-RA:02 RA RA	69	20.6	66	18.9	65	18.3	87	8	360		29.72	6	+0.03	29.91	FM-15	0.04	29.90
23	1300	4	8	8.70	RA	69	20.6	66	18.9	65	18.3	87	8	360		29.72	6	+0.03	29.91	FM-12		
23	1354	7	FEW:02 9 BKN:07 38 OVC:08 110	6.00	-RA:02 BR:1 RA RA	67	19.4	65	18.3	64	17.8	91	7	360		29.71			29.90	FM-15	0.03	29.89
23	1454	7	FEW:02 9 BKN:07 38 OVC:08 100	5.00	-RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	9	360		29.72			29.91	FM-15	0.07	29.90
23	1554	7	BKN:07 38 OVC:08 44	10.00	-RA:02 RA RA	66	18.9	64	17.8	63	17.2	90	7	050		29.71	8	+0.01	29.90	FM-15	0.02	29.89
23	1654	7	SCT:04 44 OVC:08 110	5.00	RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	7	010		29.69			29.88	FM-15	0.08	29.87

23	1754	7	FEW:02 50 BKN:07 110 OVC:08 150	4.00	RA:02 BR:1 RA RA	67	19.4	66	18.9	65	18.3	93	10	310		29.71			29.90	FM-15	0.05	29.89
23	1854	7	SCT:04 60 SCT:04 110 OVC:08 150	10.00		67	19.4	66	18.9	65	18.3	93	0	000		29.71	3	0.00	29.90	FM-15	T	29.89
23	1900	4	57	9.94		67	19.4	66	18.9	65	18.3	93	0	000		29.71	3	0.00	29.90	FM-12		
23	1954	7	BKN:07 75 BKN:07 110 OVC:08 150	10.00		67	19.4	66	18.9	65	18.3	93	3	300		29.72			29.91	FM-15	0.00	29.90
23	2054	7	BKN:07 70 OVC:08 150	10.00		68	20.0	67	19.4	66	18.9	93	6	330		29.73			29.91	FM-15	0.00	29.91
23	2154	7	SCT:04 90 SCT:04 150 OVC:08 230	10.00		67	19.4	66	18.9	65	18.3	93	8	310		29.73	1	-0.02	29.92	FM-15	0.00	29.91
23	2254	7	FEW:02 90 SCT:04 150 BKN:07 250	9.00		67	19.4	66	18.9	65	18.3	93	5	300		29.71			29.90	FM-15	0.00	29.89
23	2354	7	FEW:02 150 BKN:07 300	6.00	BR:1	67	19.4	66	18.9	65	18.3	93	7	300		29.70			29.89	FM-15	0.00	29.88
24	0052	6	SCT:04 5 BKN:07 150 OVC:08 300	6.00	BR:1	66	18.9	66	18.9	66	18.9	100	8	330		29.69				FM-16		29.87
24	0054	7	SCT:04 5 BKN:07 150 OVC:08 300	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	7	330		29.69	6	+0.04	29.88	FM-15	0.00	29.87
24	0100	4	5	5.59		67	19.4	66	18.9	66	18.9	97	7	330		29.69	6	+0.04	29.88	FM-12		
24	0101	7	BKN:07 5 BKN:07 170	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	8	330		29.69				FM-16		29.87
24	0115	7	BKN:07 4	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	7	330		29.70				FM-16		29.88
24	0154	7	OVC:08 4	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	7	340		29.70			29.89	FM-15	0.00	29.88
24	0254	7	BKN:07 4	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	7	320		29.71			29.90	FM-15	0.00	29.89
24	0309	7	SCT:04 4 BKN:07 300	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	6	330		29.71				FM-16		29.89
24	0354	7	FEW:02 4 BKN:07 300	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	8	320		29.72	3	-0.03	29.91	FM-15	0.00	29.90
24	0454	7	BKN:07 300	7.00		67	19.4	66	18.9	65	18.3	93	8	340		29.74			29.93	FM-15	0.00	29.92
24	0554	7	FEW:02 220 BKN:07 300	10.00		67	19.4	66	18.9	65	18.3	93	9	340		29.76			29.95	FM-15	0.00	29.94
24	0654	7	SCT:04 300	10.00		69	20.6	66	18.9	65	18.3	87	10	350		29.78	3	-0.05	29.96	FM-15	0.00	29.96
24	0700	4		9.94		69	20.6	66	18.9	65	18.3	87	10	350		29.78	3	-0.05	29.96	FM-12		
24	0737	7	FEW:02 7 BKN:07 300	10.00		71	21.7	68	20.0	67	19.4	87	10	350		29.79				FM-16		29.97
24	0754	7	FEW:02 9 BKN:07 300	10.00		72	22.2	69	20.6	67	19.4	84	10	360		29.79			29.98	FM-15	0.00	29.97
24	0854	7	FEW:02 15 SCT:04 300	10.00		75	23.9	69	20.6	66	18.9	74	11	010		29.79			29.98	FM-15	0.00	29.97
24	0954	7	FEW:02 23 SCT:04 300	10.00		78	25.6	70	21.1	65	18.3	64	10	020		29.80	1	-0.03	29.99	FM-15	0.00	29.98
24	1054	7	FEW:02 32 SCT:04 300	10.00		80	26.7	69	20.6	63	17.2	56	11	020		29.80			29.99	FM-15	0.00	29.98
24	1154	7	FEW:02 43 SCT:04 300	10.00		81	27.2	69	20.6	63	17.2	54	9	360		29.80			29.98	FM-15	0.00	29.98
24	1254	7	SCT:04 44 SCT:04 300	10.00		83	28.3	70	21.1	62	16.7	49	11	010		29.79	8	+0.01	29.98	FM-15	0.00	29.97
24	1300	4	41	9.94		83	28.3	70	21.1	62	16.7	49	11	010		29.79	8	+0.01	29.98	FM-12		
24	1354	7	SCT:04 46 SCT:04 300	10.00		83	28.3	70	21.1	63	17.2	51	8	010		29.79			29.98	FM-15	0.00	29.97
24	1454	7	SCT:04 48 SCT:04 300	10.00		84	28.9	69	20.6	61	16.1	46	7	040	17	29.78			29.97	FM-15	0.00	29.96
24	1554	7	SCT:04 48 BKN:07 300	10.00		84	28.9	68	20.0	59	15.0	43	10	030		29.78	7	+0.01	29.97	FM-15	0.00	29.96

24	1654	7	SCT:04 48 SCT:04 300	10.00		83	28.3	68	20.0	60	15.6	46	9	060		29.78			29.97	FM-15	0.00	29.96
24	1754	7	FEW:02 48 FEW:02 300	10.00		82	27.8	69	20.6	61	16.1	49	7	090		29.78			29.97	FM-15	0.00	29.96
24	1854	7	FEW:02 48 FEW:02 300	10.00		78	25.6	68	20.0	63	17.2	60	6	080		29.81	3	-0.03	30.00	FM-15	0.00	29.99
24	1900	4	41	9.94		78	25.6	68	20.0	63	17.2	60	6	080		29.81	3	-0.03	30.00	FM-12		
24	1954	7	CLR:00	10.00		74	23.3	68	20.0	64	17.8	71	3	130		29.82			30.01	FM-15	0.00	30.00
24	2054	7	FEW:02 50	10.00		73	22.8	67	19.4	64	17.8	74	0	000		29.84			30.03	FM-15	0.00	30.02
24	2154	7	FEW:02 50 SCT:04 120	10.00		72	22.2	66	18.9	63	17.2	73	6	330		29.85	1	-0.04	30.04	FM-15	0.00	30.03
24	2254	7	BKN:07 75	10.00		71	21.7	67	19.4	65	18.3	81	8	050		29.85			30.04	FM-15	0.00	30.03
24	2354	7	BKN:07 55 OVC:08 90	10.00	-RA:02 RA RA	71	21.7	67	19.4	64	17.8	79	8	360		29.87			30.06	FM-15	T	30.05
25	0054	7	BKN:07 85	10.00		70	21.1	66	18.9	64	17.8	82	0	000		29.86	0	-0.01	30.05	FM-15	T	30.04
25	0100	4		9.94		70	21.1	66	18.9	64	17.8	82	0	000		29.86	9	+0.01	30.05	FM-12		
25	0154	7	BKN:07 95	10.00		70	21.1	66	18.9	64	17.8	82	0	000		29.85			30.04	FM-15	0.00	30.03
25	0254	7	BKN:07 110	10.00		68	20.0	66	18.9	64	17.8	87	6	330		29.87			30.06	FM-15	0.00	30.05
25	0354	7	FEW:02 110	10.00		66	18.9	64	17.8	63	17.2	90	7	350		29.88	3	-0.02	30.07	FM-15	0.00	30.06
25	0454	7	FEW:02 110	10.00		65	18.3	63	17.2	62	16.7	90	5	360		29.89			30.08	FM-15	0.00	30.07
25	0554	7	FEW:02 150	10.00		66	18.9	64	17.8	62	16.7	87	3	340		29.90			30.09	FM-15	0.00	30.08
25	0654	7	FEW:02 200	10.00		70	21.1	66	18.9	63	17.2	79	8	360		29.93	3	-0.04	30.11	FM-15	0.00	30.11
25	0700	4		9.94		70	21.1	66	18.9	63	17.2	79	8	360		29.93	3	-0.04	30.11	FM-12		
25	0754	7	FEW:02 200	10.00		74	23.3	66	18.9	61	16.1	64	9	010		29.94			30.13	FM-15	0.00	30.12
25	0854	7	FEW:02 250	10.00		78	25.6	67	19.4	61	16.1	56	8	360		29.95			30.14	FM-15	0.00	30.13
25	0954	7	FEW:02 300	10.00		81	27.2	68	20.0	61	16.1	51	6	020		29.95	1	-0.03	30.14	FM-15	0.00	30.13
25	1054	7	FEW:02 45 FEW:02 300	10.00		83	28.3	68	20.0	60	15.6	46	9	060		29.96			30.14	FM-15	0.00	30.14
25	1154	7	FEW:02 55 FEW:02 300	10.00		84	28.9	69	20.6	61	16.1	46	0	000		29.96			30.15	FM-15	0.00	30.14
25	1254	7	SCT:04 55	10.00		83	28.3	68	20.0	60	15.6	46	7	VRB		29.95	8	0.00	30.14	FM-15	0.00	30.13
25	1300	4	57	9.94		83	28.3	68	20.0	60	15.6	46	7			29.95	8	0.00	30.14	FM-12		
25	1354	7	SCT:04 60	10.00		86	30.0	69	20.6	60	15.6	42	7	VRB		29.94			30.13	FM-15	0.00	30.12
25	1454	7	SCT:04 60 SCT:04 95	10.00		86	30.0	69	20.6	59	15.0	40	9	030		29.94			30.13	FM-15	0.00	30.12
25	1554	7	SCT:04 60 SCT:04 95 SCT:04 300	10.00		86	30.0	69	20.6	59	15.0	40	8	050		29.94	6	+0.01	30.13	FM-15	0.00	30.12
25	1654	7	FEW:02 65 FEW:02 100 FEW:02 300	10.00		85	29.4	69	20.6	59	15.0	42	5	070		29.94			30.13	FM-15	0.00	30.12
25	1754	7	FEW:02 60 FEW:02 100 SCT:04 300	10.00		81	27.2	68	20.0	61	16.1	51	5	040		29.95			30.14	FM-15	0.00	30.13
25	1854	7	FEW:02 60 FEW:02 100 FEW:02 300	10.00		80	26.7	69	20.6	62	16.7	54	3	050		29.96	3	-0.03	30.15	FM-15	0.00	30.14
25	1900	4	57	9.94		80	26.7	69	20.6	62	16.7	54	3	050		29.96	3	-0.03	30.15	FM-12		
25	1954	7	FEW:02 100 FEW:02 300	10.00		74	23.3	69	20.6	66	18.9	76	3	130		29.97			30.16	FM-15	0.00	30.15
25	2054	7	FEW:02 300	10.00		73	22.8	67	19.4	64	17.8	74	0	000		29.99			30.18	FM-15	0.00	30.17
25	2154	7	FEW:02 300	10.00		72	22.2	67	19.4	64	17.8	76	0	000		30.01	3	-0.04	30.19	FM-15	0.00	30.19
25	2254	7	FEW:02 300	10.00		71	21.7	67	19.4	65	18.3	81	0	000		30.01			30.20	FM-15	0.00	30.19
25	2354	7	CLR:00	10.00		70	21.1	67	19.4	65	18.3	84	0	000		30.01			30.20	FM-15	0.00	30.19
26	0054	7	CLR:00	10.00		68	20.0	66	18.9	64	17.8	87	0	000		30.01	1	-0.01	30.20	FM-15	0.00	30.19
26	0100	4		9.94		68	20.0	66	18.9	64	17.8	87	0	000		30.01	1	-0.01	30.20	FM-12		
26	0154	7	CLR:00	10.00		68	20.0	66	18.9	64	17.8	87	0	000		30.03			30.22	FM-15	0.00	30.21
26	0254	7	CLR:00	10.00		66	18.9	64	17.8	63	17.2	90	3	230		30.02			30.21	FM-15	0.00	30.20
26	0354	7	CLR:00	10.00		66	18.9	64	17.8	63	17.2	90	0	000		30.03	3	-0.02	30.22	FM-15	0.00	30.21
26	0454	7	FEW:02 60 FEW:02 300	10.00		66	18.9	64	17.8	63	17.2	90	3	040		30.05			30.24	FM-15	0.00	30.23

26	0554	7	FEW:02 70 SCT:04 300	10.00		67	19.4	66	18.9	65	18.3	93	0	000		30.06			30.25	FM-15	0.00	30.24
26	0654	7	FEW:02 70 BKN:07 300	10.00		72	22.2	69	20.6	67	19.4	84	0	000		30.07	1	-0.04	30.27	FM-15	0.00	30.25
26	0700	4	74	9.94		72	22.2	69	20.6	67	19.4	84	0	000		30.07	1	-0.04	30.27	FM-12		
26	0754	7	BKN:07 300	10.00		78	25.6	70	21.1	66	18.9	67	0	000		30.09			30.28	FM-15	0.00	30.27
26	0854	7	BKN:07 300	10.00		82	27.8	71	21.7	66	18.9	58	3	VRB		30.09			30.28	FM-15	0.00	30.27
26	0954	7	FEW:02 35 BKN:07 300	10.00		84	28.9	71	21.7	64	17.8	51	5	VRB		30.10	1	-0.02	30.29	FM-15	0.00	30.28
26	1054	7	FEW:02 45 BKN:07 300	10.00		84	28.9	70	21.1	62	16.7	48	0	000		30.10			30.29	FM-15	0.00	30.28
26	1154	7	FEW:02 50 BKN:07 300	10.00		86	30.0	70	21.1	61	16.1	43	5	360		30.09			30.28	FM-15	0.00	30.27
26	1254	7	SCT:04 55 BKN:07 300	10.00		84	28.9	69	20.6	61	16.1	46	5	060		30.08	8	+0.02	30.27	FM-15	0.00	30.26
26	1300	4	57	9.94		84	28.9	69	20.6	61	16.1	46	5	060		30.08	8	+0.02	30.27	FM-12		
26	1354	7	SCT:04 60 SCT:04 300	10.00		87	30.6	70	21.1	61	16.1	42	3	120		30.07			30.26	FM-15	0.00	30.25
26	1454	7	SCT:04 65 BKN:07 80 BKN:07 300	10.00		84	28.9	71	21.7	64	17.8	51	9	100		30.06			30.25	FM-15	0.00	30.24
26	1554	7	SCT:04 70 BKN:07 110 BKN:07 300	10.00		83	28.3	71	21.7	65	18.3	55	10	100		30.06	6	+0.02	30.25	FM-15	0.00	30.24
26	1654	7	FEW:02 60 BKN:07 110 BKN:07 300	10.00		81	27.2	70	21.1	64	17.8	57	8	140		30.05			30.24	FM-15	0.00	30.23
26	1754	7	FEW:02 55 SCT:04 110 SCT:04 250	10.00		81	27.2	71	21.7	66	18.9	61	8	100		30.05			30.24	FM-15	0.00	30.23
26	1854	7	FEW:02 50 FEW:02 110 FEW:02 250	10.00		77	25.0	70	21.1	67	19.4	71	6	130		30.06	3	0.00	30.25	FM-15	0.00	30.24
26	1900	4	57	9.94		77	25.0	70	21.1	67	19.4	71	6	130		30.06			30.25	FM-12		
26	1954	7	FEW:02 110 FEW:02 250	10.00		74	23.3	69	20.6	67	19.4	79	6	140		30.07			30.26	FM-15	0.00	30.25
26	2054	7	FEW:02 250	10.00		74	23.3	69	20.6	66	18.9	76	0	000		30.08			30.27	FM-15	0.00	30.26
26	2154	7	FEW:02 250	10.00		73	22.8	69	20.6	66	18.9	79	0	000		30.09	1	-0.03	30.28	FM-15	0.00	30.27
26	2254	7	FEW:02 250	10.00		70	21.1	67	19.4	65	18.3	84	0	000		30.09			30.28	FM-15	0.00	30.27
26	2354	7	FEW:02 300	10.00		71	21.7	66	18.9	63	17.2	76	0	000		30.09			30.28	FM-15	0.00	30.27
27	0054	7	FEW:02 300	10.00		69	20.6	66	18.9	64	17.8	84	0	000		30.09	8	0.00	30.28	FM-15	0.00	30.27
27	0100	4		9.94		69	20.6	66	18.9	64	17.8	84	0	000		30.09	8	0.00	30.28	FM-12		
27	0154	7	SCT:04 300	10.00		68	20.0	66	18.9	64	17.8	87	0	000		30.08			30.27	FM-15	0.00	30.26
27	0254	7	SCT:04 300	10.00		66	18.9	64	17.8	63	17.2	90	0	000		30.08			30.27	FM-15	0.00	30.26
27	0354	7	FEW:02 300	10.00		66	18.9	64	17.8	63	17.2	90	0	000		30.08	5	0.00	30.27	FM-15	0.00	30.26
27	0454	7	FEW:02 300	10.00		64	17.8	63	17.2	62	16.7	93	0	000		30.10			30.29	FM-15	0.00	30.28
27	0554	7	FEW:02 300	10.00		65	18.3	64	17.8	63	17.2	93	0	000		30.11			30.30	FM-15	0.00	30.29
27	0654	7	CLR:00	10.00		71	21.7	68	20.0	67	19.4	87	0	000		30.12	1	-0.04	30.31	FM-15	0.00	30.30
27	0700	4		9.94		71	21.7	68	20.0	67	19.4	87	0	000		30.12	1	-0.04	30.31	FM-12		
27	0754	7	CLR:00	10.00		79	26.1	71	21.7	66	18.9	65	3	220		30.12			30.31	FM-15	0.00	30.30
27	0854	7	CLR:00	10.00		82	27.8	71	21.7	66	18.9	58	0	000		30.12			30.31	FM-15	0.00	30.30
27	0954	7	FEW:02 45	10.00		84	28.9	72	22.2	65	18.3	53	3	VRB		30.11	8	+0.01	30.29	FM-15	0.00	30.29
27	1054	7	FEW:02 40	10.00		86	30.0	69	20.6	59	15.0	40	6	070		30.10			30.29	FM-15	0.00	30.28
27	1154	7	FEW:02 47	10.00		87	30.6	67	19.4	55	12.8	34	5	340		30.08			30.27	FM-15	0.00	30.26
27	1254	7	FEW:02 50	10.00		88	31.1	69	20.6	57	13.9	35	5	VRB		30.07	8	+0.04	30.25	FM-15	0.00	30.25
27	1300	4	57	9.94		88	31.1	69	20.6	57	13.9	35	5			30.07	8	+0.04	30.25	FM-12		
27	1354	7	FEW:02 70 FEW:02 200	10.00		88	31.1	71	21.7	61	16.1	40	7	VRB		30.05			30.24	FM-15	0.00	30.23
27	1454	7	FEW:02 70	10.00		88	31.1	70	21.1	60	15.6	39	6	VRB		30.03			30.22	FM-15	0.00	30.21
27	1554	7	FEW:02 65	10.00		88	31.1	71	21.7	61	16.1	40	9	150		30.02	6	+0.04	30.21	FM-15	0.00	30.20
27	1654	7	FEW:02 65	10.00		87	30.6	70	21.1	61	16.1	42	6	140		30.01			30.20	FM-15	0.00	30.19

27	1754	7	FEW:02 60	10.00		85	29.4	69	20.6	59	15.0	42	7	160		30.01			30.20	FM-15	0.00	30.19
27	1854	7	FEW:02 60	10.00		82	27.8	69	20.6	62	16.7	51	8	150		30.01	5	+0.01	30.20	FM-15	0.00	30.19
27	1900	4	57	9.94		82	27.8	69	20.6	62	16.7	51	8	150		30.01	5	+0.01	30.20	FM-12		
27	1954	7	FEW:02 300	10.00		77	25.0	68	20.0	63	17.2	62	8	140		30.02			30.21	FM-15	0.00	30.20
27	2054	7	FEW:02 300	10.00		76	24.4	68	20.0	63	17.2	64	6	150		30.03			30.22	FM-15	0.00	30.21
27	2154	7	FEW:02 300	10.00		73	22.8	67	19.4	64	17.8	74	3	150		30.04	1	-0.03	30.23	FM-15	0.00	30.22
27	2254	7	FEW:02 300	10.00		71	21.7	67	19.4	64	17.8	79	5	130		30.04			30.22	FM-15	0.00	30.22
27	2354	7	FEW:02 300	10.00		71	21.7	67	19.4	64	17.8	79	0	000		30.04			30.22	FM-15	0.00	30.22
28	0054	7	FEW:02 300	10.00		71	21.7	67	19.4	64	17.8	79	3	170		30.03	8	+0.01	30.22	FM-15	0.00	30.21
28	0100	4		9.94		71	21.7	67	19.4	64	17.8	79	3	170		30.03	8	+0.01	30.22	FM-12		
28	0154	7	FEW:02 300	10.00		70	21.1	66	18.9	64	17.8	82	0	000		30.02			30.21	FM-15	0.00	30.20
28	0254	7	FEW:02 300	10.00		69	20.6	66	18.9	64	17.8	84	3	210		30.02			30.20	FM-15	0.00	30.20
28	0354	7	FEW:02 70 FEW:02 300	10.00		69	20.6	66	18.9	64	17.8	84	3	190		30.02	6	+0.01	30.20	FM-15	0.00	30.20
28	0454	7	FEW:02 70 FEW:02 300	10.00		68	20.0	66	18.9	64	17.8	87	3	180		30.02			30.21	FM-15	0.00	30.20
28	0554	7	FEW:02 70	10.00		69	20.6	66	18.9	64	17.8	84	3	180		30.02			30.21	FM-15	0.00	30.20
28	0654	7	CLR:00	10.00		73	22.8	68	20.0	65	18.3	76	7	210		30.02	3	-0.01	30.21	FM-15	0.00	30.20
28	0700	4		9.94		73	22.8	68	20.0	65	18.3	76	7	210		30.02	3	-0.01	30.21	FM-12		
28	0754	7	CLR:00	10.00		79	26.1	70	21.1	65	18.3	62	7	250		30.02			30.21	FM-15	0.00	30.20
28	0854	7	CLR:00	10.00		83	28.3	72	22.2	66	18.9	57	8	250		30.02			30.21	FM-15	0.00	30.20
28	0954	7	CLR:00	10.00		86	30.0	72	22.2	65	18.3	49	8	240		30.01	8	+0.01	30.20	FM-15	0.00	30.19
28	1054	7	CLR:00	10.00		88	31.1	72	22.2	64	17.8	45	5	230		30.00			30.18	FM-15	0.00	30.18
28	1154	7	FEW:02 50	10.00		91	32.8	74	23.3	65	18.3	42	6	230		29.98			30.17	FM-15	0.00	30.16
28	1254	7	BKN:07 55	10.00		89	31.7	72	22.2	63	17.2	42	3	VRB		29.96	8	+0.05	30.14	FM-15	0.00	30.14
28	1300	4	57	9.94		89	31.7	72	22.2	63	17.2	42	3			29.96	8	+0.05	30.14	FM-12		
28	1354	7	FEW:02 55 BKN:07 70	10.00		91	32.8	72	22.2	63	17.2	39	6	VRB		29.94			30.12	FM-15	0.00	30.12
28	1454	7	BKN:07 65 BKN:07 80	10.00		90	32.2	73	22.8	64	17.8	42	11	180		29.92			30.11	FM-15	0.00	30.10
28	1554	7	SCT:04 70 SCT:04 110	10.00		91	32.8	74	23.3	66	18.9	44	11	150		29.91	6	+0.05	30.09	FM-15	0.00	30.09
28	1654	7	SCT:04 70	10.00		86	30.0	74	23.3	68	20.0	55	8	160		29.90			30.09	FM-15	0.00	30.08
28	1754	7	SCT:04 70	10.00		83	28.3	72	22.2	66	18.9	57	11	190		29.90			30.09	FM-15	0.00	30.08
28	1854	7	BKN:07 65	10.00		83	28.3	72	22.2	67	19.4	59	6	190		29.91	5	0.00	30.10	FM-15	0.00	30.09
28	1900	4	57	9.94		83	28.3	72	22.2	67	19.4	59	6	190		29.91	5	0.00	30.10	FM-12		
28	1954	7	SCT:04 65	10.00		80	26.7	72	22.2	68	20.0	67	7	160		29.91			30.10	FM-15	0.00	30.09
28	2054	7	FEW:02 65	10.00		77	25.0	72	22.2	69	20.6	77	5	170		29.92			30.11	FM-15	0.00	30.10
28	2154	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	5	170		29.93	3	-0.02	30.11	FM-15	0.00	30.11
28	2254	7	CLR:00	10.00		75	23.9	70	21.1	68	20.0	79	7	180		29.93			30.11	FM-15	0.00	30.11
28	2354	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	8	180		29.93			30.11	FM-15	0.00	30.11
29	0054	7	CLR:00	10.00		72	22.2	66	18.9	63	17.2	73	7	190		29.91	8	+0.01	30.10	FM-15	0.00	30.09
29	0100	4		9.94		72	22.2	66	18.9	63	17.2	73	7	190		29.91	8	+0.01	30.10	FM-12		
29	0154	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	6	200		29.91			30.09	FM-15	0.00	30.09
29	0254	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	5	190		29.90			30.09	FM-15	0.00	30.08
29	0354	7	CLR:00	10.00		70	21.1	65	18.3	62	16.7	76	3	160		29.90	6	+0.01	30.09	FM-15	0.00	30.08
29	0454	7	FEW:02 100 FEW:02 300	10.00		70	21.1	66	18.9	63	17.2	79	5	190		29.90			30.09	FM-15	0.00	30.08
29	0554	7	FEW:02 300	10.00		70	21.1	66	18.9	64	17.8	82	3	180		29.90			30.09	FM-15	0.00	30.08
29	0654	7	CLR:00	10.00		76	24.4	69	20.6	65	18.3	69	6	230		29.90	3	0.00	30.09	FM-15	0.00	30.08
29	0700	4		9.94		76	24.4	69	20.6	65	18.3	69	6	230		29.90	3	0.00	30.09	FM-12		
29	0754	7	CLR:00	10.00		81	27.2	70	21.1	64	17.8	57	9	240		29.90			30.09	FM-15	0.00	30.08
29	0854	7	CLR:00	10.00		84	28.9	72	22.2	65	18.3	53	6	260		29.89			30.08	FM-15	0.00	30.07
29	0954	7	FEW:02 120	10.00		88	31.1	73	22.8	66	18.9	48	8	210		29.89	8	+0.01	30.08	FM-15	0.00	30.07
29	1054	7	FEW:02 50	10.00		91	32.8	74	23.3	66	18.9	44	7	200		29.88			30.06	FM-15	0.00	30.06
29	1154	7	SCT:04 60	10.00		91	32.8	74	23.3	65	18.3	42	6	170		29.87			30.06	FM-15	0.00	30.05
29	1254	7	SCT:04 70 BKN:07 95	10.00		94	34.4	73	22.8	63	17.2	36	10	220		29.85	8	+0.04	30.04	FM-15	0.00	30.03

29	1300	4	74	9.94		94	34.4	73	22.8	63	17.2	36	10	220		29.85	8	+0.04	30.04	FM-12		
29	1354	7	SCT:04 70 SCT:04 100	10.00		94	34.4	74	23.3	65	18.3	38	11	170		29.84			30.02	FM-15	0.00	30.02
29	1454	7	SCT:04 65 SCT:04 100	10.00		92	33.3	73	22.8	64	17.8	40	10	190		29.82			30.01	FM-15	0.00	30.00
29	1554	7	SCT:04 70 SCT:04 100	10.00		93	33.9	73	22.8	63	17.2	37	10	200		29.81	6	+0.04	30.00	FM-15	0.00	29.99
29	1654	7	SCT:04 70 SCT:04 100	10.00		90	32.2	73	22.8	64	17.8	42	10	200		29.81			30.00	FM-15	0.00	29.99
29	1754	7	SCT:04 70 SCT:04 100	10.00		89	31.7	74	23.3	66	18.9	47	8	190		29.81			29.99	FM-15	0.00	29.99
29	1854	7	FEW:02 70 FEW:02 100 FEW:02 300	10.00		85	29.4	74	23.3	69	20.6	59	8	170		29.82	3	0.00	30.00	FM-15	0.00	30.00
29	1900	4	74	9.94		85	29.4	74	23.3	69	20.6	59	8	170		29.82	3	0.00	30.00	FM-12		
29	1954	7	FEW:02 70	10.00		80	26.7	73	22.8	69	20.6	69	6	170		29.83			30.01	FM-15	0.00	30.01
29	2054	7	FEW:02 70	10.00		78	25.6	72	22.2	69	20.6	74	7	160		29.84			30.02	FM-15	0.00	30.02
29	2154	7	CLR:00	10.00		77	25.0	72	22.2	69	20.6	77	6	180		29.85	3	-0.03	30.03	FM-15	0.00	30.03
29	2254	7	CLR:00	10.00		77	25.0	72	22.2	69	20.6	77	5	170		29.85			30.03	FM-15	0.00	30.03
29	2354	7	CLR:00	10.00		76	24.4	71	21.7	69	20.6	79	7	170		29.85			30.03	FM-15	0.00	30.03
30	0054	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	8	200		29.85	3	-0.01	30.04	FM-15	0.00	30.03
30	0100	4		9.94		75	23.9	69	20.6	66	18.9	74	8	200		29.85	3	-0.01	30.04	FM-12		
30	0154	7	CLR:00	10.00		73	22.8	68	20.0	65	18.3	76	7	190		29.85			30.03	FM-15	0.00	30.03
30	0254	7	CLR:00	10.00		73	22.8	67	19.4	64	17.8	74	7	200		29.84			30.03	FM-15	0.00	30.02
30	0354	7	CLR:00	10.00		71	21.7	67	19.4	64	17.8	79	6	200		29.85	5	0.00	30.03	FM-15	0.00	30.03
30	0454	7	FEW:02 300	10.00		71	21.7	67	19.4	64	17.8	79	3	180		29.86			30.04	FM-15	0.00	30.04
30	0554	7	FEW:02 45 FEW:02 100 FEW:02 300	10.00		70	21.1	67	19.4	65	18.3	84	3	180		29.86			30.05	FM-15	0.00	30.04
30	0654	7	FEW:02 45	10.00		74	23.3	68	20.0	65	18.3	74	7	210		29.87	2	-0.02	30.06	FM-15	0.00	30.05
30	0700	4	41	9.94		74	23.3	68	20.0	65	18.3	74	7	210		29.87	2	-0.02	30.06	FM-12		
30	0754	7	FEW:02 70	10.00		78	25.6	70	21.1	65	18.3	64	8	200		29.88			30.06	FM-15	0.00	30.06
30	0854	7	FEW:02 70	10.00		82	27.8	71	21.7	66	18.9	58	5	VRB		29.87			30.06	FM-15	0.00	30.05
30	0954	7	FEW:02 200	10.00		86	30.0	73	22.8	67	19.4	53	7	190		29.87	8	0.00	30.06	FM-15	0.00	30.05
30	1054	7	FEW:02 200	10.00		90	32.2	73	22.8	65	18.3	44	8	210		29.86			30.05	FM-15	0.00	30.04
30	1154	7	FEW:02 60 FEW:02 200	10.00		93	33.9	74	23.3	64	17.8	38	10	200		29.85			30.03	FM-15	0.00	30.03
30	1254	7	SCT:04 75 SCT:04 200	10.00		93	33.9	73	22.8	62	16.7	36	9	200	17	29.83	8	+0.04	30.02	FM-15	0.00	30.01
30	1300	4	74	9.94		93	33.9	73	22.8	62	16.7	36	9	200		29.83	8	+0.04	30.02	FM-12		
30	1354	7	SCT:04 65 SCT:04 200	10.00		94	34.4	74	23.3	64	17.8	37	17	180	23	29.81			30.00	FM-15	0.00	29.99
30	1454	7	FEW:02 70 SCT:04 95 SCT:04 110	10.00		91	32.8	72	22.2	63	17.2	39	10	180		29.80			29.98	FM-15	0.00	29.98
30	1554	7	SCT:04 70 SCT:04 100 SCT:04 300	10.00		91	32.8	72	22.2	63	17.2	39	14	180		29.79	6	+0.05	29.97	FM-15	0.00	29.97
30	1654	7	FEW:02 70 FEW:02 100	10.00		90	32.2	73	22.8	64	17.8	42	14	170		29.78			29.97	FM-15	0.00	29.96
30	1754	7	FEW:02 70 FEW:02 100	10.00		89	31.7	73	22.8	65	18.3	45	13	180		29.80			29.98	FM-15	0.00	29.98
30	1854	7	FEW:02 70 FEW:02 100	10.00		85	29.4	72	22.2	66	18.9	53	7	190		29.81	3	-0.02	30.00	FM-15	0.00	29.99
30	1900	4	74	9.94		85	29.4	72	22.2	66	18.9	53	7	190		29.81	3	-0.02	30.00	FM-12		
30	1954	7	FEW:02 70 BKN:07 100	10.00		80	26.7	72	22.2	68	20.0	67	6	170		29.83			30.01	FM-15	0.00	30.01
30	2054	7	FEW:02 80 BKN:07 100	10.00		82	27.8	72	22.2	67	19.4	60	9	170		29.84			30.03	FM-15	0.00	30.02
30	2154	7	BKN:07 70 BKN:07 100	10.00		84	28.9	71	21.7	65	18.3	53	9	240		29.86	3	-0.05	30.05	FM-15	0.00	30.04

30	2254	7	FEW:02 70 SCT:04 100	10.00		79	26.1	71	21.7	66	18.9	65	5	330		29.86			30.05	FM-15	0.00	30.04
30	2354	7	FEW:02 100	10.00		74	23.3	69	20.6	67	19.4	79	7	140		29.85			30.04	FM-15	0.00	30.03
31	0054	7	FEW:02 100	10.00		76	24.4	69	20.6	65	18.3	69	10	170		29.84	8	+0.02	30.03	FM-15	0.00	30.02
31	0100	4		9.94		76	24.4	69	20.6	65	18.3	69	10	170		29.84	8	+0.02	30.03	FM-12		
31	0154	7	FEW:02 100	10.00		74	23.3	68	20.0	65	18.3	74	7	190		29.83			30.02	FM-15	0.00	30.01
31	0254	7	FEW:02 150	10.00		73	22.8	68	20.0	65	18.3	76	5	190		29.83			30.02	FM-15	0.00	30.01
31	0354	7	FEW:02 120	10.00		72	22.2	68	20.0	65	18.3	79	5	190		29.84	5	0.00	30.02	FM-15	0.00	30.02
31	0454	7	SCT:04 100	10.00		71	21.7	67	19.4	65	18.3	81	5	180		29.85			30.03	FM-15	0.00	30.03
31	0554	7	FEW:02 100 SCT:04 300	10.00		71	21.7	68	20.0	66	18.9	84	0	000		29.86			30.05	FM-15	0.00	30.04
31	0654	7	BKN:07 110 BKN:07 300	10.00		74	23.3	69	20.6	67	19.4	79	6	200		29.87	3	-0.03	30.06	FM-15	0.00	30.05
31	0700	4		9.94		74	23.3	69	20.6	67	19.4	79	6	200		29.87	3	-0.03	30.06	FM-12		
31	0754	7	SCT:04 100	10.00		79	26.1	72	22.2	68	20.0	69	6	210		29.87			30.06	FM-15	0.00	30.05
31	0854	7	SCT:04 110	10.00		84	28.9	73	22.8	68	20.0	59	6	240		29.88			30.07	FM-15	0.00	30.06
31	0954	7	BKN:07 120	10.00		85	29.4	73	22.8	67	19.4	55	3	180		29.88	1	-0.01	30.07	FM-15	0.00	30.06
31	1054	7	FEW:02 85 BKN:07 110	10.00		88	31.1	74	23.3	68	20.0	52	9	210		29.89			30.07	FM-15	0.00	30.07
31	1154	7	FEW:02 55 FEW:02 90 SCT:04 120	10.00		91	32.8	74	23.3	66	18.9	44	9	240		29.87			30.06	FM-15	0.00	30.05
31	1254	7	FEW:02 55 FEW:02 85 SCT:04 120	10.00		92	33.3	75	23.9	67	19.4	44	8	290		29.86	8	+0.02	30.04	FM-15	0.00	30.04
31	1300	4	57	9.94		92	33.3	75	23.9	67	19.4	44	8	290		29.86	8	+0.02	30.04	FM-12		
31	1354	7	FEW:02 55 FEW:02 85	10.00		94	34.4	75	23.9	66	18.9	40	9	220	17	29.83			30.02	FM-15	0.00	30.01
31	1454	7	FEW:02 60 SCT:04 120 SCT:04 300	10.00		94	34.4	72	22.2	61	16.1	33	14	230		29.81			29.99	FM-15	0.00	29.99
31	1549	7	SCT:04 65 SCT:04 120 SCT:04 300	10.00		91	32.8	74	23.3	66	18.9	44	13	200		29.80				FM-16		29.98
31	1554	7	SCT:04 65 SCT:04 120 SCT:04 300	10.00		91	32.8	74	23.3	66	18.9	44	10	200		29.80	5	+0.03	29.99	FM-15	0.00	29.98
31	1654	7	SCT:04 60 SCT:04 120 SCT:04 300	10.00		92	33.3	74	23.3	65	18.3	41	13	240		29.81			29.99	FM-15	0.00	29.99
31	1733	7	BKN:07 65 BKN:07 120 OVC:08 300	10.00	TS:7 TS TS	81	27.2	68	20.0	60	15.6	49	28	320	44	29.86				FM-16		30.04
31	1740	7	BKN:07 65 BKN:07 100 OVC:08 120	1.50	TS:7 +RA:02 RA TS TS RA	76	24.4	68	20.0	64	17.8	67	28	310	39	29.87				FM-16	T	30.05
31	1742	7	BKN:07 65 BKN:07 100 OVC:08 120	0.75	TS:7 +RA:02 RA TS TS RA	73	22.8	69	20.6	66	18.9	79	29	310	39	29.87				FM-16	T	30.05
31	1754	7	SCT:04 20 BKN:07 65 OVC:08 100	0.75	TS:7 +RA:02 RA TS TS RA	72	22.2	68	20.0	66	18.9	82	21	330	38	29.87			30.06	FM-15	0.46	30.05
31	1806	7	SCT:04 24 BKN:07 60 BKN:07 120	6.00	TS:7 HZ:7 FU TS TS HZ	73	22.8	69	20.6	66	18.9	79	14	330		29.87				FM-16	0.09	30.05
31	1826	7	FEW:02s 32s BKN:07s 70s	10.00		74	23.3	69	20.6	67	19.4	79	9	330		29.87				FM-16	0.09	30.05
31	1854	7	SCT:04 65 BKN:07 85 BKN:07 110	10.00		73	22.8	70	21.1	68	20.0	84	8	350		29.88	3	-0.08	30.07	FM-15	T	30.06
31	1900	4	57	9.94		73	22.8	70	21.1	68	20.0	84	8	350		29.88	3	-0.08	30.07	FM-12		

31	1954	7	FEW:02 65 SCT:04 110 BKN:07 200	10.00		71	21.7	69	20.6	68	20.0	90	3	090		29.87			30.06	FM-15	0.00	30.05
31	2054	7	FEW:02 65 SCT:04 110 OVC:08 250	10.00		73	22.8	70	21.1	68	20.0	84	6	260		29.88			30.07	FM-15	0.00	30.06
31	2154	7	SCT:04 120 OVC:08 250	10.00		71	21.7	69	20.6	68	20.0	90	0	000		29.90	3	-0.02	30.09	FM-15	0.00	30.08
31	2254	7	BKN:07 160 OVC:08 250	10.00		72	22.2	70	21.1	69	20.6	91	3	060		29.90			30.09	FM-15	0.00	30.08
31	2354	7	BKN:07 150 OVC:08 250	10.00		72	22.2	69	20.6	68	20.0	87	3	320		29.90			30.09	FM-15	0.00	30.08

Local Climatological Data Hourly Precipitation July 2019

Generated on 08/23/2019

Date	For Hour (LST) Ending at																					Date			
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID
01																									01
02																									02
03																				0.66	0.03				03
04																		1.86	0.05	0.04	0.09	0.01			04
05																									05
06													0.06	T											06
07																		T	1.22	0.23	0.10	0.08	0.02	0.01	07
08												0.02	T	0.03				T							08
09																									09
10																									10
11																		0.19	0.23	0.10	0.01	T	T		11
12																		T							12
13																									13
14																									14
15																									15
16															T									T	16
17	T																			T		0.02			17
18																		0.05	0.18	0.02	0.02				18
19														T											19
20																									20
21																									21
22																					0.01	T	T	T	22
23	0.01	T	T		0.03	0.04	T	T	T	0.03s	T	0.02	0.04	0.03	0.07	0.02	0.08	0.05	T					23	
24																								T	24
25	T																								25
26																									26
27																									27
28																									28
29																									29
30																									30
31																		0.46	T						31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.35	0.63	0.85	1.06	1.54	1.84	1.89	1.90	1.90	1.92	1.94	2.01
Ending Date Time (yyyy-mm-dd hh:mi)	2019-07-04 17:16	2019-07-04 17:20	2019-07-04 17:25	2019-07-04 17:30	2019-07-04 17:41	2019-07-04 17:52	2019-07-04 18:08	2019-07-04 18:17	2019-07-04 18:17	2019-07-04 19:06	2019-07-04 19:31	2019-07-04 20:08

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing