

Local Climatological Data
Daily Summary
October 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 11/09/2019

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH									
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees							
																					Peak Speed	Peak Dir	Sust. Speed	Sust. Dir				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
01	88	69	79	13.8				0	14	0605	1753		0.00	0.0	0	29.93		5.1	15	220	12	220						
02	98*	69	84	19.2				0	19	0605	1751		0.00	0.0	0	29.75		5.9	24	280	14	250						
03	97	69	83	18.6				0	18	0606	1750	BR	0.00	0.0	0	29.75		5.1	19	090	15	090						
04	83	59	71	7.0				0	6	0607	1748	FG BR	0.00	0.0	0	29.85		10.1	27	020	22	030						
05	71	50	61	-2.6				4	0	0608	1747		0.00	0.0	0	30.14		9.0	22	020	16	010						
06	76	62	69	5.8				0	4	0609	1745		T	0.0	0	30.09		4.6	16	170	12	170						
07	85	60	73	10.1				0	8	0610	1744		T	0.0	0	29.95		7.6	24	210	18	360						
08	67	59	63	0.5				2	0	0611	1742	RA DZ BR	0.38	0.0	0	29.94		12.7	31	020	20	010						
09	68	56	62	-0.1				3	0	0612	1741	DZ	T	0.0	0	29.99		9.7	20s	360s	17	010						
10	76	56	66	4.2				0	1	0613	1740		0.00	0.0	0	30.01		8.7	22	010	17	030						
11	76	51	64	2.6				1	0	0614	1738		0.00	0.0	0	29.91		7.8	22	350	17	360						
12	80	47	64	2.9				1	0	0614	1737		0.00	0.0	0	29.82		4.4	13	150	9	040						
13	70	56	63	2.2				2	0	0615	1735	RA BR	0.33	0.0	0	29.86		5.6	17	030	14	040						
14	74	50	62	1.6				3	0	0616	1734	RA BR	0.01	0.0	0	29.83		3.2	8	290	8	290						
15	76	48	62	1.9				3	0	0617	1732		0.00	0.0	0	29.92		6.0	17	070	13	150						
16	64	50	57	-2.8				8	0	0618	1731	RA FG BR	1.30	0.0	0	29.57		9.2	39	250	28	250						
17	64	48	56	-3.5				9	0	0619	1730		0.00	0.0	0	29.54		11.9	29	280	24	280						
18	66	37*	52	-7.1				13	0	0620	1728		0.00	0.0	0	29.79		5.2	26	330	20	330						
19	67	38	53	-5.8				12	0	0621	1727		0.00	0.0	0	29.89		2.6	14	190	10	200						
20	62	55	59	0.5				6	0	0622	1726	RA DZ BR	1.59	0.0	0	29.65		13.5	32	340	24	360						
21	61	54	58	-0.2				7	0	0623	1724	DZ BR	T	0.0	0	29.87		6.9	20	350	15	350						
22	68	57	63	5.0				2	0	0624	1723	RA DZ BR	0.07	0.0	0	29.75		8.5	21	120	16	130						
23	69	45	57	-0.7				8	0	0625	1722	BR	0.00	0.0	0	29.86		5.3	17	280	14	290						
24	71	41	56	-1.4				9	0	0626	1721		0.00	0.0	0	30.11		3.0	18	150	14	170						
25	69	48	59	1.9				6	0	0627	1719		0.00	0.0	0	30.08		1.6	11	200	9	220						
26	74	56	65	8.2				0	0	0628	1718	RA BR	T	0.0	0	29.98		5.8	20	100	15	120						
27	83	60	72	15.5				0	7	0629	1717	RA BR	0.21	0.0	0	29.70		10.6	30	200	24	190						
28	71	52	62	5.7				3	0	0630	1716		0.00	0.0	0	29.93		6.6	21	040	17	050						
29	70	51	61	5.0				4	0	0631	1715		0.00	0.0	0	30.05		2.4	11	080	8	080						
30	66	56	61	5.3				4	0	0632	1713	RA BR	0.11	0.0	0	30.03		5.5	20	100	14	140						
31	82	56	69	13.6				0	4	0633	1712	TS RA BR	0.66	0.0	0	29.67		16.5	50s	240s	39	260						
	73.9	53.7	63.8										4.67s			29.88	30.07	7.2										
	2.9	5.4	4.1										1.69s															
	Degree Days											Number of days with...																
	Monthly				Season-to-date				Temperature				Precipitation			Snow		Weather										
	Total		Departure		Total		Departure		Max		Min																	
Heating	115		-89		117				>=90°		<=32°		<=32°			<=0°		>=0.01"			>=0.1"		>=1"		T-Storms		Heavy Fog	
Cooling	79		40		2007				2		0		0			0		9			6s		0					
	Date of 5-sec to 3-sec wind equipment change							Sea Level Pressure							Greatest...													
	N/A							Maximum		30.40		Date		05		Time		0902		Precip		1.59		Snowfall		Snow Depth		
								Minimum		29.53				16		1605												
															Date													
															20-20													
	Station Augmentation																											
	Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																											

Local Climatological Data
Hourly Observations
October 2019

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 11/09/2019

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	OVC:08 34	10.00		69	20.6	65	18.3	62	16.7	78	3	160		29.98	6	+0.04	30.17	FM-15	0.00	30.16
01	0100	4	41	9.94		69	20.6	65	18.3	62	16.7	78	3	160		29.98	6	+0.04	30.17	FM-12		
01	0154	7	OVC:08 36	10.00		69	20.6	65	18.3	62	16.7	78	0	000		29.97			30.16	FM-15	0.00	30.15
01	0254	7	OVC:08 35	10.00		69	20.6	65	18.3	62	16.7	78	3	160		29.97			30.16	FM-15	0.00	30.15
01	0354	7	OVC:08 35	10.00		70	21.1	65	18.3	62	16.7	76	3	240		29.97	5	+0.01	30.16	FM-15	0.00	30.15
01	0454	7	OVC:08 37	10.00		70	21.1	65	18.3	62	16.7	76	0	000		29.98			30.16	FM-15	0.00	30.16
01	0554	7	OVC:08 39	10.00		70	21.1	65	18.3	61	16.1	73	0	000		29.98			30.17	FM-15	0.00	30.16
01	0654	7	OVC:08 39	10.00		70	21.1	66	18.9	63	17.2	79	3	130		29.98	1	-0.01	30.17	FM-15	0.00	30.16
01	0700	4	41	9.94		70	21.1	66	18.9	63	17.2	79	3	130		29.98	1	-0.01	30.17	FM-12		
01	0754	7	BKN:07 41	10.00		71	21.7	65	18.3	61	16.1	71	3	150		29.98			30.17	FM-15	0.00	30.16
01	0854	7	SCT:04 37 BKN:07 300	10.00		74	23.3	66	18.9	61	16.1	64	7	200		29.98			30.16	FM-15	0.00	30.16
01	0954	7	FEW:02 38 BKN:07 300	10.00		79	26.1	67	19.4	60	15.6	52	6	250		29.97	8	+0.01	30.16	FM-15	0.00	30.15
01	1054	7	SCT:04 300	10.00		82	27.8	69	20.6	61	16.1	49	7	250		29.95			30.14	FM-15	0.00	30.13
01	1154	7	FEW:02 300	10.00		84	28.9	70	21.1	63	17.2	49	7	200		29.93			30.12	FM-15	0.00	30.11
01	1254	7	FEW:02 50 FEW:02 300	10.00		85	29.4	71	21.7	63	17.2	48	7	230		29.90	8	+0.07	30.09	FM-15	0.00	30.08
01	1300	4	57	9.94		85	29.4	71	21.7	63	17.2	48	7	230		29.90	8	+0.07	30.09	FM-12		
01	1354	7	FEW:02 300	10.00		87	30.6	72	22.2	64	17.8	46	7	200		29.88			30.07	FM-15	0.00	30.06
01	1454	7	FEW:02 48	10.00		88	31.1	73	22.8	65	18.3	46	8	190		29.86			30.04	FM-15	0.00	30.04
01	1554	7	FEW:02 48	10.00		88	31.1	73	22.8	65	18.3	46	8	190		29.84	6	+0.06	30.03	FM-15	0.00	30.02
01	1654	7	CLR:00	10.00		86	30.0	73	22.8	66	18.9	51	8	170		29.84			30.03	FM-15	0.00	30.02
01	1754	7	FEW:02 300	10.00		83	28.3	72	22.2	66	18.9	57	7	160		29.84			30.03	FM-15	0.00	30.02
01	1854	7	FEW:02 300	10.00		78	25.6	71	21.7	67	19.4	69	6	170		29.84	5	0.00	30.03	FM-15	0.00	30.02
01	1900	4		9.94		78	25.6	71	21.7	67	19.4	69	6	170		29.84	5	0.00	30.03	FM-12		
01	1954	7	CLR:00	10.00		76	24.4	70	21.1	67	19.4	74	6	160		29.84			30.03	FM-15	0.00	30.02
01	2054	7	CLR:00	10.00		75	23.9	70	21.1	67	19.4	76	5	170		29.84			30.03	FM-15	0.00	30.02
01	2154	7	FEW:02 300	10.00		74	23.3	69	20.6	66	18.9	76	6	190		29.84	1	0.00	30.03	FM-15	0.00	30.02
01	2254	7	BKN:07 80 BKN:07 300	10.00		74	23.3	69	20.6	66	18.9	76	6	200		29.83			30.02	FM-15	0.00	30.01
01	2354	7	BKN:07 80 BKN:07 300	10.00		74	23.3	69	20.6	66	18.9	76	7	190		29.81			30.00	FM-15	0.00	29.99
02	0054	7	FEW:02 80 SCT:04 300	10.00		73	22.8	69	20.6	66	18.9	79	8	190		29.80	7	+0.04	29.99	FM-15	0.00	29.98
02	0100	4	74	9.94		73	22.8	69	20.6	66	18.9	79	8	190		29.80	7	+0.04	29.99	FM-12		
02	0154	7	SCT:04 300	10.00		72	22.2	68	20.0	66	18.9	82	7	200		29.79			29.97	FM-15	0.00	29.97
02	0254	7	SCT:04 300	10.00		71	21.7	68	20.0	66	18.9	84	6	200		29.78			29.97	FM-15	0.00	29.96
02	0354	7	SCT:04 300	10.00		70	21.1	67	19.4	66	18.9	87	7	200		29.78	6	+0.02	29.97	FM-15	0.00	29.96
02	0454	7	FEW:02 300	10.00		70	21.1	67	19.4	66	18.9	87	7	200		29.79			29.98	FM-15	0.00	29.97
02	0554	7	FEW:02 300	10.00		69	20.6	67	19.4	66	18.9	90	7	190		29.80			29.98	FM-15	0.00	29.98
02	0654	7	SCT:04 85 BKN:07 300	10.00		72	22.2	69	20.6	67	19.4	84	6	200		29.80	1	-0.02	29.99	FM-15	0.00	29.98
02	0700	4		9.94		72	22.2	69	20.6	67	19.4	84	6	200		29.80	1	-0.02	29.99	FM-12		
02	0754	7	FEW:02 85 BKN:07 300	10.00		76	24.4	71	21.7	68	20.0	77	9	220		29.80			29.99	FM-15	0.00	29.98
02	0854	7	FEW:02 85 BKN:07 300	10.00		80	26.7	73	22.8	70	21.1	71	7	250		29.80			29.99	FM-15	0.00	29.98
02	0954	7	SCT:04 300	10.00		86	30.0	75	23.9	70	21.1	59	6	240		29.78	8	+0.02	29.96	FM-15	0.00	29.96

02	1054	6	SCT:04 300	10.00		88	31.1	75	23.9	69	20.6	54	6	270		29.76			29.95	FM-15	0.00	29.94
02	1154	6	SCT:04 300	10.00		93	33.9	74	23.3	64	17.8	38	6	270		29.75			29.93	FM-15	0.00	29.93
02	1254	6	SCT:04 45 BKN:07 300	10.00		97	36.1	72	22.2	59	15.0	28	10	280	24	29.72	8	+0.06	29.91	FM-15	0.00	29.90
02	1354	7	SCT:04 80 BKN:07 300	10.00		96	35.6	71	21.7	58	14.4	28	9	310		29.70			29.89	FM-15	0.00	29.88
02	1454	7	FEW:02 75 SCT:04 150 BKN:07 300	10.00		95	35.0	72	22.2	59	15.0	30	6	340		29.69			29.88	FM-15	0.00	29.87
02	1554	7	FEW:02 75 SCT:04 150 BKN:07 300	10.00		94	34.4	72	22.2	60	15.6	32	7	260		29.67	6	+0.05	29.86	FM-15	0.00	29.85
02	1654	7	FEW:02 150 SCT:04 300	10.00		94	34.4	71	21.7	58	14.4	30	9	260		29.67			29.86	FM-15	0.00	29.85
02	1754	7	FEW:02 200 SCT:04 300	10.00		92	33.3	72	22.2	62	16.7	37	6	290		29.68			29.86	FM-15	0.00	29.86
02	1854	7	FEW:02 220 SCT:04 300	10.00		85	29.4	71	21.7	63	17.2	48	3	160		29.70	3	-0.02	29.88	FM-15	0.00	29.88
02	1900	4		9.94		85	29.4	71	21.7	63	17.2	48	3	160		29.70	3	-0.02	29.88	FM-12		
02	1954	7	SCT:04 300	10.00		87	30.6	72	22.2	64	17.8	46	5	250		29.71			29.90	FM-15	0.00	29.89
02	2054	7	FEW:02 300	10.00		79	26.1	70	21.1	65	18.3	62	3	200		29.72			29.91	FM-15	0.00	29.90
02	2154	7	FEW:02 300	10.00		78	25.6	70	21.1	65	18.3	64	0	000		29.73	1	-0.04	29.92	FM-15	0.00	29.91
02	2254	7	CLR:00	10.00		75	23.9	69	20.6	65	18.3	71	0	000		29.73			29.92	FM-15	0.00	29.91
02	2354	7	CLR:00	10.00		73	22.8	68	20.0	65	18.3	76	3	170		29.72			29.91	FM-15	0.00	29.90
03	0054	7	CLR:00	10.00		73	22.8	68	20.0	65	18.3	76	5	230		29.72	5	+0.01	29.91	FM-15	0.00	29.90
03	0100	4		9.94		73	22.8	68	20.0	65	18.3	76	5	230		29.72	5	+0.01	29.91	FM-12		
03	0154	7	CLR:00	10.00		74	23.3	68	20.0	65	18.3	74	0	000		29.72			29.90	FM-15	0.00	29.90
03	0254	7	CLR:00	10.00		70	21.1	66	18.9	64	17.8	82	5	200		29.72			29.91	FM-15	0.00	29.90
03	0354	7	CLR:00	10.00		70	21.1	66	18.9	64	17.8	82	3	190		29.73	3	-0.01	29.92	FM-15	0.00	29.91
03	0454	7	CLR:00	10.00		69	20.6	66	18.9	65	18.3	87	5	160		29.75			29.94	FM-15	0.00	29.93
03	0554	7	FEW:02 110 FEW:02 300	10.00		70	21.1	66	18.9	64	17.8	82	0	000		29.77			29.95	FM-15	0.00	29.95
03	0654	7	FEW:02 60 FEW:02 100 FEW:02 300	10.00		73	22.8	69	20.6	66	18.9	79	0	000		29.79	3	-0.06	29.98	FM-15	0.00	29.97
03	0700	4	57	9.94		73	22.8	69	20.6	66	18.9	79	0	000		29.79	3	-0.06	29.98	FM-12		
03	0754	7	FEW:02 95 FEW:02 300	10.00		80	26.7	71	21.7	67	19.4	64	3	010		29.80			29.98	FM-15	0.00	29.98
03	0854	7	FEW:02 95 FEW:02 300	10.00		85	29.4	73	22.8	67	19.4	55	0	000		29.80			29.98	FM-15	0.00	29.98
03	0954	7	FEW:02 95 FEW:02 300	10.00		90	32.2	74	23.3	66	18.9	45	7	340		29.79	8	0.00	29.98	FM-15	0.00	29.97
03	1054	7	FEW:02 95 FEW:02 300	10.00		93	33.9	75	23.9	66	18.9	41	0	000		29.78			29.97	FM-15	0.00	29.96
03	1154	7	FEW:02 60 FEW:02 300	10.00		94	34.4	76	24.4	68	20.0	43	7	VRB		29.77			29.96	FM-15	0.00	29.95
03	1254	7	FEW:02 60 SCT:04 300	10.00		96	35.6	76	24.4	67	19.4	39	8	060		29.75	8	+0.04	29.93	FM-15	0.00	29.93
03	1300	4	57	9.94		96s	96ss	76	24.4	67s	67ss	39	8	060		29.75	8	+0.04	29.93	FM-12		
03	1354	7	FEW:02 60 SCT:04 300	10.00		96	35.6	76	24.4	67	19.4	39	6	120		29.73			29.92	FM-15	0.00	29.91
03	1454	7	SCT:04 75	10.00		94	34.4	75	23.9	67	19.4	41	7	060		29.72			29.91	FM-15	0.00	29.90
03	1554	7	SCT:04 80	10.00		91	32.8	78	25.6	72	22.2	54	13	090		29.72	6	+0.02	29.91	FM-15	0.00	29.90
03	1654	7	FEW:02 80	10.00		88	31.1	77	25.0	72	22.2	59	14	090		29.73			29.91	FM-15	0.00	29.91
03	1754	7	FEW:02 80 SCT:04 300	10.00		82	27.8	75	23.9	72	22.2	72	11	110		29.74			29.93	FM-15	0.00	29.92
03	1854	7	FEW:02 300	10.00		79	26.1	74	23.3	72	22.2	79	9	120		29.75	3	-0.03	29.94	FM-15	0.00	29.93
03	1900	4		9.94		79	26.1	74	23.3	72	22.2	79	9	120		29.75	3	-0.03	29.94	FM-12		
03	1954	7	CLR:00	10.00		76	24.4	73	22.8	71	21.7	85	6	120		29.77			29.96	FM-15	0.00	29.95
03	2054	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	6	140		29.77			29.95	FM-15	0.00	29.95

03	2154	7	FEW:02 100 FEW:02 300	8.00		73	22.8	72	22.2	71	21.7	94	6	140		29.76	0	-0.01	29.95	FM-15	0.00	29.94
03	2238	7	FEW:02 6 SCT:04 95	7.00		73	22.8	72	22.2	71	21.7	94	3	110		29.76				FM-16		29.94
03	2254	7	SCT:04 7 SCT:04 95	6.00	BR:1	73	22.8	72	22.2	71	21.7	94	0	000		29.77			29.95	FM-15	0.00	29.95
03	2317	7	SCT:04 7 BKN:07 9	7.00		73	22.8	72	22.2	72	22.2	96	0	000		29.76				FM-16		29.94
03	2354	7	OVC:08 6	7.00		72	22.2	71	21.7	71	21.7	97	3	110		29.76			29.94	FM-15	0.00	29.94
04	0021	7	FEW:02 6 SCT:04 90 BKN:07 250	6.00	BR:1	72	22.2	71	21.7	71	21.7	97	6	140		29.74				FM-16		29.92
04	0054	7	FEW:02 6 FEW:02 90 SCT:04 250	5.00	BR:1	72	22.2	71	21.7	71	21.7	97	5	140		29.74	8	+0.02	29.93	FM-15	0.00	29.92
04	0100	4	5	4.97		72	22.2	71	21.7	71	21.7	97	5	140		29.74	8	+0.02	29.93	FM-12		
04	0130	7	BKN:07 4 BKN:07 90 OVC:08 250	5.00	BR:1	71	21.7	70	21.1	70	21.1	96	0	000		29.73				FM-16		29.91
04	0152	6	SCT:04 4 SCT:04 90 BKN:07 250	4.00	BR:1	72	22.2	71	21.7	70	21.1	94	0	000		29.73				FM-16		29.91
04	0154	7	SCT:04 4 SCT:04 90 BKN:07 250	4.00	BR:1	72	22.2	71	21.7	70	21.1	94	0	000		29.73			29.92	FM-15	0.00	29.91
04	0223	7	SCT:04 4 SCT:04 90 BKN:07 250	2.50	BR:1	71	21.7	70	21.1	70	21.1	96	3	240		29.73				FM-16		29.91
04	0226	7	SCT:04 4 SCT:04 90 BKN:07 250	2.00	BR:1	71	21.7	70	21.1	70	21.1	96	3	200		29.73				FM-16		29.91
04	0236	7	BKN:07 4 BKN:07 250	0.25	FG:2 FG	71	21.7	70	21.1	70	21.1	96	0	000		29.73				FM-16		29.91
04	0254	6	BKN:07 3 BKN:07 250	0.50	FG:2 FG	71	21.7	70	21.1	70	21.1	96	0	000		29.73			29.91	FM-15	0.00	29.91
04	0354	7	VV:09 2	0.25	FG:2 FG	71	21.7	70	21.1	70	21.1	96	0	000		29.74	3	0.00	29.93	FM-15	0.00	29.92
04	0419	7	VV:09 2	0.50	FG:2 FG	70	21.1	70	21.1	70	21.1	100	9	360		29.76				FM-16		29.94
04	0430	7	OVC:08 2	3.00	BR:1	71	21.7	71	21.7	71	21.7	100	11	360		29.77				FM-16		29.95
04	0454	7	OVC:08 3	3.00	BR:1	71	21.7	71	21.7	71	21.7	100	8	360		29.78			29.96	FM-15	0.00	29.96
04	0552	6	BKN:07 6 BKN:07 250	6.00	BR:1	72	22.2	72	22.2	72	22.2	100	8	360		29.79				FM-16		29.97
04	0554	6	BKN:07 6 BKN:07 250	6.00	BR:1	72	22.2	71	21.7	71	21.7	97	9	010		29.79			29.98	FM-15	0.00	29.97
04	0612	7	SCT:04 6 BKN:07 250	5.00	BR:1	72	22.2	71	21.7	71	21.7	97	8	360		29.81				FM-16		29.99
04	0632	7	FEW:02 7 BKN:07 16 BKN:07 250	5.00	BR:1	72	22.2	71	21.7	71	21.7	97	8	010		29.82				FM-16		30.00
04	0654	7	BKN:07 16 BKN:07 250	6.00	BR:1	73	22.8	72	22.2	71	21.7	94	9	010		29.83	1	-0.09	30.02	FM-15	0.00	30.01
04	0707	7	BKN:07 13	6.00	BR:1	73	22.8	71	21.7	70	21.1	90	10	020		29.83				FM-16		30.01
04	0742	6	BKN:07 15	10.00		74	23.3	71	21.7	70	21.1	88	13	020		29.85				FM-16		30.03
04	0754	7	BKN:07 17	10.00		74	23.3	71	21.7	69	20.6	85	11	020		29.86			30.05	FM-15	0.00	30.04
04	0854	7	BKN:07 27	10.00		77	25.0	68	20.0	63	17.2	62	15	030	24	29.88			30.07	FM-15	0.00	30.06
04	0909	7	SCT:04 30	10.00		78	25.6	67	19.4	61	16.1	56	22	030		29.88				FM-16		30.06
04	0954	7	FEW:02 38	10.00		79	26.1	67	19.4	60	15.6	52	13	030		29.89	1	-0.06	30.08	FM-15	0.00	30.07
04	1054	7	FEW:02 45	10.00		80	26.7	67	19.4	59	15.0	49	17	360	25	29.89			30.08	FM-15	0.00	30.07
04	1154	7	SCT:04 48	10.00		82	27.8	67	19.4	58	14.4	44	15	360		29.90			30.09	FM-15	0.00	30.08
04	1254	7	SCT:04 55	10.00		81	27.2	66	18.9	56	13.3	42	14	360	21	29.89	0	0.00	30.08	FM-15	0.00	30.07
04	1300	4	57	9.94		81	27.2	66	18.9	56	13.3	42	14	360		29.89	9	0.00	30.08	FM-12		
04	1354	7	FEW:02 55	10.00		82	27.8	66	18.9	55	12.8	40	18	010	22	29.89			30.08	FM-15	0.00	30.07
04	1454	7	FEW:02 55	10.00		81	27.2	64	17.8	52	11.1	37	11	020		29.89			30.08	FM-15	0.00	30.07

04	1554	7	FEW:02 55	10.00		80	26.7	63	17.2	51	10.6	37	16	020		29.90	3	-0.01	30.09	FM-15	0.00	30.08
04	1654	7	FEW:02 55	10.00		77	25.0	62	16.7	51	10.6	40	13	020		29.93			30.11	FM-15	0.00	30.11
04	1754	7	FEW:02 65 FEW:02 300	10.00		73	22.8	59	15.0	47	8.3	40	9	020		29.94			30.13	FM-15	0.00	30.12
04	1854	7	FEW:02 65	10.00		69	20.6	57	13.9	48	8.9	47	8	020		29.96	1	-0.06	30.15	FM-15	0.00	30.14
04	1900	4	57	9.94		69	20.6	57	13.9	48	8.9	47	8	020		29.96	1	-0.06	30.15	FM-12		
04	1954	7	CLR:00	10.00		67	19.4	58	14.4	51	10.6	57	7	060		30.00			30.19	FM-15	0.00	30.18
04	2054	7	FEW:02 300	10.00		65	18.3	58	14.4	52	11.1	63	9	050		30.02			30.21	FM-15	0.00	30.20
04	2154	7	CLR:00	10.00		64	17.8	57	13.9	52	11.1	65	11	040		30.05	3	-0.09	30.24	FM-15	0.00	30.23
04	2254	7	CLR:00	10.00		62	16.7	55	12.8	48	8.9	60	13	040		30.08			30.27	FM-15	0.00	30.26
04	2354	7	CLR:00	10.00		59	15.0	53	11.7	47	8.3	64	10	040	22	30.10			30.29	FM-15	0.00	30.28
05	0054	7	CLR:00	10.00		57	13.9	51	10.6	45	7.2	64	11	040		30.12	1	-0.07	30.31	FM-15	0.00	30.30
05	0100	4		9.94		57	13.9	51	10.6	45	7.2	64	11	040		30.12	1	-0.07	30.31	FM-12		
05	0154	7	CLR:00	10.00		55	12.8	50	10.0	44	6.7	67	9	030		30.13			30.32	FM-15	0.00	30.31
05	0254	7	CLR:00	10.00		53	11.7	48	8.9	43	6.1	69	8	020		30.14			30.33	FM-15	0.00	30.32
05	0354	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	8	010		30.15	1	-0.02	30.34	FM-15	0.00	30.33
05	0454	7	BKN:07 27	10.00		51	10.6	48	8.9	45	7.2	80	8	350		30.16			30.35	FM-15	0.00	30.34
05	0554	7	BKN:07 30	10.00		51	10.6	47	8.3	43	6.1	74	9	360		30.17			30.36	FM-15	0.00	30.35
05	0654	7	FEW:02 30 BKN:07 250	10.00		51	10.6	47	8.3	43	6.1	74	14	010		30.18	1	-0.03	30.37	FM-15	0.00	30.36
05	0700	4	26	9.94		51	10.6	47	8.3	43	6.1	74	14	010		30.18	1	-0.03	30.37	FM-12		
05	0754	7	FEW:02 30 BKN:07 250	10.00		55	12.8	50	10.0	45	7.2	69	13	020		30.19			30.39	FM-15	0.00	30.37
05	0854	7	FEW:02 35 BKN:07 300	10.00		57	13.9	51	10.6	46	7.8	67	14	020		30.20			30.39	FM-15	0.00	30.38
05	0954	7	SCT:04 41 SCT:04 150 BKN:07 300	10.00		61	16.1	54	12.2	48	8.9	63	11	060		30.20	0	-0.02	30.39	FM-15	0.00	30.38
05	1054	7	FEW:02 32 SCT:04 45 BKN:07 300	10.00		66	18.9	57	13.9	50	10.0	56	6	VRB		30.19			30.38	FM-15	0.00	30.37
05	1154	7	BKN:07 38	10.00		67	19.4	58	14.4	50	10.0	55	9	080		30.17			30.36	FM-15	0.00	30.35
05	1254	7	BKN:07 41	10.00		68	20.0	58	14.4	50	10.0	53	11	050		30.14	8	+0.05	30.34	FM-15	0.00	30.32
05	1300	4	41	9.94		68	20.0	58	14.4	50	10.0	53	11	050		30.14	8	+0.05	30.34	FM-12		
05	1354	7	SCT:04 38 OVC:08 50	10.00		69	20.6	58	14.4	50	10.0	51	10	110		30.12			30.32	FM-15	0.00	30.30
05	1454	7	SCT:04 42 BKN:07 50	10.00		68	20.0	59	15.0	51	10.6	55	13	110	17	30.12			30.31	FM-15	0.00	30.30
05	1554	7	FEW:02 44 SCT:04 300	10.00		68	20.0	59	15.0	51	10.6	55	10	090		30.10	6	+0.04	30.30	FM-15	0.00	30.28
05	1654	7	FEW:02 40 BKN:07 55	10.00		66	18.9	58	14.4	52	11.1	61	9	110		30.11			30.30	FM-15	0.00	30.29
05	1754	7	BKN:07 45 OVC:08 60	10.00		65	18.3	58	14.4	52	11.1	63	9	110		30.11			30.30	FM-15	0.00	30.29
05	1854	7	FEW:02 45 OVC:08 65	10.00		64	17.8	58	14.4	54	12.2	70	7	100		30.12	3	-0.01	30.31	FM-15	0.00	30.30
05	1900	4	41	9.94		64	17.8	58	14.4	54	12.2	70	7	100		30.12	3	-0.01	30.31	FM-12		
05	1954	7	BKN:07 33 OVC:08 65	10.00		64	17.8	58	14.4	54	12.2	70	9	110		30.13			30.32	FM-15	0.00	30.31
05	2054	7	FEW:02 29 OVC:08 65	10.00		63	17.2	58	14.4	54	12.2	73	7	120		30.13			30.32	FM-15	0.00	30.31
05	2154	7	FEW:02 27 BKN:07 50 OVC:08 70	10.00		63	17.2	58	14.4	54	12.2	73	7	090		30.12	0	0.00	30.31	FM-15	0.00	30.30
05	2254	7	FEW:02 25 OVC:08 60	10.00		63	17.2	58	14.4	55	12.8	75	5	120		30.12			30.31	FM-15	0.00	30.30
05	2354	7	OVC:08 60	10.00		63	17.2	58	14.4	55	12.8	75	0	000		30.11			30.30	FM-15	0.00	30.29
06	0054	7	OVC:08 60	10.00		63	17.2	58	14.4	55	12.8	75	5	090		30.10	8	+0.02	30.29	FM-15	0.00	30.28
06	0100	4	57	9.94		63	17.2	58	14.4	55	12.8	75	5	090		30.10	8	+0.02	30.29	FM-12		
06	0154	7	OVC:08 65	10.00		63	17.2	59	15.0	56	13.3	78	0	000		30.09			30.28	FM-15	0.00	30.27

06	0254	7	BKN:07 55 OVC:08 70	10.00		63	17.2	59	15.0	56	13.3	78	0	000		30.08			30.27	FM-15	0.00	30.26
06	0354	7	OVC:08 55	10.00		63	17.2	60	15.6	57	13.9	81	3	350		30.07	6	+0.03	30.26	FM-15	0.00	30.25
06	0454	7	OVC:08 55	10.00		63	17.2	60	15.6	57	13.9	81	0	000		30.09			30.27	FM-15	0.00	30.27
06	0554	7	OVC:08 50	10.00		63	17.2	60	15.6	57	13.9	81	0	000		30.09			30.28	FM-15	0.00	30.27
06	0654	7	OVC:08 50	10.00		64	17.8	61	16.1	58	14.4	81	0	000		30.10	1	-0.02	30.29	FM-15	0.00	30.28
06	0700	4	57	9.94		64	17.8	61	16.1	58	14.4	81	0	000		30.10	1	-0.02	30.29	FM-12		
06	0754	7	OVC:08 50	10.00		66	18.9	61	16.1	58	14.4	75	0	000		30.11			30.30	FM-15	0.00	30.29
06	0854	7	OVC:08 50	10.00		67	19.4	62	16.7	59	15.0	76	0	000		30.12			30.31	FM-15	0.00	30.30
06	0954	7	OVC:08 55	10.00		69	20.6	64	17.8	60	15.6	73	6	180		30.12	1	-0.02	30.31	FM-15	0.00	30.30
06	1054	7	OVC:08 55	10.00		71	21.7	65	18.3	61	16.1	71	7	190		30.12			30.31	FM-15	0.00	30.30
06	1154	7	BKN:07 55 BKN:07 70 OVC:08 90	10.00		72	22.2	66	18.9	62	16.7	71	5	180		30.11			30.30	FM-15	T	30.29
06	1254	7	BKN:07 55 OVC:08 70	10.00		73	22.8	66	18.9	61	16.1	66	7	200		30.09	8	+0.03	30.28	FM-15	0.00	30.27
06	1300	4	57	9.94		73	22.8	66	18.9	61	16.1	66	7	200		30.09	8	+0.03	30.28	FM-12		
06	1354	7	BKN:07 55 OVC:08 70	10.00		75	23.9	67	19.4	62	16.7	64	8	170		30.07			30.26	FM-15	0.00	30.25
06	1454	7	BKN:07 55 OVC:08 70	10.00		75	23.9	66	18.9	61	16.1	62	8	170		30.06			30.25	FM-15	0.00	30.24
06	1554	7	FEW:02 50 OVC:08 65	10.00		76	24.4	67	19.4	61	16.1	60	7	150		30.06	6	+0.04	30.25	FM-15	0.00	30.24
06	1654	7	OVC:08 65	10.00		75	23.9	66	18.9	61	16.1	62	5	160		30.06			30.24	FM-15	0.00	30.24
06	1754	7	SCT:04 50 OVC:08 65	10.00		73	22.8	66	18.9	61	16.1	66	5	140		30.05			30.24	FM-15	0.00	30.23
06	1854	7	SCT:04 50 BKN:07 75	10.00		71	21.7	65	18.3	62	16.7	73	6	120		30.05	6	+0.01	30.24	FM-15	0.00	30.23
06	1900	4	57	9.94		71	21.7	65	18.3	62	16.7	73	6	120		30.05	6	+0.01	30.24	FM-12		
06	1954	7	BKN:07 80	10.00		69	20.6	65	18.3	62	16.7	78	7	150		30.06			30.25	FM-15	0.00	30.24
06	2054	7	FEW:02 80	10.00		70	21.1	65	18.3	61	16.1	73	9	160		30.07			30.25	FM-15	0.00	30.25
06	2154	7	CLR:00	10.00		69	20.6	64	17.8	61	16.1	76	8	160		30.07	1	-0.01	30.26	FM-15	0.00	30.25
06	2254	7	BKN:07 80	10.00		69	20.6	64	17.8	61	16.1	76	8	160		30.05			30.24	FM-15	0.00	30.23
06	2354	7	BKN:07 75	10.00		69	20.6	64	17.8	61	16.1	76	9	170		30.04			30.23	FM-15	0.00	30.22
07	0054	7	FEW:02 75	10.00		67	19.4	63	17.2	61	16.1	81	8	160		30.03	6	+0.03	30.22	FM-15	0.00	30.21
07	0100	4	74	9.94		67	19.4	63	17.2	61	16.1	81	8	160		30.03	6	+0.03	30.22	FM-12		
07	0154	7	CLR:00	10.00		65	18.3	63	17.2	61	16.1	87	6	160		30.02			30.21	FM-15	0.00	30.20
07	0254	7	SCT:04 200	10.00		63	17.2	61	16.1	60	15.6	90	3	170		30.00			30.19	FM-15	0.00	30.18
07	0354	7	BKN:07 210	10.00		63	17.2	61	16.1	60	15.6	90	5	170		30.00	6	+0.03	30.19	FM-15	0.00	30.18
07	0454	7	FEW:02 210	10.00		65	18.3	62	16.7	60	15.6	84	5	160		30.00			30.19	FM-15	0.00	30.18
07	0554	7	SCT:04 200	10.00		60	15.6	59	15.0	59	15.0	96	3	150		30.00			30.19	FM-15	0.00	30.18
07	0654	7	FEW:02 200 BKN:07 300	10.00		63	17.2	62	16.7	61	16.1	93	7	140		30.00	5	0.00	30.19	FM-15	0.00	30.18
07	0700	4		9.94		63	17.2	62	16.7	61	16.1	93	7	140		30.00	5	0.00	30.19	FM-12		
07	0754	7	BKN:07 220 OVC:08 300	10.00		69	20.6	65	18.3	63	17.2	81	9	150		30.00			30.19	FM-15	0.00	30.18
07	0854	7	FEW:02 70 BKN:07 220 OVC:08 300	10.00		73	22.8	67	19.4	64	17.8	74	8	170		30.00			30.19	FM-15	0.00	30.18
07	0954	7	FEW:02 65 SCT:04 220 OVC:08 300	10.00		77	25.0	68	20.0	63	17.2	62	11	170		29.98	8	+0.02	30.17	FM-15	0.00	30.16
07	1054	7	FEW:02 60 BKN:07 220 BKN:07 300	10.00		78	25.6	68	20.0	63	17.2	60	8	170		29.97			30.15	FM-15	0.00	30.15
07	1154	7	SCT:04 38 BKN:07 65 BKN:07 220	10.00		79	26.1	68	20.0	62	16.7	56	10	170		29.94			30.13	FM-15	0.00	30.12
07	1254	7	SCT:04 37 BKN:07 70 BKN:07 220	10.00		82	27.8	69	20.6	61	16.1	49	9	170		29.91	8	+0.07	30.10	FM-15	0.00	30.09

07	1300	4	41	9.94		82	27.8	69	20.6	61	16.1	49	9	170		29.91	8	+0.07	30.10	FM-12		
07	1354	7	FEW:02 45 BKN:07 75 BKN:07 220	10.00		82	27.8	68	20.0	60	15.6	47	8	180		29.89			30.08	FM-15	0.00	30.07
07	1454	7	SCT:04 50 BKN:07 75 BKN:07 220	10.00		83	28.3	68	20.0	60	15.6	46	11	150		29.87			30.06	FM-15	0.00	30.05
07	1554	7	SCT:04 50 SCT:04 75 BKN:07 240	10.00		81	27.2	68	20.0	61	16.1	51	9	150		29.85	6	+0.06	30.04	FM-15	0.00	30.03
07	1654	7	FEW:02 50 SCT:04 75 BKN:07 240	10.00		80	26.7	68	20.0	61	16.1	52	8	160		29.84			30.03	FM-15	0.00	30.02
07	1754	7	BKN:07 75	10.00		78	25.6	67	19.4	61	16.1	56	6	160		29.85			30.04	FM-15	0.00	30.03
07	1854	7	OVC:08 75	10.00		76	24.4	67	19.4	61	16.1	60	9	100		29.86	3	-0.01	30.05	FM-15	0.00	30.04
07	1900	4	74	9.94		76	24.4	67	19.4	61	16.1	60	9	100		29.86	3	-0.01	30.05	FM-12		
07	1954	7	OVC:08 70	10.00		75	23.9	68	20.0	64	17.8	69	6	120		29.89			30.08	FM-15	0.00	30.07
07	2054	7	FEW:02 50 OVC:08 90	10.00		73	22.8	68	20.0	65	18.3	76	6	110		29.90			30.09	FM-15	T	30.08
07	2154	7	SCT:04 55 BKN:07 80	10.00		72	22.2	68	20.0	65	18.3	79	6	130		29.90	1	-0.04	30.09	FM-15	0.00	30.08
07	2254	7	SCT:04 55 BKN:07 80	10.00		70	21.1	66	18.9	64	17.8	82	5	120		29.90			30.09	FM-15	0.00	30.08
07	2345	7	BKN:07 22 BKN:07 38 OVC:08 85	10.00		68	20.0	64	17.8	62	16.7	81	17	360		29.90				FM-16		30.08
07	2354	7	BKN:07 22 BKN:07 34 OVC:08 85	10.00		67	19.4	63	17.2	61	16.1	81	15	350		29.91			30.10	FM-15	0.00	30.09
08	0054	7	BKN:07 24 OVC:08 85	10.00	-RA:02 RA RA	65	18.3	62	16.7	60	15.6	84	13	010		29.91	3	-0.01	30.10	FM-15	T	30.09
08	0100	4	26	9.94	RA	65	18.3	62	16.7	60	15.6	84	13	010		29.91	3	-0.01	30.10	FM-12		
08	0152	6	BKN:07 24 OVC:08 29	1.75	+RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	94	10	030		29.91				FM-16		30.09
08	0154	7	BKN:07 24 OVC:08 29	1.50	+RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	9	030		29.91			30.10	FM-15	0.15	30.09
08	0216	7	SCT:04 26 OVC:08 33	3.00	RA:02 BR:1 RA RA	61	16.1	60	15.6	60	15.6	97	13	020		29.91				FM-16	0.17	30.09
08	0236	7	SCT:04 7 SCT:04 27 OVC:08 35	6.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	93	14	020	20	29.91				FM-16	0.18	30.09
08	0254	7	SCT:04 7 OVC:08 33	10.00		61	16.1	60	15.6	59	15.0	93	10	020		29.91			30.10	FM-15	0.16	30.09
08	0313	7	BKN:07 9 OVC:08 33	10.00		61	16.1	60	15.6	59	15.0	93	11	020		29.91				FM-16	0.01	30.09
08	0354	7	OVC:08 9	4.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	93	14	020		29.92	3	-0.01	30.11	FM-15	0.06	30.10
08	0454	7	BKN:07 9 OVC:08 14	10.00		60	15.6	59	15.0	59	15.0	96	18	010		29.93			30.12	FM-15	0.01	30.11
08	0513	7	OVC:08 11	10.00		60	15.6	59	15.0	58	14.4	93	17	010		29.93				FM-16		30.11
08	0541	7	OVC:08 9	5.00	-RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	16	010		29.94				FM-16	T	30.12
08	0554	7	BKN:07 7 OVC:08 11	7.00	-DZ:01 DZ DZ	60	15.6	59	15.0	58	14.4	93	18	010	24	29.94			30.13	FM-15	T	30.12
08	0654	7	OVC:08 7	6.00	-DZ:01 BR:1 DZ DZ	60	15.6	59	15.0	58	14.4	93	17	020	22	29.95	1	-0.02	30.14	FM-15	T	30.13
08	0700	4	8	5.59	DZ	60	15.6	59	15.0	58	14.4	93	17	020		29.95	1	-0.02	30.14	FM-12		
08	0754	7	OVC:08 6	9.00		60	15.6	59	15.0	58	14.4	93	11	010	31	29.96			30.15	FM-15	T	30.14
08	0854	7	OVC:08 5	7.00		59	15.0	58	14.4	58	14.4	96	14	010		29.96			30.15	FM-15	0.00	30.14
08	0954	7	OVC:08 7	10.00		60	15.6	59	15.0	58	14.4	93	14	010		29.97	1	-0.03	30.16	FM-15	0.00	30.15
08	1054	7	OVC:08 8	10.00		61	16.1	59	15.0	58	14.4	90	14	010		29.97			30.16	FM-15	0.00	30.15
08	1154	7	OVC:08 7	10.00	-DZ:01 DZ DZ	61	16.1	59	15.0	58	14.4	90	13	360		29.96			30.15	FM-15	T	30.14
08	1254	7	OVC:08 8	10.00	-DZ:01 DZ DZ	61	16.1	59	15.0	58	14.4	90	15	010	22	29.95	8	+0.02	30.14	FM-15	T	30.13
08	1300	4	8	9.94	DZ	61	16.1	59	15.0	58	14.4	90	15	010		29.95	8	+0.02	30.14	FM-12		
08	1354	7	OVC:08 9	10.00	-DZ:01 DZ DZ	61	16.1	59	15.0	58	14.4	90	13	360		29.94			30.13	FM-15	T	30.12

08	1420	7	OVC:08 12	10.00		61	16.1	59	15.0	58	14.4	90	13	010		29.94				FM-16	T	30.12
08	1435	7	OVC:08 16	10.00		62	16.7	60	15.6	58	14.4	86	11	020		29.93				FM-16	T	30.11
08	1454	7	OVC:08 19	10.00		62	16.7	59	15.0	57	13.9	84	13	020		29.93			30.12	FM-15	T	30.11
08	1554	7	FEW:02 10 OVC:08 23	10.00		63	17.2	59	15.0	56	13.3	78	14	010		29.94	5	+0.01	30.13	FM-15	0.00	30.12
08	1654	7	FEW:02 10 OVC:08 26	10.00		63	17.2	58	14.4	55	12.8	75	11	360		29.95			30.14	FM-15	0.00	30.13
08	1734	7	OVC:08 30	10.00		63	17.2	58	14.4	55	12.8	75	10	020		29.95				FM-16		30.13
08	1754	7	OVC:08 31	10.00		63	17.2	58	14.4	54	12.2	73	13	360		29.95			30.14	FM-15	0.00	30.13
08	1854	7	OVC:08 30	10.00		62	16.7	58	14.4	54	12.2	75	11	360		29.96	1	-0.02	30.15	FM-15	0.00	30.14
08	1900	4	26	9.94		62	16.7	58	14.4	54	12.2	75	11	360		29.96	1	-0.02	30.15	FM-12		
08	1946	7	OVC:08 29	10.00		62	16.7	57	13.9	53	11.7	73	10	360		29.97				FM-16		30.15
08	1954	7	OVC:08 29	10.00		62	16.7	57	13.9	53	11.7	73	13	360		29.97			30.16	FM-15	0.00	30.15
08	2026	7	OVC:08 30	10.00		62	16.7	56	13.3	52	11.1	70	13	360		29.97				FM-16		30.15
08	2054	7	SCT:04 34 OVC:08 60	10.00		62	16.7	56	13.3	51	10.6	67	10	360		29.97			30.16	FM-15	0.00	30.15
08	2154	7	FEW:02 48 BKN:07 70 OVC:08 95	10.00		62	16.7	55	12.8	49	9.4	62	9	020		29.97	1	-0.01	30.16	FM-15	0.00	30.15
08	2241	7	BKN:07 29 OVC:08 65	10.00		62	16.7	55	12.8	49	9.4	62	10	350		29.97				FM-16		30.15
08	2252	6	BKN:07 30 OVC:08 60	10.00		63	17.2	55	12.8	48	8.9	59	10	010		29.97				FM-16		30.15
08	2254	7	BKN:07 30 OVC:08 60	10.00		62	16.7	55	12.8	49	9.4	62	9	010		29.97			30.16	FM-15	0.00	30.15
08	2354	7	SCT:04 85 OVC:08 110	10.00		61	16.1	55	12.8	49	9.4	65	8	360		29.96			30.16	FM-15	0.00	30.14
09	0054	7	SCT:04 25 OVC:08 55	10.00		61	16.1	55	12.8	49	9.4	65	9	360		29.97	5	0.00	30.16	FM-15	0.00	30.15
09	0100	4	26	9.94		61	16.1	55	12.8	49	9.4	65	9	360		29.97	5	0.00	30.16	FM-12		
09	0154	7	FEW:02 47 OVC:08 60	10.00	-DZ:01 DZ DZ	59	15.0	54	12.2	50	10.0	72	14	010	21	29.96			30.15	FM-15	T	30.14
09	0243	7	BKN:07 24 OVC:08 70	10.00		59	15.0	55	12.8	51	10.6	75	7	330		29.96				FM-16	T	30.14
09	0254	7	OVC:08 24	10.00		59	15.0	54	12.2	50	10.0	72	8	360		29.96			30.15	FM-15	T	30.14
09	0354	7	OVC:08 25	10.00		60	15.6	54	12.2	49	9.4	67	11	010		29.96	5	+0.01	30.15	FM-15	0.00	30.14
09	0454	7	OVC:08 23	10.00		60	15.6	54	12.2	48	8.9	65	10	360		29.97			30.16	FM-15	0.00	30.15
09	0554	7	OVC:08 21	10.00		60	15.6	54	12.2	49	9.4	67	9	350		29.99			30.18	FM-15	0.00	30.17
09	0654	7	OVC:08 23	10.00		60	15.6	54	12.2	49	9.4	67	11	010		30.00	1	-0.04	30.19	FM-15	0.00	30.18
09	0700	4	26	9.94		60	15.6	54	12.2	49	9.4	67	11	010		30.00	1	-0.04	30.19	FM-12		
09	0733	7	SCT:04 22 OVC:08 35	10.00		61	16.1	55	12.8	50	10.0	67	13	360		30.01				FM-16		30.19
09	0754	7	FEW:02 22 BKN:07 32 OVC:08 41	10.00		61	16.1	55	12.8	50	10.0	67	13	010		30.02			30.21	FM-15	0.00	30.20
09	0854	7	BKN:07 34 BKN:07 90	10.00		63	17.2	57	13.9	52	11.1	68	13	020		30.02			30.22	FM-15	0.00	30.20
09	0954	7	OVC:08 36	10.00		64	17.8	58	14.4	53	11.7	68	13	010		30.03	1	-0.04	30.22	FM-15	0.00	30.21
09	1054	7	FEW:02 24 OVC:08 35	10.00		66	18.9	59	15.0	54	12.2	65	10	020		30.03			30.22	FM-15	0.00	30.21
09	1154	7	SCT:04 24 OVC:08 35	10.00		65	18.3	59	15.0	54	12.2	68	11	020		30.02			30.21	FM-15	0.00	30.20
09	1224	7	BKN:07 24 OVC:08 38	10.00		68	20.0	60	15.6	54	12.2	61	10	030		30.01				FM-16		30.19
09	1254	7	BKN:07 25 OVC:08 40	10.00		66	18.9	59	15.0	54	12.2	65	11	020		30.00	8	+0.03	30.19	FM-15	0.00	30.18
09	1300	4	26	9.94		66	18.9	59	15.0	54	12.2	65	11	020		30.00	8	+0.03	30.19	FM-12		
09	1354	7	BKN:07 27 BKN:07 35 OVC:08 43	10.00		66	18.9	59	15.0	54	12.2	65	13	020		29.99			30.19	FM-15	0.00	30.17
09	1443	7	SCT:04 25 BKN:07 35	10.00		66	18.9	59	15.0	54	12.2	65	9	020		29.99				FM-16		30.17

09	1454	7	SCT:04 25 BKN:07 33	10.00		66	18.9	59	15.0	54	12.2	65	9	040		29.98			30.18	FM-15	0.00	30.16
09	1554	7	SCT:04 25 OVC:08 35	10.00		66	18.9	60	15.6	55	12.8	68	8	030		29.98	6	+0.02	30.18	FM-15	0.00	30.16
09	1654	7	FEW:02 25 BKN:07 35	10.00		65	18.3	59	15.0	55	12.8	70	8	040		29.99			30.18	FM-15	0.00	30.17
09	1754	7	FEW:02 25 BKN:07 37	10.00		63	17.2	58	14.4	55	12.8	75	6	050		29.99			30.19	FM-15	0.00	30.17
09	1854	7	FEW:02 37	10.00		59	15.0	56	13.3	54	12.2	83	6	010		30.00	3	-0.02	30.19	FM-15	0.00	30.18
09	1900	4	41	9.94		59	15.0	56	13.3	54	12.2	83	6	010		30.00	3	-0.02	30.19	FM-12		
09	1954	7	CLR:00	10.00		58	14.4	56	13.3	54	12.2	87	7	020		30.02			30.21	FM-15	0.00	30.20
09	2054	7	CLR:00	10.00		57	13.9	55	12.8	53	11.7	87	7	010		30.03			30.23	FM-15	0.00	30.21
09	2154	7	SCT:04 23	10.00		56	13.3	54	12.2	53	11.7	90	8	010		30.04	1	-0.04	30.23	FM-15	0.00	30.22
09	2235	7	BKN:07 25	10.00		56	13.3	54	12.2	53	11.7	90	6	010		30.04				FM-16		30.22
09	2254	7	BKN:07 27	10.00		57	13.9	55	12.8	53	11.7	87	7	360		30.04			30.24	FM-15	0.00	30.22
09	2354	7	OVC:08 27	10.00		58	14.4	55	12.8	53	11.7	84	9	360		30.04			30.24	FM-15	0.00	30.22
10	0054	7	SCT:04 17 OVC:08 26	10.00		58	14.4	55	12.8	53	11.7	84	8	360		30.04	0	-0.01	30.24	FM-15	0.00	30.22
10	0100	4	15	9.94		58	14.4	55	12.8	53	11.7	84	8	360		30.04	9	+0.01	30.24	FM-12		
10	0154	7	OVC:08 28	10.00		57	13.9	55	12.8	53	11.7	87	10	020		30.04			30.24	FM-15	0.00	30.22
10	0254	7	FEW:02 17 OVC:08 26	10.00		57	13.9	55	12.8	53	11.7	87	8	360		30.03			30.22	FM-15	0.00	30.21
10	0354	7	OVC:08 25	10.00		57	13.9	54	12.2	52	11.1	83	8	010		30.03	5	+0.01	30.23	FM-15	0.00	30.21
10	0454	7	OVC:08 21	10.00		57	13.9	54	12.2	52	11.1	83	8	360		30.04			30.23	FM-15	0.00	30.22
10	0554	7	OVC:08 16	10.00		57	13.9	54	12.2	52	11.1	83	8	010		30.05			30.24	FM-15	0.00	30.23
10	0654	7	OVC:08 15	10.00		57	13.9	54	12.2	51	10.6	81	10	010		30.05	3	-0.02	30.25	FM-15	0.00	30.23
10	0700	4	15	9.94		57	13.9	54	12.2	51	10.6	81	10	010		30.05	3	-0.02	30.25	FM-12		
10	0741	7	SCT:04 19 BKN:07 50	10.00		59	15.0	55	12.8	51	10.6	75	10	340		30.06				FM-16		30.24
10	0754	7	SCT:04 19 BKN:07 50	10.00		58	14.4	54	12.2	51	10.6	78	13	360		30.06			30.25	FM-15	0.00	30.24
10	0811	7	BKN:07 18 BKN:07 50	10.00		59	15.0	55	12.8	51	10.6	75	13	010		30.06				FM-16		30.24
10	0854	7	OVC:08 20	10.00		60	15.6	55	12.8	51	10.6	72	11	350		30.07			30.27	FM-15	0.00	30.25
10	0929	7	SCT:04 21 BKN:07 49	10.00		63	17.2	56	13.3	51	10.6	65	9	VRB		30.06				FM-16		30.24
10	0954	7	FEW:02 22 SCT:04 49 SCT:04 300	10.00		64	17.8	57	13.9	52	11.1	65	11	350		30.06	0	-0.01	30.26	FM-15	0.00	30.24
10	1054	7	FEW:02 27 FEW:02 50 FEW:02 300	10.00		66	18.9	58	14.4	52	11.1	61	11	350		30.05			30.24	FM-15	0.00	30.23
10	1154	7	FEW:02 35 FEW:02 90 SCT:04 300	10.00		70	21.1	60	15.6	52	11.1	53	8	350		30.02			30.21	FM-15	0.00	30.20
10	1254	7	SCT:04 38 SCT:04 300	10.00		72	22.2	61	16.1	53	11.7	52	13	360		29.99	8	+0.07	30.18	FM-15	0.00	30.17
10	1300	4	41	9.94		72	22.2	61	16.1	53	11.7	52	13	360		29.99	8	+0.07	30.18	FM-12		
10	1354	7	SCT:04 41 BKN:07 300	10.00		73	22.8	62	16.7	54	12.2	51	8	010	17	29.98			30.17	FM-15	0.00	30.16
10	1454	7	FEW:02 45 SCT:04 300	10.00		75	23.9	62	16.7	53	11.7	46	11	030		29.97			30.15	FM-15	0.00	30.15
10	1554	7	FEW:02 45 FEW:02 300	10.00		74	23.3	62	16.7	53	11.7	48	10	060		29.95	8	+0.04	30.14	FM-15	0.00	30.13
10	1654	7	FEW:02 50 SCT:04 300	10.00		73	22.8	61	16.1	53	11.7	50	10	350		29.95			30.14	FM-15	0.00	30.13
10	1754	7	FEW:02 300	10.00		67	19.4	59	15.0	53	11.7	61	6	350		29.96			30.15	FM-15	0.00	30.14
10	1854	7	FEW:02 300	10.00		65	18.3	58	14.4	53	11.7	66	6	350		29.96	0	-0.01	30.15	FM-15	0.00	30.14
10	1900	4		9.94		65	18.3	58	14.4	53	11.7	66	6	350		29.96	9	+0.01	30.15	FM-12		
10	1954	7	CLR:00	10.00		63	17.2	57	13.9	53	11.7	70	5	350		29.96			30.15	FM-15	0.00	30.14
10	2054	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	5	350		29.96			30.15	FM-15	0.00	30.14

10	2154	7	SCT:04 60	10.00		60	15.6	57	13.9	54	12.2	80	5	350		29.97	3	-0.01	30.16	FM-15	0.00	30.15
10	2254	7	FEW:02 60	10.00		59	15.0	56	13.3	53	11.7	81	7	340		29.96			30.16	FM-15	0.00	30.14
10	2354	7	FEW:02 60	10.00		58	14.4	55	12.8	53	11.7	84	7	350		29.95			30.14	FM-15	0.00	30.13
11	0054	7	FEW:02 49	10.00		57	13.9	55	12.8	53	11.7	87	7	350		29.95	6	+0.02	30.14	FM-15	0.00	30.13
11	0100	4	41	9.94		57	13.9	55	12.8	53	11.7	87	7	350		29.95	6	+0.02	30.14	FM-12		
11	0154	7	CLR:00	10.00		57	13.9	54	12.2	52	11.1	83	7	350		29.94			30.13	FM-15	0.00	30.12
11	0254	7	CLR:00	10.00		56	13.3	54	12.2	52	11.1	87	8	360		29.94			30.13	FM-15	0.00	30.12
11	0354	7	CLR:00	10.00		55	12.8	53	11.7	51	10.6	87	8	350		29.95	3	0.00	30.14	FM-15	0.00	30.13
11	0454	7	CLR:00	10.00		53	11.7	51	10.6	50	10.0	89	7	360		29.94			30.14	FM-15	0.00	30.12
11	0554	7	FEW:02 250	10.00		53	11.7	50	10.0	48	8.9	83	8	350		29.94			30.14	FM-15	0.00	30.12
11	0654	7	FEW:02 250	10.00		55	12.8	51	10.6	47	8.3	74	10	350	22	29.96	3	-0.01	30.15	FM-15	0.00	30.14
11	0700	4		9.94		55	12.8	51	10.6	47	8.3	74	10	350		29.96	3	-0.01	30.15	FM-12		
11	0752	6	FEW:02 2	10.00		59	15.0	52	11.1	45	7.2	59	13	010		29.96				FM-16		30.14
11	0754	7	FEW:02 300	10.00		59	15.0	52	11.1	45	7.2	60	14	010		29.97			30.16	FM-15	0.00	30.15
11	0854	7	FEW:02 300	10.00		62	16.7	52	11.1	43	6.1	50	13	020		29.98			30.17	FM-15	0.00	30.16
11	0954	7	SCT:04 300	10.00		66	18.9	54	12.2	42	5.6	42	10	020		29.97	0	-0.01	30.16	FM-15	0.00	30.15
11	1054	7	FEW:02 300	10.00		68	20.0	52	11.1	36	2.2	31	15	360		29.95			30.14	FM-15	0.00	30.13
11	1154	7	FEW:02 300	10.00		70	21.1	52	11.1	34	1.1	27	15	330		29.93			30.12	FM-15	0.00	30.11
11	1254	7	FEW:02 300	10.00		73	22.8	53	11.7	31	-0.6	21	15	340	22	29.89	8	+0.07	30.09	FM-15	0.00	30.07
11	1300	4		9.94		73	22.8	53	11.7	31	-0.6	21	15	340		29.89	8	+0.07	30.09	FM-12		
11	1354	7	FEW:02 300	10.00		76	24.4	54	12.2	32	0.0	20	13	330		29.87			30.05	FM-15	0.00	30.05
11	1454	7	FEW:02 300	10.00		75	23.9	55	12.8	36	2.2	24	13	340		29.86			30.05	FM-15	0.00	30.04
11	1554	7	FEW:02 300	10.00		75	23.9	56	13.3	38	3.3	26	11	360		29.86	6	+0.04	30.05	FM-15	0.00	30.04
11	1654	7	FEW:02 300	10.00		72	22.2	55	12.8	39	3.9	30	7	010		29.86			30.05	FM-15	0.00	30.04
11	1754	7	FEW:02 300	10.00		65	18.3	53	11.7	42	5.6	43	6	050		29.86			30.05	FM-15	0.00	30.04
11	1854	7	FEW:02 300	10.00		61	16.1	53	11.7	45	7.2	56	0	000		29.86	8	0.00	30.05	FM-15	0.00	30.04
11	1900	4		9.94		61	16.1	53	11.7	45	7.2	56	0	000		29.86	8	0.00	30.05	FM-12		
11	1954	7	FEW:02 300	10.00		58	14.4	51	10.6	44	6.7	60	0	000		29.87			30.06	FM-15	0.00	30.05
11	2054	7	CLR:00	10.00		56	13.3	51	10.6	46	7.8	70	0	000		29.88			30.07	FM-15	0.00	30.06
11	2154	7	CLR:00	10.00		53	11.7	49	9.4	45	7.2	74	0	000		29.87	0	-0.02	30.07	FM-15	0.00	30.05
11	2254	7	FEW:02 300	10.00		53	11.7	49	9.4	45	7.2	74	0	000		29.87			30.06	FM-15	0.00	30.05
11	2354	7	FEW:02 300	10.00		51	10.6	48	8.9	45	7.2	80	0	000		29.87			30.06	FM-15	0.00	30.05
12	0054	7	CLR:00	10.00		51	10.6	49	9.4	46	7.8	83	0	000		29.85	8	+0.02	30.04	FM-15	0.00	30.03
12	0100	4		9.94		51	10.6	49	9.4	46	7.8	83	0	000		29.85	8	+0.02	30.04	FM-12		
12	0154	7	CLR:00	10.00		49	9.4	48	8.9	46	7.8	90	0	000		29.84			30.03	FM-15	0.00	30.02
12	0254	7	FEW:02 300	10.00		48	8.9	46	7.8	44	6.7	86	0	000		29.83			30.02	FM-15	0.00	30.01
12	0354	7	FEW:02 100 SCT:04 300	10.00		48	8.9	47	8.3	45	7.2	89	0	000		29.83	5	+0.03	30.02	FM-15	0.00	30.01
12	0454	7	FEW:02 60 FEW:02 100 SCT:04 300	10.00		48	8.9	47	8.3	45	7.2	89	0	000		29.82			30.02	FM-15	0.00	30.00
12	0554	7	SCT:04 60 SCT:04 300	10.00		48	8.9	46	7.8	44	6.7	86	0	000		29.84			30.03	FM-15	0.00	30.02
12	0654	7	FEW:02 30 SCT:04 80 BKN:07 300	10.00		51	10.6	49	9.4	48	8.9	89	3	120		29.84	3	-0.01	30.03	FM-15	0.00	30.02
12	0700	4	26	9.94		51	10.6	49	9.4	48	8.9	89	3	120		29.84	3	-0.01	30.03	FM-12		
12	0754	7	SCT:04 60 BKN:07 300	10.00		58	14.4	55	12.8	52	11.1	81	0	000		29.84			30.03	FM-15	0.00	30.02
12	0854	7	FEW:02 35 BKN:07 95 BKN:07 300	10.00		63	17.2	56	13.3	51	10.6	65	6	220		29.84			30.03	FM-15	0.00	30.02
12	0954	7	SCT:04 95 BKN:07 300	10.00		68	20.0	58	14.4	49	9.4	51	5	220		29.83	8	+0.01	30.02	FM-15	0.00	30.01
12	1054	7	SCT:04 100 BKN:07 300	10.00		74	23.3	58	14.4	44	6.7	34	8	210		29.82			30.01	FM-15	0.00	30.00
12	1154	7	BKN:07 100	10.00		76	24.4	59	15.0	44	6.7	32	5	VRB		29.80			29.99	FM-15	0.00	29.98
12	1254	7	BKN:07 120	10.00		77	25.0	60	15.6	47	8.3	35	6	VRB		29.78	8	+0.05	29.97	FM-15	0.00	29.96
12	1300	4		9.94		77	25.0	60	15.6	47	8.3	35	6			29.78	8	+0.05	29.97	FM-12		

12	1354	7	FEW:02 80 BKN:07 120	10.00		80	26.7	63	17.2	50	10.0	35	8	230		29.77			29.96	FM-15	0.00	29.95
12	1454	7	FEW:02 90 BKN:07 110	10.00		78	25.6	63	17.2	52	11.1	40	7	240		29.76			29.95	FM-15	0.00	29.94
12	1554	7	SCT:04 75 BKN:07 100	10.00		79	26.1	63	17.2	52	11.1	39	3	330		29.77	5	+0.01	29.96	FM-15	0.00	29.95
12	1654	7	BKN:07 95	10.00		77	25.0	63	17.2	53	11.7	43	7	330		29.79			29.98	FM-15	0.00	29.97
12	1754	7	BKN:07 75 BKN:07 120	10.00		74	23.3	62	16.7	54	12.2	50	5	030		29.80			29.99	FM-15	0.00	29.98
12	1854	7	BKN:07 80 BKN:07 110	10.00		72	22.2	62	16.7	54	12.2	53	8	020		29.82	1	-0.05	30.01	FM-15	0.00	30.00
12	1900	4	74	9.94		72	22.2	62	16.7	54	12.2	53	8	020		29.82	1	-0.05	30.01	FM-12		
12	1954	7	BKN:07 100	10.00		69	20.6	60	15.6	54	12.2	59	7	040		29.83			30.02	FM-15	0.00	30.01
12	2054	7	SCT:04 60 BKN:07 85	10.00		67	19.4	60	15.6	54	12.2	63	6	040		29.84			30.03	FM-15	0.00	30.02
12	2154	7	BKN:07 65 BKN:07 90	10.00		66	18.9	59	15.0	53	11.7	63	8	040		29.84	1	-0.03	30.03	FM-15	0.00	30.02
12	2254	7	SCT:04 70 BKN:07 90	10.00		64	17.8	58	14.4	53	11.7	68	7	040		29.84			30.03	FM-15	0.00	30.02
12	2354	7	SCT:04 70 BKN:07 90	10.00		63	17.2	57	13.9	53	11.7	70	7	040		29.85			30.04	FM-15	0.00	30.03
13	0054	7	BKN:07 70 BKN:07 90	10.00		64	17.8	59	15.0	55	12.8	73	9	040		29.85	3	-0.01	30.04	FM-15	0.00	30.03
13	0100	4	74	9.94		64	17.8	59	15.0	55	12.8	73	9	040		29.85	3	-0.01	30.04	FM-12		
13	0154	7	SCT:04 90 BKN:07 120	10.00		61	16.1	57	13.9	54	12.2	78	7	020		29.86			30.04	FM-15	0.00	30.04
13	0254	7	FEW:02 75 OVC:08 120	10.00		61	16.1	55	12.8	50	10.0	67	9	020		29.86			30.05	FM-15	0.00	30.04
13	0354	7	SCT:04 80 BKN:07 120	10.00		60	15.6	53	11.7	47	8.3	62	11	040		29.86	3	-0.01	30.05	FM-15	0.00	30.04
13	0454	7	SCT:04 85 BKN:07 120	10.00		59	15.0	52	11.1	45	7.2	60	9	020		29.88			30.07	FM-15	0.00	30.06
13	0554	7	FEW:02 85 BKN:07 120	10.00		57	13.9	51	10.6	45	7.2	64	9	020		29.90			30.09	FM-15	0.00	30.08
13	0654	7	FEW:02 50 SCT:04 80 BKN:07 120	10.00		58	14.4	51	10.6	45	7.2	62	7	030		29.91	1	-0.05	30.10	FM-15	0.00	30.09
13	0700	4	57	9.94		58	14.4	51	10.6	45	7.2	62	7	030		29.91	1	-0.05	30.10	FM-12		
13	0754	7	FEW:02 50 SCT:04 75 BKN:07 120	10.00		59	15.0	52	11.1	45	7.2	60	10	040		29.92			30.11	FM-15	0.00	30.10
13	0854	7	BKN:07 70 BKN:07 85	10.00	-RA:02 RA RA	60	15.6	54	12.2	48	8.9	65	5	070		29.92			30.11	FM-15	T	30.10
13	0954	7	BKN:07 75 BKN:07 95	10.00		61	16.1	56	13.3	51	10.6	70	7	040		29.91	0	0.00	30.11	FM-15	0.01	30.09
13	1054	7	SCT:04 23 BKN:07 75 BKN:07 85	10.00		64	17.8	57	13.9	51	10.6	63	3	060		29.90			30.09	FM-15	0.00	30.08
13	1154	7	FEW:02 50 BKN:07 70 BKN:07 90	10.00		68	20.0	59	15.0	53	11.7	59	5	090		29.88			30.07	FM-15	0.00	30.06
13	1254	7	FEW:02 43 BKN:07 75 BKN:07 100	10.00	-RA:02 RA RA	66	18.9	60	15.6	55	12.8	68	5	090		29.85	8	+0.06	30.04	FM-15	T	30.03
13	1300	4	41	9.94	RA	66	18.9	60	15.6	55	12.8	68	5	090		29.85	8	+0.06	30.04	FM-12		
13	1354	7	SCT:04 36 BKN:07 80 BKN:07 110	10.00		68	20.0	61	16.1	56	13.3	65	7	170		29.85			30.03	FM-15	T	30.03
13	1454	7	FEW:02 40 BKN:07 65 OVC:08 110	10.00		68	20.0	62	16.7	57	13.9	68	0	000		29.84			30.03	FM-15	0.00	30.02
13	1554	7	FEW:02 40 BKN:07 65 BKN:07 100	10.00		66	18.9	62	16.7	60	15.6	81	3	130		29.82	8	+0.03	30.02	FM-15	T	30.00

13	1633	7	BKN:07 60 OVC:08 110	3.00	RA:02 BR:1 RA RA	64	17.8	62	16.7	60	15.6	87	7	250		29.83				FM-16	0.04	30.01
13	1654	7	BKN:07 65 OVC:08 110	3.00	RA:02 BR:1 RA RA	64	17.8	62	16.7	61	16.1	90	6	310		29.82			30.01	FM-15	0.07	30.00
13	1726	7	BKN:07 45 OVC:08 65	2.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	93	6	340		29.83				FM-16	0.01	30.01
13	1754	7	BKN:07 45 OVC:08 65	3.00	RA:02 BR:1 RA RA	62	16.7	61	16.1	61	16.1	96	5	060		29.83			30.02	FM-15	0.18	30.01
13	1852	6	SCT:04 3 BKN:07 32 OVC:08 50	5.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	94	3	040		29.82				FM-16		30.00
13	1854	7	SCT:04 3 BKN:07 32 OVC:08 50	5.00	-RA:02 BR:1 RA RA	62	16.7	61	16.1	61	16.1	96	3	040		29.82	7	0.00	30.01	FM-15	0.07	30.00
13	1900	4	2	4.97	RA	62	16.7	61	16.1	61	16.1	96	3	040		29.82			30.01	FM-12		
13	1940	7	BKN:07 3 OVC:08 47	6.00	BR:1	62	16.7	61	16.1	61	16.1	96	3	320		29.84				FM-16	T	30.02
13	1952	6	BKN:07 5 OVC:08 47	6.00	BR:1	63	17.2	62	16.7	61	16.1	94	3	320		29.84				FM-16		30.02
13	1954	7	BKN:07 5 OVC:08 47	6.00	BR:1	62	16.7	61	16.1	61	16.1	96	3	320		29.84			30.03	FM-15	0.00	30.02
13	2054	7	BKN:07 4 OVC:08 20	6.00	BR:1	62	16.7	61	16.1	61	16.1	96	3	020		29.82			30.01	FM-15	0.00	30.00
13	2124	7	SCT:04 4 BKN:07 15 OVC:08 27	5.00	BR:1	62	16.7	61	16.1	61	16.1	96	3	020		29.82				FM-16		30.00
13	2138	7	SCT:04 4 OVC:08 13	6.00	BR:1	62	16.7	61	16.1	61	16.1	96	0	000		29.83				FM-16		30.01
13	2154	7	SCT:04 4 OVC:08 13	5.00	BR:1	63	17.2	62	16.7	61	16.1	93	0	000		29.83	1	0.00	30.02	FM-15	0.00	30.01
13	2252	6	FEW:02 4 SCT:04 12 OVC:08 20	5.00	BR:1	63	17.2	62	16.7	61	16.1	94	0	000		29.82				FM-16		30.00
13	2254	7	FEW:02 4 SCT:04 12 OVC:08 20	5.00	BR:1	63	17.2	62	16.7	61	16.1	93	0	000		29.82			30.01	FM-15	0.00	30.00
13	2306	7	BKN:07 4 BKN:07 8 OVC:08 20	5.00	BR:1	63	17.2	62	16.7	61	16.1	93	0	000		29.82				FM-16		30.00
13	2326	7	OVC:08 6	5.00	BR:1	62	16.7	61	16.1	61	16.1	96	6	340		29.81				FM-16		29.99
13	2352	6	OVC:08 3	4.00	BR:1	61	16.1	61	16.1	61	16.1	100	6	350		29.81				FM-16		29.99
13	2354	7	OVC:08 3	4.00	BR:1	61	16.1	60	15.6	60	15.6	97	6	350		29.81			30.00	FM-15	0.00	29.99
14	0054	7	OVC:08 2	4.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	6	350		29.81	6	+0.02	30.00	FM-15	T	29.99
14	0100	4	2	3.73	RA	59	15.0	58	14.4	58	14.4	96	6	350		29.81	6	+0.02	30.00	FM-12		
14	0154	7	OVC:08 4	5.00	BR:1	59	15.0	58	14.4	58	14.4	96	3	360		29.79			29.98	FM-15	0.01	29.97
14	0254	7	OVC:08 4	4.00	BR:1	59	15.0	58	14.4	58	14.4	96	5	010		29.78			29.97	FM-15	0.00	29.96
14	0354	7	OVC:08 4	5.00	BR:1	59	15.0	58	14.4	58	14.4	96	5	360		29.78	6	+0.03	29.97	FM-15	0.00	29.96
14	0452	6	SCT:04 4 OVC:08 12	6.00	BR:1	63	17.2	60	15.6	57	13.9	83	0	000		29.80				FM-16		29.98
14	0454	7	SCT:04 4 OVC:08 12	6.00	BR:1	62	16.7	60	15.6	58	14.4	86	0	000		29.80			30.00	FM-15	0.00	29.98
14	0554	7	FEW:02 4 OVC:08 10	4.00	BR:1	60	15.6	59	15.0	59	15.0	96	0	000		29.82			30.02	FM-15	0.00	30.00
14	0654	7	OVC:08 10	10.00		61	16.1	60	15.6	59	15.0	93	7	300		29.85	2	-0.07	30.04	FM-15	0.00	30.03
14	0700	4	15	9.94		61	16.1	60	15.6	59	15.0	93	7	300		29.85	2	-0.07	30.04	FM-12		
14	0731	7	FEW:02 5 OVC:08 11	8.00		61	16.1	59	15.0	58	14.4	90	6	290		29.86				FM-16		30.04
14	0754	7	FEW:02 5 OVC:08 11	9.00		61	16.1	60	15.6	59	15.0	93	6	290		29.87			30.06	FM-15	0.00	30.05
14	0842	7	BKN:07 6 OVC:08 12	7.00		60	15.6	59	15.0	58	14.4	93	7	280		29.89				FM-16		30.07
14	0854	7	BKN:07 6 OVC:08 12	8.00		60	15.6	59	15.0	58	14.4	93	7	290		29.89			30.09	FM-15	0.00	30.07

14	0954	7	OVC:08 9	10.00		61	16.1	59	15.0	57	13.9	87	3	280		29.90	1	-0.05	30.09	FM-15	0.00	30.08
14	1054	7	OVC:08 9	10.00		62	16.7	60	15.6	58	14.4	86	5	310		29.89			30.08	FM-15	0.00	30.07
14	1109	7	OVC:08 11	10.00		63	17.2	60	15.6	58	14.4	84	5	320		29.89				FM-16		30.07
14	1154	7	OVC:08 13	10.00		64	17.8	60	15.6	58	14.4	81	6	330		29.89			30.08	FM-15	0.00	30.07
14	1210	7	BKN:07 15	10.00		66	18.9	61	16.1	58	14.4	75	3	300		29.87				FM-16		30.05
14	1225	7	SCT:04 16	10.00		67	19.4	61	16.1	57	13.9	71	5	010		29.86				FM-16		30.04
14	1254	7	FEW:02 20	10.00		67	19.4	62	16.7	58	14.4	73	3	VRB		29.84	8	+0.06	30.03	FM-15	0.00	30.02
14	1300	4	26	9.94		67	19.4	62	16.7	58	14.4	73	3			29.84	8	+0.06	30.03	FM-12		
14	1354	7	FEW:02 22	10.00		71	21.7	63	17.2	58	14.4	63	5	090		29.82			30.01	FM-15	0.00	30.00
14	1454	7	FEW:02 28	10.00		72	22.2	63	17.2	57	13.9	59	5	210		29.81			30.00	FM-15	0.00	29.99
14	1554	7	FEW:02 28	10.00		73	22.8	62	16.7	54	12.2	51	3	220		29.81	6	+0.04	30.00	FM-15	0.00	29.99
14	1654	7	CLR:00	10.00		72	22.2	63	17.2	56	13.3	57	5	180		29.82			30.01	FM-15	0.00	30.00
14	1754	7	CLR:00	10.00		65	18.3	60	15.6	57	13.9	76	3	190		29.82			30.01	FM-15	0.00	30.00
14	1854	7	CLR:00	10.00		62	16.7	59	15.0	56	13.3	80	0	000		29.84	3	-0.03	30.03	FM-15	0.00	30.02
14	1900	4		9.94		62	16.7	59	15.0	56	13.3	80	0	000		29.84	3	-0.03	30.03	FM-12		
14	1954	7	CLR:00	10.00		60	15.6	58	14.4	56	13.3	86	0	000		29.85			30.04	FM-15	0.00	30.03
14	2054	7	CLR:00	10.00		57	13.9	55	12.8	53	11.7	87	0	000		29.86			30.06	FM-15	0.00	30.04
14	2154	7	CLR:00	10.00		55	12.8	53	11.7	52	11.1	90	0	000		29.88	3	-0.04	30.07	FM-15	0.00	30.06
14	2254	7	CLR:00	10.00		53	11.7	51	10.6	50	10.0	89	0	000		29.88			30.07	FM-15	0.00	30.06
14	2354	7	CLR:00	10.00		51	10.6	49	9.4	48	8.9	89	3	300		29.90			30.09	FM-15	0.00	30.08
15	0054	7	CLR:00	10.00		53	11.7	50	10.0	47	8.3	80	5	300		29.91	3	-0.03	30.10	FM-15	0.00	30.09
15	0100	4		9.94		53	11.7	50	10.0	47	8.3	80	5	300		29.91	3	-0.03	30.10	FM-12		
15	0154	7	CLR:00	10.00		51	10.6	49	9.4	46	7.8	83	7	330		29.92			30.11	FM-15	0.00	30.10
15	0254	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	6	350		29.92			30.11	FM-15	0.00	30.10
15	0354	7	CLR:00	10.00		50	10.0	48	8.9	45	7.2	83	6	010		29.93	3	-0.02	30.12	FM-15	0.00	30.11
15	0454	7	CLR:00	10.00		51	10.6	48	8.9	45	7.2	80	3	030		29.94			30.14	FM-15	0.00	30.12
15	0554	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	3	350		29.95			30.15	FM-15	0.00	30.13
15	0654	7	CLR:00	10.00		51	10.6	49	9.4	47	8.3	86	0	000		29.97	3	-0.04	30.16	FM-15	0.00	30.15
15	0700	4		9.94		51	10.6	49	9.4	47	8.3	86	0	000		29.97	3	-0.04	30.16	FM-12		
15	0754	7	FEW:02 300	10.00		58	14.4	55	12.8	52	11.1	81	3	040		29.99			30.18	FM-15	0.00	30.17
15	0854	7	FEW:02 300	10.00		63	17.2	57	13.9	53	11.7	70	7	080		29.99			30.18	FM-15	0.00	30.17
15	0954	7	FEW:02 300	10.00		68	20.0	57	13.9	48	8.9	49	10	090		29.98	0	-0.01	30.17	FM-15	0.00	30.16
15	1054	7	FEW:02 300	10.00		70	21.1	57	13.9	45	7.2	41	7	080		29.97			30.16	FM-15	0.00	30.15
15	1154	7	FEW:02 300	10.00		72	22.2	57	13.9	43	6.1	35	5	VRB		29.96			30.15	FM-15	0.00	30.14
15	1254	7	FEW:02 300	10.00		74	23.3	57	13.9	43	6.1	33	5	060		29.93	8	+0.05	30.12	FM-15	0.00	30.11
15	1300	4		9.94		74	23.3	57	13.9	43	6.1	33	5	060		29.93	8	+0.05	30.12	FM-12		
15	1354	7	FEW:02 300	10.00		75	23.9	58	14.4	44	6.7	33	8	060		29.91			30.10	FM-15	0.00	30.09
15	1454	7	FEW:02 300	10.00		74	23.3	57	13.9	42	5.6	32	3	150		29.89			30.08	FM-15	0.00	30.07
15	1554	7	SCT:04 300	10.00		73	22.8	57	13.9	43	6.1	34	7	170		29.87	6	+0.06	30.06	FM-15	0.00	30.05
15	1654	7	BKN:07 300	10.00		70	21.1	57	13.9	45	7.2	41	8	130		29.87			30.06	FM-15	0.00	30.05
15	1754	7	BKN:07 300	10.00		63	17.2	54	12.2	46	7.8	54	9	120		29.86			30.06	FM-15	0.00	30.04
15	1854	7	BKN:07 300	10.00		63	17.2	56	13.3	51	10.6	65	9	130		29.87	5	0.00	30.06	FM-15	0.00	30.05
15	1900	4		9.94		63	17.2	56	13.3	51	10.6	65	9	130		29.87	5	0.00	30.06	FM-12		
15	1954	7	BKN:07 300	10.00		61	16.1	57	13.9	53	11.7	75	9	130		29.85			30.05	FM-15	0.00	30.03
15	2054	7	BKN:07 300	10.00		60	15.6	57	13.9	54	12.2	80	8	140		29.85			30.04	FM-15	0.00	30.03
15	2154	7	SCT:04 300	10.00		59	15.0	57	13.9	55	12.8	87	7	150		29.85	6	+0.02	30.04	FM-15	0.00	30.03
15	2254	7	SCT:04 300	10.00		57	13.9	56	13.3	55	12.8	93	3	140		29.84			30.03	FM-15	0.00	30.02
15	2354	7	BKN:07 300	10.00		56	13.3	55	12.8	54	12.2	93	5	120		29.82			30.01	FM-15	0.00	30.00
16	0054	7	BKN:07 300	6.00	BR:1	57	13.9	56	13.3	56	13.3	96	7	130		29.80	8	+0.05	29.99	FM-15	0.00	29.98
16	0100	4		5.59		57	13.9	56	13.3	56	13.3	96	7	130		29.80	8	+0.05	29.99	FM-12		
16	0154	7	BKN:07 300	6.00	BR:1	57	13.9	56	13.3	55	12.8	93	5	130		29.78			29.97	FM-15	0.00	29.96
16	0254	7	FEW:02 10 BKN:07 300	5.00	BR:1	57	13.9	56	13.3	56	13.3	96	5	160		29.75			29.94	FM-15	0.00	29.93
16	0304	7	FEW:02 3 FEW:02 10 BKN:07 300	5.00	BR:1	57	13.9	56	13.3	56	13.3	96	5	180		29.75				FM-16		29.93
16	0332	7	BKN:07 3 OVC:08 300	4.00	BR:1	57	13.9	57	13.9	57	13.9	100	3	140		29.74				FM-16		29.92

16	0354	7	BKN:07 3 OVC:08 300	4.00	BR:1	58	14.4	57	13.9	57	13.9	97	5	140		29.73	6	+0.07	29.92	FM-15	0.00	29.91
16	0415	7	BKN:07 3 OVC:08 300	2.50	BR:1	58	14.4	57	13.9	57	13.9	97	6	140		29.72				FM-16		29.90
16	0452	6	OVC:08 3	3.00	BR:1	57	13.9	56	13.3	55	12.8	94	3	150		29.70				FM-16		29.88
16	0454	7	OVC:08 3	3.00	BR:1	57	13.9	56	13.3	56	13.3	96	0	000		29.71			29.90	FM-15	0.00	29.89
16	0554	7	BKN:07 4 BKN:07 32 OVC:08 110	4.00	BR:1	59	15.0	58	14.4	58	14.4	96	6	200		29.71			29.91	FM-15	0.00	29.89
16	0615	7	SCT:04 4 BKN:07 32 BKN:07 110	4.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	6	180		29.71				FM-16	T	29.89
16	0654	7	SCT:04 70 OVC:08 90	6.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	3	100		29.67	8	+0.06	29.86	FM-15	0.03	29.85
16	0700	4	74	5.59	RA	59	15.0	58	14.4	58	14.4	96	3	100		29.67	8	+0.06	29.86	FM-12		
16	0711	7	BKN:07 70 BKN:07 95 OVC:08 110	2.50	RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	0	000		29.67				FM-16	0.01	29.85
16	0722	7	BKN:07 65 BKN:07 95 OVC:08 110	1.50	RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	0	000		29.67				FM-16	0.04	29.85
16	0735	7	BKN:07 65 BKN:07 85 OVC:08 110	3.00	-RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	3	160		29.66				FM-16	0.08	29.84
16	0754	7	FEW:02 50 BKN:07 75 OVC:08 95	4.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	3	140		29.63			29.82	FM-15	0.15	29.81
16	0828	7	FEW:02 60 BKN:07 75 OVC:08 95	2.50	RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	3	090		29.60				FM-16	0.06	29.78
16	0841	7	SCT:04 13 BKN:07 55 OVC:08 85	3.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	3	090		29.59				FM-16	0.09	29.77
16	0854	7	SCT:04 11 BKN:07 28 BKN:07 55	2.00	-RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	5	100		29.58			29.77	FM-15	0.12	29.76
16	0904	7	BKN:07 8 BKN:07 19 OVC:08 30	2.50	-RA:02 BR:1 RA RA	60	15.6	59	15.0	59	15.0	96	5	110		29.57				FM-16	0.02	29.75
16	0954	7	BKN:07 6 OVC:08 19	4.00	-RA:02 BR:1 RA RA	62	16.7	61	16.1	61	16.1	96	11	150		29.52	8	+0.15	29.71	FM-15	0.06	29.70
16	1032	7	SCT:04 6 OVC:08 22	1.50	-RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	93	16	170	24	29.49				FM-16	0.04	29.67
16	1052	6	SCT:04 8 OVC:08 18	4.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	94	10	160		29.47				FM-16		29.64
16	1054	7	SCT:04 8 OVC:08 18	4.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	93	14	150		29.47			29.65	FM-15	0.05	29.64
16	1121	7	BKN:07 6 OVC:08 14	1.50	RA:02 BR:1 RA RA	63	17.2	62	16.7	62	16.7	97	13	160		29.44				FM-16	0.04	29.61
16	1136	7	BKN:07 6 OVC:08 14	5.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	62	16.7	97	13	160		29.41				FM-16	0.07	29.59
16	1154	7	OVC:08 6	4.00	-RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	96	10	170		29.39			29.57	FM-15	0.07	29.56
16	1209	7	OVC:08 6	2.50	-RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	96	11	170		29.37				FM-16	T	29.55
16	1217	7	OVC:08 6	1.00	+RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	96	23	240	39	29.42				FM-16	0.02	29.60
16	1221	7	OVC:08 6	0.50	+RA:02 FG:2 FG RA RA	60	15.6	60	15.6	60	15.6	100	24	290	39	29.41				FM-16	0.09	29.59
16	1230	7	BKN:07 6 BKN:07 13 OVC:08 23	1.50	RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	20	290	31	29.42				FM-16	0.36	29.60
16	1246	7	SCT:04 6 BKN:07 20 OVC:08 43	1.50	-RA:02 BR:1 RA RA	56	13.3	55	12.8	54	12.2	93	15	310	31	29.41				FM-16	0.53	29.59
16	1252	6	SCT:04 6 BKN:07 20 OVC:08 43	2.50	-RA:02 BR:1 RA RA	55	12.8	54	12.2	54	12.2	94	15	310	25	29.41				FM-16		29.59

16	1254	7	FEW:02 6 SCT:04 21 BKN:07 42	2.50	-RA:02 BR:1 RA RA	56	13.3	55	12.8	54	12.2	93	14	310		29.41	5	+0.12	29.59	FM-15	0.64	29.58
16	1300	4	5	2.49	RA	56	13.3	55	12.8	54	12.2	93	14	310		29.40	5	+0.12	29.59	FM-12		
16	1325	7	FEW:02 8 BKN:07 45 BKN:07 60	6.00	-RA:02 BR:1 RA RA	56	13.3	55	12.8	54	12.2	93	7	330		29.37				FM-16	0.15	29.55
16	1354	7	SCT:04 6 BKN:07 90 OVC:08 110	7.00	-RA:02 RA RA	56	13.3	55	12.8	55	12.8	97	8	300		29.39			29.57	FM-15	0.15	29.56
16	1454	7	FEW:02 5 FEW:02 41 BKN:07 110	10.00		59	15.0	58	14.4	57	13.9	93	6	270		29.36			29.55	FM-15	0.02	29.54
16	1554	7	FEW:02 12 SCT:04 100	10.00		61	16.1	58	14.4	56	13.3	84	11	280		29.36	6	+0.06	29.54	FM-15	0.00	29.53
16	1654	7	FEW:02 14 SCT:04 110	10.00		61	16.1	58	14.4	56	13.3	84	13	300		29.36			29.55	FM-15	0.00	29.54
16	1754	7	FEW:02 15 FEW:02 120	10.00		59	15.0	57	13.9	55	12.8	87	9	290		29.39			29.57	FM-15	0.00	29.56
16	1854	7	FEW:02 120	10.00		58	14.4	51	10.6	44	6.7	60	23	310	37	29.41	3	-0.07	29.61	FM-15	0.00	29.59
16	1900	4		9.94		58	14.4	51	10.6	44	6.7	60	23	310		29.41	3	-0.07	29.61	FM-12		
16	1954	7	CLR:00	10.00		55	12.8	49	9.4	42	5.6	62	13	300		29.44			29.62	FM-15	0.00	29.61
16	2054	7	CLR:00	10.00		55	12.8	49	9.4	42	5.6	62	13	270		29.47			29.65	FM-15	0.00	29.64
16	2154	7	CLR:00	10.00		54	12.2	47	8.3	40	4.4	59	14	290	22	29.48	3	-0.06	29.67	FM-15	0.00	29.66
16	2254	7	CLR:00	10.00		53	11.7	46	7.8	37	2.8	55	14	300	22	29.49			29.69	FM-15	0.00	29.67
16	2354	7	CLR:00	10.00		51	10.6	45	7.2	39	3.9	64	10	260		29.49			29.68	FM-15	0.00	29.67
17	0054	7	CLR:00	10.00		50	10.0	44	6.7	38	3.3	63	15	250		29.48	0	-0.01	29.68	FM-15	0.00	29.66
17	0100	4		9.94		50	10.0	44	6.7	38	3.3	63	15	250		29.48	9	+0.01	29.68	FM-12		
17	0154	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	14	250		29.49			29.68	FM-15	0.00	29.67
17	0254	7	CLR:00	10.00		49	9.4	44	6.7	38	3.3	66	13	250		29.49			29.69	FM-15	0.00	29.67
17	0354	7	CLR:00	10.00		50	10.0	44	6.7	38	3.3	63	11	250		29.48	8	+0.01	29.67	FM-15	0.00	29.66
17	0454	7	CLR:00	10.00		48	8.9	43	6.1	38	3.3	68	16	250		29.49			29.68	FM-15	0.00	29.67
17	0554	7	FEW:02 300	10.00		48	8.9	43	6.1	38	3.3	68	10	260		29.50			29.70	FM-15	0.00	29.68
17	0654	7	FEW:02 250 BKN:07 300	10.00		50	10.0	44	6.7	38	3.3	63	13	270		29.52	3	-0.04	29.71	FM-15	0.00	29.70
17	0700	4		9.94		50	10.0	44	6.7	38	3.3	63	13	270		29.52	3	-0.04	29.71	FM-12		
17	0754	7	FEW:02 50 BKN:07 300	10.00		51	10.6	45	7.2	38	3.3	61	9	270		29.54			29.73	FM-15	0.00	29.72
17	0854	7	FEW:02 50 BKN:07 240 BKN:07 300	10.00		52	11.1	45	7.2	38	3.3	59	13	260		29.56			29.75	FM-15	0.00	29.74
17	0954	7	FEW:02 50 BKN:07 230 BKN:07 300	10.00		53	11.7	47	8.3	41	5.0	64	15	230		29.57	1	-0.05	29.76	FM-15	0.00	29.75
17	1054	7	FEW:02 55 BKN:07 210 BKN:07 300	10.00		55	12.8	47	8.3	38	3.3	53	17	270		29.58			29.77	FM-15	0.00	29.76
17	1154	7	FEW:02 55 BKN:07 200 BKN:07 300	10.00		56	13.3	48	8.9	39	3.9	53	14	260		29.57			29.76	FM-15	0.00	29.75
17	1254	7	FEW:02 60 SCT:04 200 BKN:07 250	10.00		60	15.6	49	9.4	38	3.3	44	18	260	28	29.57	8	+0.01	29.76	FM-15	0.00	29.75
17	1300	4	57	9.94		60	15.6	49	9.4	38	3.3	44	18	260		29.57	8	+0.01	29.76	FM-12		
17	1354	7	FEW:02 55 FEW:02 210 BKN:07 280	10.00		63	17.2	50	10.0	36	2.2	37	17	260	28	29.55			29.75	FM-15	0.00	29.73
17	1454	7	FEW:02 55 FEW:02 200 BKN:07 260	10.00		62	16.7	49	9.4	35	1.7	37	22	270	28	29.55			29.74	FM-15	0.00	29.73
17	1554	7	FEW:02 55 SCT:04 250	10.00		64	17.8	50	10.0	34	1.1	33	13	260		29.56	5	+0.01	29.75	FM-15	0.00	29.74
17	1654	7	FEW:02 250	10.00		62	16.7	49	9.4	36	2.2	38	10	250		29.56			29.76	FM-15	0.00	29.74

17	1754	7	FEW:02 250	10.00		58	14.4	48	8.9	37	2.8	46	5	200		29.58			29.78	FM-15	0.00	29.76
17	1854	7	SCT:04 180	10.00		56	13.3	47	8.3	37	2.8	49	7	310		29.60	3	-0.04	29.80	FM-15	0.00	29.78
17	1900	4		9.94		56	13.3	47	8.3	37	2.8	49	7	310		29.60	3	-0.04	29.80	FM-12		
17	1954	7	FEW:02 180	10.00		54	12.2	45	7.2	35	1.7	49	5	310		29.63			29.83	FM-15	0.00	29.81
17	2054	7	CLR:00	10.00		53	11.7	45	7.2	35	1.7	51	8	320		29.67			29.86	FM-15	0.00	29.85
17	2154	7	CLR:00	10.00		53	11.7	44	6.7	34	1.1	48	5	280		29.68	1	-0.08	29.88	FM-15	0.00	29.86
17	2254	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	8	270		29.69			29.88	FM-15	0.00	29.87
17	2354	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	9	280		29.69			29.88	FM-15	0.00	29.87
18	0054	7	CLR:00	10.00		44	6.7	41	5.0	37	2.8	76	5	020		29.70	3	-0.02	29.90	FM-15	0.00	29.88
18	0100	4		9.94		44	6.7	41	5.0	37	2.8	76	5	020		29.70	3	-0.02	29.90	FM-12		
18	0154	7	CLR:00	10.00		42	5.6	39	3.9	36	2.2	79	0	000		29.71			29.90	FM-15	0.00	29.89
18	0254	7	CLR:00	10.00		43	6.1	40	4.4	37	2.8	80	0	000		29.72			29.91	FM-15	0.00	29.90
18	0354	7	CLR:00	10.00		43	6.1	40	4.4	37	2.8	80	6	280		29.74	3	-0.04	29.93	FM-15	0.00	29.92
18	0454	7	CLR:00	10.00		37	2.8	36	2.2	34	1.1	89	0	000		29.76			29.95	FM-15	0.00	29.94
18	0554	7	FEW:02 38	10.00		40	4.4	38	3.3	35	1.7	83	0	000		29.79			29.98	FM-15	0.00	29.97
18	0654	7	FEW:02 36	10.00		41	5.0	39	3.9	37	2.8	86	0	000		29.80	1	-0.06	29.99	FM-15	0.00	29.98
18	0700	4	41	9.94		41	5.0	39	3.9	37	2.8	86	0	000		29.80	1	-0.06	29.99	FM-12		
18	0754	7	CLR:00	10.00		49	9.4	45	7.2	40	4.4	71	6	320		29.82			30.01	FM-15	0.00	30.00
18	0854	7	FEW:02 35	10.00		54	12.2	46	7.8	36	2.2	51	11	340		29.83			30.02	FM-15	0.00	30.01
18	0954	7	FEW:02 45	10.00		58	14.4	48	8.9	36	2.2	44	13	320		29.81	0	-0.01	30.01	FM-15	0.00	29.99
18	1054	7	FEW:02 50	10.00		60	15.6	48	8.9	35	1.7	39	16	320	23	29.82			30.01	FM-15	0.00	30.00
18	1154	7	FEW:02 50	10.00		61	16.1	49	9.4	35	1.7	38	13	320		29.81			30.01	FM-15	0.00	29.99
18	1254	7	FEW:02 55	10.00		64	17.8	50	10.0	36	2.2	35	14	310	21	29.80	8	+0.01	29.99	FM-15	0.00	29.98
18	1300	4	57	9.94		64	17.8	50	10.0	36	2.2	35	14	310		29.80	8	+0.01	29.99	FM-12		
18	1354	7	FEW:02 60	10.00		65	18.3	51	10.6	36	2.2	34	10	VRB		29.78			29.97	FM-15	0.00	29.96
18	1454	7	FEW:02 60	10.00		65	18.3	51	10.6	35	1.7	33	8	340		29.79			29.98	FM-15	0.00	29.97
18	1554	7	CLR:00	10.00		65	18.3	51	10.6	35	1.7	33	10	320		29.80	3	-0.01	30.00	FM-15	0.00	29.98
18	1654	7	CLR:00	10.00		63	17.2	50	10.0	35	1.7	35	5	340		29.82			30.01	FM-15	0.00	30.00
18	1754	7	FEW:02 300	10.00		58	14.4	48	8.9	37	2.8	46	3	340		29.83			30.02	FM-15	0.00	30.01
18	1854	7	CLR:00	10.00		52	11.1	46	7.8	40	4.4	64	0	000		29.86	3	-0.05	30.05	FM-15	0.00	30.04
18	1900	4		9.94		52	11.1	46	7.8	40	4.4	64	0	000		29.86	3	-0.05	30.05	FM-12		
18	1954	4		10.00		50	10.0			42	5.6	74	0	000					30.05	FM-15		30.04
18	2054	4		10.00		49	9.4			40	4.4	71	6	040					30.05	FM-15		30.04
18	2154	4		10.00		45	7.2			39	3.9	80	0	000					30.06	FM-15		30.05
18	2254	4		10.00		45	7.2			38	3.3	77	0	000					30.07	FM-15		30.06
18	2354	4		10.00		45	7.2			38	3.3	77	0	000					30.08	FM-15		30.07
19	0054	7	CLR:00	10.00		42	5.6	41	5.0	39	3.9	89	0	000		29.89	1	-0.02	30.08	FM-15	0.00	30.07
19	0100	4		9.94		42	5.6	41	5.0	39	3.9	89	0	000		29.89	1	-0.02	30.08	FM-12		
19	0154	7	CLR:00	10.00		42	5.6	40	4.4	37	2.8	82	0	000		29.90			30.09	FM-15	0.00	30.08
19	0254	7	CLR:00	10.00		41	5.0	39	3.9	37	2.8	86	0	000		29.91			30.10	FM-15	0.00	30.09
19	0354	7	CLR:00	10.00		40	4.4	38	3.3	36	2.2	86	0	000		29.92	3	-0.03	30.11	FM-15	0.00	30.10
19	0454	7	CLR:00	10.00		40	4.4	39	3.9	37	2.8	89	0	000		29.91			30.10	FM-15	0.00	30.09
19	0554	7	FEW:02 300	10.00		39	3.9	38	3.3	37	2.8	93	3	360		29.92			30.11	FM-15	0.00	30.10
19	0654	7	FEW:02 300	10.00		40	4.4	39	3.9	37	2.8	89	0	000		29.93	3	-0.01	30.12	FM-15	0.00	30.11
19	0700	4		9.94		40	4.4	39	3.9	37	2.8	89	0	000		29.93	3	-0.01	30.12	FM-12		
19	0754	7	FEW:02 300	10.00		47	8.3	44	6.7	41	5.0	80	6	360		29.95			30.14	FM-15	0.00	30.13
19	0854	7	BKN:07 300	10.00		53	11.7	48	8.9	43	6.1	69	5	060		29.94			30.13	FM-15	0.00	30.12
19	0954	7	FEW:02 200 BKN:07 300	10.00		57	13.9	50	10.0	44	6.7	62	3	120		29.94	1	-0.01	30.14	FM-15	0.00	30.12
19	1054	7	FEW:02 200 BKN:07 300	10.00		61	16.1	51	10.6	41	5.0	48	6	160		29.95			30.14	FM-15	0.00	30.13
19	1154	7	FEW:02 100 BKN:07 300	10.00		64	17.8	53	11.7	42	5.6	45	5	VRB		29.94			30.13	FM-15	0.00	30.12
19	1254	7	FEW:02 150 BKN:07 300	10.00		64	17.8	52	11.1	40	4.4	41	7	210		29.90	8	+0.04	30.10	FM-15	0.00	30.08
19	1300	4		9.94		64	17.8	52	11.1	40	4.4	41	7	210		29.90	8	+0.04	30.10	FM-12		
19	1354	7	FEW:02 150 BKN:07 300	10.00		66	18.9	52	11.1	39	3.9	37	5	240		29.88			30.07	FM-15	0.00	30.06

19	1454	7	FEW:02 180 BKN:07 300	10.00		67	19.4	54	12.2	41	5.0	39	6	VRB		29.87			30.06	FM-15	0.00	30.05
19	1554	7	FEW:02 180 BKN:07 300	10.00		65	18.3	52	11.1	40	4.4	40	6	200		29.86	6	+0.05	30.05	FM-15	0.00	30.04
19	1654	7	FEW:02 180 BKN:07 220 BKN:07 300	10.00		63	17.2	52	11.1	42	5.6	47	5	140		29.85			30.04	FM-15	0.00	30.03
19	1754	7	BKN:07 220 BKN:07 300	10.00		58	14.4	51	10.6	45	7.2	62	3	140		29.85			30.04	FM-15	0.00	30.03
19	1854	7	OVC:08 210	10.00		57	13.9	51	10.6	46	7.8	67	3	120		29.84	8	+0.02	30.03	FM-15	0.00	30.02
19	1900	4		9.94		57	13.9	51	10.6	46	7.8	67	3	120		29.84	8	+0.02	30.03	FM-12		
19	1954	4		10.00		55	12.8			47	8.3	74	6	140					30.03	FM-15		30.01
19	2054	4		10.00		54	12.2			47	8.3	77	5	100					30.02	FM-15		30.01
19	2154	4		10.00		55	12.8			48	8.9	77	0	000					30.03	FM-15		30.02
19	2254	4		10.00		56	13.3			49	9.4	77	0	000					30.02	FM-15		30.01
19	2354	4		10.00		56	13.3			50	10.0	81	0	000					30.01	FM-15		30.00
20	0054	7	FEW:02 34 OVC:08 60	10.00		57	13.9	53	11.7	50	10.0	78	0	000		29.79	8	+0.04	29.98	FM-15	0.00	29.97
20	0100	4	41	9.94		57	13.9	53	11.7	50	10.0	78	0	000		29.79	8	+0.04	29.98	FM-12		
20	0154	7	OVC:08 60	10.00		57	13.9	54	12.2	51	10.6	81	0	000		29.77			29.97	FM-15	0.00	29.95
20	0254	7	BKN:07 50 OVC:08 65	10.00	-RA:02 RA RA	55	12.8	53	11.7	52	11.1	90	6	030		29.74			29.93	FM-15	T	29.92
20	0354	7	SCT:04 30 BKN:07 36 OVC:08 45	4.00	RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	6	020		29.73	6	+0.06	29.92	FM-15	0.12s	29.91
20	0403	7	BKN:07 26 BKN:07 36 OVC:08 45	4.00	RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	7	030		29.72				FM-16	0.02	29.90
20	0423	7	SCT:04 26 SCT:04 36 OVC:08 70	8.00	-RA:02 RA RA	55	12.8	54	12.2	53	11.7	93	8	050		29.72				FM-16	0.04	29.90
20	0454	7	FEW:02 17 SCT:04 35 OVC:08 47	4.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	54	12.2	96	10	050		29.70			29.90	FM-15	0.05	29.88
20	0540	7	FEW:02 6 BKN:07 27 OVC:08 40	5.00	-RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	93	11	050		29.69				FM-16	0.03	29.87
20	0554	7	SCT:04 6 BKN:07 16 OVC:08 24	5.00	RA:02 BR:1 RA RA	57	13.9	56	13.3	56	13.3	96	10	060		29.69			29.89	FM-15	0.06	29.87
20	0601	7	BKN:07 6 OVC:08 18	3.00	+RA:02 BR:1 RA RA	57	13.9	56	13.3	56	13.3	96	11	060		29.70				FM-16	0.03	29.88
20	0621	7	BKN:07 6 OVC:08 15	2.00	+RA:02 BR:1 RA RA	57	13.9	56	13.3	56	13.3	96	13	040		29.68				FM-16	0.14	29.86
20	0639	7	SCT:04 5 BKN:07 27 OVC:08 36	3.00	RA:02 BR:1 RA RA	57	13.9	56	13.3	56	13.3	96	14	040	22	29.67				FM-16	0.27	29.85
20	0651	7	BKN:07 5 BKN:07 25 OVC:08 33	4.00	RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	15	050		29.66				FM-16	0.31	29.84
20	0654	7	BKN:07 5 BKN:07 25 OVC:08 35	4.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	15	040		29.66	5	+0.04	29.85	FM-15	0.31	29.84
20	0700	4	5	3.73	RA	58	14.4	57	13.9	57	13.9	97	15	040		29.66	5	+0.04	29.85	FM-12		
20	0706	7	BKN:07 5 BKN:07 23 OVC:08 33	1.75	+RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	15	040		29.65				FM-16	0.06	29.83
20	0718	7	BKN:07 5 BKN:07 22 OVC:08 32	2.50	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	15	040		29.65				FM-16	0.15	29.83
20	0728	7	BKN:07 5 BKN:07 21 OVC:08 32	1.50	+RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	15	040		29.65				FM-16	0.21	29.83

20	0748	7	BKN:07 6 BKN:07 26 OVC:08 37	2.50	RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	15	030	26	29.63				FM-16	0.42	29.81
20	0754	7	BKN:07 5 BKN:07 25 OVC:08 37	3.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	17	040		29.63			29.82	FM-15	0.43	29.81
20	0821	7	BKN:07 6 BKN:07 12 OVC:08 22	2.50	RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	20	040	24	29.62				FM-16	0.08	29.80
20	0854	7	BKN:07 6 BKN:07 10 OVC:08 16	2.50	RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	14	050		29.62			29.81	FM-15	0.20	29.80
20	0912	7	BKN:07 6 BKN:07 10 OVC:08 19	5.00	-RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	16	050		29.60				FM-16	0.06	29.78
20	0954	7	BKN:07 7 BKN:07 11 OVC:08 31	3.00	RA:02 BR:1 RA RA	60	15.6	59	15.0	59	15.0	96	16	050		29.58	8	+0.05	29.77	FM-15	0.22	29.76
20	1054	7	BKN:07 5 OVC:08 11	7.00	-RA:02 RA RA	61	16.1	60	15.6	60	15.6	97	14	020		29.56			29.75	FM-15	0.10	29.74
20	1154	7	OVC:08 6	4.00	-RA:02 BR:1 RA RA	62	16.7	61	16.1	61	16.1	96	14	030		29.53			29.72	FM-15	0.08	29.71
20	1254	7	BKN:07 5 OVC:08 11	4.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	60	15.6	97	18	360		29.52	6	+0.06	29.71	FM-15	0.02	29.69
20	1300	4	5	3.73	RA	61	16.1	60	15.6	60	15.6	97	18	360		29.51	6	+0.06	29.71	FM-12		
20	1354	7	OVC:08 7	3.00	-DZ:01 BR:1 DZ DZ	61	16.1	60	15.6	59	15.0	93	22	360	29	29.52			29.70	FM-15	T	29.69
20	1410	7	BKN:07 6 OVC:08 11	2.50	-DZ:01 BR:1 DZ DZ	61	16.1	60	15.6	59	15.0	93	20	360	28	29.52				FM-16	T	29.70
20	1454	7	BKN:07 6 OVC:08 10	2.00	-DZ:01 BR:1 DZ DZ	60	15.6	59	15.0	58	14.4	93	17	350	28	29.55			29.74	FM-15	T	29.73
20	1538	7	BKN:07 5 OVC:08 10	1.50	-DZ:01 BR:1 DZ DZ	59	15.0	58	14.4	57	13.9	93	18	350		29.57				FM-16	T	29.75
20	1552	6	OVC:08 5	1.25	-DZ:01 BR:1 DZ DZ	57	13.9	57	13.9	57	13.9	100	20	360	26	29.57				FM-16		29.75
20	1554	7	OVC:08 5	1.25	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	57	13.9	97	18	350	26	29.57	3	-0.06	29.76	FM-15	T	29.75
20	1629	7	BKN:07 5 OVC:08 9	2.50	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	56	13.3	93	21	350	25	29.59				FM-16	T	29.77
20	1642	7	BKN:07 5 OVC:08 10	3.00	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	56	13.3	93	20	350	26	29.59				FM-16	T	29.77
20	1654	7	OVC:08 6	3.00	-DZ:01 BR:1 DZ DZ	57	13.9	56	13.3	56	13.3	96	18	350	29	29.60			29.79	FM-15	T	29.78
20	1754	7	BKN:07 7 OVC:08 13	6.00	BR:1	57	13.9	56	13.3	55	12.8	93	20	350		29.63			29.82	FM-15	T	29.81
20	1854	4		10.00		57	13.9			55	12.8	93	18	350	29				29.85	FM-15		29.84
20	1900	4	8	9.94		57	13.9	56	13.3	55	12.8	93	18	350		29.66	1	-0.09	29.85	FM-12		
20	1954	4		10.00		57	13.9			55	12.8	93	13	350					29.88	FM-15	T	29.87
20	2054	4		10.00		57	13.9			55	12.8	93	15	360					29.91	FM-15		29.90
20	2154	4		10.00		57	13.9			55	12.8	93	17	350	25				29.94	FM-15		29.93
20	2218	7	OVC:08 9	10.00		57	13.9	56	13.3	55	12.8	93	16	340		29.76				FM-16		29.94
20	2254	4		7.00	DZ	57	13.9			54	12.2	90	14	340					29.95	FM-15	T	29.94
20	2354	4		10.00		56	13.3			54	12.2	93	11	350					29.96	FM-15	T	29.95
21	0021	7	BKN:07 10 OVC:08 33	10.00		56	13.3	55	12.8	54	12.2	93	10	340		29.78				FM-16		29.96
21	0052	7	OVC:08 9	10.00		55	12.8	54	12.2	54	12.2	94	10	350		29.78			29.98	FM-16		29.96
21	0100	4	8	9.94		56	13.3	55	12.8	54	12.2	93	11	340		29.78	3	-0.04	29.98	FM-12		
21	0154	4		10.00		56	13.3			53	11.7	90	15	330					30.00	FM-15		29.98
21	0231	7	OVC:08 10	10.00		56	13.3	54	12.2	53	11.7	90	13	350		29.80				FM-16		29.98
21	0254	4		10.00		56	13.3			53	11.7	90	10	350					30.00	FM-15		29.98
21	0354	4		10.00		56	13.3			53	11.7	90	9	360					30.01	FM-15		29.99
21	0401	7	OVC:08 9	10.00		56	13.3	54	12.2	53	11.7	90	9	010		29.81				FM-16		29.99
21	0454	4		10.00		55	12.8			53	11.7	93	8	360					30.02	FM-15		30.01
21	0554	4		8.00		55	12.8			52	11.1	90	11	020					30.04	FM-15		30.03
21	0654	4		6.00	DZ	54	12.2			52	11.1	93	9	010					30.07	FM-15	T	30.05
21	0700	4	5	5.59	DZ	54	12.2	53	11.7	52	11.1	93	9	010		29.87	3	-0.06	30.07	FM-12		

21	0718	7	OVC:08 5	1.50	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.7	52	11.1	93	9	360		29.88				FM-16	T	30.06
21	0746	7	OVC:08 5	2.00	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.7	52	11.1	93	13	020		29.90				FM-16	T	30.08
21	0754	4		1.75	DZ	54	12.2			52	11.1	93	10	020				30.09	FM-15	T	30.08	
21	0832	7	OVC:08 7	2.50	-DZ:01 BR:1 DZ DZ	54	12.2	53	11.7	52	11.1	93	9	360		29.91				FM-16	T	30.09
21	0852	7	OVC:08 7	3.00	BR:1	54	12.2	53	11.7	52	11.1	94	7	360		29.92		30.11	FM-16	T	30.10	
21	0941	7	OVC:08 10	9.00		56	13.3	54	12.2	52	11.1	87	7	350		29.93				FM-16		30.11
21	0954	4		7.00		56	13.3			52	11.1	87	8	360				30.12	FM-15		30.11	
21	1008	7	OVC:08 8	10.00		56	13.3	54	12.2	53	11.7	90	8	020		29.92				FM-16		30.10
21	1044	7	OVC:08 10	10.00		57	13.9	55	12.8	53	11.7	87	7	010		29.93				FM-16		30.11
21	1054	4		10.00		57	13.9			53	11.7	87	10	010				30.12	FM-15		30.11	
21	1154	4		10.00		59	15.0			53	11.7	81	0	000				30.12	FM-15		30.11	
21	1254	4		10.00		59	15.0			53	11.7	81	3	VRB				30.10	FM-15		30.09	
21	1300	4	15	9.94		59	15.0	56	13.3	53	11.7	81	3			29.91	8	+0.02	30.10	FM-12		
21	1311	7	OVC:08 15	10.00		59	15.0	56	13.3	53	11.7	81	5	350		29.90				FM-16		30.08
21	1354	4		10.00		60	15.6			53	11.7	78	5	310				30.09	FM-15		30.07	
21	1454	4		10.00		61	16.1			53	11.7	75	3	350				30.09	FM-15		30.08	
21	1554	4		10.00		60	15.6			53	11.7	78	5	030				30.07	FM-15		30.06	
21	1654	4		10.00		59	15.0			54	12.2	83	0	000				30.09	FM-15		30.07	
21	1754	4		10.00		58	14.4			54	12.2	87	6	130				30.09	FM-15		30.08	
21	1815	7	OVC:08 14	10.00		58	14.4	56	13.3	54	12.2	87	5	140		29.91				FM-16		30.09
21	1854	4		10.00		58	14.4			54	12.2	87	5	150				30.10	FM-15		30.09	
21	1900	4	15	9.94		58	14.4	56	13.3	54	12.2	87	5	150		29.91	3	-0.02	30.10	FM-12		
21	1954	4		10.00		57	13.9			54	12.2	90	6	150				30.10	FM-15		30.09	
21	2054	4		10.00		57	13.9			54	12.2	90	6	120				30.10	FM-15		30.09	
21	2154	4		10.00		57	13.9			54	12.2	90	7	140				30.11	FM-15		30.09	
21	2252	7	OVC:08 8	10.00		57	13.9	55	12.8	54	12.2	88	8	150		29.90			30.09	FM-16		30.08
21	2354	4		10.00		57	13.9			55	12.8	93	6	150				30.09	FM-15		30.07	
22	0054	7	OVC:08 6	10.00		57	13.9	56	13.3	55	12.8	93	7	160		29.89	6	+0.02	30.09	FM-15	0.00	30.07
22	0100	4	5	9.94		57	13.9	56	13.3	55	12.8	93	7	160		29.89	6	+0.02	30.09	FM-12		
22	0154	7	OVC:08 5	10.00		57	13.9	56	13.3	55	12.8	93	11	170		29.88			30.07	FM-15	0.00	30.06
22	0254	7	OVC:08 4	5.00	BR:1	57	13.9	56	13.3	55	12.8	93	6	170		29.85			30.04	FM-15	0.00	30.03
22	0354	7	OVC:08 4	7.00		57	13.9	56	13.3	55	12.8	93	6	180		29.84	8	+0.06	30.03	FM-15	0.00	30.02
22	0452	6	OVC:08 5	10.00		57	13.9	56	13.3	55	12.8	94	10	180		29.84				FM-16		30.02
22	0454	7	OVC:08 5	10.00		57	13.9	56	13.3	55	12.8	93	8	170		29.84			30.03	FM-15	0.00	30.02
22	0552	6	OVC:08 4	7.00		57	13.9	56	13.3	55	12.8	94	8	150		29.81				FM-16		29.99
22	0554	7	OVC:08 4	7.00		57	13.9	56	13.3	55	12.8	93	8	150		29.81			30.00	FM-15	0.00	29.99
22	0616	7	OVC:08 5	10.00		57	13.9	56	13.3	55	12.8	93	5	160		29.82				FM-16		30.00
22	0654	7	OVC:08 5	10.00		57	13.9	56	13.3	56	13.3	96	6	170		29.82	5	+0.01	30.01	FM-15	0.00	30.00
22	0700	4	5	9.94		57	13.9	56	13.3	56	13.3	96	6	170		29.82	5	+0.01	30.01	FM-12		
22	0702	7	OVC:08 5	2.50	-DZ:01 BR:1 DZ DZ	57	13.9	56	13.3	56	13.3	96	6	190		29.82				FM-16	T	30.00
22	0739	7	OVC:08 5	1.75	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	56	13.3	93	6	160		29.82				FM-16	T	30.00
22	0754	7	OVC:08 5	1.75	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	57	13.9	97	5	160		29.82			30.01	FM-15	T	30.00
22	0836	7	OVC:08 4	1.75	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	57	13.9	97	9	150		29.80				FM-16	T	29.98
22	0854	7	OVC:08 4	3.00	-DZ:01 BR:1 DZ DZ	58	14.4	57	13.9	57	13.9	97	10	140		29.78			29.98	FM-15	T	29.96
22	0941	7	OVC:08 5	8.00		59	15.0	58	14.4	57	13.9	93	10	140		29.77				FM-16	T	29.95
22	0954	7	OVC:08 5	10.00		59	15.0	58	14.4	57	13.9	93	11	140		29.77	8	+0.05	29.96	FM-15	T	29.95
22	1054	7	OVC:08 7	10.00		60	15.6	58	14.4	57	13.9	90	11	150		29.75			29.95	FM-15	0.00	29.93
22	1127	7	OVC:08 10	10.00		63	17.2	60	15.6	58	14.4	84	10	150		29.73				FM-16		29.91
22	1154	7	BKN:07 13 BKN:07 60 OVC:08 90	10.00		64	17.8	60	15.6	58	14.4	81	9	150		29.70			29.89	FM-15	0.00	29.88
22	1204	7	BKN:07 16 BKN:07 55 OVC:08 90	10.00		65	18.3	61	16.1	59	15.0	81	11	140		29.69				FM-16		29.87
22	1221	7	OVC:08 14	10.00		64	17.8	61	16.1	59	15.0	84	11	140		29.68				FM-16		29.86
22	1254	7	OVC:08 14	10.00		65	18.3	62	16.7	60	15.6	84	11	140		29.65	8	+0.12	29.84	FM-15	0.00	29.83
22	1300	4	15	9.94		65	18.3	62	16.7	60	15.6	84	11	140		29.65	8	+0.12	29.84	FM-12		
22	1326	7	OVC:08 15	10.00		66	18.9	62	16.7	60	15.6	81	11	150		29.63				FM-16		29.81

22	1354	7	OVC:08 17	10.00		67	19.4	63	17.2	61	16.1	81	13	140		29.62			29.81	FM-15	T	29.80
22	1454	7	OVC:08 19	10.00		68	20.0	64	17.8	62	16.7	81	11	150		29.61			29.80	FM-15	0.00	29.79
22	1554	7	OVC:08 16	3.00	-RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	6	150		29.60	6	+0.05	29.80	FM-15	0.03s	29.78
22	1608	7	BKN:07 14 OVC:08 19	4.00	-RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	7	140		29.59				FM-16	0.01	29.77
22	1652	6	FEW:02 6 OVC:08 11	9.00	-RA:02 RA RA	66	18.9	65	18.3	64	17.8	94	13	270		29.62				FM-16		29.80
22	1654	7	FEW:02 6 OVC:08 11	8.00	-RA:02 RA RA	66	18.9	65	18.3	65	18.3	96	13	VRB	17	29.61			29.80	FM-15	0.03	29.79
22	1754	7	BKN:07 12 OVC:08 25	10.00		64	17.8	63	17.2	62	16.7	93	5	360		29.62			29.81	FM-15	0.01	29.80
22	1850	7	BKN:07 16 OVC:08 23	10.00		63	17.2	62	16.7	61	16.1	94	5	040		29.63				FM-16	T	29.81
22	1854	7	SCT:04 16 OVC:08 23	10.00		63	17.2	62	16.7	61	16.1	93	3	050		29.63	1	-0.02	29.83	FM-15	T	29.81
22	1900	4	15	9.94		63	17.2	62	16.7	61	16.1	93	3	050		29.63	1	-0.02	29.83	FM-12		
22	1911	7	FEW:02 16 SCT:04 23 SCT:04 29	10.00		62	16.7	61	16.1	60	15.6	93	0	000		29.64				FM-16		29.82
22	1952	7	SCT:04 5 BKN:07 29 BKN:07 49	10.00		61	16.1	61	16.1	61	16.1	100	10	310		29.67			29.86	FM-16		29.85
22	2003	7	BKN:07 5 BKN:07 30 OVC:08 49	10.00		61	16.1	60	15.6	60	15.6	97	14	300		29.68				FM-16		29.86
22	2054	4		10.00		61	16.1			60	15.6	97	10	310					29.88	FM-15		29.87
22	2154	4		10.00		60	15.6			59	15.0	96	9	330					29.89	FM-15		29.88
22	2254	4		10.00		59	15.0			58	14.4	96	6	330					29.89	FM-15		29.88
22	2354	4		10.00		58	14.4			57	13.9	97	8	320					29.89	FM-15		29.88
23	0031	7	OVC:08 4	10.00		58	14.4	57	13.9	57	13.9	97	5	300		29.70				FM-16		29.88
23	0054	7	OVC:08 3	10.00		57	13.9	56	13.3	56	13.3	96	5	310		29.71	3	-0.01	29.90	FM-15	0.00	29.89
23	0100	4	2	9.94		57	13.9	56	13.3	56	13.3	96	5	310		29.71	3	-0.01	29.90	FM-12		
23	0154	7	OVC:08 3	7.00		57	13.9	56	13.3	56	13.3	96	6	310		29.73			29.92	FM-15	0.00	29.91
23	0223	7	OVC:08 3	2.00	BR:1	57	13.9	56	13.3	56	13.3	96	5	270		29.73				FM-16		29.91
23	0225	7	OVC:08 3	1.00	BR:1	57	13.9	56	13.3	56	13.3	96	6	270		29.73				FM-16		29.91
23	0234	7	VV:09 2	0.75	BR:1	56	13.3	56	13.3	56	13.3	100	6	270		29.74				FM-16		29.92
23	0254	7	VV:09 2	0.75	BR:1	56	13.3	56	13.3	56	13.3	100	9	280		29.74			29.93	FM-15	0.00	29.92
23	0312	7	OVC:08 2	1.50	BR:1	56	13.3	55	12.8	55	12.8	97	7	280		29.75				FM-16		29.93
23	0324	7	OVC:08 3	3.00	BR:1	56	13.3	55	12.8	55	12.8	97	7	280		29.75				FM-16		29.93
23	0354	7	OVC:08 4	6.00	BR:1	56	13.3	55	12.8	55	12.8	97	5	280		29.77	3	-0.06	29.96	FM-15	0.00	29.95
23	0422	7	BKN:07 5	6.00	BR:1	55	12.8	54	12.2	54	12.2	96	7	270		29.78				FM-16		29.96
23	0454	7	SCT:04 5	7.00		54	12.2	53	11.7	53	11.7	97	6	280		29.79			29.99	FM-15	0.00	29.97
23	0554	7	FEW:02 5	10.00		53	11.7	52	11.1	51	10.6	93	5	320		29.83			30.02	FM-15	0.00	30.01
23	0654	7	FEW:02 9 FEW:02 300	10.00		53	11.7	51	10.6	50	10.0	89	3	330		29.85	1	-0.08	30.04	FM-15	0.00	30.03
23	0700	4	8	9.94		53	11.7	51	10.6	50	10.0	89	3	330		29.85	1	-0.08	30.04	FM-12		
23	0754	7	FEW:02 6 FEW:02 300	10.00		56	13.3	54	12.2	53	11.7	90	0	000		29.88			30.07	FM-15	0.00	30.06
23	0854	7	FEW:02 80 FEW:02 300	10.00		62	16.7	55	12.8	48	8.9	60	8	280		29.90			30.09	FM-15	0.00	30.08
23	0954	7	FEW:02 250	10.00		64	17.8	54	12.2	45	7.2	50	13	310		29.91	1	-0.06	30.10	FM-15	0.00	30.09
23	1054	7	FEW:02 50 FEW:02 250	10.00		67	19.4	54	12.2	41	5.0	39	13	340		29.91			30.10	FM-15	0.00	30.09
23	1154	7	FEW:02 55 FEW:02 250	10.00		68	20.0	54	12.2	40	4.4	36	10	290		29.91			30.11	FM-15	0.00	30.09
23	1254	7	FEW:02 60 FEW:02 300	10.00		68	20.0	53	11.7	39	3.9	35	5	260		29.90	8	+0.01	30.09	FM-15	0.00	30.08
23	1300	4	57	9.94		68	20.0	53	11.7	39	3.9	35	5	260		29.90	8	+0.01	30.09	FM-12		
23	1354	7	FEW:02 65 FEW:02 300	10.00		69	20.6	54	12.2	39	3.9	33	9	310		29.90			30.09	FM-15	0.00	30.08

23	1454	7	FEW:02 65 FEW:02 300	10.00		68	20.0	53	11.7	37	2.8	32	8	270		29.92			30.11	FM-15	0.00	30.10
23	1554	7	FEW:02 300	10.00		68	20.0	53	11.7	37	2.8	32	10	280		29.92	3	-0.02	30.12	FM-15	0.00	30.10
23	1654	7	CLR:00	10.00		66	18.9	52	11.1	38	3.3	36	8	280		29.95			30.14	FM-15	0.00	30.13
23	1754	7	CLR:00	10.00		57	13.9	50	10.0	42	5.6	58	0	000		29.98			30.17	FM-15	0.00	30.16
23	1854	7	CLR:00	10.00		54	12.2	49	9.4	45	7.2	72	0	000		30.00	3	-0.08	30.19	FM-15	0.00	30.18
23	1900	4		9.94		54	12.2	49	9.4	45	7.2	72	0	000		30.00	3	-0.08	30.19	FM-12		
23	1954	7	CLR:00	10.00		51	10.6	48	8.9	44	6.7	77	0	000		30.02			30.21	FM-15	0.00	30.20
23	2054	4		10.00		49	9.4			44	6.7	83	0	000					30.23	FM-15		30.22
23	2154	7	CLR:00	10.00		48	8.9	46	7.8	43	6.1	83	0	000		30.05	1	-0.04	30.24	FM-15	0.00	30.23
23	2254	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	5	140		30.05			30.24	FM-15	0.00	30.23
23	2354	4		10.00		46	7.8			41	5.0	83	0	000					30.24	FM-15		30.23
24	0054	7	CLR:00	10.00		45	7.2	43	6.1	41	5.0	86	0	000		30.06	3	-0.01	30.25	FM-15	0.00	30.24
24	0100	4		9.94		45	7.2	43	6.1	41	5.0	86	0	000		30.06	3	-0.01	30.25	FM-12		
24	0154	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	6	360		30.08			30.27	FM-15	0.00	30.26
24	0254	7	CLR:00	10.00		45	7.2	44	6.7	42	5.6	90	0	000		30.08			30.27	FM-15	0.00	30.26
24	0354	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	0	000		30.10	3	-0.04	30.29	FM-15	0.00	30.28
24	0454	7	CLR:00	10.00		43	6.1	41	5.0	39	3.9	86	0	000		30.11			30.30	FM-15	0.00	30.29
24	0554	7	CLR:00	10.00		41	5.0	40	4.4	38	3.3	89	0	000		30.12			30.31	FM-15	0.00	30.30
24	0654	7	CLR:00	10.00		43	6.1	41	5.0	39	3.9	86	0	000		30.13	3	-0.03	30.32	FM-15	0.00	30.31
24	0700	4		9.94		43	6.1	41	5.0	39	3.9	86	0	000		30.13	3	-0.03	30.32	FM-12		
24	0754	7	FEW:02 300	10.00		51	10.6	49	9.4	46	7.8	83	0	000		30.15			30.34	FM-15	0.00	30.33
24	0854	7	FEW:02 300	10.00		56	13.3	51	10.6	47	8.3	72	3	140		30.17			30.36	FM-15	0.00	30.35
24	0954	7	FEW:02 300	10.00		63	17.2	55	12.8	47	8.3	56	0	000		30.17	1	-0.04	30.36	FM-15	0.00	30.35
24	1054	7	FEW:02 50 FEW:02 300	10.00		67	19.4	54	12.2	42	5.6	41	8	180		30.16			30.36	FM-15	0.00	30.34
24	1154	7	FEW:02 55 FEW:02 300	10.00		68	20.0	54	12.2	40	4.4	36	7	150	18	30.15			30.34	FM-15	0.00	30.33
24	1254	7	FEW:02 55 FEW:02 300	10.00		69	20.6	55	12.8	42	5.6	38	6	140		30.12	8	+0.05	30.31	FM-15	0.00	30.30
24	1300	4	57	9.94		69	20.6	55	12.8	42	5.6	38	6	140		30.12	8	+0.05	30.31	FM-12		
24	1354	7	FEW:02 55 FEW:02 300	10.00		70	21.1	55	12.8	42	5.6	37	6	160		30.10			30.29	FM-15	0.00	30.28
24	1454	7	FEW:02 55 FEW:02 300	10.00		70	21.1	56	13.3	43	6.1	38	8	170		30.09			30.28	FM-15	0.00	30.27
24	1554	7	FEW:02 55 FEW:02 300	10.00		69	20.6	55	12.8	42	5.6	38	7	130		30.10	5	+0.02	30.29	FM-15	0.00	30.28
24	1654	7	FEW:02 55 FEW:02 300	10.00		67	19.4	55	12.8	44	6.7	44	6	150		30.09			30.28	FM-15	0.00	30.27
24	1754	7	FEW:02 300	10.00		61	16.1	54	12.2	47	8.3	60	6	150		30.10			30.29	FM-15	0.00	30.28
24	1854	7	CLR:00	10.00		57	13.9	52	11.1	48	8.9	72	5	110		30.12	3	-0.02	30.31	FM-15	0.00	30.30
24	1900	4		9.94		57	13.9	52	11.1	48	8.9	72	5	110		30.12	3	-0.02	30.31	FM-12		
24	1954	4		10.00		55	12.8			48	8.9	77	0	000					30.32	FM-15		30.30
24	2054	4		10.00		53	11.7			49	9.4	86	6	130					30.33	FM-15		30.31
24	2154	4		10.00		53	11.7			48	8.9	83	0	000					30.35	FM-15		30.33
24	2254	4		10.00		51	10.6			49	9.4	92	0	000					30.34	FM-15		30.32
24	2354	4		10.00		52	11.1			49	9.4	89	0	000					30.32	FM-15		30.31
25	0054	7	SCT:04 300	10.00		50	10.0	49	9.4	48	8.9	93	0	000		30.12	6	+0.03	30.32	FM-15	0.00	30.30
25	0100	4		9.94		50	10.0	49	9.4	48	8.9	93	0	000		30.12	6	+0.03	30.32	FM-12		
25	0154	7	SCT:04 55 BKN:07 300	10.00		51	10.6	49	9.4	47	8.3	86	0	000		30.11			30.30	FM-15	0.00	30.29
25	0254	7	FEW:02 55 BKN:07 300	10.00		51	10.6	49	9.4	48	8.9	89	0	000		30.10			30.29	FM-15	0.00	30.28
25	0354	7	FEW:02 55 SCT:04 300	10.00		50	10.0	49	9.4	48	8.9	93	0	000		30.10	5	+0.02	30.29	FM-15	0.00	30.28
25	0454	7	FEW:02 55 FEW:02 300	10.00		49	9.4	48	8.9	47	8.3	93	3	130		30.11			30.30	FM-15	0.00	30.29
25	0554	7	SCT:04 55 SCT:04 300	10.00		48	8.9	47	8.3	46	7.8	93	0	000		30.12			30.31	FM-15	0.00	30.30

25	0654	7	FEW:02 55 SCT:04 150 BKN:07 300	10.00		48	8.9	47	8.3	46	7.8	93	3	150		30.12	1	-0.02	30.31	FM-15	0.00	30.30
25	0700	4	57	9.94		48	8.9	47	8.3	46	7.8	93	3	150		30.12	1	-0.02	30.31	FM-12		
25	0754	7	FEW:02 44 FEW:02 200 BKN:07 250	8.00		55	12.8	53	11.7	52	11.1	90	0	000		30.13			30.32	FM-15	0.00	30.31
25	0854	7	FEW:02 45 FEW:02 190 BKN:07 220	8.00		58	14.4	56	13.3	54	12.2	87	0	000		30.14			30.33	FM-15	0.00	30.32
25	0954	7	FEW:02 45 BKN:07 190	9.00		62	16.7	58	14.4	54	12.2	75	3	240		30.13	0	-0.01	30.33	FM-15	0.00	30.31
25	1054	7	FEW:02 45 BKN:07 200	10.00		64	17.8	59	15.0	56	13.3	75	5	220		30.12			30.31	FM-15	0.00	30.30
25	1154	7	FEW:02 50 BKN:07 200	10.00		66	18.9	60	15.6	56	13.3	70	6	240		30.09			30.28	FM-15	0.00	30.27
25	1254	7	FEW:02 35 BKN:07 180 OVC:08 200	10.00		67	19.4	61	16.1	57	13.9	71	3	200		30.06	8	+0.08	30.25	FM-15	0.00	30.24
25	1300	4	41	9.94		67	19.4	61	16.1	57	13.9	71	3	200		30.06	8	+0.08	30.25	FM-12		
25	1354	7	FEW:02 33 FEW:02 47 BKN:07 180	10.00		69	20.6	62	16.7	58	14.4	68	5	VRB		30.03			30.23	FM-15	0.00	30.21
25	1454	6	BKN:07 32 BKN:07 38 OVC:08 200	10.00		68	20.0	62	16.7	58	14.4	70	6	210		30.02			30.22	FM-15	0.00	30.20
25	1511	7	BKN:07 29 BKN:07 40 OVC:08 200	10.00		68	20.0	62	16.7	58	14.4	70	5	210		30.02				FM-16		30.20
25	1533	7	SCT:04 29 SCT:04 38 OVC:08 180	10.00		68	20.0	62	16.7	58	14.4	70	5	170		30.01				FM-16		30.19
25	1554	7	FEW:02 27 SCT:04 45 BKN:07 180	10.00		68	20.0	63	17.2	59	15.0	73	5	150		30.01	6	+0.04	30.21	FM-15	0.00	30.19
25	1654	7	FEW:02 30 BKN:07 160 BKN:07 250	10.00		67	19.4	62	16.7	59	15.0	76	0	000		30.02			30.21	FM-15	0.00	30.20
25	1854	7	BKN:07 140 BKN:07 220	10.00		62	16.7	60	15.6	59	15.0	90	0	000		30.02			30.22	FM-15	0.00	30.20
25	1900	4		9.94		62	16.7	60	15.6	59	15.0	90	0	000		30.02			30.22	FM-12		
25	1954	4		10.00		61	16.1			58	14.4	90	0	000					30.23	FM-15		30.21
25	2054	4		10.00		60	15.6			58	14.4	93	0	000					30.25	FM-15		30.23
25	2154	4		10.00		59	15.0			57	13.9	93	0	000					30.24	FM-15		30.23
25	2254	4		10.00		59	15.0			57	13.9	93	0	000					30.22	FM-15		30.21
25	2354	4		10.00		59	15.0			57	13.9	93	5	130					30.20	FM-15		30.19
26	0052	6	FEW:02 5 OVC:08 130	10.00		57	13.9	56	13.3	55	12.8	94	0	000		30.00				FM-16		30.18
26	0054	7	FEW:02 5 OVC:08 130	10.00		58	14.4	57	13.9	56	13.3	93	0	000		30.00	6	+0.05	30.19	FM-15	0.00	30.18
26	0100	4	5	9.94		57	13.9	56	13.3	55	12.8	94	0	000		30.00	6	+0.05	30.19	FM-12		
26	0154	7	FEW:02 5 BKN:07 130 OVC:08 180	9.00		58	14.4	57	13.9	56	13.3	93	0	000		30.00			30.19	FM-15	0.00	30.18
26	0254	7	FEW:02 5 SCT:04 130 OVC:08 190	10.00		58	14.4	57	13.9	56	13.3	93	0	000		29.99			30.19	FM-15	0.00	30.17
26	0354	7	FEW:02 5 SCT:04 110 OVC:08 190	8.00		57	13.9	56	13.3	56	13.3	96	0	000		30.00	5	+0.01	30.19	FM-15	0.00	30.18
26	0454	7	FEW:02 110 OVC:08 180	8.00		57	13.9	56	13.3	56	13.3	96	0	000		30.01			30.20	FM-15	0.00	30.19

26	0554	7	FEW:02 90 FEW:02 110 BKN:07 210	8.00		57	13.9	56	13.3	56	13.3	96	0	000		29.99			30.18	FM-15	T	30.17
26	0654	7	FEW:02 110 BKN:07 140 BKN:07 300	6.00	BR:1	57	13.9	56	13.3	55	12.8	93	0	000		30.00	1	0.00	30.19	FM-15	0.00	30.18
26	0700	4		5.59		57	13.9	56	13.3	55	12.8	93	0	000		30.00	1	0.00	30.19	FM-12		
26	0754	7	FEW:02 160 BKN:07 180 BKN:07 240	8.00		59	15.0	58	14.4	57	13.9	93	0	000		30.02			30.22	FM-15	0.00	30.20
26	0854	7	BKN:07 160 BKN:07 230	8.00		60	15.6	58	14.4	57	13.9	90	7	020		30.02			30.22	FM-15	0.00	30.20
26	0954	7	SCT:04 160 BKN:07 230	8.00		63	17.2	59	15.0	56	13.3	78	7	060		30.03	1	-0.03	30.22	FM-15	0.00	30.21
26	1054	7	SCT:04 100 BKN:07 250	9.00		66	18.9	60	15.6	56	13.3	70	6	070		30.02			30.21	FM-15	0.00	30.20
26	1154	7	FEW:02 50 SCT:04 100 BKN:07 250	10.00		70	21.1	62	16.7	56	13.3	61	7	070		29.99			30.18	FM-15	0.00	30.17
26	1254	7	FEW:02 35 FEW:02 90 BKN:07 250	10.00		72	22.2	63	17.2	57	13.9	59	7	080		29.97	8	+0.06	30.16	FM-15	0.00	30.15
26	1300	4	41	9.94		72	22.2	63	17.2	57	13.9	59	7	080		29.97	8	+0.06	30.16	FM-12		
26	1354	7	SCT:04 32 SCT:04 43 BKN:07 300	10.00		73	22.8	64	17.8	58	14.4	59	9	040		29.94			30.13	FM-15	0.00	30.12
26	1454	7	FEW:02 34 SCT:04 75 BKN:07 300	10.00		72	22.2	65	18.3	60	15.6	66	10	090		29.94			30.13	FM-15	0.00	30.12
26	1554	7	FEW:02 45 BKN:07 55 BKN:07 300	10.00		71	21.7	64	17.8	60	15.6	68	9	100		29.93	6	+0.04	30.12	FM-15	0.00	30.11
26	1654	7	FEW:02 30 BKN:07 55 BKN:07 300	10.00		68	20.0	63	17.2	60	15.6	76	11	100		29.92			30.11	FM-15	0.00	30.10
26	1754	7	SCT:04 55 BKN:07 200 BKN:07 300	10.00		66	18.9	62	16.7	59	15.0	78	6	100		29.94			30.14	FM-15	0.00	30.12
26	1854	7	SCT:04 46 BKN:07 170 BKN:07 300	10.00		65	18.3	61	16.1	58	14.4	78	13	120		29.94	3	-0.01	30.13	FM-15	0.00	30.12
26	1900	4	41	9.94		65	18.3	61	16.1	58	14.4	78	13	120		29.94	3	-0.01	30.13	FM-12		
26	1954	4		10.00		64	17.8			58	14.4	81	11	110					30.12	FM-15		30.11
26	2054	4		10.00		64	17.8			59	15.0	84	9	120					30.11	FM-15		30.10
26	2154	7	SCT:04 65 OVC:08 130	10.00		64	17.8	62	16.7	60	15.6	87	9	110		29.91	7	+0.03	30.10	FM-15	0.00	30.09
26	2254	7	OVC:08 140	10.00		63	17.2	62	16.7	61	16.1	93	9	110		29.88			30.06	FM-15	0.00	30.06
26	2354	7	OVC:08 110	10.00	-RA:02 RA RA	64	17.8	62	16.7	61	16.1	90	9	120		29.85			30.04	FM-15	T	30.03
27	0054	7	SCT:04 28 BKN:07 60 OVC:08 110	10.00		65	18.3	63	17.2	62	16.7	90	9	120		29.83	6	+0.08	30.02	FM-15	0.00	30.01
27	0100	4	26	9.94		65	18.3	63	17.2	62	16.7	90	9	120		29.83	6	+0.08	30.02	FM-12		
27	0103	7	BKN:07 28 BKN:07 60 OVC:08 110	10.00		65	18.3	63	17.2	62	16.7	90	10	120		29.83				FM-16		30.01
27	0152	6	SCT:04 28 SCT:04 34 OVC:08 55	8.00	-RA:02 RA RA	64	17.8	63	17.2	63	17.2	94	9	120		29.80				FM-16		29.98
27	0154	7	SCT:04 28 SCT:04 34 OVC:08 55	7.00	RA:02 RA RA	65	18.3	64	17.8	63	17.2	93	9	110		29.79			29.98	FM-15	0.02	29.97
27	0221	7	BKN:07 17 BKN:07 29 OVC:08 50	10.00	-RA:02 RA RA	65	18.3	64	17.8	63	17.2	93	7	120		29.78				FM-16	0.04	29.96

27	0254	7	FEW:02 10 OVC:08 16	10.00		65	18.3	64	17.8	64	17.8	97	9	120		29.75			29.94	FM-15	0.02	29.93
27	0302	7	FEW:02 8 OVC:08 16	9.00	-RA:02 RA RA	65	18.3	64	17.8	64	17.8	97	9	130		29.75				FM-16	T	29.93
27	0317	7	FEW:02 8 OVC:08 13	10.00	-RA:02 RA RA	65	18.3	64	17.8	64	17.8	97	10	120		29.74				FM-16	T	29.92
27	0354	7	OVC:08 11	10.00		67	19.4	66	18.9	65	18.3	93	13	140		29.72	8	+0.11	29.91	FM-15	T	29.90
27	0434	7	OVC:08 7	10.00	-RA:02 RA RA	68	20.0	67	19.4	67	19.4	96	15	150	24	29.70				FM-16	0.01	29.88
27	0454	7	OVC:08 7	10.00		68	20.0	67	19.4	67	19.4	96	15	150		29.70			29.88	FM-15	0.01	29.88
27	0540	7	OVC:08 10	10.00		69	20.6	68	20.0	67	19.4	93	16	150		29.67				FM-16		29.85
27	0554	7	OVC:08 10	10.00		69	20.6	68	20.0	68	20.0	96	13	170		29.67			29.86	FM-15	0.00	29.85
27	0654	7	BKN:07 12 OVC:08 25	10.00		71	21.7	70	21.1	69	20.6	94	15	160		29.65	8	+0.06	29.84	FM-15	0.00	29.83
27	0700	4	15	9.94		71	21.7	70	21.1	69	20.6	94	15	160		29.65	8	+0.06	29.84	FM-12		
27	0754	7	BKN:07 10 OVC:08 18	10.00		72	22.2	71	21.7	70	21.1	94	15	180		29.65			29.84	FM-15	T	29.83
27	0852	6	SCT:04 12 BKN:07 20 OVC:08 65	9.00		73	22.8	72	22.2	72	22.2	94	16	180		29.63				FM-16		29.81
27	0854	7	SCT:04 12 BKN:07 20 OVC:08 65	9.00		73	22.8	72	22.2	71	21.7	94	14	170		29.63			29.81	FM-15	T	29.81
27	0954	7	BKN:07 15 BKN:07 21 OVC:08 65	10.00		75	23.9	73	22.8	72	22.2	90	21	190	29	29.63	5	+0.02	29.82	FM-15	T	29.81
27	1008	7	SCT:04 14 BKN:07 19 OVC:08 30	1.75V	+RA:02 BR:1 RA RA	74	23.3	73	22.8	72	22.2	94	22	190	29	29.63				FM-16	0.03	29.81
27	1028	7	SCT:04 14 OVC:08 19	2.00V	RA:02 BR:1 RA RA	74	23.3	73	22.8	72	22.2	94	17	190	28	29.63				FM-16	0.12	29.81
27	1037	7	BKN:07 19 BKN:07 37 OVC:08 100	9.00	-RA:02 RA RA	74	23.3	73	22.8	72	22.2	94	13	200		29.64				FM-16	0.15	29.82
27	1054	7	BKN:07 19 BKN:07 37 OVC:08 100	10.00	-RA:02 RA RA	76	24.4	75	23.9	74	23.3	94	11	190		29.63			29.82	FM-15	0.16	29.81
27	1138	7	FEW:02 15 SCT:04 23 BKN:07 85	10.00		76	24.4	73	22.8	72	22.2	88	11	230		29.63				FM-16	T	29.81
27	1154	7	FEW:02 20 SCT:04 60 BKN:07 85	10.00		77	25.0	74	23.3	73	22.8	88	11	230		29.63			29.82	FM-15	0.00	29.81
27	1254	7	BKN:07 55 BKN:07 90	10.00		80	26.7	71	21.7	66	18.9	62	16	260		29.62	8	+0.01	29.80	FM-15	0.00	29.80
27	1300	4	57	9.94		80	26.7	71	21.7	66	18.9	62	16	260		29.62	8	+0.01	29.80	FM-12		
27	1354	7	FEW:02 60	10.00		83	28.3	71	21.7	64	17.8	53	15	240		29.62			29.81	FM-15	0.00	29.80
27	1454	7	FEW:02 40 FEW:02 60	10.00		82	27.8	70	21.1	64	17.8	55	14	230		29.63			29.82	FM-15	0.00	29.81
27	1554	7	FEW:02 40	10.00		82	27.8	69	20.6	62	16.7	51	10	240		29.64	3	-0.03	29.83	FM-15	0.00	29.82
27	1654	7	FEW:02 35	10.00		79	26.1	67	19.4	59	15.0	50	8	250		29.67			29.85	FM-15	0.00	29.85
27	1754	7	FEW:02 30	10.00		75	23.9	66	18.9	60	15.6	60	5	270		29.70			29.88	FM-15	0.00	29.88
27	1854	7	CLR:00	10.00		73	22.8	64	17.8	58	14.4	59	6	290		29.72	3	-0.08	29.91	FM-15	0.00	29.90
27	1900	4		9.94		73	22.8	64	17.8	58	14.4	59	6	290		29.72	3	-0.08	29.91	FM-12		
27	1954	4		10.00		67	19.4			59	15.0	76	0	000					29.93	FM-15		29.92
27	2054	4		10.00		65	18.3			58	14.4	78	6	320					29.96	FM-15		29.95
27	2154	4		10.00		63	17.2			55	12.8	75	6	340					29.99	FM-15		29.98
27	2254	4		10.00		62	16.7			54	12.2	75	8	350					30.00	FM-15		29.99
27	2354	4		10.00		60	15.6			52	11.1	75	6	350					30.00	FM-15		29.99
28	0054	7	CLR:00	10.00		57	13.9	54	12.2	51	10.6	81	8	020		29.82	1	-0.03	30.01	FM-15	0.00	30.00
28	0100	4		9.94		57	13.9	54	12.2	51	10.6	81	8	020		29.82	1	-0.03	30.01	FM-12		
28	0154	7	CLR:00	10.00		57	13.9	53	11.7	50	10.0	78	8	360		29.83			30.02	FM-15	0.00	30.01
28	0254	7	CLR:00	10.00		59	15.0	54	12.2	49	9.4	69	13	010		29.84			30.03	FM-15	0.00	30.02

28	0354	7	CLR:00	10.00		58	14.4	53	11.7	49	9.4	72	11	020		29.86	3	-0.04	30.05	FM-15	0.00	30.04
28	0454	7	CLR:00	10.00		56	13.3	52	11.1	49	9.4	77	8	030		29.89			30.08	FM-15	0.00	30.07
28	0554	7	CLR:00	10.00		56	13.3	52	11.1	49	9.4	77	10	030		29.92			30.11	FM-15	0.00	30.10
28	0654	7	FEW:02 40	10.00		56	13.3	52	11.1	49	9.4	77	9	040		29.95	3	-0.09	30.14	FM-15	0.00	30.13
28	0700	4	41	9.94		56	13.3	52	11.1	49	9.4	77	9	040		29.95	3	-0.09	30.14	FM-12		
28	0754	7	FEW:02 40	10.00		59	15.0	54	12.2	50	10.0	72	8	030		29.98			30.18	FM-15	0.00	30.16
28	0854	7	FEW:02 22	10.00		62	16.7	55	12.8	50	10.0	65	13	060		30.00			30.20	FM-15	0.00	30.18
28	0954	7	FEW:02 30	10.00		64	17.8	56	13.3	50	10.0	60	10	070		30.01	1	-0.06	30.20	FM-15	0.00	30.19
28	1054	7	FEW:02 30	10.00		66	18.9	58	14.4	51	10.6	59	7	080		30.01			30.20	FM-15	0.00	30.19
28	1154	7	FEW:02 31 FEW:02 300	10.00		68	20.0	59	15.0	52	11.1	57	8	080		30.00			30.19	FM-15	0.00	30.18
28	1254	7	FEW:02 300	10.00		70	21.1	60	15.6	52	11.1	53	6	040		29.98	8	+0.03	30.17	FM-15	0.00	30.16
28	1300	4		9.94		70	21.1	60	15.6	52	11.1	53	6	040		29.98	8	+0.03	30.17	FM-12		
28	1354	7	FEW:02 38 BKN:07 300	10.00		70	21.1	60	15.6	52	11.1	53	0	000		29.97			30.16	FM-15	0.00	30.15
28	1454	7	FEW:02 37 BKN:07 300	10.00		70	21.1	60	15.6	52	11.1	53	7	090		29.97			30.16	FM-15	0.00	30.15
28	1554	7	BKN:07 300	10.00		69	20.6	59	15.0	52	11.1	55	9	090		29.96	6	+0.01	30.16	FM-15	0.00	30.14
28	1654	7	BKN:07 300	10.00		65	18.3	58	14.4	52	11.1	63	6	090		29.97			30.16	FM-15	0.00	30.15
28	1754	7	BKN:07 300	10.00		60	15.6	56	13.3	52	11.1	75	5	110		29.99			30.19	FM-15	0.00	30.17
28	1854	7	BKN:07 300	10.00		58	14.4	55	12.8	53	11.7	84	7	130		30.00	3	-0.04	30.19	FM-15	0.00	30.18
28	1900	4		9.94		58	14.4	55	12.8	53	11.7	84	7	130		30.00	3	-0.04	30.19	FM-12		
28	1954	7	SCT:04 300	10.00		56	13.3	54	12.2	52	11.1	87	5	110		30.01			30.20	FM-15	0.00	30.19
28	2054	7	SCT:04 300	10.00		56	13.3	54	12.2	52	11.1	87	0	000		30.03			30.22	FM-15	0.00	30.21
28	2154	7	FEW:02 300	10.00		53	11.7	51	10.6	50	10.0	89	0	000		30.03	3	-0.03	30.23	FM-15	0.00	30.21
28	2254	7	SCT:04 300	10.00		52	11.1	50	10.0	49	9.4	89	0	000		30.04			30.23	FM-15	0.00	30.22
28	2354	7	FEW:02 23 SCT:04 300	10.00		53	11.7	51	10.6	50	10.0	89	0	000		30.03			30.22	FM-15	0.00	30.21
29	0010	7	BKN:07 24	10.00		51	10.6	50	10.0	49	9.4	92	0	000		30.03				FM-16		30.21
29	0054	7	BKN:07 25	10.00		53	11.7	51	10.6	50	10.0	89	0	000		30.04	3	-0.01	30.23	FM-15	0.00	30.22
29	0100	4	26	9.94		53	11.7	51	10.6	50	10.0	89	0	000		30.04	3	-0.01	30.23	FM-12		
29	0154	7	SCT:04 25	10.00		53	11.7	51	10.6	50	10.0	89	3	010		30.03			30.23	FM-15	0.00	30.21
29	0215	7	BKN:07 25	10.00		54	12.2	52	11.1	51	10.6	90	0	000		30.03				FM-16		30.21
29	0254	7	BKN:07 26	10.00		54	12.2	53	11.7	52	11.1	93	0	000		30.03			30.22	FM-15	0.00	30.21
29	0354	7	BKN:07 25 BKN:07 60	10.00		54	12.2	53	11.7	52	11.1	93	3	030		30.03	5	+0.01	30.22	FM-15	0.00	30.21
29	0454	7	BKN:07 27 BKN:07 60	10.00		54	12.2	53	11.7	53	11.7	97	3	050		30.04			30.23	FM-15	0.00	30.22
29	0554	7	OVC:08 27	10.00		56	13.3	55	12.8	54	12.2	93	3	040		30.05			30.24	FM-15	0.00	30.23
29	0654	7	BKN:07 28 BKN:07 60	10.00		56	13.3	55	12.8	54	12.2	93	0	000		30.05	1	-0.02	30.25	FM-15	0.00	30.23
29	0700	4	26	9.94		56	13.3	55	12.8	54	12.2	93	0	000		30.05	1	-0.02	30.25	FM-12		
29	0754	7	BKN:07 28 BKN:07 60 OVC:08 300	10.00		59	15.0	57	13.9	56	13.3	90	3	070		30.07			30.26	FM-15	0.00	30.25
29	0827	7	SCT:04 28 BKN:07 60	10.00		61	16.1	59	15.0	57	13.9	87	0	000		30.08				FM-16		30.26
29	0854	7	FEW:02 28 BKN:07 60 OVC:08 300	10.00		62	16.7	59	15.0	57	13.9	84	6	120		30.08			30.27	FM-15	0.00	30.26
29	0954	7	FEW:02 15 FEW:02 28 BKN:07 60	10.00		64	17.8	59	15.0	56	13.3	75	3	110		30.08	1	-0.03	30.27	FM-15	0.00	30.26
29	1017	7	SCT:04 15 BKN:07 27 BKN:07 60	10.00		66	18.9	60	15.6	56	13.3	70	5	120		30.09				FM-16		30.27
29	1054	7	BKN:07 28 BKN:07 60 OVC:08 300	10.00		66	18.9	60	15.6	56	13.3	70	0	000		30.09			30.28	FM-15	0.00	30.27
29	1154	7	BKN:07 27 OVC:08 300	10.00		67	19.4	61	16.1	56	13.3	68	3	VRB		30.08			30.27	FM-15	0.00	30.26

29	1254	7	BKN:07 28 OVC:08 300	10.00		68	20.0	62	16.7	57	13.9	68	5	360		30.05	8	+0.04	30.24	FM-15	0.00	30.23
29	1300	4	26	9.94		68	20.0	62	16.7	57	13.9	68	5	360		30.05	8	+0.04	30.24	FM-12		
29	1344	7	SCT:04 28 BKN:07 60 OVC:08 300	10.00		69	20.6	61	16.1	56	13.3	63	0	000		30.04				FM-16		30.22
29	1354	7	SCT:04 29 BKN:07 60 OVC:08 300	10.00		69	20.6	61	16.1	56	13.3	63	0	000		30.04			30.24	FM-15	0.00	30.22
29	1454	7	SCT:04 29 BKN:07 65 OVC:08 300	10.00		69	20.6	62	16.7	57	13.9	66	0	000		30.04			30.23	FM-15	0.00	30.22
29	1554	7	FEW:02 29 SCT:04 60 OVC:08 300	10.00		68	20.0	62	16.7	57	13.9	68	5	060		30.04	5	+0.01	30.23	FM-15	0.00	30.22
29	1654	7	FEW:02 29 BKN:07 60 OVC:08 300	10.00		66	18.9	61	16.1	57	13.9	73	3	060		30.05			30.24	FM-15	0.00	30.23
29	1754	7	FEW:02 60 OVC:08 300	10.00		63	17.2	60	15.6	58	14.4	84	3	050		30.05			30.25	FM-15	0.00	30.23
29	1854	7	FEW:02 60 OVC:08 300	10.00		61	16.1	59	15.0	57	13.9	87	0	000		30.06	1	-0.01	30.25	FM-15	0.00	30.24
29	1900	4	57	9.94		61	16.1	59	15.0	57	13.9	87	0	000		30.06	1	-0.01	30.25	FM-12		
29	1954	7	FEW:02 60 OVC:08 300	10.00		60	15.6	58	14.4	57	13.9	90	8	080		30.07			30.26	FM-15	0.00	30.25
29	2054	7	OVC:08 300	10.00		58	14.4	57	13.9	56	13.3	93	5	120		30.08			30.27	FM-15	0.00	30.26
29	2154	7	OVC:08 300	10.00		58	14.4	56	13.3	55	12.8	90	0	000		30.08	0	-0.02	30.27	FM-15	0.00	30.26
29	2254	7	OVC:08 300	10.00		57	13.9	56	13.3	55	12.8	93	0	000		30.07			30.26	FM-15	0.00	30.25
29	2354	7	BKN:07 50 OVC:08 300	10.00		57	13.9	56	13.3	55	12.8	93	0	000		30.07			30.26	FM-15	0.00	30.25
30	0054	7	BKN:07 50 OVC:08 300	10.00		56	13.3	55	12.8	55	12.8	97	0	000		30.06	6	+0.01	30.26	FM-15	0.00	30.24
30	0100	4	57	9.94		56	13.3	55	12.8	55	12.8	97	0	000		30.06	6	+0.01	30.26	FM-12		
30	0154	7	FEW:02 50 OVC:08 300	10.00		57	13.9	55	12.8	54	12.2	90	0	000		30.06			30.25	FM-15	0.00	30.24
30	0254	7	OVC:08 50	10.00		57	13.9	56	13.3	55	12.8	93	5	010		30.05			30.24	FM-15	0.00	30.23
30	0354	7	BKN:07 50	10.00		56	13.3	55	12.8	54	12.2	93	5	340		30.06	5	0.00	30.25	FM-15	0.00	30.24
30	0406	7	BKN:07 28 BKN:07 50	10.00		56	13.3	55	12.8	55	12.8	97	3	080		30.06				FM-16		30.24
30	0454	7	OVC:08 27	10.00		57	13.9	56	13.3	55	12.8	93	5	070		30.06			30.25	FM-15	0.00	30.24
30	0554	7	OVC:08 28	10.00		58	14.4	57	13.9	56	13.3	93	5	100		30.07			30.26	FM-15	0.00	30.25
30	0647	7	BKN:07 31 OVC:08 300	10.00		59	15.0	58	14.4	57	13.9	93	0	000		30.07				FM-16		30.25
30	0652	6	BKN:07 27 OVC:08 31	10.00		59	15.0	58	14.4	57	13.9	94	0	000		30.08				FM-16		30.26
30	0654	7	BKN:07 27 OVC:08 300	10.00		59	15.0	58	14.4	57	13.9	93	0	000		30.08	3	-0.01	30.27	FM-15	0.00	30.26
30	0700	4	26	9.94		59	15.0	58	14.4	57	13.9	93	0	000		30.08	3	-0.01	30.27	FM-12		
30	0707	7	FEW:02 26 BKN:07 30 OVC:08 38	10.00		59	15.0	58	14.4	57	13.9	93	3	100		30.07				FM-16		30.25
30	0754	7	OVC:08 30	10.00		60	15.6	59	15.0	58	14.4	93	0	000		30.09			30.28	FM-15	0.00	30.27
30	0829	7	FEW:02 15 OVC:08 29	10.00		61	16.1	60	15.6	59	15.0	93				30.09				FM-16		30.27
30	0833	7	FEW:02 15 OVC:08 29	10.00		61	16.1	60	15.6	59	15.0	93	7	100		30.09				FM-16		30.27
30	0854	7	FEW:02 15 OVC:08 28	10.00		61	16.1	60	15.6	59	15.0	93	3	100		30.09			30.28	FM-15	0.00	30.27
30	0954	7	OVC:08 27	10.00		63	17.2	60	15.6	58	14.4	84	7	110		30.08	0	-0.01	30.27	FM-15	0.00	30.26
30	1054	7	OVC:08 26	10.00		66	18.9	61	16.1	57	13.9	73	8	130		30.07			30.26	FM-15	0.00	30.25
30	1154	7	BKN:07 26 OVC:08 38	10.00	-RA:02 RA RA	65	18.3	61	16.1	58	14.4	78	9	130		30.05			30.24	FM-15	T	30.23

30	1210	7	SCT:04 26 BKN:07 36 OVC:08 42	10.00	-RA:02 RA RA	64	17.8	61	16.1	58	14.4	81	7	130		30.03				FM-16	T	30.21
30	1254	7	FEW:02 24 OVC:08 33	10.00	-RA:02 RA RA	64	17.8	62	16.7	60	15.6	87	5	140		30.02	8	+0.06	30.21	FM-15	T	30.20
30	1300	4	26	9.94	RA	64	17.8	62	16.7	60	15.6	87	5	140		30.02	8	+0.06	30.21	FM-12		
30	1345	7	BKN:07 29 BKN:07 35 OVC:08 41	5.00	-RA:02 BR:1 RA RA	63	17.2	61	16.1	60	15.6	90	6	140		30.00				FM-16	0.04	30.18
30	1354	7	BKN:07 29 BKN:07 36 OVC:08 48	5.00	-RA:02 BR:1 RA RA	63	17.2	61	16.1	60	15.6	90	6	140		30.00			30.19	FM-15	0.05	30.18
30	1406	7	FEW:02 9 BKN:07 28 OVC:08 100	5.00	-RA:02 BR:1 RA RA	63	17.2	61	16.1	60	15.6	90	5	130		30.00				FM-16	T	30.18
30	1426	7	FEW:02 8 SCT:04 28 OVC:08 110	7.00	-RA:02 RA RA	63	17.2	61	16.1	60	15.6	90	6	140		30.00				FM-16	0.01	30.18
30	1434	7	FEW:02 8 BKN:07 26 OVC:08 110	7.00	-RA:02 RA RA	63	17.2	61	16.1	60	15.6	90	7	130		29.99				FM-16	0.01	30.17
30	1454	7	FEW:02 7 BKN:07 30 OVC:08 65	5.00	-RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	6	130		29.99			30.18	FM-15	0.02	30.17
30	1554	7	FEW:02 10 SCT:04 30 OVC:08 55	10.00		62	16.7	61	16.1	60	15.6	93	7	120		29.98	6	+0.04	30.17	FM-15	0.02	30.16
30	1654	7	FEW:02 10 BKN:07 60 OVC:08 80	7.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	5	120		29.97			30.16	FM-15	T	30.15
30	1716	7	FEW:02 6 OVC:08 60	8.00	-RA:02 RA RA	61	16.1	60	15.6	60	15.6	97	5	110		29.96				FM-16	0.01	30.14
30	1754	7	SCT:04 6 OVC:08 55	10.00		61	16.1	60	15.6	60	15.6	97	7	110		29.95			30.14	FM-15	0.01	30.13
30	1854	7	SCT:04 6 SCT:04 60 OVC:08 100	9.00		61	16.1	60	15.6	60	15.6	97	8	130		29.95	6	+0.03	30.14	FM-15	0.00	30.13
30	1900	4	5	8.70		61	16.1	60	15.6	60	15.6	97	8	130		29.95	6	+0.03	30.14	FM-12		
30	1954	7	FEW:02 4 SCT:04 60 OVC:08 110	9.00		62	16.7	61	16.1	61	16.1	96	8	140		29.93			30.12	FM-15	T	30.11
30	2054	7	OVC:08 50	10.00		62	16.7	61	16.1	61	16.1	96	9	140		29.93			30.12	FM-15	T	30.11
30	2154	7	SCT:04 50 OVC:08 70	10.00		63	17.2	62	16.7	61	16.1	93	8	160		29.91	8	+0.04	30.10	FM-15	T	30.09
30	2248	7	FEW:02 6 SCT:04 42 OVC:08 85	10.00	-RA:02 RA RA	63	17.2	62	16.7	61	16.1	94	9	160		29.88				FM-16	T	30.06
30	2254	7	FEW:02 6 SCT:04 50 OVC:08 85	10.00	-RA:02 RA RA	63	17.2	62	16.7	61	16.1	93	10	150		29.87			30.06	FM-15	0.01	30.05
30	2354	7	SCT:04 7 SCT:04 30 BKN:07 110	10.00		63	17.2	62	16.7	62	16.7	97	8	160		29.85			30.05	FM-15	T	30.03
31	0024	7	BKN:07 5 OVC:08 110	10.00		63	17.2	62	16.7	62	16.7	97	7	180		29.86				FM-16		30.04
31	0054	7	BKN:07 6 OVC:08 110	7.00	-RA:02 RA RA	63	17.2	62	16.7	62	16.7	97	7	180		29.85	6	+0.03	30.04	FM-15	T	30.03
31	0100	4	5	6.84	RA	63	17.2	62	16.7	62	16.7	97	7	180		29.85	6	+0.03	30.04	FM-12		
31	0101	7	SCT:04 6 OVC:08 100	9.00	-RA:02 RA RA	63	17.2	62	16.7	62	16.7	97	6	170		29.84				FM-16	T	30.02
31	0154	7	BKN:07 8 BKN:07 70 OVC:08 100	10.00		65	18.3	64	17.8	64	17.8	97	8	180		29.82			30.02	FM-15	T	30.00
31	0254	7	BKN:07 6 OVC:08 45	10.00		67	19.4	66	18.9	65	18.3	93	9	180		29.81			30.00	FM-15	T	29.99

31	0354	7	OVC:08 6	10.00	-RA:02 RA RA	67	19.4	66	18.9	66	18.9	97	9	180		29.80	6	+0.05	29.98	FM-15	0.01	29.98
31	0454	7	BKN:07 5 OVC:08 80	10.00		69	20.6	67	19.4	66	18.9	90	11	180		29.79			29.98	FM-15	T	29.97
31	0501	7	FEW:02 7 BKN:07 80 OVC:08 95	10.00		67	19.4	66	18.9	66	18.9	97	13	180		29.79				FM-16		29.97
31	0554	7	FEW:02 7 OVC:08 95	10.00		68	20.0	67	19.4	67	19.4	96	14	180		29.77			29.96	FM-15	0.00	29.95
31	0654	7	FEW:02 12 BKN:07 110 OVC:08 300	10.00		69	20.6	68	20.0	67	19.4	93	15	180		29.76	6	+0.04	29.95	FM-15	0.00	29.94
31	0700	4	15	9.94		69	20.6	68	20.0	67	19.4	93	15	180		29.76	6	+0.04	29.95	FM-12		
31	0754	7	BKN:07 14 BKN:07 37 BKN:07 110	10.00		70	21.1	69	20.6	68	20.0	93	14	180		29.76			29.95	FM-15	0.00	29.94
31	0854	7	BKN:07 14 BKN:07 26 BKN:07 110	10.00		71	21.7	70	21.1	69	20.6	94	15	180		29.75			29.94	FM-15	0.00	29.93
31	0908	7	BKN:07 16 BKN:07 26 BKN:07 190	10.00		72	22.2	70	21.1	69	20.6	91	15	180		29.75				FM-16		29.93
31	0954	7	BKN:07 17 BKN:07 160 OVC:08 300	10.00		74	23.3	71	21.7	69	20.6	85	20	190	28	29.74	8	+0.02	29.93	FM-15	0.00	29.92
31	1054	7	OVC:08 21	10.00		75	23.9	72	22.2	70	21.1	84	16	180	25	29.71			29.90	FM-15	T	29.89
31	1154	7	OVC:08 22	10.00		76	24.4	72	22.2	70	21.1	82	16	190		29.68			29.87	FM-15	T	29.86
31	1254	7	BKN:07 29 BKN:07 40 OVC:08 60	10.00		78	25.6	73	22.8	70	21.1	76	15	180	24	29.62	8	+0.11	29.81	FM-15	0.00	29.80
31	1300	4	26	9.94		78	25.6	73	22.8	70	21.1	76	15	180		29.62	8	+0.11	29.81	FM-12		
31	1302	7	SCT:04 30 BKN:07 49 BKN:07 180	10.00		78	25.6	73	22.8	70	21.1	76	21	180	25	29.61				FM-16		29.79
31	1354	7	SCT:04 26 BKN:07 170 OVC:08 300	10.00		81	27.2	74	23.3	70	21.1	69	24	190	32	29.58			29.77	FM-15	0.00	29.76
31	1454	7	FEW:02 31 BKN:07 45 BKN:07 190	10.00		81	27.2	74	23.3	70	21.1	69	18	180	34	29.55			29.74	FM-15	0.00	29.73
31	1554	7	SCT:04 35 BKN:07 45 BKN:07 55	10.00		80	26.7	73	22.8	69	20.6	69	18	190	25	29.53	6	+0.09	29.72	FM-15	0.00	29.71
31	1654	7	BKN:07 34 BKN:07 44 BKN:07 300	10.00		79	26.1	73	22.8	70	21.1	74	21	180	29	29.52			29.70	FM-15	0.00	29.69
31	1754	7	SCT:04 30 BKN:07 38 BKN:07 300	10.00		78	25.6	72	22.2	69	20.6	74	20	180	34	29.49			29.67	FM-15	0.00	29.67
31	1844	7	BKN:07 29 BKN:07 300	10.00		77	25.0	72	22.2	69	20.6	77	23	170	32	29.48				FM-16		29.66
31	1854	7	BKN:07 29 BKN:07 34 OVC:08 300	10.00		77	25.0	72	22.2	69	20.6	77	25	180	33	29.47	6	+0.06	29.66	FM-15	0.00	29.65
31	1900	4	26	9.94		77	25.0	72	22.2	69	20.6	77	25	180		29.47	6	+0.06	29.66	FM-12		
31	1928	7	BKN:07 30 BKN:07 38 OVC:08 300	10.00		78	25.6	72	22.2	69	20.6	74	25	180	39	29.47				FM-16		29.65
31	1954	7	BKN:07 31 BKN:07 210 OVC:08 250	10.00		78	25.6	72	22.2	69	20.6	74	29	180	41	29.48			29.67	FM-15	0.00	29.66
31	2015	7	BKN:07 30 BKN:07 70	10.00	TS:7 -RA:02 RA TS TS RA	77	25.0	72	22.2	69	20.6	77	28	180	40	29.49				FM-16	T	29.67
31	2034	7	BKN:07 30 BKN:07 45 OVC:08 85	1.50	TS:7 -RA:02 BR:1 RA TS RA	74	23.3	72	22.2	71	21.7	91	20	200	31	29.49				FM-16	0.08	29.67

31	2048	7	FEW:02 28 BKN:07 39 OVC:08 110	7.00	TS:7 -RA:02 RA TS TS RA	73	22.8	72	22.2	72	22.2	94	16	190		29.49				FM-16	0.19	29.67
31	2054	7	FEW:02 28 BKN:07 39 OVC:08 110	7.00	TS:7 -RA:02 RA TS TS RA	73	22.8	72	22.2	71	21.7	94	16	190		29.50		29.68		FM-15	0.20	29.68
31	2124	7	FEW:02 33 SCT:04 75 OVC:08 130	10.00	-RA:02 RA RA	72	22.2	71	21.7	70	21.1	94	13	200		29.49				FM-16	0.09	29.67
31	2152	6	FEW:02 15 BKN:07 24 OVC:08 60	3.00	RA:02 BR:1 RA RA	72	22.2	71	21.7	70	21.1	94	14	210		29.50				FM-16		29.68
31	2154	7	FEW:02 15 BKN:07 24 OVC:08 60	2.50	RA:02 BR:1 RA RA	72	22.2	71	21.7	70	21.1	94	14	220		29.49	0	-0.01	29.68	FM-15	0.21	29.67
31	2210	7	BKN:07 11 BKN:07 15 OVC:08 24	1.00	+RA:02 BR:1 SQ:2 SQ RA RA	65	18.3	64	17.8	64	17.8	97	32	280	51	29.54				FM-16	0.21	29.72
31	2220	7	SCT:04 15 BKN:07 22 OVC:08 65	6.00	-RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	28	280	46	29.57				FM-16	0.27	29.75
31	2232	7	FEW:02 19 BKN:07 33 OVC:08 65	7.00	-RA:02 RA RA	59	15.0	57	13.9	55	12.8	87	28	280	47	29.59				FM-16	0.27	29.77
31	2254	7	FEW:02 47 BKN:07 70 OVC:08 85	10.00	-RA:02 RA RA	58	14.4	55	12.8	52	11.1	81	24	280	33	29.60		29.79		FM-15	0.24	29.78
31	2354	7	BKN:07 60 OVC:08 75	10.00		57	13.9	53	11.7	49	9.4	74	18	280		29.65		29.84		FM-15	T	29.83

Local Climatological Data Hourly Precipitation October 2019

Generated on 11/09/2019

Date	For Hour (LST) Ending at																					Date							
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID				
01																									01				
02																										02			
03																										03			
04																										04			
05																										05			
06													T													06			
07																								T		07			
08	T	0.15	0.16	0.06	0.01	T	T	T					T	T	T	T										08			
09		T	T																							09			
10																										10			
11																										11			
12																										12			
13										T	0.01			T	T		T	0.07	0.18	0.07						13			
14	T	0.01																								14			
15																										15			
16								0.03	0.15	0.12	0.06	0.05	0.07	0.64	0.15	0.02										16			
17																										17			
18																					M	M	M	M	M	18			
19																					M	M	M	M	M	19			
20			T	0.12s	0.05	0.06	0.31	0.43	0.20	0.22	0.10	0.08	0.02	T	T	T	T	T	M	T	M	M	T	T	20				
21	M	M	M	M	M	M	T	T	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	21			
22								T	T	T				T		0.03s	0.03	0.01	T	M	M	M	M	M	M	22			
23																									M	23			
24																					M	M	M	M	M	24			
25																			M		M	M	M	M	M	25			
26						T															M	M	M	T	26				
27		0.02	0.02	T	0.01				T	T	T	0.16									M	M	M	M	M	27			
28																										28			
29																										29			
30													T	T	0.05	0.02	0.02	T	0.01			T	T	T	0.01	T	30		
31	T	T	T	0.01	T								T	T											0.20	0.21	0.24	T	31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.20	0.30	0.36	0.39	0.52	0.64	0.70	0.75	0.77	0.81	0.84	0.95
Ending Date Time (yyyy-mm-dd hh:mi)	2019-10-16 12:27	2019-10-16 12:29	2019-10-16 12:32	2019-10-16 12:39	2019-10-16 12:48	2019-10-16 13:02	2019-10-16 13:16	2019-10-16 13:34	2019-10-16 13:51	2019-10-16 14:02	2019-10-20 08:26	2019-10-20 08:57

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing