

Local Climatological Data
Daily Summary
April 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/09/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH						
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees				
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
01	55	42	49	-4.8				16	0	0554	1833	RA	0.03	0.0	0	29.60		11.4	28	340	21	350			
02	65	43	54	-0.1				11	0	0552	1834		0.00	0.0	0	29.71		13.9	37	290	26	310			
03	71	43	57	2.6				8	0	0551	1835		0.00	0.0	0	29.65		10.8	37	330	28	310			
04	61	44	53	-1.7				12	0	0549	1835		0.00	0.0	0	29.80		7.3	20	010	16	020			
05	73	39	56	0.9				9	0	0548	1836	MIFG FG	0.00	0.0	0	29.89		4.4	16	200	13	230			
06	74	51	63	7.6				2	0	0546	1837	RA	0.06	0.0	0	29.84		5.8	22	320	16	320			
07	82	50	66	10.3				0	1	0545	1838	BR TS RA	0.22	0.0	0	29.74		5.5	50s	340s	39	330			
08	81	55	68	12.0				0	3	0543	1839	RA	0.02	0.0	0	29.47		8.6	34	360	26	350			
09	78	50	64	7.7				1	0	0542	1840	RA	0.03	0.0	0	29.28		14.4	46	270	35	280			
10	57	44	51	-5.7				14	0	0541	1841		0.00	0.0	0	29.55		15.3	44	280	31	300			
11	65	33	49	-8.0				16	0	0539	1842		0.00	0.0	0	29.84		5.8	22	230	17	250			
12	76	49	63	5.7				2	0	0538	1843	RA	0.06	0.0	0	29.89		12.5	34	190	25	180			
13	83*	61	72	14.4				0	7	0536	1844	RA BR	1.37	0.0	0	29.54		18.1	47	170	36	180			
14	65	45	55	-2.9				10	0	0535	1844	RA	0.06	0.0	0	29.86		8.8	28	350	23	360			
15	55	38	47	-11.2				18	0	0533	1845	RA	0.03	0.0	0	29.88		9.7	35	350	26	360			
16	63	37	50	-8.5				15	0	0532	1846		0.00	0.0	0	29.98		8.1	27	300	22	300			
17	70	38	54	-4.8				11	0	0531	1847		0.00	0.0	0	30.01		10.8	32	190	25	190			
18	64	38	51	-8.0				14	0	0529	1848	RA	0.08	0.0	0	29.65		12.7	35	210	28	330			
19	69	34	52	-7.3				13	0	0528	1849		0.00	0.0	0	29.77		5.8	25	200	20	220			
20	61	47	54	-5.6				11	0	0527	1850	RA BR	0.36	0.0	0	29.47		5.4	18	020	14	360			
21	74	43	59	-0.9				6	0	0525	1851	RA	0.03	0.0	0	29.49		13.5	48	240	38	230			
22	67	33*	50	-10.2				15	0	0524	1852		0.00	0.0	0	29.80		7.7	29	260	21	280			
23	64	47	56	-4.4				9	0	0523	1853	RA BR	0.15	0.0	0	29.78		5.8	24	230	21	210			
24	77	54	66	5.3				0	1	0522	1854	RA DZ BR TS	0.23	0.0	0	29.49		10.7	26	360	21	360			
25	61	51	56	-5.0				9	0	0520	1854	RA	0.12	0.0	0	29.80		6.9	16	150	14	150			
26	69	51	60	-1.2				5	0	0519	1855	RA BR	0.15	0.0	0	29.59		6.5	21	260	16	260			
27	62	44	53	-8.5				12	0	0518	1856	RA BR	0.01	0.0	0	29.79		12.7	35	340	28	350			
28	70	41	56	-5.7				9	0	0517	1857		0.00	0.0	0	29.97		4.9	16	220	13	220			
29	80	52	66	4.0				0	1	0516	1858	RA	T	0.0	0	29.82		10.6	35	160	28	160			
30	68	57	63	0.7				2	0	0514	1859	RA BR	1.70	0.0	0	29.60		11.1	37s	150s	28	150			
	68.7	45.1	56.9										4.71s			29.72	29.91								
	-1.6	-1.0	-1.3										1.44s												
	Monthly Averages Totals											4.71s			29.72	29.91									
	Departure from Normal (1981-2010)											1.44s													
	Degree Days											Number of days with...													
	Monthly				Season-to-date				Temperature				Precipitation		Snow	Weather									
	Total		Departure		Total		Departure		Max		Min		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog				
	Heating								>=90°		<=32°		<=32°		<=0°		18		8						
	Cooling								0		0		0		0		18		8						
	Date of 5-sec to 3-sec wind equipment change							Sea Level Pressure					Greatest...												
	N/A							Maximum		30.36		Date		17		Time		0712		24-Hr... Precip		Snowfall		Snow Depth	
								Minimum		29.34										1.70					
													Date												
													30-30												
	Station Augmentation																								
	Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																								

Local Climatological Data
Hourly Observations
April 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/09/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	OVC:08 13	9.00	-RA:02 RA RA	43	6.1	42	5.6	41	5.0	93	16	030		29.53	6	+0.05	29.72	FM-15	T	29.71
01	0100	4	15	8.70	RA	43	6.1	42	5.6	41	5.0	93	16	030		29.53	6	+0.05	29.72	FM-12		
01	0154	7	BKN:07 11 OVC:08 19	10.00	-RA:02 RA RA	43	6.1	42	5.6	41	5.0	93	15	020	22	29.52			29.72	FM-15	0.03	29.70
01	0254	7	OVC:08 12	7.00	-RA:02 RA RA	42	5.6	41	5.0	40	4.4	92	15	020		29.52			29.71	FM-15	T	29.69
01	0354	7	BKN:07 14 OVC:08 20	10.00		42	5.6	41	5.0	40	4.4	92	15	010		29.52	5	0.00	29.72	FM-15	T	29.70
01	0439	7	SCT:04 14 BKN:07 38 OVC:08 50	10.00		42	5.6	41	5.0	39	3.9	89	16	020		29.53				FM-16		29.71
01	0454	7	FEW:02 14 BKN:07 36 OVC:08 50	10.00		42	5.6	41	5.0	39	3.9	89	13	020		29.54			29.73	FM-15	0.00	29.72
01	0517	7	BKN:07 27 OVC:08 40	10.00		42	5.6	40	4.4	38	3.3	85	10	360		29.55				FM-16		29.73
01	0554	7	BKN:07 18 OVC:08 25	10.00		42	5.6	40	4.4	38	3.3	85	10	360		29.56			29.75	FM-15	0.00	29.74
01	0654	7	OVC:08 25	10.00		42	5.6	40	4.4	37	2.8	82	14	360		29.59	3	-0.07	29.78	FM-15	0.00	29.77
01	0700	4	26	9.94		42	5.6	40	4.4	37	2.8	82	14	360		29.59	3	-0.07	29.78	FM-12		
01	0744	7	FEW:02 19 BKN:07 32 OVC:08 60	10.00		42	5.6	40	4.4	37	2.8	82	15	010	23	29.61				FM-16		29.79
01	0754	7	FEW:02 19 BKN:07 35 BKN:07 95	10.00		43	6.1	40	4.4	37	2.8	80	13	360	21	29.61			29.80	FM-15	0.00	29.79
01	0809	7	BKN:07 23 BKN:07 36 OVC:08 100	10.00		44	6.7	41	5.0	37	2.8	76	15	020		29.62				FM-16		29.80
01	0854	7	BKN:07 26 OVC:08 100	10.00		44	6.7	40	4.4	36	2.2	73	15	360	24	29.64			29.83	FM-15	0.00	29.82
01	0954	7	BKN:07 28 BKN:07 70 OVC:08 110	10.00		47	8.3	42	5.6	36	2.2	66	14	010	23	29.65	1	-0.06	29.85	FM-15	0.00	29.83
01	1011	7	BKN:07 30 BKN:07 70 OVC:08 100	10.00		47	8.3	42	5.6	35	1.7	63	15	010		29.65				FM-16		29.83
01	1054	7	BKN:07 32 OVC:08 110	10.00		48	8.9	42	5.6	34	1.1	58	17	020	23	29.66			29.85	FM-15	0.00	29.84
01	1154	7	BKN:07 37 BKN:07 140	10.00		50	10.0	44	6.7	36	2.2	59	16	350		29.65			29.84	FM-15	0.00	29.83
01	1254	7	BKN:07 43	10.00		51	10.6	43	6.1	34	1.1	52	14	340	24	29.64	8	+0.01	29.84	FM-15	0.00	29.82
01	1300	4	41	9.94		51	10.6	43	6.1	34	1.1	52	14	340		29.64	8	+0.01	29.84	FM-12		
01	1354	7	BKN:07 39 OVC:08 49	10.00		50	10.0	43	6.1	35	1.7	57	14	350		29.64			29.84	FM-15	0.00	29.82
01	1454	7	BKN:07 42 OVC:08 55	10.00		51	10.6	44	6.7	35	1.7	54	15	350	22	29.64			29.84	FM-15	0.00	29.82
01	1554	7	FEW:02 42 BKN:07 55 BKN:07 300	10.00		54	12.2	46	7.8	36	2.2	51	13	010		29.64	8	+0.01	29.83	FM-15	0.00	29.82
01	1654	7	BKN:07 50 BKN:07 300	10.00		53	11.7	45	7.2	36	2.2	52	13	350		29.65			29.84	FM-15	0.00	29.83
01	1754	7	FEW:02 50 SCT:04 300	10.00		53	11.7	45	7.2	36	2.2	52	8	320		29.65			29.84	FM-15	0.00	29.83

01	1854	7	FEW:02 50 FEW:02 300	10.00		51	10.6	44	6.7	36	2.2	56	0	000		29.66	3	-0.03	29.86	FM-15	0.00	29.84
01	1900	4	57	9.94		51	10.6	44	6.7	36	2.2	56	0	000		29.66	3	-0.03	29.86	FM-12		
01	1954	7	BKN:07 70 BKN:07 90	10.00		45	7.2	42	5.6	39	3.9	80	5	220		29.68			29.88	FM-15	0.00	29.86
01	2054	7	BKN:07 65	10.00	-RA:02 RA RA	50	10.0	45	7.2	39	3.9	66	5	290		29.70			29.89	FM-15	T	29.88
01	2154	7	BKN:07 55 BKN:07 90	10.00		48	8.9	44	6.7	40	4.4	74	3	330		29.70	1	-0.04	29.90	FM-15	T	29.88
01	2254	7	BKN:07 65 OVC:08 95	10.00		49	9.4	44	6.7	39	3.9	69	6	270		29.70			29.90	FM-15	0.00	29.88
01	2354	7	OVC:08 95	10.00		49	9.4	44	6.7	39	3.9	69	6	280		29.71			29.90	FM-15	0.00	29.89
02	0054	7	BKN:07 95	10.00		49	9.4	45	7.2	40	4.4	71	5	260		29.71	3	-0.01	29.90	FM-15	0.00	29.89
02	0100	4		9.94		49	9.4	45	7.2	40	4.4	71	5	260		29.71	3	-0.01	29.90	FM-12		
02	0154	7	SCT:04 90	10.00		49	9.4	44	6.7	38	3.3	66	9	310		29.72			29.91	FM-15	0.00	29.90
02	0254	7	CLR:00	10.00		48	8.9	43	6.1	37	2.8	66	15	320		29.73			29.92	FM-15	0.00	29.91
02	0354	7	CLR:00	10.00		47	8.3	41	5.0	32	0.0	56	11	330		29.74	2	-0.03	29.93	FM-15	0.00	29.92
02	0454	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58	8	330		29.76			29.95	FM-15	0.00	29.94
02	0554	7	CLR:00	10.00		44	6.7	38	3.3	28	-2.2	53	9	340		29.78			29.97	FM-15	0.00	29.96
02	0654	7	CLR:00	10.00		46	7.8	39	3.9	28	-2.2	50	8	310		29.79	1	-0.05	29.98	FM-15	0.00	29.97
02	0700	4		9.94		46	7.8	39	3.9	28	-2.2	50	8	310		29.79	1	-0.05	29.98	FM-12		
02	0754	7	CLR:00	10.00		50	10.0	41	5.0	29	-1.7	44	11	320		29.79			29.98	FM-15	0.00	29.97
02	0854	7	CLR:00	10.00		53	11.7	43	6.1	29	-1.7	40	15	310	23	29.78			29.97	FM-15	0.00	29.96
02	0954	7	FEW:02 60	10.00		55	12.8	43	6.1	27	-2.8	34	20	320	28	29.77	8	+0.02	29.96	FM-15	0.00	29.95
02	1054	7	FEW:02 65	10.00		57	13.9	44	6.7	26	-3.3	30	22	320	29	29.76			29.95	FM-15	0.00	29.94
02	1154	7	FEW:02 70	10.00		59	15.0	45	7.2	26	-3.3	28	23	330	31	29.73			29.93	FM-15	0.00	29.91
02	1254	7	FEW:02 70	10.00		61	16.1	46	7.8	27	-2.8	27	20	310	33	29.70	8	+0.06	29.89	FM-15	0.00	29.88
02	1300	4	74	9.94		61	16.1	46	7.8	27	-2.8	27	20	310		29.70	8	+0.06	29.89	FM-12		
02	1354	7	FEW:02 70	10.00		63	17.2	47	8.3	28	-2.2	27	18	310	31	29.67			29.87	FM-15	0.00	29.85
02	1454	7	FEW:02 75	10.00		63	17.2	47	8.3	28	-2.2	27	16	300	37	29.65			29.84	FM-15	0.00	29.83
02	1554	7	FEW:02 75	10.00		65	18.3	48	8.9	27	-2.8	24	24	320	31	29.63	6	+0.07	29.83	FM-15	0.00	29.81
02	1654	7	FEW:02 75	10.00		64	17.8	47	8.3	27	-2.8	25	14	330	24	29.63			29.82	FM-15	0.00	29.81
02	1754	7	FEW:02 75	10.00		62	16.7	46	7.8	26	-3.3	25	23	320	29	29.63			29.82	FM-15	0.00	29.81
02	1854	7	CLR:00	10.00		59	15.0	45	7.2	27	-2.8	29	11	320		29.64	3	-0.01	29.83	FM-15	0.00	29.82
02	1900	4		9.94		59	15.0	45	7.2	27	-2.8	29	11	320		29.64	3	-0.01	29.83	FM-12		
02	1954	7	CLR:00	10.00		57	13.9	44	6.7	28	-2.2	33	11	310		29.66			29.85	FM-15	0.00	29.84
02	2054	7	CLR:00	10.00		57	13.9	45	7.2	29	-1.7	34	13	300		29.67			29.86	FM-15	0.00	29.85
02	2154	7	CLR:00	10.00		55	12.8	44	6.7	29	-1.7	37	11	300		29.67	0	-0.02	29.86	FM-15	0.00	29.85
02	2254	7	CLR:00	10.00		54	12.2	43	6.1	29	-1.7	38	9	320		29.67			29.86	FM-15	0.00	29.85
02	2354	7	CLR:00	10.00		51	10.6	42	5.6	30	-1.1	44	7	330		29.68			29.87	FM-15	0.00	29.86
03	0054	7	CLR:00	10.00		50	10.0	41	5.0	29	-1.7	44	0	000		29.68	1	-0.01	29.87	FM-15	0.00	29.86
03	0100	4		9.94		50	10.0	41	5.0	29	-1.7	44	0	000		29.68	1	-0.01	29.87	FM-12		
03	0154	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58	6	320		29.67			29.86	FM-15	0.00	29.85
03	0254	7	CLR:00	10.00		47	8.3	40	4.4	30	-1.1	52	6	280		29.66			29.85	FM-15	0.00	29.84
03	0354	7	CLR:00	10.00		45	7.2	39	3.9	30	-1.1	56	0	000		29.66	6	+0.02	29.85	FM-15	0.00	29.84
03	0454	7	CLR:00	10.00		44	6.7	38	3.3	28	-2.2	53	6	290		29.66			29.85	FM-15	0.00	29.84
03	0554	7	FEW:02 200	10.00		45	7.2	37	2.8	25	-3.9	46	6	270		29.68			29.87	FM-15	0.00	29.86
03	0654	7	FEW:02 200	10.00		47	8.3	39	3.9	26	-3.3	44	7	310		29.68	3	-0.02	29.88	FM-15	0.00	29.86
03	0700	4		9.94		47	8.3	39	3.9	26	-3.3	44	7	310		29.68	3	-0.02	29.88	FM-12		
03	0754	7	FEW:02 250	10.00		53	11.7	41	5.0	25	-3.9	34	5	340		29.69			29.88	FM-15	0.00	29.87
03	0854	7	CLR:00	10.00		57	13.9	42	5.6	21	-6.1	25	10	320		29.68			29.88	FM-15	0.00	29.86
03	0954	7	CLR:00	10.00		60	15.6	44	6.7	23	-5.0	24	20	310	31	29.67	8	+0.01	29.87	FM-15	0.00	29.85
03	1054	7	CLR:00	10.00		63	17.2	46	7.8	24	-4.4	23	20	320	33	29.65			29.84	FM-15	0.00	29.83
03	1154	7	CLR:00	10.00		66	18.9	47	8.3	23	-5.0	19	23	330	30	29.62			29.81	FM-15	0.00	29.80
03	1254	7	FEW:02 300	10.00		68	20.0	48	8.9	23	-5.0	18	24	310	33	29.61	6	+0.07	29.80	FM-15	0.00	29.79
03	1300	4		9.94		68	20.0	48	8.9	23	-5.0	18	24	310		29.61	6	+0.07	29.80	FM-12		
03	1354	7	FEW:02 100 FEW:02 300	10.00		70	21.1	50	10.0	25	-3.9	18	22	310	31	29.59			29.78	FM-15	0.00	29.77

03	1454	7	FEW:02 100 FEW:02 300	10.00		70	21.1	49	9.4	24	-4.4	18	21	350		29.57			29.77	FM-15	0.00	29.75
03	1554	7	FEW:02 100 FEW:02 300	10.00		71	21.7	50	10.0	26	-3.3	19	15	340	23	29.58	5	+0.03	29.77	FM-15	0.00	29.76
03	1654	7	FEW:02 120 FEW:02 300	10.00		70	21.1	49	9.4	24	-4.4	18	20	330	25	29.59			29.78	FM-15	0.00	29.77
03	1754	7	FEW:02 120 FEW:02 300	10.00		67	19.4	48	8.9	25	-3.9	20	13	360		29.61			29.80	FM-15	0.00	29.79
03	1854	7	FEW:02 150	10.00		62	16.7	47	8.3	28	-2.2	28	7	030		29.63	3	-0.06	29.83	FM-15	0.00	29.81
03	1900	4		9.94		62	16.7	47	8.3	28	-2.2	28	7	030		29.63	3	-0.06	29.83	FM-12		
03	1954	7	CLR:00	10.00		60	15.6	46	7.8	29	-1.7	31	10	350		29.67			29.86	FM-15	0.00	29.85
03	2054	7	CLR:00	10.00		56	13.3	45	7.2	30	-1.1	37	6	360		29.69			29.88	FM-15	0.00	29.87
03	2154	7	CLR:00	10.00		55	12.8	44	6.7	30	-1.1	38	7	360		29.70	1	-0.06	29.89	FM-15	0.00	29.88
03	2254	7	CLR:00	10.00		52	11.1	45	7.2	37	2.8	57	3	050		29.72			29.91	FM-15	0.00	29.90
03	2354	7	CLR:00	10.00		51	10.6	45	7.2	39	3.9	64	5	030		29.73			29.92	FM-15	0.00	29.91
04	0054	7	CLR:00	10.00		47	8.3	43	6.1	39	3.9	74	6	360		29.74	1	-0.04	29.93	FM-15	0.00	29.92
04	0100	4		9.94		47	8.3	43	6.1	39	3.9	74	6	360		29.74	1	-0.04	29.93	FM-12		
04	0154	7	CLR:00	10.00		46	7.8	43	6.1	39	3.9	77	5	340		29.74			29.93	FM-15	0.00	29.92
04	0254	7	CLR:00	10.00		46	7.8	43	6.1	39	3.9	77	5	340		29.74			29.93	FM-15	0.00	29.92
04	0354	7	CLR:00	10.00		46	7.8	43	6.1	39	3.9	77	8	350		29.76	3	-0.02	29.95	FM-15	0.00	29.94
04	0454	7	CLR:00	10.00		45	7.2	42	5.6	38	3.3	77	7	350		29.76			29.95	FM-15	0.00	29.94
04	0554	7	FEW:02 70	10.00		44	6.7	41	5.0	37	2.8	76	8	350		29.77			29.97	FM-15	0.00	29.95
04	0654	7	FEW:02 70	10.00		48	8.9	44	6.7	39	3.9	71	9	350		29.80	3	-0.04	29.99	FM-15	0.00	29.98
04	0700	4	74	9.94		48	8.9	44	6.7	39	3.9	71	9	350		29.80	3	-0.04	29.99	FM-12		
04	0754	7	FEW:02 45	10.00		53	11.7	46	7.8	39	3.9	59	10	360		29.81			30.00	FM-15	0.00	29.99
04	0854	7	FEW:02 40	10.00		56	13.3	48	8.9	40	4.4	55	13	010		29.82			30.02	FM-15	0.00	30.00
04	0954	7	BKN:07 37	10.00		57	13.9	49	9.4	41	5.0	55	10	VRB		29.84	3	-0.04	30.03	FM-15	0.00	30.02
04	1054	7	BKN:07 36	10.00		59	15.0	50	10.0	42	5.6	54	14	020		29.83			30.02	FM-15	0.00	30.01
04	1154	7	BKN:07 38	10.00		59	15.0	50	10.0	42	5.6	54	10	010		29.83			30.02	FM-15	0.00	30.01
04	1254	7	BKN:07 40 OVC:08 45	10.00		60	15.6	51	10.6	42	5.6	52	7	VRB		29.83	6	+0.01	30.02	FM-15	0.00	30.01
04	1300	4	41	9.94		60	15.6	51	10.6	42	5.6	52	7			29.83	6	+0.01	30.02	FM-12		
04	1354	7	OVC:08 42	10.00		60	15.6	51	10.6	42	5.6	52	7	340		29.82			30.01	FM-15	0.00	30.00
04	1454	7	BKN:07 44	10.00		60	15.6	51	10.6	42	5.6	52	5	010		29.81			30.00	FM-15	0.00	29.99
04	1554	7	BKN:07 45	10.00		59	15.0	51	10.6	44	6.7	58	10	090		29.81	8	+0.02	30.00	FM-15	0.00	29.99
04	1654	7	SCT:04 45	10.00		60	15.6	51	10.6	43	6.1	53	9	080		29.82			30.01	FM-15	0.00	30.00
04	1754	7	FEW:02 45	10.00		58	14.4	50	10.0	43	6.1	58	10	070		29.82			30.01	FM-15	0.00	30.00
04	1854	7	FEW:02 45	10.00		54	12.2	49	9.4	44	6.7	69	9	090		29.84	3	-0.03	30.03	FM-15	0.00	30.02
04	1900	4	41	9.94		54	12.2	49	9.4	44	6.7	69	9	090		29.84	3	-0.03	30.03	FM-12		
04	1954	7	CLR:00	10.00		50	10.0	47	8.3	44	6.7	80	3	120		29.87			30.06	FM-15	0.00	30.05
04	2054	7	FEW:02 90	10.00		49	9.4	46	7.8	43	6.1	80	3	130		29.89			30.09	FM-15	0.00	30.07
04	2154	7	FEW:02 100	10.00		47	8.3	45	7.2	43	6.1	86	5	120		29.90	1	-0.06	30.09	FM-15	0.00	30.08
04	2254	7	FEW:02 100	10.00		46	7.8	45	7.2	43	6.1	89	5	120		29.90			30.09	FM-15	0.00	30.08
04	2354	7	FEW:02 100	10.00		46	7.8	45	7.2	44	6.7	93	5	170		29.90			30.09	FM-15	0.00	30.08
05	0054	7	FEW:02 90	10.00		44	6.7	44	6.7	43	6.1	96	0	000		29.90	3	0.00	30.10	FM-15	0.00	30.08
05	0100	4		9.94		44	6.7	44	6.7	43	6.1	96	0	000		29.90	3	0.00	30.10	FM-12		
05	0154	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	0	000		29.90			30.09	FM-15	0.00	30.08
05	0226	7	SCT:04 7	8.00	MI:1 FG:2 FG	41	5.0	41	5.0	40	4.4	96	0	000		29.90				FM-16		30.08
05	0254	7	FEW:02 7	10.00	MI:1 FG:2 FG	41	5.0	41	5.0	40	4.4	96	3	150		29.90			30.10	FM-15	0.00	30.08
05	0354	7	FEW:02 8	9.00	MI:1 FG:2 FG	41	5.0	40	4.4	39	3.9	93	0	000		29.91	3	-0.01	30.11	FM-15	0.00	30.09
05	0427	7	FEW:02 6	1.50	MI:1 FG:2 FG	41	5.0	40	4.4	39	3.9	93	3	190		29.92				FM-16		30.10
05	0452	6	SCT:04 6	7.00	MI:1 FG:2	43	6.1	41	5.0	39	3.9	87	0	000		29.91				FM-16		30.09
05	0454	7	SCT:04 6	7.00	MI:1 FG:2 FG	42	5.6	42	5.6	41	5.0	96	0	000		29.91			30.10	FM-15	0.00	30.09
05	0554	7	FEW:02 90 FEW:02 300	10.00		40	4.4	40	4.4	39	3.9	97	0	000		29.92			30.11	FM-15	0.00	30.10
05	0654	7	FEW:02 90	10.00		44	6.7	44	6.7	43	6.1	96	0	000		29.93	3	-0.02	30.13	FM-15	0.00	30.11
05	0700	4		9.94		44	6.7	44	6.7	43	6.1	96	0	000		29.93	3	-0.02	30.13	FM-12		

05	0754	7	FEW:02 90 FEW:02 250	10.00		50	10.0	48	8.9	46	7.8	86	0	000		29.93			30.13	FM-15	0.00	30.11
05	0854	7	FEW:02 50 SCT:04 100	10.00		55	12.8	50	10.0	46	7.8	72	6	VRB		29.94			30.14	FM-15	0.00	30.12
05	0954	7	FEW:02 50 SCT:04 100	10.00		59	15.0	51	10.6	44	6.7	58	9	200		29.95	3	-0.01	30.14	FM-15	0.00	30.13
05	1054	7	FEW:02 50 FEW:02 100	10.00		61	16.1	52	11.1	43	6.1	52	7	VRB		29.93			30.13	FM-15	0.00	30.11
05	1154	7	FEW:02 55	10.00		63	17.2	54	12.2	45	7.2	52	8	170		29.91			30.11	FM-15	0.00	30.09
05	1254	7	FEW:02 55	10.00		66	18.9	55	12.8	45	7.2	47	7	280		29.89	8	+0.05	30.09	FM-15	0.00	30.07
05	1300	4	57	9.94		66	18.9	55	12.8	45	7.2	47	7	280		29.89	8	+0.05	30.09	FM-12		
05	1354	7	FEW:02 55 FEW:02 100	10.00		69	20.6	57	13.9	46	7.8	44	3	260		29.86			30.05	FM-15	0.00	30.04
05	1454	7	FEW:02 55 FEW:02 100	10.00		70	21.1	56	13.3	43	6.1	38	3	VRB		29.84			30.03	FM-15	0.00	30.02
05	1554	7	FEW:02 65 FEW:02 120	10.00		70	21.1	56	13.3	44	6.7	39	5	220		29.84	6	+0.06	30.03	FM-15	0.00	30.02
05	1654	7	FEW:02 65 FEW:02 120	10.00		71	21.7	57	13.9	45	7.2	39	8	190		29.83			30.02	FM-15	0.00	30.01
05	1754	7	SCT:04 70 SCT:04 120	10.00		68	20.0	56	13.3	45	7.2	44	7	140		29.83			30.03	FM-15	0.00	30.01
05	1854	7	FEW:02 70 BKN:07 130	10.00		65	18.3	55	12.8	46	7.8	51	7	140		29.83	5	0.00	30.03	FM-15	0.00	30.01
05	1900	4	74	9.94		65	18.3	55	12.8	46	7.8	51	7	140		29.83	5	0.00	30.03	FM-12		
05	1954	7	BKN:07 130	10.00		61	16.1	53	11.7	46	7.8	58	9	140		29.85			30.04	FM-15	0.00	30.03
05	2054	7	SCT:04 120	10.00		61	16.1	53	11.7	45	7.2	56	7	140		29.86			30.05	FM-15	0.00	30.04
05	2154	7	SCT:04 130	10.00		58	14.4	52	11.1	46	7.8	65	6	160		29.86	1	-0.03	30.05	FM-15	0.00	30.04
05	2254	7	FEW:02 70 SCT:04 140	10.00		55	12.8	50	10.0	46	7.8	72	6	130		29.86			30.05	FM-15	0.00	30.04
05	2354	7	BKN:07 140	10.00		55	12.8	51	10.6	47	8.3	74	5	170		29.86			30.05	FM-15	0.00	30.04
06	0054	7	BKN:07 120	10.00		55	12.8	50	10.0	46	7.8	72	3	180		29.84	8	+0.01	30.04	FM-15	0.00	30.02
06	0100	4		9.94		55	12.8	50	10.0	46	7.8	72	3	180		29.84	8	+0.01	30.04	FM-12		
06	0154	7	BKN:07 110	10.00		55	12.8	50	10.0	46	7.8	72	3	190		29.84			30.03	FM-15	0.00	30.02
06	0254	7	BKN:07 55 OVC:08 75	8.00	-RA:02 RA RA	56	13.3	53	11.7	50	10.0	81	7	160		29.84			30.03	FM-15	0.06	30.02
06	0354	7	SCT:04 70 BKN:07 95 BKN:07 120	10.00		53	11.7	52	11.1	52	11.1	96	3	030		29.84	6	+0.01	30.03	FM-15	T	30.02
06	0454	7	BKN:07 95 OVC:08 120	10.00		53	11.7	52	11.1	51	10.6	93	6	200		29.84			30.03	FM-15	0.00	30.02
06	0554	7	FEW:02 55 SCT:04 90 SCT:04 300	10.00		51	10.6	50	10.0	49	9.4	92	9	200		29.84			30.03	FM-15	0.00	30.02
06	0654	7	FEW:02 100 SCT:04 140 SCT:04 300	10.00		55	12.8	53	11.7	52	11.1	90	3	020		29.87	3	-0.04	30.06	FM-15	0.00	30.05
06	0700	4		9.94		55	12.8	53	11.7	52	11.1	90	3	020		29.87	3	-0.04	30.06	FM-12		
06	0754	7	FEW:02 85 BKN:07 100 BKN:07 140	10.00		58	14.4	54	12.2	51	10.6	78	0	000		29.88			30.07	FM-15	0.00	30.06
06	0854	7	FEW:02 60 SCT:04 100	10.00		62	16.7	56	13.3	52	11.1	70	3	VRB		29.88			30.07	FM-15	0.00	30.06
06	0954	7	FEW:02 70 FEW:02 100	10.00		66	18.9	58	14.4	51	10.6	59	10	030		29.88	1	-0.01	30.07	FM-15	0.00	30.06
06	1054	7	FEW:02 39 FEW:02 110	10.00		68	20.0	59	15.0	52	11.1	57	7	020		29.88			30.07	FM-15	0.00	30.06
06	1154	7	FEW:02 40 SCT:04 110	10.00		71	21.7	60	15.6	51	10.6	49	6	VRB		29.86			30.06	FM-15	0.00	30.04
06	1254	7	SCT:04 47 BKN:07 110	10.00		73	22.8	61	16.1	52	11.1	48	10	360		29.84	8	+0.04	30.03	FM-15	0.00	30.02
06	1300	4	41	9.94		73	22.8	61	16.1	52	11.1	48	10	360		29.84	8	+0.04	30.03	FM-12		

06	1354	7	SCT:04 50 BKN:07 110 BKN:07 300	10.00		71	21.7	60	15.6	51	10.6	49	11	040		29.81			30.01	FM-15	0.00	29.99
06	1454	7	FEW:02 60 BKN:07 100	10.00		73	22.8	60	15.6	50	10.0	44	9	010		29.80			29.99	FM-15	0.00	29.98
06	1554	7	SCT:04 70 BKN:07 85 BKN:07 100	10.00	-RA:02 RA RA	70	21.1	61	16.1	54	12.2	57	6	030		29.81	5	+0.03	30.00	FM-15	T	29.99
06	1654	7	FEW:02 50 FEW:02 70 BKN:07 90	10.00		70	21.1	59	15.0	50	10.0	49	3	020		29.81			30.00	FM-15	T	29.99
06	1754	7	FEW:02 80 FEW:02 100	10.00		68	20.0	58	14.4	50	10.0	53	6	090		29.80			29.99	FM-15	0.00	29.98
06	1854	7	FEW:02 80 FEW:02 100	10.00		64	17.8	58	14.4	54	12.2	70	10	140		29.80	5	+0.01	30.00	FM-15	0.00	29.98
06	1900	4	74	9.94		64	17.8	58	14.4	54	12.2	70	10	140		29.80	5	+0.01	30.00	FM-12		
06	1954	6	FEW:02 100	10.00		60	15.6	56	13.3	52	11.1	75	9	150		29.82			30.01	FM-15	0.00	30.00
06	2054	7	FEW:02 100	10.00		57	13.9	53	11.7	49	9.4	74	8	140		29.84			30.03	FM-15	0.00	30.02
06	2154	7	CLR:00	10.00		56	13.3	52	11.1	48	8.9	75	3	140		29.85	1	-0.05	30.05	FM-15	0.00	30.03
06	2254	7	CLR:00	10.00		55	12.8	51	10.6	48	8.9	77	0	000		29.85			30.04	FM-15	0.00	30.03
06	2354	7	CLR:00	10.00		52	11.1	50	10.0	48	8.9	86	0	000		29.84			30.04	FM-15	0.00	30.02
07	0054	7	FEW:02 70	10.00		53	11.7	51	10.6	49	9.4	86	0	000		29.84	8	+0.02	30.03	FM-15	0.00	30.02
07	0100	4	74	9.94		53	11.7	51	10.6	49	9.4	86	0	000		29.84	8	+0.02	30.03	FM-12		
07	0154	7	BKN:07 75	10.00		52	11.1	50	10.0	49	9.4	89	3	190		29.82			30.01	FM-15	0.00	30.00
07	0254	7	BKN:07 70	10.00		52	11.1	50	10.0	49	9.4	89	0	000		29.81			30.00	FM-15	0.00	29.99
07	0354	7	BKN:07 95	10.00		51	10.6	50	10.0	49	9.4	92	3	160		29.80	8	+0.04	29.99	FM-15	0.00	29.98
07	0454	7	FEW:02 60 BKN:07 100	9.00		51	10.6	50	10.0	50	10.0	96	0	000		29.79			29.98	FM-15	0.00	29.97
07	0554	7	FEW:02 60	5.00	BR:1	51	10.6	50	10.0	49	9.4	92	0	000		29.80			29.99	FM-15	0.00	29.98
07	0654	7	BKN:07 60	5.00	BR:1	53	11.7	52	11.1	52	11.1	96	0	000		29.82	3	-0.02	30.01	FM-15	0.00	30.00
07	0700	4	57	4.97		53	11.7	52	11.1	52	11.1	96	0	000		29.82	3	-0.02	30.01	FM-12		
07	0754	7	FEW:02 65 FEW:02 300	9.00		59	15.0	57	13.9	55	12.8	87	5	160		29.81			30.00	FM-15	0.00	29.99
07	0854	7	FEW:02 70 FEW:02 300	10.00		63	17.2	58	14.4	55	12.8	75	5	210		29.79			29.99	FM-15	0.00	29.97
07	0954	7	FEW:02 300	10.00		67	19.4	61	16.1	56	13.3	68	5	210		29.79	6	+0.03	29.98	FM-15	0.00	29.97
07	1054	7	FEW:02 40 FEW:02 100 FEW:02 300	10.00		73	22.8	63	17.2	56	13.3	55	6	250		29.76			29.95	FM-15	0.00	29.94
07	1154	7	FEW:02 50 FEW:02 120 SCT:04 300	10.00		77	25.0	62	16.7	52	11.1	42	13	270		29.73			29.92	FM-15	0.00	29.91
07	1254	7	FEW:02 60 SCT:04 110 BKN:07 300	10.00		78	25.6	62	16.7	51	10.6	39	5	250		29.70	8	+0.09	29.89	FM-15	0.00	29.88
07	1300	4	57	9.94		78	25.6	62	16.7	51	10.6	39	5	250		29.70	8	+0.09	29.89	FM-12		
07	1354	7	FEW:02 60 SCT:04 120 SCT:04 180	10.00		81	27.2	64	17.8	52	11.1	37	17	250		29.64			29.83	FM-15	0.00	29.82
07	1454	7	FEW:02 70 FEW:02 180 BKN:07 300	10.00		81	27.2	62	16.7	48	8.9	32	14	250	24	29.60			29.79	FM-15	0.00	29.78
07	1554	7	FEW:02 75 SCT:04 180 BKN:07 300	10.00		82	27.8	63	17.2	49	9.4	32	14	270	28	29.58	6	+0.12	29.77	FM-15	0.00	29.76
07	1654	7	SCT:04 80 BKN:07 110 BKN:07 180	10.00		79	26.1	62	16.7	50	10.0	36	10	280		29.59			29.78	FM-15	0.00	29.77
07	1705	7	SCT:04 80 BKN:07 110 BKN:07 180	3.00	SQ RA	65	18.3	60	15.6	57	13.9	76	25	020	51	29.64				FM-16	T	29.82
07	1715	7	SCT:04 80 BKN:07 110	3.00	TS	62	16.7	60	15.6	59	15.0	90	11	360	22	29.63				FM-16	0.14	29.81

07	1735	7	FEW:02 25 SCT:04 49 SCT:04 75	10.00		63	17.2	61	16.1	59	15.0	87	8	100		29.61				FM-16	0.22	29.79
07	1754	7	FEW:02 25 FEW:02 49 SCT:04 75	10.00		63	17.2	61	16.1	60	15.6	90	7	100		29.60			29.80	FM-15	0.22	29.78
07	1854	7	FEW:02 50 FEW:02 85 SCT:04 300	10.00		61	16.1	60	15.6	59	15.0	93	6	150		29.61	1	-0.03	29.80	FM-15	0.00	29.79
07	1900	4	57	9.94		61	16.1	60	15.6	59	15.0	93	6	150		29.61	1	-0.03	29.80	FM-12		
07	1954	7	FEW:02 50 FEW:02 85 SCT:04 300	10.00		60	15.6	59	15.0	59	15.0	96	3	150		29.60			29.79	FM-15	0.00	29.78
07	2054	7	FEW:02 180 BKN:07 300	10.00		59	15.0	58	14.4	58	14.4	96	3	060		29.60			29.79	FM-15	0.00	29.78
07	2154	7	FEW:02 180 BKN:07 300	10.00		58	14.4	57	13.9	57	13.9	97	5	130		29.56	8	+0.05	29.75	FM-15	0.00	29.74
07	2254	7	FEW:02 90 SCT:04 300	10.00		57	13.9	56	13.3	56	13.3	96	5	140		29.53			29.72	FM-15	0.00	29.71
07	2354	7	SCT:04 300	10.00		58	14.4	57	13.9	56	13.3	93	3	160		29.50			29.69	FM-15	0.00	29.68
08	0054	7	SCT:04 300	10.00		56	13.3	55	12.8	55	12.8	97	7	200		29.47	8	+0.09	29.65	FM-15	0.00	29.64
08	0100	4		9.94		56	13.3	55	12.8	55	12.8	97	7	200		29.46	8	+0.09	29.65	FM-12		
08	0154	7	SCT:04 300	10.00		57	13.9	56	13.3	55	12.8	93	7	220		29.44			29.63	FM-15	0.00	29.62
08	0254	7	BKN:07 300	10.00		57	13.9	56	13.3	55	12.8	93	5	210		29.41			29.60	FM-15	0.00	29.59
08	0354	7	BKN:07 300	10.00		58	14.4	56	13.3	55	12.8	90	3	210		29.39	6	+0.07	29.58	FM-15	0.00	29.57
08	0454	7	SCT:04 150 BKN:07 300	10.00		58	14.4	56	13.3	54	12.2	87	5	230		29.41			29.59	FM-15	0.00	29.59
08	0554	7	FEW:02 30 FEW:02 75 BKN:07 250	10.00		61	16.1	57	13.9	53	11.7	75	13	360		29.49			29.69	FM-15	0.00	29.67
08	0654	7	BKN:07 60 OVC:08 75	10.00	-RA:02 RA RA	60	15.6	56	13.3	52	11.1	75	13	330	21	29.55	3	-0.16	29.75	FM-15	T	29.73
08	0700	4	57	9.94	RA	60	15.6	56	13.3	52	11.1	75	13	330		29.55	3	-0.16	29.75	FM-12		
08	0754	7	FEW:02 32 FEW:02 95 BKN:07 120	10.00		59	15.0	57	13.9	55	12.8	87	8	200		29.48			29.67	FM-15	0.01	29.66
08	0854	7	FEW:02 50 BKN:07 80 OVC:08 110	10.00	-RA:02 RA RA	59	15.0	57	13.9	55	12.8	87	13	230		29.50			29.69	FM-15	0.01	29.68
08	0954	7	FEW:02 45 FEW:02 65 BKN:07 120	10.00		60	15.6	58	14.4	56	13.3	86	3	230		29.47	6	+0.08	29.67	FM-15	T	29.65
08	1054	7	BKN:07 150 BKN:07 180 BKN:07 300	10.00		66	18.9	59	15.0	54	12.2	65	15	250	21	29.47			29.66	FM-15	0.00	29.65
08	1154	6	BKN:07 140 BKN:07 170 BKN:07 300	10.00		70	21.1	60	15.6	53	11.7	55	13	270		29.47			29.66	FM-15	0.00	29.65
08	1254	7	FEW:02 140 BKN:07 190 BKN:07 300	10.00		76	24.4	63	17.2	54	12.2	47	15	280		29.44	8	+0.03	29.63	FM-15	0.00	29.62
08	1300	4		9.94		76	24.4	63	17.2	54	12.2	47	15	280		29.44	8	+0.03	29.63	FM-12		
08	1354	7	FEW:02 60 FEW:02 190 SCT:04 300	10.00		80	26.7	64	17.8	54	12.2	41	16	270	24	29.42			29.61	FM-15	0.00	29.60
08	1454	7	FEW:02 60 FEW:02 200 BKN:07 300	10.00		81	27.2	65	18.3	54	12.2	39	16	260		29.41			29.59	FM-15	0.00	29.58
08	1554	7	FEW:02 60 SCT:04 200 BKN:07 300	10.00		80	26.7	62	16.7	50	10.0	35	16	280	24	29.41	5	+0.04	29.59	FM-15	0.00	29.58
08	1654	7	FEW:02 55 SCT:04 200 BKN:07 300	10.00		79	26.1	63	17.2	51	10.6	38	15	270		29.41			29.59	FM-15	0.00	29.58

08	1754	7	FEW:02 70 SCT:04 200 BKN:07 300	10.00		77	25.0	62	16.7	52	11.1	42	9	290		29.41			29.60	FM-15	0.00	29.59
08	1854	7	FEW:02 70 BKN:07 210 BKN:07 300	10.00		75	23.9	62	16.7	53	11.7	46	6	280		29.44	3	-0.03	29.62	FM-15	0.00	29.61
08	1900	4	74	9.94		75	23.9	62	16.7	53	11.7	46	6	280		29.43	3	-0.03	29.62	FM-12		
08	1954	7	SCT:04 85 BKN:07 210 OVC:08 300	10.00		71	21.7	61	16.1	54	12.2	55	3	050		29.47			29.65	FM-15	0.00	29.64
08	2054	7	FEW:02 80 BKN:07 210 BKN:07 300	10.00		66	18.9	59	15.0	54	12.2	65	0	000		29.47			29.65	FM-15	0.00	29.64
08	2154	7	SCT:04 230 BKN:07 300	10.00		64	17.8	58	14.4	54	12.2	70	0	000		29.44	0	-0.01	29.63	FM-15	0.00	29.62
08	2254	7	FEW:02 220 BKN:07 300	10.00		61	16.1	58	14.4	55	12.8	81	3	150		29.44			29.62	FM-15	0.00	29.61
08	2354	7	SCT:04 220 BKN:07 300	10.00		59	15.0	57	13.9	55	12.8	87	3	090		29.41			29.59	FM-15	0.00	29.58
09	0054	7	FEW:02 300	10.00		58	14.4	56	13.3	54	12.2	87	0	000		29.39	8	+0.06	29.57	FM-15	0.00	29.56
09	0100	4		9.94		58	14.4	56	13.3	54	12.2	87	0	000		29.38	8	+0.06	29.57	FM-12		
09	0154	7	BKN:07 220 BKN:07 300	10.00		57	13.9	55	12.8	53	11.7	87	0	000		29.36			29.55	FM-15	0.00	29.54
09	0254	7	BKN:07 250	10.00		55	12.8	54	12.2	53	11.7	93	0	000		29.34			29.52	FM-15	0.00	29.51
09	0354	7	BKN:07 300	10.00		57	13.9	55	12.8	53	11.7	87	7	210		29.31	7	+0.07	29.50	FM-15	0.00	29.49
09	0454	7	BKN:07 210 OVC:08 300	10.00		56	13.3	54	12.2	52	11.1	87	10	260		29.34			29.53	FM-15	0.00	29.52
09	0515	7	SCT:04 80 OVC:08 200	10.00		60	15.6	55	12.8	51	10.6	72	16	290	25	29.36				FM-16		29.54
09	0554	7	BKN:07 80 OVC:08 120	10.00		61	16.1	56	13.3	51	10.6	70	15	260		29.39			29.58	FM-15	T	29.57
09	0654	7	BKN:07 75 OVC:08 90	10.00	-RA:02 RA RA	57	13.9	56	13.3	55	12.8	93	14	190		29.33	0	-0.01	29.51	FM-15	0.03	29.50
09	0700	4	74	9.94	RA	57	13.9	56	13.3	55	12.8	93	14	190		29.32	9	+0.01	29.51	FM-12		
09	0754	7	FEW:02 75 SCT:04 170 BKN:07 190	10.00		60	15.6	57	13.9	54	12.2	80	13	250		29.28			29.46	FM-15	T	29.45
09	0854	7	FEW:02 180	10.00		63	17.2	59	15.0	56	13.3	78	9	230		29.26			29.44	FM-15	0.00	29.43
09	0954	7	FEW:02 40	10.00		70	21.1	61	16.1	55	12.8	59	17	250		29.25	6	+0.08	29.42	FM-15	0.00	29.42
09	1054	7	FEW:02 45	10.00		73	22.8	61	16.1	53	11.7	50	21	270	30	29.23			29.41	FM-15	0.00	29.40
09	1154	7	SCT:04 55	10.00		77	25.0	63	17.2	53	11.7	43	21	260	30	29.20			29.38	FM-15	0.00	29.37
09	1254	7	SCT:04 75 BKN:07 90	10.00		76	24.4	60	15.6	48	8.9	37	25	260	37	29.18	8	+0.06	29.36	FM-15	0.00	29.36
09	1300	4	74	9.94		76	24.4	60	15.6	48	8.9	37	25	260		29.18	8	+0.06	29.36	FM-12		
09	1354	7	SCT:04 85	10.00		78	25.6	58	14.4	40	4.4	26	29	280	46	29.18			29.35	FM-15	0.00	29.35
09	1454	7	FEW:02 95 FEW:02 180	10.00		78	25.6	56	13.3	36	2.2	22	28	260	41	29.17			29.35	FM-15	0.00	29.34
09	1554	7	FEW:02 85 FEW:02 180	10.00		75	23.9	54	12.2	34	1.1	22	22	300	34	29.18	5	+0.01	29.36	FM-15	0.00	29.35
09	1654	7	FEW:02 75 FEW:02 200	10.00		72	22.2	53	11.7	33	0.6	24	21	320	32	29.22			29.40	FM-15	0.00	29.39
09	1754	7	FEW:02 65 FEW:02 200	10.00		68	20.0	50	10.0	30	-1.1	24	17	320	30	29.25			29.43	FM-15	0.00	29.42
09	1854	7	CLR:00	10.00		64	17.8	48	8.9	29	-1.7	27	13	320		29.26	1	-0.08	29.44	FM-15	0.00	29.43
09	1900	4		9.94		64	17.8	48	8.9	29	-1.7	27	13	320		29.26	1	-0.08	29.44	FM-12		
09	1954	7	CLR:00	10.00		57	13.9	47	8.3	35	1.7	44	11	010		29.31			29.49	FM-15	0.00	29.48
09	2054	7	CLR:00	10.00		55	12.8	45	7.2	33	0.6	44	13	350		29.34			29.52	FM-15	0.00	29.51
09	2154	7	FEW:02 100	10.00		52	11.1	43	6.1	32	0.0	47	9	360		29.36	1	-0.11	29.56	FM-15	0.00	29.54
09	2254	7	FEW:02 100	10.00		51	10.6	42	5.6	31	-0.6	46	3	360		29.41			29.59	FM-15	0.00	29.58
09	2354	7	FEW:02 110	10.00		51	10.6	42	5.6	30	-1.1	44	13	330		29.44			29.63	FM-15	0.00	29.62
10	0054	7	BKN:07 110	10.00		50	10.0	40	4.4	26	-3.3	39	11	310	22	29.44	1	-0.08	29.64	FM-15	0.00	29.62
10	0100	4		9.94		50	10.0	40	4.4	26	-3.3	39	11	310		29.44	1	-0.08	29.64	FM-12		

10	0154	7	FEW:02 110	10.00		48	8.9	39	3.9	26	-3.3	42	10	320		29.45		29.64	FM-15	0.00	29.63	
10	0254	7	FEW:02 110	10.00		47	8.3	39	3.9	27	-2.8	46	15	320		29.47		29.65	FM-15	0.00	29.64	
10	0354	7	FEW:02 110	10.00		45	7.2	38	3.3	28	-2.2	52	8	290		29.47	3	-0.03	29.66	FM-15	0.00	29.65
10	0454	7	FEW:02 120	10.00		45	7.2	37	2.8	25	-3.9	46	14	300		29.47		29.67	FM-15	0.00	29.65	
10	0554	7	FEW:02 120	10.00		44	6.7	37	2.8	26	-3.3	49	10	270		29.49		29.68	FM-15	0.00	29.67	
10	0654	7	FEW:02 120	10.00		46	7.8	38	3.3	27	-2.8	47	11	280		29.50	3	-0.03	29.69	FM-15	0.00	29.68
10	0700	4		9.94		46	7.8	38	3.3	27	-2.8	47	11	280		29.50	3	-0.03	29.69	FM-12		
10	0754	7	FEW:02 70	10.00		49	9.4	39	3.9	25	-3.9	39	20	280	25	29.52		29.71	FM-15	0.00	29.70	
10	0854	7	SCT:04 60 SCT:04 80	10.00		50	10.0	39	3.9	22	-5.6	33	20	300	32	29.55		29.74	FM-15	0.00	29.73	
10	0954	7	SCT:04 70 BKN:07 80	10.00		50	10.0	38	3.3	19	-7.2	29	23	VRB	37	29.57	3	-0.07	29.76	FM-15	0.00	29.75
10	1054	7	BKN:07 80 BKN:07 95	10.00		51	10.6	38	3.3	18	-7.8	27	20	280	31	29.57		29.76	FM-15	0.00	29.75	
10	1154	7	BKN:07 85 BKN:07 95	10.00		52	11.1	39	3.9	18	-7.8	26	24	290	34	29.57		29.76	FM-15	0.00	29.75	
10	1254	7	SCT:04 85	10.00		54	12.2	41	5.0	20	-6.7	26	25	300	36	29.58	3	-0.01	29.77	FM-15	0.00	29.76
10	1300	4		9.94		54	12.2	41	5.0	20	-6.7	26	25	300		29.58	3	-0.01	29.77	FM-12		
10	1354	7	SCT:04 85 SCT:04 100	10.00		55	12.8	41	5.0	19	-7.2	24	20	300	32	29.58		29.77	FM-15	0.00	29.76	
10	1454	7	SCT:04 85	10.00		54	12.2	40	4.4	19	-7.2	25	20	290	32	29.58		29.77	FM-15	0.00	29.76	
10	1554	7	FEW:02 85	10.00		55	12.8	41	5.0	19	-7.2	24	20	300	33	29.59	3	-0.02	29.79	FM-15	0.00	29.77
10	1654	7	FEW:02 85	10.00		53	11.7	40	4.4	20	-6.7	27	21	300	30	29.60		29.80	FM-15	0.00	29.78	
10	1754	7	FEW:02 85	10.00		53	11.7	40	4.4	19	-7.2	26	21	310	29	29.64		29.83	FM-15	0.00	29.82	
10	1854	7	FEW:02 80	10.00		51	10.6	39	3.9	20	-6.7	29	14	310		29.67	3	-0.07	29.86	FM-15	0.00	29.85
10	1900	4	74	9.94		51	10.6	39	3.9	20	-6.7	29	14	310		29.67	3	-0.07	29.86	FM-12		
10	1954	7	FEW:02 80	10.00		50	10.0	38	3.3	20	-6.7	30	11	310		29.70		29.89	FM-15	0.00	29.88	
10	2054	7	CLR:00	10.00		47	8.3	37	2.8	21	-6.1	36	7	300		29.73		29.92	FM-15	0.00	29.91	
10	2154	7	CLR:00	10.00		46	7.8	36	2.2	21	-6.1	37	8	310		29.74	1	-0.08	29.94	FM-15	0.00	29.92
10	2254	7	CLR:00	10.00		46	7.8	36	2.2	21	-6.1	37	7	290		29.76		29.95	FM-15	0.00	29.94	
10	2354	7	CLR:00	10.00		44	6.7	36	2.2	22	-5.6	41	8	300		29.77		29.97	FM-15	0.00	29.95	
11	0054	7	CLR:00	10.00		44	6.7	36	2.2	22	-5.6	41	5	310		29.79	1	-0.04	29.98	FM-15	0.00	29.97
11	0100	4		9.94		44	6.7	36	2.2	22	-5.6	41	5	310		29.79	1	-0.04	29.98	FM-12		
11	0154	7	CLR:00	10.00		38	3.3	33	0.6	26	-3.3	62	5	270		29.80		30.00	FM-15	0.00	29.98	
11	0254	7	CLR:00	10.00		36	2.2	32	0.0	26	-3.3	67	0	000		29.82		30.02	FM-15	0.00	30.00	
11	0354	7	CLR:00	10.00		37	2.8	33	0.6	26	-3.3	65	3	300		29.83	1	-0.05	30.03	FM-15	0.00	30.01
11	0454	7	BKN:07 150	10.00		36	2.2	33	0.6	29	-1.7	76	6	140		29.86		30.06	FM-15	0.00	30.04	
11	0554	7	BKN:07 140	10.00		40	4.4	35	1.7	27	-2.8	60	0	000		29.88		30.07	FM-15	0.00	30.06	
11	0654	7	FEW:02 160 SCT:04 300	10.00		42	5.6	37	2.8	30	-1.1	62	3	210		29.89	1	-0.06	30.09	FM-15	0.00	30.07
11	0700	4		9.94		42	5.6	37	2.8	30	-1.1	62	3	210		29.89	1	-0.06	30.09	FM-12		
11	0754	7	CLR:00	10.00		48	8.9	39	3.9	27	-2.8	44	8	280		29.91		30.10	FM-15	0.00	30.09	
11	0854	7	CLR:00	10.00		51	10.6	40	4.4	24	-4.4	35	9	280		29.91		30.10	FM-15	0.00	30.09	
11	0954	7	FEW:02 170	10.00		53	11.7	41	5.0	24	-4.4	32	3	VRB		29.91	1	-0.01	30.10	FM-15	0.00	30.09
11	1054	7	FEW:02 250	10.00		56	13.3	43	6.1	25	-3.9	30	13	270		29.90		30.09	FM-15	0.00	30.08	
11	1154	7	FEW:02 250	10.00		57	13.9	44	6.7	26	-3.3	30	11	250	17	29.87		30.06	FM-15	0.00	30.05	
11	1254	7	FEW:02 75 FEW:02 250	10.00		60	15.6	45	7.2	25	-3.9	26	9	260	20	29.85	8	+0.06	30.04	FM-15	0.00	30.03
11	1300	4	74	9.94		60	15.6	45	7.2	25	-3.9	26	9	260		29.85	8	+0.06	30.04	FM-12		
11	1354	7	FEW:02 100 FEW:02 250	10.00		62	16.7	47	8.3	27	-2.8	26	5	VRB	22	29.84		30.03	FM-15	0.00	30.02	
11	1454	7	FEW:02 70 FEW:02 250	10.00		63	17.2	47	8.3	27	-2.8	26	11	270	22	29.82		30.01	FM-15	0.00	30.00	
11	1554	7	FEW:02 60 FEW:02 200	10.00		64	17.8	47	8.3	26	-3.3	24	8	270	20	29.81	6	+0.04	30.01	FM-15	0.00	29.99
11	1654	7	FEW:02 60 FEW:02 200	10.00		64	17.8	47	8.3	27	-2.8	25	13	240	20	29.81		30.00	FM-15	0.00	29.99	
11	1754	7	FEW:02 100 FEW:02 200	10.00		63	17.2	47	8.3	27	-2.8	26	8	250		29.82		30.01	FM-15	0.00	30.00	

11	1854	7	FEW:02 120 FEW:02 200	10.00		58	14.4	45	7.2	29	-1.7	33	6	200		29.83	3	-0.02	30.02	FM-15	0.00	30.01
11	1900	4		9.94		58	14.4	45	7.2	29	-1.7	33	6	200		29.83	3	-0.02	30.02	FM-12		
11	1954	7	CLR:00	10.00		52	11.1	44	6.7	33	0.6	49	5	150		29.84			30.03	FM-15	0.00	30.02
11	2054	7	CLR:00	10.00		49	9.4	42	5.6	34	1.1	56	7	180		29.85			30.04	FM-15	0.00	30.03
11	2154	7	CLR:00	10.00		49	9.4	42	5.6	33	0.6	55	6	200		29.88	3	-0.05	30.07	FM-15	0.00	30.06
11	2254	7	FEW:02 120	10.00		50	10.0	43	6.1	34	1.1	54	0	000		29.89			30.08	FM-15	0.00	30.07
11	2354	7	OVC:08 170	10.00		51	10.6	43	6.1	34	1.1	52	0	000		29.89			30.09	FM-15	0.00	30.07
12	0054	7	SCT:04 130 OVC:08 170	10.00		51	10.6	44	6.7	36	2.2	56	0	000		29.89	0	-0.01	30.08	FM-15	0.00	30.07
12	0100	4		9.94		51	10.6	44	6.7	36	2.2	56	0	000		29.89	9	+0.01	30.08	FM-12		
12	0154	7	FEW:02 65 BKN:07 90 OVC:08 110	10.00		51	10.6	45	7.2	37	2.8	59	8	180		29.88			30.07	FM-15	0.00	30.06
12	0254	7	OVC:08 110	10.00		51	10.6	45	7.2	37	2.8	59	7	180		29.89			30.08	FM-15	0.00	30.07
12	0354	7	BKN:07 120	10.00		51	10.6	44	6.7	35	1.7	54	3	180		29.90	3	-0.01	30.09	FM-15	0.00	30.08
12	0454	7	BKN:07 100	10.00		51	10.6	45	7.2	37	2.8	59	8	190		29.92			30.11	FM-15	0.00	30.10
12	0554	7	BKN:07 100 BKN:07 300	10.00		50	10.0	45	7.2	40	4.4	68	6	190		29.94			30.13	FM-15	0.00	30.12
12	0654	7	SCT:04 100 BKN:07 300	10.00		53	11.7	48	8.9	42	5.6	66	10	180		29.95	1	-0.05	30.14	FM-15	0.00	30.13
12	0700	4		9.94		53	11.7	48	8.9	42	5.6	66	10	180		29.95	1	-0.05	30.14	FM-12		
12	0754	7	FEW:02 50 SCT:04 300	10.00		58	14.4	51	10.6	45	7.2	62	10	180		29.96			30.16	FM-15	0.00	30.14
12	0854	7	FEW:02 55 BKN:07 300	10.00		63	17.2	55	12.8	47	8.3	56	14	190		29.96			30.15	FM-15	0.00	30.14
12	0954	7	BKN:07 100 BKN:07 300	10.00		66	18.9	57	13.9	49	9.4	54	17	200		29.98	3	-0.03	30.17	FM-15	0.00	30.16
12	1054	7	FEW:02 55 BKN:07 110 BKN:07 300	10.00		67	19.4	58	14.4	50	10.0	55	11	190		29.98			30.17	FM-15	0.00	30.16
12	1154	7	SCT:04 50 BKN:07 110 BKN:07 300	10.00		72	22.2	60	15.6	51	10.6	48	11	VRB	22	29.93			30.12	FM-15	0.00	30.11
12	1254	7	BKN:07 60 BKN:07 110 OVC:08 250	10.00		73	22.8	60	15.6	50	10.0	44	17	190		29.90	8	+0.08	30.10	FM-15	0.00	30.08
12	1300	4	57	9.94		73	22.8	60	15.6	50	10.0	44	17	190		29.90	8	+0.08	30.10	FM-12		
12	1354	7	SCT:04 55 BKN:07 65 OVC:08 250	10.00		73	22.8	60	15.6	50	10.0	44	21	190	29	29.89			30.08	FM-15	0.00	30.07
12	1454	7	SCT:04 65 BKN:07 80 BKN:07 170	10.00		74	23.3	60	15.6	49	9.4	41	18	200	29	29.86			30.05	FM-15	0.00	30.04
12	1554	7	SCT:04 65 BKN:07 130 BKN:07 250	10.00		75	23.9	61	16.1	51	10.6	43	10	180	25	29.84	7	+0.06	30.03	FM-15	0.00	30.02
12	1654	7	FEW:02 70 BKN:07 100 OVC:08 250	10.00		74	23.3	60	15.6	50	10.0	43	13	170	18	29.81			30.00	FM-15	0.00	29.99
12	1754	7	FEW:02 70 OVC:08 110	10.00		72	22.2	60	15.6	51	10.6	48	13	170		29.82			30.01	FM-15	0.00	30.00
12	1854	7	BKN:07 65 BKN:07 130 OVC:08 210	10.00		72	22.2	60	15.6	51	10.6	48	18	170	28	29.82	5	+0.02	30.01	FM-15	0.00	30.00
12	1900	4	57	9.94		72	22.2	60	15.6	51	10.6	48	18	170		29.82	5	+0.02	30.01	FM-12		
12	1954	7	FEW:02 60 BKN:07 100 OVC:08 140	10.00		69	20.6	60	15.6	53	11.7	57	20	180	29	29.83			30.02	FM-15	T	30.01
12	2054	7	BKN:07 80 OVC:08 100	10.00	-RA:02 RA RA	66	18.9	59	15.0	54	12.2	65	20	170	24	29.83			30.02	FM-15	T	30.01
12	2154	7	SCT:04 70 OVC:08 100	10.00	-RA:02 RA RA	62	16.7	59	15.0	56	13.3	80	14	150		29.81	8	+0.01	30.00	FM-15	0.03s	29.99

12	2254	7	SCT:04 38 BKN:07 60 OVC:08 100	10.00		61	16.1	58	14.4	56	13.3	84	13	160		29.79			29.98	FM-15	T	29.97
12	2354	7	SCT:04 33 BKN:07 110 OVC:08 150	10.00		61	16.1	59	15.0	57	13.9	87	17	150		29.73			29.92	FM-15	0.03	29.91
13	0041	7	BKN:07 29 OVC:08 140	10.00		61	16.1	59	15.0	57	13.9	87	15	150		29.72				FM-16		29.90
13	0054	7	BKN:07 28 OVC:08 150	10.00		61	16.1	59	15.0	57	13.9	87	14	160		29.71	8	+0.09	29.90	FM-15	0.00	29.89
13	0100	4	26	9.94		61	16.1	59	15.0	57	13.9	87	14	160		29.71	8	+0.09	29.90	FM-12		
13	0116	7	SCT:04 28 OVC:08 45	10.00		61	16.1	59	15.0	58	14.4	90	15	160		29.70				FM-16		29.88
13	0154	7	BKN:07 23 OVC:08 45	10.00		62	16.7	60	15.6	58	14.4	86	18	160	25	29.66			29.85	FM-15	0.00	29.84
13	0254	7	BKN:07 22 OVC:08 30	10.00		64	17.8	61	16.1	59	15.0	84	20	160	31	29.61			29.80	FM-15	T	29.79
13	0354	7	BKN:07 23 OVC:08 31	10.00		65	18.3	62	16.7	60	15.6	84	20	160	32	29.56	6	+0.15	29.75	FM-15	0.01	29.74
13	0454	7	OVC:08 20	6.00	-RA:02 RA RA	66	18.9	63	17.2	61	16.1	84	23	170	32	29.52			29.71	FM-15	0.01	29.70
13	0554	7	OVC:08 15	1.00	RA:02 BR:1 RA RA	66	18.9	64	17.8	63	17.2	90	20	170	26	29.52			29.71	FM-15	0.13	29.70
13	0605	7	BKN:07 17 OVC:08 24	3.00	+RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	14	160	29	29.49				FM-16	0.15	29.67
13	0626	7	FEW:02 8 OVC:08 15	2.00	+RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	15	250	25	29.54				FM-16	0.26	29.72
13	0630	7	SCT:04 8 OVC:08 15	1.50	+RA:02 BR:1 RA RA	65	18.3	64	17.8	64	17.8	97	14	240	25	29.55				FM-16	0.30	29.73
13	0641	7	SCT:04 7 BKN:07 13 OVC:08 20	2.00	+RA:02 BR:1 RA RA	66	18.9	65	18.3	64	17.8	93	17	180	30	29.54				FM-16	0.54	29.72
13	0654	7	SCT:04 7 BKN:07 13 OVC:08 32	2.00	+RA:02 BR:1 RA RA	66	18.9	65	18.3	65	18.3	96	20	160	31	29.50	6	+0.06	29.68	FM-15	0.62	29.68
13	0700	4	8	1.99	RA	66	18.9	65	18.3	65	18.3	96	20	160		29.50	6	+0.06	29.68	FM-12		
13	0705	7	BKN:07 6 BKN:07 14 OVC:08 39	2.50	RA:02 BR:1 RA RA	67	19.4	66	18.9	65	18.3	93	18	170	31	29.48				FM-16	0.05	29.66
13	0714	7	FEW:02 6 SCT:04 14 SCT:04 38	2.50	RA:02 BR:1 RA RA	67	19.4	66	18.9	65	18.3	93	32	170	47	29.49				FM-16	0.08	29.67
13	0726	7	FEW:02 5 BKN:07 29 BKN:07 75	1.00	+RA:02 BR:1 RA RA	67	19.4	66	18.9	65	18.3	93	29	170	43	29.50				FM-16	0.15	29.68
13	0745	7	FEW:02 6 FEW:02 13 BKN:07 32	1.00	RA:02 BR:1 RA RA	66	18.9	66	18.9	66	18.9	100	15	170		29.49				FM-16	0.38	29.67
13	0754	7	FEW:02 6 SCT:04 35 BKN:07 75	3.00	RA:02 BR:1 RA RA	68	20.0	66	18.9	65	18.3	90	18	190	25	29.48			29.67	FM-15	0.45	29.66
13	0854	7	SCT:04 7 SCT:04 39 BKN:07 80	10.00	RA RA	68	20.0	67	19.4	66	18.9	93	18	160	25	29.39			29.57	FM-15	0.15	29.57
13	0929	7	FEW:02 19 BKN:07 28 OVC:08 45	10.00		69	20.6	68	20.0	67	19.4	93	18	170	24	29.36				FM-16	T	29.53
13	0954	7	BKN:07 19 BKN:07 33 BKN:07 50	10.00		71	21.7	68	20.0	67	19.4	87	21	180	28	29.37	8	+0.13	29.56	FM-15	T	29.55
13	1010	7	FEW:02 16 SCT:04 28 BKN:07 45	10.00		72	22.2	69	20.6	67	19.4	84	23	180	30	29.37				FM-16		29.55
13	1054	7	SCT:04 28 BKN:07 50 BKN:07 110	10.00		72	22.2	68	20.0	66	18.9	82	25	190	33	29.36			29.55	FM-15	0.00	29.54

13	1154	7	FEW:02 29 BKN:07 50 BKN:07 80	10.00		75	23.9	68	20.0	64	17.8	69	24	200	37	29.37			29.56	FM-15	0.00	29.55
13	1254	7	SCT:04 41 BKN:07 55 BKN:07 90	10.00		78	25.6	68	20.0	62	16.7	58	29	220	43	29.39	3	-0.01	29.57	FM-15	0.00	29.56
13	1300	4	41	9.94		78	25.6	68	20.0	62	16.7	58	29	220		29.38	3	-0.01	29.57	FM-12		
13	1354	7	SCT:04 48 SCT:04 65 BKN:07 300	10.00		81	27.2	67	19.4	59	15.0	47	20	240	38	29.39			29.58	FM-15	0.00	29.57
13	1454	7	FEW:02 65 SCT:04 110 SCT:04 300	10.00		82	27.8	65	18.3	54	12.2	38	26	270	39	29.44			29.62	FM-15	0.00	29.61
13	1554	7	FEW:02 65 SCT:04 100	10.00		80	26.7	65	18.3	55	12.8	42	23	260	31	29.48	3	-0.10	29.67	FM-15	0.00	29.66
13	1654	7	FEW:02 65 SCT:04 90	10.00		79	26.1	65	18.3	56	13.3	45	18	240		29.52			29.71	FM-15	0.00	29.70
13	1754	7	SCT:04 65 SCT:04 95	10.00		78	25.6	63	17.2	53	11.7	42	17	270	26	29.57			29.75	FM-15	0.00	29.75
13	1854	7	SCT:04 75 SCT:04 100	10.00		75	23.9	61	16.1	50	10.0	41	11	280		29.62	3	-0.14	29.81	FM-15	0.00	29.80
13	1900	4	74	9.94		75	23.9	61	16.1	50	10.0	41	11	280		29.62	3	-0.14	29.81	FM-12		
13	1954	7	FEW:02 75 SCT:04 100	10.00		72	22.2	58	14.4	47	8.3	41	8	280		29.68			29.87	FM-15	0.00	29.86
13	2054	7	SCT:04 75	10.00		70	21.1	58	14.4	48	8.9	46	9	280		29.73			29.92	FM-15	0.00	29.91
13	2154	7	FEW:02 75	10.00		66	18.9	57	13.9	49	9.4	54	8	320		29.76	1	-0.14	29.95	FM-15	0.00	29.94
13	2254	7	FEW:02 75	10.00		65	18.3	55	12.8	46	7.8	51	11	320		29.79			29.98	FM-15	0.00	29.97
13	2354	7	CLR:00	10.00		62	16.7	52	11.1	43	6.1	50	11	340		29.81			30.00	FM-15	0.00	29.99
14	0054	7	CLR:00	10.00		58	14.4	49	9.4	39	3.9	50	10	320		29.82	1	-0.06	30.01	FM-15	0.00	30.00
14	0100	4		9.94		58	14.4	49	9.4	39	3.9	50	10	320		29.82	1	-0.06	30.01	FM-12		
14	0154	7	BKN:07 80	10.00		56	13.3	48	8.9	39	3.9	53	10	360		29.85			30.04	FM-15	0.00	30.03
14	0254	7	BKN:07 75 BKN:07 100	10.00		53	11.7	45	7.2	36	2.2	52	14	360		29.87			30.06	FM-15	0.00	30.05
14	0354	7	BKN:07 75 BKN:07 100	10.00		51	10.6	44	6.7	35	1.7	54	9	010		29.90	3	-0.08	30.09	FM-15	0.00	30.08
14	0454	7	BKN:07 75	10.00		50	10.0	43	6.1	35	1.7	57	8	020		29.92			30.11	FM-15	0.00	30.10
14	0554	7	SCT:04 70 BKN:07 100	10.00		50	10.0	43	6.1	33	0.6	52	13	020		29.93			30.12	FM-15	0.00	30.11
14	0654	7	BKN:07 70 BKN:07 95	10.00		50	10.0	43	6.1	35	1.7	57	8	010		29.97	3	-0.07	30.16	FM-15	0.00	30.15
14	0700	4	74	9.94		50	10.0	43	6.1	35	1.7	57	8	010		29.97	3	-0.07	30.16	FM-12		
14	0754	7	SCT:04 70 SCT:04 95 BKN:07 110	10.00		53	11.7	44	6.7	33	0.6	47	9	030		29.97			30.16	FM-15	0.00	30.15
14	0854	7	BKN:07 70 BKN:07 95	10.00		53	11.7	44	6.7	32	0.0	45	11	010	18	29.97			30.16	FM-15	0.00	30.15
14	0954	7	BKN:07 75	10.00		55	12.8	45	7.2	33	0.6	44	7	030		29.96	8	0.00	30.16	FM-15	0.00	30.14
14	1054	7	FEW:02 75 SCT:04 120	10.00		57	13.9	46	7.8	33	0.6	41	8	020		29.94			30.14	FM-15	0.00	30.12
14	1154	7	SCT:04 65 BKN:07 130	10.00		59	15.0	48	8.9	35	1.7	41	5	VRB		29.92			30.11	FM-15	0.00	30.10
14	1254	7	SCT:04 50	10.00		61	16.1	49	9.4	36	2.2	39	5	VRB		29.89	8	+0.08	30.08	FM-15	0.00	30.07
14	1300	4	57	9.94		61	16.1	49	9.4	36	2.2	39	5			29.89	8	+0.08	30.08	FM-12		
14	1354	7	BKN:07 55	10.00		62	16.7	50	10.0	36	2.2	38	5	VRB		29.87			30.06	FM-15	0.00	30.05
14	1454	7	SCT:04 60	10.00		63	17.2	50	10.0	37	2.8	38	5	VRB		29.82			30.01	FM-15	0.00	30.00
14	1554	7	SCT:04 60	10.00		63	17.2	51	10.6	40	4.4	43	10	190		29.80	8	+0.09	29.99	FM-15	0.00	29.98
14	1654	7	SCT:04 60 SCT:04 300	10.00		64	17.8	52	11.1	41	5.0	43	5	VRB		29.78			29.97	FM-15	0.00	29.96
14	1754	7	SCT:04 60	10.00		62	16.7	51	10.6	41	5.0	46	9	130		29.78			29.97	FM-15	0.00	29.96
14	1854	7	SCT:04 65	10.00		57	13.9	50	10.0	42	5.6	58	6	120		29.78	6	+0.02	29.97	FM-15	0.00	29.96
14	1900	4	57	9.94		57	13.9	50	10.0	42	5.6	58	6	120		29.78	6	+0.02	29.97	FM-12		
14	1954	7	SCT:04 80	10.00		54	12.2	48	8.9	41	5.0	62	11	130		29.78			29.97	FM-15	0.00	29.96

14	2054	7	SCT:04 80	10.00		51	10.6	47	8.3	42	5.6	71	6	110		29.78			29.97	FM-15	0.00	29.96
14	2154	7	OVC:08 50	10.00	-RA:02 RA RA	51	10.6	47	8.3	43	6.1	74	9	010		29.81	3	-0.03	30.00	FM-15	T	29.99
14	2254	7	FEW:02 18 OVC:08 40	10.00		49	9.4	48	8.9	46	7.8	90	14	360	21	29.83			30.03	FM-15	0.06	30.01
14	2307	7	SCT:04 12 BKN:07 18 OVC:08 38	10.00	-RA:02 RA RA	47	8.3	45	7.2	43	6.1	86	15	350	25	29.87				FM-16	T	30.05
14	2320	7	BKN:07 12 BKN:07 19 OVC:08 27	10.00		46	7.8	45	7.2	43	6.1	89	10	010	22	29.86				FM-16	T	30.04
14	2354	7	BKN:07 15 OVC:08 33	10.00		45	7.2	44	6.7	42	5.6	90	14	360	24	29.86			30.05	FM-15	T	30.04
15	0054	7	SCT:04 16 OVC:08 48	10.00	-RA:02 RA RA	42	5.6	41	5.0	39	3.9	89	18	360	33	29.88	1	-0.07	30.07	FM-15	0.01	30.06
15	0100	4	15	9.94	RA	42	5.6	41	5.0	39	3.9	89	18	360		29.88	1	-0.07	30.07	FM-12		
15	0119	7	BKN:07 11 OVC:08 50	10.00	-RA:02 RA RA	42	5.6	41	5.0	40	4.4	92	17	360	23	29.87				FM-16	0.02	30.05
15	0154	7	BKN:07 8 OVC:08 60	10.00	-RA:02 RA RA	42	5.6	41	5.0	40	4.4	92	14	350	25	29.87			30.06	FM-15	0.02	30.05
15	0254	7	FEW:02 8 BKN:07 12 OVC:08 44	10.00	-RA:02 RA RA	40	4.4	39	3.9	37	2.8	89	16	360	28	29.87			30.07	FM-15	T	30.05
15	0354	7	BKN:07 13 OVC:08 47	10.00		39	3.9	38	3.3	36	2.2	89	20	360	25	29.87	6	+0.01	30.06	FM-15	T	30.05
15	0401	7	BKN:07 15 OVC:08 47	10.00		39	3.9	38	3.3	36	2.2	89	22	350	30	29.88				FM-16		30.06
15	0454	7	BKN:07 15 OVC:08 23	10.00		38	3.3	37	2.8	35	1.7	89	15	360	22	29.87			30.06	FM-15	0.00	30.05
15	0554	7	BKN:07 15 OVC:08 20	10.00		38	3.3	37	2.8	35	1.7	89	14	350	28	29.90			30.09	FM-15	0.00	30.08
15	0638	7	SCT:04 15 OVC:08 60	10.00		38	3.3	36	2.2	34	1.1	86	15	350	23	29.92				FM-16		30.10
15	0654	7	FEW:02 15 OVC:08 60	10.00		38	3.3	36	2.2	32	0.0	79	16	360	24	29.92	3	-0.05	30.12	FM-15	0.00	30.10
15	0700	4	15	9.94		38	3.3	36	2.2	32	0.0	79	16	360		29.92	3	-0.05	30.12	FM-12		
15	0754	7	OVC:08 65	10.00		40	4.4	36	2.2	31	-0.6	70	9	020		29.92			30.11	FM-15	0.00	30.10
15	0854	7	BKN:07 70 OVC:08 110	10.00		41	5.0	37	2.8	30	-1.1	65	10	020	18	29.92			30.11	FM-15	0.00	30.10
15	0954	7	FEW:02 25 BKN:07 80	10.00		43	6.1	38	3.3	32	0.0	65	9	010		29.92	5	0.00	30.12	FM-15	0.00	30.10
15	1054	7	SCT:04 41 SCT:04 90 BKN:07 120	10.00		46	7.8	39	3.9	29	-1.7	51	9	010	18	29.90			30.10	FM-15	0.00	30.08
15	1154	7	BKN:07 47 BKN:07 120	10.00		51	10.6	42	5.6	30	-1.1	44	10	350		29.89			30.09	FM-15	0.00	30.07
15	1254	7	SCT:04 50 SCT:04 120	10.00		51	10.6	41	5.0	28	-2.2	41	7	320		29.86	8	+0.06	30.06	FM-15	0.00	30.04
15	1300	4	57	9.94		51	10.6	41	5.0	28	-2.2	41	7	320		29.86	8	+0.06	30.06	FM-12		
15	1354	7	SCT:04 55 SCT:04 300	10.00		52	11.1	42	5.6	28	-2.2	40	8	310		29.84			30.04	FM-15	0.00	30.02
15	1454	7	SCT:04 60 SCT:04 300	10.00		53	11.7	42	5.6	26	-3.3	35	5	250		29.82			30.01	FM-15	0.00	30.00
15	1554	7	FEW:02 60 FEW:02 300	10.00		54	12.2	42	5.6	25	-3.9	33	7	VRB		29.81	6	+0.06	30.00	FM-15	0.00	29.99
15	1654	7	FEW:02 70	10.00		54	12.2	42	5.6	24	-4.4	31	9	330		29.82			30.02	FM-15	0.00	30.00
15	1754	7	FEW:02 70	10.00		53	11.7	41	5.0	23	-5.0	31	5	VRB		29.85			30.04	FM-15	0.00	30.03
15	1854	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	6	210		29.85	1	-0.05	30.05	FM-15	0.00	30.03
15	1900	4		9.94		47	8.3	39	3.9	28	-2.2	48	6	210		29.85	1	-0.05	30.05	FM-12		
15	1954	7	CLR:00	10.00		43	6.1	39	3.9	33	0.6	68	6	170		29.87			30.06	FM-15	0.00	30.05
15	2054	7	CLR:00	10.00		41	5.0	37	2.8	32	0.0	70	6	170		29.88			30.08	FM-15	0.00	30.06
15	2154	7	CLR:00	10.00		42	5.6	38	3.3	33	0.6	71	3	180		29.89	1	-0.03	30.08	FM-15	0.00	30.07
15	2254	7	CLR:00	10.00		40	4.4	37	2.8	32	0.0	73	3	180		29.89			30.09	FM-15	0.00	30.07

15	2354	7	CLR:00	10.00		38	3.3	36	2.2	32	0.0	79	7	190		29.91			30.10	FM-15	0.00	30.09
16	0054	7	CLR:00	10.00		38	3.3	35	1.7	31	-0.6	76	7	190		29.91	1	-0.02	30.11	FM-15	0.00	30.09
16	0100	4		9.94		38	3.3	35	1.7	31	-0.6	76	7	190		29.91	1	-0.02	30.11	FM-12		
16	0154	7	CLR:00	10.00		39	3.9	36	2.2	31	-0.6	73	5	180		29.90			30.10	FM-15	0.00	30.08
16	0254	7	CLR:00	10.00		37	2.8	34	1.1	30	-1.1	76	7	220		29.91			30.11	FM-15	0.00	30.09
16	0354	7	CLR:00	10.00		40	4.4	36	2.2	31	-0.6	70	6	220		29.92	3	-0.01	30.11	FM-15	0.00	30.10
16	0454	7	CLR:00	10.00		42	5.6	38	3.3	32	0.0	68	6	260		29.92			30.12	FM-15	0.00	30.10
16	0554	7	FEW:02 50	10.00		42	5.6	38	3.3	33	0.6	71	7	280		29.95			30.15	FM-15	0.00	30.13
16	0654	7	SCT:04 80 SCT:04 150	10.00		46	7.8	41	5.0	35	1.7	66	8	350		30.00	3	-0.08	30.19	FM-15	0.00	30.18
16	0700	4	74	9.94		46	7.8	41	5.0	35	1.7	66	8	350		30.00	3	-0.08	30.19	FM-12		
16	0754	7	FEW:02 80	10.00		48	8.9	42	5.6	34	1.1	58	8	350		30.00			30.20	FM-15	0.00	30.18
16	0854	7	CLR:00	10.00		51	10.6	43	6.1	34	1.1	52	6	010		30.01			30.20	FM-15	0.00	30.19
16	0954	7	FEW:02 55	10.00		53	11.7	44	6.7	33	0.6	47	6	VRB		30.02	3	-0.02	30.22	FM-15	0.00	30.20
16	1054	7	SCT:04 50	10.00		56	13.3	45	7.2	30	-1.1	37	9	320	21	30.01			30.20	FM-15	0.00	30.19
16	1154	7	FEW:02 65	10.00		57	13.9	44	6.7	28	-2.2	33	11	VRB	18	30.00			30.19	FM-15	0.00	30.18
16	1254	7	FEW:02 75	10.00		60	15.6	45	7.2	26	-3.3	27	20	300	26	29.99	6	+0.03	30.18	FM-15	0.00	30.17
16	1300	4	74	9.94		60	15.6	45	7.2	26	-3.3	27	20	300		29.99	6	+0.03	30.18	FM-12		
16	1354	7	FEW:02 80	10.00		61	16.1	45	7.2	25	-3.9	25	15	290	22	29.98			30.17	FM-15	0.00	30.16
16	1454	7	FEW:02 80	10.00		62	16.7	45	7.2	23	-5.0	22	17	300	25	29.96			30.16	FM-15	0.00	30.14
16	1554	7	FEW:02 70	10.00		63	17.2	46	7.8	22	-5.6	21	8	VRB		29.96	6	+0.04	30.15	FM-15	0.00	30.14
16	1654	7	FEW:02 75	10.00		62	16.7	45	7.2	21	-6.1	21	15	300	22	29.97			30.16	FM-15	0.00	30.15
16	1754	7	FEW:02 75	10.00		60	15.6	43	6.1	19	-7.2	20	10	360		29.98			30.17	FM-15	0.00	30.16
16	1854	7	CLR:00	10.00		55	12.8	41	5.0	20	-6.7	25	7	350		30.00	3	-0.04	30.19	FM-15	0.00	30.18
16	1900	4		9.94		55	12.8	41	5.0	20	-6.7	25	7	350		30.00	3	-0.04	30.19	FM-12		
16	1954	7	CLR:00	10.00		51	10.6	40	4.4	25	-3.9	36	5	040		30.03			30.22	FM-15	0.00	30.21
16	2054	7	CLR:00	10.00		48	8.9	39	3.9	27	-2.8	44	9	060		30.07			30.27	FM-15	0.00	30.25
16	2154	7	CLR:00	10.00		46	7.8	39	3.9	30	-1.1	54	0	000		30.10	3	-0.09	30.29	FM-15	0.00	30.28
16	2254	7	CLR:00	10.00		43	6.1	39	3.9	33	0.6	68	3	020		30.11			30.30	FM-15	0.00	30.29
16	2354	7	CLR:00	10.00		42	5.6	38	3.3	32	0.0	68	0	000		30.11			30.31	FM-15	0.00	30.29
17	0054	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	0	000		30.11	1	-0.02	30.31	FM-15	0.00	30.29
17	0100	4		9.94		40	4.4	37	2.8	33	0.6	77	0	000		30.11	1	-0.02	30.31	FM-12		
17	0154	7	FEW:02 160	10.00		39	3.9	37	2.8	33	0.6	79	0	000		30.11			30.30	FM-15	0.00	30.29
17	0254	7	SCT:04 160	10.00		40	4.4	37	2.8	34	1.1	79	0	000		30.11			30.30	FM-15	0.00	30.29
17	0354	7	SCT:04 160	10.00		41	5.0	38	3.3	33	0.6	73	0	000		30.12	3	0.00	30.31	FM-15	0.00	30.30
17	0454	7	FEW:02 160	10.00		39	3.9	37	2.8	33	0.6	79	3	100		30.12			30.32	FM-15	0.00	30.30
17	0554	7	FEW:02 160	10.00		38	3.3	36	2.2	32	0.0	79	3	040		30.15			30.35	FM-15	0.00	30.33
17	0654	7	FEW:02 160	10.00		43	6.1	39	3.9	34	1.1	71	7	110		30.16	3	-0.04	30.35	FM-15	0.00	30.34
17	0700	4		9.94		43	6.1	39	3.9	34	1.1	71	7	110		30.16	3	-0.04	30.35	FM-12		
17	0754	7	FEW:02 120	10.00		49	9.4	43	6.1	36	2.2	61	10	120		30.16			30.35	FM-15	0.00	30.34
17	0854	7	FEW:02 120	10.00		53	11.7	46	7.8	38	3.3	57	10	140		30.14			30.33	FM-15	0.00	30.32
17	0954	7	SCT:04 130	10.00		57	13.9	49	9.4	40	4.4	53	13	160	20	30.12	8	+0.04	30.31	FM-15	0.00	30.30
17	1054	7	BKN:07 130 BKN:07 250	10.00		58	14.4	48	8.9	37	2.8	46	14	190		30.10			30.29	FM-15	0.00	30.28
17	1154	7	BKN:07 140 BKN:07 250	10.00		61	16.1	49	9.4	37	2.8	41	10	150	21	30.04			30.23	FM-15	0.00	30.22
17	1254	7	FEW:02 50 FEW:02 120 BKN:07 250	10.00		63	17.2	50	10.0	37	2.8	38	10	180		30.00	8	+0.12	30.19	FM-15	0.00	30.18
17	1300	4	57	9.94		63	17.2	50	10.0	37	2.8	38	10	180		30.00	8	+0.12	30.19	FM-12		
17	1354	7	FEW:02 60 FEW:02 120 SCT:04 190	10.00		65	18.3	51	10.6	37	2.8	36	8	210		29.96			30.15	FM-15	0.00	30.14
17	1454	7	FEW:02 80 BKN:07 120 BKN:07 210	10.00		69	20.6	53	11.7	37	2.8	31	15	200		29.89			30.09	FM-15	0.00	30.07
17	1554	7	FEW:02 80 FEW:02 120 SCT:04 210	10.00		69	20.6	52	11.1	35	1.7	29	21	200	29	29.84	8	+0.16	30.03	FM-15	0.00	30.02

17	1654	7	FEW:02 70 FEW:02 120 FEW:02 210	10.00		69	20.6	53	11.7	36	2.2	30	17	180	25	29.79			29.98	FM-15	0.00	29.97
17	1754	7	FEW:02 75 FEW:02 150 SCT:04 210	10.00		68	20.0	53	11.7	38	3.3	33	20	190		29.77			29.97	FM-15	0.00	29.95
17	1854	7	FEW:02 70 SCT:04 150	10.00		66	18.9	52	11.1	37	2.8	34	15	200		29.75	6	+0.09	29.94	FM-15	0.00	29.93
17	1900	4	74	9.94		66	18.9	52	11.1	37	2.8	34	15	200		29.75	6	+0.09	29.94	FM-12		
17	1954	7	FEW:02 120	10.00		63	17.2	50	10.0	37	2.8	38	14	200		29.74			29.93	FM-15	0.00	29.92
17	2054	7	FEW:02 120	10.00		63	17.2	51	10.6	38	3.3	40	13	190		29.73			29.92	FM-15	0.00	29.91
17	2154	7	CLR:00	10.00		62	16.7	51	10.6	39	3.9	43	17	200		29.71	8	+0.04	29.90	FM-15	0.00	29.89
17	2254	7	CLR:00	10.00		62	16.7	54	12.2	46	7.8	56	18	200	31	29.68			29.87	FM-15	0.00	29.86
17	2354	7	CLR:00	10.00		62	16.7	55	12.8	49	9.4	62	20	200		29.64			29.84	FM-15	0.00	29.82
18	0054	7	CLR:00	10.00		62	16.7	55	12.8	50	10.0	65	24	200	32	29.62	7	+0.09	29.81	FM-15	0.00	29.80
18	0100	4		9.94		62	16.7	55	12.8	50	10.0	65	24	200		29.62	7	+0.09	29.81	FM-12		
18	0154	7	CLR:00	10.00		61	16.1	56	13.3	51	10.6	70	20	190	29	29.58			29.77	FM-15	0.00	29.76
18	0254	7	SCT:04 300	10.00		61	16.1	56	13.3	51	10.6	70	15	200	26	29.57			29.76	FM-15	0.00	29.75
18	0354	7	BKN:07 85 OVC:08 300	10.00		62	16.7	56	13.3	52	11.1	70	17	200		29.56	6	+0.06	29.75	FM-15	0.00	29.74
18	0454	7	OVC:08 80	10.00		61	16.1	56	13.3	52	11.1	72	7	240		29.56			29.75	FM-15	0.00	29.74
18	0554	7	FEW:02 39 BKN:07 70 OVC:08 80	10.00		61	16.1	56	13.3	52	11.1	72	13	330		29.57			29.76	FM-15	0.00	29.75
18	0654	7	OVC:08 60	7.00	-RA:02 RA RA	53	11.7	50	10.0	48	8.9	83	6	340		29.59	3	-0.03	29.78	FM-15	0.03s	29.77
18	0700	4	57	6.84	RA	53	11.7	50	10.0	48	8.9	83	6	340		29.59	3	-0.03	29.78	FM-12		
18	0754	7	FEW:02 40 BKN:07 65 OVC:08 75	9.00	-RA:02 RA RA	51	10.6	49	9.4	48	8.9	89	10	330		29.60			29.80	FM-15	0.02	29.78
18	0854	7	FEW:02 50 BKN:07 70 OVC:08 85	9.00	-RA:02 RA RA	52	11.1	50	10.0	49	9.4	89	9	320		29.61			29.80	FM-15	T	29.79
18	0954	7	FEW:02 35 BKN:07 65 OVC:08 110	7.00	-RA:02 RA RA	52	11.1	50	10.0	48	8.9	86	9	300		29.62	1	-0.04	29.81	FM-15	0.02	29.80
18	1054	7	FEW:02 30 SCT:04 65 SCT:04 110	10.00		56	13.3	52	11.1	48	8.9	75	16	300	22	29.62			29.81	FM-15	0.01	29.80
18	1154	7	SCT:04 37 BKN:07 55 BKN:07 85	10.00		60	15.6	52	11.1	45	7.2	58	24	010	34	29.64			29.83	FM-15	0.00	29.82
18	1254	7	SCT:04 48	10.00		63	17.2	52	11.1	41	5.0	45	21	350	33	29.65	3	-0.03	29.84	FM-15	0.00	29.83
18	1300	4	41	9.94		63	17.2	52	11.1	41	5.0	45	21	350		29.65	3	-0.03	29.84	FM-12		
18	1354	7	SCT:04 60	10.00		63	17.2	50	10.0	37	2.8	38	22	340	28	29.66			29.85	FM-15	0.00	29.84
18	1454	7	FEW:02 65	10.00		63	17.2	50	10.0	35	1.7	35	20	350	26	29.68			29.87	FM-15	0.00	29.86
18	1554	7	FEW:02 65	10.00		62	16.7	49	9.4	34	1.1	35	21	350	26	29.70	3	-0.04	29.89	FM-15	0.00	29.88
18	1654	7	FEW:02 60	10.00		60	15.6	47	8.3	32	0.0	35	16	360	23	29.71			29.90	FM-15	0.00	29.89
18	1754	7	FEW:02 50	10.00		58	14.4	47	8.3	33	0.6	39	11	360		29.74			29.93	FM-15	0.00	29.92
18	1854	7	CLR:00	10.00		52	11.1	44	6.7	34	1.1	50	10	360		29.76	3	-0.06	29.95	FM-15	0.00	29.94
18	1900	4		9.94		52	11.1	44	6.7	34	1.1	50	10	360		29.76	3	-0.06	29.95	FM-12		
18	1954	7	CLR:00	10.00		49	9.4	42	5.6	33	0.6	55	6	040		29.80			29.99	FM-15	0.00	29.98
18	2054	7	CLR:00	10.00		47	8.3	41	5.0	34	1.1	61	3	040		29.82			30.01	FM-15	0.00	30.00
18	2154	7	CLR:00	10.00		43	6.1	40	4.4	35	1.7	74	0	000		29.83	1	-0.07	30.03	FM-15	0.00	30.01
18	2254	7	CLR:00	10.00		42	5.6	39	3.9	34	1.1	73	3	180		29.85			30.04	FM-15	0.00	30.03
18	2354	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	0	000		29.86			30.06	FM-15	0.00	30.04
19	0054	7	CLR:00	10.00		38	3.3	36	2.2	34	1.1	86	0	000		29.85	0	-0.02	30.05	FM-15	0.00	30.03
19	0100	4		9.94		38	3.3	36	2.2	34	1.1	86	0	000		29.85	9	+0.02	30.05	FM-12		
19	0154	7	CLR:00	10.00		37	2.8	35	1.7	33	0.6	86	0	000		29.84			30.03	FM-15	0.00	30.02
19	0254	7	CLR:00	10.00		36	2.2	34	1.1	32	0.0	86	0	000		29.83			30.02	FM-15	0.00	30.01
19	0354	7	CLR:00	10.00		36	2.2	34	1.1	32	0.0	86	0	000		29.83	5	+0.02	30.02	FM-15	0.00	30.01
19	0454	7	CLR:00	10.00		35	1.7	34	1.1	32	0.0	89	0	000		29.83			30.02	FM-15	0.00	30.01

19	0554	7	CLR:00	10.00		36	2.2	35	1.7	33	0.6	89	0	000		29.85			30.05	FM-15	0.00	30.03
19	0654	7	CLR:00	10.00		43	6.1	40	4.4	37	2.8	80	0	000		29.86	3	-0.04	30.06	FM-15	0.00	30.04
19	0700	4		9.94		43	6.1	40	4.4	37	2.8	80	0	000		29.86	3	-0.04	30.06	FM-12		
19	0754	7	FEW:02 300	10.00		50	10.0	45	7.2	39	3.9	66	8	170		29.84			30.03	FM-15	0.00	30.02
19	0854	7	FEW:02 150 FEW:02 300	10.00		53	11.7	46	7.8	39	3.9	59	11	190		29.84			30.03	FM-15	0.00	30.02
19	0954	7	FEW:02 150 BKN:07 300	10.00		58	14.4	49	9.4	39	3.9	50	13	200		29.83	6	+0.03	30.02	FM-15	0.00	30.01
19	1054	7	BKN:07 300	10.00		60	15.6	50	10.0	40	4.4	47	10	190		29.81			30.00	FM-15	0.00	29.99
19	1154	7	FEW:02 180 OVC:08 300	10.00		63	17.2	52	11.1	41	5.0	45	10	220	20	29.77			29.96	FM-15	0.00	29.95
19	1254	7	FEW:02 180 BKN:07 300	10.00		65	18.3	53	11.7	42	5.6	43	15	190	21	29.74	8	+0.09	29.93	FM-15	0.00	29.92
19	1300	4		9.94		65	18.3	53	11.7	42	5.6	43	15	190		29.74	8	+0.09	29.93	FM-12		
19	1354	7	SCT:04 180 OVC:08 300	10.00		65	18.3	53	11.7	41	5.0	42	11	190		29.72			29.91	FM-15	0.00	29.90
19	1454	7	SCT:04 140 OVC:08 300	10.00		68	20.0	55	12.8	43	6.1	40	14	180		29.68			29.87	FM-15	0.00	29.86
19	1554	7	SCT:04 150 BKN:07 300	10.00		68	20.0	55	12.8	44	6.7	42	15	210	23	29.64	8	+0.10	29.83	FM-15	0.00	29.82
19	1654	7	BKN:07 130 BKN:07 300	10.00		66	18.9	55	12.8	45	7.2	47	10	190		29.61			29.80	FM-15	0.00	29.79
19	1754	7	BKN:07 120 BKN:07 300	10.00		65	18.3	55	12.8	46	7.8	51	8	170		29.60			29.80	FM-15	0.00	29.78
19	1854	7	BKN:07 120 BKN:07 300	10.00		63	17.2	55	12.8	48	8.9	58	5	170		29.61	6	+0.03	29.80	FM-15	0.00	29.79
19	1900	4		9.94		63	17.2	55	12.8	48	8.9	58	5	170		29.61	6	+0.03	29.80	FM-12		
19	1954	7	FEW:02 120 BKN:07 200 BKN:07 300	10.00		60	15.6	54	12.2	48	8.9	65	3	150		29.59			29.78	FM-15	0.00	29.77
19	2054	7	BKN:07 100 BKN:07 200 BKN:07 300	10.00		59	15.0	54	12.2	49	9.4	69	0	000		29.58			29.77	FM-15	0.00	29.76
19	2154	7	FEW:02 110 BKN:07 250	10.00		55	12.8	52	11.1	49	9.4	80	0	000		29.56	8	+0.05	29.75	FM-15	0.00	29.74
19	2254	7	SCT:04 100 BKN:07 230 OVC:08 300	10.00		57	13.9	53	11.7	49	9.4	74	0	000		29.53			29.72	FM-15	0.00	29.71
19	2354	7	SCT:04 140 OVC:08 190	10.00		54	12.2	52	11.1	50	10.0	87	3	030		29.52			29.70	FM-15	0.00	29.69
20	0054	7	OVC:08 120	10.00		56	13.3	53	11.7	50	10.0	81	0	000		29.52	6	+0.05	29.70	FM-15	0.00	29.69
20	0100	4		9.94		56	13.3	53	11.7	50	10.0	81	0	000		29.51	6	+0.05	29.70	FM-12		
20	0154	7	FEW:02 60 OVC:08 85	10.00	-RA:02 RA RA	55	12.8	53	11.7	51	10.6	87	0	000		29.47			29.66	FM-15	T	29.65
20	0254	7	OVC:08 100	10.00	-RA:02 RA RA	56	13.3	54	12.2	52	11.1	87	0	000		29.44			29.63	FM-15	0.01	29.62
20	0354	7	BKN:07 90 OVC:08 100	10.00	-RA:02 RA RA	54	12.2	53	11.7	53	11.7	97	0	000		29.44	5	+0.06	29.64	FM-15	T	29.62
20	0454	7	BKN:07 80 OVC:08 110	9.00	-RA:02 RA RA	54	12.2	53	11.7	53	11.7	97	0	000		29.41			29.60	FM-15	0.01	29.59
20	0554	7	OVC:08 80	7.00	-RA:02 RA RA	54	12.2	53	11.7	53	11.7	97	0	000		29.41			29.59	FM-15	0.01	29.58
20	0654	7	BKN:07 55 OVC:08 80	6.00	-RA:02 BR:1 RA RA	54	12.2	52	11.1	51	10.6	90	9	360		29.41	6	+0.04	29.59	FM-15	0.03	29.58
20	0700	4	57	5.59	RA	54	12.2	52	11.1	51	10.6	90	9	360		29.40	6	+0.04	29.59	FM-12		
20	0754	7	OVC:08 60	10.00	-RA:02 RA RA	53	11.7	51	10.6	49	9.4	86	11	020		29.39			29.58	FM-15	0.04	29.57
20	0854	7	FEW:02 50 OVC:08 65	7.00	-RA:02 RA RA	52	11.1	51	10.6	50	10.0	93	11	360		29.44			29.63	FM-15	0.06	29.62
20	0952	6	BKN:07 44 OVC:08 60	2.50	RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	94	10	360		29.47				FM-16		29.65
20	0954	7	SCT:04 40 BKN:07 55 OVC:08 70	3.00	RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	9	350		29.47	3	-0.06	29.66	FM-15	0.09	29.65

20	1045	7	FEW:02 8 FEW:02 50 OVC:08 70	9.00	-RA:02 RA RA	52	11.1	51	10.6	50	10.0	93	7	050		29.47				FM-16	0.08	29.64
20	1054	7	FEW:02 8 BKN:07 65 OVC:08 80	8.00	-RA:02 RA RA	53	11.7	51	10.6	50	10.0	89	7	030		29.47			29.66	FM-15	0.08	29.65
20	1146	7	BKN:07 13 BKN:07 33 OVC:08 70	7.00	-RA:02 RA RA	53	11.7	51	10.6	50	10.0	89	6	350		29.47				FM-16	0.02	29.64
20	1154	7	BKN:07 13 BKN:07 32 OVC:08 70	9.00	-RA:02 RA RA	53	11.7	51	10.6	50	10.0	89	7	020		29.47			29.65	FM-15	0.02	29.64
20	1211	7	FEW:02 7 BKN:07 14 OVC:08 60	9.00	-RA:02 RA RA	53	11.7	52	11.1	51	10.6	93	5	020		29.47				FM-16	0.01	29.64
20	1235	7	BKN:07 7 BKN:07 16 OVC:08 45	10.00		54	12.2	52	11.1	51	10.6	90	7	020		29.47				FM-16	0.01	29.64
20	1254	7	BKN:07 8 BKN:07 17 BKN:07 45	10.00		54	12.2	52	11.1	51	10.6	90	8	360		29.47	5	+0.01	29.65	FM-15	0.01	29.64
20	1300	4	8	9.94		54	12.2	52	11.1	51	10.6	90	8	360		29.46	5	+0.01	29.65	FM-12		
20	1315	7	SCT:04 8 BKN:07 14 BKN:07 110	10.00		55	12.8	53	11.7	51	10.6	87	10	350		29.47				FM-16		29.65
20	1334	7	FEW:02 9 BKN:07 19 OVC:08 46	10.00		55	12.8	52	11.1	50	10.0	83	8	030		29.48				FM-16		29.66
20	1344	7	FEW:02 9 SCT:04 19 OVC:08 42	10.00		55	12.8	51	10.6	48	8.9	77	7	030		29.48				FM-16		29.66
20	1354	7	SCT:04 14 OVC:08 41	10.00		54	12.2	51	10.6	49	9.4	83	6	030		29.47			29.66	FM-15	0.00	29.65
20	1454	7	SCT:04 19 BKN:07 41 OVC:08 160	10.00		57	13.9	52	11.1	48	8.9	72	10	340		29.48			29.67	FM-15	0.00	29.66
20	1554	7	SCT:04 27 SCT:04 37 BKN:07 160	10.00		58	14.4	52	11.1	46	7.8	65	7	300		29.49	1	-0.03	29.68	FM-15	0.00	29.67
20	1654	7	FEW:02 27 SCT:04 160 SCT:04 300	10.00		60	15.6	52	11.1	45	7.2	58	6	330		29.50			29.69	FM-15	0.00	29.68
20	1754	7	FEW:02 300	10.00		58	14.4	51	10.6	45	7.2	62	5	190		29.52			29.70	FM-15	0.00	29.69
20	1854	7	FEW:02 300	10.00		52	11.1	49	9.4	47	8.3	83	6	190		29.52	3	-0.03	29.72	FM-15	0.00	29.70
20	1900	4		9.94		52	11.1	49	9.4	47	8.3	83	6	190		29.52	3	-0.03	29.72	FM-12		
20	1954	7	CLR:00	10.00		48	8.9	47	8.3	45	7.2	89	3	140		29.54			29.74	FM-15	0.00	29.72
20	2054	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	7	170		29.57			29.76	FM-15	0.00	29.75
20	2154	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	3	200		29.58	1	-0.06	29.77	FM-15	0.00	29.76
20	2254	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	8	190		29.58			29.77	FM-15	0.00	29.76
20	2354	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	6	190		29.58			29.77	FM-15	0.00	29.76
21	0054	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	7	180		29.56	8	+0.02	29.75	FM-15	0.00	29.74
21	0100	4		9.94		47	8.3	46	7.8	45	7.2	93	7	180		29.56	8	+0.02	29.75	FM-12		
21	0154	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	8	190		29.54			29.73	FM-15	0.00	29.72
21	0254	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	7	200		29.54			29.73	FM-15	0.00	29.72
21	0354	7	CLR:00	10.00		45	7.2	45	7.2	44	6.7	97	5	200		29.53	6	+0.03	29.72	FM-15	0.00	29.71
21	0454	7	FEW:02 120	10.00		45	7.2	44	6.7	43	6.1	93	5	190		29.52			29.72	FM-15	0.00	29.70
21	0554	7	FEW:02 120	7.00		44	6.7	44	6.7	43	6.1	96	6	180		29.52			29.72	FM-15	0.00	29.70
21	0654	7	FEW:02 130	10.00		50	10.0	49	9.4	48	8.9	93	6	190		29.52	6	+0.01	29.71	FM-15	0.00	29.70
21	0700	4		9.94		50	10.0	49	9.4	48	8.9	93	6	190		29.52	6	+0.01	29.71	FM-12		
21	0754	7	FEW:02 120	10.00		56	13.3	52	11.1	49	9.4	77	9	210		29.52			29.70	FM-15	0.00	29.69
21	0854	7	BKN:07 150	10.00		61	16.1	55	12.8	49	9.4	65	11	200		29.49			29.68	FM-15	0.00	29.67
21	0954	7	BKN:07 110 BKN:07 150	10.00		63	17.2	55	12.8	48	8.9	58	13	210		29.48	8	+0.04	29.67	FM-15	0.00	29.66

21	1054	7	FEW:02 50 BKN:07 95 BKN:07 120	10.00		67	19.4	56	13.3	47	8.3	49	21	220	30	29.45			29.65	FM-15	0.00	29.63
21	1154	7	SCT:04 60 BKN:07 90 BKN:07 110	10.00		71	21.7	57	13.9	45	7.2	39	24	250	34	29.42			29.62	FM-15	0.00	29.60
21	1254	7	SCT:04 70 BKN:07 130	10.00		73	22.8	57	13.9	44	6.7	35	23	250	34	29.39	8	+0.09	29.58	FM-15	0.00	29.57
21	1300	4	74	9.94		73	22.8	57	13.9	44	6.7	35	23	250		29.39	8	+0.09	29.58	FM-12		
21	1354	7	FEW:02 27 SCT:04 75 BKN:07 95	10.00	-RA:02 RA RA	71	21.7	56	13.3	42	5.6	35	20	230	32	29.37			29.57	FM-15	T	29.55
21	1454	7	FEW:02 32 SCT:04 70 BKN:07 130	10.00		69	20.6	60	15.6	53	11.7	57	13	240		29.37			29.56	FM-15	0.03	29.55
21	1554	7	FEW:02 70 SCT:04 95 SCT:04 120	10.00		72	22.2	55	12.8	40	4.4	31	22	270	32	29.37	6	+0.02	29.56	FM-15	0.00	29.55
21	1654	7	SCT:04 95 SCT:04 110	10.00		70	21.1	54	12.2	39	3.9	32	17	330	28	29.41			29.59	FM-15	T	29.58
21	1705	7	SCT:04 100 SCT:04 120	10.00		68	20.0	53	11.7	39	3.9	35	22	320	29	29.41				FM-16		29.59
21	1754	7	SCT:04 100 SCT:04 120	10.00		67	19.4	53	11.7	39	3.9	36	16	310	23	29.44			29.62	FM-15	0.00	29.61
21	1854	7	FEW:02 100 FEW:02 120	10.00		67	19.4	51	10.6	34	1.1	30	14	300	23	29.47	3	-0.09	29.65	FM-15	0.00	29.64
21	1900	4		9.94		67	19.4	51	10.6	34	1.1	30	14	300		29.46	3	-0.09	29.65	FM-12		
21	1954	7	FEW:02 120	10.00		65	18.3	48	8.9	27	-2.8	24	18	310	23	29.52			29.71	FM-15	0.00	29.70
21	2054	7	CLR:00	10.00		62	16.7	46	7.8	24	-4.4	23	16	320	23	29.57			29.77	FM-15	0.00	29.75
21	2154	7	CLR:00	10.00		58	14.4	42	5.6	18	-7.8	21	17	320		29.61	1	-0.15	29.80	FM-15	0.00	29.79
21	2254	7	CLR:00	10.00		56	13.3	41	5.0	17	-8.3	22	15	340		29.65			29.84	FM-15	0.00	29.83
21	2354	7	CLR:00	10.00		53	11.7	41	5.0	23	-5.0	31	13	330		29.68			29.88	FM-15	0.00	29.86
22	0054	7	CLR:00	10.00		46	7.8	38	3.3	27	-2.8	47	6	030		29.72	1	-0.10	29.91	FM-15	0.00	29.90
22	0100	4		9.94		46	7.8	38	3.3	27	-2.8	47	6	030		29.72	1	-0.10	29.91	FM-12		
22	0154	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	5	330		29.74			29.93	FM-15	0.00	29.92
22	0254	7	CLR:00	10.00		38	3.3	34	1.1	29	-1.7	70	5	100		29.76			29.95	FM-15	0.00	29.94
22	0354	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	3	190		29.78	1	-0.06	29.97	FM-15	0.00	29.96
22	0454	7	CLR:00	10.00		37	2.8	34	1.1	28	-2.2	70	0	000		29.80			29.99	FM-15	0.00	29.98
22	0554	7	CLR:00	10.00		34	1.1	32	0.0	30	-1.1	85	0	000		29.82			30.02	FM-15	0.00	30.00
22	0654	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	6	290		29.85	3	-0.07	30.04	FM-15	0.00	30.03
22	0700	4		9.94		47	8.3	39	3.9	28	-2.2	48	6	290		29.85	3	-0.07	30.04	FM-12		
22	0754	7	CLR:00	10.00		52	11.1	40	4.4	20	-6.7	28	11	310		29.87			30.06	FM-15	0.00	30.05
22	0854	7	CLR:00	10.00		54	12.2	40	4.4	18	-7.8	24	13	280		29.87			30.06	FM-15	0.00	30.05
22	0954	7	CLR:00	10.00		56	13.3	41	5.0	18	-7.8	22	14	260	22	29.87	1	-0.01	30.06	FM-15	0.00	30.05
22	1054	7	CLR:00	10.00		59	15.0	43	6.1	21	-6.1	23	13	320	24	29.87			30.06	FM-15	0.00	30.05
22	1154	7	CLR:00	10.00		60	15.6	44	6.7	21	-6.1	22	15	250	18	29.84			30.03	FM-15	0.00	30.02
22	1254	7	FEW:02 300	10.00		62	16.7	45	7.2	21	-6.1	21	10	VRB	21	29.83	8	+0.04	30.02	FM-15	0.00	30.01
22	1300	4		9.94		62	16.7	45	7.2	21	-6.1	21	10	270		29.83	8	+0.04	30.02	FM-12		
22	1354	7	FEW:02 300	10.00		63	17.2	45	7.2	21	-6.1	20	10	260	16	29.81			30.01	FM-15	0.00	29.99
22	1454	7	FEW:02 300	10.00		66	18.9	48	8.9	25	-3.9	21	15	280	21	29.79			29.98	FM-15	0.00	29.97
22	1554	7	FEW:02 100 FEW:02 300	10.00		66	18.9	48	8.9	24	-4.4	20	10	270		29.77	8	+0.05	29.96	FM-15	0.00	29.95
22	1654	7	FEW:02 100 FEW:02 300	10.00		66	18.9	48	8.9	26	-3.3	22	13	240	21	29.79			29.98	FM-15	0.00	29.97
22	1754	7	FEW:02 100 SCT:04 300	10.00		64	17.8	48	8.9	28	-2.2	26	11	240		29.79			29.98	FM-15	0.00	29.97
22	1854	7	BKN:07 95 BKN:07 300	10.00		60	15.6	48	8.9	35	1.7	39	7	190		29.79	0	-0.02	29.98	FM-15	0.00	29.97
22	1900	4		9.94		60	15.6	48	8.9	35	1.7	39	7	190		29.79	9	+0.02	29.98	FM-12		
22	1954	7	BKN:07 95 BKN:07 300	10.00		61	16.1	48	8.9	32	0.0	34	3	190		29.81			30.01	FM-15	0.00	29.99

22	2054	7	FEW:02 95	10.00		56	13.3	47	8.3	37	2.8	49	0	000		29.85			30.04	FM-15	0.00	30.03
22	2154	7	BKN:07 95	10.00		54	12.2	47	8.3	40	4.4	59	6	010		29.88	3	-0.09	30.07	FM-15	0.00	30.06
22	2254	7	FEW:02 100	10.00		50	10.0	45	7.2	40	4.4	68	5	150		29.86			30.05	FM-15	0.00	30.04
22	2354	7	FEW:02 100	10.00		48	8.9	44	6.7	40	4.4	74	3	130		29.87			30.06	FM-15	0.00	30.05
23	0054	7	BKN:07 300	10.00		49	9.4	44	6.7	39	3.9	69	3	120		29.84	8	+0.04	30.03	FM-15	0.00	30.02
23	0100	4		9.94		49	9.4	44	6.7	39	3.9	69	3	120		29.84	8	+0.04	30.03	FM-12		
23	0154	7	BKN:07 250	10.00		47	8.3	44	6.7	40	4.4	77	5	140		29.83			30.03	FM-15	0.00	30.01
23	0254	7	FEW:02 220 BKN:07 300	10.00		49	9.4	44	6.7	39	3.9	69	3	120		29.83			30.02	FM-15	0.00	30.01
23	0354	7	BKN:07 210 OVC:08 300	10.00		49	9.4	45	7.2	41	5.0	74	5	140		29.83	5	+0.01	30.02	FM-15	0.00	30.01
23	0454	7	OVC:08 180	10.00		49	9.4	45	7.2	41	5.0	74	5	140		29.83			30.02	FM-15	0.00	30.01
23	0554	7	FEW:02 90 OVC:08 150	10.00		49	9.4	46	7.8	42	5.6	77	3	130		29.85			30.04	FM-15	0.00	30.03
23	0654	7	FEW:02 90 OVC:08 110	10.00		50	10.0	47	8.3	43	6.1	77	0	000		29.84	0	-0.01	30.03	FM-15	0.00	30.02
23	0700	4		9.94		50	10.0	47	8.3	43	6.1	77	0	000		29.84	9	+0.01	30.03	FM-12		
23	0754	7	SCT:04 100 OVC:08 300	10.00		54	12.2	49	9.4	45	7.2	72	5	190		29.85			30.04	FM-15	0.00	30.03
23	0854	7	BKN:07 110 OVC:08 300	10.00		57	13.9	51	10.6	45	7.2	64	10	190		29.85			30.04	FM-15	0.00	30.03
23	0954	7	FEW:02 70 BKN:07 95 BKN:07 110	10.00		61	16.1	54	12.2	47	8.3	60	11	230		29.85	1	-0.01	30.05	FM-15	0.00	30.03
23	1054	7	BKN:07 85 OVC:08 110	10.00		63	17.2	55	12.8	48	8.9	58	11	210		29.83			30.02	FM-15	0.00	30.01
23	1154	7	OVC:08 65	10.00		63	17.2	54	12.2	47	8.3	56	15	200		29.80			29.99	FM-15	0.00	29.98
23	1254	7	FEW:02 25 OVC:08 55	10.00		61	16.1	55	12.8	49	9.4	65	10	210		29.80	6	+0.06	29.99	FM-15	T	29.98
23	1300	4	26	9.94		61	16.1	55	12.8	49	9.4	65	10	210		29.80	6	+0.06	29.99	FM-12		
23	1354	7	FEW:02 38 BKN:07 70 OVC:08 90	10.00	-RA:02 RA RA	59	15.0	54	12.2	50	10.0	72	14	220		29.80			29.99	FM-15	T	29.98
23	1454	7	FEW:02 22 FEW:02 45 BKN:07 70	10.00	-RA:02 RA RA	57	13.9	55	12.8	53	11.7	87	3	140		29.76			29.95	FM-15	0.02	29.94
23	1554	7	FEW:02 36 SCT:04 55 OVC:08 90	10.00		57	13.9	55	12.8	54	12.2	90	8	120		29.72	8	+0.08	29.91	FM-15	T	29.90
23	1654	7	OVC:08 60	8.00	-RA:02 RA RA	57	13.9	56	13.3	55	12.8	93	7	100		29.72			29.91	FM-15	0.01	29.90
23	1754	7	FEW:02 45 OVC:08 50	8.00	-RA:02 RA RA	56	13.3	55	12.8	54	12.2	93	10	110		29.67			29.86	FM-15	0.01	29.85
23	1854	7	SCT:04 45 BKN:07 60 OVC:08 75	10.00		56	13.3	54	12.2	53	11.7	90	5	120		29.64	8	+0.07	29.83	FM-15	T	29.82
23	1900	4	41	9.94		56	13.3	54	12.2	53	11.7	90	5	120		29.64	8	+0.07	29.83	FM-12		
23	1954	7	SCT:04 17 BKN:07 33 OVC:08 43	3.00	-RA:02 BR:1 RA RA	56	13.3	55	12.8	54	12.2	93	0	000		29.62			29.82	FM-15	0.06	29.80
23	2041	7	SCT:04 8 BKN:07 13 OVC:08 48	10.00	-RA:02 RA RA	56	13.3	55	12.8	55	12.8	97	3	VRB		29.63				FM-16	0.02	29.81
23	2052	6	SCT:04 8 BKN:07 24 OVC:08 34	6.00	-RA:02 BR:1 RA RA	55	12.8	55	12.8	55	12.8	100	0	000		29.63				FM-16		29.81
23	2054	7	SCT:04 8 BKN:07 24 OVC:08 34	6.00	-RA:02 BR:1 RA RA	56	13.3	55	12.8	55	12.8	97	0	000		29.62			29.82	FM-15	0.03	29.80
23	2132	7	FEW:02 17 BKN:07 34 OVC:08 55	10.00		56	13.3	55	12.8	55	12.8	97	0	000		29.60				FM-16	0.02	29.78

23	2154	7	SCT:04 32 BKN:07 50 OVC:08 60	10.00		56	13.3	55	12.8	55	12.8	97	3	130		29.59	8	+0.05	29.79	FM-15	0.02	29.77
23	2254	7	FEW:02 37 SCT:04 55 OVC:08 70	10.00		57	13.9	56	13.3	55	12.8	93	0	000		29.56			29.75	FM-15	0.00	29.74
23	2354	7	SCT:04 40 OVC:08 190	10.00		56	13.3	55	12.8	55	12.8	97	0	000		29.54			29.73	FM-15	0.00	29.72
24	0039	7	BKN:07 26 OVC:08 36	6.00	BR:1	57	13.9	56	13.3	56	13.3	96	0	000		29.52				FM-16		29.69
24	0054	7	FEW:02 9 OVC:08 26	4.00	BR:1	57	13.9	56	13.3	56	13.3	96	0	000		29.50	8	+0.10	29.69	FM-15	0.00	29.68
24	0100	4	8	3.73		57	13.9	56	13.3	56	13.3	96	0	000		29.50	8	+0.10	29.69	FM-12		
24	0121	7	SCT:04 24 BKN:07 70 OVC:08 140	7.00		56	13.3	56	13.3	56	13.3	100	5	140		29.48				FM-16		29.66
24	0154	7	BKN:07 14 BKN:07 80	8.00		58	14.4	57	13.9	57	13.9	97	6	190		29.48			29.67	FM-15	0.00	29.66
24	0214	7	SCT:04 12 BKN:07 65 OVC:08 110	10.00	-RA:02 RA RA	59	15.0	58	14.4	58	14.4	96	8	180		29.47				FM-16	T	29.65
24	0243	7	BKN:07 13 BKN:07 60 OVC:08 100	8.00	-RA:02 RA RA	60	15.6	59	15.0	59	15.0	96	9	190		29.47				FM-16	0.01	29.64
24	0254	7	BKN:07 13 OVC:08 28	3.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	60	15.6	97	11	190		29.47			29.65	FM-15	0.09	29.64
24	0258	7	FEW:02 9 BKN:07 13 OVC:08 23	2.50	RA:02 BR:1 RA RA	61	16.1	60	15.6	60	15.6	97	11	190		29.47				FM-16	0.02	29.64
24	0311	7	SCT:04 8 BKN:07 12 OVC:08 17	5.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	60	15.6	97	13	190		29.47				FM-16	0.07	29.64
24	0319	7	BKN:07 8 OVC:08 17	10.00	-RA:02 RA RA	61	16.1	60	15.6	60	15.6	97	10	180		29.47				FM-16	0.07	29.64
24	0354	7	BKN:07 6 OVC:08 14	10.00		62	16.7	61	16.1	61	16.1	96	15	190		29.45	6	+0.04	29.64	FM-15	0.05	29.63
24	0454	7	BKN:07 8 OVC:08 19	10.00		63	17.2	62	16.7	61	16.1	93	13	200		29.44			29.63	FM-15	T	29.62
24	0554	7	SCT:04 8 BKN:07 12 BKN:07 50	10.00	-RA:02 RA RA	63	17.2	62	16.7	61	16.1	93	14	210		29.44			29.63	FM-15	0.01	29.62
24	0644	7	BKN:07 7 OVC:08 15	6.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	93	10	200		29.44				FM-16	0.01	29.61
24	0654	7	SCT:04 7 BKN:07 11 OVC:08 20	10.00		63	17.2	62	16.7	61	16.1	93	9	200		29.44	6	+0.02	29.62	FM-15	0.01	29.61
24	0700	4	8	9.94		63	17.2	62	16.7	61	16.1	93	9	200		29.43	6	+0.02	29.62	FM-12		
24	0754	7	FEW:02 8 BKN:07 12 OVC:08 60	7.00	-DZ:01 DZ DZ	64	17.8	63	17.2	62	16.7	93	10	200		29.44			29.62	FM-15	T	29.61
24	0854	6	FEW:02 9 BKN:07 14 BKN:07 35	10.00		67	19.4	65	18.3	63	17.2	87	13	220		29.42			29.61	FM-15	T	29.60
24	0921	6	BKN:07 15 OVC:08 23	10.00		67	19.4	64	17.8	62	16.7	84	16	240	22	29.44				FM-16		29.61
24	0954	7	FEW:02 17 BKN:07 23 OVC:08 37	10.00		68	20.0	64	17.8	61	16.1	78	16	250	24	29.44	5	0.00	29.62	FM-15	0.00	29.61
24	1009	7	FEW:02 20 SCT:04 37 BKN:07 43	10.00		70	21.1	65	18.3	62	16.7	76	13	260		29.44				FM-16		29.61
24	1054	7	FEW:02 24 BKN:07 44 BKN:07 110	10.00		71	21.7	65	18.3	61	16.1	71	15	270	21	29.42			29.61	FM-15	0.00	29.60

24	1154	7	SCT:04 27 BKN:07 65	10.00		74	23.3	66	18.9	61	16.1	64	11	260		29.42			29.61	FM-15	0.00	29.60
24	1254	7	FEW:02 31 SCT:04 42 BKN:07 100	10.00		73	22.8	65	18.3	60	15.6	64	13	310		29.44	3	0.00	29.62	FM-15	T	29.61
24	1300	4	26	9.94		73	22.8	65	18.3	60	15.6	64	13	310		29.43	3	0.00	29.62	FM-12		
24	1354	7	FEW:02 36 BKN:07 100 BKN:07 120	10.00		76	24.4	66	18.9	60	15.6	58	10	300		29.44			29.63	FM-15	T	29.62
24	1454	7	FEW:02 33 SCT:04 43 BKN:07 110	10.00		73	22.8	64	17.8	59	15.0	62	16	360		29.44			29.63	FM-15	0.00	29.62
24	1548	7	SCT:04s 23s BKN:07s 45s	7.00	TS DZ	63	17.2	61	16.1	59	15.0	88	18	010	26	29.49				FM-16	T	29.67
24	1554	7	SCT:04s 23s BKN:07s 45s	7.00	TS DZ	63	17.2	61	16.1	59	15.0	87	15	350	25	29.50	3	-0.06	29.69	FM-15	T	29.68
24	1625	7	FEW:02 19 SCT:04 75 BKN:07 100	8.00	RA DZ	61	16.1	59	15.0	57	13.9	87	14	350		29.52				FM-16	0.04	29.69
24	1654	7	BKN:07 100 BKN:07 250	7.00	-RA:02 RA RA	61	16.1	59	15.0	58	14.4	90	10	010		29.52			29.70	FM-15	0.07	29.69
24	1754	7	FEW:02 10 BKN:07 110 BKN:07 250	10.00		61	16.1	59	15.0	58	14.4	90	10	030		29.55			29.74	FM-15	T	29.73
24	1854	7	FEW:02 10 FEW:02 110 SCT:04 250	10.00		58	14.4	56	13.3	55	12.8	90	7	040		29.59	3	-0.09	29.78	FM-15	0.00	29.77
24	1900	4	15	9.94		58	14.4	56	13.3	55	12.8	90	7	040		29.59	3	-0.09	29.78	FM-12		
24	1954	7	FEW:02 10 SCT:04 130 SCT:04 250	10.00		57	13.9	55	12.8	54	12.2	90	7	030		29.64			29.83	FM-15	0.00	29.82
24	2054	7	SCT:04 75 SCT:04 130 SCT:04 250	10.00		56	13.3	54	12.2	52	11.1	87	11	020		29.67			29.86	FM-15	0.00	29.85
24	2138	7	BKN:07 24 BKN:07 75	10.00		56	13.3	54	12.2	52	11.1	87	6	020		29.69				FM-16		29.87
24	2154	7	BKN:07 24 OVC:08 75	10.00		56	13.3	54	12.2	52	11.1	87	6	050		29.68	1	-0.10	29.88	FM-15	0.00	29.86
24	2226	7	FEW:02 13 SCT:04 26 BKN:07 75	10.00		55	12.8	53	11.7	52	11.1	90	9	080		29.69				FM-16		29.87
24	2252	6	FEW:02 13 BKN:07 26 BKN:07 75	10.00		54	12.2	53	11.7	52	11.1	94	10	040		29.70				FM-16		29.88
24	2254	7	FEW:02 13 BKN:07 26 BKN:07 75	10.00		54	12.2	52	11.1	51	10.6	90	9	050		29.70			29.89	FM-15	0.00	29.88
24	2325	7	SCT:04 26 OVC:08 80	10.00		54	12.2	52	11.1	51	10.6	90	7	050		29.72				FM-16		29.90
24	2354	7	FEW:02 26 BKN:07 80	10.00		54	12.2	52	11.1	51	10.6	90	5	050		29.73			29.92	FM-15	0.00	29.91
25	0019	7	BKN:07 20 OVC:08 80	10.00		54	12.2	52	11.1	50	10.0	87	7	030		29.73				FM-16		29.91
25	0054	7	BKN:07 20 OVC:08 80	10.00		53	11.7	51	10.6	50	10.0	89	5	020		29.74	3	-0.06	29.93	FM-15	0.00	29.92
25	0100	4	26	9.94		53	11.7	51	10.6	50	10.0	89	5	020		29.74	3	-0.06	29.93	FM-12		
25	0154	7	OVC:08 16	10.00		53	11.7	51	10.6	50	10.0	89	8	040		29.75			29.93	FM-15	0.00	29.93
25	0254	7	OVC:08 17	10.00		53	11.7	50	10.0	48	8.9	83	7	030		29.75			29.94	FM-15	0.00	29.93
25	0354	7	OVC:08 20	10.00		52	11.1	50	10.0	48	8.9	86	6	050		29.78	3	-0.04	29.97	FM-15	0.00	29.96
25	0454	7	OVC:08 18	10.00		52	11.1	50	10.0	48	8.9	86	3	030		29.80			29.99	FM-15	0.00	29.98

25	0554	7	OVC:08 16	10.00		52	11.1	50	10.0	48	8.9	86	6	040		29.81			30.00	FM-15	0.00	29.99
25	0617	7	OVC:08 14	10.00		52	11.1	50	10.0	48	8.9	86	7	050		29.81				FM-16		29.99
25	0654	7	OVC:08 14	10.00		52	11.1	50	10.0	49	9.4	89	6	060		29.83	3	-0.05	30.03	FM-15	0.00	30.01
25	0700	4	15	9.94		52	11.1	50	10.0	49	9.4	89	6	060		29.83	3	-0.05	30.03	FM-12		
25	0754	7	OVC:08 14	10.00		53	11.7	51	10.6	49	9.4	86	8	050		29.83			30.03	FM-15	0.00	30.01
25	0854	7	OVC:08 13	10.00		54	12.2	51	10.6	49	9.4	83	7	100		29.86			30.05	FM-15	0.00	30.04
25	0943	7	BKN:07 15 OVC:08 24	10.00		55	12.8	52	11.1	49	9.4	80	7	050		29.88				FM-16		30.06
25	0954	7	OVC:08 19	10.00		55	12.8	52	11.1	49	9.4	80	7	050		29.87	3	-0.04	30.07	FM-15	0.00	30.05
25	1054	7	BKN:07 18 OVC:08 23	10.00		56	13.3	52	11.1	49	9.4	77	8	120		29.87			30.06	FM-15	0.00	30.05
25	1154	7	BKN:07 21 BKN:07 29	10.00		59	15.0	54	12.2	50	10.0	72	8	080		29.84			30.03	FM-15	0.00	30.02
25	1254	7	BKN:07 27 OVC:08 33	10.00		59	15.0	54	12.2	50	10.0	72	3	VRB		29.85	5	+0.02	30.04	FM-15	0.00	30.03
25	1300	4	26	9.94		59	15.0	54	12.2	50	10.0	72	3			29.85	5	+0.02	30.04	FM-12		
25	1352	6	OVC:08 30	10.00		59	15.0	55	12.8	52	11.1	77	9	180		29.84				FM-16		30.02
25	1354	7	BKN:07 28 OVC:08 33	10.00		59	15.0	54	12.2	50	10.0	72	8	190		29.83			30.03	FM-15	T	30.01
25	1410	7	OVC:08 30	8.00	-RA:02 RA RA	58	14.4	54	12.2	51	10.6	78	9	180		29.84				FM-16	T	30.02
25	1454	7	FEW:02 32 BKN:07 75 OVC:08 95	6.00	-RA:02 RA RA	57	13.9	54	12.2	52	11.1	83	9	140		29.82			30.01	FM-15	0.04	30.00
25	1554	7	FEW:02 30 BKN:07 65 OVC:08 110	10.00	-RA:02 RA RA	55	12.8	53	11.7	52	11.1	90	8	110		29.81	6	+0.04	30.01	FM-15	0.06	29.99
25	1654	7	SCT:04 10 OVC:08 60	10.00		54	12.2	52	11.1	51	10.6	90	10	100		29.82			30.01	FM-15	T	30.00
25	1754	7	FEW:02 10 OVC:08 60	10.00		53	11.7	52	11.1	51	10.6	93	9	090		29.80			29.99	FM-15	0.02	29.98
25	1854	7	BKN:07 10 OVC:08 49	10.00		53	11.7	52	11.1	52	11.1	96	3	110		29.81	5	+0.01	30.00	FM-15	0.00	29.99
25	1900	4	15	9.94		53	11.7	52	11.1	52	11.1	96	3	110		29.81	5	+0.01	30.00	FM-12		
25	1903	7	BKN:07 8 OVC:08 16	10.00		53	11.7	52	11.1	52	11.1	96	7	130		29.81				FM-16		29.99
25	1935	7	SCT:04 8 OVC:08 14	10.00		53	11.7	52	11.1	51	10.6	93	9	100		29.80				FM-16		29.98
25	1954	7	FEW:02 8 OVC:08 12	10.00		52	11.1	51	10.6	50	10.0	93	9	090		29.80			30.00	FM-15	0.00	29.98
25	2047	7	OVC:08 9	10.00		51	10.6	50	10.0	49	9.4	92	7	100		29.82				FM-16		30.00
25	2054	7	OVC:08 8	10.00		51	10.6	50	10.0	50	10.0	96	6	090		29.82			30.01	FM-15	0.00	30.00
25	2154	7	OVC:08 5	10.00		51	10.6	50	10.0	50	10.0	96	8	110		29.78	8	+0.02	29.98	FM-15	0.00	29.96
25	2215	7	OVC:08 4	10.00		51	10.6	50	10.0	50	10.0	96	11	090		29.76				FM-16		29.94
25	2254	7	OVC:08 4	10.00		51	10.6	50	10.0	50	10.0	96	8	120		29.77			29.97	FM-15	0.00	29.95
25	2354	7	OVC:08 3	8.00		51	10.6	50	10.0	50	10.0	96	8	080		29.74			29.93	FM-15	0.00	29.92
26	0022	7	OVC:08 2	2.00	BR:1	51	10.6	51	10.6	51	10.6	100	10	090		29.72				FM-16		29.90
26	0040	7	OVC:08 2	1.75	BR:1	51	10.6	51	10.6	51	10.6	100	8	080		29.70				FM-16		29.88
26	0052	6	OVC:08 2	2.00	BR:1	52	11.1	52	11.1	52	11.1	100	9	090		29.69				FM-16		29.87
26	0054	7	OVC:08 2	2.00	BR:1	51	10.6	51	10.6	51	10.6	100	9	090		29.69	8	+0.09	29.88	FM-15	0.00	29.87
26	0100	4	2	1.99		51	10.6	51	10.6	51	10.6	100	9	090		29.69	8	+0.09	29.88	FM-12		
26	0130	7	OVC:08 3	3.00	RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	7	090		29.69				FM-16	0.01	29.87
26	0154	7	OVC:08 4	10.00	-RA:02 RA RA	52	11.1	51	10.6	51	10.6	97	7	070		29.68			29.87	FM-15	0.08	29.86
26	0254	7	OVC:08 3	7.00	-RA:02 RA RA	52	11.1	52	11.1	52	11.1	100	5	010		29.65			29.84	FM-15	0.02	29.83
26	0354	7	OVC:08 3	10.00	-RA:02 RA RA	52	11.1	52	11.1	52	11.1	100	7	030		29.63	8	+0.07	29.82	FM-15	0.02	29.81
26	0454	7	OVC:08 4	10.00		53	11.7	52	11.1	52	11.1	96	6	100		29.62			29.81	FM-15	T	29.80
26	0554	7	OVC:08 3	10.00		53	11.7	53	11.7	53	11.7	100	6	060		29.61			29.80	FM-15	0.00	29.79
26	0652	7	OVC:08 2	1.75	BR:1	54	12.2	54	12.2	54	12.2	100	3	110		29.61				FM-16		29.79
26	0654	7	OVC:08 2	1.75	BR:1	53	11.7	53	11.7	53	11.7	100	5	110		29.61	6	+0.02	29.80	FM-15	0.00	29.79
26	0700	4	2	1.74		53	11.7	53	11.7	53	11.7	100	5	110		29.61	6	+0.02	29.80	FM-12		
26	0752	6	OVC:08 2	1.25	BR:1	54	12.2	54	12.2	54	12.2	100	0	000		29.61				FM-16		29.79

26	0754	7	OVC:08 2	1.25	BR:1	54	12.2	53	11.7	53	11.7	97	0	000		29.60			29.80	FM-15	0.00	29.78
26	0854	7	OVC:08 2	1.25	-RA:02 BR:1 RA RA	55	12.8	55	12.8	55	12.8	100	0	000		29.58			29.78	FM-15	T	29.76
26	0900	7	OVC:08 2	2.00	-RA:02 BR:1 RA RA	55	12.8	55	12.8	55	12.8	100	0	000		29.58				FM-16	T	29.76
26	0921	7	OVC:08 3	6.00	BR:1	56	13.3	55	12.8	54	12.2	93	3	260		29.58				FM-16	T	29.76
26	0954	7	BKN:07 4 OVC:08 12	10.00		57	13.9	56	13.3	56	13.3	96	0	000		29.58	8	+0.03	29.77	FM-15	T	29.76
26	1027	7	BKN:07 5 OVC:08 12	10.00		58	14.4	57	13.9	56	13.3	93	3	270		29.57				FM-16		29.75
26	1054	7	BKN:07 5 OVC:08 12	7.00		58	14.4	57	13.9	56	13.3	93	7	260		29.58			29.77	FM-15	0.00	29.76
26	1154	7	BKN:07 7 OVC:08 12	10.00		59	15.0	57	13.9	56	13.3	90	5	250		29.55			29.74	FM-15	0.00	29.73
26	1252	6	SCT:04 8 BKN:07 14 OVC:08 20	10.00		61	16.1	58	14.4	55	12.8	83	7	230		29.55				FM-16		29.73
26	1254	7	SCT:04 8 BKN:07 14 OVC:08 20	10.00		61	16.1	58	14.4	56	13.3	84	8	220		29.55	6	+0.03	29.74	FM-15	0.00	29.73
26	1300	4	8	9.94		61	16.1	58	14.4	56	13.3	84	8	220		29.55	6	+0.03	29.74	FM-12		
26	1343	7	SCT:04 17 BKN:07 25 BKN:07 30	10.00		64	17.8	59	15.0	56	13.3	75	10	250		29.55				FM-16		29.73
26	1354	7	SCT:04 17 BKN:07 25 BKN:07 250	10.00		64	17.8	59	15.0	55	12.8	73	15	250		29.54			29.73	FM-15	0.00	29.72
26	1434	7	SCT:04 28 BKN:07 39	10.00		68	20.0	60	15.6	55	12.8	63	11	280		29.53				FM-16		29.71
26	1454	7	FEW:02 28 BKN:07 35	10.00		67	19.4	60	15.6	55	12.8	66	11	270		29.52			29.71	FM-15	0.00	29.70
26	1554	7	SCT:04 29 SCT:04 80	10.00		67	19.4	60	15.6	54	12.2	63	10	260		29.49	8	+0.05	29.68	FM-15	0.00	29.67
26	1654	7	FEW:02 40 FEW:02 80	10.00		69	20.6	59	15.0	52	11.1	55	11	270		29.49			29.68	FM-15	0.00	29.67
26	1754	7	FEW:02 25 BKN:07 50 BKN:07 100	10.00		67	19.4	59	15.0	52	11.1	59	6	220		29.50			29.69	FM-15	0.00	29.68
26	1854	7	SCT:04 45 BKN:07 65 BKN:07 85	10.00		61	16.1	58	14.4	56	13.3	84	8	250		29.52	3	-0.01	29.70	FM-15	0.03	29.69
26	1900	4	41	9.94		61	16.1	58	14.4	56	13.3	84	8	250		29.51	3	-0.01	29.70	FM-12		
26	1954	7	FEW:02 35 SCT:04 90	10.00		60	15.6	57	13.9	55	12.8	84	7	320		29.53			29.72	FM-15	0.00	29.71
26	2054	7	FEW:02 80	10.00		60	15.6	56	13.3	53	11.7	78	8	280		29.56			29.75	FM-15	0.00	29.74
26	2154	7	FEW:02 80 SCT:04 120 SCT:04 250	10.00		60	15.6	54	12.2	49	9.4	67	11	290		29.57	1	-0.07	29.77	FM-15	0.00	29.75
26	2254	7	FEW:02 26 BKN:07 39 BKN:07 80	10.00		57	13.9	54	12.2	51	10.6	81	0	000		29.60			29.79	FM-15	0.00	29.78
26	2352	6	BKN:07 19 BKN:07 50	10.00		55	12.8	53	11.7	52	11.1	88	5	220		29.60				FM-16		29.78
26	2354	7	BKN:07 19 BKN:07 50	10.00		54	12.2	53	11.7	52	11.1	93	5	230		29.60			29.80	FM-15	0.00	29.78
27	0029	7	SCT:04 18 BKN:07 50	10.00		56	13.3	54	12.2	52	11.1	87	5	250		29.60				FM-16		29.78
27	0054	7	FEW:02 19 BKN:07 55	10.00		56	13.3	54	12.2	52	11.1	87	5	270		29.59	0	-0.01	29.78	FM-15	0.00	29.77
27	0100	4	15	9.94		56	13.3	54	12.2	52	11.1	87	5	270		29.59	9	+0.01	29.78	FM-12		
27	0154	7	FEW:02 60	10.00		54	12.2	51	10.6	49	9.4	83	5	300		29.58			29.78	FM-15	0.00	29.76
27	0252	6	SCT:04 9 BKN:07 80	10.00		54	12.2	51	10.6	48	8.9	82	8	310		29.60				FM-16		29.78
27	0254	7	BKN:07 9 BKN:07 80	10.00		54	12.2	51	10.6	49	9.4	83	7	310		29.60			29.79	FM-15	0.00	29.78

27	0336	7	SCT:04 8 BKN:07 22 OVC:08 33	7.00	-RA:02 RA RA	54	12.2	52	11.1	51	10.6	90	9	340		29.61				FM-16	T	29.79
27	0354	7	BKN:07 9 BKN:07 25 OVC:08 42	10.00	-RA:02 RA RA	53	11.7	52	11.1	51	10.6	93	13	350		29.62	3	-0.04	29.81	FM-15	T	29.80
27	0454	7	BKN:07 11 OVC:08 26	8.00	-RA:02 RA RA	47	8.3	46	7.8	45	7.2	93	15	350	25	29.69			29.88	FM-15	T	29.87
27	0508	7	BKN:07 9 BKN:07 13 OVC:08 19	6.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	14	340	23	29.70				FM-16	T	29.88
27	0543	7	SCT:04 9 BKN:07 20 OVC:08 50	10.00	-RA:02 RA RA	46	7.8	45	7.2	43	6.1	89	17	350	26	29.72				FM-16	0.01	29.90
27	0554	7	FEW:02 9 BKN:07 17 OVC:08 55	10.00		46	7.8	45	7.2	43	6.1	89	20	350	25	29.73			29.92	FM-15	0.01	29.91
27	0612	7	FEW:02 7 SCT:04 15 OVC:08 60	10.00		46	7.8	45	7.2	43	6.1	89	17	350	25	29.74				FM-16		29.92
27	0628	7	FEW:02 8 BKN:07 17 OVC:08 60	10.00		47	8.3	45	7.2	43	6.1	86	13	350		29.75				FM-16		29.93
27	0654	7	FEW:02 9 BKN:07 17 OVC:08 60	10.00		47	8.3	45	7.2	42	5.6	83	17	320		29.77	1	-0.15	29.97	FM-15	0.00	29.95
27	0700	4	8	9.94		47	8.3	45	7.2	42	5.6	83	17	320		29.77	1	-0.15	29.97	FM-12		
27	0754	7	BKN:07 26 BKN:07 75 BKN:07 300	10.00		47	8.3	43	6.1	39	3.9	74	20	350	30	29.80			30.00	FM-15	0.00	29.98
27	0854	7	OVC:08 29	10.00		49	9.4	44	6.7	38	3.3	66	17	340	31	29.82			30.01	FM-15	0.00	30.00
27	0907	7	BKN:07 31 BKN:07 85	10.00		49	9.4	44	6.7	38	3.3	66	22	340	28	29.82				FM-16		30.00
27	0954	7	BKN:07 38 BKN:07 90	10.00		53	11.7	46	7.8	39	3.9	59	16	350	33	29.83	1	-0.06	30.02	FM-15	0.00	30.01
27	1054	7	BKN:07 41	10.00		55	12.8	47	8.3	38	3.3	53	20	320	34	29.84			30.03	FM-15	0.00	30.02
27	1154	7	BKN:07 41 BKN:07 55	10.00		54	12.2	46	7.8	38	3.3	55	17	320	24	29.85			30.04	FM-15	0.00	30.03
27	1254	7	BKN:07 46 OVC:08 60	10.00		56	13.3	47	8.3	37	2.8	49	18	320		29.88	3	-0.05	30.07	FM-15	0.00	30.06
27	1300	4	41	9.94		56	13.3	47	8.3	37	2.8	49	18	320		29.88	3	-0.05	30.07	FM-12		
27	1354	7	SCT:04 47 BKN:07 60	10.00		61	16.1	51	10.6	40	4.4	46	21	340	29	29.88			30.07	FM-15	0.00	30.06
27	1454	7	SCT:04 49 BKN:07 60	10.00		60	15.6	50	10.0	39	3.9	46	18	330	26	29.88			30.07	FM-15	0.00	30.06
27	1554	7	FEW:02 50 SCT:04 60	10.00		61	16.1	50	10.0	39	3.9	44	16	330	26	29.88	6	0.00	30.07	FM-15	0.00	30.06
27	1654	7	SCT:04 55	10.00		59	15.0	49	9.4	38	3.3	46	20	350	28	29.90			30.09	FM-15	0.00	30.08
27	1754	7	FEW:02 55 FEW:02 300	10.00		59	15.0	48	8.9	35	1.7	41	16	320	23	29.92			30.11	FM-15	0.00	30.10
27	1854	7	FEW:02 60 FEW:02 300	10.00		55	12.8	46	7.8	35	1.7	47	8	310		29.93	1	-0.06	30.12	FM-15	0.00	30.11
27	1900	4	57	9.94		55	12.8	46	7.8	35	1.7	47	8	310		29.93	1	-0.06	30.12	FM-12		
27	1954	7	FEW:02 300	10.00		53	11.7	45	7.2	35	1.7	51	6	300		29.94			30.14	FM-15	0.00	30.12
27	2054	7	FEW:02 300	10.00		52	11.1	45	7.2	37	2.8	57	6	260		29.95			30.15	FM-15	0.00	30.13
27	2154	7	FEW:02 300	10.00		45	7.2	42	5.6	39	3.9	80	6	190		29.96	1	-0.03	30.16	FM-15	0.00	30.14
27	2254	7	SCT:04 220	10.00		47	8.3	43	6.1	38	3.3	71	0	000		29.96			30.16	FM-15	0.00	30.14
27	2354	7	CLR:00	10.00		47	8.3	43	6.1	38	3.3	71	0	000		29.97			30.16	FM-15	0.00	30.15
28	0054	7	CLR:00	10.00		42	5.6	41	5.0	39	3.9	89	5	040		29.97	3	-0.01	30.16	FM-15	0.00	30.15
28	0100	4		9.94		42	5.6	41	5.0	39	3.9	89	5	040		29.97	3	-0.01	30.16	FM-12		
28	0154	7	SCT:04 250	10.00		43	6.1	41	5.0	39	3.9	86	0	000		29.97			30.16	FM-15	0.00	30.15
28	0254	7	BKN:07 170	10.00		43	6.1	42	5.6	40	4.4	89	3	200		29.99			30.18	FM-15	0.00	30.17

28	0354	7	SCT:04 150 BKN:07 200	10.00		43	6.1	42	5.6	40	4.4	89	0	000		30.01	3	-0.04	30.20	FM-15	0.00	30.19
28	0454	7	BKN:07 140	10.00		43	6.1	42	5.6	40	4.4	89	0	000		30.01			30.20	FM-15	0.00	30.19
28	0554	7	FEW:02 110 BKN:07 200 BKN:07 300	10.00		43	6.1	42	5.6	40	4.4	89	0	000		30.03			30.22	FM-15	0.00	30.21
28	0654	7	FEW:02 110 SCT:04 190 BKN:07 300	10.00		47	8.3	45	7.2	43	6.1	86	3	190		30.04	3	-0.02	30.23	FM-15	0.00	30.22
28	0700	4		9.94		47	8.3	45	7.2	43	6.1	86	3	190		30.04	3	-0.02	30.23	FM-12		
28	0754	7	BKN:07 100 BKN:07 300	10.00		53	11.7	49	9.4	44	6.7	72	7	180		30.04			30.24	FM-15	0.00	30.22
28	0854	7	BKN:07 100 BKN:07 300	10.00		54	12.2	49	9.4	43	6.1	67	6	170		30.04			30.23	FM-15	0.00	30.22
28	0954	7	BKN:07 85 BKN:07 120	10.00		58	14.4	50	10.0	43	6.1	58	3	VRB		30.02	8	+0.01	30.22	FM-15	0.00	30.20
28	1054	7	BKN:07 75 BKN:07 90 OVC:08 130	10.00		59	15.0	50	10.0	41	5.0	51	5	190		30.03			30.22	FM-15	0.00	30.21
28	1154	7	OVC:08 75	10.00		59	15.0	50	10.0	41	5.0	51	3	160		30.01			30.20	FM-15	0.00	30.19
28	1254	7	BKN:07 75 BKN:07 95 BKN:07 130	10.00		62	16.7	52	11.1	42	5.6	48	6	130		29.98	8	+0.04	30.18	FM-15	0.00	30.16
28	1300	4	74	9.94		62	16.7	52	11.1	42	5.6	48	6	130		29.98	8	+0.04	30.18	FM-12		
28	1354	7	BKN:07 70 BKN:07 85 BKN:07 130	10.00		65	18.3	54	12.2	43	6.1	45	5	210		29.95			30.15	FM-15	0.00	30.13
28	1454	7	BKN:07 60 BKN:07 95 BKN:07 300	10.00		67	19.4	54	12.2	43	6.1	42	8	180		29.92			30.11	FM-15	0.00	30.10
28	1554	7	BKN:07 70 BKN:07 80 BKN:07 300	10.00		70	21.1	57	13.9	45	7.2	41	9	170		29.91	6	+0.07	30.10	FM-15	0.00	30.09
28	1654	7	FEW:02 70 BKN:07 100 BKN:07 300	10.00		70	21.1	57	13.9	45	7.2	41	9	210		29.91			30.10	FM-15	0.00	30.09
28	1754	7	FEW:02 70 SCT:04 100 SCT:04 300	10.00		68	20.0	56	13.3	45	7.2	44	10	180		29.90			30.09	FM-15	0.00	30.08
28	1854	7	FEW:02 70 SCT:04 100 SCT:04 300	10.00		64	17.8	54	12.2	45	7.2	50	6	130		29.90	5	+0.01	30.09	FM-15	0.00	30.08
28	1900	4	74	9.94		64	17.8	54	12.2	45	7.2	50	6	130		29.90	5	+0.01	30.09	FM-12		
28	1954	7	FEW:02 100 BKN:07 150	10.00		60	15.6	54	12.2	48	8.9	65	7	110		29.90			30.09	FM-15	0.00	30.08
28	2054	7	BKN:07 150	10.00		57	13.9	53	11.7	50	10.0	78	6	090		29.91			30.10	FM-15	0.00	30.09
28	2154	7	BKN:07 140	10.00		55	12.8	52	11.1	50	10.0	83	6	140		29.89	8	+0.01	30.09	FM-15	0.00	30.07
28	2254	7	BKN:07 130	10.00		58	14.4	53	11.7	49	9.4	72	8	150		29.88			30.07	FM-15	0.00	30.06
28	2354	7	BKN:07 120	10.00		57	13.9	53	11.7	50	10.0	78	3	150		29.88			30.07	FM-15	0.00	30.06
29	0054	7	OVC:08 110	10.00		56	13.3	53	11.7	50	10.0	81	3	120		29.88	6	+0.02	30.07	FM-15	0.00	30.06
29	0100	4		9.94		56	13.3	53	11.7	50	10.0	81	3	120		29.88	6	+0.02	30.07	FM-12		
29	0154	7	BKN:07 120	10.00		55	12.8	53	11.7	51	10.6	87	0	000		29.87			30.06	FM-15	0.00	30.05
29	0254	7	FEW:02 110 BKN:07 150	10.00		54	12.2	52	11.1	51	10.6	90	0	000		29.84			30.03	FM-15	0.00	30.02
29	0354	7	OVC:08 150	10.00		53	11.7	51	10.6	50	10.0	89	5	170		29.85	5	+0.03	30.04	FM-15	0.00	30.03
29	0454	7	FEW:02 150	10.00		54	12.2	52	11.1	51	10.6	90	0	000		29.84			30.03	FM-15	0.00	30.02
29	0554	7	FEW:02 300	10.00		53	11.7	52	11.1	51	10.6	93	3	200		29.85			30.04	FM-15	0.00	30.03
29	0654	7	FEW:02 150 FEW:02 300	10.00		59	15.0	56	13.3	54	12.2	83	7	200		29.87	3	-0.02	30.06	FM-15	0.00	30.05
29	0700	4		9.94		59	15.0	56	13.3	54	12.2	83	7	200		29.87	3	-0.02	30.06	FM-12		
29	0754	7	SCT:04 140 BKN:07 300	10.00		63	17.2	58	14.4	54	12.2	73	7	200		29.86			30.06	FM-15	0.00	30.04

29	0854	7	FEW:02 140 BKN:07 300	10.00		68	20.0	60	15.6	55	12.8	63	8	190		29.86			30.05	FM-15	0.00	30.04
29	0954	7	FEW:02 140 BKN:07 300	10.00		72	22.2	63	17.2	56	13.3	57	14	180		29.86	6	+0.01	30.05	FM-15	0.00	30.04
29	1054	7	BKN:07 140 BKN:07 170 BKN:07 300	10.00		74	23.3	62	16.7	54	12.2	50	16	190		29.84			30.03	FM-15	0.00	30.02
29	1154	7	BKN:07 140 BKN:07 160 OVC:08 300	10.00		75	23.9	63	17.2	55	12.8	50	10	170		29.82			30.01	FM-15	0.00	30.00
29	1254	7	FEW:02 55 FEW:02 140 SCT:04 180	10.00		78	25.6	64	17.8	55	12.8	45	13	170	24	29.81	6	+0.04	30.00	FM-15	0.00	29.99
29	1300	4	57	9.94		78	25.6	64	17.8	55	12.8	45	13	170		29.81	6	+0.04	30.00	FM-12		
29	1354	7	SCT:04 60 SCT:04 230 BKN:07 300	10.00		79	26.1	65	18.3	55	12.8	44	17	170	24	29.80			29.99	FM-15	0.00	29.98
29	1454	7	BKN:07 60 BKN:07 200 BKN:07 300	10.00		78	25.6	65	18.3	56	13.3	47	14	150	21	29.78			29.97	FM-15	0.00	29.96
29	1554	7	BKN:07 60 BKN:07 200 BKN:07 300	10.00		77	25.0	65	18.3	57	13.9	50	14	160	22	29.77	8	+0.04	29.96	FM-15	0.00	29.95
29	1654	7	SCT:04 75 BKN:07 240 OVC:08 300	10.00		76	24.4	64	17.8	56	13.3	50	15	150		29.75			29.94	FM-15	0.00	29.93
29	1754	7	FEW:02 80 BKN:07 240 OVC:08 300	10.00		75	23.9	64	17.8	56	13.3	52	10	140		29.73			29.92	FM-15	0.00	29.91
29	1854	7	FEW:02 45 FEW:02 80 BKN:07 190	10.00		74	23.3	63	17.2	55	12.8	52	15	150	25	29.73	6	+0.04	29.92	FM-15	0.00	29.91
29	1900	4	41	9.94		74	23.3	63	17.2	55	12.8	52	15	150		29.73	6	+0.04	29.92	FM-12		
29	1954	7	BKN:07 180 OVC:08 220	10.00		73	22.8	61	16.1	53	11.7	50	18	150	26	29.73			29.92	FM-15	0.00	29.91
29	2054	7	OVC:08 160	10.00		71	21.7	62	16.7	56	13.3	59	20	170	30	29.76			29.94	FM-15	0.00	29.94
29	2154	7	BKN:07 39	10.00		70	21.1	62	16.7	57	13.9	64	16	160	28	29.76	1	-0.04	29.95	FM-15	0.00	29.94
29	2254	7	FEW:02 35 BKN:07 150 OVC:08 300	10.00		69	20.6	61	16.1	56	13.3	63	15	160	26	29.75			29.94	FM-15	0.00	29.93
29	2354	7	FEW:02 35 SCT:04 60 OVC:08 100	10.00	-RA:02 RA RA	68	20.0	61	16.1	56	13.3	65	15	160	29	29.74			29.93	FM-15	T	29.92
30	0054	7	FEW:02 40 BKN:07 110 OVC:08 150	10.00		67	19.4	60	15.6	55	12.8	66	18	150	26	29.71	8	+0.05	29.90	FM-15	T	29.89
30	0100	4	41	9.94		67	19.4	60	15.6	55	12.8	66	18	150		29.71	8	+0.05	29.90	FM-12		
30	0154	7	FEW:02 40 SCT:04 65 OVC:08 150	10.00		67	19.4	60	15.6	55	12.8	66	21	150	28	29.68			29.87	FM-15	T	29.86
30	0254	7	FEW:02 30 SCT:04 50 BKN:07 150	10.00		67	19.4	60	15.6	55	12.8	66	20	160	29	29.66			29.85	FM-15	0.00	29.84
30	0354	7	FEW:02 35 SCT:04 60 OVC:08 230	10.00		67	19.4	60	15.6	55	12.8	66	20	160	31	29.63	6	+0.08	29.82	FM-15	0.00	29.81
30	0454	7	SCT:04 40 BKN:07 70 OVC:08 150	10.00		67	19.4	60	15.6	55	12.8	66	22	150	37	29.61			29.80	FM-15	0.00	29.79
30	0554	7	SCT:04 32 BKN:07 65 OVC:08 130	10.00		67	19.4	61	16.1	56	13.3	68	23	150	38	29.60			29.79	FM-15	0.00	29.78
30	0654	7	SCT:04 32 BKN:07 60 OVC:08 100	10.00	-RA:02 RA RA	66	18.9	61	16.1	58	14.4	75	24	150	31	29.60	6	+0.04	29.79	FM-15	T	29.78

30	0700	4	26	9.94	RA	66	18.9	61	16.1	58	14.4	75	24	150		29.60	6	+0.04	29.79	FM-12		
30	0754	7	FEW:02 26 BKN:07 38 OVC:08 70	4.00	-RA:02 BR:1 RA RA	64	17.8	62	16.7	60	15.6	87	18	150	26	29.58			29.77	FM-15	0.05	29.76
30	0815	7	SCT:04 21 OVC:08 36	4.00	RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	18	240	26	29.61				FM-16	0.03	29.79
30	0817	7	SCT:04 8 BKN:07 21 OVC:08 36	1.75	RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	93	21	240	26	29.61				FM-16	0.03	29.79
30	0835	7	SCT:04 6 BKN:07 26 OVC:08 42	1.00	+RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	13	260	28	29.61				FM-16	0.20	29.79
30	0847	7	SCT:04 8 BKN:07 31 OVC:08 45	1.50	+RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	9	VRB		29.61				FM-16	0.30	29.79
30	0854	7	FEW:02 9 BKN:07 35 OVC:08 45	1.75	RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	9	270		29.61			29.80	FM-15	0.39	29.79
30	0909	7	FEW:02 9 BKN:07 34 OVC:08 48	4.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	9	280		29.61				FM-16	0.09	29.79
30	0928	7	BKN:07 34 OVC:08 45	2.50	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	8	270		29.62				FM-16	0.14	29.80
30	0954	7	BKN:07 39 OVC:08 55	2.00	+RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	5	310		29.60	3	-0.01	29.79	FM-15	0.32	29.78
30	1009	7	FEW:02 7 BKN:07 39 OVC:08 55	2.00	+RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	5	340		29.59				FM-16	0.11	29.77
30	1027	7	FEW:02 4 BKN:07 37 OVC:08 60	4.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	6	300		29.60				FM-16	0.21	29.78
30	1054	7	FEW:02 6 BKN:07 23 BKN:07 48	3.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	5	300		29.60			29.79	FM-15	0.28	29.78
30	1125	7	SCT:04 5 SCT:04 23 OVC:08 32	2.50	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	3	260		29.60				FM-16	0.15	29.78
30	1147	7	SCT:04 6 BKN:07 17 OVC:08 40	3.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	0	000		29.59				FM-16	0.26	29.77
30	1154	7	BKN:07 6 BKN:07 17 OVC:08 40	3.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	3	200		29.59			29.78	FM-15	0.31	29.77
30	1209	7	SCT:04 7 BKN:07 36 OVC:08 70	4.00	-RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	0	000		29.58				FM-16	0.06	29.76
30	1254	7	FEW:02 5 BKN:07 55 OVC:08 80	5.00	RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	8	130		29.56	8	+0.05	29.75	FM-15	0.16	29.74
30	1300	4	5	4.97	RA	59	15.0	58	14.4	57	13.9	93	8	130		29.56	8	+0.05	29.75	FM-12		
30	1354	7	FEW:02 6 FEW:02 36 BKN:07 75	8.00	-RA:02 RA RA	59	15.0	58	14.4	57	13.9	93	7	120		29.53			29.72	FM-15	0.07	29.71
30	1454	7	FEW:02 7 SCT:04 80 OVC:08 100	7.00	RA:02 RA RA	58	14.4	57	13.9	56	13.3	93	8	110		29.50			29.69	FM-15	0.09	29.68
30	1534	7	BKN:07 7 BKN:07 14 OVC:08 100	10.00	-RA:02 RA RA	58	14.4	57	13.9	56	13.3	93	8	200		29.52				FM-16	0.04	29.69
30	1554	7	BKN:07 7 BKN:07 12 OVC:08 100	10.00		58	14.4	57	13.9	56	13.3	93	6	200		29.52	5	+0.04	29.71	FM-15	0.03	29.70
30	1615	7	SCT:04 9 BKN:07 13 OVC:08 20	10.00		58	14.4	57	13.9	57	13.9	97	7	180		29.52				FM-16		29.70

30	1633	7	FEW:02 9 BKN:07 24 OVC:08 29	10.00		58	14.4	57	13.9	57	13.9	97	6	190		29.52				FM-16		29.70
30	1654	7	FEW:02 9 SCT:04 20 OVC:08 24	10.00		58	14.4	57	13.9	57	13.9	97	6	180		29.53			29.72	FM-15	0.00	29.71
30	1754	7	FEW:02 7 BKN:07 17 OVC:08 24	10.00		58	14.4	57	13.9	57	13.9	97	7	160		29.53			29.72	FM-15	0.00	29.71
30	1835	7	FEW:02 9 FEW:02 15 SCT:04 21	10.00		58	14.4	57	13.9	56	13.3	93	9	160		29.53				FM-16		29.71
30	1852	6	FEW:02 9 BKN:07 18 OVC:08 200	10.00		57	13.9	57	13.9	57	13.9	100	7	170		29.54				FM-16		29.72
30	1854	7	FEW:02 9 BKN:07 18 OVC:08 200	10.00		58	14.4	57	13.9	57	13.9	97	6	170		29.53	1	-0.01	29.72	FM-15	0.00	29.71
30	1900	4	8	9.94		58	14.4	57	13.9	57	13.9	97	6	170		29.53	1	-0.01	29.72	FM-12		
30	1924	7	SCT:04 18 BKN:07 200	10.00		58	14.4	57	13.9	56	13.3	93	6	140		29.53				FM-16		29.71
30	1954	7	SCT:04 12 BKN:07 220	10.00		57	13.9	56	13.3	56	13.3	96	6	160		29.55			29.74	FM-15	0.00	29.73
30	2011	7	BKN:07 12 OVC:08 220	10.00		57	13.9	56	13.3	56	13.3	96	5	180		29.56				FM-16		29.74
30	2022	7	SCT:04 5 BKN:07 12 OVC:08 220	10.00		57	13.9	56	13.3	56	13.3	96	3	160		29.55				FM-16		29.73
30	2045	7	BKN:07 7 BKN:07 12 OVC:08 220	10.00		58	14.4	57	13.9	57	13.9	97	5	170		29.56				FM-16		29.74
30	2054	7	BKN:07 7 OVC:08 12	10.00		58	14.4	57	13.9	57	13.9	97	5	180		29.56			29.75	FM-15	0.00	29.74
30	2145	7	OVC:08 4	10.00		58	14.4	57	13.9	57	13.9	97	7	180		29.56				FM-16		29.74
30	2154	7	OVC:08 4	10.00		58	14.4	57	13.9	57	13.9	97	9	200		29.55	0	-0.01	29.74	FM-15	0.00	29.73
30	2242	7	OVC:08 5	10.00		58	14.4	57	13.9	57	13.9	97	5	190		29.55				FM-16		29.73
30	2254	7	BKN:07 6 OVC:08 15	10.00		58	14.4	57	13.9	57	13.9	97	5	200		29.55			29.74	FM-15	0.00	29.73
30	2354	7	OVC:08 5	10.00		58	14.4	57	13.9	56	13.3	93	7	210		29.53			29.72	FM-15	0.00	29.71

Local Climatological Data
Hourly Precipitation
April 2020

Generated on 05/09/2020

Date	For Hour (LST) Ending at																					Date				
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID	
01	T	0.03	T	T																		T	T		01	
02																									02	
03																									03	
04																									04	
05																									05	
06			0.06	T												T	T								06	
07																		0.22							07	
08							T	0.01	0.01	T															08	
09						T	0.03	T																	09	
10																									10	
11																									11	
12																				T	T	0.03s	T	0.03	12	
13			T	0.01	0.01	0.13	0.62	0.45	0.15	T															13	
14																							T	0.06	T	14
15	0.01	0.02	T	T																					15	
16																									16	
17																									17	
18							0.03s	0.02	T	0.02	0.01														18	
19																									19	
20		T	0.01	T	0.01	0.01	0.03	0.04	0.06	0.09	0.08	0.02	0.01												20	
21														T	0.03		T								21	
22																									22	
23													T	T	0.02	T	0.01	0.01	T	0.06	0.03	0.02			23	
24			0.09	0.05	T	0.01	0.01	T	T				T	T		T	0.07	T							24	
25														T	0.04	0.06	T	0.02							25	
26		0.08	0.02	0.02	T				T	T												0.03			26	
27				T	T	0.01																			27	
28																									28	
29																									29	
30	T	T						T	0.05	0.39	0.32	0.28	0.31	0.16	0.07	0.09	0.03							T	30	

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.12	0.22	0.28	0.34	0.41	0.54	0.66	0.79	0.96	1.12	1.24	1.29
Ending Date Time (yyyy-mm-dd hh:mi)	2020-04-07 17:17	2020-04-13 06:41	2020-04-13 06:45	2020-04-13 06:45	2020-04-13 06:54	2020-04-13 06:41	2020-04-13 06:56	2020-04-13 07:45	2020-04-13 07:38	2020-04-13 07:56	2020-04-13 08:24	2020-04-13 08:50

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing