

Local Climatological Data
Daily Summary
December 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/26/2021

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH												
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees										
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23									
01	49	36	43	-2.2				22	0	0706	1651		0.00	0.0	0	29.55		13.6	33	250	24	260									
02	51	31	41	-3.9				24	0	0707	1651		0.00	0.0	0	29.94		8.5	21	250	16	270									
03	58	26	42	-2.5				23	0	0708	1651		0.00	0.0	0	30.09		5.8	20	210	16	180									
04	59	42	51	6.8				14	0	0709	1651	RA BR	0.56	0.0	0	29.83		7.8	23	210	18	220									
05	56	40	48	4.1				17	0	0710	1651	RA BR	2.02	0.0	0	29.61		11.5	45	020	37	020									
06	50	30	40	-3.5				25	0	0710	1651		0.00	0.0	0	29.79		4.3	23	320	16	310									
07	36	31	34	-9.2				31	0	0711	1651	RA SN BR	0.10	1.0	0	29.67		8.6	29	330	20	350									
08	48	27	38	-4.9				27	0	0712	1651		0.00	0.0	0	29.72		7.2	24	320	20	310									
09	49	24	37	-5.6				28	0	0713	1651		0.00	0.0	0	29.75		5.9	21	220	17	260									
10	56	28	42	-0.3				23	0	0714	1651		0.00	0.0	0	29.93		2.2	13	040	9	030									
11	64	35	50	8.0				15	0	0714	1651	BR	0.00	0.0	0	30.01		5.1	18	180	15	200									
12	64	47	56	14.3				9	0	0715	1652	FG BR	0.00	0.0	0	29.88		7.8	24	210	20	210									
13	71*	48	60	18.5				5	0	0716	1652	RA	0.02	0.0	0	29.83		6.1	20	030	16	030									
14	49	31	40	-1.2				25	0	0717	1652	RA BR	1.58	0.0	0	29.77		10.4	34	350	26	340									
15	44	28	36	-4.9				29	0	0717	1653		0.00	0.0	0	30.11		6.4	21	360	15	360									
16	37	28	33	-7.7				32	0	0718	1653	RA DZ BR	1.01	0.0	0	29.86		10.9	26	270	23	270									
17	45	29	37	-3.5				28	0	0718	1653		Ts	0.0	0	29.78		6.9	20	310	16	310									
18	42	31	37	-3.2				28	0	0719	1654	SN	T	T	0	30.11		6.7	19	010	16	360									
19	41	26	34	-6.0				31	0	0720	1654		0.00	0.0	0	30.20		2.5	10	190	8	180									
20	42	31	37	-2.8				28	0	0720	1655	RA BR	0.24	0.0	0	29.96		5.0	17	150	13	150									
21	48	37	43	3.4				22	0	0721	1655	DZ BR	T	0.0	0	29.70		6.0	12	290	9	230									
22	54	30	42	2.6				23	0	0721	1656		0.00	0.0	0	29.80		10.5	39	310	29	310									
23	51	27	39	-0.2				26	0	0722	1656		0.00	0.0	0	30.17		5.6	19	180	16	190									
24	65	42	54	14.9				11	0	0722	1657	RA BR	1.09	0.0	0	29.75		13.2	37s	240s	29	230									
25	59	26	43	4.1				22	0	0722	1657	RA	T	0.0	0	29.48		15.7	34	230	28	240									
26	39	22	31	-7.7				34	0	0723	1658		0.00	0.0	0	29.88		8.8	23	210	16	270									
27	45	22*	34	-4.6				31	0	0723	1659		0.00	0.0	0	30.08		3.1	13	170	10	170									
28	58	30	44	5.5				21	0	0723	1659		0.00	0.0	0	30.04		7.2	17	240	13	240									
29	48	27	38	-0.3				27	0	0724	1700		0.00	0.0	0	30.24		7.8	26	340	20	350									
30	50	24	37	-1.2				28	0	0724	1701	RA BR	0.02	0.0	0	30.20		5.4	21	210	16	230									
31	57	42	50	11.9				15	0	0724	1702	RA BR	0.06	0.0	0	29.97		8.8	24	030	20	020									
	51.1	31.5	41.3									Monthly Averages Totals	6.70s			29.90	30.09	7.6													
	0.4	0.1	0.3									Departure from Normal (1981-2010)	3.44s																		
	Degree Days										Number of days with...																				
	Monthly				Season-to-date				Temperature				Precipitation		Snow		Weather														
	Total		Departure		Total		Departure		Max		Min																				
Heating	732		-11		1201				≥90°		≤32°		≤32°		≤0°		≥0.01"		≥0.1"		≥1"		T-Storms		Heavy Fog						
Cooling	0		-1		1656				0		0		22		0		10		7		1										
Date of 5-sec to 3-sec wind equipment change										Sea Level Pressure										Greatest...											
N/A										Maximum		30.59		Date		29		Time		2306		24-Hr... Precip		2.58s		Snowfall				Snow Depth	
										Minimum		29.42				24															
																														Date	
																				04-05											
Station Augmentation																															
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																															

Local Climatological Data Hourly Observations December 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/26/2021

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	FEW:02 65 BKN:07 250	10.00		45	7.2	41	5.0	35	1.7	68	15	240		29.41	0	-0.02	29.59	FM-15	0.00	29.58
01	0100	4	57	9.94		45	7.2	41	5.0	35	1.7	68	15	240		29.40	9	+0.02	29.59	FM-12		
01	0154	7	SCT:04 250	10.00		43	6.1	39	3.9	34	1.1	71	11	220		29.41			29.60	FM-15	0.00	29.59
01	0254	7	BKN:07 80	10.00		42	5.6	38	3.3	33	0.6	71	10	220		29.44			29.62	FM-15	0.00	29.61
01	0354	7	FEW:02 90	10.00		41	5.0	37	2.8	32	0.0	70	14	220		29.44	1	-0.04	29.63	FM-15	0.00	29.62
01	0454	7	FEW:02 90	10.00		40	4.4	36	2.2	31	-0.6	70	13	230	22	29.45			29.64	FM-15	0.00	29.63
01	0554	7	FEW:02 90	10.00		39	3.9	35	1.7	30	-1.1	70	10	220		29.47			29.66	FM-15	0.00	29.65
01	0654	7	FEW:02 90	10.00		39	3.9	35	1.7	29	-1.7	67	11	230		29.50	3	-0.06	29.69	FM-15	0.00	29.68
01	0700	4		9.94		39	3.9	35	1.7	29	-1.7	67	11	230		29.50	3	-0.06	29.69	FM-12		
01	0754	7	FEW:02 90	10.00		40	4.4	35	1.7	28	-2.2	63	14	240		29.52			29.71	FM-15	0.00	29.70
01	0854	7	FEW:02 50 BKN:07 80	10.00		42	5.6	36	2.2	28	-2.2	58	13	250		29.54			29.74	FM-15	0.00	29.72
01	0954	7	FEW:02 50 BKN:07 75	10.00		43	6.1	37	2.8	28	-2.2	56	10	250	21	29.57	3	-0.08	29.77	FM-15	0.00	29.75
01	1054	7	FEW:02 35 SCT:04 85 BKN:07 110	10.00		44	6.7	37	2.8	27	-2.8	51	20	250	26	29.59			29.78	FM-15	0.00	29.77
01	1154	7	FEW:02 45 SCT:04 100	10.00		47	8.3	39	3.9	27	-2.8	46	15	240	22	29.59			29.78	FM-15	0.00	29.77
01	1254	7	SCT:04 50 SCT:04 110	10.00		48	8.9	39	3.9	26	-3.3	42	20	240	24	29.59	1	-0.02	29.79	FM-15	0.00	29.77
01	1354	7	BKN:07 55	10.00		48	8.9	38	3.3	24	-4.4	39	20	270	28	29.60			29.80	FM-15	0.00	29.78
01	1454	7	BKN:07 60	10.00		46	7.8	37	2.8	24	-4.4	42	17	250	24	29.63			29.82	FM-15	0.00	29.81
01	1554	7	BKN:07 55 BKN:07 110	10.00		46	7.8	37	2.8	23	-5.0	40	17	250	28	29.66	3	-0.07	29.85	FM-15	0.00	29.84
01	1654	7	FEW:02 55 FEW:02 110	10.00		43	6.1	35	1.7	23	-5.0	45	21	250	25	29.68			29.87	FM-15	0.00	29.86
01	1754	7	FEW:02 55	10.00		42	5.6	35	1.7	23	-5.0	47	14	250		29.71			29.91	FM-15	0.00	29.89
01	1854	7	CLR:00	10.00		40	4.4	34	1.1	24	-4.4	53	13	250		29.74	3	-0.08	29.94	FM-15	0.00	29.92
01	1900	4		9.94		40	4.4	34	1.1	24	-4.4	53	13	250		29.74	3	-0.08	29.94	FM-12		
01	1954	7	CLR:00	10.00		39	3.9	33	0.6	24	-4.4	55	10	250		29.76			29.96	FM-15	0.00	29.94
01	2054	7	FEW:02 55	10.00		38	3.3	33	0.6	24	-4.4	57	10	240		29.78			29.98	FM-15	0.00	29.96
01	2154	7	FEW:02 220	10.00		37	2.8	32	0.0	23	-5.0	57	10	240		29.80	1	-0.06	29.99	FM-15	0.00	29.98
01	2254	7	FEW:02 220	10.00		36	2.2	31	-0.6	23	-5.0	59	8	250		29.81			30.01	FM-15	0.00	29.99
01	2354	7	FEW:02 220	10.00		36	2.2	31	-0.6	23	-5.0	59	10	250		29.83			30.02	FM-15	0.00	30.01
02	0054	7	CLR:00	10.00		35	1.7	31	-0.6	23	-5.0	61	10	260		29.83	1	-0.03	30.02	FM-15	0.00	30.01
02	0100	4		9.94		35	1.7	31	-0.6	23	-5.0	61	10	260		29.83	1	-0.03	30.02	FM-12		
02	0154	7	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	8	240		29.83			30.03	FM-15	0.00	30.01
02	0254	7	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	7	260		29.84			30.04	FM-15	0.00	30.02
02	0354	7	CLR:00	10.00		33	0.6	29	-1.7	23	-5.0	66	7	230		29.85	3	-0.02	30.05	FM-15	0.00	30.03
02	0454	7	SCT:04 50	10.00		34	1.1	30	-1.1	23	-5.0	64	9	250		29.87			30.07	FM-15	0.00	30.05
02	0554	7	SCT:04 55	10.00		33	0.6	29	-1.7	23	-5.0	66	9	230		29.89			30.08	FM-15	0.00	30.07
02	0654	7	FEW:02 55	10.00		33	0.6	29	-1.7	23	-5.0	66	11	250		29.92	3	-0.06	30.11	FM-15	0.00	30.10
02	0700	4	57	9.94		33	0.6	29	-1.7	23	-5.0	66	11	250		29.92	3	-0.06	30.11	FM-12		
02	0754	7	FEW:02 50	10.00		35	1.7	31	-0.6	24	-4.4	64	11	250		29.93			30.13	FM-15	0.00	30.11
02	0854	7	FEW:02 110	10.00		38	3.3	33	0.6	25	-3.9	60	10	240		29.95			30.15	FM-15	0.00	30.13
02	0954	7	CLR:00	10.00		42	5.6	35	1.7	25	-3.9	51	15	230		29.96	1	-0.05	30.16	FM-15	0.00	30.14
02	1054	7	CLR:00	10.00		43	6.1	36	2.2	26	-3.3	51	14	240		29.97			30.16	FM-15	0.00	30.15

02	1154	7	CLR:00	10.00		47	8.3	39	3.9	26	-3.3	44	14	280		29.97			30.16	FM-15	0.00	30.15
02	1254	7	CLR:00	10.00		48	8.9	38	3.3	24	-4.4	39	13	290		29.98	1	-0.01	30.17	FM-15	0.00	30.16
02	1300	4		9.94		48	8.9	38	3.3	24	-4.4	39	13	290		29.98	1	-0.01	30.17	FM-12		
02	1354	7	FEW:02 250	10.00		49	9.4	39	3.9	23	-5.0	36	11	280		29.97			30.16	FM-15	0.00	30.15
02	1454	7	FEW:02 300	10.00		51	10.6	40	4.4	22	-5.6	32	11	250		29.97			30.17	FM-15	0.00	30.15
02	1554	7	FEW:02 300	10.00		50	10.0	38	3.3	19	-7.2	29	9	290		30.00	3	-0.02	30.19	FM-15	0.00	30.18
02	1654	7	FEW:02 300	10.00		48	8.9	37	2.8	20	-6.7	33	11	290		30.01			30.21	FM-15	0.00	30.19
02	1754	7	FEW:02 300	10.00		45	7.2	36	2.2	21	-6.1	39	6	310		30.02			30.22	FM-15	0.00	30.20
02	1854	7	FEW:02 300	10.00		40	4.4	34	1.1	23	-5.0	51	0	000		30.04	3	-0.04	30.24	FM-15	0.00	30.22
02	1900	4		9.94		40	4.4	34	1.1	23	-5.0	51	0	000		30.04	3	-0.04	30.24	FM-12		
02	1954	7	CLR:00	10.00		37	2.8	33	0.6	25	-3.9	62	3	170		30.05			30.25	FM-15	0.00	30.23
02	2054	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	3	190		30.08			30.27	FM-15	0.00	30.26
02	2154	7	CLR:00	10.00		36	2.2	32	0.0	24	-4.4	62	3	150		30.09	1	-0.05	30.28	FM-15	0.00	30.27
02	2254	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	5	220		30.10			30.29	FM-15	0.00	30.28
02	2354	7	CLR:00	10.00		37	2.8	32	0.0	23	-5.0	57	0	000		30.11			30.30	FM-15	0.00	30.29
03	0054	7	CLR:00	10.00		34	1.1	30	-1.1	24	-4.4	67	0	000		30.09	0	0.00	30.29	FM-15	0.00	30.27
03	0100	4		9.94		34	1.1	30	-1.1	24	-4.4	67	0	000		30.09	9	0.00	30.29	FM-12		
03	0154	7	CLR:00	10.00		32	0.0	29	-1.7	24	-4.4	73	0	000		30.11			30.30	FM-15	0.00	30.29
03	0254	7	CLR:00	10.00		31	-0.6	29	-1.7	24	-4.4	76	0	000		30.10			30.29	FM-15	0.00	30.28
03	0354	7	CLR:00	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.10	1	-0.01	30.29	FM-15	0.00	30.28
03	0454	7	CLR:00	10.00		30	-1.1	28	-2.2	24	-4.4	79	0	000		30.11			30.30	FM-15	0.00	30.29
03	0554	7	CLR:00	10.00		28	-2.2	26	-3.3	23	-5.0	81	3	140		30.12			30.31	FM-15	0.00	30.30
03	0654	7	FEW:02 250	10.00		27	-2.8	26	-3.3	23	-5.0	85	3	150		30.14	3	-0.04	30.33	FM-15	0.00	30.32
03	0700	4		9.94		27	-2.8	26	-3.3	23	-5.0	85	3	150		30.14	3	-0.04	30.33	FM-12		
03	0754	7	FEW:02 240 SCT:04 300	10.00		30	-1.1	29	-1.7	26	-3.3	85	3	130		30.14			30.34	FM-15	0.00	30.32
03	0854	7	FEW:02 240 FEW:02 300	10.00		36	2.2	34	1.1	30	-1.1	79	3	200		30.15			30.35	FM-15	0.00	30.33
03	0954	7	FEW:02 240 FEW:02 300	10.00		44	6.7	37	2.8	25	-3.9	47	3	170		30.15	1	-0.02	30.35	FM-15	0.00	30.33
03	1054	7	FEW:02 230 FEW:02 300	10.00		50	10.0	39	3.9	23	-5.0	35	11	180		30.14			30.33	FM-15	0.00	30.32
03	1154	7	FEW:02 230 SCT:04 300	10.00		53	11.7	41	5.0	23	-5.0	31	7	160		30.11			30.30	FM-15	0.00	30.29
03	1254	7	FEW:02 230 SCT:04 300	10.00		56	13.3	41	5.0	19	-7.2	24	13	200		30.08	8	+0.07	30.28	FM-15	0.00	30.26
03	1300	4		9.94		56	13.3	41	5.0	19	-7.2	24	13	200		30.08	8	+0.07	30.28	FM-12		
03	1354	7	SCT:04 230 SCT:04 300	10.00		57	13.9	42	5.6	21	-6.1	25	10	180		30.07			30.26	FM-15	0.00	30.25
03	1454	7	SCT:04 230 SCT:04 300	10.00		58	14.4	42	5.6	19	-7.2	22	13	220		30.06			30.25	FM-15	0.00	30.24
03	1554	7	FEW:02 230 SCT:04 300	10.00		55	12.8	42	5.6	22	-5.6	28	11	200		30.05	6	+0.04	30.24	FM-15	0.00	30.23
03	1654	7	FEW:02 230 FEW:02 300	10.00		47	8.3	38	3.3	24	-4.4	41	8	200		30.04			30.24	FM-15	0.00	30.22
03	1754	7	FEW:02 300	10.00		46	7.8	38	3.3	25	-3.9	44	7	190		30.05			30.25	FM-15	0.00	30.23
03	1854	7	FEW:02 300	10.00		44	6.7	37	2.8	25	-3.9	47	7	200		30.05	3	-0.01	30.25	FM-15	0.00	30.23
03	1900	4		9.94		44	6.7	37	2.8	25	-3.9	47	7	200		30.05	3	-0.01	30.25	FM-12		
03	1954	7	FEW:02 300	10.00		42	5.6	36	2.2	27	-2.8	55	7	190		30.05			30.25	FM-15	0.00	30.23
03	2054	7	FEW:02 210 FEW:02 300	10.00		40	4.4	35	1.7	27	-2.8	60	9	200		30.06			30.25	FM-15	0.00	30.24
03	2154	7	SCT:04 130 SCT:04 200 SCT:04 300	10.00		42	5.6	36	2.2	27	-2.8	55	7	190		30.06	3	0.00	30.25	FM-15	0.00	30.24
03	2254	7	BKN:07 120 OVC:08 300	10.00		43	6.1	38	3.3	30	-1.1	60	7	200		30.05			30.24	FM-15	0.00	30.23
03	2354	7	OVC:08 130	10.00		43	6.1	38	3.3	30	-1.1	60	5	200		30.03			30.23	FM-15	0.00	30.21
04	0054	7	OVC:08 140	10.00		43	6.1	38	3.3	31	-0.6	63	3	190		30.02	6	+0.04	30.22	FM-15	0.00	30.20
04	0100	4		9.94		43	6.1	38	3.3	31	-0.6	63	3	190		30.02	6	+0.04	30.22	FM-12		
04	0154	7	BKN:07 140	10.00		42	5.6	37	2.8	31	-0.6	65	7	170		30.01			30.20	FM-15	0.00	30.19

04	0254	7	FEW:02 120 OVC:08 140	10.00		43	6.1	38	3.3	32	0.0	65	5	180		30.01			30.20	FM-15	0.00	30.19
04	0354	7	OVC:08 130	10.00		44	6.7	39	3.9	32	0.0	63	7	210		29.99	8	+0.03	30.19	FM-15	0.00	30.17
04	0454	7	OVC:08 150	10.00		43	6.1	38	3.3	32	0.0	65	9	170		29.97			30.17	FM-15	0.00	30.15
04	0554	7	SCT:04 110 OVC:08 150	10.00		43	6.1	38	3.3	32	0.0	65	7	180		29.97			30.16	FM-15	0.00	30.15
04	0654	7	BKN:07 180 OVC:08 300	10.00		43	6.1	39	3.9	33	0.6	68	8	190		29.98	5	+0.01	30.17	FM-15	0.00	30.16
04	0700	4		9.94		43	6.1	39	3.9	33	0.6	68	8	190		29.98	5	+0.01	30.17	FM-12		
04	0754	7	FEW:02 110 BKN:07 210 BKN:07 300	10.00		44	6.7	39	3.9	33	0.6	65	6	190		29.97			30.17	FM-15	0.00	30.15
04	0854	7	BKN:07 140 OVC:08 210	10.00		46	7.8	41	5.0	34	1.1	63	9	200		29.97			30.16	FM-15	0.00	30.15
04	0954	7	BKN:07 120 OVC:08 220	10.00		50	10.0	43	6.1	34	1.1	54	11	190		29.96	8	+0.02	30.15	FM-15	0.00	30.14
04	1054	7	BKN:07 110 BKN:07 250	10.00		54	12.2	46	7.8	36	2.2	51	13	210		29.94			30.14	FM-15	0.00	30.12
04	1154	7	BKN:07 100 BKN:07 250	10.00		57	13.9	48	8.9	39	3.9	51	14	220		29.92			30.11	FM-15	0.00	30.10
04	1254	7	SCT:04 30 BKN:07 110 OVC:08 250	10.00		58	14.4	50	10.0	42	5.6	56	14	220		29.90	8	+0.06	30.09	FM-15	0.00	30.08
04	1300	4	26	9.94		58	14.4	50	10.0	42	5.6	56	14	220		29.90	8	+0.06	30.09	FM-12		
04	1354	7	SCT:04 35 BKN:07 110 OVC:08 250	10.00		59	15.0	52	11.1	46	7.8	62	18	210	23	29.86			30.06	FM-15	0.00	30.04
04	1454	7	SCT:04 34 BKN:07 110 OVC:08 250	10.00		59	15.0	52	11.1	46	7.8	62	9	210		29.85			30.04	FM-15	0.00	30.03
04	1554	7	FEW:02 32 BKN:07 120 OVC:08 250	10.00		58	14.4	53	11.7	48	8.9	70	7	180		29.82	6	+0.07	30.02	FM-15	0.00	30.00
04	1654	7	BKN:07 60 BKN:07 120 OVC:08 250	10.00		56	13.3	52	11.1	48	8.9	75	8	180		29.82			30.01	FM-15	0.00	30.00
04	1754	7	SCT:04 70 BKN:07 110 OVC:08 250	10.00		57	13.9	53	11.7	49	9.4	74	7	150		29.78			29.98	FM-15	0.00	29.96
04	1854	7	SCT:04 50 OVC:08 120	10.00		56	13.3	52	11.1	49	9.4	77	0	000		29.77	8	+0.06	29.96	FM-15	0.00	29.95
04	1900	4	57	9.94		56	13.3	52	11.1	49	9.4	77	0	000		29.77	8	+0.06	29.96	FM-12		
04	1954	7	BKN:07 55 BKN:07 90 OVC:08 120	10.00	-RA:02 RA RA	54	12.2	52	11.1	50	10.0	87	3	050		29.73			29.92	FM-15	T	29.91
04	2054	7	SCT:04 34 BKN:07 55 OVC:08 80	6.00	-RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	7	070		29.70			29.89	FM-15	0.13	29.88
04	2154	7	FEW:02 55 OVC:08 85	7.00	-RA:02 RA RA	53	11.7	53	11.7	53	11.7	100	0	000		29.65	8	+0.11	29.85	FM-15	0.01	29.83
04	2214	7	SCT:04 9 BKN:07 39 OVC:08 80	3.00	+RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	6	090		29.64				FM-16	0.04	29.82
04	2252	6	BKN:07 5 OVC:08 39	3.00	-RA:02 BR:1 RA RA	54	12.2	54	12.2	54	12.2	100	6	100		29.60				FM-16		29.78
04	2254	7	BKN:07 5 OVC:08 39	5.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	54	12.2	96	5	090		29.60			29.79	FM-15	0.17	29.78
04	2330	7	OVC:08 3	4.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	54	12.2	96	7	050		29.54				FM-16	0.01	29.72
04	2345	7	OVC:08 3	1.75	+RA:02 BR:1 RA RA	55	12.8	54	12.2	54	12.2	96	8	070		29.53				FM-16	0.04	29.71
04	2354	7	BKN:07 3 BKN:07 8 OVC:08 43	1.75	-RA:02 BR:1 RA RA	55	12.8	55	12.8	55	12.8	100	9	080		29.52			29.70	FM-15	0.25	29.69

05	0002	7	BKN:07 3 BKN:07 8 OVC:08 43	6.00	-RA:02 BR:1 RA RA	56	13.3	55	12.8	55	12.8	97	9	060		29.49				FM-16	T	29.67
05	0054	7	BKN:07 3 OVC:08 10	3.00	+RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	14	320	29	29.47	6	+0.19	29.65	FM-15	0.58	29.64
05	0056	7	SCT:04 5 OVC:08 14	3.00	+RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	16	340	29	29.47				FM-16	0.10	29.64
05	0100	4	2	2.98	RA	54	12.2	53	11.7	53	11.7	97	14	320		29.46	6	+0.19	29.65	FM-12		
05	0131	7	FEW:02 9 BKN:07 40 OVC:08 65	3.00	RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	17	350		29.41				FM-16	0.65	29.59
05	0150	7	FEW:02 5 BKN:07 27 OVC:08 38	3.00	+RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	15	020		29.42				FM-16	0.80	29.60
05	0154	7	SCT:04 5 BKN:07 24 OVC:08 33	3.00	+RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	14	020		29.41			29.61	FM-15	0.71	29.59
05	0222	7	BKN:07 8 BKN:07 14 OVC:08 27	3.00	+RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	22	290	30	29.48				FM-16	0.21	29.66
05	0252	6	FEW:02 11 BKN:07 27 OVC:08 40	3.00	+RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	94	21	340		29.48				FM-16		29.66
05	0254	7	FEW:02 11 BKN:07 27 OVC:08 40	3.00	+RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	21	340	26	29.47			29.66	FM-15	0.52	29.65
05	0256	7	FEW:02 11 BKN:07 30 OVC:08 50	3.00	+RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	26	360	30	29.44				FM-16	0.01	29.62
05	0352	6	BKN:07 12 BKN:07 50 OVC:08 80	10.00	-RA:02 RA RA	50	10.0	48	8.9	46	7.8	88	16	350	33	29.44				FM-16		29.62
05	0354	7	BKN:07 12 BKN:07 50 OVC:08 80	10.00	-RA:02 RA RA	50	10.0	48	8.9	47	8.3	89	20	350	33	29.44	0	-0.02	29.63	FM-15	0.03	29.62
05	0436	7	OVC:08 15	10.00	-RA:02 RA RA	48	8.9	47	8.3	46	7.8	93	13	320		29.49				FM-16	0.01	29.67
05	0447	7	OVC:08 14	10.00	-RA:02 RA RA	48	8.9	47	8.3	45	7.2	89	15	320	31	29.52				FM-16	0.01	29.69
05	0454	7	OVC:08 14	10.00	-RA:02 RA RA	48	8.9	47	8.3	45	7.2	89	15	310		29.52			29.72	FM-15	0.01	29.70
05	0513	7	OVC:08 16	5.00	RA:02 BR:1 RA RA	48	8.9	47	8.3	45	7.2	89	14	300	24	29.55				FM-16	0.03	29.73
05	0554	7	FEW:02 14 BKN:07 25 OVC:08 38	6.00	RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	18	320	29	29.59			29.78	FM-15	0.15	29.77
05	0654	7	BKN:07 17 OVC:08 31	10.00		47	8.3	45	7.2	43	6.1	86	18	350	24	29.60	1	-0.16	29.80	FM-15	0.02	29.78
05	0700	4	15	9.94		47	8.3	45	7.2	43	6.1	86	18	350		29.60	1	-0.16	29.80	FM-12		
05	0710	7	SCT:04 17 BKN:07 31 BKN:07 42	10.00		46	7.8	45	7.2	43	6.1	89	14	340		29.61				FM-16		29.79
05	0754	7	FEW:02 17 SCT:04 40 BKN:07 50	10.00		47	8.3	45	7.2	42	5.6	83	13	330		29.65			29.84	FM-15	0.00	29.83
05	0854	7	FEW:02 25 SCT:04 30 SCT:04 42	10.00		48	8.9	45	7.2	41	5.0	77	10	330	22	29.68			29.88	FM-15	0.00	29.86
05	0954	7	FEW:02 31 SCT:04 55	10.00		51	10.6	46	7.8	40	4.4	66	14	290	21	29.71	1	-0.10	29.90	FM-15	0.00	29.89
05	1054	7	FEW:02 30 BKN:07 55	10.00		49	9.4	44	6.7	37	2.8	64	11	290		29.71			29.91	FM-15	0.00	29.89
05	1154	7	BKN:07 47 OVC:08 55	10.00		49	9.4	44	6.7	37	2.8	64	9	320		29.70			29.89	FM-15	0.00	29.88
05	1254	7	SCT:04 45 BKN:07 60	10.00		50	10.0	44	6.7	36	2.2	59	9	300	20	29.69	8	+0.01	29.88	FM-15	0.00	29.87
05	1300	4	41	9.94		50	10.0	44	6.7	36	2.2	59	9	300		29.69	8	+0.01	29.88	FM-12		

05	1354	7	SCT:04 30 BKN:07 55	10.00		50	10.0	43	6.1	35	1.7	57	14	330	23	29.68			29.87	FM-15	0.00	29.86
05	1454	7	SCT:04 49 BKN:07 55	10.00		50	10.0	43	6.1	35	1.7	57	15	330	22	29.70			29.89	FM-15	0.00	29.88
05	1554	7	BKN:07 60	10.00		49	9.4	42	5.6	34	1.1	56	10	330		29.72	3	-0.03	29.91	FM-15	0.00	29.90
05	1654	7	BKN:07 55	10.00		48	8.9	41	5.0	33	0.6	56	9	320		29.75			29.94	FM-15	0.00	29.93
05	1754	7	BKN:07 60	10.00		46	7.8	40	4.4	32	0.0	58	13	350		29.77			29.97	FM-15	0.00	29.95
05	1854	7	OVC:08 60	10.00		46	7.8	39	3.9	30	-1.1	54	8	350		29.79	1	-0.07	29.98	FM-15	0.00	29.97
05	1900	4	57	9.94		46	7.8	39	3.9	30	-1.1	54	8	350		29.79	1	-0.07	29.98	FM-12		
05	1954	7	SCT:04 60	10.00		42	5.6	37	2.8	30	-1.1	62	7	010		29.79			29.99	FM-15	0.00	29.97
05	2054	7	BKN:07 60	10.00		43	6.1	38	3.3	30	-1.1	60	3	340		29.80			30.00	FM-15	0.00	29.98
05	2154	7	BKN:07 55	10.00		43	6.1	38	3.3	30	-1.1	60	6	330		29.80	1	-0.01	30.00	FM-15	0.00	29.98
05	2254	7	BKN:07 60	10.00		43	6.1	38	3.3	30	-1.1	60	5	330		29.81			30.00	FM-15	0.00	29.99
05	2354	7	BKN:07 55	10.00		41	5.0	38	3.3	33	0.6	73	0	000		29.81			30.01	FM-15	0.00	29.99
06	0054	7	BKN:07 55	10.00		41	5.0	36	2.2	29	-1.7	62	3	330		29.80	0	0.00	30.00	FM-15	0.00	29.98
06	0100	4	57	9.94		41	5.0	36	2.2	29	-1.7	62	3	330		29.80	9	0.00	30.00	FM-12		
06	0154	7	SCT:04 60	10.00		37	2.8	35	1.7	32	0.0	82	3	220		29.81			30.01	FM-15	0.00	29.99
06	0254	7	FEW:02 55	10.00		34	1.1	33	0.6	31	-0.6	89	0	000		29.82			30.01	FM-15	0.00	30.00
06	0354	7	BKN:07 50	10.00		36	2.2	34	1.1	31	-0.6	82	3	310		29.81	0	-0.01	30.00	FM-15	0.00	29.99
06	0454	7	FEW:02 50	10.00		35	1.7	33	0.6	29	-1.7	78	0	000		29.80			30.00	FM-15	0.00	29.98
06	0554	7	CLR:00	10.00		31	-0.6	30	-1.1	29	-1.7	92	0	000		29.80			30.00	FM-15	0.00	29.98
06	0654	7	FEW:02 50	10.00		32	0.0	31	-0.6	28	-2.2	85	0	000		29.82	3	-0.01	30.02	FM-15	0.00	30.00
06	0700	4	57	9.94		32	0.0	31	-0.6	28	-2.2	85	0	000		29.82	3	-0.01	30.02	FM-12		
06	0754	7	CLR:00	10.00		33	0.6	31	-0.6	29	-1.7	85	0	000		29.81			30.01	FM-15	0.00	29.99
06	0854	7	CLR:00	10.00		40	4.4	35	1.7	28	-2.2	63	6	VRB		29.82			30.02	FM-15	0.00	30.00
06	0954	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	7	310		29.82	6	+0.01	30.01	FM-15	0.00	30.00
06	1054	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	9	280		29.81			30.01	FM-15	0.00	29.99
06	1154	7	CLR:00	10.00		47	8.3	39	3.9	27	-2.8	46	11	290		29.78			29.98	FM-15	0.00	29.96
06	1254	7	CLR:00	10.00		48	8.9	40	4.4	28	-2.2	46	8	VRB		29.76	8	+0.06	29.95	FM-15	0.00	29.94
06	1300	4		9.94		48	8.9	40	4.4	28	-2.2	46	8	270		29.76	8	+0.06	29.95	FM-12		
06	1354	7	CLR:00	10.00		49	9.4	40	4.4	28	-2.2	44	10	300		29.75			29.94	FM-15	0.00	29.93
06	1454	7	FEW:02 70	10.00		49	9.4	40	4.4	28	-2.2	44	7	260		29.74			29.93	FM-15	0.00	29.92
06	1554	7	FEW:02 70	10.00		48	8.9	39	3.9	27	-2.8	44	6	260		29.74	5	+0.02	29.93	FM-15	0.00	29.92
06	1654	7	FEW:02 100	10.00		46	7.8	38	3.3	27	-2.8	47	5	280		29.75			29.94	FM-15	0.00	29.93
06	1754	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	0	000		29.76			29.95	FM-15	0.00	29.94
06	1854	7	CLR:00	10.00		39	3.9	36	2.2	31	-0.6	73	0	000		29.77	3	-0.03	29.97	FM-15	0.00	29.95
06	1900	4		9.94		39	3.9	36	2.2	31	-0.6	73	0	000		29.77	3	-0.03	29.97	FM-12		
06	1954	7	CLR:00	10.00		38	3.3	35	1.7	30	-1.1	73	0	000		29.78			29.98	FM-15	0.00	29.96
06	2054	7	CLR:00	10.00		37	2.8	35	1.7	31	-0.6	79	3	030		29.77			29.97	FM-15	0.00	29.95
06	2154	7	SCT:04 220	10.00		37	2.8	34	1.1	28	-2.2	70	5	060		29.77	8	0.00	29.96	FM-15	0.00	29.95
06	2254	7	SCT:04 160 BKN:07 220	10.00		37	2.8	34	1.1	28	-2.2	70	6	030		29.76			29.96	FM-15	0.00	29.94
06	2354	7	SCT:04 170 BKN:07 210	10.00		36	2.2	33	0.6	28	-2.2	73	9	020		29.77			29.97	FM-15	0.00	29.95
07	0054	7	BKN:07 150 OVC:08 210	10.00		36	2.2	33	0.6	27	-2.8	70	7	020		29.75	8	+0.02	29.94	FM-15	0.00	29.93
07	0100	4		9.94		36	2.2	33	0.6	27	-2.8	70	7	020		29.75	8	+0.02	29.94	FM-12		
07	0154	7	SCT:04 120 OVC:08 150	10.00		36	2.2	33	0.6	27	-2.8	70	9	040		29.74			29.93	FM-15	0.00	29.92
07	0254	7	BKN:07 120 OVC:08 150	10.00		36	2.2	32	0.0	26	-3.3	67	10	030		29.71			29.91	FM-15	0.00	29.89
07	0354	7	BKN:07 50 OVC:08 70	10.00		36	2.2	32	0.0	26	-3.3	67	8	030		29.72	5	+0.02	29.92	FM-15	0.00	29.90
07	0421	7	OVC:08 28	2.50	-SN:03 SN	35	1.7	32	0.0	28	-2.2	76	10	020		29.71				FM-16	T	29.89
07	0437	7	OVC:08 36	3.00	-SN:03 BR:1 SN	33	0.6	31	-0.6	29	-1.7	85	9	040		29.70				FM-16	T	29.88
07	0454	7	BKN:07 40 OVC:08 85	10.00	-RA:02 RA RA	33	0.6	32	0.0	30	-1.1	89	8	050		29.69			29.88	FM-15	T	29.87
07	0554	7	OVC:08 48	8.00	-RA:02 SN:03 RA RA SN RA	33	0.6	32	0.0	30	-1.1	89	8	060		29.67			29.87	FM-15	0.01	29.85

07	0633	7	SCT:04 7 BKN:07 30 OVC:08 45	7.00	-RA:02 SN:03 RA RA SN RA	33	0.6	32	0.0	30	-1.1	89	6	030		29.68				FM-16	0.01	29.86
07	0637	7	BKN:07 6 OVC:08 27	9.00	-RA:02 SN:03 RA RA SN RA	33	0.6	32	0.0	31	-0.6	92	7	030		29.69				FM-16	0.01	29.87
07	0654	7	SCT:04 6 BKN:07 11 OVC:08 27	2.50	-SN:03 BR:1 SN	33	0.6	32	0.0	30	-1.1	89	7	020		29.69	5	+0.04	29.88	FM-15	0.02	29.87
07	0700	4	5	2.49		33	0.6	32	0.0	30	-1.1	89	7	020		29.69	5	+0.04	29.88	FM-12		
07	0741	7	SCT:04 7 OVC:08 15	1.50	-SN:03 BR:1 SN	32	0.0	31	-0.6	30	-1.1	92	8	020		29.69				FM-16	0.02	29.87
07	0749	7	SCT:04 7 OVC:08 15	0.75	-SN:03 BR:1 SN	32	0.0	31	-0.6	30	-1.1	93	8	020		29.69				FM-16	0.02	29.87
07	0754	7	SCT:04 7 OVC:08 15	0.75	-SN:03 BR:1 SN	32	0.0	31	-0.6	30	-1.1	92	10	030		29.68			29.88	FM-15	0.01	29.86
07	0816	7	FEW:02 7 OVC:08 19	1.00	-SN:03 BR:1 SN	32	0.0	31	-0.6	30	-1.1	92	8	010		29.69				FM-16	0.01	29.87
07	0854	7	FEW:02 8 OVC:08 19	1.00	-SN:03 BR:1 SN	32	0.0	31	-0.6	30	-1.1	92	9	020		29.69			29.89	FM-15	0.01	29.87
07	0915	7	SCT:04 6 OVC:08 20	2.00	-SN:03 BR:1 SN	32	0.0	32	0.0	31	-0.6	96	7	020		29.69				FM-16	T	29.87
07	0927	7	BKN:07 7 OVC:08 21	5.00	-SN:03 BR:1 SN	32	0.0	32	0.0	31	-0.6	96	10	010		29.69				FM-16	T	29.87
07	0954	7	SCT:04 8 OVC:08 22	5.00	-SN:03 BR:1 SN	32	0.0	31	-0.6	30	-1.1	92	10	020		29.69	3	-0.01	29.89	FM-15	0.01	29.87
07	1054	7	FEW:02 9 OVC:08 24	10.00	-SN:03 SN	33	0.6	32	0.0	30	-1.1	89	9	360		29.66			29.86	FM-15	0.01	29.84
07	1154	7	FEW:02 10 OVC:08 25	8.00	-SN:03 SN	33	0.6	32	0.0	30	-1.1	89	7	360		29.63			29.83	FM-15	0.01	29.81
07	1254	7	FEW:02 10 OVC:08 26	10.00		34	1.1	32	0.0	30	-1.1	85	8	360		29.61	6	+0.09	29.80	FM-15	0.02	29.79
07	1300	4	15	9.94		34	1.1	32	0.0	30	-1.1	85	8	360		29.61	6	+0.09	29.80	FM-12		
07	1354	7	FEW:02 11 OVC:08 27	10.00		35	1.7	33	0.6	30	-1.1	82	7	010		29.59			29.79	FM-15	T	29.77
07	1446	7	FEW:02 11 OVC:08 30	10.00		35	1.7	33	0.6	30	-1.1	82	6	340		29.59				FM-16		29.77
07	1454	7	FEW:02 11 OVC:08 30	10.00		35	1.7	33	0.6	31	-0.6	85	6	340		29.59			29.79	FM-15	0.00	29.77
07	1554	7	BKN:07 36	10.00		36	2.2	34	1.1	31	-0.6	82	5	320		29.59	6	+0.02	29.79	FM-15	0.00	29.77
07	1654	7	FEW:02 41 BKN:07 65	10.00		36	2.2	33	0.6	28	-2.2	73	6	330		29.59			29.79	FM-15	0.00	29.77
07	1754	7	FEW:02 70 SCT:04 110	10.00		34	1.1	32	0.0	28	-2.2	79	5	330		29.61			29.80	FM-15	0.00	29.79
07	1854	7	FEW:02 38 SCT:04 120	10.00		33	0.6	31	-0.6	27	-2.8	78	8	340		29.63	3	-0.04	29.83	FM-15	0.00	29.81
07	1900	4	41	9.94		33	0.6	31	-0.6	27	-2.8	78	8	340		29.63	3	-0.04	29.83	FM-12		
07	1954	7	SCT:04 120	10.00		34	1.1	30	-1.1	24	-4.4	67	14	340		29.63			29.83	FM-15	0.00	29.81
07	2054	7	FEW:02 120	10.00		34	1.1	30	-1.1	22	-5.6	61	16	350	29	29.64			29.84	FM-15	0.00	29.82
07	2154	7	CLR:00	10.00		34	1.1	29	-1.7	21	-6.1	59	11	340		29.65	3	-0.02	29.85	FM-15	0.00	29.83
07	2254	7	FEW:02 120	10.00		32	0.0	28	-2.2	21	-6.1	64	11	330		29.65			29.85	FM-15	0.00	29.83
07	2354	7	FEW:02 120	10.00		31	-0.6	28	-2.2	21	-6.1	67	7	310		29.65			29.85	FM-15	0.00	29.83
08	0054	6	SCT:04 140	10.00		30	-1.1	27	-2.8	21	-6.1	69	7	300		29.65	0	0.00	29.85	FM-15	0.00	29.83
08	0127	7	FEW:02 140	10.00		29	-1.7	27	-2.8	22	-5.6	75	7	300		29.65				FM-16		29.83
08	0154	7	CLR:00	10.00		29	-1.7	27	-2.8	22	-5.6	75	7	300		29.65			29.85	FM-15	0.00	29.83
08	0254	7	CLR:00	10.00		30	-1.1	27	-2.8	20	-6.7	66	8	300		29.65			29.85	FM-15	0.00	29.83
08	0354	7	CLR:00	10.00		30	-1.1	27	-2.8	20	-6.7	66	7	300		29.65	8	0.00	29.84	FM-15	0.00	29.83
08	0454	7	CLR:00	10.00		28	-2.2	25	-3.9	20	-6.7	72	6	320		29.65			29.85	FM-15	0.00	29.83
08	0554	7	CLR:00	10.00		28	-2.2	25	-3.9	20	-6.7	72	6	290		29.68			29.88	FM-15	0.00	29.86
08	0654	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	5	280		29.71	3	-0.06	29.90	FM-15	0.00	29.89
08	0700	4		9.94		29	-1.7	26	-3.3	20	-6.7	69	5	280		29.71	3	-0.06	29.90	FM-12		
08	0754	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	6	270		29.72			29.92	FM-15	0.00	29.90

08	0854	7	CLR:00	10.00		34	1.1	30	-1.1	22	-5.6	61	7	250		29.75			29.95	FM-15	0.00	29.93
08	0954	7	CLR:00	10.00		39	3.9	33	0.6	23	-5.0	53	8	VRB		29.76	1	-0.05	29.95	FM-15	0.00	29.94
08	1054	7	CLR:00	10.00		42	5.6	35	1.7	24	-4.4	49	11	310		29.75			29.94	FM-15	0.00	29.93
08	1154	7	CLR:00	10.00		43	6.1	36	2.2	24	-4.4	47	14	340	24	29.73			29.93	FM-15	0.00	29.91
08	1254	7	CLR:00	10.00		46	7.8	37	2.8	23	-5.0	40	15	310		29.72	6	+0.04	29.92	FM-15	0.00	29.90
08	1300	4		9.94		46	7.8	37	2.8	23	-5.0	40	15	310		29.72	6	+0.04	29.92	FM-12		
08	1354	7	CLR:00	10.00		48	8.9	38	3.3	24	-4.4	39	13	320	21	29.72			29.91	FM-15	0.00	29.90
08	1454	7	CLR:00	10.00		47	8.3	37	2.8	22	-5.6	37	15	300		29.71			29.91	FM-15	0.00	29.89
08	1554	7	CLR:00	10.00		47	8.3	38	3.3	23	-5.0	39	11	320		29.73	3	0.00	29.92	FM-15	0.00	29.91
08	1654	7	CLR:00	10.00		44	6.7	36	2.2	22	-5.6	41	7	320		29.75			29.94	FM-15	0.00	29.93
08	1754	7	CLR:00	10.00		43	6.1	35	1.7	22	-5.6	43	6	290		29.76			29.96	FM-15	0.00	29.94
08	1854	7	CLR:00	10.00		37	2.8	33	0.6	25	-3.9	62	0	000		29.78	3	-0.06	29.98	FM-15	0.00	29.96
08	1900	4		9.94		37	2.8	33	0.6	25	-3.9	62	0	000		29.78	3	-0.06	29.98	FM-12		
08	1954	7	CLR:00	10.00		37	2.8	32	0.0	24	-4.4	59	6	310		29.81			30.00	FM-15	0.00	29.99
08	2054	7	CLR:00	10.00		36	2.2	31	-0.6	23	-5.0	59	6	360		29.80			29.99	FM-15	0.00	29.98
08	2154	7	CLR:00	10.00		35	1.7	30	-1.1	22	-5.6	59	0	000		29.81	1	-0.03	30.00	FM-15	0.00	29.99
08	2254	7	CLR:00	10.00		30	-1.1	28	-2.2	23	-5.0	75	0	000		29.83			30.02	FM-15	0.00	30.01
08	2354	7	CLR:00	10.00		28	-2.2	26	-3.3	23	-5.0	81	3	170		29.83			30.03	FM-15	0.00	30.01
09	0054	7	CLR:00	10.00		26	-3.3	25	-3.9	22	-5.6	84	0	000		29.82	0	-0.01	30.02	FM-15	0.00	30.00
09	0100	4		9.94		26	-3.3	25	-3.9	22	-5.6	84	0	000		29.82	9	+0.01	30.02	FM-12		
09	0154	7	CLR:00	10.00		27	-2.8	25	-3.9	22	-5.6	81	0	000		29.83			30.02	FM-15	0.00	30.01
09	0254	7	CLR:00	10.00		25	-3.9	24	-4.4	22	-5.6	88	0	000		29.82			30.02	FM-15	0.00	30.00
09	0354	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		29.83	3	-0.01	30.02	FM-15	0.00	30.01
09	0454	7	BKN:07 180	10.00		28	-2.2	27	-2.8	24	-4.4	85	3	170		29.77			29.97	FM-15	0.00	29.95
09	0554	7	BKN:07 150 OVC:08 250	10.00		29	-1.7	28	-2.2	25	-3.9	85	5	210		29.79			29.99	FM-15	0.00	29.97
09	0654	7	BKN:07 190 BKN:07 300	10.00		29	-1.7	27	-2.8	24	-4.4	82	5	270		29.80	5	+0.02	30.00	FM-15	0.00	29.98
09	0700	4		9.94		29	-1.7	27	-2.8	24	-4.4	82	5	270		29.80	5	+0.02	30.00	FM-12		
09	0754	7	BKN:07 160 OVC:08 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	3	190		29.80			30.00	FM-15	0.00	29.98
09	0854	7	BKN:07 170 BKN:07 220 OVC:08 300	10.00		30	-1.1	29	-1.7	26	-3.3	85	8	190		29.77			29.97	FM-15	0.00	29.95
09	0954	7	SCT:04 160 BKN:07 230 BKN:07 300	10.00		33	0.6	30	-1.1	25	-3.9	72	10	220		29.78	5	+0.03	29.98	FM-15	0.00	29.96
09	1054	7	FEW:02 160 BKN:07 230 BKN:07 300	10.00		37	2.8	32	0.0	24	-4.4	59	13	220		29.75			29.95	FM-15	0.00	29.93
09	1154	7	SCT:04 160 SCT:04 230 BKN:07 300	10.00		44	6.7	36	2.2	24	-4.4	45	11	250	21	29.71			29.91	FM-15	0.00	29.89
09	1254	7	BKN:07 130 BKN:07 230 BKN:07 300	10.00		45	7.2	37	2.8	25	-3.9	46	11	260		29.68	7	+0.09	29.88	FM-15	0.00	29.86
09	1300	4		9.94		45	7.2	37	2.8	25	-3.9	46	11	260		29.68	7	+0.09	29.88	FM-12		
09	1354	7	BKN:07 120 BKN:07 300	10.00		47	8.3	38	3.3	25	-3.9	42	16	240		29.65			29.84	FM-15	0.00	29.83
09	1454	7	BKN:07 120 BKN:07 300	10.00		49	9.4	40	4.4	27	-2.8	43	13	240		29.64			29.84	FM-15	0.00	29.82
09	1554	7	SCT:04 120	10.00		48	8.9	39	3.9	27	-2.8	44	13	240		29.64	5	+0.04	29.84	FM-15	0.00	29.82
09	1654	7	BKN:07 120	10.00		43	6.1	37	2.8	29	-1.7	58	7	200		29.65			29.85	FM-15	0.00	29.83
09	1754	7	SCT:04 120	10.00		43	6.1	38	3.3	30	-1.1	60	3	160		29.66			29.86	FM-15	0.00	29.84
09	1854	7	FEW:02 120	10.00		41	5.0	37	2.8	30	-1.1	65	3	180		29.69	3	-0.04	29.88	FM-15	0.00	29.87
09	1900	4		9.94		41	5.0	37	2.8	30	-1.1	65	3	180		29.69	3	-0.04	29.88	FM-12		
09	1954	7	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	3	170		29.70			29.90	FM-15	0.00	29.88
09	2054	7	CLR:00	10.00		37	2.8	34	1.1	29	-1.7	73	6	200		29.71			29.91	FM-15	0.00	29.89
09	2154	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	3	200		29.72	2	-0.04	29.92	FM-15	0.00	29.90
09	2254	7	CLR:00	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		29.75			29.95	FM-15	0.00	29.93

09	2354	7	CLR:00	10.00		37	2.8	34	1.1	30	-1.1	76	3	310		29.77			29.97	FM-15	0.00	29.95
10	0054	7	CLR:00	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		29.79	1	-0.07	29.98	FM-15	0.00	29.97
10	0100	4		9.94		37	2.8	34	1.1	29	-1.7	73	0	000		29.79	1	-0.07	29.98	FM-12		
10	0154	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		29.81			30.00	FM-15	0.00	29.99
10	0254	7	CLR:00	10.00		33	0.6	31	-0.6	28	-2.2	82	0	000		29.82			30.02	FM-15	0.00	30.00
10	0354	7	CLR:00	10.00		29	-1.7	28	-2.2	27	-2.8	92	0	000		29.85	3	-0.06	30.04	FM-15	0.00	30.03
10	0454	7	CLR:00	10.00		31	-0.6	30	-1.1	27	-2.8	85	0	000		29.87			30.06	FM-15	0.00	30.05
10	0554	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.89			30.08	FM-15	0.00	30.07
10	0654	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.92	3	-0.08	30.12	FM-15	0.00	30.10
10	0700	4		9.94		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.92	3	-0.08	30.12	FM-12		
10	0754	7	FEW:02 300	10.00		31	-0.6	30	-1.1	29	-1.7	92	0	000		29.96			30.16	FM-15	0.00	30.14
10	0854	7	FEW:02 300	10.00		39	3.9	37	2.8	34	1.1	82	0	000		29.98			30.18	FM-15	0.00	30.16
10	0954	7	FEW:02 300	10.00		46	7.8	41	5.0	34	1.1	63	0	000		30.01	1	-0.08	30.20	FM-15	0.00	30.19
10	1054	7	FEW:02 300	10.00		50	10.0	43	6.1	34	1.1	54	7	060		30.01			30.21	FM-15	0.00	30.19
10	1154	7	FEW:02 300	10.00		51	10.6	43	6.1	34	1.1	52	0	000		30.00			30.20	FM-15	0.00	30.18
10	1254	7	FEW:02 300	10.00		53	11.7	45	7.2	35	1.7	51	7	200		29.98	8	+0.02	30.18	FM-15	0.00	30.16
10	1300	4		9.94		53	11.7	45	7.2	35	1.7	51	7	200		29.98	8	+0.02	30.18	FM-12		
10	1354	7	FEW:02 300	10.00		53	11.7	44	6.7	34	1.1	48	0	000		29.98			30.17	FM-15	0.00	30.16
10	1454	7	BKN:07 300	10.00		55	12.8	45	7.2	34	1.1	45	0	000		29.98			30.17	FM-15	0.00	30.16
10	1554	7	BKN:07 300	10.00		52	11.1	44	6.7	35	1.7	53	5	150		29.98	5	0.00	30.18	FM-15	0.00	30.16
10	1654	7	BKN:07 300	10.00		49	9.4	44	6.7	37	2.8	64	3	130		30.00			30.20	FM-15	0.00	30.18
10	1754	7	SCT:04 300	10.00		43	6.1	40	4.4	37	2.8	80	3	150		30.02			30.21	FM-15	0.00	30.20
10	1854	7	SCT:04 300	10.00		43	6.1	40	4.4	36	2.2	76	3	140		30.03	1	-0.05	30.23	FM-15	0.00	30.21
10	1900	4		9.94		43	6.1	40	4.4	36	2.2	76	3	140		30.03	1	-0.05	30.23	FM-12		
10	1954	7	SCT:04 300	10.00		40	4.4	38	3.3	35	1.7	83	5	130		30.04			30.24	FM-15	0.00	30.22
10	2054	7	SCT:04 300	10.00		38	3.3	36	2.2	34	1.1	86	3	130		30.05			30.24	FM-15	0.00	30.23
10	2154	7	FEW:02 300	10.00		38	3.3	36	2.2	34	1.1	86	5	140		30.05	0	-0.01	30.24	FM-15	0.00	30.23
10	2254	7	CLR:00	10.00		37	2.8	35	1.7	33	0.6	86	6	140		30.05			30.24	FM-15	0.00	30.23
10	2354	7	FEW:02 250	10.00		36	2.2	35	1.7	33	0.6	89	6	140		30.05			30.24	FM-15	0.00	30.23
11	0054	7	CLR:00	7.00		35	1.7	35	1.7	34	1.1	96	5	140		30.04	8	0.00	30.24	FM-15	0.00	30.22
11	0100	4		6.84		35	1.7	35	1.7	34	1.1	96	5	140		30.04	8	0.00	30.24	FM-12		
11	0154	7	CLR:00	8.00		37	2.8	36	2.2	35	1.7	93	5	160		30.04			30.24	FM-15	0.00	30.22
11	0254	7	CLR:00	7.00		38	3.3	37	2.8	36	2.2	93	3	150		30.03			30.23	FM-15	0.00	30.21
11	0354	7	SCT:04 250	7.00		40	4.4	39	3.9	37	2.8	89	0	000		30.04	5	+0.01	30.23	FM-15	0.00	30.22
11	0454	7	SCT:04 250	5.00	BR:1	40	4.4	39	3.9	37	2.8	89	0	000		30.03			30.23	FM-15	0.00	30.21
11	0554	7	BKN:07 240	4.00	BR:1	37	2.8	36	2.2	35	1.7	93	3	170		30.03			30.23	FM-15	0.00	30.21
11	0654	7	SCT:04 240	5.00	BR:1	39	3.9	38	3.3	37	2.8	93	5	160		30.05	3	-0.01	30.24	FM-15	0.00	30.23
11	0700	4		4.97		39	3.9	38	3.3	37	2.8	93	5	160		30.05	3	-0.01	30.24	FM-12		
11	0754	7	FEW:02 250	5.00	BR:1	38	3.3	38	3.3	37	2.8	97	5	210		30.07			30.26	FM-15	0.00	30.25
11	0854	7	FEW:02 150 FEW:02 250	8.00		44	6.7	43	6.1	41	5.0	89	8	190		30.06			30.26	FM-15	0.00	30.24
11	0954	7	CLR:00	10.00		49	9.4	46	7.8	42	5.6	77	10	180		30.07	1	-0.03	30.27	FM-15	0.00	30.25
11	1054	7	CLR:00	10.00		54	12.2	48	8.9	41	5.0	62	9	210		30.05			30.25	FM-15	0.00	30.23
11	1154	7	FEW:02 35 FEW:02 300	10.00		60	15.6	52	11.1	44	6.7	56	9	220		30.03			30.22	FM-15	0.00	30.21
11	1254	7	FEW:02 300	10.00		62	16.7	54	12.2	46	7.8	56	10	190		29.98	8	+0.10	30.17	FM-15	0.00	30.16
11	1300	4		9.94		62	16.7	54	12.2	46	7.8	56	10	190		29.98	8	+0.10	30.17	FM-12		
11	1354	7	FEW:02 300	10.00		63	17.2	54	12.2	46	7.8	54	10	180		29.96			30.15	FM-15	0.00	30.14
11	1454	7	FEW:02 300	10.00		63	17.2	54	12.2	46	7.8	54	10	210		29.95			30.14	FM-15	0.00	30.13
11	1554	7	FEW:02 300	10.00		63	17.2	55	12.8	47	8.3	56	10	200		29.95	6	+0.02	30.14	FM-15	0.00	30.13
11	1654	7	FEW:02 300	10.00		58	14.4	52	11.1	47	8.3	67	6	160		29.95			30.14	FM-15	0.00	30.13
11	1754	7	FEW:02 300	10.00		54	12.2	50	10.0	47	8.3	77	0	000		29.96			30.16	FM-15	0.00	30.14
11	1854	7	FEW:02 300	10.00		51	10.6	49	9.4	46	7.8	83	5	150		29.96	3	-0.01	30.16	FM-15	0.00	30.14
11	1900	4		9.94		51	10.6	49	9.4	46	7.8	83	5	150		29.96	3	-0.01	30.16	FM-12		
11	1954	7	FEW:02 300	10.00		49	9.4	48	8.9	46	7.8	90	5	150		29.97			30.17	FM-15	0.00	30.15
11	2054	7	CLR:00	10.00		50	10.0	48	8.9	47	8.3	89	3	150		29.97			30.16	FM-15	0.00	30.15
11	2154	7	CLR:00	10.00		50	10.0	49	9.4	48	8.9	93	0	000		29.97	0	-0.01	30.16	FM-15	0.00	30.15

11	2254	7	CLR:00	6.00	BR:1	46	7.8	45	7.2	44	6.7	93	0	000	29.95			30.15	FM-15	0.00	30.13
11	2354	7	CLR:00	6.00	BR:1	48	8.9	48	8.9	47	8.3	96	0	000	29.94			30.13	FM-15	0.00	30.12
12	0052	6	FEW:02 6	6.00	BC:3 FG:2 FG	50	10.0	49	9.4	48	8.9	94	0	000	29.93				FM-16		30.11
12	0054	7	FEW:02 6	6.00	BC:3 FG:2 FG	50	10.0	49	9.4	49	9.4	96	0	000	29.92	7	+0.04	30.12	FM-15	0.00	30.10
12	0100	4	5	5.59		50	10.0	49	9.4	49	9.4	96	0	000	29.92	7	+0.04	30.12	FM-12		
12	0154	7	FEW:02 6	3.00	BC:3 FG:2 FG	49	9.4	48	8.9	47	8.3	93	0	000	29.93			30.12	FM-15	0.00	30.11
12	0240	7	SCT:04 2	0.50	FG:2 FG	48	8.9	48	8.9	47	8.3	96	3	150	29.93				FM-16		30.11
12	0247	7	SCT:04 2	0.50	FG:2 FG	47	8.3	47	8.3	47	8.3	100	3	150	29.94				FM-16		30.12
12	0252	6	VV:09 2	0.25	FG:2 FG	46	7.8	46	7.8	46	7.8	100	3	160	29.94				FM-16		30.12
12	0254	7	VV:09 2	0.25	FG:2 FG	47	8.3	47	8.3	47	8.3	100	0	000	29.94			30.13	FM-15	0.00	30.12
12	0321	7	VV:09 2	0.25	FG:2 FG	48	8.9	48	8.9	48	8.9	100	3	170	29.93				FM-16		30.11
12	0354	7	VV:09 2	0.25	FG:2 FG	51	10.6	51	10.6	51	10.6	100	8	190	29.93	0	0.00	30.12	FM-15	0.00	30.11
12	0427	7	VV:09 2	0.25	FG:2 FG	50	10.0	50	10.0	50	10.0	100	6	190	29.92				FM-16		30.10
12	0454	7	VV:09 2	0.50	FG:2 FG	50	10.0	50	10.0	50	10.0	100	6	200	29.92			30.11	FM-15	0.00	30.10
12	0552	6	BKN:07 2	3.00	BC:3 FG:2 FG	48	8.9	48	8.9	48	8.9	100	7	190	29.94				FM-16		30.12
12	0554	7	BKN:07 2	3.00	BC:3 FG:2 FG	49	9.4	49	9.4	49	9.4	100	7	190	29.94			30.13	FM-15	0.00	30.12
12	0654	7	SCT:04 2 SCT:04 70 BKN:07 250	4.00	BR:1	49	9.4	49	9.4	49	9.4	100	6	170	29.93	0	-0.01	30.12	FM-15	0.00	30.11
12	0700	4	2	3.73		49	9.4	49	9.4	49	9.4	100	6	170	29.93	9	+0.01	30.12	FM-12		
12	0754	7	FEW:02 2 FEW:02 70 BKN:07 250	3.00		48	8.9	48	8.9	47	8.3	96	5	180	29.94			30.13	FM-15	0.00	30.12
12	0854	7	FEW:02 70 BKN:07 250 BKN:07 300	6.00	BR:1	51	10.6	51	10.6	51	10.6	100	5	200	29.94			30.13	FM-15	0.00	30.12
12	0954	7	FEW:02 70 BKN:07 250 BKN:07 300	7.00		52	11.1	51	10.6	50	10.0	93	9	190	29.93	8	+0.01	30.12	FM-15	0.00	30.11
12	1054	7	BKN:07 250 BKN:07 300	10.00		58	14.4	53	11.7	49	9.4	72	8	210	29.90			30.09	FM-15	0.00	30.08
12	1154	7	BKN:07 180 BKN:07 250	10.00		59	15.0	54	12.2	50	10.0	72	10	190	29.88			30.07	FM-15	0.00	30.06
12	1254	7	BKN:07 180 BKN:07 250	10.00		61	16.1	55	12.8	49	9.4	65	9	200	29.85	6	+0.07	30.04	FM-15	0.00	30.03
12	1300	4		9.94		61	16.1	55	12.8	49	9.4	65	9	200	29.85	6	+0.07	30.04	FM-12		
12	1354	7	BKN:07 180 BKN:07 270	10.00		62	16.7	55	12.8	49	9.4	62	8	180	29.82			30.01	FM-15	0.00	30.00
12	1454	7	BKN:07 180 BKN:07 250	10.00		63	17.2	56	13.3	50	10.0	63	10	180	29.82			30.01	FM-15	0.00	30.00
12	1554	7	FEW:02 90 BKN:07 180 BKN:07 250	10.00		62	16.7	54	12.2	47	8.3	58	15	210	29.81	6	+0.04	30.00	FM-15	0.00	29.99
12	1654	7	BKN:07 160 BKN:07 250	10.00		60	15.6	54	12.2	48	8.9	65	10	180	29.81			30.00	FM-15	0.00	29.99
12	1754	7	SCT:04 140 SCT:04 250	10.00		57	13.9	52	11.1	48	8.9	72	9	170	29.81			30.00	FM-15	0.00	29.99
12	1854	7	SCT:04 140 SCT:04 250	10.00		57	13.9	52	11.1	48	8.9	72	10	170	29.81	5	0.00	30.00	FM-15	0.00	29.99
12	1900	4		9.94		57	13.9	52	11.1	48	8.9	72	10	170	29.81	5	0.00	30.00	FM-12		
12	1954	7	FEW:02 140 FEW:02 250	10.00		56	13.3	52	11.1	48	8.9	75	10	180	29.82			30.01	FM-15	0.00	30.00
12	2054	7	SCT:04 140 BKN:07 250	10.00		55	12.8	51	10.6	47	8.3	74	10	190	29.82			30.01	FM-15	0.00	30.00
12	2154	7	SCT:04 250	10.00		54	12.2	50	10.0	47	8.3	77	9	200	29.82	3	-0.01	30.01	FM-15	0.00	30.00
12	2254	7	FEW:02 100 BKN:07 130 BKN:07 250	10.00		56	13.3	52	11.1	48	8.9	75	11	200	29.82			30.01	FM-15	0.00	30.00
12	2354	7	BKN:07 90 OVC:08 130	10.00		56	13.3	52	11.1	48	8.9	75	10	200	29.82			30.01	FM-15	0.00	30.00
13	0054	7	BKN:07 100 OVC:08 130	10.00		56	13.3	52	11.1	49	9.4	77	8	200	29.82	6	+0.01	30.01	FM-15	0.00	30.00

13	0100	4		9.94		56	13.3	52	11.1	49	9.4	77	8	200		29.82	6	+0.01	30.01	FM-12		
13	0154	7	BKN:07 100 OVC:08 130	10.00		54	12.2	52	11.1	50	10.0	87	7	190		29.82			30.01	FM-15	T	30.00
13	0254	7	FEW:02 60 SCT:04 110 BKN:07 150	10.00		52	11.1	50	10.0	48	8.9	86	8	180		29.82			30.02	FM-15	T	30.00
13	0354	7	BKN:07 95 BKN:07 150	10.00		52	11.1	50	10.0	49	9.4	89	6	190		29.82	0	0.00	30.01	FM-15	0.00	30.00
13	0454	7	FEW:02 65 OVC:08 80	10.00		54	12.2	52	11.1	50	10.0	87	8	190		29.83			30.03	FM-15	0.00	30.01
13	0554	7	FEW:02 60 BKN:07 80 OVC:08 100	10.00		55	12.8	53	11.7	51	10.6	87	8	200		29.83			30.03	FM-15	T	30.01
13	0654	7	FEW:02 55 OVC:08 80	7.00	RA:02 RA RA	55	12.8	53	11.7	52	11.1	90	6	200		29.85	3	-0.03	30.04	FM-15	T	30.03
13	0700	4	57	6.84	RA	55	12.8	53	11.7	52	11.1	90	6	200		29.85	3	-0.03	30.04	FM-12		
13	0754	7	FEW:02 60 BKN:07 95 BKN:07 120	10.00		55	12.8	54	12.2	53	11.7	93	3	190		29.86			30.05	FM-15	0.02	30.04
13	0854	7	FEW:02 60 BKN:07 90	10.00		56	13.3	55	12.8	54	12.2	93	7	220		29.87			30.07	FM-15	0.00	30.05
13	0954	7	FEW:02 60 FEW:02 100 SCT:04 250	10.00		60	15.6	57	13.9	55	12.8	84	10	210		29.87	1	-0.02	30.07	FM-15	0.00	30.05
13	1054	7	FEW:02 95 FEW:02 250	10.00		63	17.2	58	14.4	54	12.2	73	9	220		29.86			30.05	FM-15	0.00	30.04
13	1154	7	FEW:02 250	10.00		66	18.9	59	15.0	53	11.7	63	6	210		29.83			30.03	FM-15	0.00	30.01
13	1254	7	FEW:02 250	10.00		69	20.6	58	14.4	49	9.4	49	7	240		29.81	8	+0.06	30.00	FM-15	0.00	29.99
13	1300	4		9.94		69	20.6	58	14.4	49	9.4	49	7	240		29.81	8	+0.06	30.00	FM-12		
13	1354	7	FEW:02 250	10.00		71	21.7	58	14.4	47	8.3	42	8	VRB		29.80			29.99	FM-15	0.00	29.98
13	1454	7	FEW:02 60 FEW:02 250	10.00		70	21.1	57	13.9	45	7.2	41	7	270		29.80			29.99	FM-15	0.00	29.98
13	1554	7	FEW:02 60 FEW:02 250	10.00		69	20.6	56	13.3	45	7.2	42	8	250		29.81	5	0.00	30.00	FM-15	0.00	29.99
13	1654	7	FEW:02 250	10.00		64	17.8	54	12.2	44	6.7	48	3	230		29.82			30.01	FM-15	0.00	30.00
13	1754	7	FEW:02 300	10.00		56	13.3	51	10.6	47	8.3	72	0	000		29.81			30.01	FM-15	0.00	29.99
13	1854	7	CLR:00	10.00		53	11.7	49	9.4	46	7.8	77	0	000		29.83	3	-0.02	30.02	FM-15	0.00	30.01
13	1900	4		9.94		53	11.7	49	9.4	46	7.8	77	0	000		29.83	3	-0.02	30.02	FM-12		
13	1954	7	FEW:02 300	10.00		52	11.1	49	9.4	45	7.2	77	0	000		29.84			30.03	FM-15	0.00	30.02
13	2054	7	FEW:02 300	10.00		50	10.0	48	8.9	45	7.2	83	0	000		29.82			30.02	FM-15	0.00	30.00
13	2154	7	FEW:02 300	10.00		52	11.1	49	9.4	45	7.2	77	11	030		29.84	3	-0.01	30.03	FM-15	0.00	30.02
13	2254	7	BKN:07 300	10.00		50	10.0	46	7.8	41	5.0	71	8	030		29.84			30.03	FM-15	0.00	30.02
13	2354	7	BKN:07 150 BKN:07 300	10.00		48	8.9	44	6.7	40	4.4	74	7	040		29.83			30.02	FM-15	0.00	30.01
14	0054	7	SCT:04 150 BKN:07 230	10.00		48	8.9	44	6.7	40	4.4	74	7	020		29.82	7	+0.02	30.01	FM-15	0.00	30.00
14	0100	4		9.94		48	8.9	44	6.7	40	4.4	74	7	020		29.82	7	+0.02	30.01	FM-12		
14	0152	6	BKN:07 28 OVC:08 150	10.00		48	8.9	44	6.7	39	3.9	71	14	030		29.82				FM-16		30.00
14	0154	7	BKN:07 28 OVC:08 150	10.00		48	8.9	44	6.7	39	3.9	71	15	030		29.82			30.01	FM-15	0.00	30.00
14	0254	7	OVC:08 23	10.00		48	8.9	43	6.1	37	2.8	66	13	060		29.80			29.99	FM-15	0.00	29.98
14	0354	7	OVC:08 22	10.00		48	8.9	43	6.1	37	2.8	66	7	060		29.82	5	+0.01	30.01	FM-15	0.00	30.00
14	0454	7	OVC:08 21	10.00		47	8.3	42	5.6	37	2.8	69	16	060		29.71			29.90	FM-15	0.00	29.89
14	0554	7	OVC:08 22	10.00	-RA:02 RA RA	46	7.8	43	6.1	39	3.9	77	8	040		29.69			29.88	FM-15	T	29.87
14	0627	7	OVC:08 23	2.50	+RA:02 BR:1 RA RA	44	6.7	43	6.1	41	5.0	89	8	360		29.73				FM-16	0.06	29.91
14	0652	6	OVC:08 24	3.00	RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	8	310		29.76				FM-16		29.94
14	0654	7	OVC:08 24	3.00	+RA:02 BR:1 RA RA	44	6.7	43	6.1	42	5.6	93	7	330		29.76	5	+0.06	29.95	FM-15	0.19s	29.94
14	0700	4	26	2.98	RA	44	6.7	43	6.1	42	5.6	93	7	330		29.76	5	+0.06	29.95	FM-12		

14	0741	7	FEW:02 6 BKN:07 23 OVC:08 31	4.00	RA:02 BR:1 RA RA	43	6.1	43	6.1	42	5.6	97	10	030		29.70				FM-16	0.14	29.88
14	0752	6	SCT:04 8 BKN:07 21 OVC:08 31	2.00	+RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	9	350		29.72				FM-16		29.90
14	0754	7	BKN:07 8 BKN:07 16 OVC:08 31	1.50	+RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	9	020		29.71			29.91	FM-15	0.25	29.89
14	0836	7	BKN:07 8 OVC:08 21	2.00	RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	8	050		29.69				FM-16	0.24	29.87
14	0854	7	OVC:08 8	2.50	RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	13	050		29.68			29.87	FM-15	0.21	29.86
14	0947	7	BKN:07 7 OVC:08 17	1.50	+RA:02 BR:1 RA RA	42	5.6	42	5.6	41	5.0	96	13	360	21	29.68				FM-16	0.21	29.86
14	0954	7	BKN:07 7 OVC:08 17	1.50	+RA:02 BR:1 RA RA	42	5.6	42	5.6	41	5.0	96	11	360		29.70	5	+0.06	29.89	FM-15	0.28	29.88
14	1054	7	BKN:07 7 BKN:07 21 OVC:08 30	2.00	RA:02 BR:1 RA RA	42	5.6	42	5.6	41	5.0	96	20	020	28	29.63			29.83	FM-15	0.40	29.81
14	1154	7	BKN:07 7 OVC:08 16	1.75	RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	17	350		29.65			29.84	FM-15	0.12	29.83
14	1221	7	BKN:07 7 BKN:07 21 OVC:08 44	4.00	RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	17	360	25	29.64				FM-16	0.07	29.82
14	1254	7	BKN:07 9 OVC:08 41	3.00	-RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	17	360	26	29.65	5	+0.05	29.84	FM-15	0.10	29.83
14	1300	4	8	2.98	RA	43	6.1	42	5.6	41	5.0	93	17	360		29.65	5	+0.05	29.84	FM-12		
14	1315	7	OVC:08 9	2.50	RA:02 BR:1 RA RA	42	5.6	41	5.0	40	4.4	92	16	340	25	29.69				FM-16	0.01	29.87
14	1341	7	BKN:07 9 BKN:07 20 OVC:08 47	9.00	-RA:02 RA RA	43	6.1	42	5.6	40	4.4	89	16	350		29.68				FM-16	0.03	29.86
14	1354	7	BKN:07 10 BKN:07 17 OVC:08 50	10.00	-RA:02 RA RA	43	6.1	42	5.6	40	4.4	89	16	360	28	29.68			29.87	FM-15	0.03	29.86
14	1454	7	BKN:07 13 BKN:07 65	10.00		44	6.7	42	5.6	40	4.4	85	17	360	23	29.69			29.88	FM-15	T	29.87
14	1518	7	BKN:07 17 BKN:07 65	10.00		45	7.2	43	6.1	41	5.0	86	13	350	22	29.69				FM-16		29.87
14	1554	7	BKN:07 23	10.00		43	6.1	41	5.0	38	3.3	82	20	350	32	29.74	3	-0.09	29.93	FM-15	0.00	29.92
14	1624	7	SCT:04 23	10.00		43	6.1	40	4.4	37	2.8	80	17	350	26	29.75				FM-16		29.93
14	1654	7	SCT:04 23	10.00		42	5.6	39	3.9	36	2.2	79	9	340		29.78			29.97	FM-15	0.00	29.96
14	1754	7	FEW:02 23	10.00		39	3.9	37	2.8	35	1.7	86	8	340		29.80			30.00	FM-15	0.00	29.98
14	1854	7	CLR:00	10.00		39	3.9	37	2.8	35	1.7	86	8	360		29.85	3	-0.12	30.05	FM-15	0.00	30.03
14	1900	4		9.94		39	3.9	37	2.8	35	1.7	86	8	360		29.85	3	-0.12	30.05	FM-12		
14	1954	7	CLR:00	10.00		38	3.3	36	2.2	33	0.6	83	7	350		29.88			30.08	FM-15	0.00	30.06
14	2054	7	CLR:00	10.00		36	2.2	34	1.1	32	0.0	86	6	360		29.92			30.12	FM-15	0.00	30.10
14	2154	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	0	000		29.95	1	-0.10	30.14	FM-15	0.00	30.13
14	2254	7	CLR:00	10.00		33	0.6	32	0.0	31	-0.6	92	0	000		29.98			30.17	FM-15	0.00	30.16
14	2354	7	CLR:00	10.00		33	0.6	32	0.0	31	-0.6	92	0	000		30.01			30.20	FM-15	0.00	30.19
15	0054	7	CLR:00	10.00		33	0.6	31	-0.6	29	-1.7	85	7	010		30.03	1	-0.08	30.22	FM-15	0.00	30.21
15	0100	4		9.94		33	0.6	31	-0.6	29	-1.7	85	7	010		30.03	1	-0.08	30.22	FM-12		
15	0154	7	CLR:00	10.00		32	0.0	30	-1.1	26	-3.3	79	6	030		30.04			30.23	FM-15	0.00	30.22
15	0254	7	CLR:00	10.00		32	0.0	29	-1.7	25	-3.9	75	6	020		30.06			30.25	FM-15	0.00	30.24
15	0354	7	CLR:00	10.00		32	0.0	29	-1.7	24	-4.4	73	8	020		30.06	1	-0.03	30.25	FM-15	0.00	30.24
15	0454	7	CLR:00	10.00		33	0.6	29	-1.7	23	-5.0	66	11	360	21	30.07			30.27	FM-15	0.00	30.25
15	0554	7	CLR:00	10.00		32	0.0	29	-1.7	22	-5.6	66	9	350		30.11			30.31	FM-15	0.00	30.29
15	0654	7	CLR:00	10.00		31	-0.6	28	-2.2	22	-5.6	69	6	360		30.14	3	-0.08	30.34	FM-15	0.00	30.32
15	0700	4		9.94		31	-0.6	28	-2.2	22	-5.6	69	6	360		30.14	3	-0.08	30.34	FM-12		
15	0754	7	FEW:02 200 FEW:02 300	10.00		32	0.0	29	-1.7	23	-5.0	69	6	010		30.16			30.35	FM-15	0.00	30.34
15	0854	7	FEW:02 300	10.00		35	1.7	31	-0.6	24	-4.4	64	9	010		30.16			30.36	FM-15	0.00	30.34

15	0954	7	SCT:04 300	10.00		37	2.8	32	0.0	23	-5.0	57	13	020		30.18	3	-0.05	30.38	FM-15	0.00	30.36
15	1054	7	BKN:07 300	10.00		40	4.4	34	1.1	24	-4.4	53	9	010		30.19			30.39	FM-15	0.00	30.37
15	1154	7	BKN:07 300	10.00		41	5.0	34	1.1	23	-5.0	49	8	030		30.16			30.36	FM-15	0.00	30.34
15	1254	7	BKN:07 300	10.00		42	5.6	35	1.7	23	-5.0	47	3	VRB		30.15	8	+0.04	30.35	FM-15	0.00	30.33
15	1300	4		9.94		42	5.6	35	1.7	23	-5.0	47	3			30.15	8	+0.04	30.35	FM-12		
15	1354	7	BKN:07 300	10.00		43	6.1	35	1.7	22	-5.6	43	3	VRB		30.14			30.34	FM-15	0.00	30.32
15	1454	7	BKN:07 300	10.00		43	6.1	35	1.7	23	-5.0	45	7	030		30.14			30.33	FM-15	0.00	30.32
15	1554	7	FEW:02 200 OVC:08 300	10.00		41	5.0	34	1.1	23	-5.0	49	7	050		30.13	8	+0.02	30.32	FM-15	0.00	30.31
15	1654	7	SCT:04 200 OVC:08 300	10.00		38	3.3	33	0.6	24	-4.4	57	5	050		30.13			30.33	FM-15	0.00	30.31
15	1754	7	FEW:02 200 OVC:08 300	10.00		37	2.8	33	0.6	25	-3.9	62	3	020		30.13			30.33	FM-15	0.00	30.31
15	1854	7	BKN:07 300	10.00		35	1.7	31	-0.6	24	-4.4	64	6	040		30.14	1	-0.01	30.34	FM-15	0.00	30.32
15	1900	4		9.94		35	1.7	31	-0.6	24	-4.4	64	6	040		30.14	1	-0.01	30.34	FM-12		
15	1954	7	BKN:07 300	10.00		33	0.6	30	-1.1	24	-4.4	70	3	100		30.14			30.34	FM-15	0.00	30.32
15	2054	7	BKN:07 300	10.00		32	0.0	29	-1.7	23	-5.0	69	3	080		30.13			30.33	FM-15	0.00	30.31
15	2154	7	BKN:07 300	10.00		31	-0.6	28	-2.2	23	-5.0	72	0	000		30.14	3	0.00	30.34	FM-15	0.00	30.32
15	2254	7	BKN:07 300	10.00		29	-1.7	27	-2.8	24	-4.4	82	7	030		30.13			30.33	FM-15	0.00	30.31
15	2354	7	SCT:04 300	10.00		30	-1.1	28	-2.2	25	-3.9	82	8	040		30.10			30.30	FM-15	0.00	30.28
16	0054	7	FEW:02 300	10.00		30	-1.1	28	-2.2	24	-4.4	79	7	030		30.09	8	+0.05	30.29	FM-15	0.00	30.27
16	0100	4		9.94		30	-1.1	28	-2.2	24	-4.4	79	7	030		30.09	8	+0.05	30.29	FM-12		
16	0154	7	SCT:04 300	10.00		30	-1.1	28	-2.2	24	-4.4	79	7	020		30.07			30.27	FM-15	0.00	30.25
16	0254	7	SCT:04 300	10.00		28	-2.2	26	-3.3	23	-5.0	81	7	010		30.09			30.29	FM-15	0.00	30.27
16	0354	7	SCT:04 85 BKN:07 150 BKN:07 300	10.00		31	-0.6	29	-1.7	26	-3.3	82	8	010		30.09	3	-0.01	30.29	FM-15	0.00	30.27
16	0454	7	OVC:08 75	10.00		32	0.0	30	-1.1	26	-3.3	79	9	030		30.07			30.27	FM-15	0.00	30.25
16	0554	7	BKN:07 45 OVC:08 70	10.00		33	0.6	30	-1.1	26	-3.3	75	9	020		30.06			30.26	FM-15	0.00	30.24
16	0654	7	FEW:02 20 OVC:08 41	10.00		33	0.6	30	-1.1	26	-3.3	75	13	040		30.03	8	+0.06	30.23	FM-15	0.00	30.21
16	0700	4	26	9.94		33	0.6	30	-1.1	26	-3.3	75	13	040		30.03	8	+0.06	30.23	FM-12		
16	0754	7	FEW:02 20 OVC:08 41	10.00	-RA:02 RA RA	34	1.1	31	-0.6	27	-2.8	75	13	030		30.02			30.22	FM-15	T	30.20
16	0854	7	OVC:08 37	10.00	-RA:02 RA RA	34	1.1	32	0.0	29	-1.7	82	11	030		29.98			30.18	FM-15	T	30.16
16	0954	7	OVC:08 33	8.00	-RA:02 RA RA	34	1.1	33	0.6	31	-0.6	89	10	010		29.95	8	+0.07	30.15	FM-15	0.01	30.13
16	1031	7	OVC:08 29	6.00	-RA:02 BR:1 RA RA	34	1.1	33	0.6	32	0.0	92	11	020		29.93				FM-16	0.04	30.11
16	1054	7	FEW:02 16 BKN:07 22 OVC:08 28	8.00	-RA:02 RA RA	34	1.1	33	0.6	32	0.0	92	13	020		29.92			30.12	FM-15	0.07	30.10
16	1105	7	FEW:02 7 SCT:04 15 OVC:08 23	7.00	-RA:02 RA RA	35	1.7	34	1.1	33	0.6	93	11	010		29.92				FM-16	0.01	30.10
16	1130	7	BKN:07 9 OVC:08 18	5.00	RA:02 BR:1 RA RA	34	1.1	34	1.1	33	0.6	97	11	010		29.92				FM-16	0.02	30.10
16	1140	7	BKN:07 7 OVC:08 17	2.50	RA:02 BR:1 RA RA	34	1.1	34	1.1	33	0.6	97	11	020		29.89				FM-16	0.04	30.07
16	1154	7	SCT:04 5 OVC:08 15	2.50	RA:02 BR:1 RA RA	34	1.1	34	1.1	33	0.6	97	10	020		29.87			30.07	FM-15	0.07	30.05
16	1206	7	BKN:07 6 OVC:08 15	3.00	RA:02 BR:1 RA RA	34	1.1	34	1.1	33	0.6	97	14	030		29.85				FM-16	0.02	30.03
16	1254	7	OVC:08 5	4.00	-RA:02 BR:1 RA RA	35	1.7	35	1.7	34	1.1	96	15	030		29.77	8	+0.18	29.97	FM-15	0.08	29.95
16	1300	4	5	3.73	RA	35	1.7	35	1.7	34	1.1	96	15	030		29.77	8	+0.18	29.97	FM-12		
16	1323	7	OVC:08 5	2.00	RA:02 BR:1 RA RA	35	1.7	35	1.7	34	1.1	96	17	020	22	29.74				FM-16	0.02	29.92
16	1345	7	BKN:07 5 OVC:08 12	1.50	+RA:02 BR:1 RA RA	35	1.7	34	1.1	33	0.6	93	14	360		29.74				FM-16	0.07	29.92
16	1352	6	BKN:07 5 OVC:08 12	1.00	+RA:02 BR:1 RA RA	36	2.2	35	1.7	34	1.1	93	15	010		29.73				FM-16		29.91
16	1354	7	BKN:07 5 OVC:08 12	1.25	+RA:02 BR:1 RA RA	35	1.7	35	1.7	34	1.1	96	14	010		29.73			29.93	FM-15	0.16	29.91

16	1404	7	BKN:07 5 OVC:08 15	2.00	+RA:02 BR:1 RA RA	35	1.7	35	1.7	34	1.1	96	10	010		29.73				FM-16	0.06	29.91
16	1454	7	BKN:07 5 OVC:08 18	2.00	RA:02 BR:1 RA RA	36	2.2	35	1.7	34	1.1	93	15	030		29.66			29.86	FM-15	0.18	29.84
16	1552	6	BKN:07 5 BKN:07 18 OVC:08 30	1.50	+RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	93	14	330		29.64				FM-16		29.82
16	1554	7	BKN:07 5 OVC:08 20	2.00	+RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	14	310		29.65	6	+0.12	29.85	FM-15	0.22	29.83
16	1603	7	BKN:07 5 OVC:08 20	2.00	+RA:02 BR:1 RA RA	36	2.2	36	2.2	35	1.7	97	5	VRB	25	29.67				FM-16	0.04	29.85
16	1606	7	BKN:07 5 OVC:08 16	1.50	+RA:02 BR:1 RA RA	36	2.2	36	2.2	36	2.2	100				29.67				FM-16	0.05	29.85
16	1609	7	BKN:07 5 OVC:08 16	1.50	RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	14	300	23	29.68				FM-16	0.08	29.86
16	1635	7	BKN:07 5 OVC:08 27	3.00	-RA:02 BR:1 RA RA	36	2.2	35	1.7	34	1.1	93	10	340		29.65				FM-16	0.15	29.83
16	1654	7	BKN:07 5 OVC:08 40	10.00	-RA:02 RA RA	36	2.2	36	2.2	35	1.7	97	10	340		29.62			29.82	FM-15	0.14	29.80
16	1754	7	BKN:07 5 OVC:08 27	10.00	-RA:02 RA RA	37	2.8	37	2.8	36	2.2	96	10	360		29.57			29.76	FM-15	T	29.75
16	1819	7	OVC:08 5	9.00	-RA:02 RA RA	36	2.2	36	2.2	35	1.7	97	13	310		29.59				FM-16	0.01	29.77
16	1854	7	OVC:08 5	7.00	-RA:02 RA RA	37	2.8	37	2.8	36	2.2	96	9	300		29.57	5	+0.08	29.77	FM-15	0.01	29.75
16	1900	4	5	6.84	RA	37	2.8	37	2.8	36	2.2	96	9	300		29.57	5	+0.08	29.77	FM-12		
16	1918	7	OVC:08 4	4.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	9	320		29.55				FM-16	T	29.73
16	1954	7	OVC:08 4	3.00	-DZ:01 BR:1 DZ DZ	37	2.8	37	2.8	36	2.2	96	11	310		29.57			29.77	FM-15	T	29.75
16	2025	7	OVC:08 5	3.00	-DZ:01 BR:1 DZ DZ	37	2.8	36	2.2	35	1.7	93	10	310		29.57				FM-16	T	29.75
16	2054	7	OVC:08 5	4.00	-RA:02 BR:1 RA RA	36	2.2	36	2.2	35	1.7	97	13	300		29.57			29.76	FM-15	0.01	29.75
16	2154	7	OVC:08 6	9.00	-RA:02 RA RA	36	2.2	35	1.7	34	1.1	93	8	290		29.60	3	-0.03	29.80	FM-15	0.06	29.78
16	2254	7	OVC:08 6	10.00		36	2.2	35	1.7	34	1.1	93	11	290		29.59			29.79	FM-15	T	29.77
16	2354	7	OVC:08 6	4.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	34	1.1	96	13	300		29.62			29.82	FM-15	T	29.80
17	0054	7	OVC:08 8	10.00		35	1.7	34	1.1	33	0.6	93	11	310		29.63	3	-0.04	29.83	FM-15	T	29.81
17	0100	4	8	9.94		35	1.7	34	1.1	33	0.6	93	11	310		29.63	3	-0.04	29.83	FM-12		
17	0116	7	BKN:07 10 OVC:08 26	10.00		35	1.7	34	1.1	33	0.6	93	10	330		29.64				FM-16		29.82
17	0137	7	FEW:02 10 FEW:02 26	10.00		34	1.1	33	0.6	32	0.0	92	8	320		29.65				FM-16		29.83
17	0154	7	FEW:02 10 FEW:02 26	10.00		34	1.1	33	0.6	32	0.0	92	7	320		29.66			29.85	FM-15	0.00	29.84
17	0217	7	OVC:08 12	10.00		34	1.1	33	0.6	32	0.0	92	6	330		29.66				FM-16		29.84
17	0254	7	OVC:08 10	10.00		34	1.1	33	0.6	32	0.0	92	7	330		29.67			29.87	FM-15	0.00	29.85
17	0322	7	OVC:08 8	10.00		34	1.1	33	0.6	32	0.0	92	13	320		29.69				FM-16		29.87
17	0352	6	SCT:04 8	10.00		34	1.1	32	0.0	30	-1.1	87	8	320		29.69				FM-16		29.87
17	0354	7	SCT:04 8	10.00		33	0.6	32	0.0	30	-1.1	89	7	320		29.69	1	-0.05	29.88	FM-15	0.00	29.87
17	0454	7	FEW:02 8	10.00		31	-0.6	30	-1.1	28	-2.2	89	7	320		29.71			29.91	FM-15	0.00	29.89
17	0554	7	CLR:00	10.00		30	-1.1	29	-1.7	28	-2.2	92	5	310		29.74			29.94	FM-15	0.00	29.92
17	0654	7	SCT:04 10	10.00		30	-1.1	29	-1.7	27	-2.8	88	8	340		29.77	3	-0.08	29.97	FM-15	0.00	29.95
17	0700	4	15	9.94		30	-1.1	29	-1.7	27	-2.8	88	8	340		29.77	3	-0.08	29.97	FM-12		
17	0754	7	FEW:02 10	10.00		30	-1.1	29	-1.7	28	-2.2	92	5	360		29.80			30.00	FM-15	0.00	29.98
17	0854	7	FEW:02 10	10.00		32	0.0	31	-0.6	28	-2.2	85	6	330		29.83			30.03	FM-15	0.00	30.01
17	0954	7	FEW:02 13	10.00		35	1.7	33	0.6	29	-1.7	78	8	350		29.87	3	-0.10	30.06	FM-15	0.00	30.05
17	1054	7	FEW:02 17 FEW:02 30	10.00		38	3.3	34	1.1	29	-1.7	70	8	340		29.87			30.06	FM-15	0.00	30.05
17	1154	7	FEW:02 25	10.00		41	5.0	37	2.8	30	-1.1	65	8	330		29.84			30.04	FM-15	0.00	30.02
17	1254	7	FEW:02 27	10.00		43	6.1	38	3.3	30	-1.1	60	9	360		29.83	8	+0.03	30.03	FM-15	0.00	30.01
17	1300	4	26	9.94		43	6.1	38	3.3	30	-1.1	60	9	360		29.83	8	+0.03	30.03	FM-12		
17	1354	7	FEW:02 30 FEW:02 50	10.00		44	6.7	38	3.3	30	-1.1	58	5	310		29.83			30.02	FM-15	0.00	30.01
17	1454	7	FEW:02 30 FEW:02 50	10.00		44	6.7	38	3.3	30	-1.1	58	3	270		29.83			30.02	FM-15	0.00	30.01

17	1554	7	FEW:02 28 FEW:02 45	10.00		44	6.7	39	3.9	31	-0.6	60	7	280		29.84	3	-0.01	30.03	FM-15	0.00	30.02
17	1654	7	BKN:07 42	10.00		42	5.6	38	3.3	32	0.0	68	7	290		29.86			30.06	FM-15	0.00	30.04
17	1754	7	BKN:07 47	10.00		41	5.0	37	2.8	32	0.0	70	7	340		29.88			30.08	FM-15	0.00	30.06
17	1854	7	BKN:07 50	10.00		39	3.9	36	2.2	32	0.0	76	10	360		29.91	3	-0.07	30.11	FM-15	0.00	30.09
17	1900	4	57	9.94		39	3.9	36	2.2	32	0.0	76	10	360		29.91	3	-0.07	30.11	FM-12		
17	1954	7	OVC:08 50	10.00		39	3.9	36	2.2	32	0.0	76	7	010		29.93			30.13	FM-15	0.00	30.11
17	2054	7	BKN:07 45 OVC:08 60	10.00		38	3.3	36	2.2	32	0.0	79	6	030		29.95			30.14	FM-15	0.00	30.13
17	2154	7	OVC:08 40	10.00		38	3.3	35	1.7	31	-0.6	76	7	010		29.96	1	-0.05	30.16	FM-15	0.00	30.14
17	2254	7	BKN:07 42 OVC:08 60	10.00		37	2.8	35	1.7	31	-0.6	79	7	010		29.97			30.17	FM-15	0.00	30.15
17	2354	7	BKN:07 43 OVC:08 60	10.00		37	2.8	34	1.1	30	-1.1	76	6	350		29.99			30.18	FM-15	0.00	30.17
18	0054	7	SCT:04 44 OVC:08 60	10.00		36	2.2	34	1.1	30	-1.1	79	6	360		29.98	0	-0.01	30.18	FM-15	0.00	30.16
18	0100	4	41	9.94		36	2.2	34	1.1	30	-1.1	79	6	360		29.98	9	+0.01	30.18	FM-12		
18	0154	7	FEW:02 50 OVC:08 65	10.00		36	2.2	34	1.1	30	-1.1	79	7	340		30.00			30.19	FM-15	0.00	30.18
18	0254	7	OVC:08 70	10.00		36	2.2	33	0.6	29	-1.7	76	7	350		30.02			30.22	FM-15	0.00	30.20
18	0354	7	OVC:08 75	10.00		35	1.7	33	0.6	29	-1.7	78	9	330		30.03	1	-0.05	30.22	FM-15	0.00	30.21
18	0454	7	OVC:08 75	10.00		35	1.7	33	0.6	30	-1.1	82	7	340		30.04			30.24	FM-15	0.00	30.22
18	0554	7	SCT:04 14 OVC:08 75	10.00	-SN:03 SN	35	1.7	33	0.6	30	-1.1	82	7	320		30.07			30.27	FM-15	T	30.25
18	0654	7	BKN:07 40 OVC:08 80	10.00		35	1.7	33	0.6	30	-1.1	82	6	320		30.08	1	-0.05	30.27	FM-15	T	30.26
18	0700	4	41	9.94		35	1.7	33	0.6	30	-1.1	82	6	320		30.08	1	-0.05	30.27	FM-12		
18	0754	7	FEW:02 40 SCT:04 80 BKN:07 250	10.00		34	1.1	33	0.6	31	-0.6	89	5	320		30.10			30.30	FM-15	0.00	30.28
18	0854	7	FEW:02 10 FEW:02 29 BKN:07 75	9.00		36	2.2	34	1.1	31	-0.6	82	9	310		30.14			30.34	FM-15	0.00	30.32
18	0954	7	FEW:02 16 FEW:02 29 BKN:07 40	10.00		38	3.3	35	1.7	31	-0.6	76	7	310		30.16	1	-0.08	30.35	FM-15	0.00	30.34
18	1054	7	SCT:04 20 BKN:07 41	10.00		41	5.0	37	2.8	31	-0.6	67	8	350		30.17			30.37	FM-15	0.00	30.35
18	1154	7	FEW:02 26 OVC:08 34	10.00		40	4.4	36	2.2	29	-1.7	65	11	350		30.17			30.36	FM-15	0.00	30.35
18	1254	7	OVC:08 34	10.00		40	4.4	35	1.7	28	-2.2	63	13	360		30.17	1	-0.01	30.36	FM-15	0.00	30.35
18	1300	4	41	9.94		40	4.4	35	1.7	28	-2.2	63	13	360		30.17	1	-0.01	30.36	FM-12		
18	1354	7	OVC:08 35	10.00		41	5.0	36	2.2	28	-2.2	60	10	350		30.16			30.36	FM-15	0.00	30.34
18	1454	7	OVC:08 39	10.00		42	5.6	36	2.2	28	-2.2	58	9	330		30.16			30.35	FM-15	0.00	30.34
18	1554	7	OVC:08 39	10.00		41	5.0	36	2.2	28	-2.2	60	8	350		30.18	3	-0.01	30.38	FM-15	0.00	30.36
18	1654	7	OVC:08 40	10.00		40	4.4	35	1.7	28	-2.2	63	6	010		30.20			30.40	FM-15	0.00	30.38
18	1754	7	OVC:08 40	10.00		40	4.4	35	1.7	27	-2.8	60	0	000		30.21			30.41	FM-15	0.00	30.39
18	1854	7	OVC:08 41	10.00		39	3.9	35	1.7	29	-1.7	67	0	000		30.21	1	-0.03	30.41	FM-15	0.00	30.39
18	1954	7	OVC:08 41	10.00		39	3.9	35	1.7	28	-2.2	65	0	000		30.22			30.42	FM-15	0.00	30.40
18	2054	7	FEW:02 40	10.00		35	1.7	32	0.0	28	-2.2	76	6	010		30.22			30.42	FM-15	0.00	30.40
18	2154	7	CLR:00	10.00		33	0.6	31	-0.6	27	-2.8	78	7	360		30.22	1	-0.01	30.42	FM-15	0.00	30.40
18	2254	7	CLR:00	10.00		32	0.0	30	-1.1	26	-3.3	79	7	010		30.22			30.41	FM-15	0.00	30.40
18	2354	7	CLR:00	10.00		31	-0.6	29	-1.7	25	-3.9	79	7	340		30.23			30.43	FM-15	0.00	30.41
19	0054	7	CLR:00	10.00		30	-1.1	28	-2.2	25	-3.9	82	6	030		30.21	8	+0.01	30.41	FM-15	0.00	30.39
19	0100	4		9.94		30	-1.1	28	-2.2	25	-3.9	82	6	030		30.21	8	+0.01	30.41	FM-12		
19	0154	7	CLR:00	10.00		31	-0.6	29	-1.7	25	-3.9	79	0	000		30.23			30.43	FM-15	0.00	30.41
19	0254	7	CLR:00	10.00		29	-1.7	27	-2.8	24	-4.4	82	0	000		30.25			30.45	FM-15	0.00	30.43
19	0354	7	CLR:00	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.25	1	-0.04	30.45	FM-15	0.00	30.43
19	0454	7	CLR:00	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.26			30.45	FM-15	0.00	30.44
19	0554	7	CLR:00	10.00		27	-2.8	26	-3.3	24	-4.4	89	0	000		30.26			30.46	FM-15	0.00	30.44

19	0654	7	SCT:04 300	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.26	0	-0.01	30.46	FM-15	0.00	30.44
19	0700	4		9.94		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.26	9	+0.01	30.46	FM-12		
19	0754	7	BKN:07 300	10.00		27	-2.8	26	-3.3	25	-3.9	92	0	000		30.27			30.46	FM-15	0.00	30.45
19	0854	7	OVC:08 300	9.00		32	0.0	31	-0.6	29	-1.7	88	0	000		30.27			30.47	FM-15	0.00	30.45
19	0954	7	CLR:00	10.00		36	2.2	33	0.6	29	-1.7	76	5	120		30.27	0	-0.01	30.47	FM-15	0.00	30.45
19	1054	7	OVC:08 300	10.00		36	2.2	32	0.0	26	-3.3	67	0	000		30.26			30.46	FM-15	0.00	30.44
19	1154	7	OVC:08 300	10.00		39	3.9	34	1.1	27	-2.8	62	3	VRB		30.22			30.42	FM-15	0.00	30.40
19	1254	7	OVC:08 300	10.00		40	4.4	35	1.7	28	-2.2	63	5	VRB		30.20	8	+0.07	30.40	FM-15	0.00	30.38
19	1300	4		9.94		40	4.4	35	1.7	28	-2.2	63	5			30.20	8	+0.07	30.40	FM-12		
19	1354	7	SCT:04 200 OVC:08 300	10.00		40	4.4	35	1.7	28	-2.2	63	7	200		30.18			30.38	FM-15	0.00	30.36
19	1454	7	OVC:08 300	10.00		41	5.0	36	2.2	29	-1.7	62	5	150		30.17			30.37	FM-15	0.00	30.35
19	1554	7	FEW:02 200 OVC:08 300	10.00		41	5.0	36	2.2	29	-1.7	62	5	170		30.17	5	+0.03	30.37	FM-15	0.00	30.35
19	1654	7	FEW:02 200 BKN:07 300	10.00		39	3.9	35	1.7	29	-1.7	67	3	130		30.16			30.36	FM-15	0.00	30.34
19	1754	7	FEW:02 200 SCT:04 300	10.00		35	1.7	33	0.6	29	-1.7	78	3	120		30.15			30.35	FM-15	0.00	30.33
19	1854	7	FEW:02 200 SCT:04 300	10.00		33	0.6	31	-0.6	29	-1.7	85	5	120		30.13	8	+0.04	30.33	FM-15	0.00	30.31
19	1900	4		9.94		33	0.6	31	-0.6	29	-1.7	85	5	120		30.13	8	+0.04	30.33	FM-12		
19	1954	7	FEW:02 200 SCT:04 300	10.00		36	2.2	33	0.6	29	-1.7	76	3	140		30.14			30.34	FM-15	0.00	30.32
19	2054	7	FEW:02 200 SCT:04 300	10.00		34	1.1	32	0.0	30	-1.1	85	5	120		30.12			30.32	FM-15	0.00	30.30
19	2154	7	FEW:02 300	10.00		33	0.6	31	-0.6	29	-1.7	85	6	130		30.10	8	+0.03	30.30	FM-15	0.00	30.28
19	2254	7	FEW:02 300	10.00		33	0.6	31	-0.6	29	-1.7	85	0	000		30.10			30.30	FM-15	0.00	30.28
19	2354	7	FEW:02 300	10.00		32	0.0	31	-0.6	29	-1.7	88	0	000		30.09			30.29	FM-15	0.00	30.27
20	0054	7	BKN:07 130 OVC:08 300	10.00		32	0.0	31	-0.6	30	-1.1	92	5	150		30.08	8	+0.02	30.28	FM-15	0.00	30.26
20	0100	4		9.94		32	0.0	31	-0.6	30	-1.1	92	5	150		30.08	8	+0.02	30.28	FM-12		
20	0154	7	OVC:08 130	10.00		34	1.1	33	0.6	31	-0.6	89	5	140		30.06			30.25	FM-15	0.00	30.24
20	0254	7	OVC:08 140	10.00		36	2.2	34	1.1	31	-0.6	82	7	150		30.04			30.23	FM-15	0.00	30.22
20	0354	7	OVC:08 140	10.00		35	1.7	34	1.1	32	0.0	89	7	200		30.03	6	+0.05	30.23	FM-15	0.00	30.21
20	0454	7	SCT:04 90 OVC:08 140	10.00		35	1.7	34	1.1	32	0.0	89	5	130		30.00			30.20	FM-15	0.00	30.18
20	0554	7	SCT:04 55 BKN:07 100 OVC:08 140	10.00		35	1.7	34	1.1	33	0.6	93	0	000		30.01			30.21	FM-15	0.00	30.19
20	0654	7	OVC:08 50	5.00	RA:02 BR:1 RA RA	36	2.2	35	1.7	33	0.6	89	6	130		30.00	6	+0.03	30.20	FM-15	0.03s	30.18
20	0700	4	57	4.97	RA	36	2.2	35	1.7	33	0.6	89	6	130		30.00	6	+0.03	30.20	FM-12		
20	0754	7	BKN:07 50 OVC:08 60	4.00	-RA:02 BR:1 RA RA	36	2.2	35	1.7	34	1.1	93	7	140		30.00			30.20	FM-15	0.04	30.18
20	0854	7	BKN:07 45 OVC:08 60	3.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	8	180		30.02			30.22	FM-15	0.02	30.20
20	0952	6	SCT:04 6 BKN:07 35 OVC:08 48	3.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	37	2.8	100	8	180		30.03				FM-16		30.21
20	0954	7	SCT:04 6 BKN:07 35 OVC:08 48	3.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	8	190		30.03	3	-0.03	30.23	FM-15	0.02	30.21
20	1015	7	SCT:04 4 BKN:07 30 OVC:08 39	2.50	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	7	170		30.02				FM-16	0.02	30.20
20	1052	6	SCT:04 4 BKN:07 30 OVC:08 39	0.50s	-RA:02 s BR:1 s s RA s RA s	37	2.8	37	2.8	37	2.8	100	7	160		29.99				FM-16		30.17
20	1054	7	SCT:04 4 BKN:07 30 OVC:08 39	2.50	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	7	160		29.98			30.18	FM-15	0.05	30.16
20	1131	7	BKN:07 4 OVC:08 25	3.00	-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	8	150		29.95				FM-16	0.05	30.13

20	1154	7	BKN:07 4 OVC:08 12	3.00	-RA:02 BR:1 RA RA	39	3.9	39	3.9	38	3.3	96	8	160		29.93			30.13	FM-15	0.06	30.11
20	1254	7	BKN:07 4 OVC:08 30	7.00	-RA:02 RA RA	40	4.4	40	4.4	39	3.9	97	11	150		29.88	6	+0.15	30.08	FM-15	0.02	30.06
20	1300	4	5	6.84	RA	40	4.4	40	4.4	39	3.9	97	11	150		29.88	6	+0.15	30.08	FM-12		
20	1335	7	BKN:07 7 OVC:08 30	10.00	-RA:02 RA RA	41	5.0	41	5.0	40	4.4	96	11	170		29.87				FM-16	T	30.05
20	1354	7	BKN:07 7 OVC:08 30	10.00		41	5.0	40	4.4	39	3.9	93	9	170		29.86			30.06	FM-15	T	30.04
20	1454	7	BKN:07 6 OVC:08 17	7.00		42	5.6	41	5.0	40	4.4	92	5	190		29.85			30.05	FM-15	0.00	30.03
20	1554	7	BKN:07 7 OVC:08 15	9.00		42	5.6	41	5.0	39	3.9	89	0	000		29.85	6	+0.04	30.04	FM-15	0.00	30.03
20	1654	7	OVC:08 7	7.00		42	5.6	41	5.0	40	4.4	92	0	000		29.84			30.04	FM-15	0.00	30.02
20	1754	7	OVC:08 7	9.00		42	5.6	41	5.0	40	4.4	92	3	270		29.86			30.05	FM-15	0.00	30.04
20	1854	7	OVC:08 8	8.00		42	5.6	41	5.0	40	4.4	92	3	330		29.85	0	0.00	30.05	FM-15	0.00	30.03
20	1900	4	8	7.46		42	5.6	41	5.0	40	4.4	92	3	330		29.85	9	0.00	30.05	FM-12		
20	1954	7	OVC:08 7	9.00		42	5.6	41	5.0	40	4.4	92	0	000		29.84			30.03	FM-15	0.00	30.02
20	2054	7	OVC:08 7	10.00		42	5.6	41	5.0	40	4.4	92	3	320		29.82			30.01	FM-15	0.00	30.00
20	2154	7	OVC:08 5	7.00		41	5.0	41	5.0	40	4.4	96	5	230		29.81	7	+0.04	30.00	FM-15	0.00	29.99
20	2221	7	OVC:08 4	7.00		41	5.0	41	5.0	40	4.4	96	3	270		29.79				FM-16		29.97
20	2254	7	OVC:08 3	6.00	BR:1	41	5.0	41	5.0	40	4.4	96	3	220		29.79			29.99	FM-15	0.00	29.97
20	2328	7	OVC:08 3	2.50	BR:1	40	4.4	40	4.4	40	4.4	100	5	230		29.80				FM-16		29.98
20	2354	7	OVC:08 2	2.00	BR:1	40	4.4	40	4.4	40	4.4	100	6	270		29.80			29.99	FM-15	0.00	29.98
21	0016	7	OVC:08 2	4.00	BR:1	40	4.4	40	4.4	39	3.9	97	5	280		29.78				FM-16		29.96
21	0054	7	OVC:08 3	4.00	BR:1	40	4.4	40	4.4	39	3.9	97	0	000		29.75	8	+0.05	29.95	FM-15	0.00	29.93
21	0100	4	2	3.73		40	4.4	40	4.4	39	3.9	97	0	000		29.75	8	+0.05	29.95	FM-12		
21	0154	7	OVC:08 3	4.00	BR:1	40	4.4	40	4.4	39	3.9	97	6	310		29.75			29.95	FM-15	0.00	29.93
21	0254	7	OVC:08 3	6.00	BR:1	39	3.9	39	3.9	38	3.3	96	6	300		29.75			29.95	FM-15	0.00	29.93
21	0354	7	OVC:08 3	4.00	BR:1	38	3.3	38	3.3	38	3.3	100	3	320		29.75	8	+0.01	29.94	FM-15	0.00	29.93
21	0454	7	OVC:08 2	3.00	BR:1	38	3.3	38	3.3	37	2.8	97	9	280		29.74			29.93	FM-15	0.00	29.92
21	0516	7	OVC:08 2	2.50	BR:1	38	3.3	38	3.3	37	2.8	97	7	310		29.74				FM-16		29.92
21	0554	7	OVC:08 2	2.50	BR:1	38	3.3	38	3.3	38	3.3	100	0	000		29.74			29.93	FM-15	0.00	29.92
21	0652	7	OVC:08 2	1.25	-DZ:01 BR:1 DZ DZ	37	2.8	37	2.8	37	2.8	100	6	150		29.74				FM-16	T	29.92
21	0654	7	OVC:08 2	1.00	-DZ:01 BR:1 DZ DZ	38	3.3	38	3.3	37	2.8	97	7	170		29.74	6	+0.01	29.93	FM-15	T	29.92
21	0700	4	2	0.99	DZ	38	3.3	38	3.3	37	2.8	97	7	170		29.74	6	+0.01	29.93	FM-12		
21	0749	7	OVC:08 2	0.75	BR:1	37	2.8	37	2.8	37	2.8	100	5	220		29.74				FM-16	T	29.92
21	0754	7	OVC:08 2	0.75	BR:1	38	3.3	38	3.3	37	2.8	97	5	270		29.74			29.94	FM-15	T	29.92
21	0844	7	OVC:08 3	5.00	BR:1	39	3.9	39	3.9	38	3.3	96	5	240		29.74				FM-16		29.92
21	0854	7	OVC:08 3	5.00	BR:1	39	3.9	39	3.9	38	3.3	96	5	250		29.74			29.94	FM-15	0.00	29.92
21	0954	7	OVC:08 4	6.00	BR:1	40	4.4	39	3.9	38	3.3	93	6	230		29.75	3	-0.01	29.95	FM-15	0.00	29.93
21	1054	7	OVC:08 6	9.00		41	5.0	40	4.4	38	3.3	89	7	270		29.75			29.95	FM-15	0.00	29.93
21	1154	7	OVC:08 8	10.00		43	6.1	41	5.0	39	3.9	86	6	250		29.73			29.93	FM-15	0.00	29.91
21	1236	7	BKN:07 15 BKN:07 30	10.00		44	6.7	42	5.6	39	3.9	83	5	VRB		29.70				FM-16		29.88
21	1254	7	BKN:07 15 BKN:07 30	10.00		43	6.1	41	5.0	39	3.9	86	3	VRB		29.70	8	+0.06	29.89	FM-15	0.00	29.88
21	1300	4	15	9.94		43	6.1	41	5.0	39	3.9	86	3			29.70	8	+0.06	29.89	FM-12		
21	1354	7	SCT:04 20 BKN:07 35	10.00		45	7.2	43	6.1	40	4.4	83	7	180		29.67			29.86	FM-15	0.00	29.85
21	1454	7	FEW:02 25 SCT:04 50	10.00		47	8.3	44	6.7	40	4.4	77	3	VRB		29.65			29.85	FM-15	0.00	29.83
21	1554	7	FEW:02 30 FEW:02 50	10.00		47	8.3	44	6.7	40	4.4	77	8	160		29.64	6	+0.06	29.83	FM-15	0.00	29.82
21	1654	7	FEW:02 50 FEW:02 110	10.00		43	6.1	41	5.0	39	3.9	86	8	140		29.64			29.84	FM-15	0.00	29.82
21	1754	7	FEW:02 50 FEW:02 110	10.00		42	5.6	41	5.0	39	3.9	89	8	160		29.64			29.84	FM-15	0.00	29.82
21	1854	7	FEW:02 100	9.00		41	5.0	40	4.4	39	3.9	93	8	170		29.64	0	0.00	29.83	FM-15	0.00	29.82
21	1900	4		8.70		41	5.0	40	4.4	39	3.9	93	8	170		29.64	9	0.00	29.83	FM-12		

21	1954	7	SCT:04 110	8.00		42	5.6	42	5.6	41	5.0	96	6	170		29.63			29.82	FM-15	0.00	29.81
21	2054	7	BKN:07 90	8.00		42	5.6	42	5.6	41	5.0	96	8	190		29.62			29.81	FM-15	0.00	29.80
21	2154	7	FEW:02 60 SCT:04 110 BKN:07 140	10.00		43	6.1	42	5.6	41	5.0	93	9	190		29.60	8	+0.04	29.79	FM-15	0.00	29.78
21	2254	7	FEW:02 65 SCT:04 80 SCT:04 140	10.00		41	5.0	40	4.4	39	3.9	93	8	180		29.57			29.77	FM-15	0.00	29.75
21	2354	7	SCT:04 140	10.00		42	5.6	41	5.0	39	3.9	89	8	230		29.58			29.78	FM-15	0.00	29.76
22	0054	7	FEW:02 140	10.00		42	5.6	40	4.4	38	3.3	85	10	230		29.60	3	0.00	29.80	FM-15	0.00	29.78
22	0100	4		9.94		42	5.6	40	4.4	38	3.3	85	10	230		29.60	3	0.00	29.80	FM-12		
22	0154	7	CLR:00	10.00		43	6.1	40	4.4	37	2.8	80	7	230		29.62			29.82	FM-15	0.00	29.80
22	0254	7	CLR:00	10.00		42	5.6	39	3.9	36	2.2	79	7	250		29.64			29.84	FM-15	0.00	29.82
22	0354	7	CLR:00	10.00		41	5.0	38	3.3	35	1.7	79	9	230		29.64	0	-0.04	29.83	FM-15	0.00	29.82
22	0454	7	CLR:00	10.00		37	2.8	35	1.7	32	0.0	82	7	200		29.65			29.84	FM-15	0.00	29.83
22	0554	7	FEW:02 80	10.00		39	3.9	36	2.2	32	0.0	76	9	220		29.67			29.87	FM-15	0.00	29.85
22	0654	7	FEW:02 70	10.00		40	4.4	37	2.8	33	0.6	77	10	250		29.70	3	-0.06	29.89	FM-15	0.00	29.88
22	0700	4	74	9.94		40	4.4	37	2.8	33	0.6	77	10	250		29.70	3	-0.06	29.89	FM-12		
22	0754	7	SCT:04 65	10.00		41	5.0	38	3.3	34	1.1	76	9	220		29.74			29.93	FM-15	0.00	29.92
22	0854	7	FEW:02 65	10.00		44	6.7	40	4.4	34	1.1	68	11	280		29.78			29.97	FM-15	0.00	29.96
22	0954	7	FEW:02 70	10.00		49	9.4	42	5.6	32	0.0	52	16	300	26	29.81	1	-0.11	30.01	FM-15	0.00	29.99
22	1054	7	FEW:02 75	10.00		51	10.6	42	5.6	29	-1.7	43	28	310	36	29.84			30.04	FM-15	0.00	30.02
22	1154	7	SCT:04 65	10.00		52	11.1	42	5.6	28	-2.2	40	26	330	37	29.86			30.06	FM-15	0.00	30.04
22	1254	7	SCT:04 60	10.00		53	11.7	42	5.6	28	-2.2	38	18	300		29.87	1	-0.06	30.07	FM-15	0.00	30.05
22	1300	4	57	9.94		53	11.7	42	5.6	28	-2.2	38	18	300		29.87	1	-0.06	30.07	FM-12		
22	1354	7	SCT:04 60	10.00		53	11.7	42	5.6	28	-2.2	38	17	310	26	29.89			30.09	FM-15	0.00	30.07
22	1454	7	FEW:02 60	10.00		53	11.7	42	5.6	27	-2.8	37	13	310	28	29.92			30.12	FM-15	0.00	30.10
22	1554	7	SCT:04 65	10.00		53	11.7	42	5.6	27	-2.8	37	15	310		29.96	3	-0.09	30.16	FM-15	0.00	30.14
22	1654	7	FEW:02 65 FEW:02 300	10.00		49	9.4	40	4.4	26	-3.3	41	10	330		30.00			30.19	FM-15	0.00	30.18
22	1754	7	FEW:02 300	10.00		46	7.8	38	3.3	27	-2.8	47	7	320		30.02			30.21	FM-15	0.00	30.20
22	1854	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	6	260		30.06	3	-0.10	30.26	FM-15	0.00	30.24
22	1900	4		9.94		44	6.7	37	2.8	27	-2.8	51	6	260		30.06	3	-0.10	30.26	FM-12		
22	1954	7	CLR:00	10.00		43	6.1	36	2.2	26	-3.3	51	8	340		30.08			30.27	FM-15	0.00	30.26
22	2054	7	CLR:00	10.00		39	3.9	35	1.7	28	-2.2	65	0	000		30.10			30.30	FM-15	0.00	30.28
22	2154	7	CLR:00	10.00		34	1.1	32	0.0	28	-2.2	79	3	110		30.13	3	-0.06	30.32	FM-15	0.00	30.31
22	2254	7	CLR:00	10.00		32	0.0	30	-1.1	27	-2.8	82	3	110		30.15			30.35	FM-15	0.00	30.33
22	2354	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	0	000		30.15			30.35	FM-15	0.00	30.33
23	0054	7	CLR:00	10.00		30	-1.1	29	-1.7	26	-3.3	85	0	000		30.15	1	-0.02	30.35	FM-15	0.00	30.33
23	0100	4		9.94		30	-1.1	29	-1.7	26	-3.3	85	0	000		30.15	1	-0.02	30.35	FM-12		
23	0154	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	6	130		30.14			30.34	FM-15	0.00	30.32
23	0254	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		30.16			30.35	FM-15	0.00	30.34
23	0354	7	CLR:00	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.18	3	-0.03	30.38	FM-15	0.00	30.36
23	0454	7	CLR:00	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.21			30.40	FM-15	0.00	30.39
23	0554	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		30.22			30.42	FM-15	0.00	30.40
23	0654	7	FEW:02 300	10.00		27	-2.8	26	-3.3	24	-4.4	89	3	120		30.23	1	-0.04	30.42	FM-15	0.00	30.41
23	0700	4		9.94		27	-2.8	26	-3.3	24	-4.4	89	3	120		30.23	1	-0.04	30.42	FM-12		
23	0754	7	BKN:07 300	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		30.24			30.44	FM-15	0.00	30.42
23	0854	7	BKN:07 300	10.00		34	1.1	32	0.0	30	-1.1	85	0	000		30.25			30.45	FM-15	0.00	30.43
23	0954	7	BKN:07 300	10.00		42	5.6	38	3.3	33	0.6	71	3	170		30.27	3	-0.04	30.47	FM-15	0.00	30.45
23	1054	7	OVC:08 300	10.00		45	7.2	39	3.9	31	-0.6	58	7	170		30.27			30.46	FM-15	0.00	30.45
23	1154	7	OVC:08 300	10.00		48	8.9	40	4.4	30	-1.1	50	10	170		30.23			30.43	FM-15	0.00	30.41
23	1254	7	BKN:07 300	10.00		50	10.0	42	5.6	31	-0.6	48	13	180		30.19	8	+0.08	30.39	FM-15	0.00	30.37
23	1300	4		9.94		50	10.0	42	5.6	31	-0.6	48	13	180		30.19	8	+0.08	30.39	FM-12		
23	1354	7	OVC:08 300	10.00		49	9.4	41	5.0	31	-0.6	50	10	180		30.17			30.37	FM-15	0.00	30.35
23	1454	7	BKN:07 300	10.00		51	10.6	42	5.6	31	-0.6	46	13	190		30.16			30.35	FM-15	0.00	30.34
23	1554	7	FEW:02 250 BKN:07 300	10.00		50	10.0	42	5.6	32	0.0	50	8	170		30.15	6	+0.04	30.34	FM-15	0.00	30.33

23	1654	7	FEW:02 150 BKN:07 300	10.00		47	8.3	41	5.0	32	0.0	56	8	160		30.12			30.32	FM-15	0.00	30.30
23	1754	7	FEW:02 150 BKN:07 250	10.00		46	7.8	40	4.4	32	0.0	58	3	140		30.14			30.33	FM-15	0.00	30.32
23	1854	7	BKN:07 250	10.00		41	5.0	38	3.3	33	0.6	73	6	130		30.14	6	+0.01	30.33	FM-15	0.00	30.32
23	1900	4		9.94		41	5.0	38	3.3	33	0.6	73	6	130		30.14	6	+0.01	30.33	FM-12		
23	1954	7	BKN:07 240	10.00		43	6.1	39	3.9	34	1.1	71	7	150		30.13			30.33	FM-15	0.00	30.31
23	2054	7	BKN:07 220	10.00		44	6.7	40	4.4	34	1.1	68	10	150		30.11			30.30	FM-15	0.00	30.29
23	2154	7	SCT:04 47 BKN:07 220 OVC:08 300	10.00		45	7.2	41	5.0	35	1.7	68	9	150		30.08	8	+0.06	30.27	FM-15	0.00	30.26
23	2254	7	BKN:07 50 OVC:08 200	10.00		46	7.8	42	5.6	37	2.8	71	10	150		30.06			30.26	FM-15	0.00	30.24
23	2354	7	BKN:07 60	10.00		46	7.8	42	5.6	37	2.8	71	7	150		30.05			30.25	FM-15	0.00	30.23
24	0054	7	BKN:07 55	10.00		43	6.1	40	4.4	37	2.8	80	7	140		30.02	8	+0.06	30.22	FM-15	0.00	30.20
24	0100	4	57	9.94		43	6.1	40	4.4	37	2.8	80	7	140		30.02	8	+0.06	30.22	FM-12		
24	0154	7	SCT:04 75	10.00		44	6.7	41	5.0	38	3.3	79	7	160		30.00			30.19	FM-15	0.00	30.18
24	0254	7	FEW:02 65	10.00		45	7.2	43	6.1	40	4.4	83	9	150		29.96			30.16	FM-15	0.00	30.14
24	0354	7	SCT:04 60 BKN:07 85 OVC:08 200	10.00		46	7.8	44	6.7	41	5.0	83	9	140		29.93	8	+0.09	30.12	FM-15	0.00	30.11
24	0454	7	SCT:04 60 OVC:08 180	10.00		50	10.0	47	8.3	44	6.7	80	13	140		29.89			30.09	FM-15	0.00	30.07
24	0554	7	FEW:02 65 OVC:08 140	10.00		53	11.7	49	9.4	46	7.8	77	10	150		29.88			30.07	FM-15	0.00	30.06
24	0654	7	FEW:02 65 BKN:07 140	10.00		54	12.2	51	10.6	48	8.9	80	11	150		29.85	6	+0.07	30.05	FM-15	0.00	30.03
24	0700	4	57	9.94		54	12.2	51	10.6	48	8.9	80	11	150		29.85	6	+0.07	30.05	FM-12		
24	0754	7	SCT:04 75 BKN:07 140 OVC:08 250	10.00		57	13.9	53	11.7	49	9.4	74	14	160		29.85			30.04	FM-15	0.00	30.03
24	0854	7	FEW:02 65 BKN:07 85 BKN:07 140	10.00		58	14.4	54	12.2	51	10.6	78	11	160	21	29.83			30.03	FM-15	0.00	30.01
24	0954	7	SCT:04 42 BKN:07 80 OVC:08 100	10.00		60	15.6	56	13.3	52	11.1	75	15	160		29.81	8	+0.05	30.00	FM-15	0.00	29.99
24	1054	7	SCT:04 33 BKN:07 50 OVC:08 75	10.00		63	17.2	58	14.4	54	12.2	73	14	160	24	29.76			29.96	FM-15	0.00	29.94
24	1154	7	FEW:02 29 BKN:07 75 OVC:08 110	10.00	-RA:02 RA RA	64	17.8	59	15.0	55	12.8	73	18	160	23	29.70			29.90	FM-15	T	29.88
24	1216	7	BKN:07 28 BKN:07 60 OVC:08 90	10.00	-RA:02 RA RA	63	17.2	60	15.6	57	13.9	81	9	160		29.69				FM-16	0.01	29.87
24	1254	7	BKN:07 28 BKN:07 60 OVC:08 90	10.00	-RA:02 RA RA	64	17.8	60	15.6	57	13.9	78	14	170	22	29.66	8	+0.15	29.85	FM-15	0.01	29.84
24	1300	4	26	9.94	RA	64	17.8	60	15.6	57	13.9	78	14	170		29.66	8	+0.15	29.85	FM-12		
24	1354	7	BKN:07 29 BKN:07 60 OVC:08 85	5.00	-RA:02 RA RA	63	17.2	60	15.6	58	14.4	84	13	150		29.60			29.79	FM-15	0.02	29.78
24	1405	7	SCT:04 30 BKN:07 55 OVC:08 90	6.00	-RA:02 RA RA	63	17.2	60	15.6	58	14.4	84	14	150		29.59				FM-16	T	29.77
24	1454	7	SCT:04 32 BKN:07 50 OVC:08 90	4.00	-RA:02 RA RA	64	17.8	61	16.1	59	15.0	84	17	150		29.55			29.74	FM-15	0.06	29.73
24	1554	7	SCT:04 28 OVC:08 48	4.00	-RA:02 RA RA	64	17.8	61	16.1	59	15.0	84	21	150	28	29.52	6	+0.14	29.71	FM-15	0.04	29.69
24	1609	7	SCT:04 17 OVC:08 32	1.50	+RA:02 BR:1 RA RA	64	17.8	62	16.7	60	15.6	87	25	230	30	29.56				FM-16	0.03	29.74

24	1615	7	FEW:02 9 OVC:08 32	1.50	+RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	20	250	30	29.55				FM-16	0.14	29.73
24	1619	7	FEW:02 9 BKN:07 20 OVC:08 44	2.50	+RA:02 BR:1 RA RA	63	17.2	61	16.1	60	15.6	90	20	220	25	29.56				FM-16	0.26	29.74
24	1634	7	FEW:02 9 BKN:07 23 OVC:08 90	4.00	RA:02 BR:1 RA RA	62	16.7	61	16.1	61	16.1	96	11	190		29.55				FM-16	0.50	29.73
24	1638	7	SCT:04 19 BKN:07 36 OVC:08 90	5.00	-RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	11	200		29.54				FM-16	0.51	29.72
24	1645	7	FEW:02 8 BKN:07 75 OVC:08 100	10.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	10	180		29.53				FM-16	0.52	29.71
24	1654	7	FEW:02 7 SCT:04 75 BKN:07 90	10.00		62	16.7	61	16.1	60	15.6	93	9	160		29.53			29.72	FM-15	0.52	29.71
24	1754	7	FEW:02 28 BKN:07 35 OVC:08 100	10.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	13	140		29.49			29.68	FM-15	0.03	29.67
24	1854	7	FEW:02 35 SCT:04 75 BKN:07 110	10.00	RA RA	61	16.1	60	15.6	60	15.6	97	10	140		29.44	8	+0.08	29.63	FM-15	T	29.62
24	1900	4	41	9.94	RA	61	16.1	60	15.6	60	15.6	97	10	140		29.44	8	+0.08	29.63	FM-12		
24	1924	7	BKN:07 9 BKN:07 80 OVC:08 100	3.00	+RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	10	150		29.41				FM-16	0.10	29.59
24	1954	7	BKN:07 6 OVC:08 44	10.00		62	16.7	61	16.1	60	15.6	93	20	140		29.41			29.60	FM-15	0.20	29.59
24	2054	7	FEW:02 7 OVC:08 11	10.00		62	16.7	61	16.1	60	15.6	93	14	160		29.34			29.53	FM-15	0.00	29.52
24	2123	7	BKN:07 7 OVC:08 12	10.00		62	16.7	61	16.1	60	15.6	93	10	150		29.33				FM-16		29.50
24	2154	7	BKN:07 8 OVC:08 16	10.00		63	17.2	62	16.7	61	16.1	93	13	160		29.29	8	+0.14	29.49	FM-15	0.00	29.47
24	2236	7	SCT:04 9 BKN:07 15 OVC:08 24	10.00		64	17.8	63	17.2	62	16.7	93	18	150	26	29.23				FM-16	T	29.41
24	2252	6	SCT:04 9 OVC:08 15	1.50	+RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	94	25	240	38	29.31				FM-16		29.48
24	2254	7	SCT:04 7 OVC:08 15	1.00	+RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	26	230	38	29.29			29.48	FM-15	0.15	29.47
24	2302	7	FEW:02 7 BKN:07 19 OVC:08 30	2.50	+RA:02 BR:1 RA RA	61	16.1	59	15.0	58	14.4	90	21	240	36	29.28				FM-16	0.17	29.46
24	2306	7	SCT:04 17 BKN:07 30 OVC:08 49	4.00	-RA:02 BR:1 RA RA	61	16.1	59	15.0	57	13.9	87	21	230	30	29.31				FM-16	0.18	29.49
24	2354	7	BKN:07 60 OVC:08 75	10.00		58	14.4	56	13.3	55	12.8	90	9	200		29.29			29.48	FM-15	0.06	29.47
25	0054	7	SCT:04 65 BKN:07 80 BKN:07 90	10.00		58	14.4	56	13.3	54	12.2	87	13	200		29.28	8	+0.02	29.46	FM-15	T	29.45
25	0100	4	57	9.94		58	14.4	56	13.3	54	12.2	87	13	200		29.27	8	+0.02	29.46	FM-12		
25	0154	7	FEW:02 26 SCT:04 35 OVC:08 75	10.00	-RA:02 RA RA	58	14.4	56	13.3	54	12.2	87	11	190		29.28			29.46	FM-15	T	29.45
25	0252	6	SCT:04 18 BKN:07 28 OVC:08 55	10.00	-RA:02 RA RA	57	13.9	55	12.8	54	12.2	88	10	180		29.28				FM-16		29.45
25	0254	7	SCT:04 18 BKN:07 28 OVC:08 55	10.00	-RA:02 RA RA	57	13.9	55	12.8	54	12.2	90	10	170		29.28			29.46	FM-15	T	29.45

25	0354	7	FEW:02 14 BKN:07 27 OVC:08 100	10.00		53	11.7	50	10.0	48	8.9	83	15	240	25	29.26	8	+0.01	29.45	FM-15	T	29.44
25	0452	6	FEW:02 16 SCT:04 42 SCT:04 100	10.00		48	8.9	47	8.3	45	7.2	87	16	250	25	29.31				FM-16		29.48
25	0454	7	FEW:02 16 SCT:04 42 SCT:04 100	10.00		48	8.9	46	7.8	44	6.7	86	15	250	25	29.31			29.49	FM-15	0.00	29.48
25	0554	7	SCT:04 13 SCT:04 100 OVC:08 130	10.00		44	6.7	42	5.6	40	4.4	85	14	250		29.36			29.55	FM-15	0.00	29.54
25	0611	7	BKN:07 13 BKN:07 100 OVC:08 130	10.00		43	6.1	41	5.0	39	3.9	86	17	240	25	29.39				FM-16		29.56
25	0654	7	OVC:08 13	10.00		40	4.4	38	3.3	36	2.2	86	17	230		29.39	1	-0.14	29.58	FM-15	0.00	29.57
25	0700	4	15	9.94		40	4.4	38	3.3	36	2.2	86	17	230		29.39	1	-0.14	29.58	FM-12		
25	0704	7	OVC:08 15	10.00		40	4.4	38	3.3	35	1.7	83	16	240		29.41				FM-16		29.58
25	0754	7	BKN:07 21 BKN:07 180	10.00		38	3.3	35	1.7	31	-0.6	76	20	240	26	29.44			29.63	FM-15	0.00	29.62
25	0808	7	SCT:04 21 BKN:07 190 BKN:07 300	10.00		37	2.8	34	1.1	29	-1.7	73	20	240	28	29.44				FM-16		29.62
25	0854	7	FEW:02 22 FEW:02 35 BKN:07 210	10.00		37	2.8	34	1.1	28	-2.2	70	10	240		29.49			29.68	FM-15	0.00	29.67
25	0954	7	FEW:02 30 BKN:07 230	10.00		36	2.2	33	0.6	27	-2.8	70	11	230		29.52	1	-0.11	29.70	FM-15	0.00	29.69
25	1054	7	FEW:02 30 FEW:02 240 SCT:04 300	10.00		38	3.3	33	0.6	25	-3.9	60	16	240		29.52			29.72	FM-15	0.00	29.70
25	1154	7	BKN:07 42	10.00		39	3.9	32	0.0	21	-6.1	48	20	240	30	29.52			29.71	FM-15	0.00	29.70
25	1254	7	BKN:07 50	10.00		37	2.8	31	-0.6	19	-7.2	48	20	260	28	29.52	1	-0.02	29.72	FM-15	0.00	29.70
25	1300	4	57	9.94		37	2.8	31	-0.6	19	-7.2	48	20	260		29.52	1	-0.02	29.72	FM-12		
25	1354	7	BKN:07 55	10.00		37	2.8	30	-1.1	15	-9.4	41	18	250	28	29.54			29.73	FM-15	0.00	29.72
25	1454	7	BKN:07 55	10.00		35	1.7	28	-2.2	14	-10.0	42	21	240	29	29.58			29.77	FM-15	0.00	29.76
25	1554	7	BKN:07 60	10.00		33	0.6	27	-2.8	13	-10.6	43	20	250	28	29.60	3	-0.08	29.80	FM-15	0.00	29.78
25	1654	7	BKN:07 60	10.00		32	0.0	26	-3.3	11	-11.7	41	20	240		29.66			29.86	FM-15	0.00	29.84
25	1754	7	BKN:07 65	10.00		32	0.0	26	-3.3	11	-11.7	41	17	270	26	29.70			29.90	FM-15	0.00	29.88
25	1854	7	BKN:07 70	10.00		30	-1.1	24	-4.4	10	-12.2	43	22	270	30	29.73	1	-0.13	29.93	FM-15	0.00	29.91
25	1900	4	74	9.94		30	-1.1	24	-4.4	10	-12.2	43	22	270		29.73	1	-0.13	29.93	FM-12		
25	1954	7	FEW:02 70	10.00		28	-2.2	23	-5.0	9	-12.8	44	13	260	23	29.75			29.95	FM-15	0.00	29.93
25	2054	7	FEW:02 70	10.00		28	-2.2	22	-5.6	8s	8ss	43	14	270		29.78			29.98	FM-15	0.00	29.96
25	2154	7	CLR:00	10.00		27	-2.8	22	-5.6	8s	8ss	45	14	260		29.80	2	-0.07	30.00	FM-15	0.00	29.98
25	2254	7	CLR:00	10.00		27	-2.8	22	-5.6	8	-13.3	45	13	280		29.82			30.02	FM-15	0.00	30.00
25	2354	7	CLR:00	10.00		26	-3.3	21	-6.1	8	-13.3	46	14	260		29.84			30.03	FM-15	0.00	30.02
26	0054	7	CLR:00	10.00		25	-3.9	21	-6.1	9	-12.8	50	9	250		29.84	1	-0.04	30.04	FM-15	0.00	30.02
26	0100	4		9.94		25	-3.9	21	-6.1	9	-12.8	50	9	250		29.84	1	-0.04	30.04	FM-12		
26	0154	7	FEW:02 300	10.00		25	-3.9	21	-6.1	9	-12.8	50	10	270		29.86			30.06	FM-15	0.00	30.04
26	0254	7	FEW:02 300	10.00		25	-3.9	21	-6.1	9	-12.8	50	8	260		29.87			30.07	FM-15	0.00	30.05
26	0354	7	CLR:00	10.00		24	-4.4	20	-6.7	8	-13.3	50	15	270		29.89	1	-0.05	30.08	FM-15	0.00	30.07
26	0454	7	FEW:02 300	10.00		23	-5.0	19	-7.2	8	-13.3	53	8	260		29.89			30.09	FM-15	0.00	30.07
26	0554	7	FEW:02 300	10.00		23	-5.0	19	-7.2	8	-13.3	53	11	260		29.90			30.10	FM-15	0.00	30.08
26	0654	7	FEW:02 300	10.00		22	-5.6	18	-7.8	8	-13.3	55	7	250		29.90	1	-0.02	30.10	FM-15	0.00	30.08
26	0700	4		9.94		22	-5.6	18	-7.8	8	-13.3	55	7	250		29.90	1	-0.02	30.10	FM-12		
26	0754	7	FEW:02 120	10.00		23	-5.0	19	-7.2	9	-12.8	55	10	260		29.92			30.12	FM-15	0.00	30.10
26	0854	7	FEW:02 120	10.00		25	-3.9	21	-6.1	9	-12.8	50	14	270		29.93			30.13	FM-15	0.00	30.11
26	0954	7	FEW:02 120	10.00		28	-2.2	23	-5.0	10	-12.2	47	13	260		29.94	1	-0.04	30.14	FM-15	0.00	30.12
26	1054	7	CLR:00	10.00		30	-1.1	24	-4.4	10	-12.2	43	9	250		29.92			30.11	FM-15	0.00	30.10
26	1154	7	FEW:02 100	10.00		33	0.6	26	-3.3	11	-11.7	40	9	260	16	29.91			30.10	FM-15	0.00	30.09

26	1254	7	FEW:02 60 FEW:02 100	10.00		34	1.1	27	-2.8	11	-11.7	38	11	250		29.88	8	+0.06	30.08	FM-15	0.00	30.06
26	1300	4	57	9.94		34	1.1	27	-2.8	11	-11.7	38	11	250		29.88	8	+0.06	30.08	FM-12		
26	1354	7	FEW:02 60	10.00		36	2.2	28	-2.2	12	-11.1	37	14	250	18	29.86			30.06	FM-15	0.00	30.04
26	1454	7	FEW:02 60	10.00		38	3.3	30	-1.1	12	-11.1	34	11	230		29.83			30.03	FM-15	0.00	30.01
26	1554	7	FEW:02 60	10.00		38	3.3	30	-1.1	12	-11.1	34	13	260		29.84	5	+0.04	30.04	FM-15	0.00	30.02
26	1654	7	FEW:02 70	10.00		36	2.2	28	-2.2	10	-12.2	34	9	240	17	29.86			30.05	FM-15	0.00	30.04
26	1754	7	FEW:02 80	10.00		35	1.7	28	-2.2	11	-11.7	37	8	240		29.88			30.07	FM-15	0.00	30.06
26	1854	7	CLR:00	10.00		32	0.0	26	-3.3	13	-10.6	45	5	220		29.89	3	-0.05	30.09	FM-15	0.00	30.07
26	1900	4		9.94		32	0.0	26	-3.3	13	-10.6	45	5	220		29.89	3	-0.05	30.09	FM-12		
26	1954	7	CLR:00	10.00		29	-1.7	25	-3.9	16	-8.9	58	6	190		29.90			30.10	FM-15	0.00	30.08
26	2054	7	CLR:00	10.00		30	-1.1	25	-3.9	15	-9.4	54	5	200		29.91			30.11	FM-15	0.00	30.09
26	2154	7	CLR:00	10.00		30	-1.1	25	-3.9	15	-9.4	54	6	200		29.93	3	-0.04	30.13	FM-15	0.00	30.11
26	2254	7	CLR:00	10.00		29	-1.7	25	-3.9	17	-8.3	61	0	000		29.94			30.14	FM-15	0.00	30.12
26	2354	7	CLR:00	10.00		26	-3.3	23	-5.0	18	-7.8	71	0	000		29.96			30.16	FM-15	0.00	30.14
27	0054	7	CLR:00	10.00		26	-3.3	24	-4.4	19	-7.2	75	0	000		29.96	1	-0.03	30.16	FM-15	0.00	30.14
27	0100	4		9.94		26	-3.3	24	-4.4	19	-7.2	75	0	000		29.96	1	-0.03	30.16	FM-12		
27	0154	7	FEW:02 300	10.00		26	-3.3	24	-4.4	19	-7.2	75	0	000		29.98			30.18	FM-15	0.00	30.16
27	0254	7	FEW:02 300	10.00		26	-3.3	24	-4.4	19	-7.2	75	0	000		30.01			30.21	FM-15	0.00	30.19
27	0354	7	FEW:02 300	10.00		24	-4.4	22	-5.6	19	-7.2	81	0	000		30.02	1	-0.06	30.22	FM-15	0.00	30.20
27	0454	7	FEW:02 300	10.00		24	-4.4	22	-5.6	19	-7.2	81	0	000		30.04			30.24	FM-15	0.00	30.22
27	0554	7	FEW:02 300	10.00		24	-4.4	23	-5.0	20	-6.7	84	3	020		30.07			30.27	FM-15	0.00	30.25
27	0654	7	FEW:02 300	10.00		23	-5.0	22	-5.6	19	-7.2	85	3	020		30.10	3	-0.07	30.29	FM-15	0.00	30.28
27	0700	4		9.94		23	-5.0	22	-5.6	19	-7.2	85	3	020		30.10	3	-0.07	30.29	FM-12		
27	0754	7	SCT:04 300	10.00		25	-3.9	23	-5.0	20	-6.7	81	0	000		30.12			30.32	FM-15	0.00	30.30
27	0854	7	SCT:04 300	10.00		31	-0.6	28	-2.2	23	-5.0	72	6	070		30.13			30.33	FM-15	0.00	30.31
27	0954	7	SCT:04 300	10.00		35	1.7	31	-0.6	25	-3.9	67	6	090		30.15	1	-0.06	30.35	FM-15	0.00	30.33
27	1054	7	SCT:04 300	10.00		39	3.9	34	1.1	25	-3.9	57	3	140		30.15			30.35	FM-15	0.00	30.33
27	1154	7	SCT:04 300	10.00		41	5.0	34	1.1	23	-5.0	49	3	150		30.14			30.34	FM-15	0.00	30.32
27	1254	7	SCT:04 300	10.00		43	6.1	36	2.2	25	-3.9	49	8	130		30.12	8	+0.03	30.32	FM-15	0.00	30.30
27	1300	4		9.94		43	6.1	36	2.2	25	-3.9	49	8	130		30.12	8	+0.03	30.32	FM-12		
27	1354	7	SCT:04 300	10.00		44	6.7	37	2.8	25	-3.9	47	5	VRB		30.10			30.30	FM-15	0.00	30.28
27	1454	7	SCT:04 300	10.00		44	6.7	37	2.8	27	-2.8	51	9	170		30.11			30.31	FM-15	0.00	30.29
27	1554	7	BKN:07 300	10.00		44	6.7	37	2.8	27	-2.8	51	6	160		30.11	6	+0.02	30.31	FM-15	0.00	30.29
27	1654	7	BKN:07 300	10.00		40	4.4	35	1.7	27	-2.8	60	6	120		30.11			30.31	FM-15	0.00	30.29
27	1754	7	BKN:07 300	10.00		38	3.3	34	1.1	27	-2.8	65	0	000		30.11			30.31	FM-15	0.00	30.29
27	1854	7	BKN:07 300	10.00		35	1.7	32	0.0	27	-2.8	72	0	000		30.12	3	-0.01	30.32	FM-15	0.00	30.30
27	1900	4		9.94		35	1.7	32	0.0	27	-2.8	72	0	000		30.12	3	-0.01	30.32	FM-12		
27	1954	7	BKN:07 300	10.00		33	0.6	30	-1.1	26	-3.3	75	5	130		30.11			30.31	FM-15	0.00	30.29
27	2054	7	SCT:04 300	10.00		34	1.1	31	-0.6	27	-2.8	75	0	000		30.12			30.32	FM-15	0.00	30.30
27	2154	7	BKN:07 300	10.00		31	-0.6	29	-1.7	26	-3.3	82	0	000		30.13	3	-0.01	30.32	FM-15	0.00	30.31
27	2254	7	BKN:07 250	10.00		32	0.0	31	-0.6	28	-2.2	85	5	130		30.12			30.32	FM-15	0.00	30.30
27	2354	7	BKN:07 250	10.00		32	0.0	31	-0.6	28	-2.2	85	6	150		30.11			30.30	FM-15	0.00	30.29
28	0054	7	SCT:04 250	10.00		31	-0.6	30	-1.1	27	-2.8	85	7	180		30.09	8	+0.04	30.28	FM-15	0.00	30.27
28	0100	4		9.94		31	-0.6	30	-1.1	27	-2.8	85	7	180		30.09	8	+0.04	30.28	FM-12		
28	0154	7	BKN:07 250	10.00		32	0.0	30	-1.1	27	-2.8	82	6	190		30.08			30.27	FM-15	0.00	30.26
28	0254	7	BKN:07 250	10.00		32	0.0	30	-1.1	26	-3.3	79	6	190		30.08			30.27	FM-15	0.00	30.26
28	0354	7	SCT:04 250	10.00		31	-0.6	30	-1.1	27	-2.8	85	7	170		30.07	7	+0.02	30.26	FM-15	0.00	30.25
28	0454	7	SCT:04 250	10.00		33	0.6	31	-0.6	29	-1.7	85	6	180		30.04			30.23	FM-15	0.00	30.22
28	0554	7	SCT:04 250	10.00		33	0.6	31	-0.6	29	-1.7	85	5	170		30.05			30.25	FM-15	0.00	30.23
28	0654	7	BKN:07 250	10.00		33	0.6	31	-0.6	29	-1.7	85	5	190		30.05	6	+0.01	30.25	FM-15	0.00	30.23
28	0700	4		9.94		33	0.6	31	-0.6	29	-1.7	85	5	190		30.05	6	+0.01	30.25	FM-12		
28	0754	7	BKN:07 250	10.00		34	1.1	33	0.6	31	-0.6	89	8	200		30.05			30.25	FM-15	0.00	30.23
28	0854	7	BKN:07 270	10.00		39	3.9	37	2.8	33	0.6	79	7	190		30.06			30.25	FM-15	0.00	30.24
28	0954	7	BKN:07 200 BKN:07 270	10.00		42	5.6	38	3.3	33	0.6	71	9	210		30.06	1	-0.01	30.25	FM-15	0.00	30.24

28	1054	7	BKN:07 200 OVC:08 270	10.00		46	7.8	41	5.0	34	1.1	63	8	210		30.04			30.24	FM-15	0.00	30.22
28	1154	7	BKN:07 90 OVC:08 250	10.00		50	10.0	42	5.6	32	0.0	50	10	230		30.02			30.21	FM-15	0.00	30.20
28	1254	7	BKN:07 90 OVC:08 250	10.00		52	11.1	43	6.1	32	0.0	47	9	240		30.00	8	+0.06	30.19	FM-15	0.00	30.18
28	1300	4		9.94		52	11.1	43	6.1	32	0.0	47	9	240		30.00	8	+0.06	30.19	FM-12		
28	1354	7	BKN:07 80 BKN:07 250	10.00		55	12.8	45	7.2	33	0.6	44	10	230		29.98			30.17	FM-15	0.00	30.16
28	1454	7	SCT:04 90 BKN:07 250	10.00		58	14.4	47	8.3	34	1.1	41	6	220		29.97			30.17	FM-15	0.00	30.15
28	1554	7	FEW:02 90 BKN:07 250	10.00		57	13.9	47	8.3	35	1.7	44	9	220		29.97	6	+0.02	30.17	FM-15	0.00	30.15
28	1654	7	FEW:02 90 SCT:04 250 OVC:08 300	10.00		53	11.7	45	7.2	35	1.7	51	6	230		29.99			30.18	FM-15	0.00	30.17
28	1754	7	FEW:02 60 SCT:04 250 BKN:07 300	10.00		48	8.9	42	5.6	35	1.7	61	7	220		30.01			30.20	FM-15	0.00	30.19
28	1854	7	BKN:07 300	10.00		49	9.4	43	6.1	35	1.7	59	8	220		30.03	3	-0.05	30.22	FM-15	0.00	30.21
28	1900	4		9.94		49	9.4	43	6.1	35	1.7	59	8	220		30.03	3	-0.05	30.22	FM-12		
28	1954	7	FEW:02 70 SCT:04 300	10.00		47	8.3	42	5.6	35	1.7	63	7	220		30.04			30.23	FM-15	0.00	30.22
28	2054	7	FEW:02 65 SCT:04 300	10.00		49	9.4	43	6.1	36	2.2	61	8	240		30.04			30.24	FM-15	0.00	30.22
28	2154	7	FEW:02 65 FEW:02 300	10.00		47	8.3	42	5.6	36	2.2	66	7	240		30.04	1	-0.02	30.24	FM-15	0.00	30.22
28	2254	7	FEW:02 300	10.00		47	8.3	43	6.1	37	2.8	69	7	260		30.05			30.25	FM-15	0.00	30.23
28	2354	7	FEW:02 300	10.00		45	7.2	41	5.0	37	2.8	74	7	260		30.05			30.24	FM-15	0.00	30.23
29	0054	7	FEW:02 300	10.00		45	7.2	41	5.0	37	2.8	74	7	260		30.06	3	-0.01	30.25	FM-15	0.00	30.24
29	0100	4		9.94		45	7.2	41	5.0	37	2.8	74	7	260		30.06	3	-0.01	30.25	FM-12		
29	0154	7	FEW:02 300	10.00		44	6.7	41	5.0	37	2.8	76	6	260		30.06			30.26	FM-15	0.00	30.24
29	0254	7	FEW:02 300	10.00		39	3.9	38	3.3	36	2.2	89	7	350		30.11			30.30	FM-15	0.00	30.29
29	0354	7	FEW:02 300	10.00		40	4.4	37	2.8	33	0.6	77	9	010		30.13	3	-0.07	30.32	FM-15	0.00	30.31
29	0454	7	CLR:00	10.00		38	3.3	35	1.7	31	-0.6	76	7	350		30.18			30.37	FM-15	0.00	30.36
29	0554	7	CLR:00	10.00		37	2.8	34	1.1	28	-2.2	70	6	020		30.20			30.39	FM-15	0.00	30.38
29	0654	7	FEW:02 300	10.00		37	2.8	34	1.1	28	-2.2	70	3	010		30.23	1	-0.10	30.43	FM-15	0.00	30.41
29	0700	4		9.94		37	2.8	34	1.1	28	-2.2	70	3	010		30.23	1	-0.10	30.43	FM-12		
29	0754	7	FEW:02 300	10.00		34	1.1	31	-0.6	27	-2.8	75	6	360		30.27			30.46	FM-15	0.00	30.45
29	0854	7	CLR:00	10.00		40	4.4	36	2.2	29	-1.7	65	5	350		30.32			30.51	FM-15	0.00	30.50
29	0954	7	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	15	350		30.33	1	-0.10	30.52	FM-15	0.00	30.51
29	1054	7	CLR:00	10.00		44	6.7	36	2.2	24	-4.4	45	16	350	25	30.33			30.53	FM-15	0.00	30.51
29	1154	7	CLR:00	10.00		46	7.8	37	2.8	24	-4.4	42	11	020		30.31			30.51	FM-15	0.00	30.49
29	1254	7	CLR:00	10.00		47	8.3	38	3.3	24	-4.4	41	15	360		30.30	8	+0.03	30.49	FM-15	0.00	30.48
29	1300	4		9.94		47	8.3	38	3.3	24	-4.4	41	15	360		30.30	8	+0.03	30.49	FM-12		
29	1354	7	CLR:00	10.00		47	8.3	38	3.3	24	-4.4	41	10	360		30.29			30.49	FM-15	0.00	30.47
29	1454	7	CLR:00	10.00		46	7.8	37	2.8	23	-5.0	40	14	360	24	30.30			30.49	FM-15	0.00	30.48
29	1554	7	FEW:02 300	10.00		44	6.7	35	1.7	21	-6.1	40	11	360		30.31	3	-0.01	30.51	FM-15	0.00	30.49
29	1654	7	FEW:02 300	10.00		40	4.4	33	0.6	19	-7.2	43	11	020		30.33			30.53	FM-15	0.00	30.51
29	1754	7	FEW:02 300	10.00		36	2.2	30	-1.1	18	-7.8	48	7	020		30.34			30.54	FM-15	0.00	30.52
29	1854	7	CLR:00	10.00		34	1.1	28	-2.2	15	-9.4	46	7	050		30.37	3	-0.05	30.57	FM-15	0.00	30.55
29	1900	4		9.94		34	1.1	28	-2.2	15	-9.4	46	7	050		30.37	3	-0.05	30.57	FM-12		
29	1954	7	CLR:00	10.00		34	1.1	28	-2.2	14	-10.0	44	5	050		30.38			30.58	FM-15	0.00	30.56
29	2054	7	CLR:00	10.00		32	0.0	27	-2.8	15	-9.4	50	5	040		30.38			30.58	FM-15	0.00	30.56
29	2154	7	CLR:00	10.00		31	-0.6	26	-3.3	15	-9.4	52	0	000		30.38	1	-0.02	30.58	FM-15	0.00	30.56
29	2254	7	FEW:02 150 FEW:02 300	10.00		30	-1.1	26	-3.3	18	-7.8	61	3	030		30.39			30.58	FM-15	0.00	30.57
29	2354	7	SCT:04 180	10.00		30	-1.1	27	-2.8	20	-6.7	66	0	000		30.36			30.56	FM-15	0.00	30.54
30	0054	7	SCT:04 170	10.00		31	-0.6	27	-2.8	17	-8.3	56	3	260		30.38	5	+0.01	30.57	FM-15	0.00	30.56
30	0100	4		9.94		31	-0.6	27	-2.8	17	-8.3	56	3	260		30.38	5	+0.01	30.57	FM-12		

30	0154	7	SCT:04 200	10.00		27	-2.8	25	-3.9	20	-6.7	75	5	050		30.38			30.58	FM-15	0.00	30.56
30	0254	7	FEW:02 200	10.00		28	-2.2	25	-3.9	19	-7.2	69	0	000		30.37			30.56	FM-15	0.00	30.55
30	0354	7	CLR:00	10.00		26	-3.3	24	-4.4	19	-7.2	75	3	350		30.37	8	+0.01	30.57	FM-15	0.00	30.55
30	0454	7	CLR:00	10.00		25	-3.9	23	-5.0	20	-6.7	81	0	000		30.35			30.55	FM-15	0.00	30.53
30	0554	7	CLR:00	10.00		24	-4.4	22	-5.6	19	-7.2	81	0	000		30.34			30.54	FM-15	0.00	30.52
30	0654	7	FEW:02 100 FEW:02 220	10.00		26	-3.3	24	-4.4	19	-7.2	75	0	000		30.33	6	+0.04	30.53	FM-15	0.00	30.51
30	0700	4		9.94		26	-3.3	24	-4.4	19	-7.2	75	0	000		30.33	6	+0.04	30.53	FM-12		
30	0754	7	SCT:04 220 BKN:07 300	10.00		26	-3.3	24	-4.4	21	-6.1	81	0	000		30.35			30.55	FM-15	0.00	30.53
30	0854	7	BKN:07 240 BKN:07 300	10.00		32	0.0	30	-1.1	25	-3.9	75	0	000		30.34			30.54	FM-15	0.00	30.52
30	0954	7	BKN:07 230 BKN:07 300	10.00		36	2.2	32	0.0	24	-4.4	62	0	000		30.34	1	-0.01	30.54	FM-15	0.00	30.52
30	1054	7	FEW:02 230 SCT:04 300	10.00		41	5.0	35	1.7	25	-3.9	53	7	200		30.30			30.50	FM-15	0.00	30.48
30	1154	7	BKN:07 300	10.00		44	6.7	37	2.8	27	-2.8	51	14	190		30.25			30.45	FM-15	0.00	30.43
30	1254	7	BKN:07 250	10.00		46	7.8	38	3.3	25	-3.9	44	8	200		30.19	8	+0.16	30.38	FM-15	0.00	30.37
30	1300	4		9.94		46	7.8	38	3.3	25	-3.9	44	8	200		30.19	8	+0.16	30.38	FM-12		
30	1354	7	BKN:07 250	10.00		48	8.9	39	3.9	25	-3.9	41	10	190		30.15			30.35	FM-15	0.00	30.33
30	1454	7	FEW:02 80 SCT:04 300	10.00		49	9.4	39	3.9	25	-3.9	39	15	190	20	30.15			30.34	FM-15	0.00	30.33
30	1554	7	SCT:04 90 BKN:07 300	10.00		47	8.3	39	3.9	26	-3.3	44	8	200		30.13	6	+0.06	30.33	FM-15	0.00	30.31
30	1654	7	SCT:04 42 BKN:07 85 BKN:07 300	10.00		46	7.8	38	3.3	27	-2.8	47	8	200		30.11			30.31	FM-15	0.00	30.29
30	1754	7	SCT:04 45 OVC:08 85	10.00		47	8.3	38	3.3	25	-3.9	42	6	240		30.11			30.31	FM-15	0.00	30.29
30	1854	4		10.00		46	7.8			28	-2.2	50	10	220			8	+0.05	30.28	FM-15		30.26
30	1900	4	41	9.94		46	7.8	39	3.9	28	-2.2	50	10	220		30.08	8	+0.05	30.28	FM-12		
30	1954	7	SCT:04 25 BKN:07 37 OVC:08 55	10.00		45	7.2	40	4.4	34	1.1	66	6	230		30.05			30.25	FM-15	T	30.23
30	2007	7	BKN:07 25 OVC:08 42	10.00	-RA:02 RA RA	44	6.7	40	4.4	35	1.7	71	8	260		30.06				FM-16	T	30.24
30	2054	7	BKN:07 25 OVC:08 44	8.00	-RA:02 RA RA	42	5.6	40	4.4	38	3.3	85	6	220		30.04			30.23	FM-15	T	30.22
30	2154	7	FEW:02 25 BKN:07 32 OVC:08 43	6.00	-RA:02 BR:1 RA RA	41	5.0	41	5.0	40	4.4	96	8	180		30.02	6	+0.06	30.22	FM-15	0.02	30.20
30	2254	7	BKN:07 40 OVC:08 85	10.00		41	5.0	41	5.0	40	4.4	96	7	200		30.00			30.19	FM-15	T	30.18
30	2315	7	FEW:02 6 BKN:07 30 OVC:08 85	10.00		43	6.1	42	5.6	41	5.0	93	3	240		30.00				FM-16		30.18
30	2354	7	FEW:02 5 OVC:08 30	10.00		43	6.1	42	5.6	41	5.0	93	5	220		29.99			30.18	FM-15	0.00	30.17
31	0054	7	FEW:02 6 SCT:04 18 OVC:08 34	10.00		42	5.6	42	5.6	41	5.0	96	8	190		29.96	8	+0.06	30.15	FM-15		30.14
31	0100	4	5	9.94		42	5.6	42	5.6	41	5.0	96	8	190		29.96	8	+0.06	30.15	FM-12		
31	0118	7	FEW:02 6 BKN:07 22 OVC:08 34	10.00		42	5.6	42	5.6	41	5.0	96	9	190		29.95				FM-16		30.13
31	0154	7	FEW:02 17 BKN:07 34 BKN:07 55	10.00		42	5.6	42	5.6	41	5.0	96	7	200		29.96			30.15	FM-15		30.14
31	0235	7	FEW:02 7 BKN:07 20 OVC:08 36	10.00	-RA:02 RA RA	43	6.1	43	6.1	42	5.6	97	9	200		29.96				FM-16	T	30.14

31	0254	7	FEW:02 7 BKN:07 20 OVC:08 26	9.00	-RA:02 RA RA	44	6.7	43	6.1	42	5.6	93	9	190		29.95			30.14	FM-15	T	30.13
31	0354	4		2.50	RA	44	6.7			43	6.1	96	10	190			8	+0.04	30.11	FM-15	0.03	30.10
31	0412	4		10.00		44	6.7			43	6.1	96	9	200					30.10	FM-15	0.02	30.09
31	0454	4		9.00		44	6.7			43	6.1	96	9	190					30.10	FM-15	0.02	30.09
31	0554	4		10.00		46	7.8			45	7.2	96	9	200					30.10	FM-15	T	30.08
31	0621	4		9.00	RA	46	7.8			45	7.2	96	11	190						FM-16	0.01	30.09
31	0654	4		10.00		47	8.3			45	7.2	93	8	210			5	0.00	30.11	FM-15	0.01	30.10
31	0700	4	5	9.94		47	8.3	46	7.8	45	7.2	93	8	210		29.92	5	0.00	30.11	FM-12		
31	0754	4		7.00		47	8.3			47	8.3	100	9	190					30.13	FM-15		30.12
31	0854	4		9.00		49	9.4			48	8.9	97	8	200					30.15	FM-15		30.13
31	0954	4		10.00		52	11.1			50	10.0	93	10	220			3	-0.05	30.17	FM-15		30.15
31	1054	4		10.00		53	11.7			51	10.6	93	7	200					30.16	FM-15		30.15
31	1154	4		10.00		54	12.2			52	11.1	93	9	210					30.15	FM-15		30.14
31	1222	4		10.00		55	12.8			52	11.1	90	7	210						FM-16		30.12
31	1254	4		10.00		56	13.3			52	11.1	87	3	250			8	+0.04	30.12	FM-15		30.11
31	1300	4	8	9.94		56	13.3	54	12.2	52	11.1	87	3	250		29.93	8	+0.04	30.12	FM-12		
31	1354	4		10.00		57	13.9			53	11.7	87	0	000					30.14	FM-15	T	30.12
31	1437	4		10.00		57	13.9			53	11.7	87	5	070						FM-16		30.12
31	1454	4		10.00		56	13.3			53	11.7	90	7	080					30.14	FM-15		30.13
31	1522	4		10.00		57	13.9			52	11.1	83	5	080						FM-16		30.15
31	1554	4		10.00		56	13.3			52	11.1	87	6	050			3	-0.05	30.17	FM-15		30.16
31	1654	4		10.00		54	12.2			49	9.4	83	13	040					30.20	FM-15		30.18
31	1754	4		10.00		53	11.7			46	7.8	77	13	030					30.23	FM-15		30.22
31	1854	4		10.00		52	11.1			43	6.1	72	13	030			3	-0.10	30.27	FM-15		30.26
31	1900	4	26	9.94		52	11.1	48	8.9	43	6.1	72	13	030		30.08	3	-0.10	30.27	FM-12		
31	1954	7	OVC:08 24	10.00		49	9.4	44	6.7	37	2.8	64	18	020	24	30.11			30.31	FM-15	0.00	30.29
31	2054	7	OVC:08 26	10.00		47	8.3	42	5.6	36	2.2	66	9	020		30.14			30.33	FM-15	0.00	30.32
31	2154	7	OVC:08 26	10.00		46	7.8	42	5.6	36	2.2	68	8	020		30.16	1	-0.08	30.35	FM-15	0.00	30.34
31	2254	7	OVC:08 28	10.00		45	7.2	41	5.0	36	2.2	71	8	040		30.17			30.37	FM-15	0.00	30.35
31	2352	6	OVC:08 31	10.00		45	7.2	41	5.0	36	2.2	71	9	030		30.20				FM-16		30.38
31	2354	7	OVC:08 31	10.00		44	6.7	40	4.4	35	1.7	71	9	030		30.20			30.39	FM-15	0.00	30.38

Local Climatological Data
Hourly Precipitation
December 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/26/2021

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																					Date				
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID	
01																									01	
02																										02
03																										03
04																			T	0.13	0.01	0.17	0.25		04	
05	0.58	0.71	0.52	0.03	0.01	0.15	0.02																		05	
06																									06	
07					T	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.02	T											07	
08																									08	
09																									09	
10																									10	
11																									11	
12																									12	
13		T	T			T	T	0.02																	13	
14						T	0.19s	0.25	0.21	0.28	0.40	0.12	0.10	0.03	T										14	
15																									15	
16									T	T	0.01	0.07	0.07	0.08	0.16	0.18	0.22	0.14	T	0.01	T	0.01	0.06	T	T	16
17	T																									17
18						T	T																			18
19																										19
20							0.03s	0.04	0.02	0.02	0.05	0.06	0.02	T											20	
21							T	T																		21
22																										22
23																										23
24													T	0.01	0.02	0.06	0.04	0.52	0.03	T	0.20			0.15	0.06	24
25	T	T	T	T																						25
26																										26
27																										27
28																										28
29																										29
30																				M	T	T	0.02	T		30
31	M	M	T	0.03	0.02	T	0.01	M	M	M	M	M	M	T	M	M	M	M	M	M						31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.20	0.36	0.50	0.59	0.71	0.83	0.92	1.12	1.31	1.51	1.71	1.94
Ending Date Time (yyyy-mm-dd hh:mi)	2020-12-24 16:18	2020-12-05 01:03	2020-12-05 01:08	2020-12-05 01:11	2020-12-05 01:11	2020-12-05 01:24	2020-12-05 01:26	2020-12-05 01:59	2020-12-05 02:31	2020-12-05 02:34	2020-12-05 02:56	2020-12-05 02:46

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing