

**Local Climatological Data**  
**Daily Summary**  
**February 2020**

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 04/05/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH						
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees				
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
01	51	38	45	6.3	87	39	41	20	0	0713	1733	RA BR	0.02	0.0	0	29.75	29.92	4.2	15	230	10	230			
02	58	31	45	6.2	57	32	41	20	0	0712	1734	MIFG BR FG	0.00	0.0	0	29.51	29.69	10.9	33	240	26	250			
03	72	45	59	20.1	44	36	48	6	0	0711	1736		0.00	0.0	0	29.68		9.6	19	210	15	210			
04	72*	57	65	25.9	50	44	54	0	0	0710	1737	RA DZ	T	0.0	0	29.68	29.87	10.4	27	310	17	230			
05	64	41	53	13.8	86	46	49	12	0	0710	1738	RA BR	0.14	0.0	0	29.74	29.93	10.6	31	020	24	010			
06	52	41	47	7.7	99	45	46	18	0	0709	1739	RA BR	1.60	0.0	0	29.44	29.59	4.3	17	360	15	360			
07	62	36	49	9.5	62	37	45	16	0	0708	1740	RA BR	0.21	0.0	0	29.22	29.47	20.8	57	250	43	240			
08	46	29	38	-1.6	54	22	32	27	0	0707	1741		0.00	0.0	0	30.02	30.25	6.7	17	240	15	230			
09	52	28	40	0.2	68	28	35	25	0	0706	1742		0.00	0.0	0	30.26	30.47	5.2	16	190	13	140			
10	57	38	48	8.1	77	41	45	17	0	0705	1743	RA BR	0.17	0.0	0	30.06	30.25	10.6	32	220	23	220			
11	61	51	56	15.9	95	56	56	9	0	0703	1744	RA BR	0.74	0.0	0	29.78	29.95	6.8	17	030	14	030			
12	51	44	48	7.7	69	37	43	17	0	0702	1745		T	0.0	0	29.96	30.14	6.7	18	130	15	130			
13	62	43	53	12.6	86	49	51	12	0	0701	1746	RA DZ BR	0.10	0.0	0	29.62	29.82	9.9	26	310	21	310			
14	47	28	38	-2.6	58	25	34	27	0	0700	1747		0.00	0.0	0	30.06	30.32	9.6	26	020	21	010			
15	39	21	30	-10.8	56	16	26	35	0	0659	1749		0.00	0.0	0	30.37	30.55	5.9	18	180	14	020			
16	52	29	41	0.0	63	29	36	24	0	0658	1750		0.00	0.0	0	30.04	30.21	5.8	13	260	10	240			
17	57	37	47	5.8	61	33	40	18	0	0657	1751		0.00	0.0	0	30.03	30.23	6.4	22	040	16	050			
18	64	33	49	7.6	80	42	46	16	0	0655	1752	RA BR HZ	T	0.0	0	29.99	30.16	4.1	19	200	15	210			
19	54	33	44	2.4	61	31	40	21	0	0654	1753	RA BR	0.12	0.0	0	30.08	30.31	7.2	29	020	23	010			
20	40	31	36	-5.8	72	26	32	29	0	0653	1754	SN BR	0.07	0.5	0	30.23	30.42	4.9	20	040	16	050			
21	40	22	31	-11.1	51	14	26	34	0	0652	1755		0.00	0.0	T	30.28	30.49	10.1	27	010	21	350			
22	53	20*	37	-5.3	53	19	30	28	0	0650	1756		0.00	0.0	0	30.20	30.38	6.3	17	180	14	170			
23	63	25	44	1.5	52	25	37	21	0	0649	1757		0.00	0.0	0	30.02	30.21	5.5	20	200	16	210			
24	56	38	47	4.3	68	36	42	18	0	0648	1758	RA BR	0.04	0.0	0	29.87	30.05	8.1	25	220	20	220			
25	60	46	53	10.0	96	50	51	12	0	0646	1759	RA FG MIFG BR	0.38	0.0	0	29.66	29.85	4.5	20	130	14	130			
26	55	47	51	7.8	99	52	52	14	0	0645	1800	RA DZ FG BR	T	0.0	0	29.62	29.78	6.3	32	240	25	250			
27	51	33	42	-1.5	43	22	35	23	0	0644	1801	RA HZ	T	0.0	0	29.62	29.86	14.6	37	260	28	270			
28	51	28	40	-3.7	48	21	33	25	0	0642	1802		0.00	0.0	0	29.80	29.98	12.3	32	220	24	220			
29	44	29	37	-6.9	46	17	31	28	0	0641	1803		0.00	0.0	0	29.83	30.05	10.9	36	330	26	320			
	54.7	35.2	45.0													29.88	30.07								
	3.4	4.7	4.1											0.83											
	<b>Monthly Averages   Totals</b>												3.59	0.5	0	29.83	30.05	10.9	36	330	26	320			
	<b>Departure from Normal (1981-2010)</b>												0.83												
	<b>Degree Days</b>						<b>Number of days with...</b>																		
	<b>Monthly</b>			<b>Season-to-date</b>			<b>Temperature</b>				<b>Precipitation</b>		<b>Snow</b>	<b>Weather</b>											
	<b>Total</b>	<b>Departure</b>		<b>Total</b>	<b>Departure</b>	<b>Max</b>		<b>Min</b>		<b>&gt;=0.01"</b>		<b>&gt;=0.1"</b>		<b>&gt;=1"</b>	<b>T-Storms</b>		<b>Heavy Fog</b>								
<b>Heating</b>	581	-94		2593		>=90°	<=32°	<=32°	<=0°	11		8		0											
<b>Cooling</b>	0	0		0		0	0	12	0																
	<b>Date of 5-sec to 3-sec wind equipment change</b>						<b>Sea Level Pressure</b>						<b>Greatest...</b>												
	N/A						<b>Maximum</b>		30.68	<b>Date</b>		15	<b>Time</b>		0854	<b>24-Hr...</b>		<b>Precip</b>		<b>Snowfall</b>		<b>Snow Depth</b>			
							<b>Minimum</b>		29.09			07			0754	1.74		0.5		T					
															06-07		20-20		21						
	<b>Station Augmentation</b>																								
	Name: N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																								

**Local Climatological Data**  
**Hourly Observations**  
**February 2020**

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 04/05/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						AU   AW   MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	FEW:02 12 OVC:08 90	8.00	-RA:02  RA  RA	38	3.3	38	3.3	37	2.8	97	5	010		29.92	7	+0.06	30.11	FM-15	T	30.10
01	0100	4	15	7.46	RA	38	3.3	38	3.3	37	2.8	97	5	010		29.92	7	+0.06	30.11	FM-12		
01	0154	7	FEW:02 12 BKN:07 55 OVC:08 90	5.00	-RA:02 BR:1  RA  RA	38	3.3	38	3.3	37	2.8	97	0	000		29.89			30.09	FM-15	0.01	30.07
01	0254	7	FEW:02 12 OVC:08 65	5.00	BR:1	38	3.3	38	3.3	37	2.8	97	5	320		29.89			30.09	FM-15	0.00	30.07
01	0306	7	FEW:02 4 BKN:07 19 OVC:08 65	5.00	BR:1	38	3.3	38	3.3	37	2.8	97	3	340		29.88				FM-16		30.06
01	0354	7	SCT:04 4 OVC:08 19	6.00	BR:1	38	3.3	38	3.3	37	2.8	97	0	000		29.86	8	+0.06	30.06	FM-15	0.00	30.04
01	0454	7	OVC:08 19	7.00		38	3.3	38	3.3	37	2.8	97	0	000		29.83			30.03	FM-15	0.00	30.01
01	0554	7	OVC:08 16	7.00		38	3.3	38	3.3	37	2.8	97	0	000		29.82			30.02	FM-15	0.00	30.00
01	0654	7	BKN:07 15	7.00		38	3.3	38	3.3	37	2.8	97	3	350		29.82	6	+0.04	30.01	FM-15	0.00	30.00
01	0700	4	15	6.84		38	3.3	38	3.3	37	2.8	97	3	350		29.82	6	+0.04	30.01	FM-12		
01	0754	7	BKN:07 16 BKN:07 60	5.00	BR:1	38	3.3	38	3.3	37	2.8	97	3	340		29.82			30.01	FM-15	0.00	30.00
01	0816	7	FEW:02 16 BKN:07 60	6.00	BR:1	39	3.9	38	3.3	37	2.8	93	6	350		29.81				FM-16		29.99
01	0854	7	FEW:02 14 BKN:07 60	7.00		40	4.4	39	3.9	37	2.8	89	7	010		29.80			30.00	FM-15	0.00	29.98
01	0954	7	FEW:02 14 BKN:07 55	8.00		42	5.6	41	5.0	39	3.9	89	7	350		29.78	8	+0.04	29.97	FM-15	0.00	29.96
01	1020	7	FEW:02 9 BKN:07 55	8.00		42	5.6	41	5.0	39	3.9	89	8	350		29.78				FM-16		29.96
01	1046	7	FEW:02 9 BKN:07 17 BKN:07 55	9.00		44	6.7	42	5.6	39	3.9	83	7	020		29.77				FM-16		29.95
01	1054	7	FEW:02 10 BKN:07 17 BKN:07 55	9.00		44	6.7	42	5.6	39	3.9	83	7	350		29.77			29.96	FM-15	0.00	29.95
01	1115	7	FEW:02 11 SCT:04 18 BKN:07 55	10.00		45	7.2	43	6.1	40	4.4	83	5	010		29.76				FM-16		29.94
01	1154	7	SCT:04 15 BKN:07 55 BKN:07 250	10.00		46	7.8	43	6.1	39	3.9	77	6	350		29.74			29.94	FM-15	0.00	29.92
01	1222	7	BKN:07 19 BKN:07 55	10.00		48	8.9	44	6.7	39	3.9	71	5	050		29.71				FM-16		29.89
01	1254	7	BKN:07 21 BKN:07 250	10.00		50	10.0	45	7.2	39	3.9	66	6	350		29.68	8	+0.10	29.88	FM-15	0.00	29.86
01	1300	4	26	9.94		50	10.0	45	7.2	39	3.9	66	6	350		29.68	8	+0.10	29.88	FM-12		
01	1354	7	BKN:07 27 BKN:07 100	10.00		50	10.0	44	6.7	38	3.3	63	0	000		29.64			29.84	FM-15	0.00	29.82
01	1454	7	BKN:07 30 BKN:07 110	10.00		50	10.0	44	6.7	38	3.3	63	0	000		29.62			29.82	FM-15	0.00	29.80
01	1552	6	BKN:07 29 OVC:08 100	10.00		48	8.9	44	6.7	39	3.9	71	7	170		29.62				FM-16		29.80
01	1554	7	BKN:07 28 BKN:07 95 OVC:08 110	10.00		48	8.9	44	6.7	40	4.4	74	6	180		29.62	5	+0.06	29.82	FM-15	0.00	29.80

01	1654	7	SCT:04 29 BKN:07 100	10.00		47	8.3	43	6.1	39	3.9	74	6	190		29.62			29.81	FM-15	0.00	29.80
01	1754	7	FEW:02 30 SCT:04 60 OVC:08 90	10.00		46	7.8	43	6.1	40	4.4	79	6	180		29.61			29.80	FM-15	T	29.79
01	1854	7	BKN:07 50 OVC:08 75	10.00	-RA:02  RA  RA	44	6.7	43	6.1	42	5.6	93	5	190		29.61	6	+0.01	29.80	FM-15	T	29.79
01	1900	4	57	9.94	RA	44	6.7	43	6.1	42	5.6	93	5	190		29.61	6	+0.01	29.80	FM-12		
01	1954	7	BKN:07 60 OVC:08 90	10.00		44	6.7	43	6.1	42	5.6	93	8	220		29.60			29.79	FM-15	0.01	29.78
01	2054	6	BKN:07 45 OVC:08 60	10.00		44	6.7	43	6.1	41	5.0	89	10	230		29.60			29.79	FM-15	0.00	29.78
01	2154	7	BKN:07 36 BKN:07 50	10.00		43	6.1	42	5.6	40	4.4	89	9	230		29.59	6	+0.02	29.78	FM-15	0.00	29.77
01	2232	7	FEW:02 9 SCT:04 40 BKN:07 80	10.00		42	5.6	41	5.0	40	4.4	92	7	250		29.59				FM-16		29.77
01	2254	7	FEW:02 9 SCT:04 55	10.00		41	5.0	41	5.0	40	4.4	96	3	260		29.58			29.78	FM-15	0.00	29.76
01	2354	7	FEW:02 9 SCT:04 80	6.00	BR:1	39	3.9	39	3.9	39	3.9	100	0	000		29.58			29.78	FM-15	0.00	29.76
02	0054	7	FEW:02 9 SCT:04 80	3.00	BR:1	36	2.2	36	2.2	36	2.2	100	0	000		29.58	6	+0.01	29.77	FM-15	0.00	29.76
02	0100	4	8	2.98		36	2.2	36	2.2	36	2.2	100	0	000		29.58	6	+0.01	29.77	FM-12		
02	0154	7	FEW:02 3 SCT:04 90	3.00	BR:1	36	2.2	36	2.2	36	2.2	100	3	290		29.57			29.76	FM-15	0.00	29.75
02	0254	7	FEW:02 3 FEW:02 60	7.00	MI:1 FG:2  FG	33	0.6	33	0.6	33	0.6	100	3	250		29.55			29.75	FM-15	0.00	29.73
02	0354	7	FEW:02 3 FEW:02 60	10.00		36	2.2	36	2.2	36	2.2	100	3	240		29.55	6	+0.03	29.74	FM-15	0.00	29.73
02	0454	7	SCT:04 75	10.00		35	1.7	35	1.7	34	1.1	96	5	280		29.55			29.75	FM-15	0.00	29.73
02	0554	7	SCT:04 75	10.00		37	2.8	35	1.7	32	0.0	82	7	250		29.57			29.76	FM-15	0.00	29.75
02	0654	7	FEW:02 75 FEW:02 300	10.00		37	2.8	35	1.7	31	-0.6	79	8	250		29.58	3	-0.03	29.78	FM-15	0.00	29.76
02	0700	4	74	9.94		37	2.8	35	1.7	31	-0.6	79	8	250		29.58	3	-0.03	29.78	FM-12		
02	0754	7	FEW:02 75 FEW:02 300	10.00		38	3.3	35	1.7	31	-0.6	76	8	250		29.59			29.78	FM-15	0.00	29.77
02	0854	7	FEW:02 90	10.00		43	6.1	39	3.9	33	0.6	68	7	230		29.60			29.80	FM-15	0.00	29.78
02	0954	7	FEW:02 100	10.00		47	8.3	41	5.0	32	0.0	56	11	230		29.60	0	-0.02	29.80	FM-15	0.00	29.78
02	1054	7	FEW:02 110 SCT:04 130 BKN:07 170	10.00		48	8.9	40	4.4	30	-1.1	50	13	250		29.58			29.77	FM-15	0.00	29.76
02	1154	7	BKN:07 110 BKN:07 150	10.00		51	10.6	42	5.6	29	-1.7	43	14	220		29.55			29.74	FM-15	0.00	29.73
02	1254	7	FEW:02 85	10.00		53	11.7	42	5.6	28	-2.2	38	18	210		29.48	8	+0.12	29.68	FM-15	0.00	29.66
02	1300	4		9.94		53	11.7	42	5.6	28	-2.2	38	18	210		29.48	8	+0.12	29.68	FM-12		
02	1354	7	FEW:02 120	10.00		56	13.3	44	6.7	29	-1.7	36	18	240	30	29.44			29.62	FM-15	0.00	29.61
02	1454	7	FEW:02 120	10.00		57	13.9	45	7.2	29	-1.7	34	23	250	29	29.42			29.62	FM-15	0.00	29.60
02	1554	7	FEW:02 120	10.00		58	14.4	45	7.2	30	-1.1	35	18	220	31	29.39	6	+0.10	29.58	FM-15	0.00	29.56
02	1654	7	FEW:02 120	10.00		58	14.4	45	7.2	30	-1.1	35	20	220	33	29.37			29.57	FM-15	0.00	29.55
02	1754	7	FEW:02 120	10.00		56	13.3	44	6.7	30	-1.1	37	16	220		29.36			29.56	FM-15	0.00	29.54
02	1854	7	CLR:00	10.00		54	12.2	44	6.7	31	-0.6	42	11	210		29.37	5	+0.01	29.56	FM-15	0.00	29.55
02	1900	4		9.94		54	12.2	44	6.7	31	-0.6	42	11	210		29.37	5	+0.01	29.56	FM-12		
02	1954	7	CLR:00	10.00		56	13.3	44	6.7	30	-1.1	37	11	230	22	29.39			29.58	FM-15	0.00	29.57
02	2054	7	CLR:00	10.00		56	13.3	45	7.2	31	-0.6	39	9	260	21	29.41			29.60	FM-15	0.00	29.59
02	2154	7	CLR:00	10.00		56	13.3	45	7.2	32	0.0	40	13	240		29.44	3	-0.06	29.62	FM-15	0.00	29.61
02	2254	7	CLR:00	10.00		55	12.8	45	7.2	32	0.0	42	8	240		29.47			29.65	FM-15	0.00	29.64
02	2354	7	CLR:00	10.00		53	11.7	44	6.7	33	0.6	47	11	230		29.48			29.67	FM-15	0.00	29.66
03	0054	7	CLR:00	10.00		53	11.7	44	6.7	33	0.6	47	10	240		29.50	1	-0.07	29.69	FM-15	0.00	29.68
03	0100	4		9.94		53	11.7	44	6.7	33	0.6	47	10	240		29.50	1	-0.07	29.69	FM-12		
03	0154	7	CLR:00	10.00		52	11.1	43	6.1	32	0.0	47	10	240		29.54			29.73	FM-15	0.00	29.72

03	0254	7	CLR:00	10.00		51	10.6	43	6.1	33	0.6	50	9	240		29.57			29.76	FM-15	0.00	29.75
03	0354	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	9	240		29.60	1	-0.10	29.79	FM-15	0.00	29.78
03	0454	7	CLR:00	10.00		48	8.9	41	5.0	32	0.0	54	6	220		29.63			29.82	FM-15	0.00	29.81
03	0554	7	CLR:00	10.00		51	10.6	43	6.1	32	0.0	48	11	240		29.67			29.86	FM-15	0.00	29.85
03	0654	7	FEW:02 250 SCT:04 300	10.00		51	10.6	43	6.1	32	0.0	48	8	240		29.71	3	-0.11	29.90	FM-15	0.00	29.89
03	0700	4		9.94		51	10.6	43	6.1	32	0.0	48	8	240		29.71	3	-0.11	29.90	FM-12		
03	0754	7	BKN:07 250 BKN:07 300	10.00		51	10.6	43	6.1	33	0.6	50	5	230		29.74			29.93	FM-15	0.00	29.92
03	0854	7	BKN:07 300	10.00		55	12.8	45	7.2	34	1.1	45	8	240		29.75			29.94	FM-15	0.00	29.93
03	0954	7	FEW:02 220 BKN:07 300	10.00		58	14.4	47	8.3	35	1.7	42	8	230		29.77	1	-0.06	29.97	FM-15	0.00	29.95
03	1054	7	FEW:02 200 BKN:07 300	10.00		61	16.1	49	9.4	35	1.7	38	10	240		29.80			29.99	FM-15	0.00	29.98
03	1154	7	FEW:02 220 BKN:07 300	10.00		66	18.9	52	11.1	37	2.8	34	11	230		29.79			29.98	FM-15	0.00	29.97
03	1254	7	BKN:07 230	10.00		70	21.1	53	11.7	37	2.8	30	8	230		29.76	8	+0.02	29.95	FM-15	0.00	29.94
03	1300	4		9.94		70	21.1	53	11.7	37	2.8	30	8	230		29.76	8	+0.02	29.95	FM-12		
03	1354	7	FEW:02 210 BKN:07 250	10.00		71	21.7	54	12.2	37	2.8	29	10	200		29.73			29.93	FM-15	0.00	29.91
03	1454	7	FEW:02 210 OVC:08 250	10.00		71	21.7	53	11.7	36	2.2	28	11	200		29.72			29.92	FM-15	0.00	29.90
03	1554	7	OVC:08 250	10.00		71	21.7	54	12.2	37	2.8	29	11	210		29.72	6	+0.04	29.91	FM-15	0.00	29.90
03	1654	7	FEW:02 250 OVC:08 300	10.00		67	19.4	52	11.1	38	3.3	35	11	200		29.73			29.92	FM-15	0.00	29.91
03	1754	7	FEW:02 250 OVC:08 300	10.00		62	16.7	51	10.6	39	3.9	43	11	200		29.74			29.93	FM-15	0.00	29.92
03	1854	7	OVC:08 300	10.00		60	15.6	50	10.0	39	3.9	46	11	200		29.75	2	-0.03	29.94	FM-15	0.00	29.93
03	1900	4		9.94		60	15.6	50	10.0	39	3.9	46	11	200		29.75	2	-0.03	29.94	FM-12		
03	1954	7	OVC:08 300	10.00		57	13.9	49	9.4	40	4.4	53	11	200		29.75			29.94	FM-15	0.00	29.93
03	2054	7	BKN:07 300	10.00		55	12.8	47	8.3	39	3.9	55	9	190		29.73			29.93	FM-15	0.00	29.91
03	2154	7	BKN:07 300	10.00		55	12.8	47	8.3	39	3.9	55	9	190		29.73	8	+0.02	29.92	FM-15	0.00	29.91
03	2254	7	SCT:04 230 BKN:07 300	10.00		57	13.9	49	9.4	40	4.4	53	8	210		29.73			29.92	FM-15	0.00	29.91
03	2354	7	SCT:04 220 OVC:08 300	10.00		58	14.4	50	10.0	41	5.0	53	10	220		29.71			29.91	FM-15	0.00	29.89
04	0054	7	BKN:07 180 OVC:08 300	10.00		59	15.0	50	10.0	41	5.0	51	10	210		29.70	8	+0.03	29.89	FM-15	0.00	29.88
04	0100	4		9.94		59	15.0	50	10.0	41	5.0	51	10	210		29.70	8	+0.03	29.89	FM-12		
04	0154	7	BKN:07 180 OVC:08 300	10.00		57	13.9	50	10.0	42	5.6	58	9	200		29.69			29.88	FM-15	0.00	29.87
04	0254	7	OVC:08 170	10.00		58	14.4	50	10.0	41	5.0	53	9	210		29.68			29.87	FM-15	0.00	29.86
04	0354	7	BKN:07 160 OVC:08 300	10.00		62	16.7	51	10.6	40	4.4	44	10	230		29.66	8	+0.04	29.85	FM-15	0.00	29.84
04	0454	7	OVC:08 150	10.00		62	16.7	51	10.6	40	4.4	44	11	240		29.68			29.87	FM-15	0.00	29.86
04	0554	7	OVC:08 130	10.00		62	16.7	51	10.6	40	4.4	44	11	240		29.70			29.89	FM-15	0.00	29.88
04	0654	7	OVC:08 110	10.00		62	16.7	51	10.6	41	5.0	46	10	240		29.69	0	-0.03	29.88	FM-15	T	29.87
04	0700	4		9.94		62	16.7	51	10.6	41	5.0	46	10	240		29.69	9	+0.03	29.88	FM-12		
04	0754	7	BKN:07 95 OVC:08 110	10.00	-DZ:01  DZ  DZ	60	15.6	51	10.6	42	5.6	52	8	230		29.72			29.91	FM-15	T	29.90
04	0854	7	SCT:04 95 OVC:08 110	10.00	-RA:02  RA  RA	59	15.0	52	11.1	46	7.8	62	6	250		29.75			29.94	FM-15	T	29.93
04	0954	7	BKN:07 95 BKN:07 110 OVC:08 300	10.00		62	16.7	54	12.2	46	7.8	56	8	220		29.74	0	-0.04	29.93	FM-15	T	29.92
04	1054	7	BKN:07 95 BKN:07 170 BKN:07 220	10.00		66	18.9	54	12.2	44	6.7	45	8	240		29.73			29.93	FM-15	0.00	29.91
04	1154	7	BKN:07 110 BKN:07 170 OVC:08 300	10.00		68	20.0	55	12.8	44	6.7	42	7	220		29.70			29.90	FM-15	0.00	29.88

04	1254	7	FEW:02 95 BKN:07 120 BKN:07 170	10.00		71	21.7	57	13.9	45	7.2	39	9	220		29.67	8	+0.07	29.86	FM-15	0.00	29.85
04	1300	4		9.94		71	21.7	57	13.9	45	7.2	39	9	220		29.67	8	+0.07	29.86	FM-12		
04	1354	7	BKN:07 85 BKN:07 100 OVC:08 170	10.00		70	21.1	57	13.9	45	7.2	41	8	230		29.65			29.84	FM-15	0.00	29.83
04	1454	7	SCT:04 80 BKN:07 180 OVC:08 300	10.00		69	20.6	57	13.9	47	8.3	45	10	200		29.64			29.83	FM-15	0.00	29.82
04	1554	6	FEW:02 70 BKN:07 160 OVC:08 210	10.00		69	20.6	57	13.9	47	8.3	45	11	210		29.64	5	+0.02	29.83	FM-15	0.00	29.82
04	1654	7	FEW:02 70 BKN:07 160 OVC:08 240	10.00		66	18.9	57	13.9	49	9.4	54	9	180		29.64			29.83	FM-15	0.00	29.82
04	1754	7	FEW:02 70 SCT:04 110 OVC:08 240	10.00		65	18.3	56	13.3	48	8.9	54	13	220		29.66			29.85	FM-15	T	29.84
04	1854	7	SCT:04 75 OVC:08 240	10.00		64	17.8	55	12.8	47	8.3	54	15	220		29.68	3	-0.03	29.87	FM-15	0.00	29.86
04	1900	4	74	9.94		64	17.8	55	12.8	47	8.3	54	15	220		29.68	3	-0.03	29.87	FM-12		
04	1954	7	FEW:02 75 BKN:07 170 OVC:08 240	10.00		63	17.2	54	12.2	46	7.8	54	11	220		29.67			29.87	FM-15	0.00	29.85
04	2054	7	FEW:02 95 SCT:04 120 SCT:04 170	10.00		62	16.7	54	12.2	46	7.8	56	13	230		29.67			29.86	FM-15	0.00	29.85
04	2154	7	SCT:04 70 BKN:07 110 OVC:08 170	10.00		62	16.7	54	12.2	46	7.8	56	14	230		29.66	8	+0.01	29.85	FM-15	0.00	29.84
04	2254	7	BKN:07 60 BKN:07 100 BKN:07 250	10.00		62	16.7	54	12.2	46	7.8	56	14	230		29.67			29.86	FM-15	0.00	29.85
04	2354	7	BKN:07 65 OVC:08 80	10.00		63	17.2	54	12.2	46	7.8	54	13	230		29.67			29.86	FM-15	0.00	29.85
05	0054	7	BKN:07 65 OVC:08 80	10.00		61	16.1	54	12.2	47	8.3	60	14	220		29.66	8	+0.01	29.85	FM-15	0.00	29.84
05	0100	4	57	9.94		61	16.1	54	12.2	47	8.3	60	14	220		29.66	8	+0.01	29.85	FM-12		
05	0154	7	OVC:08 70	10.00		61	16.1	54	12.2	47	8.3	60	14	230		29.65			29.84	FM-15	0.00	29.83
05	0254	7	BKN:07 70 OVC:08 110	10.00	-RA:02  RA  RA	61	16.1	54	12.2	48	8.9	63	14	230		29.65			29.84	FM-15	T	29.83
05	0354	7	FEW:02 50 BKN:07 80 OVC:08 100	10.00		61	16.1	56	13.3	51	10.6	70	14	230		29.64	8	+0.02	29.83	FM-15	T	29.82
05	0454	7	SCT:04 75 OVC:08 100	10.00		61	16.1	56	13.3	52	11.1	72	13	230		29.66			29.85	FM-15	T	29.84
05	0554	7	BKN:07 85 OVC:08 110	10.00		60	15.6	56	13.3	53	11.7	78	10	220		29.67			29.87	FM-15	T	29.85
05	0654	7	SCT:04 75 OVC:08 90	10.00		61	16.1	57	13.9	54	12.2	78	7	220		29.69	1	-0.05	29.88	FM-15	0.00	29.87
05	0700	4	74	9.94		61	16.1	57	13.9	54	12.2	78	7	220		29.69	1	-0.05	29.88	FM-12		
05	0754	7	BKN:07 65 BKN:07 90 BKN:07 250	10.00		61	16.1	58	14.4	55	12.8	81	6	240		29.73			29.92	FM-15	T	29.91
05	0854	7	FEW:02 23 BKN:07 46 BKN:07 110	10.00		63	17.2	58	14.4	55	12.8	75	7	260		29.74			29.93	FM-15	0.00	29.92
05	0934	7	BKN:07 21 BKN:07 45 OVC:08 110	10.00		63	17.2	58	14.4	55	12.8	75	7	320		29.76				FM-16		29.94
05	0954	7	BKN:07 20 BKN:07 44 OVC:08 120	10.00		63	17.2	58	14.4	55	12.8	75	10	360		29.77	1	-0.08	29.96	FM-15	0.00	29.95

05	1054	7	BKN:07 17 OVC:08 43	10.00		58	14.4	55	12.8	53	11.7	84	20	020	31	29.79			29.98	FM-15	0.00	29.97
05	1104	7	SCT:04 9 BKN:07 14 OVC:08 20	10.00		54	12.2	52	11.1	50	10.0	87	18	030	30	29.80				FM-16		29.98
05	1111	7	BKN:07 8 BKN:07 14 OVC:08 20	10.00		52	11.1	50	10.0	49	9.4	89	18	030	29	29.80				FM-16		29.98
05	1154	7	OVC:08 8	8.00		49	9.4	47	8.3	45	7.2	86	18	030		29.81			30.01	FM-15	0.00	29.99
05	1215	7	OVC:08 11	10.00		49	9.4	47	8.3	44	6.7	83	15	040		29.82				FM-16		30.00
05	1254	7	OVC:08 10	10.00		47	8.3	45	7.2	43	6.1	86	16	040		29.81	0	-0.04	30.00	FM-15	0.00	29.99
05	1300	4	15	9.94		47	8.3	45	7.2	43	6.1	86	16	040		29.81	9	+0.04	30.00	FM-12		
05	1354	7	OVC:08 10	6.00	-RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	15	020		29.79			29.98	FM-15	0.01	29.97
05	1413	7	OVC:08 9	7.00	-RA:02  RA  RA	45	7.2	44	6.7	43	6.1	93	11	060		29.78				FM-16	T	29.96
05	1454	7	OVC:08 7	4.00	-RA:02 BR:1  RA  RA	43	6.1	43	6.1	42	5.6	97	11	040		29.80			29.99	FM-15	0.05	29.98
05	1554	7	OVC:08 6	5.00	-RA:02 BR:1  RA  RA	42	5.6	42	5.6	41	5.0	96	11	020		29.82	3	-0.01	30.01	FM-15	0.01	30.00
05	1654	7	BKN:07 6 OVC:08 15	5.00	-RA:02 BR:1  RA  RA	42	5.6	42	5.6	41	5.0	96	10	070		29.80			29.99	FM-15	0.03	29.98
05	1754	7	OVC:08 6	10.00		41	5.0	41	5.0	40	4.4	96	7	040		29.82			30.01	FM-15	T	30.00
05	1854	7	OVC:08 5	10.00		41	5.0	41	5.0	40	4.4	96	8	050		29.80	6	+0.02	29.99	FM-15	0.01	29.98
05	1900	4	5	9.94		41	5.0	41	5.0	40	4.4	96	8	050		29.80	6	+0.02	29.99	FM-12		
05	1916	7	OVC:08 4	9.00		41	5.0	41	5.0	40	4.4	96	8	060		29.80				FM-16		29.98
05	1932	7	OVC:08 4	2.00	BR:1	41	5.0	41	5.0	40	4.4	96	8	040		29.79				FM-16		29.97
05	1954	7	OVC:08 4	2.00	BR:1	41	5.0	41	5.0	41	5.0	100	6	050		29.79			29.98	FM-15	0.00	29.97
05	2054	7	OVC:08 4	2.00	-RA:02 BR:1  RA  RA	42	5.6	42	5.6	41	5.0	96	6	080		29.77			29.96	FM-15	0.01	29.95
05	2154	7	OVC:08 5	5.00	-RA:02 BR:1  RA  RA	42	5.6	42	5.6	41	5.0	96	10	100		29.73	8	+0.06	29.93	FM-15	0.02	29.91
05	2254	7	OVC:08 5	10.00		42	5.6	42	5.6	41	5.0	96	5	070		29.72			29.91	FM-15	T	29.90
05	2324	7	OVC:08 5	2.00	BR:1	41	5.0	41	5.0	41	5.0	100	3	040		29.71				FM-16		29.89
05	2334	7	OVC:08 3	2.00	BR:1	41	5.0	41	5.0	41	5.0	100	5	070		29.70				FM-16		29.88
05	2354	7	OVC:08 3	2.00	-RA:02 BR:1  RA  RA	41	5.0	41	5.0	41	5.0	100	3	090		29.68			29.88	FM-15	T	29.86
06	0014	7	OVC:08 3	1.50	BR:1	41	5.0	41	5.0	41	5.0	100	3	070		29.66				FM-16	T	29.84
06	0054	7	OVC:08 3	1.75	-RA:02 BR:1  RA  RA	41	5.0	41	5.0	41	5.0	100	5	020		29.67	6	+0.07	29.86	FM-15	T	29.85
06	0100	4	2	1.74	RA	41	5.0	41	5.0	41	5.0	100	5	020		29.67	6	+0.07	29.86	FM-12		
06	0119	7	OVC:08 3	2.50	-RA:02 BR:1  RA  RA	41	5.0	41	5.0	41	5.0	100	6	020		29.66				FM-16	T	29.84
06	0154	7	OVC:08 3	2.00	-RA:02 BR:1  RA  RA	41	5.0	41	5.0	41	5.0	100	5	030		29.63			29.82	FM-15	0.01	29.81
06	0241	7	OVC:08 3	3.00	-RA:02 BR:1  RA  RA	41	5.0	41	5.0	41	5.0	100	3	050		29.61				FM-16	0.03	29.79
06	0254	7	OVC:08 3	4.00	-RA:02 BR:1  RA  RA	41	5.0	41	5.0	41	5.0	100	5	050		29.61			29.80	FM-15	0.03	29.79
06	0354	7	OVC:08 3	7.00	-RA:02  RA  RA	41	5.0	41	5.0	41	5.0	100	5	360		29.59	6	+0.08	29.78	FM-15	0.02	29.77
06	0454	7	OVC:08 3	6.00	-RA:02 BR:1  RA  RA	41	5.0	41	5.0	41	5.0	100	3	040		29.55			29.75	FM-15	0.01	29.73
06	0554	7	OVC:08 4	10.00	-RA:02  RA  RA	41	5.0	41	5.0	40	4.4	96	0	000		29.53			29.73	FM-15	0.02	29.71
06	0654	7	BKN:07 4 OVC:08 10	9.00	-RA:02  RA  RA	41	5.0	41	5.0	41	5.0	100	7	160		29.49	8	+0.09	29.69	FM-15	0.01	29.67
06	0700	4	5	8.70	RA	41	5.0	41	5.0	41	5.0	100	7	160		29.49	8	+0.09	29.69	FM-12		
06	0754	7	OVC:08 4	10.00	-RA:02  RA  RA	42	5.6	42	5.6	42	5.6	100	6	190		29.49			29.68	FM-15	T	29.67
06	0822	7	OVC:08 3	2.50	-RA:02 BR:1  RA  RA	42	5.6	42	5.6	42	5.6	100	6	260		29.50				FM-16	T	29.68
06	0854	7	OVC:08 4	2.50	-RA:02 BR:1  RA  RA	43	6.1	43	6.1	42	5.6	97	5	230		29.50			29.70	FM-15	0.01	29.68
06	0954	7	OVC:08 4	2.50	-RA:02 BR:1  RA  RA	44	6.7	44	6.7	43	6.1	96	0	000		29.48	8	+0.01	29.67	FM-15	0.03	29.66
06	1054	7	OVC:08 4	2.50	-RA:02 BR:1  RA  RA	46	7.8	46	7.8	45	7.2	96	0	000		29.47			29.65	FM-15	T	29.64
06	1105	7	OVC:08 5	2.50	-RA:02 BR:1  RA  RA	46	7.8	46	7.8	45	7.2	96	0	000		29.44				FM-16	0.01	29.62
06	1133	7	OVC:08 3	2.00	-RA:02 BR:1  RA  RA	46	7.8	46	7.8	46	7.8	100	3	010		29.44				FM-16	0.04	29.61
06	1154	7	BKN:07 3 BKN:07 9 OVC:08 16	2.00	RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	0	000		29.41			29.60	FM-15	0.10	29.59
06	1205	7	BKN:07 3 OVC:08 14	1.75	RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	3	010		29.41				FM-16	0.04	29.58
06	1225	7	BKN:07 4 OVC:08 48	3.00	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	5	320		29.39				FM-16	0.08	29.57
06	1239	7	BKN:07 3 OVC:08 32	2.50	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	5	340		29.39				FM-16	0.10	29.56

06	1254	7	BKN:07 5 OVC:08 32	2.50	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	5	010		29.36	8	+0.13	29.54	FM-15	0.11	29.53
06	1300	4	5	2.49	RA	47	8.3	47	8.3	46	7.8	97	5	010		29.35	8	+0.13	29.54	FM-12		
06	1343	7	BKN:07 4 BKN:07 18 OVC:08 55	2.50	RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	0	000		29.29				FM-16	0.08	29.47
06	1354	7	BKN:07 4 BKN:07 18 OVC:08 55	2.50	RA:02 BR:1  RA  RA	48	8.9	47	8.3	47	8.3	96	5	310		29.33			29.52	FM-15	0.14	29.50
06	1357	7	OVC:08 5	2.00	RA:02 BR:1  RA  RA	48	8.9	47	8.3	47	8.3	96	7	310		29.31				FM-16	0.02	29.48
06	1405	7	BKN:07 6 OVC:08 13	1.50	RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	6	360		29.28				FM-16	0.07	29.46
06	1424	7	BKN:07 4 OVC:08 40	1.75	+RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	14	340		29.26				FM-16	0.17	29.43
06	1444	7	SCT:04 4 BKN:07 19 OVC:08 42	1.75	RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	10	310		29.31				FM-16	0.39	29.48
06	1454	7	SCT:04 4 BKN:07 18 BKN:07 35	1.75	RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	11	330		29.28			29.47	FM-15	0.42	29.46
06	1506	7	FEW:02 3 SCT:04 20 BKN:07 37	6.00	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	3	330		29.31				FM-16	0.02	29.48
06	1554	7	FEW:02 9 FEW:02 60 OVC:08 110	4.00	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	6	100		29.23	8	+0.12	29.42	FM-15	0.07	29.41
06	1654	7	FEW:02 2 OVC:08 110	10.00		48	8.9	48	8.9	48	8.9	100	6	VRB		29.23			29.42	FM-15	T	29.40
06	1727	7	BKN:07 3 OVC:08 110	10.00	-RA:02  RA  RA	49	9.4	48	8.9	48	8.9	97	7	190		29.25				FM-16	T	29.42
06	1754	7	OVC:08 3	10.00	-RA:02  RA  RA	49	9.4	49	9.4	49	9.4	100	8	200		29.28			29.47	FM-15	0.01	29.45
06	1854	7	OVC:08 3	3.00	RA:02 BR:1  RA  RA	50	10.0	50	10.0	50	10.0	100	0	000		29.28	3	-0.04	29.46	FM-15	0.12	29.45
06	1900	4	2	2.98	RA	50	10.0	50	10.0	50	10.0	100	0	000		29.27	3	-0.04	29.46	FM-12		
06	1954	7	BKN:07 4 OVC:08 11	3.00	+RA:02 BR:1  RA  RA	50	10.0	49	9.4	49	9.4	96	7	350		29.28			29.47	FM-15	0.13	29.46
06	2021	7	BKN:07 5 OVC:08 11	3.00	RA:02 BR:1  RA  RA	50	10.0	50	10.0	50	10.0	100	5	020		29.29				FM-16	0.07	29.47
06	2054	7	BKN:07 5 OVC:08 13	3.00	RA:02 BR:1  RA  RA	50	10.0	50	10.0	50	10.0	100	0	000		29.29			29.49	FM-15	0.16	29.47
06	2126	7	BKN:07 3 BKN:07 55 OVC:08 100	4.00	-RA:02 BR:1  RA  RA	50	10.0	50	10.0	50	10.0	100	0	000		29.28				FM-16	0.06	29.45
06	2154	7	BKN:07 3 OVC:08 100	6.00	-RA:02 BR:1  RA  RA	49	9.4	49	9.4	49	9.4	100	3	120		29.26	8	+0.02	29.44	FM-15	0.08	29.43
06	2254	7	OVC:08 3	6.00	-RA:02 BR:1  RA  RA	50	10.0	50	10.0	50	10.0	100	7	120		29.23			29.41	FM-15	0.03	29.40
06	2311	7	BKN:07 3 OVC:08 70	2.00	-RA:02 BR:1  RA  RA	50	10.0	50	10.0	50	10.0	100	7	160		29.25				FM-16	0.02	29.42
06	2354	7	OVC:08 2	2.00	RA:02 BR:1  RA  RA	51	10.6	51	10.6	51	10.6	100	6	140		29.23			29.41	FM-15	0.09	29.40
07	0029	7	BKN:07 2 BKN:07 70 OVC:08 90	6.00	-RA:02 BR:1  RA  RA	54	12.2	54	12.2	54	12.2	100	8	190		29.20				FM-16	0.05	29.37
07	0054	7	BKN:07 3 OVC:08 48	4.00	RA:02 BR:1  RA  RA	56	13.3	56	13.3	56	13.3	100	10	180		29.21	6	+0.05	29.39	FM-15	0.07	29.38
07	0100	4	2	3.73	RA	56	13.3	56	13.3	56	13.3	100	10	180		29.21	6	+0.05	29.39	FM-12		
07	0154	7	OVC:08 3	8.00	RA:02  RA  RA	57	13.9	57	13.9	57	13.9	100	16	150		29.10			29.29	FM-15	0.07	29.28
07	0254	7	OVC:08 4	10.00	-RA:02  RA  RA	59	15.0	59	15.0	59	15.0	100	14	160	24	29.06			29.24	FM-15	0.04	29.23
07	0307	7	OVC:08 6	10.00	-RA:02  RA  RA	59	15.0	59	15.0	59	15.0	100	15	160		29.05				FM-16	T	29.22
07	0354	7	OVC:08 6	10.00		59	15.0	58	14.4	58	14.4	96	15	150	22	28.96	8	+0.24	29.14	FM-15	T	29.13
07	0454	7	OVC:08 9	6.00	-RA:02 BR:1  RA  RA	59	15.0	58	14.4	58	14.4	96	8	170		28.96			29.14	FM-15	T	29.13
07	0554	7	BKN:07 8 BKN:07 15 OVC:08 22	10.00		59	15.0	58	14.4	58	14.4	96	17	170	24	28.94			29.12	FM-15	0.02	29.11

07	0629	7	BKN:07 12 OVC:08 19	10.00		59	15.0	58	14.4	58	14.4	96	20	180	28	28.93				FM-16		29.10
07	0652	6	BKN:07 15 BKN:07 19 OVC:08 25	10.00		61	16.1	59	15.0	57	13.9	88	22	190	31	28.92				FM-16		29.09
07	0654	7	BKN:07 15 BKN:07 19 OVC:08 25	10.00		60	15.6	58	14.4	57	13.9	90	23	200	32	28.92	8	+0.04	29.10	FM-15	0.00	29.09
07	0700	4	15	9.94		60	15.6	58	14.4	57	13.9	90	23	200		28.92	8	+0.04	29.10	FM-12		
07	0754	7	SCT:04 19 BKN:07 27 BKN:07 32	10.00		60	15.6	58	14.4	56	13.3	86	25	200	37	28.91			29.09	FM-15	0.00	29.08
07	0837	7	SCT:04 26 BKN:07 45 BKN:07 95	10.00		60	15.6	56	13.3	53	11.7	78	26	240	44	28.94				FM-16	0.01	29.11
07	0854	7	FEW:02 24 SCT:04 47 BKN:07 100	10.00		61	16.1	52	11.1	43	6.1	52	32	240	56	28.97			29.15	FM-15	0.01	29.14
07	0954	7	FEW:02 30 BKN:07 65 BKN:07 90	10.00		56	13.3	50	10.0	44	6.7	65	24	240	36	29.05	3	-0.12	29.23	FM-15	T	29.22
07	1054	7	SCT:04 40 BKN:07 80 BKN:07 100	10.00		55	12.8	48	8.9	41	5.0	59	29	250	43	29.12			29.30	FM-15	0.00	29.29
07	1154	7	SCT:04 41 SCT:04 85	10.00		53	11.7	44	6.7	34	1.1	48	31	260	43	29.17			29.36	FM-15	0.00	29.34
07	1254	7	SCT:04 55	10.00		54	12.2	44	6.7	31	-0.6	42	26	270	39	29.21	1	-0.16	29.39	FM-15	0.00	29.38
07	1300	4	57	9.94		54	12.2	44	6.7	31	-0.6	42	26	270		29.21	1	-0.16	29.39	FM-12		
07	1354	7	BKN:07 60	10.00		52	11.1	42	5.6	30	-1.1	43	28	250	43	29.25			29.43	FM-15	0.00	29.42
07	1454	7	BKN:07 60	10.00		50	10.0	41	5.0	28	-2.2	43	32	260	39	29.31			29.49	FM-15	0.00	29.48
07	1554	7	BKN:07 60	10.00		48	8.9	39	3.9	25	-3.9	41	28	260	44	29.39	3	-0.18	29.57	FM-15	0.00	29.56
07	1654	7	BKN:07 60	10.00		46	7.8	37	2.8	23	-5.0	40	28	260	37	29.45			29.64	FM-15	0.00	29.63
07	1754	7	BKN:07 60	10.00		43	6.1	35	1.7	21	-6.1	42	25	280	40	29.52			29.71	FM-15	0.00	29.70
07	1854	7	SCT:04 70	10.00		42	5.6	34	1.1	20	-6.7	41	18	280	26	29.57	1	-0.19	29.77	FM-15	0.00	29.75
07	1900	4	74	9.94		42	5.6	34	1.1	20	-6.7	41	18	280		29.57s	1	-0.19	29.77	FM-12		
07	1954	7	FEW:02 60	10.00		41	5.0	33	0.6	20	-6.7	43	20	280	30	29.64			29.83	FM-15	0.00	29.82
07	2054	7	FEW:02 60	10.00		39	3.9	32	0.0	20	-6.7	46	18	270	25	29.70			29.89	FM-15	0.00	29.88
07	2154	7	CLR:00	10.00		38	3.3	32	0.0	20	-6.7	48	11	250		29.75	1	-0.18	29.95	FM-15	0.00	29.93
07	2254	7	FEW:02 70	10.00		37	2.8	31	-0.6	20	-6.7	50	13	270		29.79			29.98	FM-15	0.00	29.97
07	2354	7	CLR:00	10.00		36	2.2	30	-1.1	20	-6.7	52	8	270		29.82			30.02	FM-15	0.00	30.00
08	0054	7	CLR:00	10.00		35	1.7	30	-1.1	20	-6.7	54	8	250		29.86	1	-0.11	30.06	FM-15	0.00	30.04
08	0100	4		9.94		35	1.7	30	-1.1	20	-6.7	54	8	250		29.86	1	-0.11	30.06	FM-12		
08	0154	7	CLR:00	10.00		34	1.1	29	-1.7	20	-6.7	56	8	250		29.89			30.08	FM-15	0.00	30.07
08	0254	7	CLR:00	10.00		33	0.6	29	-1.7	20	-6.7	58	7	250		29.92			30.12	FM-15	0.00	30.10
08	0354	7	CLR:00	10.00		32	0.0	28	-2.2	21	-6.1	64	7	250		29.96	3	-0.10	30.15	FM-15	0.00	30.14
08	0454	7	CLR:00	10.00		31	-0.6	27	-2.8	20	-6.7	64	6	280		29.99			30.18	FM-15	0.00	30.17
08	0554	7	CLR:00	10.00		31	-0.6	27	-2.8	20	-6.7	64	6	240		30.02			30.22	FM-15	0.00	30.20
08	0654	7	CLR:00	10.00		31	-0.6	27	-2.8	20	-6.7	64	8	250		30.05	3	-0.09	30.24	FM-15	0.00	30.23
08	0700	4		9.94		31	-0.6	27	-2.8	20	-6.7	64	8	250		30.05	3	-0.09	30.24	FM-12		
08	0754	7	FEW:02 300	10.00		32	0.0	28	-2.2	20	-6.7	61	6	250		30.08			30.28	FM-15	0.00	30.26
08	0854	7	FEW:02 100	10.00		36	2.2	31	-0.6	21	-6.1	55	7	260		30.10			30.29	FM-15	0.00	30.28
08	0954	7	FEW:02 100	10.00		40	4.4	33	0.6	21	-6.1	47	8	280		30.11	1	-0.06	30.30	FM-15	0.00	30.29
08	1054	7	FEW:02 100 FEW:02 250	10.00		42	5.6	34	1.1	19	-7.2	40	7	310		30.13			30.32	FM-15	0.00	30.31
08	1154	7	FEW:02 50 FEW:02 250	10.00		42	5.6	34	1.1	19	-7.2	40	3	170		30.09			30.28	FM-15	0.00	30.27
08	1254	7	FEW:02 50 FEW:02 250	10.00		45	7.2	36	2.2	20	-6.7	37	8	VRB		30.07	8	+0.04	30.26	FM-15	0.00	30.25
08	1300	4	57	9.94		45	7.2	36	2.2	20	-6.7	37	8	240		30.07	8	+0.04	30.26	FM-12		



08	1354	7	FEW:02 50 FEW:02 170 BKN:07 210	10.00		45	7.2	36	2.2	20	-6.7	37	10	190		30.06			30.25	FM-15	0.00	30.24
08	1454	7	FEW:02 55 SCT:04 150 BKN:07 250	10.00		45	7.2	36	2.2	21	-6.1	39	9	200		30.05			30.25	FM-15	0.00	30.23
08	1554	7	BKN:07 170	10.00		45	7.2	36	2.2	21	-6.1	39	8	240		30.06	5	+0.01	30.25	FM-15	0.00	30.24
08	1654	7	BKN:07 140 BKN:07 300	10.00		44	6.7	35	1.7	21	-6.1	40	11	240		30.09			30.28	FM-15	0.00	30.27
08	1754	7	BKN:07 120 OVC:08 300	10.00		43	6.1	35	1.7	23	-5.0	45	7	220		30.10			30.29	FM-15	0.00	30.28
08	1854	7	CLR:00	10.00		39	3.9	33	0.6	24	-4.4	55	8	210		30.11	1	-0.05	30.31	FM-15	0.00	30.29
08	1900	4		9.94		39	3.9	33	0.6	24	-4.4	55	8	210		30.11	1	-0.05	30.31	FM-12		
08	1954	7	FEW:02 120 SCT:04 300	10.00		39	3.9	33	0.6	23	-5.0	53	3	190		30.12			30.32	FM-15	0.00	30.30
08	2054	7	FEW:02 110 SCT:04 300	10.00		37	2.8	33	0.6	25	-3.9	62	0	000		30.13			30.32	FM-15	0.00	30.31
08	2154	7	FEW:02 120	10.00		33	0.6	30	-1.1	26	-3.3	75	0	000		30.15	3	-0.04	30.35	FM-15	0.00	30.33
08	2254	7	CLR:00	10.00		35	1.7	31	-0.6	25	-3.9	67	6	200		30.16			30.35	FM-15	0.00	30.34
08	2354	7	CLR:00	10.00		35	1.7	32	0.0	26	-3.3	70	8	220		30.18			30.37	FM-15	0.00	30.36
09	0054	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	3	210		30.18	1	-0.04	30.38	FM-15	0.00	30.36
09	0100	4		9.94		34	1.1	31	-0.6	26	-3.3	73	3	210		30.18	1	-0.04	30.38	FM-12		
09	0154	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	5	190		30.19			30.38	FM-15	0.00	30.37
09	0254	7	SCT:04 75	10.00		29	-1.7	28	-2.2	25	-3.9	85	5	210		30.20			30.40	FM-15	0.00	30.38
09	0354	7	FEW:02 75	10.00		29	-1.7	28	-2.2	26	-3.3	89	5	200		30.22	3	-0.04	30.42	FM-15	0.00	30.40
09	0454	7	CLR:00	10.00		29	-1.7	28	-2.2	27	-2.8	92	3	210		30.24			30.44	FM-15	0.00	30.42
09	0554	7	CLR:00	10.00		28	-2.2	28	-2.2	27	-2.8	96	5	200		30.26			30.46	FM-15	0.00	30.44
09	0654	7	FEW:02 75	10.00		29	-1.7	28	-2.2	27	-2.8	92	3	270		30.29	3	-0.07	30.49	FM-15	0.00	30.47
09	0700	4	74	9.94		29	-1.7	28	-2.2	27	-2.8	92	3	270		30.29	3	-0.07	30.49	FM-12		
09	0754	7	CLR:00	10.00		31	-0.6	31	-0.6	30	-1.1	96	0	000		30.31			30.51	FM-15	0.00	30.49
09	0854	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	6	310		30.34			30.53	FM-15	0.00	30.52
09	0954	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	5	010		30.35	1	-0.06	30.55	FM-15	0.00	30.53
09	1054	7	CLR:00	10.00		46	7.8	39	3.9	28	-2.2	50	7	020		30.36			30.56	FM-15	0.00	30.54
09	1154	7	FEW:02 40 FEW:02 200	10.00		47	8.3	39	3.9	28	-2.2	48	5	170		30.35			30.55	FM-15	0.00	30.53
09	1254	7	FEW:02 45 FEW:02 200	10.00		50	10.0	41	5.0	27	-2.8	41	0	000		30.32	8	+0.03	30.52	FM-15	0.00	30.50
09	1300	4	41	9.94		50	10.0	41	5.0	27	-2.8	41	0	000		30.32	8	+0.03	30.52	FM-12		
09	1354	7	FEW:02 50 FEW:02 200	10.00		50	10.0	40	4.4	25	-3.9	38	0	000		30.29			30.49	FM-15	0.00	30.47
09	1454	7	FEW:02 50 SCT:04 200	10.00		51	10.6	41	5.0	27	-2.8	39	7	VRB		30.25			30.45	FM-15	0.00	30.43
09	1554	7	FEW:02 50 FEW:02 200 BKN:07 300	10.00		50	10.0	40	4.4	26	-3.3	39	8	200		30.26	5	+0.06	30.46	FM-15	0.00	30.44
09	1654	7	FEW:02 200 FEW:02 300	10.00		50	10.0	40	4.4	26	-3.3	39	7	140		30.27			30.47	FM-15	0.00	30.45
09	1754	7	FEW:02 45 FEW:02 200 SCT:04 300	10.00		46	7.8	39	3.9	28	-2.2	50	7	140		30.27			30.47	FM-15	0.00	30.45
09	1854	7	FEW:02 200 SCT:04 300	10.00		43	6.1	37	2.8	29	-1.7	58	9	140		30.27	0	0.00	30.47	FM-15	0.00	30.45
09	1900	4		9.94		43	6.1	37	2.8	29	-1.7	58	9	140		30.27	9	0.00	30.47	FM-12		
09	1954	7	SCT:04 180 SCT:04 300	10.00		41	5.0	37	2.8	30	-1.1	65	8	140		30.28			30.48	FM-15	0.00	30.46
09	2054	7	FEW:02 180 BKN:07 300	10.00		41	5.0	38	3.3	33	0.6	73	11	140		30.26			30.45	FM-15	0.00	30.44
09	2154	7	BKN:07 300	10.00		40	4.4	38	3.3	34	1.1	79	7	140		30.25	8	+0.02	30.45	FM-15	0.00	30.43
09	2254	7	BKN:07 300	10.00		38	3.3	36	2.2	33	0.6	83	7	160		30.23			30.42	FM-15	0.00	30.41
09	2354	7	BKN:07 300	10.00		38	3.3	36	2.2	32	0.0	79	9	180		30.21			30.41	FM-15	0.00	30.39
10	0054	7	BKN:07 300	10.00		40	4.4	36	2.2	31	-0.6	70	9	190		30.20	6	+0.05	30.40	FM-15	0.00	30.38

10	0100	4		9.94		40	4.4	36	2.2	31	-0.6	70	9	190		30.20	6	+0.05	30.40	FM-12		
10	0154	7	OVC:08 300	10.00		40	4.4	36	2.2	31	-0.6	70	10	190		30.18			30.37	FM-15	0.00	30.36
10	0254	7	BKN:07 250	10.00		41	5.0	37	2.8	32	0.0	70	14	190		30.14			30.34	FM-15	0.00	30.32
10	0354	7	BKN:07 300	10.00		40	4.4	37	2.8	33	0.6	77	13	190		30.13	6	+0.07	30.32	FM-15	0.00	30.31
10	0454	7	BKN:07 300	10.00		40	4.4	37	2.8	32	0.0	73	10	200		30.13			30.32	FM-15	0.00	30.31
10	0554	7	BKN:07 250	10.00		39	3.9	36	2.2	32	0.0	76	10	200		30.13			30.32	FM-15	0.00	30.31
10	0654	7	FEW:02 240 SCT:04 300	10.00		38	3.3	36	2.2	32	0.0	79	9	210		30.14	3	-0.01	30.33	FM-15	0.00	30.32
10	0700	4		9.94		38	3.3	36	2.2	32	0.0	79	9	210		30.14	3	-0.01	30.33	FM-12		
10	0754	7	BKN:07 110 BKN:07 300	10.00		42	5.6	39	3.9	34	1.1	73	13	200		30.13			30.33	FM-15	0.00	30.31
10	0854	7	BKN:07 110 OVC:08 300	10.00		46	7.8	40	4.4	33	0.6	61	13	210		30.12			30.32	FM-15	0.00	30.30
10	0954	7	FEW:02 100 BKN:07 180 BKN:07 300	10.00		51	10.6	43	6.1	33	0.6	50	21	210	32	30.09	8	+0.05	30.29	FM-15	0.00	30.27
10	1054	7	BKN:07 130 BKN:07 190 OVC:08 300	10.00		53	11.7	45	7.2	35	1.7	51	17	210	24	30.06			30.26	FM-15	0.00	30.24
10	1154	7	BKN:07 120 OVC:08 300	10.00		55	12.8	46	7.8	36	2.2	49	15	220		30.05			30.24	FM-15	0.00	30.23
10	1254	7	SCT:04 100 BKN:07 120 OVC:08 300	10.00		56	13.3	48	8.9	40	4.4	55	15	230	29	30.04	6	+0.05	30.24	FM-15	0.00	30.22
10	1300	4		9.94		56	13.3	48	8.9	40	4.4	55	15	230		30.04	6	+0.05	30.24	FM-12		
10	1354	7	FEW:02 31 SCT:04 75 OVC:08 110	10.00	-RA:02  RA  RA	54	12.2	49	9.4	43	6.1	67	18	230		30.02			30.22	FM-15	T	30.20
10	1454	7	FEW:02 30 BKN:07 85 OVC:08 110	10.00		55	12.8	49	9.4	43	6.1	64	9	240		30.01			30.20	FM-15	T	30.19
10	1554	7	FEW:02 30 BKN:07 70 OVC:08 100	10.00	-RA:02  RA  RA	53	11.7	50	10.0	47	8.3	80	7	230		30.00	6	+0.04	30.20	FM-15	T	30.18
10	1654	7	FEW:02 30 OVC:08 65	6.00	-RA:02 BR:1  RA  RA	51	10.6	50	10.0	49	9.4	92	8	210		30.00			30.20	FM-15	0.04	30.18
10	1754	7	SCT:04 60 OVC:08 80	8.00	-RA:02  RA  RA	51	10.6	50	10.0	50	10.0	96	6	200		30.00			30.20	FM-15	0.04	30.18
10	1854	7	FEW:02 50 BKN:07 70 OVC:08 85	7.00	-RA:02  RA  RA	52	11.1	51	10.6	51	10.6	97	6	210		30.01	2	0.00	30.20	FM-15	0.03	30.19
10	1900	4	57	6.84	RA	52	11.1	51	10.6	51	10.6	97	6	210		30.01	2	0.00	30.20	FM-12		
10	1954	7	SCT:04 35 BKN:07 70 OVC:08 85	7.00	-RA:02  RA  RA	53	11.7	52	11.1	52	11.1	96	7	180		29.99			30.18	FM-15	0.03	30.17
10	2054	7	BKN:07 50 BKN:07 80 OVC:08 100	10.00	-RA:02  RA  RA	53	11.7	52	11.1	52	11.1	96	8	180		29.97			30.16	FM-15	0.01	30.15
10	2154	7	SCT:04 80 OVC:08 100	10.00	-RA:02  RA  RA	53	11.7	53	11.7	53	11.7	100	7	180		29.95	8	+0.05	30.14	FM-15	0.01	30.13
10	2254	7	BKN:07 50 BKN:07 65 OVC:08 95	10.00	-RA:02  RA  RA	53	11.7	53	11.7	53	11.7	100	6	180		29.94			30.14	FM-15	T	30.12
10	2354	7	SCT:04 60 BKN:07 90 OVC:08 110	8.00		53	11.7	53	11.7	53	11.7	100	5	170		29.91			30.11	FM-15	0.01	30.09
11	0054	7	FEW:02 40 BKN:07 55 OVC:08 90	7.00		53	11.7	53	11.7	53	11.7	100	5	200		29.90	8	+0.05	30.09	FM-15	0.00	30.08
11	0100	4	41	6.84		53	11.7	53	11.7	53	11.7	100	5	200		29.90	8	+0.05	30.09	FM-12		
11	0154	7	SCT:04 40 OVC:08 60	9.00		54	12.2	53	11.7	53	11.7	97	7	180		29.87			30.06	FM-15	0.00	30.05

11	0254	7	SCT:04 33 BKN:07 60 OVC:08 85	10.00		55	12.8	54	12.2	54	12.2	96	8	180		29.84			30.03	FM-15	0.00	30.02
11	0354	7	SCT:04 35 BKN:07 65 OVC:08 100	10.00		56	13.3	55	12.8	55	12.8	97	9	200		29.82	6	+0.08	30.01	FM-15	0.00	30.00
11	0454	7	SCT:04 22 BKN:07 45 OVC:08 80	10.00		57	13.9	56	13.3	56	13.3	96	8	190		29.80			29.99	FM-15	T	29.98
11	0518	7	BKN:07 21 OVC:08 45	10.00		58	14.4	57	13.9	56	13.3	93	8	200		29.81				FM-16		29.99
11	0552	7	BKN:07 7 OVC:08 19	3.00	-RA:02 BR:1  RA  RA	57	13.9	57	13.9	57	13.9	100	10	210		29.81				FM-16	0.02	29.99
11	0554	7	BKN:07 7 OVC:08 19	3.00	-RA:02 BR:1  RA  RA	58	14.4	57	13.9	57	13.9	97	9	200		29.81			30.01	FM-15	0.03	29.99
11	0610	7	SCT:04 7 BKN:07 15 OVC:08 26	4.00	RA:02 BR:1  RA  RA	58	14.4	57	13.9	57	13.9	97	9	200		29.82				FM-16	0.01	30.00
11	0652	6	BKN:07 7 OVC:08 21	3.00	RA:02 BR:1  RA  RA	57	13.9	57	13.9	57	13.9	100	8	200		29.80				FM-16		29.98
11	0654	7	BKN:07 7 OVC:08 21	3.00	-RA:02 BR:1  RA  RA	58	14.4	57	13.9	57	13.9	97	8	200		29.80	6	+0.02	30.00	FM-15	0.09	29.98
11	0700	4	8	2.98	RA	58	14.4	57	13.9	57	13.9	97	8	200		29.80	6	+0.02	30.00	FM-12		
11	0754	7	OVC:08 4	3.00	RA:02 BR:1  RA  RA	56	13.3	55	12.8	55	12.8	97	9	310		29.80			29.99	FM-15	0.05	29.98
11	0813	7	OVC:08 5	2.50	-RA:02 BR:1  RA  RA	54	12.2	53	11.7	53	11.7	97	5	280		29.80				FM-16	0.01	29.98
11	0842	7	SCT:04 6 BKN:07 29 OVC:08 37	2.50	RA:02 BR:1  RA  RA	54	12.2	54	12.2	54	12.2	100	7	210		29.79				FM-16	0.05	29.97
11	0854	7	FEW:02 7 BKN:07 32 OVC:08 50	4.00	-RA:02 BR:1  RA  RA	55	12.8	55	12.8	55	12.8	100	5	200		29.78			29.98	FM-15	0.07	29.96
11	0940	7	BKN:07 26 BKN:07 45 OVC:08 60	4.00	-RA:02 BR:1  RA  RA	57	13.9	56	13.3	56	13.3	96	7	210		29.77				FM-16	0.04	29.95
11	0954	7	FEW:02 10 BKN:07 23 BKN:07 36	4.00	-RA:02 BR:1  RA  RA	57	13.9	56	13.3	56	13.3	96	8	210		29.76	8	+0.04	29.95	FM-15	0.04	29.94
11	1030	7	FEW:02 8 SCT:04 20 BKN:07 37	4.00	RA:02 BR:1  RA  RA	58	14.4	57	13.9	57	13.9	97	7	200		29.74				FM-16	0.04	29.92
11	1054	7	FEW:02 9 SCT:04 21 BKN:07 31	3.00	RA:02 BR:1  RA  RA	58	14.4	58	14.4	58	14.4	100	6	190		29.73			29.92	FM-15	0.10	29.91
11	1104	7	BKN:07 21 OVC:08 33	4.00	RA:02 BR:1  RA  RA	58	14.4	58	14.4	58	14.4	100	7	190		29.73				FM-16	0.03	29.91
11	1106	7	FEW:02 7 BKN:07 21 OVC:08 36	3.00	RA:02 BR:1  RA  RA	58	14.4	58	14.4	58	14.4	100	7	180		29.73				FM-16	0.04	29.91
11	1124	7	FEW:02 5 BKN:07 19 OVC:08 29	2.50	RA:02 BR:1  RA  RA	58	14.4	58	14.4	58	14.4	100	6	230		29.72				FM-16	0.10	29.90
11	1135	7	BKN:07 5 OVC:08 20	2.50	RA:02 BR:1  RA  RA	59	15.0	58	14.4	58	14.4	96	6	240		29.72				FM-16	0.13	29.90
11	1154	7	SCT:04 4 BKN:07 19 OVC:08 36	1.00	+RA:02 BR:1  RA  RA	59	15.0	58	14.4	58	14.4	96	6	260		29.71			29.91	FM-15	0.23	29.89
11	1207	7	SCT:04 5 BKN:07 20 OVC:08 29	1.50	RA:02 BR:1  RA  RA	58	14.4	58	14.4	58	14.4	100	6	270		29.71				FM-16	0.06	29.89
11	1226	7	SCT:04 4 BKN:07 23 OVC:08 38	2.50	RA:02 BR:1  RA  RA	59	15.0	58	14.4	58	14.4	96	6	260		29.70				FM-16	0.09	29.88
11	1254	7	SCT:04 5 BKN:07 29 OVC:08 42	2.50	-RA:02 BR:1  RA  RA	59	15.0	58	14.4	58	14.4	96	6	260		29.69	6	+0.07	29.88	FM-15	0.09	29.87

11	1300	4	5	2.49	RA	59	15.0	58	14.4	58	14.4	96	6	260		29.69	6	+0.07	29.88	FM-12		
11	1301	7	BKN:07 5 BKN:07 26 OVC:08 40	2.00	RA:02 BR:1  RA  RA	59	15.0	58	14.4	58	14.4	96	6	250		29.69				FM-16	T	29.87
11	1331	7	BKN:07 6 BKN:07 20 OVC:08 35	4.00	-RA:02 BR:1  RA  RA	60	15.6	59	15.0	58	14.4	93	6	250		29.67				FM-16	0.02	29.85
11	1354	7	BKN:07 5 BKN:07 19 OVC:08 32	6.00	-RA:02 BR:1  RA  RA	60	15.6	59	15.0	59	15.0	96	7	230		29.65			29.85	FM-15	0.02	29.83
11	1412	7	SCT:04 5 OVC:08 28	10.00	-RA:02  RA  RA	60	15.6	59	15.0	59	15.0	96	6	240		29.65				FM-16	T	29.83
11	1454	7	FEW:02 5 SCT:04 22 OVC:08 29	10.00	-RA:02  RA  RA	60	15.6	59	15.0	59	15.0	96	5	260		29.65			29.84	FM-15	0.01	29.83
11	1528	7	SCT:04 5 SCT:04 25 BKN:07 34	10.00		60	15.6	59	15.0	59	15.0	96	3	260		29.63				FM-16	0.01	29.81
11	1554	7	SCT:04 5 BKN:07 32 OVC:08 48	10.00		61	16.1	60	15.6	59	15.0	93	5	250		29.64	6	+0.05	29.83	FM-15	0.01	29.82
11	1612	7	SCT:04 7 BKN:07 12 OVC:08 48	10.00		61	16.1	60	15.6	59	15.0	93	5	260		29.65				FM-16		29.83
11	1621	7	SCT:04 7 BKN:07 20 OVC:08 48	10.00		61	16.1	60	15.6	59	15.0	93	5	260		29.65				FM-16		29.83
11	1643	7	BKN:07 13 OVC:08 19	10.00		61	16.1	60	15.6	59	15.0	93	0	000		29.64				FM-16		29.82
11	1654	7	BKN:07 13 BKN:07 19 OVC:08 48	10.00		61	16.1	60	15.6	59	15.0	93	0	000		29.65			29.84	FM-15	0.00	29.83
11	1709	7	FEW:02 10 BKN:07 17 OVC:08 21	10.00		60	15.6	59	15.0	59	15.0	96	5	250		29.66				FM-16		29.84
11	1754	7	BKN:07 17 OVC:08 22	10.00		60	15.6	59	15.0	59	15.0	96	6	270		29.68			29.87	FM-15	0.00	29.86
11	1827	7	OVC:08 13	10.00		60	15.6	59	15.0	59	15.0	96	3	320		29.69				FM-16		29.87
11	1854	7	BKN:07 12 BKN:07 17 OVC:08 25	10.00		60	15.6	59	15.0	59	15.0	96	0	000		29.71	3	-0.07	29.90	FM-15	0.00	29.89
11	1900	4	15	9.94		60	15.6	59	15.0	59	15.0	96	0	000		29.71	3	-0.07	29.90	FM-12		
11	1938	7	SCT:04 3 BKN:07 14 OVC:08 23	8.00		57	13.9	56	13.3	56	13.3	96	14	010		29.73				FM-16		29.91
11	1941	7	BKN:07 3 BKN:07 14 OVC:08 23	7.00		56	13.3	56	13.3	56	13.3	100	11	010		29.73				FM-16		29.91
11	1954	7	BKN:07 3 OVC:08 12	6.00	BR:1	56	13.3	55	12.8	55	12.8	97	9	020		29.73			29.92	FM-15	0.00	29.91
11	2013	7	OVC:08 5	10.00		55	12.8	54	12.2	54	12.2	96	9	020		29.75				FM-16		29.93
11	2052	6	OVC:08 10	10.00		55	12.8	54	12.2	54	12.2	94	9	030		29.76				FM-16		29.94
11	2054	7	OVC:08 10	10.00		55	12.8	54	12.2	53	11.7	93	9	020		29.76			29.95	FM-15	0.00	29.94
11	2151	7	OVC:08 16	10.00		55	12.8	53	11.7	52	11.1	88	9	020		29.78				FM-16		29.96
11	2154	7	OVC:08 16	10.00		54	12.2	53	11.7	52	11.1	93	8	020		29.77	0	-0.04	29.96	FM-15	0.00	29.95
11	2254	7	OVC:08 19	10.00		53	11.7	50	10.0	48	8.9	83	10	030		29.82			30.01	FM-15	0.00	30.00
11	2354	7	OVC:08 21	10.00		52	11.1	49	9.4	47	8.3	83	11	020		29.83			30.03	FM-15	0.00	30.01
12	0052	6	SCT:04 20 OVC:08 70	10.00		52	11.1	49	9.4	46	7.8	82	7	020		29.89				FM-16		30.07
12	0054	7	SCT:04 20 OVC:08 70	10.00		51	10.6	49	9.4	47	8.3	86	7	020		29.89	3	-0.12	30.09	FM-15	0.00	30.07
12	0100	4	26	9.94		51	10.6	49	9.4	47	8.3	86	7	020		29.89	3	-0.12	30.09	FM-12		

12	0135	7	BKN:07 18 BKN:07 23 OVC:08 70	10.00		50	10.0	48	8.9	46	7.8	86	9	020		29.90				FM-16		30.08
12	0154	7	OVC:08 17	10.00		50	10.0	47	8.3	44	6.7	80	8	020		29.90			30.09	FM-15	0.00	30.08
12	0224	7	SCT:04 17 BKN:07 35 OVC:08 75	10.00		49	9.4	46	7.8	42	5.6	77	7	030		29.91				FM-16		30.09
12	0254	7	SCT:04 35 OVC:08 75	10.00		48	8.9	45	7.2	42	5.6	80	3	060		29.91			30.10	FM-15	0.00	30.09
12	0354	7	BKN:07 110 OVC:08 170	10.00		47	8.3	44	6.7	41	5.0	80	0	000		29.93	3	-0.04	30.12	FM-15	0.00	30.11
12	0454	7	OVC:08 100	10.00		47	8.3	45	7.2	42	5.6	83	0	000		29.94			30.14	FM-15	0.00	30.12
12	0554	7	BKN:07 100 OVC:08 180	10.00		46	7.8	45	7.2	43	6.1	89	0	000		29.96			30.16	FM-15	0.00	30.14
12	0654	7	SCT:04 100 OVC:08 150	10.00		46	7.8	43	6.1	40	4.4	79	5	050		30.00	3	-0.07	30.19	FM-15	0.00	30.18
12	0700	4		9.94		46	7.8	43	6.1	40	4.4	79	5	050		30.00	3	-0.07	30.19	FM-12		
12	0754	7	FEW:02 100 BKN:07 170	10.00		46	7.8	42	5.6	37	2.8	71	7	060		30.02			30.21	FM-15	0.00	30.20
12	0854	7	SCT:04 120 BKN:07 160	10.00		47	8.3	41	5.0	34	1.1	61	10	050		30.05			30.24	FM-15	0.00	30.23
12	0954	7	FEW:02 39 BKN:07 140 OVC:08 170	10.00		46	7.8	40	4.4	31	-0.6	56	8	050		30.07	3	-0.06	30.26	FM-15	0.00	30.25
12	1054	7	FEW:02 37 BKN:07 140	10.00		49	9.4	42	5.6	33	0.6	55	9	050		30.05			30.24	FM-15	0.00	30.23
12	1154	7	BKN:07 130 BKN:07 300	10.00		49	9.4	42	5.6	33	0.6	55	8	070		30.05			30.24	FM-15	0.00	30.23
12	1254	7	FEW:02 38 BKN:07 65 OVC:08 120	10.00		50	10.0	43	6.1	33	0.6	52	5	VRB		30.03	8	+0.04	30.22	FM-15	0.00	30.21
12	1300	4	41	9.94		50	10.0	43	6.1	33	0.6	52	5			30.03	8	+0.04	30.22	FM-12		
12	1354	7	BKN:07 43 OVC:08 55	10.00		50	10.0	43	6.1	35	1.7	57	11	140		30.00			30.19	FM-15	0.00	30.18
12	1454	7	BKN:07 39 OVC:08 50	10.00		48	8.9	42	5.6	35	1.7	61	10	160		29.98			30.17	FM-15	0.00	30.16
12	1554	7	BKN:07 39 OVC:08 50	10.00		47	8.3	41	5.0	34	1.1	61	10	150		29.97	6	+0.05	30.17	FM-15	0.00	30.15
12	1654	7	OVC:08 40	10.00		47	8.3	41	5.0	33	0.6	59	11	120		29.96			30.16	FM-15	0.00	30.14
12	1754	7	OVC:08 38	10.00		46	7.8	42	5.6	36	2.2	68	10	120		29.95			30.14	FM-15	0.00	30.13
12	1854	7	OVC:08 33	10.00		46	7.8	41	5.0	35	1.7	66	8	110		29.92	8	+0.05	30.12	FM-15	0.00	30.10
12	1900	4	26	9.94		46	7.8	41	5.0	35	1.7	66	8	110		29.92	8	+0.05	30.12	FM-12		
12	1954	7	OVC:08 31	10.00		45	7.2	41	5.0	36	2.2	71	7	120		29.91			30.10	FM-15	0.00	30.09
12	2040	7	OVC:08 29	10.00		45	7.2	41	5.0	37	2.8	74	14	110		29.85				FM-16		30.03
12	2054	7	OVC:08 26	10.00		45	7.2	41	5.0	37	2.8	74	6	110		29.86			30.06	FM-15	0.00	30.04
12	2154	7	OVC:08 21	10.00		44	6.7	41	5.0	38	3.3	79	7	130		29.82	8	+0.10	30.02	FM-15	T	30.00
12	2254	7	OVC:08 19	10.00		44	6.7	41	5.0	38	3.3	79	5	140		29.79			29.98	FM-15	0.00	29.97
12	2354	7	OVC:08 17	10.00		45	7.2	42	5.6	39	3.9	80	3	030		29.75			29.95	FM-15	0.00	29.93
13	0054	7	OVC:08 15	10.00		44	6.7	42	5.6	40	4.4	85	5	140		29.69	8	+0.12	29.89	FM-15	0.00	29.87
13	0100	4	15	9.94		44	6.7	42	5.6	40	4.4	85	5	140		29.69	8	+0.12	29.89	FM-12		
13	0114	7	OVC:08 14	10.00		44	6.7	42	5.6	40	4.4	85	0	000		29.68				FM-16		29.86
13	0154	7	OVC:08 12	10.00		44	6.7	42	5.6	40	4.4	85	3	140		29.66			29.85	FM-15	0.00	29.84
13	0254	7	OVC:08 10	10.00		45	7.2	43	6.1	41	5.0	86	5	120		29.63			29.82	FM-15	0.00	29.81
13	0308	7	OVC:08 9	10.00		45	7.2	43	6.1	41	5.0	86	7	320		29.65				FM-16		29.83
13	0354	7	OVC:08 10	9.00		44	6.7	43	6.1	41	5.0	89	8	350		29.63	5	+0.06	29.83	FM-15	0.00	29.81
13	0410	7	BKN:07 5 OVC:08 10	2.00	-RA:02 BR:1  RA  RA	44	6.7	43	6.1	42	5.6	93	6	330		29.64				FM-16	T	29.82
13	0451	7	OVC:08 4	3.00	-DZ:01 BR:1  DZ  DZ	43	6.1	43	6.1	43	6.1	100	5	300		29.64				FM-16	T	29.82
13	0454	7	OVC:08 4	3.00	-DZ:01 BR:1  DZ  DZ	43	6.1	43	6.1	43	6.1	100	5	310		29.64			29.84	FM-15	T	29.82
13	0514	7	BKN:07 4 OVC:08 12	2.00	-RA:02 BR:1  RA  RA	43	6.1	43	6.1	43	6.1	100	8	170		29.62				FM-16	T	29.80

13	0527	7	BKN:07 4 OVC:08 15	3.00	-RA:02 BR:1  RA  RA	43	6.1	43	6.1	43	6.1	100	9	160		29.60				FM-16	T	29.78
13	0554	7	BKN:07 3 OVC:08 70	4.00	BR:1	44	6.7	44	6.7	43	6.1	96	8	180		29.59			29.78	FM-15	T	29.77
13	0654	7	SCT:04 3 OVC:08 45	3.00	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	48	8.9	97	15	200		29.59	8	+0.05	29.78	FM-15	0.01	29.77
13	0700	4	2	2.98	RA	49	9.4	48	8.9	48	8.9	97	15	200		29.59	8	+0.05	29.78	FM-12		
13	0752	6	BKN:07 3 OVC:08 60	4.00	-RA:02 BR:1  RA  RA	52	11.1	52	11.1	52	11.1	100	11	220		29.58				FM-16		29.76
13	0754	7	BKN:07 3 OVC:08 60	3.00	-RA:02 BR:1  RA  RA	51	10.6	51	10.6	51	10.6	100	11	220		29.58			29.77	FM-15	0.03	29.76
13	0804	7	BKN:07 3 OVC:08 65	2.50	-RA:02 BR:1  RA  RA	50	10.0	50	10.0	50	10.0	100	11	200		29.57				FM-16	T	29.75
13	0854	7	BKN:07 4 OVC:08 65	2.50	-RA:02 BR:1  RA  RA	52	11.1	51	10.6	51	10.6	97	8	220		29.59			29.78	FM-15	0.01	29.77
13	0954	7	SCT:04 4 SCT:04 13 BKN:07 60	2.50	-RA:02 BR:1  RA  RA	55	12.8	55	12.8	55	12.8	100	7	210		29.59	3	-0.01	29.79	FM-15	0.03	29.77
13	1014	7	FEW:02 5 SCT:04 40 OVC:08 80	6.00	-RA:02 BR:1  RA  RA	56	13.3	56	13.3	56	13.3	100	5	180		29.58				FM-16	0.01	29.76
13	1054	7	FEW:02 4 SCT:04 55 OVC:08 85	9.00	-RA:02  RA  RA	57	13.9	57	13.9	57	13.9	100	7	210		29.59			29.78	FM-15	T	29.77
13	1154	7	FEW:02 6 SCT:04 75 OVC:08 110	10.00	-RA:02  RA  RA	60	15.6	59	15.0	59	15.0	96	11	180		29.55			29.75	FM-15	0.01	29.73
13	1254	7	FEW:02 5 SCT:04 55 OVC:08 110	10.00	-RA:02  RA  RA	60	15.6	59	15.0	59	15.0	96	15	180		29.53	8	+0.07	29.72	FM-15	T	29.71
13	1300	4	5	9.94	RA	60	15.6	59	15.0	59	15.0	96	15	180		29.53	8	+0.07	29.72	FM-12		
13	1354	7	FEW:02 7 SCT:04 44 OVC:08 120	10.00	-RA:02  RA  RA	61	16.1	60	15.6	59	15.0	93	14	200		29.49			29.68	FM-15	T	29.67
13	1454	7	FEW:02 31 SCT:04 75 OVC:08 110	10.00		62	16.7	60	15.6	58	14.4	86	11	220		29.48			29.67	FM-15	T	29.66
13	1554	7	FEW:02 38 BKN:07 100 OVC:08 140	10.00		61	16.1	59	15.0	58	14.4	90	13	210		29.53	3	-0.01	29.72	FM-15	0.01	29.71
13	1654	7	FEW:02 38 BKN:07 50 OVC:08 190	10.00		62	16.7	59	15.0	57	13.9	84	13	250	22	29.56			29.75	FM-15	0.00	29.74
13	1754	7	OVC:08 50	10.00		61	16.1	59	15.0	57	13.9	87	10	260		29.61			29.80	FM-15	0.00	29.79
13	1854	7	FEW:02 34 BKN:07 75 OVC:08 200	10.00		60	15.6	55	12.8	50	10.0	70	16	310	25	29.65	3	-0.12	29.84	FM-15	0.00	29.83
13	1900	4	41	9.94		60	15.6	55	12.8	50	10.0	70	16	310		29.65	3	-0.12	29.84	FM-12		
13	1954	7	SCT:04 80 OVC:08 210	10.00		58	14.4	52	11.1	46	7.8	65	11	300		29.70			29.89	FM-15	0.00	29.88
13	2054	7	FEW:02 75 BKN:07 220	10.00		55	12.8	49	9.4	44	6.7	67	13	330		29.73			29.93	FM-15	0.00	29.91
13	2113	7	FEW:02 35 FEW:02 75 BKN:07 220	10.00		52	11.1	48	8.9	43	6.1	72	15	010		29.77				FM-16		29.95
13	2154	7	SCT:04 80 BKN:07 200 BKN:07 250	10.00		50	10.0	45	7.2	40	4.4	68	13	360		29.80	3	-0.15	29.99	FM-15	0.00	29.98
13	2254	7	FEW:02 80 BKN:07 190 OVC:08 250	10.00		48	8.9	43	6.1	37	2.8	66	7	340		29.84			30.03	FM-15	0.00	30.02
13	2354	7	FEW:02 80 BKN:07 210 BKN:07 250	10.00		47	8.3	41	5.0	34	1.1	61	9	360		29.86			30.05	FM-15	0.00	30.04

14	0054	7	BKN:07 90 BKN:07 220	10.00		45	7.2	40	4.4	33	0.6	63	10	360		29.88	1	-0.08	30.08	FM-15	0.00	30.06
14	0100	4		9.94		45	7.2	40	4.4	33	0.6	63	10	360		29.88	1	-0.08	30.08	FM-12		
14	0154	7	FEW:02 85 BKN:07 250	10.00		43	6.1	38	3.3	32	0.0	65	6	360		29.91			30.10	FM-15	0.00	30.09
14	0254	7	FEW:02 90 BKN:07 240	10.00		41	5.0	37	2.8	31	-0.6	67	5	350		29.93			30.12	FM-15	0.00	30.11
14	0354	7	BKN:07 250	10.00		40	4.4	37	2.8	32	0.0	73	0	000		29.95	1	-0.07	30.14	FM-15	0.00	30.13
14	0454	7	BKN:07 250	10.00		37	2.8	35	1.7	33	0.6	86	0	000		29.97			30.16	FM-15	0.00	30.15
14	0554	7	BKN:07 250	10.00		36	2.2	35	1.7	33	0.6	89	0	000		29.99			30.18	FM-15	0.00	30.17
14	0654	7	BKN:07 240 OVC:08 300	10.00		36	2.2	34	1.1	31	-0.6	82	5	230		30.02	3	-0.07	30.22	FM-15	0.00	30.20
14	0700	4		9.94		36	2.2	34	1.1	31	-0.6	82	5	230		30.02	3	-0.07	30.22	FM-12		
14	0754	7	FEW:02 50 BKN:07 240 BKN:07 300	10.00		40	4.4	36	2.2	29	-1.7	65	6	280		30.05			30.24	FM-15	0.00	30.23
14	0854	7	FEW:02 50 SCT:04 240 BKN:07 300	10.00		43	6.1	37	2.8	29	-1.7	58	6	300		30.07			30.27	FM-15	0.00	30.25
14	0954	7	FEW:02 50 FEW:02 240 SCT:04 300	10.00		44	6.7	38	3.3	29	-1.7	55	8	VRB		30.09	1	-0.07	30.29	FM-15	0.00	30.27
14	1054	7	SCT:04 41 SCT:04 300	10.00		46	7.8	39	3.9	28	-2.2	50	11	010		30.11			30.30	FM-15	0.00	30.29
14	1154	7	BKN:07 43	10.00		45	7.2	38	3.3	28	-2.2	52	15	340		30.12			30.31	FM-15	0.00	30.30
14	1254	7	BKN:07 46	10.00		43	6.1	36	2.2	26	-3.3	51	14	360		30.12	1	-0.03	30.31	FM-15	0.00	30.30
14	1300	4	41	9.94		43	6.1	36	2.2	26	-3.3	51	14	360		30.12	1	-0.03	30.31	FM-12		
14	1354	7	SCT:04 48 BKN:07 60	10.00		44	6.7	37	2.8	26	-3.3	49	13	020		30.12			30.31	FM-15	0.00	30.30
14	1454	7	FEW:02 48 BKN:07 65	10.00		43	6.1	36	2.2	26	-3.3	51	10	020		30.13			30.32	FM-15	0.00	30.31
14	1554	7	SCT:04 49 BKN:07 70	10.00		43	6.1	36	2.2	24	-4.4	47	13	010		30.15	3	-0.03	30.34	FM-15	0.00	30.33
14	1654	7	FEW:02 50 BKN:07 65	10.00		40	4.4	34	1.1	24	-4.4	53	15	030		30.17			30.36	FM-15	0.00	30.35
14	1754	7	FEW:02 50 BKN:07 75	10.00		38	3.3	32	0.0	21	-6.1	51	11	020		30.19			30.39	FM-15	0.00	30.37
14	1854	7	BKN:07 80	10.00		36	2.2	30	-1.1	18	-7.8	48	13	010		30.25	3	-0.10	30.45	FM-15	0.00	30.43
14	1900	4	74	9.94		36	2.2	30	-1.1	18	-7.8	48	13	010		30.25	3	-0.10	30.45	FM-12		
14	1954	7	FEW:02 60 BKN:07 75	10.00		33	0.6	28	-2.2	16	-8.9	49	16	020	21	30.30			30.49	FM-15	0.00	30.48
14	2054	7	BKN:07 60	10.00		32	0.0	26	-3.3	14	-10.0	47	14	010		30.33			30.53	FM-15	0.00	30.51
14	2154	7	BKN:07 60	10.00		31	-0.6	26	-3.3	13	-10.6	47	14	010	21	30.36	1	-0.12	30.56	FM-15	0.00	30.54
14	2254	7	BKN:07 65	10.00		30	-1.1	25	-3.9	12	-11.1	47	16	020	21	30.38			30.58	FM-15	0.00	30.56
14	2354	7	SCT:04 60	10.00		28	-2.2	23	-5.0	12	-11.1	51	10	020		30.40			30.60	FM-15	0.00	30.58
15	0054	7	FEW:02 60	10.00		27	-2.8	22	-5.6	11	-11.7	51	9	010		30.41	1	-0.05	30.61	FM-15	0.00	30.59
15	0100	4	57	9.94		27	-2.8	22	-5.6	11	-11.7	51	9	010		30.41	1	-0.05	30.61	FM-12		
15	0154	7	CLR:00	10.00		26	-3.3	22	-5.6	11	-11.7	53	9	010		30.41			30.61	FM-15	0.00	30.59
15	0254	7	CLR:00	10.00		25	-3.9	21	-6.1	12	-11.1	58	8	360		30.41			30.61	FM-15	0.00	30.59
15	0354	7	CLR:00	10.00		24	-4.4	21	-6.1	12	-11.1	60	7	360		30.41	3	0.00	30.61	FM-15	0.00	30.59
15	0454	7	CLR:00	10.00		22	-5.6	19	-7.2	13	-10.6	68	6	010		30.42			30.62	FM-15	0.00	30.60
15	0554	7	CLR:00	10.00		22	-5.6	19	-7.2	13	-10.6	68	7	020		30.42			30.62	FM-15	0.00	30.60
15	0654	7	CLR:00	10.00		21	-6.1	19	-7.2	13	-10.6	71	7	010		30.44	3	-0.03	30.64	FM-15	0.00	30.62
15	0700	4		9.94		21	-6.1	19	-7.2	13	-10.6	71	7	010		30.44	3	-0.03	30.64	FM-12		
15	0754	7	CLR:00	10.00		25	-3.9	22	-5.6	13	-10.6	60	7	010		30.46			30.66	FM-15	0.00	30.64
15	0854	7	CLR:00	10.00		29	-1.7	24	-4.4	14	-10.0	54	8	010		30.49			30.68	FM-15	0.00	30.67
15	0954	7	FEW:02 350	10.00		30	-1.1	25	-3.9	14	-10.0	51	0	000		30.47	0	-0.03	30.67	FM-15	0.00	30.65
15	1054	7	FEW:02 350	10.00		32	0.0	26	-3.3	14	-10.0	47	3	VRB		30.46			30.66	FM-15	0.00	30.64
15	1154	7	BKN:07 300	10.00		35	1.7	28	-2.2	13	-10.6	40	0	000		30.43			30.63	FM-15	0.00	30.61
15	1254	7	BKN:07 300	10.00		36	2.2	29	-1.7	15	-9.4	42	7	VRB		30.38	8	+0.09	30.58	FM-15	0.00	30.56

15	1300	4		9.94		36	2.2	29	-1.7	15	-9.4	42	7		30.38	8	+0.09	30.58	FM-12			
15	1354	7	BKN:07 300	10.00		37	2.8	30	-1.1	17	-8.3	44	6	170	30.34			30.54	FM-15	0.00	30.52	
15	1454	7	BKN:07 300	10.00		37	2.8	30	-1.1	16	-8.9	42	13	180	30.32			30.51	FM-15	0.00	30.50	
15	1554	7	BKN:07 300	10.00		38	3.3	31	-0.6	17	-8.3	43	8	210	30.29	6	+0.09	30.49	FM-15	0.00	30.47	
15	1654	7	BKN:07 300	10.00		38	3.3	31	-0.6	17	-8.3	43	3	200	30.28			30.48	FM-15	0.00	30.46	
15	1754	7	BKN:07 300	10.00		36	2.2	30	-1.1	18	-7.8	48	6	160	30.26			30.46	FM-15	0.00	30.44	
15	1854	7	BKN:07 300	10.00		34	1.1	29	-1.7	19	-7.2	54	8	150	30.26	5	+0.03	30.46	FM-15	0.00	30.44	
15	1900	4		9.94		34	1.1	29	-1.7	19	-7.2	54	8	150	30.26	5	+0.03	30.46	FM-12			
15	1954	7	SCT:04 300	10.00		31	-0.6	27	-2.8	20	-6.7	64	5	140	30.26			30.46	FM-15	0.00	30.44	
15	2054	7	SCT:04 300	10.00		31	-0.6	27	-2.8	20	-6.7	64	7	140	30.24			30.44	FM-15	0.00	30.42	
15	2154	7	SCT:04 300	10.00		31	-0.6	28	-2.2	22	-5.6	69	8	150	30.23	8	+0.04	30.43	FM-15	0.00	30.41	
15	2254	7	SCT:04 300	10.00		31	-0.6	28	-2.2	23	-5.0	72	7	150	30.20			30.40	FM-15	0.00	30.38	
15	2354	7	SCT:04 300	10.00		30	-1.1	28	-2.2	24	-4.4	79	5	160	30.17			30.37	FM-15	0.00	30.35	
16	0054	7	BKN:07 250	10.00		30	-1.1	28	-2.2	25	-3.9	82	5	190	30.17	6	+0.06	30.37	FM-15	0.00	30.35	
16	0100	4		9.94		30	-1.1	28	-2.2	25	-3.9	82	5	190	30.17	6	+0.06	30.37	FM-12			
16	0154	7	BKN:07 250	10.00		30	-1.1	28	-2.2	25	-3.9	82	8	190	30.15			30.35	FM-15	0.00	30.33	
16	0254	7	BKN:07 250	10.00		30	-1.1	28	-2.2	25	-3.9	82	8	200	30.12			30.32	FM-15	0.00	30.30	
16	0354	7	BKN:07 250	10.00		31	-0.6	29	-1.7	24	-4.4	76	8	200	30.10	8	+0.06	30.30	FM-15	0.00	30.28	
16	0454	7	BKN:07 230	10.00		31	-0.6	29	-1.7	24	-4.4	76	9	200	30.09			30.29	FM-15	0.00	30.27	
16	0554	7	BKN:07 230	10.00		32	0.0	29	-1.7	24	-4.4	73	8	200	30.09			30.29	FM-15	0.00	30.27	
16	0654	7	BKN:07 230	10.00		31	-0.6	29	-1.7	24	-4.4	76	5	190	30.09	6	+0.01	30.29	FM-15	0.00	30.27	
16	0700	4		9.94		31	-0.6	29	-1.7	24	-4.4	76	5	190	30.09	6	+0.01	30.29	FM-12			
16	0754	7	BKN:07 250	10.00		32	0.0	30	-1.1	26	-3.3	79	6	200	30.09			30.29	FM-15	0.00	30.27	
16	0854	7	FEW:02 180 OVC:08 250	10.00		37	2.8	33	0.6	26	-3.3	65	9	220	30.07			30.27	FM-15	0.00	30.25	
16	0954	7	FEW:02 120 BKN:07 250	10.00		41	5.0	36	2.2	27	-2.8	57	9	210	30.04	8	+0.05	30.24	FM-15	0.00	30.22	
16	1054	7	SCT:04 120 BKN:07 250	10.00		47	8.3	39	3.9	28	-2.2	48	9	210	30.03			30.23	FM-15	0.00	30.21	
16	1154	7	FEW:02 120 OVC:08 250	10.00		48	8.9	40	4.4	28	-2.2	46	3	250	30.01			30.20	FM-15	0.00	30.19	
16	1254	7	FEW:02 120 OVC:08 250	10.00		50	10.0	41	5.0	28	-2.2	43	5	230	29.99	8	+0.05	30.18	FM-15	0.00	30.17	
16	1300	4		9.94		50	10.0	41	5.0	28	-2.2	43	5	230	29.99	8	+0.05	30.18	FM-12			
16	1354	7	SCT:04 120 OVC:08 250	10.00		52	11.1	42	5.6	29	-1.7	41	3	VRB	29.95			30.15	FM-15	0.00	30.13	
16	1454	7	BKN:07 110 OVC:08 250	10.00		51	10.6	42	5.6	29	-1.7	43	7	220	29.95			30.14	FM-15	0.00	30.13	
16	1554	7	BKN:07 110 BKN:07 250	10.00		50	10.0	42	5.6	31	-0.6	48	6	190	29.93	6	+0.06	30.12	FM-15	0.00	30.11	
16	1654	7	BKN:07 100 BKN:07 250	10.00		50	10.0	43	6.1	33	0.6	52	6	200	29.93			30.12	FM-15	0.00	30.11	
16	1754	7	BKN:07 100 BKN:07 250	10.00		48	8.9	42	5.6	34	1.1	58	5	190	29.93			30.13	FM-15	0.00	30.11	
16	1854	7	BKN:07 110 BKN:07 250	10.00		47	8.3	41	5.0	34	1.1	61	6	190	29.94	3	-0.01	30.13	FM-15	0.00	30.12	
16	1900	4		9.94		47	8.3	41	5.0	34	1.1	61	6	190	29.94	3	-0.01	30.13	FM-12			
16	1954	7	BKN:07 100 BKN:07 250	10.00		45	7.2	41	5.0	35	1.7	68	5	180	29.92			30.12	FM-15	0.00	30.10	
16	2054	7	FEW:02 100 BKN:07 120 BKN:07 250	10.00		46	7.8	41	5.0	34	1.1	63	0	000	29.92			30.12	FM-15	0.00	30.10	
16	2154	7	BKN:07 110 OVC:08 250	10.00		46	7.8	41	5.0	35	1.7	66	3	180	29.93	5	+0.01	30.13	FM-15	0.00	30.11	
16	2254	7	BKN:07 120 OVC:08 250	10.00		45	7.2	41	5.0	35	1.7	68	3	200	29.92			30.12	FM-15	0.00	30.10	
16	2354	7	BKN:07 120 OVC:08 250	10.00		44	6.7	40	4.4	36	2.2	73	5	210	29.92			30.11	FM-15	0.00	30.10	
17	0054	7	BKN:07 110	10.00		44	6.7	40	4.4	35	1.7	71	0	000	29.91	6	+0.01	30.11	FM-15	0.00	30.09	
17	0100	4		9.94		44	6.7	40	4.4	35	1.7	71	0	000	29.91	6	+0.01	30.11	FM-12			



17	0154	7	BKN:07 100 BKN:07 180	10.00		42	5.6	39	3.9	36	2.2	79	0	000		29.91			30.11	FM-15	0.00	30.09
17	0254	7	BKN:07 100 BKN:07 220	10.00		41	5.0	39	3.9	36	2.2	82	3	350		29.92			30.11	FM-15	0.00	30.10
17	0354	7	FEW:02 100 BKN:07 170	10.00		40	4.4	38	3.3	36	2.2	86	0	000		29.92	0	0.00	30.11	FM-15	0.00	30.10
17	0454	7	FEW:02 170	10.00		39	3.9	37	2.8	35	1.7	86	3	010		29.94			30.13	FM-15	0.00	30.12
17	0554	7	FEW:02 170	10.00		38	3.3	36	2.2	33	0.6	83	9	010		29.96			30.16	FM-15	0.00	30.14
17	0654	7	SCT:04 300	10.00		40	4.4	36	2.2	31	-0.6	70	10	010		29.99	3	-0.08	30.19	FM-15	0.00	30.17
17	0700	4		9.94		40	4.4	36	2.2	31	-0.6	70	10	010		29.99	3	-0.08	30.19	FM-12		
17	0754	7	BKN:07 300	10.00		42	5.6	38	3.3	32	0.0	68	11	030		30.04			30.23	FM-15	0.00	30.22
17	0854	7	BKN:07 300	10.00		46	7.8	40	4.4	33	0.6	61	16	050		30.04			30.24	FM-15	0.00	30.22
17	0954	7	BKN:07 300	10.00		49	9.4	42	5.6	33	0.6	55	11	050		30.06	1	-0.06	30.25	FM-15	0.00	30.24
17	1054	7	BKN:07 300	10.00		51	10.6	43	6.1	33	0.6	50	10	030		30.08			30.27	FM-15	0.00	30.26
17	1154	7	SCT:04 300	10.00		53	11.7	44	6.7	33	0.6	47	7	030		30.08			30.27	FM-15	0.00	30.26
17	1254	7	FEW:02 250 SCT:04 300	10.00		55	12.8	44	6.7	31	-0.6	40	3	350		30.07	0	-0.01	30.27	FM-15	0.00	30.25
17	1300	4		9.94		55	12.8	44	6.7	31	-0.6	40	3	350		30.07	9	+0.01	30.27	FM-12		
17	1354	7	FEW:02 250 FEW:02 300	10.00		56	13.3	45	7.2	31	-0.6	39	6	VRB		30.05			30.24	FM-15	0.00	30.23
17	1454	7	FEW:02 220 BKN:07 300	10.00		55	12.8	44	6.7	29	-1.7	37	9	VRB		30.04			30.23	FM-15	0.00	30.22
17	1554	7	FEW:02 220 SCT:04 300	10.00		56	13.3	44	6.7	29	-1.7	36	9	060		30.04	6	+0.04	30.23	FM-15	0.00	30.22
17	1654	7	FEW:02 220 SCT:04 300	10.00		54	12.2	44	6.7	30	-1.1	40	7	110		30.05			30.24	FM-15	0.00	30.23
17	1754	7	SCT:04 220 BKN:07 300	10.00		51	10.6	42	5.6	31	-0.6	46	5	090		30.07			30.26	FM-15	0.00	30.25
17	1854	7	FEW:02 220 SCT:04 300	10.00		49	9.4	41	5.0	31	-0.6	50	6	080		30.08	3	-0.05	30.28	FM-15	0.00	30.26
17	1900	4		9.94		49	9.4	41	5.0	31	-0.6	50	6	080		30.08	3	-0.05	30.28	FM-12		
17	1954	7	SCT:04 300	10.00		46	7.8	40	4.4	32	0.0	58	6	080		30.11			30.30	FM-15	0.00	30.29
17	2054	7	SCT:04 300	10.00		42	5.6	38	3.3	33	0.6	71	6	110		30.10			30.29	FM-15	0.00	30.28
17	2154	7	FEW:02 220 SCT:04 300	10.00		42	5.6	38	3.3	33	0.6	71	6	140		30.11	1	-0.03	30.31	FM-15	0.00	30.29
17	2254	7	BKN:07 210 OVC:08 300	10.00		42	5.6	39	3.9	34	1.1	73	3	110		30.11			30.31	FM-15	0.00	30.29
17	2354	7	BKN:07 200 OVC:08 300	10.00		41	5.0	38	3.3	35	1.7	79	5	100		30.10			30.29	FM-15	0.00	30.28
18	0054	7	BKN:07 170	10.00		40	4.4	38	3.3	35	1.7	83	6	110		30.09	8	+0.02	30.29	FM-15	0.00	30.27
18	0100	4		9.94		40	4.4	38	3.3	35	1.7	83	6	110		30.09	8	+0.02	30.29	FM-12		
18	0154	7	FEW:02 170	10.00		39	3.9	38	3.3	36	2.2	89	0	000		30.08			30.27	FM-15	0.00	30.26
18	0254	7	CLR:00	10.00		36	2.2	35	1.7	34	1.1	93	0	000		30.08			30.27	FM-15	0.00	30.26
18	0354	7	CLR:00	10.00		35	1.7	34	1.1	33	0.6	93	0	000		30.07	6	+0.02	30.27	FM-15	0.00	30.25
18	0454	7	CLR:00	10.00		35	1.7	34	1.1	33	0.6	93	0	000		30.06			30.26	FM-15	0.00	30.24
18	0554	7	FEW:02 300	8.00		34	1.1	33	0.6	32	0.0	92	0	000		30.05			30.25	FM-15	0.00	30.23
18	0654	7	FEW:02 200 BKN:07 300	6.00	BR:1	34	1.1	33	0.6	32	0.0	92	0	000		30.05	6	+0.02	30.24	FM-15	0.00	30.23
18	0700	4		5.59		34	1.1	33	0.6	32	0.0	92	0	000		30.05	6	+0.02	30.24	FM-12		
18	0708	7	FEW:02 5 FEW:02 120 BKN:07 300	7.00		34	1.1	33	0.6	32	0.0	92	0	000		30.05				FM-16		30.23
18	0754	7	SCT:04 5 BKN:07 300	4.00	BR:1	37	2.8	36	2.2	35	1.7	93	0	000		30.06			30.25	FM-15	0.00	30.24
18	0804	7	BKN:07 4	4.00	BR:1	39	3.9	38	3.3	37	2.8	93	0	000		30.06				FM-16		30.24
18	0854	7	OVC:08 4	3.00	BR:1	42	5.6	41	5.0	40	4.4	92	6	310		30.06			30.26	FM-15	0.00	30.24
18	0929	7	OVC:08 5	2.00	BR:1	44	6.7	43	6.1	41	5.0	89	5	280		30.06				FM-16		30.24
18	0946	7	OVC:08 5	1.50	BR:1	44	6.7	43	6.1	42	5.6	93	5	270		30.06				FM-16		30.24
18	0954	7	OVC:08 5	1.00	BR:1	45	7.2	44	6.7	42	5.6	90	5	270		30.05	8	0.00	30.24	FM-15	0.00	30.23
18	1007	7	OVC:08 3	0.75	BR:1	44	6.7	44	6.7	43	6.1	96	3	190		30.03				FM-16		30.21

18	1015	7	OVC:08 4	1.50	BR:1	45	7.2	44	6.7	43	6.1	93	3	160		30.04				FM-16		30.22
18	1023	7	OVC:08 5	1.00	BR:1	46	7.8	45	7.2	43	6.1	89	5	190		30.03				FM-16		30.21
18	1045	7	OVC:08 4	2.00	BR:1	46	7.8	45	7.2	44	6.7	93	6	220		30.04				FM-16		30.22
18	1054	7	OVC:08 5	2.50	BR:1	46	7.8	45	7.2	44	6.7	93	3	VRB		30.03			30.23	FM-15	0.00	30.21
18	1106	7	OVC:08 6	5.00	BR:1	48	8.9	46	7.8	44	6.7	86	6	200		30.03				FM-16		30.21
18	1134	7	SCT:04 8 BKN:07 40 BKN:07 250	6.00	HZ:7  FU  HZ	51	10.6	49	9.4	46	7.8	83	6	210		30.02				FM-16		30.20
18	1154	7	FEW:02 10 FEW:02 40 BKN:07 250	8.00		53	11.7	49	9.4	45	7.2	74	7	240		30.01			30.20	FM-15	0.00	30.19
18	1254	7	FEW:02 45 SCT:04 150 BKN:07 250	10.00		56	13.3	50	10.0	43	6.1	62	7	220		29.97	8	+0.08	30.16	FM-15	0.00	30.15
18	1300	4	41	9.94		56	13.3	50	10.0	43	6.1	62	7	220		29.97	8	+0.08	30.16	FM-12		
18	1354	7	FEW:02 110 BKN:07 210	10.00		59	15.0	51	10.6	44	6.7	58	6	VRB		29.91			30.10	FM-15	0.00	30.09
18	1454	7	FEW:02 110 BKN:07 170	10.00		61	16.1	53	11.7	45	7.2	56	7	240		29.87			30.06	FM-15	0.00	30.05
18	1554	7	FEW:02 38 BKN:07 120 BKN:07 210	10.00		61	16.1	54	12.2	47	8.3	60	10	200		29.87	6	+0.10	30.06	FM-15	0.00	30.05
18	1654	7	FEW:02 38 BKN:07 110 BKN:07 200	10.00		62	16.7	55	12.8	48	8.9	60	9	220		29.84			30.03	FM-15	0.00	30.02
18	1754	7	SCT:04 90 BKN:07 110 OVC:08 200	10.00		61	16.1	55	12.8	49	9.4	65	7	250		29.85			30.05	FM-15	0.00	30.03
18	1854	7	FEW:02 42 FEW:02 60 SCT:04 130	10.00		59	15.0	54	12.2	49	9.4	69	7	240		29.86	5	0.00	30.06	FM-15	0.00	30.04
18	1900	4	41	9.94		59	15.0	54	12.2	49	9.4	69	7	240		29.86	5	0.00	30.06	FM-12		
18	1954	7	BKN:07 39 OVC:08 75	10.00		56	13.3	52	11.1	49	9.4	77	8	170		29.85			30.04	FM-15	0.00	30.03
18	2054	7	FEW:02 31 FEW:02 41 SCT:04 100	10.00		56	13.3	52	11.1	49	9.4	77	6	200		29.86			30.05	FM-15	0.00	30.04
18	2109	7	BKN:07 29 OVC:08 41	10.00		56	13.3	53	11.7	50	10.0	81	6	200		29.87				FM-16		30.05
18	2154	7	BKN:07 26 OVC:08 100	10.00		55	12.8	52	11.1	50	10.0	83	7	190		29.85	6	+0.01	30.05	FM-15	T	30.03
18	2252	6	SCT:04 26 OVC:08 95	10.00	-RA:02  RA  RA	54	12.2	52	11.1	50	10.0	88	5	210		29.87				FM-16		30.05
18	2254	7	SCT:04 26 OVC:08 95	10.00	-RA:02  RA  RA	54	12.2	52	11.1	50	10.0	87	5	210		29.87			30.06	FM-15	T	30.05
18	2330	7	BKN:07 23 BKN:07 70 OVC:08 100	10.00	-RA:02  RA  RA	54	12.2	52	11.1	51	10.6	90	5	210		29.87				FM-16	T	30.05
18	2354	7	OVC:08 20	8.00	-RA:02  RA  RA	53	11.7	52	11.1	52	11.1	96	3	200		29.87			30.06	FM-15	T	30.05
19	0049	7	FEW:02 5 OVC:08 16	4.00	RA:02 BR:1  RA  RA	54	12.2	53	11.7	52	11.1	94	10	350		29.89				FM-16	0.06	30.07
19	0052	6	SCT:04 5 OVC:08 14	5.00	RA:02 BR:1  RA  RA	52	11.1	52	11.1	52	11.1	100	11	350		29.89				FM-16		30.07
19	0054	7	BKN:07 5 OVC:08 14	4.00	RA:02 BR:1  RA  RA	52	11.1	51	10.6	51	10.6	97	10	350		29.89	0	-0.02	30.08	FM-15	0.08s	30.07
19	0100	4	5	3.73	RA	52	11.1	51	10.6	51	10.6	97	10	350		29.89	9	+0.02	30.08	FM-12		
19	0115	7	SCT:04 5 OVC:08 12	4.00	-RA:02 BR:1  RA  RA	52	11.1	51	10.6	51	10.6	97	8	350		29.90				FM-16	0.02	30.08
19	0152	6	FEW:02 5 SCT:04 12 OVC:08 25	6.00	-RA:02 BR:1  RA  RA	52	11.1	52	11.1	52	11.1	100	7	360		29.89				FM-16		30.07
19	0154	7	FEW:02 5 SCT:04 12 OVC:08 25	6.00	-RA:02 BR:1  RA  RA	52	11.1	51	10.6	51	10.6	97	6	350		29.89			30.09	FM-15	0.03	30.07

19	0213	7	OVC:08 31	10.00		52	11.1	50	10.0	49	9.4	89	7	010		29.90				FM-16	T	30.08
19	0254	7	OVC:08 37	10.00		51	10.6	50	10.0	49	9.4	92	7	350		29.91			30.10	FM-15	T	30.09
19	0354	7	FEW:02 9 SCT:04 25 OVC:08 36	6.00	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	10	360		29.95	3	-0.06	30.14	FM-15	T	30.13
19	0409	7	FEW:02 9 BKN:07 25 OVC:08 38	8.00	-RA:02  RA  RA	50	10.0	49	9.4	48	8.9	93	10	360		29.96				FM-16	T	30.14
19	0431	7	BKN:07 7 OVC:08 40	2.00	-RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	20	020	29	29.96				FM-16	0.01	30.14
19	0451	7	SCT:04 7 BKN:07 32 OVC:08 50	5.00	BR:1	46	7.8	45	7.2	43	6.1	87	13	020		29.99				FM-16	0.01	30.17
19	0454	7	FEW:02 7 BKN:07 32 OVC:08 50	7.00		47	8.3	45	7.2	43	6.1	86	9	010		29.99			30.18	FM-15	0.01	30.17
19	0554	7	BKN:07 40 OVC:08 55	10.00		46	7.8	43	6.1	39	3.9	77	10	020		30.02			30.22	FM-15	T	30.20
19	0654	7	BKN:07 45 OVC:08 60	10.00		45	7.2	42	5.6	39	3.9	80	6	360		30.06	3	-0.07	30.26	FM-15	T	30.24
19	0700	4	41	9.94		45	7.2	42	5.6	39	3.9	80	6	360		30.06	3	-0.07	30.26	FM-12		
19	0754	7	SCT:04 65 OVC:08 80	10.00		46	7.8	43	6.1	39	3.9	77	6	010		30.09			30.28	FM-15	T	30.27
19	0854	7	BKN:07 75 OVC:08 85	10.00		47	8.3	43	6.1	37	2.8	69	9	350		30.12			30.31	FM-15	T	30.30
19	0954	7	BKN:07 80 OVC:08 95	10.00		47	8.3	41	5.0	33	0.6	59	11	010		30.14	3	-0.08	30.33	FM-15	0.00	30.32
19	1054	7	OVC:08 85	10.00		47	8.3	40	4.4	29	-1.7	50	14	010		30.17			30.36	FM-15	0.00	30.35
19	1154	7	BKN:07 90 OVC:08 250	10.00		49	9.4	40	4.4	27	-2.8	43	13	020		30.18			30.38	FM-15	0.00	30.36
19	1254	7	SCT:04 95 BKN:07 230	10.00		51	10.6	40	4.4	22	-5.6	32	10	020		30.16	0	-0.02	30.35	FM-15	0.00	30.34
19	1300	4		9.94		51	10.6	40	4.4	22	-5.6	32	10	020		30.16	9	+0.02	30.35	FM-12		
19	1354	7	SCT:04 95 BKN:07 250	10.00		51	10.6	39	3.9	18	-7.8	27	11	010		30.16			30.35	FM-15	0.00	30.34
19	1454	7	FEW:02 90 BKN:07 240	10.00		50	10.0	38	3.3	18	-7.8	28	6	350		30.16			30.35	FM-15	0.00	30.34
19	1554	7	FEW:02 90 BKN:07 250	10.00		52	11.1	40	4.4	21	-6.1	30	9	330		30.16	3	0.00	30.36	FM-15	0.00	30.34
19	1654	7	FEW:02 90 FEW:02 250	10.00		51	10.6	38	3.3	17	-8.3	26	9	340		30.17			30.36	FM-15	0.00	30.35
19	1754	7	FEW:02 80 FEW:02 250	10.00		48	8.9	37	2.8	18	-7.8	30	5	010		30.19			30.38	FM-15	0.00	30.37
19	1854	7	FEW:02 80 FEW:02 250	10.00		41	5.0	35	1.7	24	-4.4	51	0	000		30.22	3	-0.06	30.41	FM-15	0.00	30.40
19	1900	4	74	9.94		41	5.0	35	1.7	24	-4.4	51	0	000		30.22	3	-0.06	30.41	FM-12		
19	1954	7	FEW:02 250	10.00		37	2.8	33	0.6	26	-3.3	65	3	120		30.22			30.41	FM-15	0.00	30.40
19	2054	7	CLR:00	10.00		35	1.7	32	0.0	26	-3.3	70	0	000		30.22			30.42	FM-15	0.00	30.40
19	2154	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	0	000		30.23	3	-0.01	30.43	FM-15	0.00	30.41
19	2254	7	FEW:02 200	10.00		35	1.7	32	0.0	26	-3.3	70	3	030		30.24			30.44	FM-15	0.00	30.42
19	2354	7	FEW:02 200 FEW:02 250	10.00		35	1.7	31	-0.6	25	-3.9	67	5	310		30.25			30.44	FM-15	0.00	30.43
20	0054	7	BKN:07 300	10.00		34	1.1	31	-0.6	26	-3.3	73	0	000		30.24	0	-0.01	30.43	FM-15	0.00	30.42
20	0100	4		9.94		34	1.1	31	-0.6	26	-3.3	73	0	000		30.24	9	+0.01	30.43	FM-12		
20	0154	7	BKN:07 300	10.00		34	1.1	31	-0.6	25	-3.9	70	0	000		30.24			30.44	FM-15	0.00	30.42
20	0254	7	BKN:07 250	10.00		33	0.6	30	-1.1	26	-3.3	75	0	000		30.24			30.43	FM-15	0.00	30.42
20	0354	7	BKN:07 240	10.00		33	0.6	30	-1.1	26	-3.3	75	0	000		30.23	8	+0.01	30.42	FM-15	0.00	30.41
20	0454	7	BKN:07 240	10.00		32	0.0	30	-1.1	27	-2.8	82	0	000		30.23			30.43	FM-15	0.00	30.41
20	0554	7	BKN:07 210	10.00		34	1.1	31	-0.6	26	-3.3	73	5	050		30.24			30.44	FM-15	0.00	30.42
20	0654	7	FEW:02 140 OVC:08 190	10.00		35	1.7	31	-0.6	24	-4.4	64	6	040		30.25	3	-0.02	30.45	FM-15	0.00	30.43
20	0700	4		9.94		35	1.7	31	-0.6	24	-4.4	64	6	040		30.25	3	-0.02	30.45	FM-12		

20	0754	7	OVC:08 150	10.00		37	2.8	33	0.6	25	-3.9	62	7	050		30.28			30.47	FM-15	0.00	30.46
20	0854	7	OVC:08 120	10.00		38	3.3	33	0.6	24	-4.4	57	7	060		30.28			30.47	FM-15	0.00	30.46
20	0954	7	OVC:08 100	10.00		39	3.9	34	1.1	25	-3.9	57	6	050		30.28	1	-0.03	30.47	FM-15	0.00	30.46
20	1054	7	OVC:08 80	10.00		39	3.9	34	1.1	25	-3.9	57	6	060		30.28			30.47	FM-15	0.00	30.46
20	1154	7	OVC:08 75	10.00		40	4.4	34	1.1	25	-3.9	55	8	060		30.26			30.45	FM-15	0.00	30.44
20	1254	7	OVC:08 65	10.00		40	4.4	34	1.1	25	-3.9	55	8	050		30.24	8	+0.04	30.43	FM-15	0.00	30.42
20	1300	4	57	9.94		40	4.4	34	1.1	25	-3.9	55	8	050		30.24	8	+0.04	30.43	FM-12		
20	1354	7	OVC:08 70	10.00		40	4.4	34	1.1	24	-4.4	53	9	050		30.21			30.41	FM-15	0.00	30.39
20	1454	7	OVC:08 75	10.00		40	4.4	34	1.1	25	-3.9	55	6	070		30.20			30.39	FM-15	0.00	30.38
20	1554	7	OVC:08 60	10.00		39	3.9	33	0.6	23	-5.0	53	6	060		30.19	6	+0.04	30.39	FM-15	0.00	30.37
20	1654	7	OVC:08 65	10.00		38	3.3	32	0.0	22	-5.6	52	7	020		30.19			30.39	FM-15	0.00	30.37
20	1738	7	OVC:08 29	2.50V	-SN:03  SN	34	1.1	31	-0.6	26	-3.3	73	14	020		30.21				FM-16	T	30.39
20	1744	7	OVC:08 23	1.25	-SN:03  SN	33	0.6	31	-0.6	27	-2.8	78	10	020		30.21				FM-16	T	30.39
20	1754	7	VV:09 17	1.00	-SN:03  SN	32	0.0	31	-0.6	28	-2.2	85	7	040		30.21			30.41	FM-15	0.01	30.39
20	1807	7	VV:09 13	1.00	-SN:03 BR:1  SN	32	0.0	31	-0.6	30	-1.1	92	7	060		30.22				FM-16	T	30.40
20	1824	7	SCT:04 6 OVC:08 12	0.75	-SN:03 BR:1  SN	31	-0.6	31	-0.6	30	-1.1	96	6	070		30.21				FM-16	0.02	30.39
20	1843	7	SCT:04 6 OVC:08 12	1.00	-SN:03 BR:1  SN	31	-0.6	31	-0.6	31	-0.6	100	6	100		30.21				FM-16	0.04	30.39
20	1854	7	FEW:02 6 OVC:08 14	1.25	-SN:03 BR:1  SN	31	-0.6	31	-0.6	30	-1.1	96	6	090		30.20	0	-0.01	30.40	FM-15	0.05	30.38
20	1900	4	5	1.24		31	-0.6	31	-0.6	30	-1.1	96	6	090		30.20	9	+0.01	30.40	FM-12		
20	1905	7	FEW:02 6 OVC:08 17	1.50	-SN:03 BR:1  SN	31	-0.6	31	-0.6	30	-1.1	96	5	090		30.20				FM-16	0.01	30.38
20	1932	7	SCT:04 6 OVC:08 25	2.00	-SN:03 BR:1  SN	31	-0.6	31	-0.6	30	-1.1	96	6	060		30.20				FM-16	0.02	30.38
20	1943	7	BKN:07 6 OVC:08 30	2.00	-SN:03 BR:1  SN	31	-0.6	31	-0.6	30	-1.1	96	6	070		30.21				FM-16	0.02	30.39
20	1954	7	BKN:07 6 OVC:08 49	2.50	-SN:03 BR:1  SN	31	-0.6	31	-0.6	30	-1.1	96	5	070		30.21			30.41	FM-15	0.01	30.39
20	2006	7	SCT:04 6 OVC:08 55	8.00		31	-0.6	31	-0.6	30	-1.1	96	3	080		30.20				FM-16	T	30.38
20	2054	7	SCT:04 6 OVC:08 85	10.00		31	-0.6	31	-0.6	30	-1.1	96	3	090		30.20			30.40	FM-15	T	30.38
20	2154	7	FEW:02 6 OVC:08 110	10.00		31	-0.6	31	-0.6	30	-1.1	96	3	010		30.19	8	0.00	30.39	FM-15	0.00	30.37
20	2254	7	FEW:02 6 BKN:07 100 OVC:08 120	10.00		31	-0.6	31	-0.6	30	-1.1	96	6	350		30.20			30.40	FM-15	0.00	30.38
20	2354	7	BKN:07 100 OVC:08 120	10.00		32	0.0	31	-0.6	30	-1.1	92	8	350		30.20			30.40	FM-15	0.00	30.38
21	0054	7	FEW:02 120	10.00		32	0.0	31	-0.6	29	-1.7	88	9	350		30.21	1	-0.01	30.40	FM-15	0.00	30.39
21	0100	4		9.94		32	0.0	31	-0.6	29	-1.7	88	9	350		30.21	1	-0.01	30.40	FM-12		
21	0154	7	BKN:07 150	10.00		32	0.0	29	-1.7	23	-5.0	69	10	010		30.20			30.40	FM-15	0.00	30.38
21	0254	7	SCT:04 37 BKN:07 200	10.00		31	-0.6	28	-2.2	21	-6.1	67	15	360		30.20			30.40	FM-15	0.00	30.38
21	0354	7	BKN:07 40	10.00		29	-1.7	25	-3.9	18	-7.8	63	15	360		30.21	3	0.00	30.41	FM-15	0.00	30.39
21	0454	7	OVC:08 42	10.00		29	-1.7	25	-3.9	17	-8.3	61	17	350	24	30.23			30.43	FM-15	0.00	30.41
21	0554	7	BKN:07 45	10.00		27	-2.8	24	-4.4	16	-8.9	63	15	350		30.26			30.46	FM-15	0.00	30.44
21	0654	7	FEW:02 45	10.00		26	-3.3	22	-5.6	14	-10.0	60	16	350		30.29	3	-0.08	30.48	FM-15	0.00	30.47
21	0700	4	41	9.94		26	-3.3	22	-5.6	14	-10.0	60	16	350		30.29	3	-0.08	30.48	FM-12		
21	0754	7	FEW:02 40	10.00		26	-3.3	22	-5.6	14	-10.0	60	14	350		30.32			30.52	FM-15	0.00	30.50
21	0854	7	FEW:02 40	10.00		28	-2.2	24	-4.4	14	-10.0	56	17	360	22	30.34			30.54	FM-15	0.00	30.52
21	0954	7	FEW:02 42	10.00		29	-1.7	24	-4.4	14	-10.0	54	17	010		30.35	1	-0.06	30.55	FM-15	0.00	30.53
21	1054	7	FEW:02 45	10.00		32	0.0	27	-2.8	15	-9.4	50	14	350	21	30.36			30.56	FM-15	0.00	30.54
21	1154	7	FEW:02 45	10.00		34	1.1	28	-2.2	14	-10.0	44	16	040		30.35			30.55	FM-15	0.00	30.53
21	1254	7	CLR:00	10.00		35	1.7	28	-2.2	12	-11.1	38	8	010		30.33	8	+0.02	30.53	FM-15	0.00	30.51
21	1300	4		9.94		35	1.7	28	-2.2	12	-11.1	38	8	010		30.33	8	+0.02	30.53	FM-12		
21	1354	7	CLR:00	10.00		37	2.8	29	-1.7	11	-11.7	34	14	330		30.32			30.52	FM-15	0.00	30.50
21	1454	7	CLR:00	10.00		38	3.3	29	-1.7	9	-12.8	30	9	020		30.30			30.50	FM-15	0.00	30.48

21	1554	7	CLR:00	10.00		39	3.9	30	-1.1	10	-12.2	30	9	030		30.30	6	+0.03	30.50	FM-15	0.00	30.48
21	1654	7	CLR:00	10.00		38	3.3	29	-1.7	8	-13.3	29	13	350		30.30			30.50	FM-15	0.00	30.48
21	1754	7	CLR:00	10.00		34	1.1	27	-2.8	9	-12.8	35	7	020		30.30			30.50	FM-15	0.00	30.48
21	1854	7	CLR:00	10.00		33	0.6	26	-3.3	10	-12.2	38	0	000		30.31	3	-0.01	30.51	FM-15	0.00	30.49
21	1900	4		9.94		33	0.6	26	-3.3	10	-12.2	38	0	000		30.31	3	-0.01	30.51	FM-12		
21	1954	7	CLR:00	10.00		29	-1.7	24	-4.4	13	-10.6	51	0	000		30.31			30.51	FM-15	0.00	30.49
21	2054	7	CLR:00	10.00		26	-3.3	22	-5.6	14	-10.0	60	0	000		30.31			30.51	FM-15	0.00	30.49
21	2154	7	CLR:00	10.00		27	-2.8	23	-5.0	13	-10.6	55	0	000		30.30	8	+0.01	30.50	FM-15	0.00	30.48
21	2254	7	CLR:00	10.00		23	-5.0	20	-6.7	14	-10.0	68	3	240		30.29			30.49	FM-15	0.00	30.47
21	2354	7	CLR:00	10.00		24	-4.4	21	-6.1	15	-9.4	68	3	210		30.27			30.47	FM-15	0.00	30.45
22	0054	7	CLR:00	10.00		24	-4.4	21	-6.1	15	-9.4	68	0	000		30.26	6	+0.04	30.46	FM-15	0.00	30.44
22	0100	4		9.94		24	-4.4	21	-6.1	15	-9.4	68	0	000		30.26	6	+0.04	30.46	FM-12		
22	0154	7	CLR:00	10.00		23	-5.0	21	-6.1	15	-9.4	72	3	220		30.25			30.45	FM-15	0.00	30.43
22	0254	7	CLR:00	10.00		22	-5.6	20	-6.7	15	-9.4	75	0	000		30.23			30.43	FM-15	0.00	30.41
22	0354	7	CLR:00	10.00		22	-5.6	20	-6.7	15	-9.4	75	0	000		30.23	6	+0.03	30.43	FM-15	0.00	30.41
22	0454	7	CLR:00	10.00		21	-6.1	19	-7.2	15	-9.4	78	3	210		30.23			30.43	FM-15	0.00	30.41
22	0554	7	CLR:00	10.00		20	-6.7	18	-7.8	14	-10.0	78	6	200		30.23			30.43	FM-15	0.00	30.41
22	0654	7	CLR:00	10.00		21	-6.1	19	-7.2	14	-10.0	74	3	220		30.24	3	-0.01	30.44	FM-15	0.00	30.42
22	0700	4		9.94		21	-6.1	19	-7.2	14	-10.0	74	3	220		30.24	3	-0.01	30.44	FM-12		
22	0754	7	FEW:02 300	10.00		28	-2.2	25	-3.9	18	-7.8	66	9	220		30.26			30.45	FM-15	0.00	30.44
22	0854	7	FEW:02 350	10.00		34	1.1	28	-2.2	16	-8.9	48	8	230		30.26			30.46	FM-15	0.00	30.44
22	0954	7	FEW:02 350	10.00		39	3.9	31	-0.6	15	-9.4	38	8	220		30.25	0	-0.01	30.45	FM-15	0.00	30.43
22	1054	7	FEW:02 350	10.00		44	6.7	34	1.1	15	-9.4	31	7	210		30.24			30.44	FM-15	0.00	30.42
22	1154	7	FEW:02 300	10.00		48	8.9	36	2.2	16	-8.9	28	7	210		30.22			30.42	FM-15	0.00	30.40
22	1254	7	FEW:02 300	10.00		50	10.0	38	3.3	16	-8.9	26	6	190		30.19	8	+0.07	30.38	FM-15	0.00	30.37
22	1300	4		9.94		50	10.0	38	3.3	16	-8.9	26	6	190		30.19	8	+0.07	30.38	FM-12		
22	1354	7	FEW:02 300	10.00		52	11.1	39	3.9	17	-8.3	25	11	210		30.15			30.34	FM-15	0.00	30.33
22	1454	7	FEW:02 300	10.00		53	11.7	40	4.4	19	-7.2	26	13	190		30.12			30.32	FM-15	0.00	30.30
22	1554	7	FEW:02 300	10.00		53	11.7	40	4.4	19	-7.2	26	9	200		30.11	6	+0.07	30.31	FM-15	0.00	30.29
22	1654	7	CLR:00	10.00		52	11.1	40	4.4	21	-6.1	30	7	210		30.11			30.30	FM-15	0.00	30.29
22	1754	7	CLR:00	10.00		45	7.2	36	2.2	22	-5.6	40	8	190		30.11			30.31	FM-15	0.00	30.29
22	1854	7	CLR:00	10.00		41	5.0	34	1.1	22	-5.6	47	7	180		30.12	3	-0.01	30.32	FM-15	0.00	30.30
22	1900	4		9.94		41	5.0	34	1.1	22	-5.6	47	7	180		30.12	3	-0.01	30.32	FM-12		
22	1954	7	CLR:00	10.00		40	4.4	34	1.1	24	-4.4	53	7	160		30.13			30.32	FM-15	0.00	30.31
22	2054	7	CLR:00	10.00		38	3.3	34	1.1	27	-2.8	65	7	170		30.12			30.32	FM-15	0.00	30.30
22	2154	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	7	180		30.12	8	0.00	30.31	FM-15	0.00	30.30
22	2254	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	7	200		30.11			30.31	FM-15	0.00	30.29
22	2354	7	CLR:00	10.00		35	1.7	32	0.0	26	-3.3	70	7	200		30.10			30.30	FM-15	0.00	30.28
23	0054	7	CLR:00	10.00		36	2.2	32	0.0	26	-3.3	67	6	200		30.09	8	+0.03	30.29	FM-15	0.00	30.27
23	0100	4		9.94		36	2.2	32	0.0	26	-3.3	67	6	200		30.09	8	+0.03	30.29	FM-12		
23	0154	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		30.08			30.28	FM-15	0.00	30.26
23	0254	7	CLR:00	10.00		30	-1.1	28	-2.2	24	-4.4	79	3	190		30.07			30.27	FM-15	0.00	30.25
23	0354	7	CLR:00	10.00		29	-1.7	27	-2.8	24	-4.4	82	0	000		30.07	6	+0.02	30.26	FM-15	0.00	30.25
23	0454	7	CLR:00	10.00		29	-1.7	27	-2.8	24	-4.4	82	5	180		30.08			30.27	FM-15	0.00	30.26
23	0554	7	CLR:00	10.00		28	-2.2	27	-2.8	24	-4.4	85	3	190		30.08			30.28	FM-15	0.00	30.26
23	0654	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.10	3	-0.03	30.30	FM-15	0.00	30.28
23	0700	4		9.94		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.10	3	-0.03	30.30	FM-12		
23	0754	7	CLR:00	10.00		31	-0.6	30	-1.1	27	-2.8	85	0	000		30.11			30.31	FM-15	0.00	30.29
23	0854	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	0	000		30.10			30.30	FM-15	0.00	30.28
23	0954	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	0	000		30.09	8	+0.01	30.29	FM-15	0.00	30.27
23	1054	7	CLR:00	10.00		50	10.0	39	3.9	23	-5.0	35	5	090		30.08			30.28	FM-15	0.00	30.26
23	1154	7	FEW:02 300	10.00		55	12.8	42	5.6	24	-4.4	30	5	VRB		30.05			30.25	FM-15	0.00	30.23
23	1254	7	FEW:02 300	10.00		58	14.4	42	5.6	19	-7.2	22	7	250		30.02	8	+0.08	30.21	FM-15	0.00	30.20
23	1300	4		9.94		58	14.4	42	5.6	19	-7.2	22	7	250		30.02	8	+0.08	30.21	FM-12		
23	1354	7	FEW:02 300	10.00		59	15.0	44	6.7	22	-5.6	24	6	230		29.98			30.17	FM-15	0.00	30.16
23	1454	7	SCT:04 300	10.00		62	16.7	44	6.7	19	-7.2	19	11	210		29.95			30.14	FM-15	0.00	30.13
23	1554	7	SCT:04 300	10.00		63	17.2	45	7.2	21	-6.1	20	10	220		29.94	6	+0.08	30.14	FM-15	0.00	30.12

23	1654	7	SCT:04 300	10.00		61	16.1	44	6.7	21	-6.1	21	13	230		29.93			30.13	FM-15	0.00	30.11
23	1754	7	FEW:02 130 SCT:04 300	10.00		53	11.7	42	5.6	26	-3.3	35	10	200		29.94			30.13	FM-15	0.00	30.12
23	1854	7	FEW:02 130 FEW:02 200 SCT:04 300	10.00		49	9.4	40	4.4	26	-3.3	41	7	180		29.95	3	-0.01	30.14	FM-15	0.00	30.13
23	1900	4		9.94		49	9.4	40	4.4	26	-3.3	41	7	180		29.95	3	-0.01	30.14	FM-12		
23	1954	7	SCT:04 240 BKN:07 300	10.00		46	7.8	39	3.9	29	-1.7	51	8	170		29.95			30.14	FM-15	0.00	30.13
23	2054	7	SCT:04 120 BKN:07 240 BKN:07 300	10.00		49	9.4	42	5.6	32	0.0	52	8	190		29.94			30.14	FM-15	0.00	30.12
23	2154	7	BKN:07 120 BKN:07 210 BKN:07 300	10.00		49	9.4	41	5.0	31	-0.6	50	7	180		29.94	8	+0.01	30.14	FM-15	0.00	30.12
23	2254	7	BKN:07 120 OVC:08 230	10.00		49	9.4	41	5.0	31	-0.6	50	9	190		29.93			30.13	FM-15	0.00	30.11
23	2354	7	FEW:02 120 SCT:04 200 BKN:07 300	10.00		47	8.3	40	4.4	31	-0.6	54	9	200		29.93			30.12	FM-15	0.00	30.11
24	0054	7	SCT:04 200	10.00		46	7.8	39	3.9	29	-1.7	51	7	220		29.92	8	+0.02	30.11	FM-15	0.00	30.10
24	0100	4		9.94		46	7.8	39	3.9	29	-1.7	51	7	220		29.92	8	+0.02	30.11	FM-12		
24	0154	7	FEW:02 200	10.00		44	6.7	38	3.3	29	-1.7	55	5	190		29.90			30.10	FM-15	0.00	30.08
24	0254	7	CLR:00	10.00		41	5.0	36	2.2	29	-1.7	62	6	190		29.90			30.09	FM-15	0.00	30.08
24	0354	7	CLR:00	10.00		40	4.4	35	1.7	28	-2.2	63	5	180		29.88	8	+0.04	30.07	FM-15	0.00	30.06
24	0454	7	SCT:04 250	10.00		40	4.4	35	1.7	28	-2.2	63	3	170		29.87			30.06	FM-15	0.00	30.05
24	0554	7	BKN:07 250	10.00		39	3.9	35	1.7	29	-1.7	67	3	170		29.88			30.07	FM-15	0.00	30.06
24	0654	7	BKN:07 240 BKN:07 300	10.00		40	4.4	35	1.7	28	-2.2	63	3	180		29.88	5	0.00	30.08	FM-15	0.00	30.06
24	0700	4		9.94		40	4.4	35	1.7	28	-2.2	63	3	180		29.88	5	0.00	30.08	FM-12		
24	0754	7	BKN:07 240 OVC:08 300	10.00		42	5.6	38	3.3	32	0.0	68	0	000		29.89			30.09	FM-15	0.00	30.07
24	0854	7	FEW:02 100 BKN:07 200 OVC:08 300	10.00		44	6.7	39	3.9	32	0.0	63	6	190		29.91			30.10	FM-15	0.00	30.09
24	0954	7	BKN:07 110 BKN:07 200 OVC:08 300	10.00		48	8.9	41	5.0	31	-0.6	52	8	220		29.90	0	-0.02	30.09	FM-15	0.00	30.08
24	1054	7	FEW:02 100 BKN:07 170 OVC:08 300	10.00		52	11.1	44	6.7	34	1.1	50	11	200		29.90			30.10	FM-15	0.00	30.08
24	1154	7	FEW:02 70 BKN:07 90 BKN:07 180	10.00		53	11.7	44	6.7	32	0.0	45	9	230		29.89			30.09	FM-15	0.00	30.07
24	1254	7	FEW:02 55 BKN:07 75 OVC:08 90	10.00		55	12.8	46	7.8	35	1.7	47	9	220		29.87	8	+0.03	30.06	FM-15	0.00	30.05
24	1300	4	57	9.94		55	12.8	46	7.8	35	1.7	47	9	220		29.87	8	+0.03	30.06	FM-12		
24	1354	7	BKN:07 49 OVC:08 70	10.00		55	12.8	47	8.3	37	2.8	51	15	220		29.84			30.03	FM-15	0.00	30.02
24	1454	7	FEW:02 45 BKN:07 60 OVC:08 70	10.00	-RA:02  RA  RA	53	11.7	46	7.8	39	3.9	59	14	200		29.83			30.02	FM-15	T	30.01
24	1554	7	BKN:07 55 BKN:07 70 OVC:08 180	10.00		51	10.6	45	7.2	39	3.9	64	10	190		29.81	6	+0.06	30.01	FM-15	T	29.99
24	1654	7	FEW:02 40 BKN:07 55 BKN:07 70	10.00		50	10.0	45	7.2	40	4.4	68	13	180		29.81			30.00	FM-15	0.00	29.99
24	1754	7	FEW:02 50 BKN:07 70 OVC:08 180	10.00		49	9.4	45	7.2	41	5.0	74	10	170		29.82			30.01	FM-15	0.00	30.00

24	1854	7	FEW:02 15 SCT:04 85 SCT:04 110	10.00		48	8.9	46	7.8	43	6.1	83	9	170		29.82	3	-0.01	30.02	FM-15	0.00	30.00
24	1900	4	15	9.94		48	8.9	46	7.8	43	6.1	83	9	170		29.82	3	-0.01	30.02	FM-12		
24	1904	7	BKN:07 15 BKN:07 85 BKN:07 110	10.00		48	8.9	46	7.8	43	6.1	83	10	170		29.82				FM-16		30.00
24	1938	7	BKN:07 13 OVC:08 100	10.00		47	8.3	45	7.2	43	6.1	86	7	170		29.82				FM-16		30.00
24	1951	7	SCT:04 13 BKN:07 100 OVC:08 240	10.00		46	7.8	45	7.2	43	6.1	87	9	180		29.82				FM-16		30.00
24	1954	7	SCT:04 13 BKN:07 100 OVC:08 240	10.00		46	7.8	45	7.2	43	6.1	89	9	180		29.82			30.01	FM-15	0.00	30.00
24	2054	7	BKN:07 70 BKN:07 100 OVC:08 250	10.00		47	8.3	46	7.8	44	6.7	90	8	180		29.81			30.01	FM-15	0.00	29.99
24	2154	7	OVC:08 75	10.00		48	8.9	46	7.8	44	6.7	86	10	200		29.80	8	+0.02	29.99	FM-15	0.00	29.98
24	2254	7	OVC:08 75	9.00	-RA:02  RA  RA	47	8.3	46	7.8	45	7.2	93	10	200		29.78			29.97	FM-15	T	29.96
24	2329	7	SCT:04 7 BKN:07 65 OVC:08 80	7.00	-RA:02  RA  RA	46	7.8	46	7.8	46	7.8	100	9	190		29.76				FM-16	0.02	29.94
24	2352	6	BKN:07 7 OVC:08 60	6.00	-RA:02 BR:1  RA  RA	46	7.8	46	7.8	46	7.8	100	7	180		29.75				FM-16		29.93
24	2354	7	BKN:07 7 OVC:08 60	7.00	-RA:02  RA  RA	46	7.8	46	7.8	46	7.8	100	9	180		29.75			29.94	FM-15	0.04	29.93
25	0054	7	OVC:08 5	6.00	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	9	200		29.74	6	+0.05	29.94	FM-15	0.01	29.92
25	0100	4	5	5.59	RA	47	8.3	47	8.3	46	7.8	97	9	200		29.74	6	+0.05	29.94	FM-12		
25	0154	7	BKN:07 5 OVC:08 20	9.00		47	8.3	47	8.3	46	7.8	97	6	190		29.74			29.93	FM-15	T	29.92
25	0254	7	OVC:08 4	4.00	BR:1	47	8.3	47	8.3	47	8.3	100	6	190		29.71			29.91	FM-15	0.00	29.89
25	0325	7	OVC:08 5	5.00	BR:1	47	8.3	47	8.3	47	8.3	100	5	190		29.71				FM-16		29.89
25	0354	7	OVC:08 5	2.50	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	5	180		29.70	8	+0.05	29.89	FM-15	T	29.88
25	0405	7	OVC:08 5	1.75	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	5	180		29.70				FM-16	T	29.88
25	0414	7	OVC:08 5	2.00	BR:1	47	8.3	47	8.3	47	8.3	100	3	170		29.70				FM-16	T	29.88
25	0421	7	BKN:07 7 OVC:08 10	1.50	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	3	160		29.69				FM-16	0.01	29.87
25	0454	7	OVC:08 5	2.00	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	3	160		29.70			29.89	FM-15	0.02	29.88
25	0526	7	SCT:04 5 BKN:07 11 OVC:08 22	2.00	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	47	8.3	100	5	160		29.69				FM-16	0.03	29.87
25	0549	7	BKN:07 3 OVC:08 8	2.00	-RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	94	6	150		29.69				FM-16	0.05	29.87
25	0554	7	OVC:08 3	2.00	-RA:02 BR:1  RA  RA	48	8.9	48	8.9	47	8.3	96	5	140		29.68			29.87	FM-15	0.06	29.86
25	0654	7	OVC:08 3	2.00	RA:02 BR:1  RA  RA	48	8.9	48	8.9	48	8.9	100	9	130		29.65	8	+0.05	29.84	FM-15	0.11	29.83
25	0700	4	2	1.99	RA	48	8.9	48	8.9	48	8.9	100	9	130		29.65	8	+0.05	29.84	FM-12		
25	0710	7	OVC:08 3	4.00	-RA:02 BR:1  RA  RA	48	8.9	48	8.9	48	8.9	100	10	130	20	29.65				FM-16	0.01	29.83
25	0754	7	OVC:08 4	3.00	RA:02 BR:1  RA  RA	49	9.4	48	8.9	48	8.9	97	5	160		29.67			29.86	FM-15	0.07	29.85
25	0801	7	OVC:08 4	1.50	RA:02 BR:1  RA  RA	49	9.4	49	9.4	49	9.4	100	6	170		29.67				FM-16	0.01	29.85
25	0843	7	OVC:08 4	2.50	-RA:02 BR:1  RA  RA	49	9.4	49	9.4	49	9.4	100	0	000		29.66				FM-16	0.06	29.84
25	0854	7	OVC:08 4	2.50	-RA:02 BR:1  RA  RA	49	9.4	49	9.4	49	9.4	100	0	000		29.66			29.86	FM-15	0.05	29.84
25	0906	7	OVC:08 3	4.00	-RA:02 BR:1  RA  RA	49	9.4	49	9.4	49	9.4	100	0	000		29.66				FM-16	T	29.84
25	0954	7	OVC:08 3	1.50	BR:1	50	10.0	50	10.0	50	10.0	100	3	170		29.66	0	-0.01	29.85	FM-15	0.01	29.84
25	1037	7	OVC:08 2	1.00	RA:02 BR:1  RA  RA	50	10.0	50	10.0	50	10.0	100	5	160		29.64				FM-16	0.04	29.82
25	1054	7	OVC:08 3	1.75	-RA:02 BR:1  RA  RA	51	10.6	51	10.6	51	10.6	100	6	170		29.63			29.83	FM-15	0.05	29.81
25	1108	7	OVC:08 3	2.00	-RA:02 BR:1  RA  RA	52	11.1	51	10.6	51	10.6	97	5	170		29.63				FM-16	T	29.81
25	1132	7	OVC:08 3	3.00	BR:1	53	11.7	52	11.1	52	11.1	96	8	170		29.63				FM-16	T	29.81
25	1154	7	OVC:08 3	4.00	BR:1	54	12.2	54	12.2	54	12.2	100	7	190		29.63			29.82	FM-15	T	29.81
25	1247	7	OVC:08 4	1.25	-RA:02 BR:1  RA  RA	54	12.2	54	12.2	54	12.2	100	6	300		29.62				FM-16	T	29.80
25	1254	7	OVC:08 4	1.25	-RA:02 BR:1  RA  RA	54	12.2	54	12.2	54	12.2	100	3	290		29.61	6	+0.04	29.80	FM-15	T	29.79

25	1300	4	5	1.24	RA	54	12.2	54	12.2	54	12.2	100	3	290		29.61	6	+0.04	29.80	FM-12		
25	1308	7	OVC:08 4	1.50	-RA:02 BR:1  RA  RA	54	12.2	54	12.2	54	12.2	100	3	300		29.61				FM-16	T	29.79
25	1327	7	OVC:08 5	2.00	BR:1	55	12.8	54	12.2	54	12.2	96	5	270		29.60				FM-16	T	29.78
25	1335	7	SCT:04 5 OVC:08 25	4.00	BR:1	56	13.3	55	12.8	55	12.8	97	5	280		29.60				FM-16	T	29.78
25	1354	7	SCT:04 6 BKN:07 14 OVC:08 25	9.00		56	13.3	55	12.8	55	12.8	97	7	260		29.60			29.79	FM-15	T	29.78
25	1407	7	BKN:07 8 OVC:08 18	9.00		56	13.3	55	12.8	55	12.8	97	6	260		29.59				FM-16		29.77
25	1440	7	BKN:07 10 OVC:08 20	10.00		58	14.4	56	13.3	55	12.8	90	6	250		29.59				FM-16		29.77
25	1454	7	SCT:04 13 OVC:08 21	10.00		59	15.0	57	13.9	55	12.8	87	7	260		29.59			29.78	FM-15	0.00	29.77
25	1554	7	BKN:07 18 OVC:08 300	10.00		60	15.6	57	13.9	54	12.2	80	8	260		29.59	5	+0.02	29.78	FM-15	0.00	29.77
25	1654	7	BKN:07 20 OVC:08 300	10.00		59	15.0	56	13.3	53	11.7	81	7	260		29.60			29.79	FM-15	0.00	29.78
25	1741	7	FEW:02 19 SCT:04 150 BKN:07 300	10.00		57	13.9	55	12.8	53	11.7	87	6	310		29.62				FM-16		29.80
25	1754	7	FEW:02 19 SCT:04 150 BKN:07 300	10.00		56	13.3	54	12.2	52	11.1	87	5	310		29.62			29.81	FM-15	0.00	29.80
25	1854	7	FEW:02 24 OVC:08 300	10.00		54	12.2	53	11.7	52	11.1	93	0	000		29.64	3	-0.05	29.83	FM-15	0.00	29.82
25	1900	4	26	9.94		54	12.2	53	11.7	52	11.1	93	0	000		29.64	3	-0.05	29.83	FM-12		
25	1954	7	SCT:04 21 OVC:08 300	10.00	MI:1 FG:2  FG	51	10.6	51	10.6	51	10.6	100	0	000		29.65			29.84	FM-15	0.00	29.83
25	2052	7	FEW:02 21 SCT:04 300	0.25	FG:2  FG	50	10.0	50	10.0	50	10.0	100	0	000		29.66				FM-16		29.84
25	2054	7	FEW:02 21 SCT:04 300	0.25	FG:2  FG	50	10.0	49	9.4	49	9.4	96	0	000		29.66			29.85	FM-15	0.00	29.84
25	2127	7	FEW:02 29 SCT:04 300	1.00	BR:1	50	10.0	50	10.0	50	10.0	100	0	000		29.68				FM-16		29.86
25	2134	7	SCT:04 29 SCT:04 300	3.00	BR:1	50	10.0	50	10.0	50	10.0	100	0	000		29.68				FM-16		29.86
25	2154	7	BKN:07 32 BKN:07 300	7.00	MI:1 FG:2  FG	49	9.4	49	9.4	49	9.4	100	0	000		29.68	3	-0.04	29.88	FM-15	0.00	29.86
25	2254	7	FEW:02 25 SCT:04 41 SCT:04 300	3.00	BR:1	50	10.0	50	10.0	50	10.0	100	3	050		29.67			29.86	FM-15	0.00	29.85
25	2328	7	BKN:07 25 BKN:07 300	3.00	BR:1	50	10.0	50	10.0	50	10.0	100	0	000		29.67				FM-16		29.85
25	2354	7	BKN:07 25 BKN:07 300	3.00	BR:1	48	8.9	48	8.9	48	8.9	100	3	120		29.67			29.86	FM-15	0.00	29.85
26	0031	7	FEW:02 5 SCT:04 22	3.00	BR:1	49	9.4	49	9.4	49	9.4	100	0	000		29.66				FM-16		29.84
26	0054	7	FEW:02 2 FEW:02 24	3.00	BR:1	50	10.0	50	10.0	50	10.0	100	5	080		29.66	6	+0.02	29.85	FM-15	0.00	29.84
26	0100	4	2	2.98		50	10.0	50	10.0	50	10.0	100	5	080		29.66	6	+0.02	29.85	FM-12		
26	0154	7	FEW:02 3 BKN:07 33	3.00	BR:1	48	8.9	48	8.9	48	8.9	100	0	000		29.66			29.85	FM-15	0.00	29.84
26	0157	7	SCT:04 5 BKN:07 32	2.00	BR:1	48	8.9	48	8.9	48	8.9	100	0	000		29.66				FM-16		29.84
26	0203	7	BKN:07 5 OVC:08 30	2.00	BR:1	48	8.9	48	8.9	48	8.9	100	3	030		29.66				FM-16		29.84
26	0221	7	OVC:08 3	3.00	BR:1	49	9.4	49	9.4	49	9.4	100	0	000		29.66				FM-16		29.84
26	0236	7	OVC:08 3	2.00	BR:1	49	9.4	49	9.4	49	9.4	100	3	100		29.65				FM-16		29.83
26	0254	7	OVC:08 3	1.50	BR:1	49	9.4	49	9.4	49	9.4	100	5	060		29.65			29.84	FM-15	0.00	29.83
26	0315	7	VV:09 3	0.50	FG:2  FG	50	10.0	50	10.0	50	10.0	100	5	080		29.64				FM-16		29.82
26	0352	7	VV:09 2	0.25	FG:2  FG	50	10.0	50	10.0	50	10.0	100	0	000		29.65				FM-16		29.83
26	0354	7	VV:09 2	0.25	FG:2  FG	50	10.0	50	10.0	50	10.0	100	0	000		29.66	5	+0.01	29.85	FM-15	0.00	29.84



26	0454	7	VV:09 2	0.12	FG:2  FG			50	10.0	50	10.0	50	10.0	100	0	000				29.67				29.86	FM-15	0.00	29.85
26	0520	7	VV:09 2	0.25	FG:2  FG			50	10.0	50	10.0	50	10.0	100	5	350				29.68					FM-16		29.86
26	0534	7	VV:09 3	0.25	FG:2  FG			50	10.0	50	10.0	50	10.0	100	6	360				29.68					FM-16		29.86
26	0552	6	VV:09 3	0.25	FG:2  FG			50	10.0	50	10.0	50	10.0	100	5	010				29.68					FM-16		29.86
26	0554	7	VV:09 3	0.25	FG:2  FG			50	10.0	50	10.0	50	10.0	100	5	360				29.68			29.88		FM-15	0.00	29.86
26	0646	7	VV:09 2	0.25	FG:2  FG			50	10.0	50	10.0	50	10.0	100	6	030				29.69					FM-16		29.87
26	0654	7	VV:09 2	0.12	FG:2  FG			50	10.0	50	10.0	50	10.0	100	6	040				29.69	1	-0.03		29.88	FM-15	0.00	29.87
26	0700	4	2	0.12	FG			50	10.0	50	10.0	50	10.0	100	6	040				29.69	1	-0.03		29.88	FM-12		
26	0711	7	VV:09 2	0.12	FG:2  FG			50	10.0	50	10.0	50	10.0	100	6	050				29.70					FM-16		29.88
26	0732	7	VV:09 2	0.12	FG:2  FG			50	10.0	50	10.0	50	10.0	100	6	040				29.71					FM-16		29.89
26	0754	7	VV:09 2	0.12	FG:2  FG			50	10.0	50	10.0	50	10.0	100	6	060				29.72			29.91		FM-15	0.00	29.90
26	0818	7	VV:09 3	0.12	FG:2  FG			50	10.0	50	10.0	50	10.0	100	6	040				29.72					FM-16		29.90
26	0830	7	VV:09 2	0.25	FG:2  FG			51	10.6	51	10.6	51	10.6	100	5	040				29.72					FM-16		29.90
26	0838	7	VV:09 2	0.12	FG:2  FG			51	10.6	51	10.6	51	10.6	100	5	040				29.72					FM-16		29.90
26	0854	7	VV:09 2	0.12	FG:2  FG			51	10.6	51	10.6	51	10.6	100	3	050				29.72			29.91		FM-15	0.00	29.90
26	0918	7	VV:09 2	0.12	FG:2  FG			51	10.6	51	10.6	51	10.6	100	3	080				29.72					FM-16		29.90
26	0932	7	VV:09 2	0.12	FG:2  FG			51	10.6	51	10.6	51	10.6	100						29.72					FM-16		29.90
26	0954	7	VV:09 2	0.12	FG:2  FG			52	11.1	52	11.1	52	11.1	100	3	070				29.72	1	-0.04		29.92	FM-15	0.00	29.90
26	1001	7	VV:09 2	0.12	FG:2  FG			52	11.1	52	11.1	52	11.1	100	5	050				29.72					FM-16		29.90
26	1044	7	VV:09 2	0.25	FG:2  FG			53	11.7	53	11.7	53	11.7	100	5	080				29.71					FM-16		29.89
26	1054	7	VV:09 2	0.25	FG:2  FG			53	11.7	53	11.7	53	11.7	100	5	080				29.71			29.91		FM-15	0.00	29.89
26	1154	7	OVC:08 2	0.50	-DZ:01 FG:2  FG DZ  DZ			54	12.2	54	12.2	54	12.2	100	6	100				29.68			29.87		FM-15	T	29.86
26	1206	7	OVC:08 2	1.00	-DZ:01 BR:1  DZ  DZ			54	12.2	54	12.2	54	12.2	100	7	100				29.67					FM-16	T	29.85
26	1236	7	OVC:08 3	2.00	-DZ:01 BR:1  DZ  DZ			54	12.2	54	12.2	54	12.2	100	7	120				29.66					FM-16	T	29.84
26	1254	7	OVC:08 4	2.50	-DZ:01 BR:1  DZ  DZ			55	12.8	55	12.8	55	12.8	100	11	130				29.65	8	+0.08		29.84	FM-15	T	29.83
26	1300	4	5	2.49	DZ			55	12.8	55	12.8	55	12.8	100	11	130				29.65	8	+0.08		29.84	FM-12		
26	1326	7	OVC:08 4	1.50	-DZ:01 BR:1  DZ  DZ			55	12.8	54	12.2	54	12.2	96	10	120				29.63					FM-16	T	29.81
26	1354	7	OVC:08 3	2.50	-DZ:01 BR:1  DZ  DZ			55	12.8	54	12.2	54	12.2	96	7	100				29.62			29.81		FM-15	T	29.80
26	1454	7	OVC:08 4	2.50	BR:1			54	12.2	54	12.2	54	12.2	100	7	120				29.59			29.79		FM-15	T	29.77
26	1554	7	OVC:08 3	2.50	BR:1			54	12.2	54	12.2	54	12.2	100	9	120				29.56	8	+0.09		29.75	FM-15	0.00	29.74
26	1644	7	OVC:08 3	4.00	BR:1			55	12.8	54	12.2	54	12.2	96	9	140				29.56					FM-16		29.74
26	1654	7	OVC:08 3	4.00	BR:1			55	12.8	54	12.2	54	12.2	96	8	120				29.55			29.74		FM-15	0.00	29.73
26	1754	7	OVC:08 4	4.00	BR:1			54	12.2	54	12.2	54	12.2	100	8	110				29.52			29.71		FM-15	0.00	29.70
26	1824	7	OVC:08 2	2.00	BR:1			53	11.7	53	11.7	53	11.7	100	7	100				29.52					FM-16		29.69
26	1839	7	OVC:08 2	1.00	BR:1			53	11.7	53	11.7	53	11.7	100	7	110				29.49					FM-16		29.67
26	1851	7	VV:09 2	0.50	FG:2  FG			54	12.2	54	12.2	54	12.2	100	9	110				29.49					FM-16		29.67
26	1854	7	VV:09 2	0.50	FG:2  FG			53	11.7	53	11.7	53	11.7	100	6	110				29.49	6	+0.06		29.68	FM-15	0.00	29.67
26	1900	4	2	0.50	FG			53	11.7	53	11.7	53	11.7	100	6	110				29.49	6	+0.06		29.68	FM-12		
26	1954	7	VV:09 2	0.50	FG:2  FG			53	11.7	53	11.7	53	11.7	100	10	110				29.44			29.63		FM-15	0.00	29.62
26	2054	7	VV:09 2	0.50	FG:2  FG			53	11.7	53	11.7	53	11.7	100	9	120				29.41			29.60		FM-15	0.00	29.59
26	2122	7	VV:09 2	1.00	BR:1			54	12.2	54	12.2	54	12.2	100	13	150	24			29.39					FM-16		29.56
26	2154	7	OVC:08 2	1.00	BR:1			54	12.2	54	12.2	54	12.2	100	7	170				29.37	6	+0.12		29.56	FM-15	0.00	29.55
26	2213	7	OVC:08 2	1.75	BR:1			54	12.2	54	12.2	54	12.2	100	9	160				29.36					FM-16		29.53
26	2223	7	OVC:08 2	3.00	BR:1			54	12.2	54	12.2	54	12.2	100	8	180				29.36					FM-16		29.54
26	2254	7	BKN:07 2 OVC:08 90	3.00	BR:1			54	12.2	54	12.2	54	12.2	100	8	190				29.36			29.54		FM-15	0.00	29.53
26	2312	7	SCT:04 3 BKN:07 90 OVC:08 110	6.00	BR:1			55	12.8	55	12.8	55	12.8	100	10	200				29.34					FM-16		29.52
26	2340	7	SCT:04 18 BKN:07 70 OVC:08 80	10.00	-RA:02  RA  RA			53	11.7	51	10.6	49	9.4	86	23	280	29			29.36					FM-16	T	29.54
26	2354	7	FEW:02 21 SCT:04 28 OVC:08 75	10.00	-RA:02  RA  RA			51	10.6	49	9.4	47	8.3	86	17	300	29			29.41			29.59		FM-15	T	29.58
27	0054	7	BKN:07 30 OVC:08 42	10.00				49	9.4	44	6.7	39	3.9	69	14	300	29			29.44	3	-0.06		29.62	FM-15	T	29.61
27	0100	4	26	9.94				49	9.4	44	6.7	39	3.9	69	14	300				29.43	3	-0.06		29.62	FM-12		

27	0154	7	FEW:02 60 BKN:07 75 OVC:08 90	10.00	-RA:02  RA  RA	47	8.3	42	5.6	35	1.7	63	14	280	24	29.45			29.65	FM-15	T	29.63
27	0254	7	FEW:02 40 FEW:02 110	10.00		45	7.2	41	5.0	36	2.2	71	13	260	20	29.47			29.65	FM-15	T	29.64
27	0354	7	FEW:02 110	10.00		43	6.1	39	3.9	34	1.1	71	14	270		29.48	1	-0.05	29.67	FM-15	0.00	29.66
27	0454	7	FEW:02 110	10.00		42	5.6	37	2.8	30	-1.1	62	15	270		29.50			29.70	FM-15	0.00	29.68
27	0554	7	CLR:00	10.00		41	5.0	35	1.7	27	-2.8	57	13	280		29.54			29.73	FM-15	0.00	29.72
27	0654	7	FEW:02 120	10.00		40	4.4	35	1.7	26	-3.3	58	13	280		29.57	3	-0.10	29.77	FM-15	0.00	29.75
27	0700	4		9.94		40	4.4	35	1.7	26	-3.3	58	13	280		29.57	3	-0.10	29.77	FM-12		
27	0754	7	FEW:02 120	10.00		41	5.0	35	1.7	26	-3.3	55	16	280		29.61			29.81	FM-15	0.00	29.79
27	0854	7	FEW:02 45	10.00		42	5.6	34	1.1	22	-5.6	45	24	280	31	29.64			29.84	FM-15	0.00	29.82
27	0954	7	FEW:02 45	10.00		43	6.1	35	1.7	22	-5.6	43	15	280	24	29.66	1	-0.09	29.85	FM-15	0.00	29.84
27	1054	7	FEW:02 55	10.00		45	7.2	36	2.2	20	-6.7	37	20	290	28	29.69			29.88	FM-15	0.00	29.87
27	1154	7	FEW:02 60	10.00		45	7.2	35	1.7	18	-7.8	34	20	300	33	29.70			29.89	FM-15	0.00	29.88
27	1254	7	FEW:02 60	10.00		47	8.3	36	2.2	17	-8.3	30	17	260	29	29.68	0	-0.02	29.88	FM-15	0.00	29.86
27	1300	4	57	9.94		47	8.3	36	2.2	17	-8.3	30	17	260		29.68	9	+0.02	29.88	FM-12		
27	1354	7	FEW:02 65	10.00		49	9.4	37	2.8	17	-8.3	28	14	290		29.67			29.87	FM-15	0.00	29.85
27	1454	7	FEW:02 70	10.00		50	10.0	38	3.3	18	-7.8	28	16	250	22	29.67			29.87	FM-15	0.00	29.85
27	1554	7	FEW:02 65	10.00		48	8.9	36	2.2	15	-9.4	27	15	280	26	29.69	3	-0.01	29.89	FM-15	0.00	29.87
27	1654	7	CLR:00	10.00		47	8.3	35	1.7	14	-10.0	26	18	250		29.71			29.91	FM-15	0.00	29.89
27	1754	7	CLR:00	10.00		44	6.7	33	0.6	13	-10.6	28	15	280	24	29.75			29.94	FM-15	0.00	29.93
27	1854	7	CLR:00	10.00		43	6.1	33	0.6	16	-8.9	34	13	260		29.78	3	-0.09	29.98	FM-15	0.00	29.96
27	1900	4		9.94		43	6.1	33	0.6	16	-8.9	34	13	260		29.78	3	-0.09	29.98	FM-12		
27	1954	7	CLR:00	10.00		41	5.0	32	0.0	14	-10.0	33	13	290		29.81			30.00	FM-15	0.00	29.99
27	2054	7	CLR:00	10.00		39	3.9	31	-0.6	14	-10.0	36	14	300	24	29.84			30.03	FM-15	0.00	30.02
27	2122	7	X:10 0	6.00	FU:3  HZ FU  FU	38	3.3	30	-1.1	14	-10.0	37	11	300		29.85				FM-16		30.03
27	2154	7	CLR:00	10.00		37	2.8	29	-1.7	14	-10.0	39	11	290		29.86	2	-0.08	30.06	FM-15	0.00	30.04
27	2254	7	CLR:00	10.00		35	1.7	28	-2.2	14	-10.0	42	9	300		29.87			30.07	FM-15	0.00	30.05
27	2354	7	CLR:00	10.00		34	1.1	28	-2.2	15	-9.4	46	6	250		29.87			30.07	FM-15	0.00	30.05
28	0054	7	CLR:00	10.00		33	0.6	27	-2.8	15	-9.4	47	8	250		29.87	0	-0.01	30.06	FM-15	0.00	30.05
28	0100	4		9.94		33	0.6	27	-2.8	15	-9.4	47	8	250		29.87	9	+0.01	30.06	FM-12		
28	0154	7	CLR:00	10.00		33	0.6	27	-2.8	15	-9.4	47	7	270		29.86			30.06	FM-15	0.00	30.04
28	0254	7	CLR:00	10.00		30	-1.1	26	-3.3	16	-8.9	56	7	220		29.84			30.04	FM-15	0.00	30.02
28	0354	7	CLR:00	10.00		30	-1.1	26	-3.3	16	-8.9	56	8	210		29.85	5	+0.02	30.04	FM-15	0.00	30.03
28	0454	7	CLR:00	10.00		29	-1.7	25	-3.9	17	-8.3	61	8	220		29.85			30.04	FM-15	0.00	30.03
28	0554	7	SCT:04 220	10.00		31	-0.6	26	-3.3	17	-8.3	56	9	210		29.85			30.04	FM-15	0.00	30.03
28	0654	7	SCT:04 200	10.00		31	-0.6	26	-3.3	17	-8.3	56	10	220		29.85	2	0.00	30.04	FM-15	0.00	30.03
28	0700	4		9.94		31	-0.6	26	-3.3	17	-8.3	56	10	220		29.85	2	0.00	30.04	FM-12		
28	0754	7	BKN:07 150 BKN:07 300	10.00		34	1.1	29	-1.7	18	-7.8	52	13	230		29.85			30.04	FM-15	0.00	30.03
28	0854	7	FEW:02 150 BKN:07 300	10.00		39	3.9	32	0.0	19	-7.2	45	13	230		29.84			30.03	FM-15	0.00	30.02
28	0954	7	FEW:02 150 BKN:07 300	10.00		43	6.1	34	1.1	19	-7.2	38	17	240	26	29.82	8	+0.03	30.01	FM-15	0.00	30.00
28	1054	7	FEW:02 55 FEW:02 150 BKN:07 300	10.00		46	7.8	37	2.8	21	-6.1	37	18	230	26	29.80			29.99	FM-15	0.00	29.98
28	1154	7	SCT:04 60 BKN:07 180 BKN:07 300	10.00		48	8.9	38	3.3	21	-6.1	34	17	260		29.78			29.97	FM-15	0.00	29.96
28	1254	7	BKN:07 65 BKN:07 170 BKN:07 300	10.00		50	10.0	39	3.9	22	-5.6	33	20	240		29.74	8	+0.07	29.94	FM-15	0.00	29.92
28	1300	4	57	9.94		50	10.0	39	3.9	22	-5.6	33	20	240		29.74	8	+0.07	29.94	FM-12		
28	1354	7	BKN:07 70 BKN:07 140 BKN:07 300	10.00		49	9.4	38	3.3	21	-6.1	33	18	250	29	29.72			29.92	FM-15	0.00	29.90

28	1454	7	SCT:04 70 BKN:07 90 BKN:07 150	10.00		49	9.4	38	3.3	21	-6.1	33	18	260	26	29.71			29.91	FM-15	0.00	29.89
28	1554	7	SCT:04 65 BKN:07 90 BKN:07 300	10.00		49	9.4	38	3.3	21	-6.1	33	17	240	26	29.70	6	+0.04	29.90	FM-15	0.00	29.88
28	1654	7	SCT:04 70 BKN:07 90 BKN:07 300	10.00		49	9.4	38	3.3	22	-5.6	35	17	280		29.71			29.90	FM-15	0.00	29.89
28	1754	7	SCT:04 70 SCT:04 110 SCT:04 300	10.00		47	8.3	38	3.3	23	-5.0	39	15	260	21	29.72			29.91	FM-15	0.00	29.90
28	1854	7	FEW:02 80 FEW:02 120 FEW:02 300	10.00		45	7.2	37	2.8	25	-3.9	46	10	280		29.74	3	-0.03	29.93	FM-15	0.00	29.92
28	1900	4	74	9.94		45	7.2	37	2.8	25	-3.9	46	10	280		29.74	3	-0.03	29.93	FM-12		
28	1954	7	FEW:02 120	10.00		43	6.1	36	2.2	26	-3.3	51	8	240		29.75			29.95	FM-15	0.00	29.93
28	2054	7	BKN:07 110	10.00		42	5.6	36	2.2	28	-2.2	58	8	230		29.76			29.96	FM-15	0.00	29.94
28	2154	7	FEW:02 110	10.00		41	5.0	36	2.2	28	-2.2	60	8	250		29.76	1	-0.03	29.96	FM-15	0.00	29.94
28	2254	7	FEW:02 120	10.00		39	3.9	35	1.7	29	-1.7	67	7	250		29.76			29.96	FM-15	0.00	29.94
28	2354	7	FEW:02 120	10.00		39	3.9	35	1.7	29	-1.7	67	11	280		29.76			29.96	FM-15	0.00	29.94
29	0054	7	CLR:00	10.00		38	3.3	33	0.6	26	-3.3	62	6	270		29.77	5	0.00	29.96	FM-15	0.00	29.95
29	0100	4		9.94		38	3.3	33	0.6	26	-3.3	62	6	270		29.77	5	0.00	29.96	FM-12		
29	0154	7	CLR:00	10.00		36	2.2	32	0.0	25	-3.9	64	6	270		29.76			29.95	FM-15	0.00	29.94
29	0254	7	CLR:00	10.00		35	1.7	32	0.0	26	-3.3	70	8	240		29.75			29.95	FM-15	0.00	29.93
29	0354	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	7	250		29.75	6	+0.02	29.94	FM-15	0.00	29.93
29	0454	7	FEW:02 70	10.00		33	0.6	30	-1.1	25	-3.9	72	7	250		29.76			29.95	FM-15	0.00	29.94
29	0554	7	FEW:02 90	10.00		33	0.6	30	-1.1	25	-3.9	72	3	260		29.76			29.96	FM-15	0.00	29.94
29	0654	7	SCT:04 55 BKN:07 70	10.00		31	-0.6	29	-1.7	25	-3.9	79	3	010		29.78	3	-0.04	29.98	FM-15	0.00	29.96
29	0700	4	57	9.94		31	-0.6	29	-1.7	25	-3.9	79	3	010		29.78	3	-0.04	29.98	FM-12		
29	0754	7	SCT:04 50 SCT:04 130 BKN:07 250	10.00		34	1.1	31	-0.6	25	-3.9	70	8	290		29.80			30.00	FM-15	0.00	29.98
29	0854	7	FEW:02 40 BKN:07 47 BKN:07 65	10.00		38	3.3	33	0.6	24	-4.4	57	8	330		29.82			30.01	FM-15	0.00	30.00
29	0954	7	FEW:02 47 SCT:04 70 BKN:07 160	10.00		39	3.9	32	0.0	21	-6.1	48	14	310	20	29.83	1	-0.05	30.03	FM-15	0.00	30.01
29	1054	7	FEW:02 60 FEW:02 170 BKN:07 200	10.00		41	5.0	33	0.6	18	-7.8	39	13	300		29.83			30.03	FM-15	0.00	30.01
29	1154	7	FEW:02 55 BKN:07 170 BKN:07 210	10.00		42	5.6	32	0.0	13	-10.6	30	20	320	28	29.84			30.03	FM-15	0.00	30.02
29	1254	7	FEW:02 55 SCT:04 210	10.00		43	6.1	32	0.0	11	-11.7	27	20	330	26	29.83	0	0.00	30.03	FM-15	0.00	30.01
29	1300	4	57	9.94		43	6.1	32	0.0	11	-11.7	27	20	330		29.83	9	0.00	30.03	FM-12		
29	1354	7	FEW:02 60 FEW:02 200	10.00		43	6.1	32	0.0	10	-12.2	26	25	320	32	29.83			30.02	FM-15	0.00	30.01
29	1454	7	FEW:02 65 FEW:02 200	10.00		43	6.1	32	0.0	10	-12.2	26	13	320	29	29.84			30.03	FM-15	0.00	30.02
29	1554	7	FEW:02 70 FEW:02 200	10.00		43	6.1	32	0.0	11	-11.7	27	17	310	25	29.85	3	-0.01	30.04	FM-15	0.00	30.03
29	1654	7	FEW:02 75 FEW:02 200	10.00		42	5.6	32	0.0	10	-12.2	27	16	300	26	29.87			30.06	FM-15	0.00	30.05
29	1754	7	FEW:02 70 FEW:02 200	10.00		40	4.4	31	-0.6	11	-11.7	30	14	300		29.89			30.09	FM-15	0.00	30.07
29	1854	7	FEW:02 200	10.00		38	3.3	29	-1.7	10	-12.2	31	9	310		29.92	3	-0.07	30.12	FM-15	0.00	30.10
29	1900	4		9.94		38	3.3	29	-1.7	10	-12.2	31	9	310		29.92	3	-0.07	30.12	FM-12		
29	1954	7	CLR:00	10.00		37	2.8	29	-1.7	10	-12.2	33	10	310		29.95			30.14	FM-15	0.00	30.13

29	2054	7	CLR:00	10.00		36	2.2	28	-2.2	11	-11.7	35	10	320		29.97			30.16	FM-15	0.00	30.15
29	2154	7	CLR:00	10.00		34	1.1	27	-2.8	12	-11.1	40	8	310		29.99	1	-0.07	30.19	FM-15	0.00	30.17
29	2254	7	CLR:00	10.00		33	0.6	27	-2.8	12	-11.1	42	8	290		30.01			30.21	FM-15	0.00	30.19
29	2354	7	CLR:00	10.00		33	0.6	27	-2.8	12	-11.1	42	8	300		30.01			30.21	FM-15	0.00	30.19

**Local Climatological Data**  
**Hourly Precipitation**  
**February 2020**

Generated on 04/05/2020

Date	For Hour (LST) Ending at																						Date					
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID			
01	T	0.01																T	T	0.01					01			
02																										02		
03																										03		
04								T	T	T	T								T							04		
05			T	T	T	T		T						0.01	0.05	0.01	0.03	T	0.01		0.01	0.02	T	T		05		
06	T	0.01	0.03	0.02	0.01	0.02	0.01	T	0.01	0.03	T	0.10	0.11	0.14	0.42	0.07	T	0.01	0.12	0.13	0.16	0.08	0.03	0.09		06		
07	0.07	0.07	0.04	T	T	0.02				0.01	T															07		
08																										08		
09																										09		
10																										10		
11					T	0.03	0.09	0.05	0.07	0.04	0.10	0.23	0.09	0.02	0.01	0.01										11		
12																									T		12	
13					T	T	0.01	0.03	0.01	0.03	T	0.01	T	T	T	0.01											13	
14																											14	
15																											15	
16																											16	
17																											17	
18																									T	T	T	18
19	0.08s	0.03	T	T	0.01	T	T	T	T																		19	
20																			0.01	0.05	0.01	T					20	
21																											21	
22																											22	
23																											23	
24																									T	0.04	24	
25	0.01	T		T	0.02	0.06	0.11	0.07	0.05	0.01	0.05	T	T	T	T												25	
26													T	T	T	T										T	26	
27	T	T	T																								27	
28																											28	
29																											29	

**Maximum Short Duration Precipitation**

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.08	0.14	0.19	0.23	0.28	0.37	0.44	0.50	0.54	0.57	0.63	0.69
Ending Date Time (yyyy-mm-dd hh:mi)	2020-02-06 14:43	2020-02-06 14:43	2020-02-06 14:41	2020-02-06 14:43	2020-02-06 14:51	2020-02-06 14:43	2020-02-06 14:54	2020-02-06 15:00	2020-02-06 15:09	2020-02-06 15:00	2020-02-06 15:00	2020-02-06 15:00

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace  
s = Suspect  
\* = Erroneous  
blank = No precipitation observed  
M = Missing