

Local Climatological Data
Daily Summary
January 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 02/06/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH																				
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees																		
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23																	
01	54	35	45	7.0				20	0	0724	1702		0.00	0.0	0	29.70		8.6	24	300	20	270																	
02	62	30	46	8.0				19	0	0724	1703		0.00	0.0	0	29.79		9.2	25	230	20	210																	
03	59	45	52	14.1				13	0	0724	1704	RA DZ BR	0.20	0.0	0	29.68		9.1	24	200	21	210																	
04	63	45	54	16.2				11	0	0725	1704	RA BR	0.37	0.0	0	29.51		8.7	30	330	24	330																	
05	50	33	42	4.3				23	0	0725	1705	RA	T	0.0	0	29.81		12.2	32	300	23	300																	
06	56	32	44	6.3				21	0	0725	1706		0.00	0.0	0	29.86		6.3	19	290	16	270																	
07	45	28	37	-0.7				28	0	0725	1707	RA BR	0.33	0.0	0	29.83		6.8	32	250	25	280																	
08	53	29	41	3.4				24	0	0724	1708		0.00	0.0	0	29.98		9.8	42	280	28	290																	
09	45	24	35	-2.6				30	0	0724	1709		0.00	0.0	0	30.47		3.4	14	130	12	130																	
10	62	32	47	9.4				18	0	0724	1710		0.00	0.0	0	30.37		6.8	24	180	18	180																	
11	72*	53	63	25.4				2	0	0724	1711	RA BR	0.01	0.0	0	30.08		14.5	36	190	28	180																	
12	69	48	59	21.4				6	0	0724	1712	RA BR	0.44	0.0	0	29.96		11.0	43	200	29	200																	
13	59	53	56	18.4				9	0	0724	1713	RA DZ BR	0.01	0.0	0	30.15		3.7	11	110	8	120																	
14	54	50	52	14.4				13	0	0723	1714	TS RA DZ FG BR	1.21	0.0	0	30.04		4.9	16	090	14	090																	
15	55	47	51	13.4				14	0	0723	1715	DZ FG BR	0.00s	0.0	0	30.00		3.4	13	180	9	170																	
16	61	38	50	12.4				15	0	0723	1716	BR	0.00	0.0	0	29.90		12.8	38	320	30	320																	
17	42	29	36	-1.6				29	0	0722	1717		0.00	0.0	0	30.43		10.3	31	320	22	340																	
18	41	29	35	-2.7				30	0	0722	1718	RA FZDZ PL BR	0.12	T	0	30.15		7.9	21	170	17	170																	
19	53	31	42	4.3				23	0	0722	1719		0.00	0.0	0	29.72		13.6	34	320	26	360																	
20	37	24	31	-6.7				34	0	0721	1720		0.00	0.0	0	30.12		11.6	28	350	23	350																	
21	37	22	30	-7.8				35	0	0721	1721		0.00	0.0	0	30.28		10.4	26	010	20	360																	
22	43	20*	32	-5.8				33	0	0720	1722		0.00	0.0	0	30.27		5.4	15	360	13	360																	
23	44	24	34	-3.9				31	0	0719	1723		0.00	0.0	0	30.19		3.3	12	090	7	360																	
24	62	32	47	9.0				18	0	0719	1724	RA BR	T	0.0	0	30.03		8.4	26	100	20	120																	
25	62	41	52	14.0				13	0	0718	1726	RA BR	0.76	0.0	0	29.67		7.2	23	130	18	130																	
26	52	33	43	4.9				22	0	0718	1727		0.00	0.0	0	29.73		7.5	21	290	16	270																	
27	54	30	42	3.8				23	0	0717	1728		0.00	0.0	0	29.65		8.4	23	270	18	270																	
28	47	30	39	0.7				26	0	0716	1729		0.00	0.0	0	29.75		7.9	30	330	23	340																	
29	46	26	36	-2.4				29	0	0716	1730		0.00	0.0	0	29.91		3.0	18	020	14	330																	
30	45	27	36	-2.5				29	0	0715	1731		0.00	0.0	0	30.04		4.3	13	030	10	030																	
31	46	27	37	-1.6				28	0	0714	1732	RA BR	0.14	0.0	0	30.08		3.5	20	310	15	310																	
	52.6	33.8	43.2									Monthly Averages Totals	3.59s			29.98	30.17																						
	5.2	5.5	5.3									Departure from Normal (1981-2010)	0.55s																										
	Degree Days											Number of days with...																											
	Monthly				Season-to-date				Temperature				Precipitation			Snow		Weather																					
	Total		Departure		Total		Departure		Max		Min																												
Heating									>=90°		<=32°		<=32°			<=0°		>=0.01"			>=0.1"		>=1"		T-Storms		Heavy Fog												
Cooling									0		0		19			0		10			8																		
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure								Greatest...																							
N/A								Maximum				30.79				Date				09				Time				1040				24-Hr...				Snow Depth			
								Minimum				29.56				04				1642				1.22				Snowfall											
																								13-14								Date							
Station Augmentation																																							
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																																							

Local Climatological Data
Hourly Observations
January 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 02/06/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		40	4.4	35	1.7	28	-2.2	63	6	230		29.59	3	-0.01	29.78	FM-15	0.00	29.77
01	0100	4		9.94		40	4.4	35	1.7	28	-2.2	63	6	230		29.59	3	-0.01	29.78	FM-12		
01	0154	7	CLR:00	10.00		40	4.4	36	2.2	29	-1.7	65	6	240		29.61			29.80	FM-15	0.00	29.79
01	0254	7	CLR:00	10.00		36	2.2	33	0.6	29	-1.7	76	3	240		29.61			29.80	FM-15	0.00	29.79
01	0354	7	CLR:00	10.00		40	4.4	36	2.2	29	-1.7	65	8	260		29.62	1	-0.04	29.82	FM-15	0.00	29.80
01	0454	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	6	260		29.62			29.82	FM-15	0.00	29.80
01	0554	7	CLR:00	10.00		38	3.3	34	1.1	29	-1.7	70	7	250		29.63			29.83	FM-15	0.00	29.81
01	0654	7	CLR:00	10.00		37	2.8	34	1.1	29	-1.7	73	7	250		29.66	3	-0.04	29.85	FM-15	0.00	29.84
01	0700	4		9.94		37	2.8	34	1.1	29	-1.7	73	7	250		29.66	3	-0.04	29.85	FM-12		
01	0754	4		10.00		38	3.3			29	-1.7	70	8	250					29.87	FM-15		29.85
01	0854	7	FEW:02 300	10.00		41	5.0	37	2.8	30	-1.1	65	8	250		29.70			29.90	FM-15	0.00	29.88
01	0954	7	FEW:02 300	10.00		47	8.3	40	4.4	31	-0.6	54	10	250		29.71	1	-0.06	29.91	FM-15	0.00	29.89
01	1054	7	FEW:02 300	10.00		49	9.4	41	5.0	29	-1.7	46	10	250		29.71			29.91	FM-15	0.00	29.89
01	1154	7	FEW:02 50 FEW:02 300	10.00		51	10.6	41	5.0	27	-2.8	39	10	270	20	29.69			29.89	FM-15	0.00	29.87
01	1254	7	FEW:02 55 FEW:02 300	10.00		53	11.7	42	5.6	26	-3.3	35	15	270		29.67	8	+0.05	29.86	FM-15	0.00	29.85
01	1300	4	57	9.94		53	11.7	42	5.6	26	-3.3	35	15	270		29.67	8	+0.05	29.86	FM-12		
01	1354	7	FEW:02 60 FEW:02 300	10.00		54	12.2	42	5.6	24	-4.4	31	15	290	18	29.66			29.86	FM-15	0.00	29.84
01	1454	7	FEW:02 60 FEW:02 300	10.00		54	12.2	42	5.6	26	-3.3	34	17	250	22	29.67			29.86	FM-15	0.00	29.85
01	1554	7	FEW:02 50 FEW:02 300	10.00		53	11.7	42	5.6	28	-2.2	38	13	280		29.70	3	-0.03	29.89	FM-15	0.00	29.88
01	1654	7	FEW:02 300	10.00		51	10.6	41	5.0	28	-2.2	41	10	250		29.71			29.91	FM-15	0.00	29.89
01	1754	7	FEW:02 300	10.00		44	6.7	38	3.3	29	-1.7	55	8	180		29.73			29.92	FM-15	0.00	29.91
01	1854	7	FEW:02 300	10.00		44	6.7	38	3.3	29	-1.7	55	7	230		29.76	3	-0.06	29.96	FM-15	0.00	29.94
01	1900	4		9.94		44	6.7	38	3.3	29	-1.7	55	7	230		29.76	3	-0.06	29.96	FM-12		
01	1954	7	CLR:00	10.00		45	7.2	38	3.3	29	-1.7	54	8	250		29.77			29.97	FM-15	0.00	29.95
01	2054	7	FEW:02 300	10.00		43	6.1	37	2.8	29	-1.7	58	7	230		29.78			29.98	FM-15	0.00	29.96
01	2154	7	SCT:04 300	10.00		40	4.4	36	2.2	30	-1.1	68	6	230		29.79	1	-0.04	29.99	FM-15	0.00	29.97
01	2254	7	SCT:04 300	10.00		42	5.6	37	2.8	30	-1.1	62	6	250		29.80			29.99	FM-15	0.00	29.98
01	2354	7	BKN:07 300	10.00		42	5.6	37	2.8	30	-1.1	62	6	250		29.79			29.99	FM-15	0.00	29.97
02	0054	7	BKN:07 300	10.00		38	3.3	35	1.7	30	-1.1	73	5	200		29.79	8	+0.01	29.98	FM-15	0.00	29.97
02	0100	4		9.94		38	3.3	35	1.7	30	-1.1	73	5	200		29.79	8	+0.01	29.98	FM-12		
02	0154	7	BKN:07 300	10.00		37	2.8	34	1.1	30	-1.1	76	3	160		29.80			29.99	FM-15	0.00	29.98
02	0254	7	BKN:07 250	10.00		34	1.1	32	0.0	30	-1.1	85	5	200		29.80			30.00	FM-15	0.00	29.98
02	0354	7	BKN:07 300	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		29.81	3	-0.02	30.00	FM-15	0.00	29.99
02	0454	7	SCT:04 300	10.00		32	0.0	31	-0.6	28	-2.2	85	5	190		29.81			30.01	FM-15	0.00	29.99
02	0554	7	SCT:04 300	10.00		34	1.1	32	0.0	30	-1.1	85	6	160		29.81			30.01	FM-15	0.00	29.99
02	0654	7	BKN:07 300	10.00		35	1.7	33	0.6	31	-0.6	85	5	160		29.83	3	-0.02	30.02	FM-15	0.00	30.01
02	0700	4		9.94		35	1.7	33	0.6	31	-0.6	85	5	160		29.83	3	-0.02	30.02	FM-12		
02	0754	7	FEW:02 180 BKN:07 300	10.00		34	1.1	33	0.6	31	-0.6	89	5	140		29.83			30.03	FM-15	0.00	30.01
02	0854	7	FEW:02 150 BKN:07 300	10.00		40	4.4	37	2.8	34	1.1	79	6	180		29.86			30.05	FM-15	0.00	30.04
02	0954	7	FEW:02 150 BKN:07 300	10.00		45	7.2	40	4.4	34	1.1	66	9	190		29.87	3	-0.04	30.06	FM-15	0.00	30.05

02	1054	7	FEW:02 100 SCT:04 300	10.00		49	9.4	42	5.6	34	1.1	56	8	190		29.86			30.05	FM-15	0.00	30.04
02	1154	7	FEW:02 120 BKN:07 300	10.00		55	12.8	45	7.2	32	0.0	42	13	190		29.80			29.99	FM-15	0.00	29.98
02	1254	7	BKN:07 240 BKN:07 300	10.00		57	13.9	45	7.2	31	-0.6	37	17	200		29.78	8	+0.09	29.98	FM-15	0.00	29.96
02	1300	4		9.94		57	13.9	45	7.2	31	-0.6	37	17	200		29.78	8	+0.09	29.98	FM-12		
02	1354	7	BKN:07 180 BKN:07 230 OVC:08 300	10.00		58	14.4	46	7.8	30	-1.1	35	11	210		29.75			29.95	FM-15	0.00	29.93
02	1454	7	SCT:04 190 BKN:07 240 BKN:07 300	10.00		60	15.6	46	7.8	28	-2.2	30	13	200		29.75			29.94	FM-15	0.00	29.93
02	1554	7	BKN:07 190 BKN:07 300	10.00		60	15.6	45	7.2	26	-3.3	27	13	210	21	29.76	5	+0.02	29.96	FM-15	0.00	29.94
02	1654	7	BKN:07 150 BKN:07 190 OVC:08 300	10.00		56	13.3	44	6.7	28	-2.2	34	7	200		29.76			29.96	FM-15	0.00	29.94
02	1754	7	BKN:07 150 BKN:07 200 OVC:08 300	10.00		57	13.9	44	6.7	27	-2.8	32	14	210		29.77			29.96	FM-15	0.00	29.95
02	1854	7	SCT:04 160 OVC:08 240	10.00		54	12.2	43	6.1	29	-1.7	38	10	200		29.76	6	0.00	29.96	FM-15	0.00	29.94
02	1900	4		9.94		54	12.2	43	6.1	29	-1.7	38	10	200		29.76			29.96	FM-12		
02	1954	7	FEW:02 55 OVC:08 150	10.00		54	12.2	44	6.7	30	-1.1	40	11	210	22	29.79			29.98	FM-15	0.00	29.97
02	2054	7	SCT:04 70 OVC:08 140	10.00		53	11.7	44	6.7	32	0.0	45	15	200		29.77			29.96	FM-15	0.00	29.95
02	2154	7	FEW:02 70 OVC:08 120	10.00		52	11.1	44	6.7	35	1.7	53	15	200		29.77	0	0.00	29.96	FM-15	0.00	29.95
02	2254	7	OVC:08 95	10.00		52	11.1	46	7.8	39	3.9	61	15	220		29.78			29.97	FM-15	0.00	29.96
02	2354	7	SCT:04 70 OVC:08 85	10.00		51	10.6	45	7.2	39	3.9	64	13	220		29.76			29.96	FM-15	0.00	29.94
03	0043	7	BKN:07 21 BKN:07 34 OVC:08 41	4.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	44	6.7	90	15	220		29.77				FM-16	T	29.95
03	0054	7	BKN:07 19 OVC:08 40	5.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	44	6.7	90	10	200		29.75	8	+0.02	29.94	FM-15	0.01	29.93
03	0100	4	15	4.97	RA	47	8.3	46	7.8	44	6.7	90	10	200		29.75	8	+0.02	29.94	FM-12		
03	0154	7	BKN:07 22 OVC:08 55	10.00		46	7.8	45	7.2	44	6.7	93	16	210		29.77			29.96	FM-15	0.02	29.95
03	0229	7	FEW:02 14 BKN:07 30 OVC:08 41	10.00	-RA:02 RA RA	46	7.8	45	7.2	44	6.7	93	14	210		29.76				FM-16	T	29.94
03	0254	7	BKN:07 11 OVC:08 30	5.00	-RA:02 BR:1 RA RA	46	7.8	45	7.2	44	6.7	93	15	210		29.76			29.95	FM-15	T	29.94
03	0318	7	SCT:04 7 BKN:07 12 OVC:08 30	10.00	-RA:02 RA RA	46	7.8	45	7.2	44	6.7	93	15	210		29.76				FM-16	0.01	29.94
03	0354	7	BKN:07 7 BKN:07 40 OVC:08 65	5.00	-RA:02 BR:1 RA RA	45	7.2	45	7.2	45	7.2	100	6	210		29.71	8	+0.04	29.90	FM-15	0.06	29.89
03	0454	7	BKN:07 5 OVC:08 30	6.00	-RA:02 BR:1 RA RA	45	7.2	45	7.2	45	7.2	100	8	200		29.72			29.91	FM-15	T	29.90
03	0554	7	BKN:07 6 BKN:07 29 OVC:08 37	5.00	-RA:02 BR:1 RA RA	47	8.3	47	8.3	46	7.8	97	13	220	22	29.69			29.88	FM-15	0.03	29.87
03	0654	7	BKN:07 9 BKN:07 35 OVC:08 50	10.00		48	8.9	48	8.9	47	8.3	96	11	210		29.67	8	+0.04	29.86	FM-15	0.03	29.85
03	0700	4	8	9.94		48	8.9	48	8.9	47	8.3	96	11	210		29.67	8	+0.04	29.86	FM-12		
03	0725	7	FEW:02 7 BKN:07 10 OVC:08 15	10.00		49	9.4	48	8.9	47	8.3	93	9	220		29.69				FM-16		29.87

03	0754	7	FEW:02 9 OVC:08 13	10.00		49	9.4	48	8.9	48	8.9	97	10	210		29.69			29.88	FM-15	0.00	29.87
03	0815	7	SCT:04 14 BKN:07 65 BKN:07 100	10.00		50	10.0	49	9.4	48	8.9	93	13	210		29.69				FM-16		29.87
03	0829	7	BKN:07 15 BKN:07 39 OVC:08 100	10.00		49	9.4	48	8.9	47	8.3	93	14	210		29.70				FM-16		29.88
03	0840	7	SCT:04 13 SCT:04 37 BKN:07 65	10.00		49	9.4	48	8.9	47	8.3	93	14	210		29.71				FM-16		29.89
03	0854	7	FEW:02 12 BKN:07 34 OVC:08 65	10.00		49	9.4	48	8.9	47	8.3	93	14	210		29.71			29.90	FM-15	0.00	29.89
03	0954	7	FEW:02 10 SCT:04 31 BKN:07 65	10.00		50	10.0	49	9.4	48	8.9	93	10	220		29.72	1	-0.05	29.92	FM-15	0.00	29.90
03	1054	7	FEW:02 11 SCT:04 70 BKN:07 200	10.00		53	11.7	51	10.6	50	10.0	89	10	220		29.69			29.88	FM-15	0.00	29.87
03	1154	7	FEW:02 16 BKN:07 120	10.00		56	13.3	53	11.7	51	10.6	84	13	230		29.67			29.86	FM-15	0.00	29.85
03	1254	7	FEW:02 15 SCT:04 65 OVC:08 130	10.00	-RA:02 RA RA	56	13.3	54	12.2	52	11.1	87	10	240		29.65	6	+0.07	29.85	FM-15	T	29.83
03	1300	4	15	9.94	RA	56	13.3	54	12.2	52	11.1	87	10	240		29.65	6	+0.07	29.85	FM-12		
03	1354	7	FEW:02 50 SCT:04 120 OVC:08 180	10.00		57	13.9	54	12.2	52	11.1	83	13	230		29.65			29.85	FM-15	T	29.83
03	1454	7	FEW:02 100 SCT:04 130 SCT:04 190	10.00		58	14.4	55	12.8	53	11.7	84	8	260		29.66			29.85	FM-15	T	29.84
03	1554	7	FEW:02 70 BKN:07 120 OVC:08 130	10.00		58	14.4	56	13.3	54	12.2	87	7	210		29.64	8	+0.01	29.84	FM-15	T	29.82
03	1654	7	SCT:04 80 BKN:07 120 OVC:08 150	9.00	-RA:02 RA RA	56	13.3	55	12.8	55	12.8	97	3	210		29.66			29.85	FM-15	0.02	29.84
03	1754	7	SCT:04 10 OVC:08 80	9.00	-RA:02 RA RA	55	12.8	55	12.8	55	12.8	100	6	190		29.66			29.85	FM-15	0.01	29.84
03	1840	6	FEW:02 8 OVC:08 85	10.00		56	13.3	55	12.8	55	12.8	97	6	210		29.66				FM-16		29.84
03	1854	7	FEW:02 8 OVC:08 85	10.00		55	12.8	55	12.8	55	12.8	100	6	210		29.67	1	-0.02	29.86	FM-15	0.01	29.85
03	1900	4	8	9.94		55	12.8	55	12.8	55	12.8	100	6	210		29.67	1	-0.02	29.86	FM-12		
03	1954	7	SCT:04 9 OVC:08 90	10.00		55	12.8	55	12.8	55	12.8	100	5	200		29.67			29.86	FM-15	T	29.85
03	2054	7	FEW:02 7 BKN:07 90 OVC:08 110	8.00	-RA:02 RA RA	55	12.8	55	12.8	55	12.8	100	7	160		29.64			29.83	FM-15	T	29.82
03	2134	7	BKN:07 5 BKN:07 90 OVC:08 120	9.00	-DZ:01 DZ DZ	55	12.8	55	12.8	55	12.8	100	5	190		29.64				FM-16	T	29.82
03	2154	7	BKN:07 5 OVC:08 85	8.00		55	12.8	55	12.8	55	12.8	100	5	170		29.63	8	+0.03	29.83	FM-15	T	29.81
03	2223	7	OVC:08 4	6.00	BR:1	55	12.8	55	12.8	55	12.8	100	6	210		29.64				FM-16		29.82
03	2254	7	OVC:08 3	5.00	BR:1	55	12.8	55	12.8	55	12.8	100	5	210		29.63			29.82	FM-15	0.00	29.81
03	2354	7	BKN:07 4 BKN:07 39 OVC:08 110	5.00	-RA:02 BR:1 RA RA	55	12.8	55	12.8	55	12.8	100	7	140		29.59			29.78	FM-15	0.01	29.77
04	0034	7	SCT:04 4 BKN:07 60 OVC:08 110	10.00		56	13.3	56	13.3	56	13.3	100	8	220		29.62				FM-16	0.01	29.80
04	0052	6	BKN:07 5 OVC:08 70	10.00	-RA:02 RA RA	57	13.9	56	13.3	55	12.8	94	7	210		29.63				FM-16		29.81

04	0054	7	BKN:07 5 OVC:08 70	10.00	-RA:02 RA RA	57	13.9	56	13.3	56	13.3	96	6	230		29.63	5	+0.01	29.82	FM-15	T	29.81
04	0100	4	5	9.94	RA	57	13.9	56	13.3	56	13.3	96	6	230		29.63	5	+0.01	29.82	FM-12		
04	0152	6	SCT:04 5 OVC:08 75	10.00		55	12.8	55	12.8	55	12.8	100	9	210		29.60				FM-16		29.78
04	0154	7	SCT:04 5 OVC:08 75	10.00		57	13.9	56	13.3	56	13.3	96	8	210		29.60			29.79	FM-15	T	29.78
04	0254	7	BKN:07 90 OVC:08 110	10.00	-RA:02 RA RA	56	13.3	56	13.3	56	13.3	100	5	190		29.58			29.77	FM-15	T	29.76
04	0354	7	OVC:08 90	6.00	RA:02 BR:1 RA RA	56	13.3	56	13.3	56	13.3	100	3	160		29.56	6	+0.07	29.75	FM-15	0.01	29.74
04	0452	6	FEW:02 5 BKN:07 90 OVC:08 120	10.00	-RA:02 RA RA	55	12.8	55	12.8	55	12.8	100	8	190		29.53				FM-16		29.71
04	0454	7	FEW:02 5 BKN:07 90 OVC:08 120	10.00	-RA:02 RA RA	56	13.3	56	13.3	56	13.3	100	8	190		29.53			29.72	FM-15	0.02	29.71
04	0554	7	SCT:04 3 BKN:07 95 OVC:08 120	10.00	-RA:02 RA RA	57	13.9	57	13.9	57	13.9	100	8	210		29.54			29.73	FM-15	0.02	29.72
04	0637	7	SCT:04 8 BKN:07 11 OVC:08 100	10.00		57	13.9	57	13.9	57	13.9	100	8	250		29.57				FM-16	0.01	29.75
04	0652	7	SCT:04 9 OVC:08 100	10.00	-RA:02 RA RA	57	13.9	57	13.9	57	13.9	100	7	230		29.55				FM-16	0.01	29.73
04	0654	7	SCT:04 9 OVC:08 100	10.00	-RA:02 RA RA	57	13.9	57	13.9	57	13.9	100	7	230		29.55	1	-0.02	29.74	FM-15	0.01	29.73
04	0700	4	8	9.94	RA	57	13.9	57	13.9	57	13.9	100	7	230		29.55	1	-0.02	29.74	FM-12		
04	0754	7	SCT:04 9 BKN:07 75 OVC:08 110	10.00	-RA:02 RA RA	57	13.9	57	13.9	57	13.9	100	7	240		29.54			29.73	FM-15	0.01	29.72
04	0801	7	BKN:07 11 BKN:07 75 OVC:08 110	10.00	-RA:02 RA RA	58	14.4	57	13.9	57	13.9	97	7	230		29.54				FM-16	T	29.72
04	0815	7	OVC:08 9	10.00		57	13.9	57	13.9	57	13.9	100	6	230		29.53				FM-16	T	29.71
04	0854	7	BKN:07 10 BKN:07 65 OVC:08 95	10.00	-RA:02 RA RA	58	14.4	57	13.9	57	13.9	97	8	220		29.57			29.77	FM-15	T	29.75
04	0937	7	FEW:02 8 BKN:07 65 OVC:08 100	10.00		58	14.4	57	13.9	57	13.9	97	7	210		29.54				FM-16	T	29.72
04	0954	7	FEW:02 8 BKN:07 38 OVC:08 110	10.00		58	14.4	57	13.9	57	13.9	97	9	220		29.55	0	0.00	29.74	FM-15	T	29.73
04	1054	7	FEW:02 10 BKN:07 60 OVC:08 110	10.00		59	15.0	58	14.4	58	14.4	96	9	210		29.52			29.70	FM-15	0.00	29.69
04	1106	7	BKN:07 13 OVC:08 55	10.00		59	15.0	58	14.4	58	14.4	96	10	210		29.52				FM-16		29.69
04	1154	7	BKN:07 14 OVC:08 55	10.00		60	15.6	58	14.4	57	13.9	90	14	230		29.48			29.67	FM-15	0.00	29.66
04	1229	7	BKN:07 15 BKN:07 20 BKN:07 55	10.00		61	16.1	59	15.0	57	13.9	87	10	230		29.45				FM-16		29.63
04	1254	7	BKN:07 17 BKN:07 21 OVC:08 60	10.00		61	16.1	59	15.0	57	13.9	87	10	250		29.44	8	+0.12	29.62	FM-15	0.00	29.61
04	1300	4	15	9.94		61	16.1	59	15.0	57	13.9	87	10	250		29.43	8	+0.12	29.62	FM-12		
04	1354	7	BKN:07 17 BKN:07 21 BKN:07 55	10.00		62	16.7	59	15.0	56	13.3	80	10	250		29.39			29.58	FM-15	0.00	29.57
04	1410	7	FEW:02 17 BKN:07 230	10.00		62	16.7	59	15.0	56	13.3	80	8	240		29.39				FM-16		29.57
04	1454	7	SCT:04 18 BKN:07 220	10.00		62	16.7	59	15.0	56	13.3	80	7	250		29.39			29.58	FM-15	0.00	29.57

04	1501	7	BKN:07 19 BKN:07 220	10.00		63	17.2	59	15.0	56	13.3	78	8	260		29.39				FM-16		29.57
04	1554	7	BKN:07 24 BKN:07 29 BKN:07 220	10.00		62	16.7	58	14.4	55	12.8	78	11	230		29.39	6	+0.05	29.57	FM-15	0.00	29.56
04	1654	7	BKN:07 23 BKN:07 90 BKN:07 220	10.00		61	16.1	57	13.9	54	12.2	78	8	260		29.39			29.58	FM-15	T	29.57
04	1710	7	SCT:04 23 BKN:07 33 OVC:08 75	8.00	-RA:02 RA RA	60	15.6	57	13.9	55	12.8	84	6	270		29.39				FM-16	0.01	29.56
04	1754	7	SCT:04 22 BKN:07 40 OVC:08 65	4.00	RA:02 BR:1 RA RA	54	12.2	52	11.1	51	10.6	90	11	310		29.39			29.58	FM-15	0.06	29.57
04	1852	6	BKN:07 16 BKN:07 70 OVC:08 120	10.00		54	12.2	53	11.7	52	11.1	94	10	310		29.44				FM-16		29.62
04	1854	7	BKN:07 16 BKN:07 70 OVC:08 120	10.00		53	11.7	52	11.1	51	10.6	93	11	310		29.44	3	-0.05	29.62	FM-15	0.03	29.61
04	1900	4	15	9.94		53	11.7	52	11.1	51	10.6	93	11	310		29.43	3	-0.05	29.62	FM-12		
04	1908	7	FEW:02 9 BKN:07 14 OVC:08 90	10.00		53	11.7	52	11.1	51	10.6	93	18	340	26	29.44				FM-16		29.62
04	1927	7	SCT:04 13 BKN:07 23 OVC:08 85	10.00		52	11.1	50	10.0	49	9.4	89	11	340		29.47				FM-16		29.64
04	1952	6	SCT:04 18 BKN:07 55 OVC:08 85	10.00		52	11.1	50	10.0	48	8.9	88	14	340		29.47				FM-16		29.65
04	1954	7	FEW:02 18 BKN:07 49 OVC:08 80	10.00		51	10.6	49	9.4	47	8.3	86	10	350		29.47			29.66	FM-15	0.00	29.65
04	2054	7	SCT:04 18 BKN:07 40 OVC:08 47	3.00	RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	7	320		29.50			29.69	FM-15	0.05	29.68
04	2114	7	FEW:02 11 BKN:07 18 OVC:08 36	5.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	47	8.3	93	15	340	22	29.52				FM-16	0.04	29.69
04	2145	7	SCT:04 15 SCT:04 33 OVC:08 43	8.00	-RA:02 RA RA	48	8.9	47	8.3	45	7.2	89	14	350		29.52				FM-16	0.08	29.70
04	2154	7	FEW:02 19 SCT:04 37 OVC:08 46	9.00	-RA:02 RA RA	48	8.9	47	8.3	45	7.2	89	10	330		29.53	1	-0.10	29.72	FM-15	0.08	29.71
04	2254	7	OVC:08 42	10.00	-RA:02 RA RA	46	7.8	44	6.7	42	5.6	86	11	290		29.55			29.75	FM-15	0.06	29.73
04	2354	7	SCT:04 45 BKN:07 70 OVC:08 80	10.00		45	7.2	43	6.1	41	5.0	86	7	350		29.57			29.76	FM-15	0.02	29.75
05	0054	7	FEW:02 29 BKN:07 45 OVC:08 70	10.00	-RA:02 RA RA	45	7.2	42	5.6	39	3.9	80	21	340	26	29.60	3	-0.07	29.79	FM-15	T	29.78
05	0100	4	26	9.94	RA	45	7.2	42	5.6	39	3.9	80	21	340		29.60	3	-0.07	29.79	FM-12		
05	0154	7	FEW:02 36 BKN:07 45 OVC:08 55	10.00	-RA:02 RA RA	44	6.7	41	5.0	37	2.8	76	10	310		29.65			29.84	FM-15	T	29.83
05	0254	7	BKN:07 50 OVC:08 90	10.00		44	6.7	39	3.9	31	-0.6	60	20	290		29.70			29.89	FM-15	T	29.88
05	0354	7	BKN:07 65	10.00		42	5.6	37	2.8	29	-1.7	60	21	300	29	29.73	1	-0.13	29.93	FM-15	0.00	29.91
05	0454	7	FEW:02 55	10.00		40	4.4	35	1.7	28	-2.2	63	8	290		29.76			29.96	FM-15	0.00	29.94
05	0554	7	FEW:02 55	10.00		40	4.4	34	1.1	24	-4.4	53	21	300	26	29.80			30.00	FM-15	0.00	29.98
05	0654	7	FEW:02 55	10.00		38	3.3	33	0.6	24	-4.4	57	14	300		29.83	1	-0.10	30.03	FM-15	0.00	30.01
05	0700	4	57	9.94		38	3.3	33	0.6	24	-4.4	57	14	300		29.83	1	-0.10	30.03	FM-12		
05	0754	7	CLR:00	10.00		38	3.3	33	0.6	25	-3.9	60	11	310		29.86			30.06	FM-15	0.00	30.04

05	0854	7	CLR:00	10.00		41	5.0	35	1.7	25	-3.9	53	11	310		29.90			30.09	FM-15	0.00	30.08
05	0954	7	CLR:00	10.00		43	6.1	36	2.2	25	-3.9	49	14	330		29.92	1	-0.08	30.11	FM-15	0.00	30.10
05	1054	7	FEW:02 45	10.00		45	7.2	37	2.8	25	-3.9	46	18	300	26	29.92			30.11	FM-15	0.00	30.10
05	1154	7	FEW:02 45	10.00		46	7.8	38	3.3	26	-3.3	46	18	320		29.92			30.11	FM-15	0.00	30.10
05	1254	7	FEW:02 45 BKN:07 200	10.00		48	8.9	39	3.9	25	-3.9	41	16	300	21	29.90	8	+0.02	30.09	FM-15	0.00	30.08
05	1300	4	41	9.94		48	8.9	39	3.9	25	-3.9	41	16	300		29.90	8	+0.02	30.09	FM-12		
05	1354	7	FEW:02 50	10.00		48	8.9	39	3.9	25	-3.9	41	8	VRB		29.90			30.09	FM-15	0.00	30.08
05	1454	7	FEW:02 50	10.00		49	9.4	40	4.4	26	-3.3	41	13	290	20	29.89			30.09	FM-15	0.00	30.07
05	1554	7	FEW:02 55	10.00		49	9.4	40	4.4	26	-3.3	41	13	260		29.90	5	0.00	30.09	FM-15	0.00	30.08
05	1654	7	FEW:02 55	10.00		47	8.3	39	3.9	26	-3.3	44	10	240		29.90			30.09	FM-15	0.00	30.08
05	1754	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	11	230		29.90			30.10	FM-15	0.00	30.08
05	1854	7	CLR:00	10.00		43	6.1	37	2.8	27	-2.8	53	10	240		29.91	3	-0.02	30.11	FM-15	0.00	30.09
05	1900	4		9.94		43	6.1	37	2.8	27	-2.8	53	10	240		29.91	3	-0.02	30.11	FM-12		
05	1954	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	6	210		29.92			30.11	FM-15	0.00	30.10
05	2054	7	CLR:00	10.00		38	3.3	34	1.1	27	-2.8	65	3	200		29.90			30.10	FM-15	0.00	30.08
05	2154	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	6	190		29.86	8	+0.05	30.06	FM-15	0.00	30.04
05	2254	7	CLR:00	10.00		35	1.7	32	0.0	28	-2.2	76	5	190		29.86			30.05	FM-15	0.00	30.04
05	2354	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	3	220		29.85			30.04	FM-15	0.00	30.03
06	0054	7	CLR:00	10.00		32	0.0	30	-1.1	27	-2.8	82	6	210		29.82	8	+0.05	30.01	FM-15	0.00	30.00
06	0100	4		9.94		32	0.0	30	-1.1	27	-2.8	82	6	210		29.82	8	+0.05	30.01	FM-12		
06	0154	7	CLR:00	10.00		35	1.7	32	0.0	28	-2.2	76	8	230		29.81			30.01	FM-15	0.00	29.99
06	0254	7	CLR:00	10.00		37	2.8	34	1.1	28	-2.2	70	8	230		29.82			30.01	FM-15	0.00	30.00
06	0354	7	CLR:00	10.00		36	2.2	33	0.6	27	-2.8	70	8	250		29.82	6	0.00	30.01	FM-15	0.00	30.00
06	0454	7	CLR:00	10.00		36	2.2	33	0.6	27	-2.8	70	6	250		29.82			30.02	FM-15	0.00	30.00
06	0554	7	CLR:00	10.00		34	1.1	31	-0.6	27	-2.8	75	6	200		29.83			30.03	FM-15	0.00	30.01
06	0654	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	7	240		29.85	3	-0.04	30.05	FM-15	0.00	30.03
06	0700	4		9.94		37	2.8	33	0.6	27	-2.8	67	7	240		29.85	3	-0.04	30.05	FM-12		
06	0754	7	FEW:02 60	10.00		38	3.3	34	1.1	28	-2.2	68	6	250		29.88			30.07	FM-15	0.00	30.06
06	0854	7	FEW:02 60	10.00		42	5.6	37	2.8	29	-1.7	60	10	260		29.90			30.09	FM-15	0.00	30.08
06	0954	7	FEW:02 60 FEW:02 300	10.00		49	9.4	41	5.0	31	-0.6	50	6	250		29.90	1	-0.05	30.10	FM-15	0.00	30.08
06	1054	7	SCT:04 300	10.00		52	11.1	43	6.1	31	-0.6	45	9	250		29.90			30.09	FM-15	0.00	30.08
06	1154	7	FEW:02 60 FEW:02 300	10.00		54	12.2	43	6.1	29	-1.7	38	15	270		29.88			30.08	FM-15	0.00	30.06
06	1254	7	FEW:02 60 FEW:02 300	10.00		54	12.2	42	5.6	26	-3.3	34	15	280		29.87	8	+0.04	30.06	FM-15	0.00	30.05
06	1300	4	57	9.94		54	12.2	42	5.6	26	-3.3	34	15	280		29.87	8	+0.04	30.06	FM-12		
06	1354	7	FEW:02 300	10.00		55	12.8	43	6.1	27	-2.8	34	11	290		29.86			30.05	FM-15	0.00	30.04
06	1454	7	FEW:02 300	10.00		56	13.3	43	6.1	26	-3.3	32	11	270		29.87			30.07	FM-15	0.00	30.05
06	1554	7	CLR:00	10.00		56	13.3	43	6.1	25	-3.9	30	10	290		29.88	3	-0.02	30.08	FM-15	0.00	30.06
06	1654	7	CLR:00	10.00		53	11.7	41	5.0	25	-3.9	34	5	280		29.90			30.10	FM-15	0.00	30.08
06	1754	7	CLR:00	10.00		46	7.8	39	3.9	29	-1.7	51	3	110		29.91			30.11	FM-15	0.00	30.09
06	1854	7	CLR:00	10.00		42	5.6	37	2.8	31	-0.6	65	0	000		29.93	1	-0.04	30.12	FM-15	0.00	30.11
06	1900	4		9.94		42	5.6	37	2.8	31	-0.6	65	0	000		29.93	1	-0.04	30.12	FM-12		
06	1954	7	CLR:00	10.00		39	3.9	35	1.7	30	-1.1	70	0	000		29.94			30.13	FM-15	0.00	30.12
06	2054	7	CLR:00	10.00		37	2.8	34	1.1	30	-1.1	76	0	000		29.95			30.14	FM-15	0.00	30.13
06	2154	7	CLR:00	10.00		36	2.2	34	1.1	30	-1.1	79	0	000		29.95	1	-0.03	30.15	FM-15	0.00	30.13
06	2254	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		29.95			30.15	FM-15	0.00	30.13
06	2354	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		29.95			30.15	FM-15	0.00	30.13
07	0054	7	CLR:00	10.00		33	0.6	31	-0.6	28	-2.2	82	0	000		29.95	8	0.00	30.14	FM-15	0.00	30.13
07	0100	4		9.94		33	0.6	31	-0.6	28	-2.2	82	0	000		29.95	8	0.00	30.14	FM-12		
07	0154	7	BKN:07 300	10.00		33	0.6	31	-0.6	27	-2.8	78	6	060		29.94			30.13	FM-15	0.00	30.12
07	0254	7	BKN:07 300	10.00		34	1.1	30	-1.1	24	-4.4	67	0	000		29.93			30.12	FM-15	0.00	30.11
07	0354	7	BKN:07 300	10.00		36	2.2	31	-0.6	21	-6.1	55	0	000		29.92	6	+0.03	30.11	FM-15	0.00	30.10
07	0454	7	BKN:07 300	10.00		33	0.6	30	-1.1	24	-4.4	70	0	000		29.92			30.12	FM-15	0.00	30.10
07	0554	7	BKN:07 250	10.00		31	-0.6	29	-1.7	24	-4.4	76	0	000		29.91			30.11	FM-15	0.00	30.09

07	0654	7	BKN:07 120 BKN:07 300	10.00		30	-1.1	28	-2.2	25	-3.9	82	5	130		29.87	8	+0.04	30.07	FM-15	0.00	30.05
07	0700	4		9.94		30	-1.1	28	-2.2	25	-3.9	82	5	130		29.87	8	+0.04	30.07	FM-12		
07	0754	7	FEW:02 110 SCT:04 300	10.00		34	1.1	32	0.0	29	-1.7	82	6	160		29.86			30.05	FM-15	0.00	30.04
07	0854	7	BKN:07 100 BKN:07 140 BKN:07 300	10.00		39	3.9	37	2.8	34	1.1	82	7	130		29.87			30.06	FM-15	0.00	30.05
07	0954	7	BKN:07 95 BKN:07 140	10.00		42	5.6	39	3.9	34	1.1	73	5	110		29.84	8	+0.04	30.03	FM-15	0.00	30.02
07	1054	7	BKN:07 80 OVC:08 140	10.00		44	6.7	40	4.4	34	1.1	68	5	110		29.80			29.99	FM-15	0.00	29.98
07	1154	7	FEW:02 16 BKN:07 35 OVC:08 60	9.00	-RA:02 RA RA	43	6.1	40	4.4	36	2.2	76	5	170		29.75			29.95	FM-15	T	29.93
07	1254	7	FEW:02 31 OVC:08 45	5.00	-RA:02 BR:1 RA RA	43	6.1	41	5.0	39	3.9	86	5	050		29.65	8	+0.18	29.85	FM-15	0.07s	29.83
07	1300	4	26	4.97	RA	43	6.1	41	5.0	39	3.9	86	5	050		29.65	8	+0.18	29.85	FM-12		
07	1333	7	BKN:07 33 OVC:08 48	2.50	-RA:02 BR:1 RA RA	42	5.6	42	5.6	41	5.0	96	0	000		29.62				FM-16	0.09	29.80
07	1340	7	BKN:07 29 OVC:08 48	3.00	-RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	0	000		29.61				FM-16	0.11	29.79
07	1354	7	BKN:07 25 BKN:07 41 OVC:08 50	5.00	-RA:02 BR:1 RA RA	43	6.1	42	5.6	41	5.0	93	7	180		29.60			29.79	FM-15	0.13	29.78
07	1454	7	FEW:02 12 BKN:07 23 OVC:08 50	8.00	-RA:02 RA RA	44	6.7	43	6.1	42	5.6	93	9	200		29.62			29.82	FM-15	0.12	29.80
07	1508	7	SCT:04 21 BKN:07 55 OVC:08 85	10.00	-RA:02 RA RA	44	6.7	43	6.1	42	5.6	93	10	180		29.61				FM-16	0.01	29.79
07	1524	7	BKN:07 15 BKN:07 40 OVC:08 85	10.00		44	6.7	43	6.1	42	5.6	93	10	240		29.63				FM-16	0.01	29.81
07	1542	7	BKN:07 14 BKN:07 39 OVC:08 60	10.00		44	6.7	43	6.1	41	5.0	89	18	250		29.63				FM-16	0.01	29.81
07	1554	7	BKN:07 13 OVC:08 21	10.00		43	6.1	42	5.6	40	4.4	89	25	260	32	29.65	5	0.00	29.85	FM-15	0.01	29.83
07	1615	7	BKN:07 15 OVC:08 21	10.00		41	5.0	40	4.4	38	3.3	89	21	280	26	29.67				FM-16		29.85
07	1654	7	BKN:07 15 OVC:08 21	10.00		39	3.9	38	3.3	36	2.2	89	18	280	26	29.70			29.90	FM-15	0.00	29.88
07	1702	7	BKN:07 13 OVC:08 21	10.00		39	3.9	38	3.3	36	2.2	89	17	290	25	29.71				FM-16		29.89
07	1754	7	BKN:07 13 OVC:08 21	10.00		37	2.8	36	2.2	34	1.1	89	15	300	25	29.77			29.97	FM-15	0.00	29.95
07	1807	7	BKN:07 15 OVC:08 23	10.00		37	2.8	36	2.2	34	1.1	89	16	300	23	29.79				FM-16		29.97
07	1852	6	BKN:07 13 BKN:07 23	10.00		37	2.8	36	2.2	34	1.1	87	18	310	25	29.83				FM-16		30.01
07	1854	7	BKN:07 13 BKN:07 23	10.00		36	2.2	35	1.7	33	0.6	89	14	310	25	29.83	3	-0.17	30.03	FM-15	0.00	30.01
07	1900	4	15	9.94		36	2.2	35	1.7	33	0.6	89	14	310		29.83	3	-0.17	30.03	FM-12		
07	1933	7	BKN:07 15 BKN:07 23	10.00		36	2.2	34	1.1	32	0.0	86	13	300		29.86				FM-16		30.04
07	1952	6	SCT:04 15 SCT:04 23	10.00		36	2.2	34	1.1	32	0.0	87	9	320		29.86				FM-16		30.04
07	1954	7	SCT:04 15 SCT:04 23	10.00		35	1.7	34	1.1	32	0.0	89	9	320		29.86			30.06	FM-15	0.00	30.04
07	2054	7	FEW:02 23	10.00		34	1.1	33	0.6	32	0.0	92	5	280		29.89			30.08	FM-15	0.00	30.07
07	2154	7	CLR:00	10.00		33	0.6	33	0.6	32	0.0	96	5	280		29.90	1	-0.07	30.10	FM-15	0.00	30.08
07	2254	7	CLR:00	10.00		33	0.6	32	0.0	31	-0.6	92	7	250		29.90			30.10	FM-15	0.00	30.08
07	2354	7	CLR:00	10.00		34	1.1	32	0.0	30	-1.1	85	8	240		29.91			30.10	FM-15	0.00	30.09

08	0054	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	10	250		29.90	3	0.00	30.10	FM-15	0.00	30.08
08	0100	4		9.94		34	1.1	32	0.0	29	-1.7	82	10	250		29.90			30.10	FM-12		
08	0154	7	CLR:00	10.00		35	1.7	32	0.0	28	-2.2	76	10	240		29.90			30.09	FM-15	0.00	30.08
08	0254	7	CLR:00	10.00		34	1.1	32	0.0	28	-2.2	79	8	240		29.91			30.10	FM-15	0.00	30.09
08	0354	7	CLR:00	10.00		34	1.1	32	0.0	28	-2.2	79	7	240		29.92	3	-0.01	30.11	FM-15	0.00	30.10
08	0454	7	CLR:00	10.00		32	0.0	30	-1.1	27	-2.8	82	7	220		29.90			30.10	FM-15	0.00	30.08
08	0554	7	CLR:00	10.00		32	0.0	30	-1.1	26	-3.3	79	6	220		29.92			30.12	FM-15	0.00	30.10
08	0654	7	FEW:02 40	10.00		34	1.1	31	-0.6	27	-2.8	75	6	250		29.95	3	-0.03	30.14	FM-15	0.00	30.13
08	0700	4	41	9.94		34	1.1	31	-0.6	27	-2.8	75	6	250		29.95	3	-0.03	30.14	FM-12		
08	0754	7	FEW:02 40	10.00		33	0.6	31	-0.6	27	-2.8	78	8	220		29.95			30.15	FM-15	0.00	30.13
08	0854	7	FEW:02 70 FEW:02 120	10.00		38	3.3	34	1.1	28	-2.2	68	10	230		29.96			30.16	FM-15	0.00	30.14
08	0954	7	FEW:02 35 FEW:02 70 SCT:04 120	10.00		44	6.7	38	3.3	28	-2.2	53	11	240		29.98	3	-0.03	30.17	FM-15	0.00	30.16
08	1054	7	FEW:02 40 FEW:02 80	10.00		47	8.3	39	3.9	27	-2.8	46	14	250	30	29.97			30.17	FM-15	0.00	30.15
08	1154	7	FEW:02 48	10.00		49	9.4	40	4.4	27	-2.8	43	24	270	32	29.95			30.14	FM-15	0.00	30.13
08	1254	7	FEW:02 70	10.00		51	10.6	41	5.0	26	-3.3	38	22	270	31	29.94	8	+0.04	30.13	FM-15	0.00	30.12
08	1300	4	74	9.94		51	10.6	41	5.0	26	-3.3	38	22	270		29.94	8	+0.04	30.13	FM-12		
08	1354	7	FEW:02 75	10.00		52	11.1	40	4.4	21	-6.1	30	18	270	28	29.96			30.15	FM-15	0.00	30.14
08	1454	7	FEW:02 70	10.00		53	11.7	40	4.4	19	-7.2	26	15	290	23	29.99			30.18	FM-15	0.00	30.17
08	1554	7	CLR:00	10.00		52	11.1	38	3.3	15	-9.4	23	16	300	23	30.02	3	-0.09	30.22	FM-15	0.00	30.20
08	1654	7	CLR:00	10.00		48	8.9	37	2.8	17	-8.3	29	8	310		30.07			30.26	FM-15	0.00	30.25
08	1754	7	CLR:00	10.00		45	7.2	35	1.7	17	-8.3	33	7	320		30.11			30.31	FM-15	0.00	30.29
08	1854	7	CLR:00	10.00		44	6.7	34	1.1	16	-8.9	32	5	330		30.15	1	-0.12	30.34	FM-15	0.00	30.33
08	1900	4		9.94		44	6.7	34	1.1	16	-8.9	32	5	330		30.15	1	-0.12	30.34	FM-12		
08	1954	7	CLR:00	10.00		37	2.8	31	-0.6	20	-6.7	50	0	000		30.18			30.38	FM-15	0.00	30.36
08	2054	7	CLR:00	10.00		36	2.2	31	-0.6	21	-6.1	55	7	360		30.21			30.41	FM-15	0.00	30.39
08	2154	7	CLR:00	10.00		35	1.7	29	-1.7	18	-7.8	50	7	030		30.25	3	-0.11	30.45	FM-15	0.00	30.43
08	2254	7	CLR:00	10.00		33	0.6	28	-2.2	19	-7.2	56	8	030		30.28			30.47	FM-15	0.00	30.46
08	2354	7	CLR:00	10.00		33	0.6	28	-2.2	18	-7.8	54	0	000		30.31			30.50	FM-15	0.00	30.49
09	0054	7	CLR:00	10.00		30	-1.1	27	-2.8	20	-6.7	66	0	000		30.34	3	-0.09	30.54	FM-15	0.00	30.52
09	0100	4		9.94		30	-1.1	27	-2.8	20	-6.7	66	0	000		30.34	3	-0.09	30.54	FM-12		
09	0154	7	CLR:00	10.00		30	-1.1	26	-3.3	18	-7.8	61	3	040		30.38			30.57	FM-15	0.00	30.56
09	0254	7	CLR:00	10.00		30	-1.1	26	-3.3	18	-7.8	61	0	000		30.41			30.60	FM-15	0.00	30.59
09	0354	7	CLR:00	10.00		28	-2.2	25	-3.9	20	-6.7	72	0	000		30.42	1	-0.07	30.61	FM-15	0.00	30.60
09	0454	7	CLR:00	10.00		29	-1.7	26	-3.3	19	-7.2	66	3	020		30.45			30.64	FM-15	0.00	30.63
09	0554	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	3	010		30.48			30.68	FM-15	0.00	30.66
09	0654	7	CLR:00	10.00		28	-2.2	25	-3.9	19	-7.2	69	0	000		30.51	1	-0.09	30.71	FM-15	0.00	30.69
09	0700	4		9.94		28	-2.2	25	-3.9	19	-7.2	69	0	000		30.51	1	-0.09	30.71	FM-12		
09	0754	7	FEW:02 70 FEW:02 300	10.00		25	-3.9	24	-4.4	21	-6.1	85	0	000		30.54			30.73	FM-15	0.00	30.72
09	0854	7	SCT:04 250	10.00		32	0.0	28	-2.2	21	-6.1	64	0	000		30.56			30.76	FM-15	0.00	30.74
09	0954	7	SCT:04 250	10.00		34	1.1	29	-1.7	19	-7.2	54	8	080		30.59	1	-0.08	30.79	FM-15	0.00	30.77
09	1054	7	FEW:02 250	10.00		37	2.8	31	-0.6	18	-7.8	46	7	060		30.58			30.78	FM-15	0.00	30.76
09	1154	7	FEW:02 250	10.00		40	4.4	33	0.6	19	-7.2	43	5	350		30.55			30.75	FM-15	0.00	30.73
09	1254	7	FEW:02 250	10.00		43	6.1	35	1.7	21	-6.1	42	0	000		30.53	8	+0.05	30.73	FM-15	0.00	30.71
09	1300	4		9.94		43	6.1	35	1.7	21	-6.1	42	0	000		30.53	8	+0.05	30.73	FM-12		
09	1354	7	FEW:02 250	10.00		44	6.7	35	1.7	20	-6.7	38	3	VRB		30.52			30.71	FM-15	0.00	30.70
09	1454	7	FEW:02 250	10.00		44	6.7	35	1.7	21	-6.1	40	7	160		30.51			30.71	FM-15	0.00	30.69
09	1554	7	BKN:07 300	10.00		43	6.1	35	1.7	23	-5.0	45	6	190		30.50	6	+0.03	30.70	FM-15	0.00	30.68
09	1654	7	FEW:02 200 BKN:07 300	10.00		41	5.0	34	1.1	23	-5.0	49	5	150		30.52			30.71	FM-15	0.00	30.70
09	1754	7	SCT:04 230 BKN:07 300	10.00		38	3.3	33	0.6	26	-3.3	62	8	130		30.51			30.71	FM-15	0.00	30.69
09	1854	7	OVC:08 220	10.00		38	3.3	33	0.6	25	-3.9	60	6	150		30.54	3	-0.04	30.74	FM-15	0.00	30.72
09	1900	4		9.94		38	3.3	33	0.6	25	-3.9	60	6	150		30.54	3	-0.04	30.74	FM-12		

09	1954	7	OVC:08 220	10.00		36	2.2	32	0.0	25	-3.9	64	6	120		30.53			30.73	FM-15	0.00	30.71
09	2054	7	OVC:08 200	10.00		35	1.7	31	-0.6	25	-3.9	67	6	140		30.53			30.73	FM-15	0.00	30.71
09	2154	7	OVC:08 210	10.00		36	2.2	33	0.6	27	-2.8	70	6	140		30.52	6	+0.01	30.72	FM-15	0.00	30.70
09	2254	7	OVC:08 210	10.00		35	1.7	32	0.0	28	-2.2	76	3	130		30.51			30.71	FM-15	0.00	30.69
09	2354	7	FEW:02 80 BKN:07 220 OVC:08 300	10.00		35	1.7	32	0.0	28	-2.2	76	0	000		30.49			30.68	FM-15	0.00	30.67
10	0054	7	FEW:02 80 OVC:08 210	10.00		35	1.7	33	0.6	29	-1.7	78	0	000		30.46	8	+0.06	30.66	FM-15	0.00	30.64
10	0100	4	74	9.94		35	1.7	33	0.6	29	-1.7	78	0	000		30.46	8	+0.06	30.66	FM-12		
10	0154	7	BKN:07 220	10.00		33	0.6	31	-0.6	29	-1.7	85	5	140		30.45			30.64	FM-15	0.00	30.63
10	0254	7	BKN:07 210	10.00		33	0.6	31	-0.6	29	-1.7	85	3	130		30.42			30.62	FM-15	0.00	30.60
10	0354	7	SCT:04 210 BKN:07 300	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		30.39	8	+0.07	30.59	FM-15	0.00	30.57
10	0454	7	FEW:02 49 SCT:04 200 OVC:08 300	10.00		34	1.1	32	0.0	30	-1.1	85	3	350		30.39			30.59	FM-15	0.00	30.57
10	0554	7	FEW:02 43 OVC:08 220	10.00		33	0.6	32	0.0	30	-1.1	89	0	000		30.39			30.59	FM-15	0.00	30.57
10	0654	7	BKN:07 210	10.00		35	1.7	33	0.6	31	-0.6	85	3	340		30.41	3	-0.01	30.60	FM-15	0.00	30.59
10	0700	4		9.94		35	1.7	33	0.6	31	-0.6	85	3	340		30.41	3	-0.01	30.60	FM-12		
10	0754	7	FEW:02 50 SCT:04 200 BKN:07 300	10.00		36	2.2	34	1.1	32	0.0	86	8	350		30.42			30.62	FM-15	0.00	30.60
10	0854	6	FEW:02 50 SCT:04 160 BKN:07 250	10.00		40	4.4	37	2.8	33	0.6	77	3	010		30.45			30.64	FM-15	0.00	30.63
10	0954	6	FEW:02 65 SCT:04 180 OVC:08 250	10.00		44	6.7	40	4.4	34	1.1	68	3	240		30.45	1	-0.04	30.65	FM-15	0.00	30.63
10	1054	6	FEW:02 65 BKN:07 170	10.00		49	9.4	44	6.7	38	3.3	66	5	VRB		30.42			30.62	FM-15	0.00	30.60
10	1154	7	FEW:02 46 BKN:07 70 BKN:07 200	10.00		53	11.7	47	8.3	41	5.0	64	6	230		30.39			30.59	FM-15	0.00	30.57
10	1254	7	FEW:02 70 SCT:04 200	10.00		60	15.6	52	11.1	45	7.2	58	15	200		30.34	8	+0.11	30.54	FM-15	0.00	30.52
10	1300	4	74	9.94		60	15.6	52	11.1	45	7.2	58	15	200		30.34	8	+0.11	30.54	FM-12		
10	1354	7	BKN:07 70 BKN:07 200	10.00		60	15.6	53	11.7	47	8.3	62	14	180		30.31			30.51	FM-15	0.00	30.49
10	1454	7	FEW:02 70 BKN:07 190	10.00		61	16.1	54	12.2	48	8.9	63	14	190	18	30.30			30.50	FM-15	0.00	30.48
10	1554	7	FEW:02 75 BKN:07 190	10.00		61	16.1	55	12.8	49	9.4	65	9	180		30.30	6	+0.05	30.49	FM-15	0.00	30.48
10	1654	7	FEW:02 70 BKN:07 180 BKN:07 300	10.00		56	13.3	52	11.1	48	8.9	75	6	200		30.30			30.49	FM-15	0.00	30.48
10	1754	7	BKN:07 200 BKN:07 300	10.00		55	12.8	51	10.6	48	8.9	77	6	170		30.29			30.49	FM-15	0.00	30.47
10	1854	7	SCT:04 210 BKN:07 300	10.00		54	12.2	51	10.6	48	8.9	80	5	170		30.29	8	+0.01	30.49	FM-15	0.00	30.47
10	1900	4		9.94		54	12.2	51	10.6	48	8.9	80	5	170		30.29	8	+0.01	30.49	FM-12		
10	1954	7	SCT:04 75 BKN:07 200 BKN:07 300	10.00		56	13.3	53	11.7	50	10.0	81	10	180		30.29			30.48	FM-15	0.00	30.47
10	2054	7	BKN:07 70 BKN:07 200 BKN:07 300	10.00		58	14.4	54	12.2	50	10.0	75	13	170		30.27			30.46	FM-15	0.00	30.45
10	2154	7	FEW:02 70 BKN:07 220 OVC:08 300	10.00		59	15.0	54	12.2	50	10.0	72	10	180		30.26	8	+0.03	30.45	FM-15	0.00	30.44
10	2254	7	BKN:07 70 OVC:08 210	10.00		60	15.6	55	12.8	51	10.6	72	15	170		30.25			30.44	FM-15	0.00	30.43

10	2354	7	BKN:07 70 OVC:08 200	10.00		60	15.6	56	13.3	52	11.1	75	10	160		30.24			30.44	FM-15	0.00	30.42
11	0054	7	SCT:04 75 OVC:08 300	10.00		58	14.4	54	12.2	51	10.6	78	7	170		30.23	8	+0.04	30.42	FM-15	0.00	30.41
11	0100	4	74	9.94		58	14.4	54	12.2	51	10.6	78	7	170		30.23	8	+0.04	30.42	FM-12		
11	0154	7	SCT:04 80 OVC:08 300	10.00		57	13.9	54	12.2	51	10.6	81	6	160		30.21			30.40	FM-15	0.00	30.39
11	0254	7	FEW:02 80 OVC:08 300	10.00		55	12.8	53	11.7	51	10.6	87	6	170		30.20			30.40	FM-15	0.00	30.38
11	0354	7	SCT:04 200 OVC:08 300	10.00		55	12.8	53	11.7	52	11.1	90	7	160		30.18	8	+0.04	30.37	FM-15	0.00	30.36
11	0454	7	BKN:07 80 BKN:07 200 OVC:08 300	10.00		56	13.3	54	12.2	52	11.1	87	7	170		30.16			30.35	FM-15	0.00	30.34
11	0554	7	SCT:04 75 OVC:08 300	10.00		57	13.9	55	12.8	53	11.7	87	8	160		30.15			30.34	FM-15	0.00	30.33
11	0654	7	BKN:07 75 OVC:08 300	10.00		58	14.4	55	12.8	53	11.7	84	10	160		30.14	6	+0.04	30.33	FM-15	0.00	30.32
11	0754	7	BKN:07 80 OVC:08 300	10.00		58	14.4	56	13.3	54	12.2	87	10	180		30.15			30.34	FM-15	0.00	30.33
11	0854	6	BKN:07 80 BKN:07 250	10.00		61	16.1	58	14.4	55	12.8	81	13	170		30.14			30.33	FM-15	0.00	30.32
11	0954	7	FEW:02 80 BKN:07 250	10.00		65	18.3	59	15.0	55	12.8	70	20	180	28	30.12	8	+0.02	30.32	FM-15	0.00	30.30
11	1054	7	FEW:02 65 SCT:04 80 BKN:07 300	10.00		66	18.9	60	15.6	56	13.3	70	20	190	30	30.10			30.30	FM-15	0.00	30.28
11	1154	7	FEW:02 28 SCT:04 60 BKN:07 75	10.00		68	20.0	62	16.7	58	14.4	70	21	190	28	30.07			30.26	FM-15	0.00	30.25
11	1254	7	FEW:02 29 BKN:07 38 BKN:07 55	10.00		69	20.6	62	16.7	58	14.4	68	17	190	25	30.03	8	+0.09	30.23	FM-15	0.00	30.21
11	1300	4	26	9.94		69	20.6	62	16.7	58	14.4	68	17	190		30.03	8	+0.09	30.23	FM-12		
11	1354	6	FEW:02 29 BKN:07 65 BKN:07 300	10.00		71	21.7	64	17.8	59	15.0	66	21	180	28	29.99			30.19	FM-15	0.00	30.17
11	1454	7	FEW:02 34 SCT:04 75 BKN:07 90	10.00		72	22.2	64	17.8	59	15.0	64	20	190	28	29.96			30.15	FM-15	0.00	30.14
11	1554	7	BKN:07 28 BKN:07 34 OVC:08 55	6.00	-RA:02 RA RA	68	20.0	64	17.8	61	16.1	78	20	200	33	29.97	5	+0.06	30.16	FM-15	T	30.15
11	1639	7	FEW:02 24 SCT:04 29 OVC:08 35	4.00	-RA:02 BR:1 RA RA	65	18.3	64	17.8	63	17.2	93	14	180		29.96				FM-16	T	30.14
11	1654	7	FEW:02 21 SCT:04 29 OVC:08 35	6.00	-RA:02 BR:1 RA RA	65	18.3	64	17.8	63	17.2	93	10	180		29.96			30.16	FM-15	0.01	30.14
11	1754	7	FEW:02 12 BKN:07 34 OVC:08 70	10.00		64	17.8	63	17.2	63	17.2	96	10	170		29.95			30.14	FM-15	T	30.13
11	1854	7	FEW:02 35 SCT:04 70 BKN:07 300	10.00		65	18.3	63	17.2	62	16.7	90	13	160		29.92	8	+0.05	30.11	FM-15	0.00	30.10
11	1900	4	41	9.94		65	18.3	63	17.2	62	16.7	90	13	160		29.92	8	+0.05	30.11	FM-12		
11	1923	7	BKN:07 28 BKN:07 70 BKN:07 300	10.00		65	18.3	63	17.2	62	16.7	90	14	170		29.92				FM-16		30.10
11	1954	7	BKN:07 23 OVC:08 31	10.00		66	18.9	64	17.8	63	17.2	90	15	170		29.90			30.10	FM-15	0.00	30.08
11	2054	7	OVC:08 25	10.00		68	20.0	64	17.8	62	16.7	81	23	190	32	29.89			30.08	FM-15	0.00	30.07
11	2154	7	BKN:07 23 OVC:08 29	10.00		68	20.0	65	18.3	63	17.2	84	21	180	30	29.87	8	+0.05	30.06	FM-15	0.00	30.05

11	2254	7	BKN:07 21 OVC:08 29	10.00	-RA:02 RA RA	68	20.0	65	18.3	63	17.2	84	22	180	33	29.85			30.04	FM-15	T	30.03
11	2354	7	BKN:07 18 OVC:08 24	10.00		68	20.0	66	18.9	64	17.8	87	24	180	30	29.82			30.01	FM-15	T	30.00
12	0054	7	OVC:08 16	10.00		68	20.0	66	18.9	64	17.8	87	25	180	43	29.79	8	+0.07	29.98	FM-15	0.00	29.97
12	0100	4	15	9.94		68	20.0	66	18.9	64	17.8	87	25	180		29.79	8	+0.07	29.98	FM-12		
12	0143	7	FEW:02 12 BKN:07 33 OVC:08 47	3.00	+RA:02 BR:1 RA RA	65	18.3	64	17.8	63	17.2	93	14	210	29	29.80				FM-16	0.26	29.98
12	0152	6	BKN:07 29 BKN:07 44 OVC:08 110	3.00	+RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	94	24	160	32	29.75				FM-16		29.93
12	0154	7	BKN:07 29 BKN:07 44 OVC:08 110	3.00	+RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	96	26	170	38	29.75			29.94	FM-15	0.43	29.93
12	0201	7	BKN:07 29 BKN:07 46 OVC:08 110	3.00	-RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	96	20	170	38	29.75				FM-16	0.01	29.93
12	0254	7	BKN:07 15 BKN:07 21 OVC:08 27	10.00	-RA:02 RA RA	68	20.0	67	19.4	66	18.9	93	21	190	26	29.78			29.97	FM-15	0.01	29.96
12	0352	6	SCT:04 24 BKN:07 31 OVC:08 55	8.00	-RA:02 RA RA	68	20.0	66	18.9	64	17.8	88	21	200	31	29.78				FM-16		29.96
12	0354	7	SCT:04 24 BKN:07 31 OVC:08 42	8.00	-RA:02 RA RA	68	20.0	66	18.9	65	18.3	90	17	200	31	29.78	5	+0.01	29.97	FM-15	T	29.96
12	0402	7	SCT:04 18 BKN:07 26 OVC:08 48	6.00	-RA:02 BR:1 RA RA	68	20.0	66	18.9	65	18.3	90	15	200	24	29.79				FM-16	T	29.97
12	0454	7	BKN:07 23 BKN:07 40	10.00		68	20.0	66	18.9	64	17.8	87	20	200		29.82			30.01	FM-15	T	30.00
12	0552	6	FEW:02 23 SCT:04 27 BKN:07 300	10.00		66	18.9	64	17.8	63	17.2	88	23	220	31	29.86				FM-16		30.04
12	0554	7	FEW:02 23 SCT:04 27 BKN:07 300	10.00		67	19.4	65	18.3	63	17.2	87	21	220	31	29.86			30.05	FM-15	0.00	30.04
12	0654	7	FEW:02 23 SCT:04 45 BKN:07 300	10.00		67	19.4	63	17.2	61	16.1	81	20	240	29	29.91	3	-0.12	30.10	FM-15	0.00	30.09
12	0700	4	26	9.94		67	19.4	63	17.2	61	16.1	81	20	240		29.91	3	-0.12	30.10	FM-12		
12	0754	7	FEW:02 23 SCT:04 80 BKN:07 300	10.00		65	18.3	61	16.1	59	15.0	81	15	230		29.95			30.14	FM-15	0.00	30.13
12	0854	7	SCT:04 120 BKN:07 250	10.00		66	18.9	58	14.4	51	10.6	59	14	240		29.98			30.17	FM-15	0.00	30.16
12	0954	7	SCT:04 120 BKN:07 250	10.00		66	18.9	56	13.3	47	8.3	50	14	260		30.05	3	-0.14	30.24	FM-15	0.00	30.23
12	1054	7	SCT:04 120 BKN:07 250	10.00		66	18.9	54	12.2	43	6.1	43	14	270		30.07			30.25	FM-15	0.00	30.25
12	1154	7	FEW:02 120 BKN:07 250	10.00		67	19.4	54	12.2	43	6.1	42	13	260		30.05			30.24	FM-15	0.00	30.23
12	1254	7	FEW:02 120 BKN:07 250	10.00		68	20.0	55	12.8	43	6.1	40	11	280		30.04	8	0.00	30.23	FM-15	0.00	30.22
12	1300	4		9.94		68	20.0	55	12.8	43	6.1	40	11	280		30.04	8	0.00	30.23	FM-12		
12	1354	7	SCT:04 250	10.00		69	20.6	55	12.8	43	6.1	39	9	260		30.04			30.23	FM-15	0.00	30.22
12	1454	7	FEW:02 250	10.00		69	20.6	56	13.3	44	6.7	41	6	220		30.04			30.23	FM-15	0.00	30.22
12	1554	7	FEW:02 250	10.00		69	20.6	56	13.3	44	6.7	41	6	260		30.05	3	-0.01	30.24	FM-15	0.00	30.23
12	1654	7	FEW:02 250	10.00		64	17.8	55	12.8	46	7.8	52	6	190		30.07			30.26	FM-15	0.00	30.25
12	1754	7	FEW:02 250	10.00		56	13.3	51	10.6	46	7.8	70	5	140		30.10			30.29	FM-15	0.00	30.28
12	1854	7	FEW:02 250	10.00		54	12.2	50	10.0	47	8.3	77	0	000		30.12	1	-0.07	30.31	FM-15	0.00	30.30
12	1900	4		9.94		54	12.2	50	10.0	47	8.3	77	0	000		30.12	1	-0.07	30.31	FM-12		
12	1954	7	FEW:02 250	10.00		52	11.1	49	9.4	46	7.8	80	3	140		30.13			30.32	FM-15	0.00	30.31

12	2054	7	SCT:04 300	10.00		50	10.0	48	8.9	46	7.8	86	0	000		30.14			30.33	FM-15	0.00	30.32
12	2154	7	SCT:04 300	10.00		48	8.9	47	8.3	45	7.2	89	0	000		30.14	1	-0.02	30.33	FM-15	0.00	30.32
12	2254	7	BKN:07 55	10.00		50	10.0	49	9.4	48	8.9	93	0	000		30.13			30.32	FM-15	0.00	30.31
12	2354	7	SCT:04 27 BKN:07 38 BKN:07 60	10.00		54	12.2	51	10.6	48	8.9	80	0	000		30.12			30.32	FM-15	0.00	30.30
13	0054	7	BKN:07 33 OVC:08 45	10.00		54	12.2	51	10.6	48	8.9	80	5	360		30.12	6	+0.02	30.31	FM-15	0.00	30.30
13	0100	4	26	9.94		54	12.2	51	10.6	48	8.9	80	5	360		30.12	6	+0.02	30.31	FM-12		
13	0118	7	BKN:07 27 OVC:08 32	10.00		54	12.2	51	10.6	48	8.9	80	6	350		30.12				FM-16		30.30
13	0154	7	BKN:07 17 OVC:08 21	10.00		54	12.2	50	10.0	47	8.3	77	6	360		30.14			30.33	FM-15	0.00	30.32
13	0216	7	OVC:08 13	10.00		54	12.2	50	10.0	47	8.3	77	6	010		30.14				FM-16		30.32
13	0254	7	OVC:08 13	10.00		54	12.2	50	10.0	46	7.8	75	5	030		30.14			30.33	FM-15	0.00	30.32
13	0354	7	OVC:08 11	10.00		54	12.2	50	10.0	46	7.8	75	6	040		30.12	0	-0.01	30.32	FM-15	0.00	30.30
13	0454	7	OVC:08 11	10.00		54	12.2	50	10.0	47	8.3	77	3	350		30.14			30.33	FM-15	0.00	30.32
13	0538	7	OVC:08 9	10.00		54	12.2	50	10.0	46	7.8	75	5	010		30.14				FM-16		30.32
13	0554	7	OVC:08 8	10.00		54	12.2	50	10.0	46	7.8	75	3	020		30.14			30.33	FM-15	0.00	30.32
13	0654	7	OVC:08 8	10.00		54	12.2	50	10.0	46	7.8	75	0	000		30.16	3	-0.04	30.35	FM-15	0.00	30.34
13	0700	4	8	9.94		54	12.2	50	10.0	46	7.8	75	0	000		30.16	3	-0.04	30.35	FM-12		
13	0754	7	BKN:07 9 OVC:08 14	10.00		53	11.7	49	9.4	45	7.2	74	7	350		30.15			30.34	FM-15	0.00	30.33
13	0807	7	SCT:04 9 SCT:04 16 BKN:07 110	10.00		53	11.7	49	9.4	45	7.2	74	5	360		30.14				FM-16		30.32
13	0817	7	BKN:07 9 BKN:07 16 OVC:08 110	10.00		53	11.7	49	9.4	45	7.2	74	7	340		30.16				FM-16		30.34
13	0854	7	OVC:08 9	10.00		53	11.7	49	9.4	45	7.2	74	6	320		30.18			30.37	FM-15	0.00	30.36
13	0954	7	OVC:08 9	10.00		54	12.2	50	10.0	45	7.2	72	0	000		30.19	3	-0.03	30.38	FM-15	0.00	30.37
13	1054	7	OVC:08 9	10.00		55	12.8	50	10.0	46	7.8	72	0	000		30.18			30.38	FM-15	0.00	30.36
13	1136	7	OVC:08 10	10.00		55	12.8	50	10.0	46	7.8	72	5	300		30.19				FM-16		30.37
13	1154	7	OVC:08 10	10.00		55	12.8	50	10.0	46	7.8	72	7	330		30.18			30.37	FM-15	0.00	30.36
13	1229	6	BKN:07 10 OVC:08 34	10.00		56	13.3	51	10.6	46	7.8	70	3	320		30.16				FM-16		30.34
13	1231	6	SCT:04 10 OVC:08 34	10.00		56	13.3	51	10.6	46	7.8	70	3	300		30.15				FM-16		30.33
13	1254	7	FEW:02 10 OVC:08 34	10.00		56	13.3	51	10.6	46	7.8	70	0	000		30.15	8	+0.04	30.34	FM-15	0.00	30.33
13	1300	4	15	9.94		56	13.3	51	10.6	46	7.8	70	0	000		30.15	8	+0.04	30.34	FM-12		
13	1309	7	BKN:07 12 OVC:08 31	10.00		57	13.9	52	11.1	47	8.3	69	3	310		30.16				FM-16		30.34
13	1354	6	BKN:07 12 OVC:08 30	10.00		57	13.9	52	11.1	48	8.9	72	6	300		30.14			30.34	FM-15	0.00	30.32
13	1423	6	SCT:04 11 BKN:07 26 OVC:08 33	10.00		58	14.4	53	11.7	49	9.4	72	0	000		30.13				FM-16		30.31
13	1454	6	FEW:02 11 BKN:07 26 OVC:08 35	10.00		58	14.4	53	11.7	49	9.4	72	0	000		30.13			30.33	FM-15	0.00	30.31
13	1554	6	OVC:08 26	10.00		59	15.0	54	12.2	50	10.0	72	0	000		30.13	8	+0.02	30.32	FM-15	0.00	30.31
13	1654	6	OVC:08 23	10.00		58	14.4	54	12.2	51	10.6	78	3	100		30.14			30.33	FM-15	0.00	30.32
13	1754	6	OVC:08 23	10.00		57	13.9	53	11.7	50	10.0	78	5	030		30.15			30.35	FM-15	0.00	30.33
13	1854	7	SCT:04 14 OVC:08 21	5.00	-DZ:01 DZ DZ	55	12.8	52	11.1	50	10.0	83	6	020		30.18	3	-0.05	30.37	FM-15	T	30.36
13	1900	4	15	4.97	DZ	55	12.8	52	11.1	50	10.0	83	6	020		30.18	3	-0.05	30.37	FM-12		
13	1916	7	BKN:07 14 OVC:08 24	9.00		54	12.2	52	11.1	51	10.6	90	5	020		30.18				FM-16	T	30.36
13	1933	7	OVC:08 16	5.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	52	11.1	93	0	000		30.19				FM-16	T	30.37

13	1951	7	BKN:07 10 OVC:08 16	4.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	52	11.1	94	5	020		30.19				FM-16	T	30.37
13	1954	7	BKN:07 10 OVC:08 17	5.00	BR:1	53	11.7	52	11.1	52	11.1	96	5	010		30.19			30.38	FM-15	0.01	30.37
13	2046	7	OVC:08 9	9.00		53	11.7	52	11.1	52	11.1	96	3	040		30.18				FM-16	0.01	30.36
13	2054	7	OVC:08 9	10.00		53	11.7	52	11.1	52	11.1	96	3	050		30.18			30.37	FM-15	0.00	30.36
13	2113	7	SCT:04 9 OVC:08 16	10.00		54	12.2	53	11.7	52	11.1	93	3	020		30.18				FM-16		30.36
13	2154	7	BKN:07 15 BKN:07 20 OVC:08 37	10.00		53	11.7	52	11.1	51	10.6	93	5	030		30.18	7	+0.01	30.37	FM-15	0.00	30.36
13	2216	7	SCT:04 20 BKN:07 38 BKN:07 47	10.00		53	11.7	52	11.1	51	10.6	93	3	060		30.17				FM-16		30.35
13	2254	7	BKN:07 33 BKN:07 40 OVC:08 50	10.00		53	11.7	52	11.1	51	10.6	93	3	070		30.17			30.37	FM-15	0.00	30.35
13	2324	7	SCT:04 8 OVC:08 31	10.00		53	11.7	52	11.1	51	10.6	93	6	050		30.16				FM-16		30.34
13	2332	7	BKN:07 8 OVC:08 31	10.00		53	11.7	52	11.1	51	10.6	93	6	050		30.16				FM-16		30.34
13	2354	7	BKN:07 8 OVC:08 31	9.00	-RA:02 RA RA	53	11.7	52	11.1	51	10.6	93	6	050		30.16			30.36	FM-15	T	30.34
14	0054	7	OVC:08 6	10.00		52	11.1	51	10.6	51	10.6	97	3	020		30.15	8	+0.04	30.34	FM-15	T	30.33
14	0100	4	5	9.94		52	11.1	51	10.6	51	10.6	97	3	020		30.15	8	+0.04	30.34	FM-12		
14	0132	7	FEW:02 9 OVC:08 33	10.00		53	11.7	52	11.1	51	10.6	93	0	000		30.14				FM-16		30.32
14	0154	7	OVC:08 33	10.00		52	11.1	51	10.6	51	10.6	97	0	000		30.13			30.32	FM-15	0.00	30.31
14	0233	7	SCT:04 5 BKN:07 31 OVC:08 42	10.00		52	11.1	51	10.6	51	10.6	97	5	060		30.13				FM-16		30.31
14	0252	6	BKN:07 5 OVC:08 30	10.00		52	11.1	52	11.1	52	11.1	100	6	060		30.13				FM-16		30.31
14	0254	7	BKN:07 5 OVC:08 30	10.00		52	11.1	51	10.6	51	10.6	97	6	050		30.12			30.32	FM-15	0.00	30.30
14	0316	7	OVC:08 3	8.00		52	11.1	51	10.6	51	10.6	97	6	040		30.12				FM-16		30.30
14	0354	7	OVC:08 3	2.50	RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	0	000		30.11	8	+0.04	30.30	FM-15	0.07s	30.29
14	0400	7	BKN:07 3 OVC:08 30	1.75	TS:7 +RA:02 BR:1 RA TS RA	51	10.6	51	10.6	51	10.6	100	7	060		30.10				FM-16	0.06	30.28
14	0417	7	BKN:07 3 BKN:07 9 OVC:08 30	2.00	TS:7 RA:02 BR:1 RA TS RA	51	10.6	51	10.6	51	10.6	100	5	340		30.11				FM-16	0.12	30.29
14	0436	7	BKN:07 4 BKN:07 9 OVC:08 26	2.50	RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	5	010		30.09				FM-16	0.24	30.27
14	0452	6	SCT:04 4 BKN:07 28 OVC:08 41	2.50	+RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	8	100		30.07				FM-16		30.25
14	0454	7	SCT:04 4 BKN:07 28 OVC:08 41	2.50	+RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	6	090		30.07			30.26	FM-15	0.28	30.25
14	0521	7	BKN:07 4 BKN:07 25 OVC:08 44	2.50	+RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	5	110		30.07				FM-16	0.25	30.25
14	0542	7	OVC:08 6	6.00	RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	6	120		30.09				FM-16	0.34	30.27
14	0554	7	OVC:08 6	3.00	RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	10	330		30.13			30.32	FM-15	0.40	30.31
14	0606	7	BKN:07 6 OVC:08 13	2.50	+RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	9	350		30.12				FM-16	0.09	30.30
14	0628	7	SCT:04 6 SCT:04 13 OVC:08 45	4.00	RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	6	350		30.12				FM-16	0.19	30.30
14	0654	7	FEW:02 6 OVC:08 50	5.00	RA:02 BR:1 RA RA	51	10.6	50	10.0	50	10.0	96	5	030		30.11	3	-0.01	30.31	FM-15	0.22	30.29
14	0700	4	5	4.97	RA	51	10.6	50	10.0	50	10.0	96	5	030		30.11	3	-0.01	30.31	FM-12		

14	0715	7	SCT:04 4 BKN:07 13 OVC:08 50	4.00	RA:02 BR:1 RA RA	50	10.0	50	10.0	50	10.0	100	6	020		30.10				FM-16	0.09	30.28
14	0733	7	BKN:07 4 BKN:07 13 OVC:08 70	5.00	RA:02 BR:1 RA RA	50	10.0	50	10.0	50	10.0	100	9	080		30.08				FM-16	0.13	30.26
14	0750	7	SCT:04 6 BKN:07 70 OVC:08 95	8.00	RA:02 RA RA	50	10.0	50	10.0	50	10.0	100	11	100		30.05				FM-16	0.15	30.23
14	0754	7	SCT:04 4 BKN:07 70 OVC:08 100	8.00	RA:02 RA RA	50	10.0	50	10.0	50	10.0	100	10	100		30.05			30.24	FM-15	0.16	30.23
14	0805	7	BKN:07 5 BKN:07 17 OVC:08 95	5.00	RA:02 BR:1 RA RA	51	10.6	50	10.0	50	10.0	96	9	120		30.06				FM-16	0.02	30.24
14	0854	7	OVC:08 5	6.00	-RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	5	100		30.07			30.26	FM-15	0.05	30.25
14	0954	7	OVC:08 5	10.00	-RA:02 RA RA	52	11.1	51	10.6	51	10.6	97	0	000		30.07	5	+0.04	30.27	FM-15	0.03	30.25
14	1044	7	OVC:08 4	10.00		53	11.7	52	11.1	52	11.1	96	6	150		30.05				FM-16	T	30.23
14	1054	7	OVC:08 4	10.00		53	11.7	52	11.1	52	11.1	96	5	170		30.04			30.24	FM-15	T	30.22
14	1154	7	OVC:08 4	6.00	BR:1	53	11.7	52	11.1	52	11.1	96	0	000		30.03			30.22	FM-15	0.00	30.21
14	1219	7	OVC:08 3	1.50	BR:1	53	11.7	53	11.7	53	11.7	100	0	000		30.01				FM-16		30.19
14	1236	7	OVC:08 3	1.00	BR:1	53	11.7	53	11.7	53	11.7	100	3	110		29.98				FM-16		30.16
14	1254	7	OVC:08 3	1.00	BR:1	53	11.7	53	11.7	53	11.7	100	3	190		29.98	8	+0.09	30.17	FM-15	0.00	30.16
14	1259	7	OVC:08 3	0.50	FG:2 FG	53	11.7	53	11.7	53	11.7	100	0	000		29.97				FM-16		30.15
14	1300	4	2	0.99		53	11.7	53	11.7	53	11.7	100	3	190		29.98	8	+0.09	30.17	FM-12		
14	1354	7	OVC:08 2	0.50	-DZ:01 FG:2 FG DZ DZ	53	11.7	53	11.7	53	11.7	100	5	130		29.94			30.13	FM-15	T	30.12
14	1454	7	OVC:08 2	0.50	-DZ:01 FG:2 FG DZ DZ	53	11.7	53	11.7	53	11.7	100	3	170		29.94			30.13	FM-15	T	30.12
14	1554	7	OVC:08 2	0.50	FG:2 FG	54	12.2	54	12.2	54	12.2	100	3	190		29.93	6	+0.04	30.13	FM-15	T	30.11
14	1654	7	VV:09 2	0.25	FG:2 FG	54	12.2	54	12.2	54	12.2	100	5	200		29.92			30.11	FM-15	0.00	30.10
14	1754	7	VV:09 2	0.25	FG:2 FG	53	11.7	53	11.7	53	11.7	100	5	290		29.94			30.13	FM-15	0.00	30.12
14	1827	7	OVC:08 4	2.00	BR:1	53	11.7	53	11.7	53	11.7	100	7	240		29.94				FM-16		30.12
14	1854	7	OVC:08 4	2.50	BR:1	53	11.7	53	11.7	53	11.7	100	11	230		29.93	5	0.00	30.13	FM-15	0.00	30.11
14	1900	4	5	2.49		53	11.7	53	11.7	53	11.7	100	11	230		29.93	5	0.00	30.13	FM-12		
14	1901	7	OVC:08 5	2.50	BR:1	53	11.7	53	11.7	53	11.7	100	9	240		29.93				FM-16		30.11
14	1912	7	OVC:08 4	2.50	BR:1	53	11.7	53	11.7	53	11.7	100	11	250		29.94				FM-16		30.12
14	1954	7	OVC:08 4	2.50	BR:1	53	11.7	53	11.7	53	11.7	100	6	290		29.94			30.14	FM-15	0.00	30.12
14	2007	7	OVC:08 5	2.50	BR:1	53	11.7	53	11.7	53	11.7	100	7	280		29.95				FM-16		30.13
14	2054	7	OVC:08 5	2.50	BR:1	53	11.7	53	11.7	53	11.7	100	6	300		29.96			30.15	FM-15	0.00	30.14
14	2152	6	OVC:08 3	2.50	BR:1	54	12.2	54	12.2	54	12.2	100	5	340		29.97				FM-16		30.15
14	2154	7	OVC:08 3	2.50	BR:1	53	11.7	53	11.7	53	11.7	100	6	340		29.97	2	-0.04	30.16	FM-15	0.00	30.15
14	2221	7	OVC:08 3	0.75	BR:1	52	11.1	52	11.1	52	11.1	100	7	340		29.98				FM-16		30.16
14	2254	7	OVC:08 2	0.75	BR:1	52	11.1	52	11.1	52	11.1	100	7	350		29.98			30.17	FM-15	0.00	30.16
14	2354	7	OVC:08 2	0.75	BR:1	51	10.6	51	10.6	51	10.6	100	8	350		29.99			30.18	FM-15	0.00	30.17
15	0054	7	OVC:08 3	0.75	BR:1	50	10.0	50	10.0	50	10.0	100	7	340		29.98	0	-0.01	30.17	FM-15	0.00	30.16
15	0100	4	2	0.75		50	10.0	50	10.0	50	10.0	100	7	340		29.98	9	+0.01	30.17	FM-12		
15	0154	7	OVC:08 3	0.75	BR:1	50	10.0	50	10.0	50	10.0	100	5	010		29.99			30.18	FM-15	0.00	30.17
15	0254	7	OVC:08 3	0.75	BR:1	50	10.0	50	10.0	50	10.0	100	6	360		30.00			30.19	FM-15	0.00	30.18
15	0354	7	OVC:08 2	0.75	BR:1	50	10.0	49	9.4	49	9.4	96	0	000		30.00	0	-0.02	30.19	FM-15	0.00	30.18
15	0454	7	OVC:08 2	0.75	BR:1	49	9.4	49	9.4	49	9.4	100	5	030		30.01			30.20	FM-15	0.00	30.19
15	0505	7	VV:09 2	0.50	FG:2 FG	49	9.4	49	9.4	49	9.4	100	0	000		30.01				FM-16		30.19
15	0554	7	VV:09 2	0.50	FG:2 FG	49	9.4	49	9.4	49	9.4	100	0	000		30.03			30.22	FM-15	0.00	30.21
15	0654	7	VV:09 2	0.50	FG:2 FG	48	8.9	48	8.9	48	8.9	100	0	000		30.04	3	-0.05	30.24	FM-15	0.00	30.22
15	0700	4	2	0.50	FG	48	8.9	48	8.9	48	8.9	100	0	000		30.04	3	-0.05	30.24	FM-12		
15	0737	7	VV:09 2	0.50	FG:2 FG	47	8.3	47	8.3	47	8.3	100	0	000		30.05				FM-16		30.23
15	0754	7	VV:09 2	0.25	FG:2 FG	47	8.3	47	8.3	47	8.3	100	5	220		30.06			30.25	FM-15	0.00	30.24
15	0808	7	VV:09 2	0.12	FG:2 FG	47	8.3	47	8.3	47	8.3	100	3	230		30.06				FM-16		30.24
15	0854	7	VV:09 2	0.12	-DZ:01 FG:2 FG DZ DZ	47	8.3	47	8.3	47	8.3	100	5	150		30.07			30.26	FM-15	T	30.25
15	0911	7	VV:09 2	0.12	-DZ:01 FG:2 FG DZ DZ	48	8.9	48	8.9	48	8.9	100	5	200		30.07				FM-16	T	30.25
15	0940	7	VV:09 2	0.12	FG:2 FG	48	8.9	48	8.9	48	8.9	100	5	230		30.07				FM-16	T	30.25

15	0942	7	VV:09 2	0.25	-DZ:01 FG:2 FG DZ DZ	48	8.9	48	8.9	48	8.9	100	5	230		30.07				FM-16	T	30.25
15	0952	6	VV:09 2	0.25	-DZ:01 FG:2 FG DZ DZ	48	8.9	48	8.9	48	8.9	100	3	230		30.06				FM-16		30.24
15	0954	7	VV:09 2	0.25	-DZ:01 FG:2 FG DZ DZ	48	8.9	48	8.9	48	8.9	100	3	VRB		30.07	0	-0.02	30.26	FM-15	T	30.25
15	1004	7	VV:09 2	0.25	-DZ:01 FG:2 FG DZ DZ	48	8.9	48	8.9	48	8.9	100	3	220		30.07				FM-16	T	30.25
15	1054	7	OVC:08 3	1.00	BR:1	49	9.4	49	9.4	49	9.4	100	0	000		30.07			30.26	FM-15	T	30.25
15	1107	7	OVC:08 2	1.50	BR:1	49	9.4	48	8.9	48	8.9	97	7	060		30.06				FM-16		30.24
15	1136	7	OVC:08 3	2.00	BR:1	49	9.4	49	9.4	49	9.4	100	5	150		30.06				FM-16		30.24
15	1145	7	OVC:08 4	3.00	BR:1	49	9.4	49	9.4	49	9.4	100	0	000		30.05				FM-16		30.23
15	1154	7	OVC:08 3	4.00	BR:1	49	9.4	49	9.4	49	9.4	100	0	000		30.06			30.25	FM-15	0.00	30.24
15	1254	7	OVC:08 4	10.00		50	10.0	50	10.0	50	10.0	100	6	170		30.03	8	+0.04	30.22	FM-15	0.00	30.21
15	1300	4	5	9.94		50	10.0	50	10.0	50	10.0	100	6	170		30.03	8	+0.04	30.22	FM-12		
15	1315	7	OVC:08 5	9.00		50	10.0	49	9.4	49	9.4	96	6	210		30.02				FM-16		30.20
15	1354	7	OVC:08 6	9.00		51	10.6	50	10.0	50	10.0	96	3	180		30.00			30.19	FM-15	0.00	30.18
15	1439	7	BKN:07 10 OVC:08 80	9.00		53	11.7	51	10.6	49	9.4	86	7	170		29.98				FM-16		30.16
15	1454	7	BKN:07 11 BKN:07 85 BKN:07 100	10.00		53	11.7	51	10.6	49	9.4	86	6	160		29.98			30.18	FM-15	0.00	30.16
15	1503	7	SCT:04 11 BKN:07 80 BKN:07 100	10.00		53	11.7	51	10.6	49	9.4	86	5	150		29.98				FM-16		30.16
15	1554	7	FEW:02 13 SCT:04 80 BKN:07 100	10.00		54	12.2	51	10.6	49	9.4	83	3	160		29.97	6	+0.06	30.16	FM-15	0.00	30.15
15	1654	7	SCT:04 75 BKN:07 300	10.00		54	12.2	51	10.6	49	9.4	83	0	000		29.96			30.15	FM-15	0.00	30.14
15	1754	7	FEW:02 75 BKN:07 300	10.00		51	10.6	50	10.0	49	9.4	92	0	000		29.96			30.16	FM-15	0.00	30.14
15	1854	7	FEW:02 80 SCT:04 300	10.00		49	9.4	48	8.9	47	8.3	93	0	000		29.97	5	0.00	30.16	FM-15	0.00	30.15
15	1900	4	74	9.94		49	9.4	48	8.9	47	8.3	93	0	000		29.97	5	0.00	30.16	FM-12		
15	1954	7	BKN:07 95	10.00		50	10.0	48	8.9	47	8.3	89	6	140		29.95			30.14	FM-15	0.00	30.13
15	2054	7	BKN:07 85	10.00		51	10.6	50	10.0	49	9.4	92	7	170		29.93			30.12	FM-15	0.00	30.11
15	2154	7	BKN:07 65	10.00		52	11.1	50	10.0	49	9.4	89	8	180		29.92	6	+0.05	30.11	FM-15	0.00	30.10
15	2254	7	BKN:07 37 BKN:07 55	10.00		51	10.6	49	9.4	48	8.9	89	6	190		29.91			30.10	FM-15	0.00	30.09
15	2354	7	FEW:02 34 BKN:07 300	10.00		51	10.6	49	9.4	47	8.3	86	9	170		29.86			30.05	FM-15	0.00	30.04
16	0054	7	FEW:02 35 BKN:07 300	10.00		50	10.0	48	8.9	46	7.8	86	9	180		29.82	8	+0.09	30.02	FM-15	0.00	30.00
16	0100	4	41	9.94		50	10.0	48	8.9	46	7.8	86	9	180		29.82	8	+0.09	30.02	FM-12		
16	0154	7	FEW:02 250 BKN:07 300	10.00		51	10.6	49	9.4	48	8.9	89	8	190		29.81			30.00	FM-15	0.00	29.99
16	0254	7	BKN:07 300	10.00		51	10.6	50	10.0	49	9.4	92	8	190		29.79			29.98	FM-15	0.00	29.97
16	0354	7	BKN:07 300	10.00		50	10.0	49	9.4	49	9.4	96	6	210		29.78	6	+0.05	29.97	FM-15	0.00	29.96
16	0454	7	SCT:04 240 BKN:07 300	9.00		51	10.6	51	10.6	51	10.6	100	5	200		29.76			29.96	FM-15	0.00	29.94
16	0554	7	BKN:07 220 OVC:08 300	6.00	BR:1	51	10.6	51	10.6	51	10.6	100	5	210		29.78			29.97	FM-15	0.00	29.96
16	0654	7	OVC:08 210	10.00		57	13.9	56	13.3	55	12.8	93	6	310		29.81	3	-0.03	30.00	FM-15	0.00	29.99
16	0700	4		9.94		57	13.9	56	13.3	55	12.8	93	6	310		29.81	3	-0.03	30.00	FM-12		
16	0754	7	SCT:04 200 BKN:07 300	10.00		57	13.9	55	12.8	54	12.2	90	11	310		29.84			30.04	FM-15	0.00	30.02
16	0854	7	FEW:02 60 FEW:02 210 BKN:07 300	10.00		56	13.3	52	11.1	49	9.4	77	9	320		29.88			30.08	FM-15	0.00	30.06
16	0954	7	FEW:02 60 FEW:02 210 BKN:07 300	10.00		59	15.0	49	9.4	39	3.9	48	15	290	23	29.92	3	-0.12	30.11	FM-15	0.00	30.10
16	1054	7	FEW:02 50 FEW:02 210 BKN:07 300	10.00		59	15.0	48	8.9	37	2.8	44	17	290	25	29.94			30.13	FM-15	0.00	30.12

16	1154	7	FEW:02 50 FEW:02 210 BKN:07 300	10.00		61	16.1	49	9.4	36	2.2	39	16	310	24	29.93			30.12	FM-15	0.00	30.11
16	1254	7	FEW:02 60 FEW:02 200 BKN:07 300	10.00		60	15.6	45	7.2	24	-4.4	25	16	290		29.91	8	+0.01	30.10	FM-15	0.00	30.09
16	1300	4	57	9.94		60	15.6	45	7.2	24	-4.4	25	16	290		29.91	8	+0.01	30.10	FM-12		
16	1354	7	FEW:02 75 SCT:04 300	10.00		60	15.6	45	7.2	26	-3.3	27	13	310	25	29.90			30.10	FM-15	0.00	30.08
16	1454	7	FEW:02 75 FEW:02 300	10.00		60	15.6	43	6.1	19	-7.2	20	25	320	38	29.91			30.10	FM-15	0.00	30.09
16	1554	7	FEW:02 300	10.00		59	15.0	43	6.1	21	-6.1	23	15	310	24	29.94	3	-0.03	30.13	FM-15	0.00	30.12
16	1654	7	FEW:02 300	10.00		55	12.8	41	5.0	19	-7.2	24	15	330	26	29.97			30.16	FM-15	0.00	30.15
16	1754	7	FEW:02 300	10.00		53	11.7	39	3.9	17	-8.3	24	14	320	26	30.02			30.21	FM-15	0.00	30.20
16	1854	7	FEW:02 300	10.00		48	8.9	38	3.3	23	-5.0	37	10	350		30.07	3	-0.14	30.27	FM-15	0.00	30.25
16	1900	4		9.94		48	8.9	38	3.3	23	-5.0	37	10	350		30.07	3	-0.14	30.27	FM-12		
16	1954	7	CLR:00	10.00		47	8.3	37	2.8	20	-6.7	34	14	340		30.11			30.30	FM-15	0.00	30.29
16	2054	7	CLR:00	10.00		44	6.7	35	1.7	18	-7.8	35	18	340	26	30.14			30.34	FM-15	0.00	30.32
16	2154	7	CLR:00	10.00		42	5.6	33	0.6	16	-8.9	35	21	340	31	30.18	1	-0.10	30.37	FM-15	0.00	30.36
16	2254	7	CLR:00	10.00		39	3.9	32	0.0	20	-6.7	46	14	340		30.24			30.43	FM-15	0.00	30.42
16	2354	7	CLR:00	10.00		38	3.3	30	-1.1	15	-9.4	39	17	320	26	30.27			30.46	FM-15	0.00	30.45
17	0054	7	CLR:00	10.00		37	2.8	30	-1.1	15	-9.4	41	14	330		30.29	1	-0.11	30.48	FM-15	0.00	30.47
17	0100	4		9.94		37	2.8	30	-1.1	15	-9.4	41	14	330		30.29	1	-0.11	30.48	FM-12		
17	0154	7	CLR:00	10.00		35	1.7	29	-1.7	17	-8.3	48	10	360		30.31			30.50	FM-15	0.00	30.49
17	0254	7	CLR:00	10.00		34	1.1	28	-2.2	16	-8.9	48	8	350		30.33			30.53	FM-15	0.00	30.51
17	0354	7	CLR:00	10.00		32	0.0	27	-2.8	17	-8.3	54	8	340		30.36	3	-0.07	30.56	FM-15	0.00	30.54
17	0454	7	CLR:00	10.00		33	0.6	27	-2.8	14	-10.0	45	13	350	25	30.39			30.59	FM-15	0.00	30.57
17	0554	7	CLR:00	10.00		33	0.6	27	-2.8	14	-10.0	45	16	340		30.40			30.60	FM-15	0.00	30.58
17	0654	7	FEW:02 250	10.00		32	0.0	27	-2.8	15	-9.4	50	16	340		30.44	3	-0.08	30.64	FM-15	0.00	30.62
17	0700	4		9.94		32	0.0	27	-2.8	15	-9.4	50	16	340		30.44	3	-0.08	30.64	FM-12		
17	0754	7	FEW:02 250 BKN:07 300	10.00		32	0.0	27	-2.8	16	-8.9	52	9	350		30.48			30.67	FM-15	0.00	30.66
17	0854	7	BKN:07 300	10.00		34	1.1	28	-2.2	16	-8.9	48	15	350	23	30.49			30.69	FM-15	0.00	30.67
17	0954	7	BKN:07 300	10.00		36	2.2	29	-1.7	15	-9.4	42	16	010		30.52	1	-0.08	30.72	FM-15	0.00	30.70
17	1054	7	BKN:07 300	10.00		37	2.8	30	-1.1	15	-9.4	41	15	350	21	30.53			30.73	FM-15	0.00	30.71
17	1154	7	BKN:07 300	10.00		38	3.3	30	-1.1	15	-9.4	39	15	360	22	30.52			30.72	FM-15	0.00	30.70
17	1254	7	BKN:07 300	10.00		40	4.4	31	-0.6	14	-10.0	35	10	340		30.50	8	+0.02	30.69	FM-15	0.00	30.68
17	1300	4		9.94		40	4.4	31	-0.6	14	-10.0	35	10	340		30.50	8	+0.02	30.69	FM-12		
17	1354	7	BKN:07 300	10.00		40	4.4	31	-0.6	14	-10.0	35	13	010		30.49			30.69	FM-15	0.00	30.67
17	1454	7	BKN:07 300	10.00		41	5.0	32	0.0	14	-10.0	33	8	030		30.49			30.68	FM-15	0.00	30.67
17	1554	7	SCT:04 300	10.00		40	4.4	31	-0.6	14	-10.0	35	11	040		30.49	6	+0.01	30.68	FM-15	0.00	30.67
17	1654	7	SCT:04 300	10.00		37	2.8	29	-1.7	13	-10.6	37	10	010		30.50			30.70	FM-15	0.00	30.68
17	1754	7	FEW:02 300	10.00		33	0.6	27	-2.8	15	-9.4	47	7	010		30.51			30.71	FM-15	0.00	30.69
17	1854	7	FEW:02 300	10.00		32	0.0	27	-2.8	15	-9.4	50	6	040		30.53	3	-0.04	30.73	FM-15	0.00	30.71
17	1900	4		9.94		32	0.0	27	-2.8	15	-9.4	50	6	040		30.53	3	-0.04	30.73	FM-12		
17	1954	7	FEW:02 300	10.00		30	-1.1	25	-3.9	15	-9.4	54	7	040		30.52			30.72	FM-15	0.00	30.70
17	2054	7	FEW:02 300	10.00		30	-1.1	25	-3.9	15	-9.4	54	5	040		30.52			30.72	FM-15	0.00	30.70
17	2154	7	BKN:07 240	10.00		30	-1.1	26	-3.3	17	-8.3	58	6	050		30.51	8	+0.02	30.71	FM-15	0.00	30.69
17	2254	7	BKN:07 220	10.00		29	-1.7	25	-3.9	16	-8.9	58	3	040		30.51			30.71	FM-15	0.00	30.69
17	2354	7	SCT:04 160 BKN:07 210	10.00		30	-1.1	26	-3.3	17	-8.3	58	5	070		30.50			30.70	FM-15	0.00	30.68
18	0054	7	BKN:07 160 OVC:08 200	10.00		30	-1.1	26	-3.3	16	-8.9	56	5	070		30.49	8	+0.01	30.69	FM-15	0.00	30.67
18	0100	4		9.94		30	-1.1	26	-3.3	16	-8.9	56	5	070		30.49	8	+0.01	30.69	FM-12		
18	0154	7	SCT:04 160 BKN:07 200	10.00		29	-1.7	25	-3.9	18	-7.8	63	0	000		30.48			30.68	FM-15	0.00	30.66
18	0254	7	BKN:07 130 BKN:07 200	10.00		30	-1.1	26	-3.3	19	-7.2	64	0	000		30.47			30.67	FM-15	0.00	30.65
18	0354	7	OVC:08 140	10.00		30	-1.1	27	-2.8	21	-6.1	69	0	000		30.44	8	+0.05	30.64	FM-15	0.00	30.62

18	0454	7	BKN:07 80 OVC:08 100	10.00		31	-0.6	27	-2.8	20	-6.7	64	0	000		30.43			30.63	FM-15	0.00	30.61
18	0552	6	BKN:07 39 OVC:08 70	9.00	-FZ:8 DZ:01 FZDZ	30	-1.1	28	-2.2	23	-5.0	75	3	090		30.42				FM-16		30.60
18	0554	7	BKN:07 39 BKN:07 70 OVC:08 110	8.00	-FZ:8 DZ:01 FZDZ	30	-1.1	28	-2.2	23	-5.0	75	3	090		30.42			30.62	FM-15	T	30.60
18	0606	7	BKN:07 37 BKN:07 70 OVC:08 120	9.00		30	-1.1	28	-2.2	23	-5.0	75	3	090		30.42				FM-16	T	30.60
18	0654	7	FEW:02 37 SCT:04 60 OVC:08 120	10.00		30	-1.1	28	-2.2	23	-5.0	75	7	130		30.40	8	+0.04	30.60	FM-15	T	30.58
18	0700	4	41	9.94		30	-1.1	28	-2.2	23	-5.0	75	7	130		30.40	8	+0.04	30.60	FM-12		
18	0754	7	FEW:02 60 BKN:07 120 OVC:08 160	10.00		31	-0.6	28	-2.2	23	-5.0	72	7	120		30.38			30.58	FM-15	0.00	30.56
18	0854	7	OVC:08 120	10.00		32	0.0	29	-1.7	23	-5.0	69	6	150		30.35			30.55	FM-15	0.00	30.53
18	0954	7	BKN:07 120 OVC:08 170	10.00		34	1.1	30	-1.1	23	-5.0	64	7	140		30.33	6	+0.07	30.53	FM-15	0.00	30.51
18	1054	7	BKN:07 110 OVC:08 170	10.00		35	1.7	30	-1.1	22	-5.6	59	9	180		30.29			30.49	FM-15	0.00	30.47
18	1154	7	BKN:07 95 OVC:08 110	10.00		37	2.8	32	0.0	23	-5.0	57	9	170		30.20			30.40	FM-15	0.00	30.38
18	1231	7	SCT:04 35 BKN:07 55 OVC:08 90	10.00	-PL:06 RA:02 RA PL RA PL	37	2.8	32	0.0	24	-4.4	59	16	170		30.16				FM-16	T	30.34
18	1246	7	BKN:07 35 BKN:07 48 OVC:08 85	10.00		37	2.8	32	0.0	23	-5.0	57	11	180		30.15				FM-16	T	30.33
18	1254	7	BKN:07 35 BKN:07 48 OVC:08 85	10.00		37	2.8	32	0.0	23	-5.0	57	16	180		30.15	8	+0.18	30.35	FM-15	T	30.33
18	1300	4	41	9.94		37	2.8	32	0.0	23	-5.0	57	16	180		30.15	8	+0.18	30.35	FM-12		
18	1354	7	BKN:07 33 OVC:08 41	10.00		38	3.3	33	0.6	23	-5.0	55	15	170		30.07			30.27	FM-15	0.00	30.25
18	1454	7	BKN:07 31 OVC:08 38	10.00		39	3.9	33	0.6	23	-5.0	53	11	190		30.05			30.24	FM-15	0.00	30.23
18	1543	7	OVC:08 29	10.00	-RA:02 RA RA	38	3.3	34	1.1	29	-1.7	70	6	200		30.01				FM-16	0.01	30.19
18	1554	7	BKN:07 29 OVC:08 36	10.00	-RA:02 RA RA	38	3.3	34	1.1	29	-1.7	70	6	200		30.01	6	+0.14	30.20	FM-15	0.01	30.19
18	1654	7	SCT:04 25 OVC:08 33	4.00	RA:02 BR:1 RA RA	36	2.2	34	1.1	32	0.0	86	8	220		29.98			30.18	FM-15	0.06	30.16
18	1754	7	FEW:02 22 BKN:07 60 OVC:08 80	10.00	-RA:02 RA RA	36	2.2	35	1.7	34	1.1	93	10	200		29.92			30.12	FM-15	0.03	30.10
18	1822	7	BKN:07 27 OVC:08 45	7.00	-RA:02 RA RA	37	2.8	36	2.2	34	1.1	89	7	230		29.93				FM-16	0.01	30.11
18	1854	7	OVC:08 27	9.00	-RA:02 RA RA	37	2.8	36	2.2	35	1.7	93	7	230		29.92	6	+0.09	30.12	FM-15	0.02	30.10
18	1900	4	26	8.70	RA	37	2.8	36	2.2	35	1.7	93	7	230		29.92	6	+0.09	30.12	FM-12		
18	1954	7	OVC:08 25	10.00	-RA:02 RA RA	38	3.3	37	2.8	36	2.2	93	11	220		29.88			30.08	FM-15	T	30.06
18	2054	7	SCT:04 6 BKN:07 42 OVC:08 85	10.00		38	3.3	38	3.3	37	2.8	97	15	200		29.82			30.01	FM-15	T	30.00
18	2109	7	BKN:07 7 OVC:08 44	10.00		38	3.3	38	3.3	37	2.8	97	11	230		29.82				FM-16		30.00
18	2154	7	BKN:07 7 OVC:08 35	10.00		39	3.9	39	3.9	38	3.3	96	11	220		29.79	6	+0.13	29.98	FM-15	0.00	29.97
18	2254	7	BKN:07 7 OVC:08 12	10.00		40	4.4	40	4.4	39	3.9	97	10	210		29.75			29.94	FM-15	0.00	29.93
18	2354	7	SCT:04 9 BKN:07 12 BKN:07 60	10.00		41	5.0	41	5.0	40	4.4	96	14	210		29.72			29.91	FM-15	0.00	29.90

19	0011	7	FEW:02 9 SCT:04 12 BKN:07 27	10.00		42	5.6	41	5.0	40	4.4	92	15	210		29.71				FM-16		29.89
19	0052	6	BKN:07 14 BKN:07 21 OVC:08 60	10.00		45	7.2	43	6.1	41	5.0	87	16	210		29.68				FM-16		29.86
19	0054	7	BKN:07 14 BKN:07 21 OVC:08 60	10.00		44	6.7	43	6.1	41	5.0	89	18	210		29.68	6	+0.10	29.88	FM-15	0.00	29.86
19	0100	4	15	9.94		44	6.7	43	6.1	41	5.0	89	18	210		29.68	6	+0.10	29.88	FM-12		
19	0152	6	SCT:04 12	10.00		45	7.2	44	6.7	43	6.1	93	15	210	28	29.64				FM-16		29.82
19	0154	7	SCT:04 12	10.00		45	7.2	44	6.7	43	6.1	93	18	210		29.64			29.83	FM-15	0.00	29.82
19	0254	7	BKN:07 11	10.00		45	7.2	44	6.7	43	6.1	93	16	210		29.62			29.82	FM-15	0.00	29.80
19	0338	7	SCT:04 11 BKN:07 300	10.00		45	7.2	44	6.7	43	6.1	93	16	210		29.61				FM-16		29.79
19	0354	7	SCT:04 11 BKN:07 300	10.00		45	7.2	44	6.7	43	6.1	93	14	200		29.60	6	+0.08	29.80	FM-15	0.00	29.78
19	0454	7	FEW:02 11 SCT:04 300	10.00		45	7.2	44	6.7	43	6.1	93	13	210		29.59			29.78	FM-15	0.00	29.77
19	0554	7	SCT:04 300	10.00		45	7.2	44	6.7	43	6.1	93	9	210		29.60			29.79	FM-15	0.00	29.78
19	0654	7	SCT:04 300	10.00		45	7.2	44	6.7	42	5.6	90	8	240		29.61	3	-0.01	29.81	FM-15	0.00	29.79
19	0700	4		9.94		45	7.2	44	6.7	42	5.6	90	8	240		29.61	3	-0.01	29.81	FM-12		
19	0754	7	FEW:02 50 SCT:04 200 BKN:07 300	10.00		45	7.2	44	6.7	42	5.6	90	9	240		29.63			29.83	FM-15	0.00	29.81
19	0854	7	FEW:02 50 SCT:04 250	10.00		47	8.3	45	7.2	43	6.1	86	8	270		29.66			29.86	FM-15	0.00	29.84
19	0954	7	FEW:02 25 FEW:02 200	10.00		50	10.0	44	6.7	36	2.2	59	13	300		29.68	1	-0.06	29.87	FM-15	0.00	29.86
19	1054	7	FEW:02 25 FEW:02 200	10.00		51	10.6	41	5.0	27	-2.8	39	17	280	26	29.70			29.89	FM-15	0.00	29.88
19	1154	7	FEW:02 45 SCT:04 210	10.00		52	11.1	41	5.0	24	-4.4	34	16	290	26	29.69			29.88	FM-15	0.00	29.87
19	1254	7	FEW:02 40 FEW:02 210	10.00		51	10.6	39	3.9	22	-5.6	32	18	310	26	29.69	1	-0.01	29.88	FM-15	0.00	29.87
19	1300	4	41	9.94		51	10.6	39	3.9	22	-5.6	32	18	310		29.69	1	-0.01	29.88	FM-12		
19	1354	7	FEW:02 40 FEW:02 250	10.00		52	11.1	40	4.4	21	-6.1	30	13	290	22	29.68			29.87	FM-15	0.00	29.86
19	1454	7	FEW:02 60 FEW:02 250	10.00		51	10.6	39	3.9	21	-6.1	31	15	300		29.70			29.90	FM-15	0.00	29.88
19	1554	7	FEW:02 70	10.00		50	10.0	39	3.9	21	-6.1	32	10	260		29.73	3	-0.04	29.92	FM-15	0.00	29.91
19	1646	7	BKN:07 70	10.00		44	6.7	37	2.8	26	-3.3	49	21	020		29.76				FM-16		29.94
19	1654	7	SCT:04 70	10.00		43	6.1	36	2.2	26	-3.3	51	17	020		29.77			29.97	FM-15	0.00	29.95
19	1754	7	BKN:07 70	10.00		40	4.4	33	0.6	22	-5.6	49	20	360	28	29.82			30.02	FM-15	0.00	30.00
19	1854	7	BKN:07 65	10.00		36	2.2	30	-1.1	18	-7.8	48	16	360	26	29.88	3	-0.15	30.07	FM-15	0.00	30.06
19	1900	4	57	9.94		36	2.2	30	-1.1	18	-7.8	48	16	360		29.88	3	-0.15	30.07	FM-12		
19	1954	7	SCT:04 60	10.00		34	1.1	28	-2.2	16	-8.9	48	13	360		29.93			30.13	FM-15	0.00	30.11
19	2054	7	FEW:02 60	10.00		33	0.6	27	-2.8	15	-9.4	47	10	340	20	29.95			30.15	FM-15	0.00	30.13
19	2154	7	FEW:02 60	10.00		33	0.6	27	-2.8	14	-10.0	45	13	320	22	29.96	1	-0.09	30.16	FM-15	0.00	30.14
19	2254	7	CLR:00	10.00		31	-0.6	26	-3.3	15	-9.4	52	11	320		29.97			30.17	FM-15	0.00	30.15
19	2354	7	CLR:00	10.00		31	-0.6	26	-3.3	14	-10.0	49	13	320		29.99			30.18	FM-15	0.00	30.17
20	0054	7	CLR:00	10.00		29	-1.7	25	-3.9	15	-9.4	56	13	340		30.00	1	-0.04	30.19	FM-15	0.00	30.18
20	0100	4		9.94		29	-1.7	25	-3.9	15	-9.4	56	13	340		30.00	1	-0.04	30.19	FM-12		
20	0154	7	CLR:00	10.00		28	-2.2	24	-4.4	15	-9.4	58	11	340		30.01			30.21	FM-15	0.00	30.19
20	0254	7	CLR:00	10.00		27	-2.8	23	-5.0	15	-9.4	61	8	360		30.03			30.22	FM-15	0.00	30.21
20	0354	7	CLR:00	10.00		26	-3.3	22	-5.6	14	-10.0	60	9	340		30.03	1	-0.04	30.23	FM-15	0.00	30.21
20	0454	7	CLR:00	10.00		25	-3.9	22	-5.6	14	-10.0	63	8	340		30.05			30.25	FM-15	0.00	30.23
20	0554	7	CLR:00	10.00		25	-3.9	22	-5.6	13	-10.6	60	11	350		30.08			30.27	FM-15	0.00	30.26
20	0654	7	CLR:00	10.00		25	-3.9	21	-6.1	12	-11.1	58	14	360		30.11	3	-0.07	30.31	FM-15	0.00	30.29
20	0700	4		9.94		25	-3.9	21	-6.1	12	-11.1	58	14	360		30.11	3	-0.07	30.31	FM-12		
20	0754	7	FEW:02 300	10.00		25	-3.9	21	-6.1	11	-11.7	55	10	360		30.13			30.33	FM-15	0.00	30.31

20	0854	7	CLR:00	10.00		26	-3.3	22	-5.6	11	-11.7	53	23	340	26	30.16			30.36	FM-15	0.00	30.34
20	0954	7	CLR:00	10.00		29	-1.7	24	-4.4	12	-11.1	49	17	010		30.18	1	-0.08	30.38	FM-15	0.00	30.36
20	1054	7	CLR:00	10.00		31	-0.6	25	-3.9	12	-11.1	45	16	360		30.20			30.40	FM-15	0.00	30.38
20	1154	7	CLR:00	10.00		34	1.1	27	-2.8	12	-11.1	40	11	VRB		30.19			30.39	FM-15	0.00	30.37
20	1254	7	CLR:00	10.00		34	1.1	27	-2.8	11	-11.7	38	16	360	24	30.17	8	+0.01	30.37	FM-15	0.00	30.35
20	1300	4		9.94		34	1.1	27	-2.8	11	-11.7	38	16	360		30.17	8	+0.01	30.37	FM-12		
20	1354	7	CLR:00	10.00		36	2.2	28	-2.2	10	-12.2	34	14	340	21	30.16			30.36	FM-15	0.00	30.34
20	1454	7	CLR:00	10.00		36	2.2	28	-2.2	9	-12.8	32	10	330		30.17			30.37	FM-15	0.00	30.35
20	1554	7	CLR:00	10.00		35	1.7	27	-2.8	8	-13.3	32	11	360		30.17	3	0.00	30.37	FM-15	0.00	30.35
20	1654	7	CLR:00	10.00		33	0.6	26	-3.3	8	-13.3	35	11	360		30.18			30.38	FM-15	0.00	30.36
20	1754	7	CLR:00	10.00		30	-1.1	24	-4.4	8	-13.3	39	9	360		30.20			30.40	FM-15	0.00	30.38
20	1854	7	CLR:00	10.00		28	-2.2	23	-5.0	9	-12.8	44	8	360		30.21	2	-0.04	30.41	FM-15	0.00	30.39
20	1900	4		9.94		28	-2.2	23	-5.0	9	-12.8	44	8	360		30.21	2	-0.04	30.41	FM-12		
20	1954	7	CLR:00	10.00		28	-2.2	23	-5.0	9	-12.8	44	9	360		30.23			30.42	FM-15	0.00	30.41
20	2054	7	CLR:00	10.00		26	-3.3	22	-5.6	10	-12.2	51	8	360		30.22			30.42	FM-15	0.00	30.40
20	2154	7	CLR:00	10.00		26	-3.3	21	-6.1	9	-12.8	48	8	360		30.23	1	-0.01	30.43	FM-15	0.00	30.41
20	2254	7	CLR:00	10.00		27	-2.8	22	-5.6	10	-12.2	49	10	360		30.24			30.44	FM-15	0.00	30.42
20	2354	7	CLR:00	10.00		26	-3.3	22	-5.6	12	-11.1	55	9	350		30.24			30.44	FM-15	0.00	30.42
21	0054	7	CLR:00	10.00		24	-4.4	21	-6.1	12	-11.1	60	9	360		30.24	0	-0.01	30.44	FM-15	0.00	30.42
21	0100	4		9.94		24	-4.4	21	-6.1	12	-11.1	60	9	360		30.24	9	+0.01	30.44	FM-12		
21	0154	7	CLR:00	10.00		24	-4.4	21	-6.1	12	-11.1	60	8	350		30.25			30.45	FM-15	0.00	30.43
21	0254	7	CLR:00	10.00		23	-5.0	20	-6.7	13	-10.6	65	7	340		30.26			30.46	FM-15	0.00	30.44
21	0354	7	CLR:00	10.00		23	-5.0	20	-6.7	13	-10.6	65	9	340		30.26	0	-0.02	30.46	FM-15	0.00	30.44
21	0454	7	CLR:00	10.00		22	-5.6	19	-7.2	13	-10.6	68	10	350		30.26			30.46	FM-15	0.00	30.44
21	0554	7	CLR:00	10.00		22	-5.6	19	-7.2	13	-10.6	68	11	350		30.27			30.47	FM-15	0.00	30.45
21	0654	7	FEW:02 250	10.00		22	-5.6	19	-7.2	12	-11.1	66	13	360		30.29	3	-0.03	30.49	FM-15	0.00	30.47
21	0700	4		9.94		22	-5.6	19	-7.2	12	-11.1	66	13	360		30.29	3	-0.03	30.49	FM-12		
21	0754	7	FEW:02 250	10.00		23	-5.0	20	-6.7	12	-11.1	63	13	350		30.30			30.50	FM-15	0.00	30.48
21	0854	7	FEW:02 300	10.00		25	-3.9	21	-6.1	11	-11.7	55	13	010	23	30.32			30.52	FM-15	0.00	30.50
21	0954	7	FEW:02 300	10.00		28	-2.2	23	-5.0	12	-11.1	51	15	010	24	30.34	3	-0.05	30.54	FM-15	0.00	30.52
21	1054	7	FEW:02 300	10.00		30	-1.1	25	-3.9	12	-11.1	47	15	010	24	30.34			30.54	FM-15	0.00	30.52
21	1154	7	CLR:00	10.00		32	0.0	26	-3.3	12	-11.1	43	14	020		30.31			30.51	FM-15	0.00	30.49
21	1254	7	CLR:00	10.00		34	1.1	27	-2.8	13	-10.6	42	16	010		30.28	8	+0.06	30.48	FM-15	0.00	30.46
21	1300	4		9.94		34	1.1	27	-2.8	13	-10.6	42	16	010		30.28	8	+0.06	30.48	FM-12		
21	1354	7	CLR:00	10.00		35	1.7	28	-2.2	12	-11.1	38	13	330		30.25			30.45	FM-15	0.00	30.43
21	1454	7	CLR:00	10.00		37	2.8	29	-1.7	13	-10.6	37	8	360		30.25			30.45	FM-15	0.00	30.43
21	1554	7	CLR:00	10.00		37	2.8	29	-1.7	12	-11.1	36	9	340		30.25	5	+0.03	30.45	FM-15	0.00	30.43
21	1654	7	CLR:00	10.00		34	1.1	27	-2.8	12	-11.1	40	10	010		30.26			30.46	FM-15	0.00	30.44
21	1754	7	CLR:00	10.00		31	-0.6	25	-3.9	13	-10.6	47	9	360		30.27			30.47	FM-15	0.00	30.45
21	1854	7	CLR:00	10.00		29	-1.7	24	-4.4	13	-10.6	51	6	010		30.28	3	-0.03	30.48	FM-15	0.00	30.46
21	1900	4		9.94		29	-1.7	24	-4.4	13	-10.6	51	6	010		30.28	3	-0.03	30.48	FM-12		
21	1954	7	CLR:00	10.00		28	-2.2	24	-4.4	14	-10.0	56	6	010		30.29			30.49	FM-15	0.00	30.47
21	2054	7	CLR:00	10.00		26	-3.3	22	-5.6	14	-10.0	60	7	360		30.29			30.49	FM-15	0.00	30.47
21	2154	7	CLR:00	10.00		28	-2.2	24	-4.4	15	-9.4	58	9	010		30.29	0	-0.01	30.49	FM-15	0.00	30.47
21	2254	7	CLR:00	10.00		27	-2.8	24	-4.4	16	-8.9	63	10	360		30.27			30.47	FM-15	0.00	30.45
21	2354	7	CLR:00	10.00		27	-2.8	24	-4.4	16	-8.9	63	9	020		30.26			30.46	FM-15	0.00	30.44
22	0054	7	CLR:00	10.00		25	-3.9	22	-5.6	16	-8.9	69	6	010		30.26	5	+0.02	30.46	FM-15	0.00	30.44
22	0100	4		9.94		25	-3.9	22	-5.6	16	-8.9	69	6	010		30.26	5	+0.02	30.46	FM-12		
22	0154	7	CLR:00	10.00		25	-3.9	22	-5.6	16	-8.9	69	8	360		30.26			30.46	FM-15	0.00	30.44
22	0254	7	CLR:00	10.00		24	-4.4	22	-5.6	16	-8.9	71	7	360		30.27			30.47	FM-15	0.00	30.45
22	0354	7	CLR:00	10.00		22	-5.6	20	-6.7	15	-9.4	75	6	340		30.27	3	0.00	30.47	FM-15	0.00	30.45
22	0454	7	CLR:00	10.00		21	-6.1	19	-7.2	15	-9.4	78	6	350		30.28			30.48	FM-15	0.00	30.46
22	0554	7	CLR:00	10.00		21	-6.1	19	-7.2	15	-9.4	78	7	340		30.30			30.50	FM-15	0.00	30.48
22	0654	7	CLR:00	10.00		21	-6.1	19	-7.2	15	-9.4	78	6	350		30.31	3	-0.05	30.51	FM-15	0.00	30.49
22	0700	4		9.94		21	-6.1	19	-7.2	15	-9.4	78	6	350		30.31	3	-0.05	30.51	FM-12		
22	0754	7	CLR:00	10.00		23	-5.0	21	-6.1	16	-8.9	74	8	350		30.33			30.53	FM-15	0.00	30.51
22	0854	7	CLR:00	10.00		27	-2.8	24	-4.4	17	-8.3	66	8	360		30.34			30.54	FM-15	0.00	30.52

22	0954	7	CLR:00	10.00		32	0.0	28	-2.2	19	-7.2	59	8	040		30.34	1	-0.02	30.54	FM-15	0.00	30.52
22	1054	7	CLR:00	10.00		35	1.7	30	-1.1	19	-7.2	52	5	340		30.33			30.53	FM-15	0.00	30.51
22	1154	7	FEW:02 300	10.00		37	2.8	30	-1.1	17	-8.3	44	6	030		30.30			30.50	FM-15	0.00	30.48
22	1254	7	FEW:02 300	10.00		39	3.9	31	-0.6	17	-8.3	41	8	350		30.26	8	+0.07	30.46	FM-15	0.00	30.44
22	1300	4		9.94		39	3.9	31	-0.6	17	-8.3	41	8	350		30.26	8	+0.07	30.46	FM-12		
22	1354	7	FEW:02 300	10.00		41	5.0	33	0.6	18	-7.8	39	6	340		30.24			30.44	FM-15	0.00	30.42
22	1454	7	FEW:02 300	10.00		42	5.6	33	0.6	17	-8.3	36	6	020		30.22			30.42	FM-15	0.00	30.40
22	1554	7	FEW:02 300	10.00		42	5.6	33	0.6	17	-8.3	36	7	050		30.22	6	+0.05	30.42	FM-15	0.00	30.40
22	1654	7	SCT:04 300	10.00		39	3.9	31	-0.6	17	-8.3	41	5	040		30.23			30.43	FM-15	0.00	30.41
22	1754	7	SCT:04 300	10.00		37	2.8	31	-0.6	18	-7.8	46	0	000		30.25			30.45	FM-15	0.00	30.43
22	1854	7	FEW:02 300	8.00		31	-0.6	27	-2.8	20	-6.7	64	6	050		30.25	1	-0.04	30.45	FM-15	0.00	30.43
22	1900	4		7.46		31	-0.6	27	-2.8	20	-6.7	64	6	050		30.25	1	-0.04	30.45	FM-12		
22	1954	7	FEW:02 300	10.00		33	0.6	28	-2.2	19	-7.2	56	5	060		30.25			30.45	FM-15	0.00	30.43
22	2054	7	FEW:02 300	10.00		28	-2.2	25	-3.9	19	-7.2	69	5	100		30.25			30.45	FM-15	0.00	30.43
22	2154	7	FEW:02 300	10.00		29	-1.7	26	-3.3	19	-7.2	66	3	110		30.26	3	0.00	30.45	FM-15	0.00	30.44
22	2254	7	FEW:02 300	10.00		29	-1.7	26	-3.3	20	-6.7	69	0	000		30.26			30.46	FM-15	0.00	30.44
22	2354	7	FEW:02 300	10.00		28	-2.2	25	-3.9	20	-6.7	72	0	000		30.26			30.46	FM-15	0.00	30.44
23	0054	7	CLR:00	10.00		27	-2.8	25	-3.9	20	-6.7	75	3	340		30.24	8	+0.01	30.44	FM-15	0.00	30.42
23	0100	4		9.94		27	-2.8	25	-3.9	20	-6.7	75	3	340		30.24	8	+0.01	30.44	FM-12		
23	0154	7	CLR:00	10.00		26	-3.3	24	-4.4	19	-7.2	75	0	000		30.24			30.44	FM-15	0.00	30.42
23	0254	7	CLR:00	10.00		27	-2.8	24	-4.4	19	-7.2	72	3	330		30.23			30.43	FM-15	0.00	30.41
23	0354	7	CLR:00	10.00		26	-3.3	24	-4.4	19	-7.2	75	5	350		30.21	8	+0.04	30.40	FM-15	0.00	30.39
23	0454	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	0	000		30.20			30.40	FM-15	0.00	30.38
23	0554	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	3	310		30.21			30.41	FM-15	0.00	30.39
23	0654	7	SCT:04 300	10.00		25	-3.9	23	-5.0	19	-7.2	78	3	340		30.22	3	-0.01	30.41	FM-15	0.00	30.40
23	0700	4		9.94		25	-3.9	23	-5.0	19	-7.2	78	3	340		30.22	3	-0.01	30.41	FM-12		
23	0754	7	FEW:02 250 BKN:07 300	10.00		26	-3.3	24	-4.4	20	-6.7	78	0	000		30.23			30.43	FM-15	0.00	30.41
23	0854	7	BKN:07 230 OVC:08 300	10.00		30	-1.1	28	-2.2	24	-4.4	79	3	010		30.23			30.43	FM-15	0.00	30.41
23	0954	7	SCT:04 230 OVC:08 300	10.00		34	1.1	31	-0.6	27	-2.8	75	3	VRB		30.24	1	-0.03	30.44	FM-15	0.00	30.42
23	1054	7	FEW:02 26 BKN:07 230 OVC:08 300	10.00		36	2.2	33	0.6	28	-2.2	73	5	020		30.23			30.43	FM-15	0.00	30.41
23	1154	7	BKN:07 200 OVC:08 300	10.00		39	3.9	34	1.1	26	-3.3	60	6	040		30.20			30.40	FM-15	0.00	30.38
23	1254	7	BKN:07 210 OVC:08 300	10.00		42	5.6	36	2.2	27	-2.8	55	3	VRB		30.17	8	+0.07	30.37	FM-15	0.00	30.35
23	1300	4		9.94		42	5.6	36	2.2	27	-2.8	55	3			30.17	8	+0.07	30.37	FM-12		
23	1335	7	BKN:07 27 BKN:07 220 OVC:08 300	10.00		43	6.1	37	2.8	28	-2.2	56	5	310		30.17				FM-16		30.35
23	1354	7	BKN:07 28 OVC:08 220	10.00		44	6.7	38	3.3	29	-1.7	55	3	VRB		30.17			30.37	FM-15	0.00	30.35
23	1445	7	SCT:04 29 BKN:07 200 OVC:08 300	10.00		44	6.7	38	3.3	30	-1.1	58	0	000		30.16				FM-16		30.34
23	1454	7	SCT:04 29 BKN:07 190 OVC:08 300	10.00		44	6.7	38	3.3	30	-1.1	58	0	000		30.15			30.35	FM-15	0.00	30.33
23	1554	7	OVC:08 200	10.00		43	6.1	38	3.3	31	-0.6	63	7	080		30.13	8	+0.04	30.33	FM-15	0.00	30.31
23	1654	7	OVC:08 170	10.00		42	5.6	37	2.8	31	-0.6	65	0	000		30.14			30.34	FM-15	0.00	30.32
23	1754	7	OVC:08 170	10.00		41	5.0	37	2.8	31	-0.6	67	0	000		30.14			30.34	FM-15	0.00	30.32
23	1827	7	BKN:07 17 OVC:08 180	10.00		41	5.0	37	2.8	31	-0.6	67	0	000		30.16				FM-16		30.34
23	1854	7	OVC:08 15	10.00		40	4.4	36	2.2	31	-0.6	70	3	360		30.16	3	-0.03	30.36	FM-15	0.00	30.34
23	1900	4	15	9.94		40	4.4	36	2.2	31	-0.6	70	3	360		30.16	3	-0.03	30.36	FM-12		
23	1935	7	OVC:08 14	10.00		39	3.9	36	2.2	31	-0.6	73	5	040		30.14				FM-16		30.32

23	1954	7	BKN:07 14 OVC:08 170	10.00		39	3.9	35	1.7	30	-1.1	70	5	030		30.14			30.34	FM-15	0.00	30.32
23	2044	7	SCT:04 14 OVC:08 170	10.00		38	3.3	35	1.7	30	-1.1	73	5	010		30.14				FM-16		30.32
23	2054	7	FEW:02 14 BKN:07 170 OVC:08 300	10.00		37	2.8	34	1.1	30	-1.1	76	5	360		30.14			30.33	FM-15	0.00	30.32
23	2154	7	FEW:02 150 SCT:04 300	10.00		36	2.2	33	0.6	29	-1.7	76	5	350		30.13	6	+0.02	30.33	FM-15	0.00	30.31
23	2254	7	CLR:00	10.00		35	1.7	32	0.0	28	-2.2	76	5	010		30.13			30.33	FM-15	0.00	30.31
23	2354	7	CLR:00	10.00		33	0.6	31	-0.6	28	-2.2	82	7	350		30.12			30.32	FM-15	0.00	30.30
24	0054	7	FEW:02 25	10.00		33	0.6	31	-0.6	28	-2.2	82	7	360		30.12	8	+0.02	30.31	FM-15	0.00	30.30
24	0100	4	26	9.94		33	0.6	31	-0.6	28	-2.2	82	7	360		30.12	8	+0.02	30.31	FM-12		
24	0154	7	FEW:02 25 SCT:04 55	10.00		35	1.7	33	0.6	29	-1.7	78	6	360		30.10			30.29	FM-15	0.00	30.28
24	0254	7	SCT:04 48 BKN:07 60	10.00		36	2.2	34	1.1	30	-1.1	79	6	010		30.11			30.30	FM-15	0.00	30.29
24	0354	7	SCT:04 50 OVC:08 250	10.00		36	2.2	34	1.1	31	-0.6	82	7	030		30.08	8	+0.04	30.27	FM-15	0.00	30.26
24	0454	7	SCT:04 50 BKN:07 250	10.00		36	2.2	34	1.1	32	0.0	86	7	360		30.08			30.27	FM-15	0.00	30.26
24	0554	7	SCT:04 140 BKN:07 200 OVC:08 250	9.00		36	2.2	34	1.1	32	0.0	86	6	350		30.09			30.28	FM-15	0.00	30.27
24	0654	7	FEW:02 25 BKN:07 120 OVC:08 200	8.00		36	2.2	35	1.7	33	0.6	89	5	VRB		30.09	3	-0.01	30.29	FM-15	0.00	30.27
24	0700	4	26	7.46		36	2.2	35	1.7	33	0.6	89	5			30.09	3	-0.01	30.29	FM-12		
24	0708	7	BKN:07 25 BKN:07 120 OVC:08 150	8.00		37	2.8	35	1.7	33	0.6	86	6	030		30.09				FM-16		30.27
24	0728	7	SCT:04 25 BKN:07 120 BKN:07 150	6.00	RA	37	2.8	36	2.2	34	1.1	89	6	030		30.09				FM-16		30.27
24	0754	7	SCT:04 24 BKN:07 130 OVC:08 250	6.00	BR:1	37	2.8	36	2.2	34	1.1	89	6	360		30.10			30.30	FM-15	0.00	30.28
24	0805	7	BKN:07 23 OVC:08 130	6.00	BR:1	38	3.3	37	2.8	35	1.7	89	6	020		30.10				FM-16		30.28
24	0854	7	BKN:07 16 BKN:07 41 OVC:08 130	6.00	BR:1	39	3.9	38	3.3	36	2.2	89	5	050		30.09			30.29	FM-15	0.00	30.27
24	0920	7	SCT:04 17 BKN:07 130 BKN:07 230	8.00		40	4.4	39	3.9	37	2.8	89	6	060		30.08				FM-16		30.26
24	0943	7	SCT:04 9 SCT:04 17 BKN:07 190	8.00		42	5.6	40	4.4	38	3.3	85	6	070		30.08				FM-16		30.26
24	0948	7	BKN:07 9 BKN:07 17 BKN:07 190	8.00		43	6.1	40	4.4	37	2.8	81	5	060		30.07				FM-16		30.25
24	0954	7	BKN:07 8 BKN:07 190 OVC:08 300	8.00		43	6.1	41	5.0	39	3.9	86	6	080		30.07	8	+0.02	30.27	FM-15	0.00	30.25
24	1054	7	OVC:08 7	10.00		46	7.8	44	6.7	42	5.6	86	0	000		30.07			30.27	FM-15	0.00	30.25
24	1143	7	BKN:07 10 OVC:08 43	10.00		49	9.4	47	8.3	44	6.7	83	6	080		30.04				FM-16		30.22
24	1154	7	BKN:07 11 OVC:08 46	10.00		51	10.6	48	8.9	45	7.2	80	6	090		30.04			30.24	FM-15	0.00	30.22
24	1211	7	SCT:04 13 SCT:04 20 OVC:08 50	10.00		52	11.1	49	9.4	46	7.8	80	6	120		30.03				FM-16		30.21

24	1254	7	SCT:04 15 BKN:07 50 OVC:08 300	10.00		55	12.8	51	10.6	47	8.3	74	8	110		29.99	8	+0.08	30.19	FM-15	0.00	30.17
24	1300	4	15	9.94		55	12.8	51	10.6	47	8.3	74	8	110		29.99	8	+0.08	30.19	FM-12		
24	1346	7	BKN:07 26 BKN:07 55 OVC:08 300	10.00		59	15.0	54	12.2	50	10.0	72	11	100		29.96				FM-16		30.14
24	1354	7	BKN:07 25 BKN:07 55 OVC:08 300	10.00		60	15.6	55	12.8	50	10.0	70	8	120		29.96			30.15	FM-15	0.00	30.14
24	1439	7	SCT:04 26 BKN:07 35 BKN:07 55	10.00		60	15.6	55	12.8	50	10.0	70	10	110		29.94				FM-16		30.12
24	1454	7	SCT:04 28 BKN:07 37 BKN:07 60	10.00		60	15.6	55	12.8	50	10.0	70	8	100		29.92			30.12	FM-15	0.00	30.10
24	1554	7	FEW:02 30 BKN:07 60 BKN:07 140	10.00		59	15.0	54	12.2	49	9.4	69	11	110		29.92	6	+0.07	30.11	FM-15	0.00	30.10
24	1654	7	BKN:07 50 OVC:08 75	10.00		57	13.9	52	11.1	48	8.9	72	10	100		29.91			30.11	FM-15	0.00	30.09
24	1754	7	FEW:02 50 BKN:07 110	10.00		55	12.8	51	10.6	48	8.9	77	8	110		29.90			30.10	FM-15	0.00	30.08
24	1854	7	SCT:04 45 OVC:08 60	10.00		54	12.2	51	10.6	48	8.9	80	10	100		29.90	8	+0.02	30.09	FM-15	0.00	30.08
24	1900	4	41	9.94		54	12.2	51	10.6	48	8.9	80	10	100		29.90	8	+0.02	30.09	FM-12		
24	1954	7	OVC:08 45	10.00		54	12.2	51	10.6	48	8.9	80	9	110		29.87			30.07	FM-15	0.00	30.05
24	2054	7	BKN:07 50 OVC:08 95	10.00		54	12.2	51	10.6	49	9.4	83	14	100	22	29.85			30.04	FM-15	0.00	30.03
24	2154	7	SCT:04 50 OVC:08 90	10.00		55	12.8	52	11.1	49	9.4	80	17	110	24	29.82	8	+0.08	30.01	FM-15	0.00	30.00
24	2254	7	SCT:04 60 OVC:08 95	10.00		54	12.2	52	11.1	50	10.0	87	15	110	24	29.78			29.97	FM-15	T	29.96
24	2354	7	FEW:02 35 BKN:07 60 OVC:08 85	10.00	-RA:02 RA RA	54	12.2	52	11.1	51	10.6	90	17	110		29.75			29.94	FM-15	T	29.93
25	0054	7	FEW:02 42 SCT:04 65 OVC:08 85	10.00	-RA:02 RA RA	55	12.8	54	12.2	53	11.7	93	16	120		29.69	8	+0.13	29.88	FM-15	T	29.87
25	0100	4	41	9.94	RA	55	12.8	54	12.2	53	11.7	93	16	120		29.69	8	+0.13	29.88	FM-12		
25	0154	7	SCT:04 36 BKN:07 50 OVC:08 85	7.00	RA:02 RA RA	57	13.9	55	12.8	54	12.2	90	13	150		29.70			29.89	FM-15	0.02	29.88
25	0218	7	FEW:02 12 SCT:04 20 OVC:08 29	3.00	+RA:02 BR:1 RA RA	55	12.8	54	12.2	54	12.2	96	9	210		29.70				FM-16	0.11	29.88
25	0252	6	FEW:02 13 BKN:07 30 OVC:08 44	3.00	+RA:02 BR:1 RA RA	54	12.2	54	12.2	54	12.2	100	6	240		29.71				FM-16		29.89
25	0254	7	FEW:02 13 BKN:07 32 OVC:08 44	3.00	+RA:02 BR:1 RA RA	54	12.2	54	12.2	54	12.2	100	6	250		29.71			29.90	FM-15	0.44	29.89
25	0308	7	FEW:02 7 SCT:04 26 OVC:08 32	3.00	RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	11	290	21	29.71				FM-16	0.06	29.89
25	0354	7	OVC:08 42	6.00	RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	5	270		29.72	1	-0.03	29.91	FM-15	0.19	29.90
25	0454	7	OVC:08 60	10.00	-RA:02 RA RA	51	10.6	50	10.0	50	10.0	96	5	010		29.67			29.86	FM-15	0.05	29.85
25	0554	7	FEW:02 60 BKN:07 75 OVC:08 90	8.00	-RA:02 RA RA	50	10.0	49	9.4	49	9.4	96	5	090		29.67			29.86	FM-15	0.05	29.85
25	0654	7	FEW:02 55 BKN:07 70 OVC:08 90	10.00	-RA:02 RA RA	50	10.0	50	10.0	50	10.0	100	3	150		29.66	6	+0.05	29.85	FM-15	0.01	29.84
25	0700	4	57	9.94	RA	50	10.0	50	10.0	50	10.0	100	3	150		29.66	6	+0.05	29.85	FM-12		

25	0754	7	FEW:02 55 BKN:07 80	10.00		51	10.6	50	10.0	50	10.0	96	0	000		29.67			29.86	FM-15	T	29.85
25	0810	7	FEW:02 4 SCT:04 42 BKN:07 85	8.00		50	10.0	50	10.0	50	10.0	100	0	000		29.67				FM-16		29.85
25	0854	7	FEW:02 4 BKN:07 42 BKN:07 85	5.00	BR:1	51	10.6	50	10.0	50	10.0	96	5	180		29.69			29.88	FM-15	0.00	29.87
25	0954	7	FEW:02 5 SCT:04 47	9.00		53	11.7	52	11.1	52	11.1	96	7	180		29.69	1	-0.02	29.88	FM-15	0.00	29.87
25	1034	7	FEW:02 13 BKN:07 29	10.00		55	12.8	52	11.1	50	10.0	83	9	220		29.68				FM-16		29.86
25	1054	7	BKN:07 17 BKN:07 21 BKN:07 28	10.00		56	13.3	53	11.7	50	10.0	81	8	230		29.68			29.87	FM-15	0.00	29.86
25	1154	7	BKN:07 20	10.00		57	13.9	53	11.7	50	10.0	78	9	220		29.66			29.85	FM-15	0.00	29.84
25	1254	7	BKN:07 28 BKN:07 45	10.00		60	15.6	52	11.1	45	7.2	58	11	240		29.64	8	+0.05	29.83	FM-15	0.00	29.82
25	1300	4	26	9.94		60	15.6	52	11.1	45	7.2	58	11	240		29.64	8	+0.05	29.83	FM-12		
25	1312	7	FEW:02 30 SCT:04 48	10.00		61	16.1	53	11.7	46	7.8	58	13	230		29.64				FM-16		29.82
25	1354	7	FEW:02 36 SCT:04 47	10.00		60	15.6	52	11.1	45	7.2	58	10	220		29.62			29.82	FM-15	0.00	29.80
25	1454	7	SCT:04 35 SCT:04 48 BKN:07 70	10.00		60	15.6	52	11.1	45	7.2	58	13	250		29.63			29.82	FM-15	0.00	29.81
25	1554	7	BKN:07 39 BKN:07 55 BKN:07 75	10.00		58	14.4	51	10.6	45	7.2	62	11	290		29.64	3	0.00	29.83	FM-15	0.00	29.82
25	1654	7	FEW:02 40 SCT:04 65	10.00		58	14.4	51	10.6	44	6.7	60	7	290		29.65			29.84	FM-15	0.00	29.83
25	1754	7	FEW:02 45 SCT:04 60	10.00		53	11.7	49	9.4	45	7.2	74	6	330		29.67			29.86	FM-15	0.00	29.85
25	1845	7	BKN:07 11 BKN:07 49 BKN:07 60	10.00		51	10.6	49	9.4	48	8.9	89	11	040		29.69				FM-16		29.87
25	1854	7	BKN:07 10 OVC:08 49	10.00		51	10.6	49	9.4	47	8.3	86	7	020		29.70	3	-0.05	29.89	FM-15	0.00	29.88
25	1900	4	15	9.94		51	10.6	49	9.4	47	8.3	86	7	020		29.70	3	-0.05	29.89	FM-12		
25	1954	7	SCT:04 12 BKN:07 50	10.00		49	9.4	47	8.3	45	7.2	86	3	060		29.72			29.91	FM-15	0.00	29.90
25	2054	7	FEW:02 12 FEW:02 60	10.00		45	7.2	44	6.7	43	6.1	93	3	140		29.72			29.92	FM-15	0.00	29.90
25	2154	7	FEW:02 15 SCT:04 50	10.00		45	7.2	43	6.1	41	5.0	86	5	VRB		29.73	1	-0.04	29.92	FM-15	0.00	29.91
25	2254	7	SCT:04 25 BKN:07 37	10.00		46	7.8	40	4.4	33	0.6	61	9	280		29.74			29.93	FM-15	0.00	29.92
25	2354	7	SCT:04 35	10.00		43	6.1	38	3.3	32	0.0	65	6	290		29.74			29.93	FM-15	0.00	29.92
26	0054	7	BKN:07 36	10.00		43	6.1	38	3.3	32	0.0	65	7	290		29.74	1	-0.01	29.93	FM-15	0.00	29.92
26	0100	4	41	9.94		43	6.1	38	3.3	32	0.0	65	7	290		29.74	1	-0.01	29.93	FM-12		
26	0154	7	FEW:02 41	10.00		41	5.0	37	2.8	31	-0.6	67	0	000		29.74			29.93	FM-15	0.00	29.92
26	0254	7	FEW:02 41	10.00		38	3.3	35	1.7	31	-0.6	76	3	250		29.75			29.94	FM-15	0.00	29.93
26	0354	7	CLR:00	10.00		37	2.8	35	1.7	31	-0.6	79	5	280		29.74	8	0.00	29.93	FM-15	0.00	29.92
26	0454	7	CLR:00	10.00		36	2.2	34	1.1	30	-1.1	79	6	270		29.74			29.94	FM-15	0.00	29.92
26	0554	7	FEW:02 230	10.00		35	1.7	33	0.6	29	-1.7	78	6	270		29.75			29.94	FM-15	0.00	29.93
26	0654	7	FEW:02 40 SCT:04 250	10.00		35	1.7	33	0.6	29	-1.7	78	5	270		29.75	1	-0.01	29.94	FM-15	0.00	29.93
26	0700	4	41	9.94		35	1.7	33	0.6	29	-1.7	78	5	270		29.75	1	-0.01	29.94	FM-12		
26	0754	7	FEW:02 120 SCT:04 250	10.00		34	1.1	32	0.0	30	-1.1	85	3	230		29.76			29.95	FM-15	0.00	29.94
26	0854	7	SCT:04 250	10.00		40	4.4	36	2.2	30	-1.1	68	6	270		29.76			29.96	FM-15	0.00	29.94
26	0954	7	SCT:04 250	10.00		43	6.1	38	3.3	30	-1.1	60	11	280		29.76	1	-0.02	29.96	FM-15	0.00	29.94

26	1054	7	FEW:02 250	10.00		47	8.3	40	4.4	30	-1.1	52	14	300		29.76			29.95	FM-15	0.00	29.94
26	1154	7	FEW:02 45	10.00		50	10.0	41	5.0	30	-1.1	46	9	260	18	29.74			29.93	FM-15	0.00	29.92
26	1254	7	SCT:04 45	10.00		51	10.6	42	5.6	29	-1.7	43	7	290		29.71	8	+0.05	29.91	FM-15	0.00	29.89
26	1300	4	41	9.94		51	10.6	42	5.6	29	-1.7	43	7	290		29.71	8	+0.05	29.91	FM-12		
26	1354	7	BKN:07 50	10.00		52	11.1	42	5.6	29	-1.7	41	11	VRB		29.70			29.89	FM-15	0.00	29.88
26	1454	7	BKN:07 55	10.00		52	11.1	42	5.6	29	-1.7	41	10	280		29.69			29.89	FM-15	0.00	29.87
26	1554	7	SCT:04 60	10.00		51	10.6	41	5.0	28	-2.2	41	11	270		29.69	6	+0.02	29.88	FM-15	0.00	29.87
26	1654	7	BKN:07 65	10.00		50	10.0	41	5.0	29	-1.7	44	8	250		29.70			29.89	FM-15	0.00	29.88
26	1754	7	BKN:07 60	10.00		48	8.9	40	4.4	29	-1.7	48	10	250		29.71			29.90	FM-15	0.00	29.89
26	1854	7	FEW:02 60	10.00		46	7.8	39	3.9	29	-1.7	51	13	270		29.73	3	-0.04	29.92	FM-15	0.00	29.91
26	1900	4	57	9.94		46	7.8	39	3.9	29	-1.7	51	13	270		29.73	3	-0.04	29.92	FM-12		
26	1954	7	FEW:02 60	10.00		44	6.7	38	3.3	29	-1.7	55	6	280		29.74			29.93	FM-15	0.00	29.92
26	2054	7	FEW:02 60	10.00		43	6.1	37	2.8	28	-2.2	56	11	280		29.73			29.93	FM-15	0.00	29.91
26	2154	7	CLR:00	10.00		41	5.0	36	2.2	28	-2.2	60	8	280		29.72	8	+0.01	29.92	FM-15	0.00	29.90
26	2254	7	CLR:00	10.00		40	4.4	35	1.7	28	-2.2	63	6	260		29.71			29.91	FM-15	0.00	29.89
26	2354	7	CLR:00	10.00		34	1.1	32	0.0	28	-2.2	79	3	160		29.71			29.91	FM-15	0.00	29.89
27	0054	7	CLR:00	10.00		37	2.8	34	1.1	28	-2.2	70	6	280		29.70	8	+0.02	29.89	FM-15	0.00	29.88
27	0100	4		9.94		37	2.8	34	1.1	28	-2.2	70	6	280		29.70	8	+0.02	29.89	FM-12		
27	0154	7	CLR:00	10.00		37	2.8	34	1.1	28	-2.2	70	7	260		29.69			29.89	FM-15	0.00	29.87
27	0254	7	CLR:00	10.00		36	2.2	33	0.6	28	-2.2	73	3	250		29.69			29.89	FM-15	0.00	29.87
27	0354	7	CLR:00	10.00		35	1.7	32	0.0	28	-2.2	76	5	240		29.67	8	+0.02	29.87	FM-15	0.00	29.85
27	0454	7	CLR:00	10.00		31	-0.6	30	-1.1	27	-2.8	85	5	190		29.67			29.87	FM-15	0.00	29.85
27	0554	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	5	230		29.67			29.86	FM-15	0.00	29.85
27	0654	7	FEW:02 200 SCT:04 250	10.00		34	1.1	32	0.0	28	-2.2	79	7	250		29.67	5	0.00	29.87	FM-15	0.00	29.85
27	0700	4		9.94		34	1.1	32	0.0	28	-2.2	79	7	250		29.67	5	0.00	29.87	FM-12		
27	0754	7	FEW:02 100 FEW:02 200 SCT:04 250	10.00		35	1.7	32	0.0	28	-2.2	76	6	260		29.67			29.87	FM-15	0.00	29.85
27	0854	7	FEW:02 200 BKN:07 250	10.00		40	4.4	36	2.2	30	-1.1	68	7	250		29.67			29.87	FM-15	0.00	29.85
27	0954	7	FEW:02 150 BKN:07 250	10.00		45	7.2	39	3.9	31	-0.6	58	7	260		29.68	3	-0.01	29.88	FM-15	0.00	29.86
27	1054	7	FEW:02 110 FEW:02 250	10.00		48	8.9	41	5.0	31	-0.6	52	15	280		29.68			29.88	FM-15	0.00	29.86
27	1154	7	FEW:02 50 BKN:07 250	10.00		50	10.0	42	5.6	32	0.0	50	15	280		29.65			29.85	FM-15	0.00	29.83
27	1254	7	FEW:02 45 FEW:02 150 SCT:04 250	10.00		52	11.1	43	6.1	31	-0.6	45	15	270	23	29.61	8	+0.07	29.81	FM-15	0.00	29.79
27	1300	4	41	9.94		52	11.1	43	6.1	31	-0.6	45	15	270		29.61	8	+0.07	29.81	FM-12		
27	1354	7	FEW:02 45 SCT:04 110 SCT:04 250	10.00		53	11.7	44	6.7	32	0.0	45	13	270		29.58			29.78	FM-15	0.00	29.76
27	1454	7	FEW:02 50 SCT:04 160 SCT:04 250	10.00		52	11.1	43	6.1	32	0.0	47	10	270		29.58			29.78	FM-15	0.00	29.76
27	1554	7	FEW:02 45 FEW:02 140 SCT:04 250	10.00		52	11.1	43	6.1	31	-0.6	45	15	280		29.58	5	+0.03	29.78	FM-15	0.00	29.76
27	1654	7	FEW:02 45 FEW:02 150 FEW:02 300	10.00		51	10.6	42	5.6	30	-1.1	44	10	280		29.58			29.78	FM-15	0.00	29.76
27	1754	7	FEW:02 150 FEW:02 300	10.00		48	8.9	41	5.0	31	-0.6	52	8	290		29.59			29.78	FM-15	0.00	29.77
27	1854	7	FEW:02 150 FEW:02 300	10.00		43	6.1	38	3.3	31	-0.6	63	3	100		29.60	3	-0.02	29.80	FM-15	0.00	29.78
27	1900	4		9.94		43	6.1	38	3.3	31	-0.6	63	3	100		29.60	3	-0.02	29.80	FM-12		
27	1954	6	FEW:02 150 FEW:02 300	10.00		39	3.9	36	2.2	31	-0.6	73	0	000		29.61			29.80	FM-15	0.00	29.79

27	2054	7	BKN:07 65 BKN:07 150	10.00		43	6.1	38	3.3	32	0.0	65	13	020		29.64			29.83	FM-15	0.00	29.82
27	2154	7	FEW:02 60 SCT:04 90 BKN:07 150	10.00		42	5.6	37	2.8	30	-1.1	62	9	010		29.65	3	-0.05	29.85	FM-15	0.00	29.83
27	2254	7	SCT:04 50 OVC:08 75	10.00		43	6.1	38	3.3	30	-1.1	60	8	010		29.67			29.86	FM-15	0.00	29.85
27	2354	7	OVC:08 60	10.00		43	6.1	38	3.3	30	-1.1	60	10	360		29.68			29.87	FM-15	0.00	29.86
28	0054	7	OVC:08 70	10.00		42	5.6	37	2.8	30	-1.1	62	9	360		29.68	1	-0.02	29.87	FM-15	0.00	29.86
28	0100	4	74	9.94		42	5.6	37	2.8	30	-1.1	62	9	360		29.68	1	-0.02	29.87	FM-12		
28	0154	7	BKN:07 60	10.00		42	5.6	37	2.8	30	-1.1	62	9	350		29.69			29.88	FM-15	0.00	29.87
28	0254	7	BKN:07 65	10.00		41	5.0	36	2.2	29	-1.7	62	7	340		29.69			29.89	FM-15	0.00	29.87
28	0354	7	OVC:08 60	10.00		41	5.0	37	2.8	30	-1.1	65	7	340		29.70	1	-0.03	29.90	FM-15	0.00	29.88
28	0454	7	BKN:07 65	10.00		39	3.9	35	1.7	30	-1.1	70	7	350		29.71			29.90	FM-15	0.00	29.89
28	0554	7	OVC:08 65	10.00		40	4.4	36	2.2	30	-1.1	68	6	320		29.73			29.92	FM-15	0.00	29.91
28	0654	7	BKN:07 60	10.00		39	3.9	35	1.7	30	-1.1	70	5	310		29.74	3	-0.04	29.94	FM-15	0.00	29.92
28	0700	4	57	9.94		39	3.9	35	1.7	30	-1.1	70	5	310		29.74	3	-0.04	29.94	FM-12		
28	0754	7	BKN:07 60	10.00		40	4.4	36	2.2	30	-1.1	68	5	320		29.77			29.96	FM-15	0.00	29.95
28	0854	7	OVC:08 60	10.00		43	6.1	37	2.8	29	-1.7	58	7	320		29.78			29.98	FM-15	0.00	29.96
28	0954	7	BKN:07 60	10.00		45	7.2	38	3.3	29	-1.7	54	14	350	21	29.79	1	-0.05	29.98	FM-15	0.00	29.97
28	1054	7	FEW:02 40 BKN:07 55	10.00		47	8.3	39	3.9	28	-2.2	48	16	330	21	29.80			29.99	FM-15	0.00	29.98
28	1154	7	SCT:04 46 OVC:08 55	10.00		46	7.8	38	3.3	26	-3.3	46	21	320	29	29.79			29.98	FM-15	0.00	29.97
28	1254	7	OVC:08 49	10.00		46	7.8	38	3.3	27	-2.8	47	15	320		29.76	8	+0.02	29.96	FM-15	0.00	29.94
28	1300	4	41	9.94		46	7.8	38	3.3	27	-2.8	47	15	320		29.76	8	+0.02	29.96	FM-12		
28	1354	7	OVC:08 50	10.00		47	8.3	39	3.9	27	-2.8	46	14	300		29.75			29.95	FM-15	0.00	29.93
28	1454	7	OVC:08 50	10.00		47	8.3	39	3.9	27	-2.8	46	10	310		29.75			29.95	FM-15	0.00	29.93
28	1554	7	BKN:07 50	10.00		47	8.3	39	3.9	27	-2.8	46	10	320		29.76	5	+0.01	29.95	FM-15	0.00	29.94
28	1654	7	BKN:07 50	10.00		47	8.3	39	3.9	26	-3.3	44	11	330		29.77			29.97	FM-15	0.00	29.95
28	1754	7	SCT:04 55	10.00		43	6.1	36	2.2	26	-3.3	51	7	330		29.79			29.99	FM-15	0.00	29.97
28	1854	7	FEW:02 55	10.00		40	4.4	35	1.7	26	-3.3	58	0	000		29.81	3	-0.06	30.01	FM-15	0.00	29.99
28	1900	4	57	9.94		40	4.4	35	1.7	26	-3.3	58	0	000		29.81	3	-0.06	30.01	FM-12		
28	1954	7	FEW:02 55	10.00		36	2.2	33	0.6	27	-2.8	70	0	000		29.83			30.02	FM-15	0.00	30.01
28	2054	7	SCT:04 60	10.00		37	2.8	33	0.6	27	-2.8	67	6	350		29.84			30.03	FM-15	0.00	30.02
28	2154	7	FEW:02 60	10.00		35	1.7	32	0.0	27	-2.8	72	3	010		29.85	1	-0.04	30.04	FM-15	0.00	30.03
28	2254	7	FEW:02 60	10.00		32	0.0	30	-1.1	26	-3.3	79	0	000		29.86			30.05	FM-15	0.00	30.04
28	2354	7	BKN:07 55	10.00		32	0.0	30	-1.1	26	-3.3	79	0	000		29.86			30.05	FM-15	0.00	30.04
29	0054	7	FEW:02 55	10.00		32	0.0	30	-1.1	27	-2.8	82	0	000		29.85	0	0.00	30.04	FM-15	0.00	30.03
29	0100	4	57	9.94		32	0.0	30	-1.1	27	-2.8	82	0	000		29.85	9	0.00	30.04	FM-12		
29	0154	7	CLR:00	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		29.86			30.06	FM-15	0.00	30.04
29	0254	7	FEW:02 50	10.00		29	-1.7	27	-2.8	24	-4.4	82	3	330		29.87			30.06	FM-15	0.00	30.05
29	0354	7	BKN:07 50	10.00		28	-2.2	27	-2.8	26	-3.3	92	0	000		29.89	3	-0.04	30.09	FM-15	0.00	30.07
29	0454	7	BKN:07 50	10.00		32	0.0	31	-0.6	28	-2.2	85	0	000		29.88			30.08	FM-15	0.00	30.06
29	0554	7	OVC:08 48	10.00		33	0.6	31	-0.6	29	-1.7	85	0	000		29.90			30.09	FM-15	0.00	30.08
29	0654	7	OVC:08 47	10.00		35	1.7	33	0.6	29	-1.7	78	0	000		29.92	3	-0.03	30.12	FM-15	0.00	30.10
29	0700	4	41	9.94		35	1.7	33	0.6	29	-1.7	78	0	000		29.92	3	-0.03	30.12	FM-12		
29	0754	7	OVC:08 46	10.00		36	2.2	34	1.1	30	-1.1	79	0	000		29.94			30.14	FM-15	0.00	30.12
29	0854	7	BKN:07 47	10.00		38	3.3	35	1.7	31	-0.6	76	3	330		29.96			30.16	FM-15	0.00	30.14
29	0954	7	BKN:07 47	10.00		40	4.4	36	2.2	29	-1.7	65	10	360		29.96	0	-0.04	30.15	FM-15	0.00	30.14
29	1054	7	FEW:02 33 BKN:07 46	10.00		42	5.6	36	2.2	26	-3.3	53	10	010		29.96			30.16	FM-15	0.00	30.14
29	1154	7	BKN:07 49	10.00		44	6.7	37	2.8	25	-3.9	47	8	010		29.95			30.15	FM-15	0.00	30.13
29	1254	7	FEW:02 41 BKN:07 48 BKN:07 300	10.00		45	7.2	37	2.8	26	-3.3	48	8	010		29.93	8	+0.03	30.12	FM-15	0.00	30.11
29	1300	4	41	9.94		45	7.2	37	2.8	26	-3.3	48	8	010		29.93	8	+0.03	30.12	FM-12		
29	1354	7	BKN:07 44 BKN:07 300	10.00		45	7.2	37	2.8	26	-3.3	48	8	310		29.90			30.09	FM-15	0.00	30.08

29	1454	7	BKN:07 48 BKN:07 300	10.00		44	6.7	37	2.8	25	-3.9	47	0	000		29.91			30.10	FM-15	0.00	30.09
29	1554	7	FEW:02 49 BKN:07 300	10.00		45	7.2	37	2.8	26	-3.3	48	7	310		29.90	6	+0.03	30.09	FM-15	0.00	30.08
29	1654	7	BKN:07 300	10.00		44	6.7	37	2.8	26	-3.3	49	6	280		29.92			30.11	FM-15	0.00	30.10
29	1754	7	SCT:04 220 BKN:07 300	10.00		41	5.0	35	1.7	26	-3.3	55	3	220		29.93			30.13	FM-15	0.00	30.11
29	1854	7	SCT:04 220 BKN:07 300	10.00		35	1.7	32	0.0	27	-2.8	72	0	000		29.95	3	-0.05	30.15	FM-15	0.00	30.13
29	1900	4		9.94		35	1.7	32	0.0	27	-2.8	72	0	000		29.95	3	-0.05	30.15	FM-12		
29	1954	7	FEW:02 200 BKN:07 300	10.00		37	2.8	33	0.6	26	-3.3	65	3	060		29.96			30.16	FM-15	0.00	30.14
29	2054	7	SCT:04 150 BKN:07 300	10.00		35	1.7	32	0.0	26	-3.3	70	0	000		29.98			30.17	FM-15	0.00	30.16
29	2154	7	BKN:07 150 OVC:08 300	10.00		32	0.0	30	-1.1	27	-2.8	82	0	000		29.98	2	-0.03	30.18	FM-15	0.00	30.16
29	2254	7	SCT:04 300	10.00		32	0.0	30	-1.1	27	-2.8	82	0	000		29.99			30.19	FM-15	0.00	30.17
29	2354	7	FEW:02 150 BKN:07 210 BKN:07 300	10.00		30	-1.1	29	-1.7	26	-3.3	85	0	000		29.99			30.19	FM-15	0.00	30.17
30	0054	7	BKN:07 160 BKN:07 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.00	3	-0.01	30.19	FM-15	0.00	30.18
30	0100	4		9.94		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.00	3	-0.01	30.19	FM-12		
30	0154	7	BKN:07 160 BKN:07 300	10.00		30	-1.1	29	-1.7	26	-3.3	85	0	000		29.98			30.18	FM-15	0.00	30.16
30	0254	7	FEW:02 160 FEW:02 300	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		29.99			30.18	FM-15	0.00	30.17
30	0354	7	FEW:02 160 SCT:04 250 SCT:04 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	5	350		29.99	5	+0.01	30.19	FM-15	0.00	30.17
30	0454	7	SCT:04 200 BKN:07 250	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.00			30.19	FM-15	0.00	30.18
30	0554	7	FEW:02 200 BKN:07 250	10.00		28	-2.2	27	-2.8	24	-4.4	85	5	020		30.01			30.21	FM-15	0.00	30.19
30	0654	7	BKN:07 230	10.00		27	-2.8	26	-3.3	24	-4.4	89	6	010		30.03	3	-0.04	30.23	FM-15	0.00	30.21
30	0700	4		9.94		27	-2.8	26	-3.3	24	-4.4	89	6	010		30.03	3	-0.04	30.23	FM-12		
30	0754	7	FEW:02 120 SCT:04 230 BKN:07 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	5	010		30.06			30.25	FM-15	0.00	30.24
30	0854	7	FEW:02 120 SCT:04 180 BKN:07 240	10.00		33	0.6	31	-0.6	27	-2.8	78	9	030		30.07			30.27	FM-15	0.00	30.25
30	0954	7	FEW:02 120 SCT:04 200 BKN:07 300	10.00		37	2.8	34	1.1	29	-1.7	73	9	020		30.08	1	-0.05	30.28	FM-15	0.00	30.26
30	1054	7	SCT:04 120 BKN:07 170 BKN:07 300	10.00		41	5.0	36	2.2	29	-1.7	62	5	030		30.09			30.29	FM-15	0.00	30.27
30	1154	7	FEW:02 45 FEW:02 110 BKN:07 140	10.00		44	6.7	38	3.3	28	-2.2	53	5	VRB		30.08			30.27	FM-15	0.00	30.26
30	1254	7	FEW:02 45 BKN:07 110 BKN:07 160	10.00		44	6.7	37	2.8	25	-3.9	47	0	000		30.06	8	+0.02	30.26	FM-15	0.00	30.24
30	1300	4	41	9.94		44	6.7	37	2.8	25	-3.9	47	0	000		30.06	8	+0.02	30.26	FM-12		
30	1354	7	FEW:02 45 BKN:07 100 OVC:08 300	10.00		44	6.7	37	2.8	25	-3.9	47	9	020		30.05			30.24	FM-15	0.00	30.23
30	1454	7	BKN:07 85 OVC:08 110	10.00		43	6.1	36	2.2	25	-3.9	49	7	040		30.04			30.24	FM-15	0.00	30.22
30	1554	7	BKN:07 80 OVC:08 110	10.00		44	6.7	37	2.8	25	-3.9	47	8	010		30.06	5	0.00	30.25	FM-15	0.00	30.24
30	1654	7	BKN:07 75 BKN:07 110	10.00		42	5.6	36	2.2	26	-3.3	53	6	050		30.06			30.26	FM-15	0.00	30.24

30	1754	7	FEW:02 80 BKN:07 150	10.00		39	3.9	34	1.1	27	-2.8	62	5	030		30.08			30.28	FM-15	0.00	30.26
30	1854	7	FEW:02 150	10.00		38	3.3	34	1.1	27	-2.8	65	3	020		30.10	3	-0.05	30.30	FM-15	0.00	30.28
30	1900	4		9.94		38	3.3	34	1.1	27	-2.8	65	3	020		30.10	3	-0.05	30.30	FM-12		
30	1954	7	FEW:02 80	10.00		35	1.7	32	0.0	28	-2.2	76	6	050		30.10			30.30	FM-15	0.00	30.28
30	2054	7	FEW:02 80	10.00		33	0.6	31	-0.6	27	-2.8	78	0	000		30.11			30.31	FM-15	0.00	30.29
30	2154	7	FEW:02 80	10.00		31	-0.6	30	-1.1	27	-2.8	85	5	040		30.11	0	-0.01	30.31	FM-15	0.00	30.29
30	2254	7	CLR:00	10.00		33	0.6	31	-0.6	27	-2.8	78	3	340		30.12			30.32	FM-15	0.00	30.30
30	2354	7	SCT:04 300	10.00		29	-1.7	28	-2.2	26	-3.3	89	3	040		30.12			30.31	FM-15	0.00	30.30
31	0054	7	SCT:04 300	10.00		30	-1.1	28	-2.2	25	-3.9	82	0	000		30.11	0	-0.01	30.31	FM-15	0.00	30.29
31	0100	4		9.94		30	-1.1	28	-2.2	25	-3.9	82	0	000		30.11	9	+0.01	30.31	FM-12		
31	0154	7	SCT:04 300	10.00		30	-1.1	29	-1.7	26	-3.3	85	0	000		30.11			30.31	FM-15	0.00	30.29
31	0254	7	SCT:04 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.11			30.31	FM-15	0.00	30.29
31	0354	7	FEW:02 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	3	350		30.11	6	+0.01	30.30	FM-15	0.00	30.29
31	0454	7	FEW:02 300	10.00		28	-2.2	27	-2.8	25	-3.9	88	5	350		30.11			30.31	FM-15	0.00	30.29
31	0554	7	FEW:02 300	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		30.11			30.31	FM-15	0.00	30.29
31	0654	7	SCT:04 300	10.00		28	-2.2	27	-2.8	26	-3.3	92	0	000		30.12	3	-0.01	30.32	FM-15	0.00	30.30
31	0700	4		9.94		28	-2.2	27	-2.8	26	-3.3	92	0	000		30.12	3	-0.01	30.32	FM-12		
31	0754	7	FEW:02 70 SCT:04 230 BKN:07 300	10.00		31	-0.6	30	-1.1	28	-2.2	89	3	340		30.12			30.32	FM-15	0.00	30.30
31	0854	7	FEW:02 70 FEW:02 240 OVC:08 300	10.00		35	1.7	34	1.1	32	0.0	89	5	360		30.13			30.32	FM-15	0.00	30.31
31	0954	7	FEW:02 70 BKN:07 210 OVC:08 300	10.00		38	3.3	36	2.2	32	0.0	79	0	000		30.14	3	-0.01	30.34	FM-15	0.00	30.32
31	1054	7	FEW:02 65 BKN:07 220 OVC:08 300	10.00		41	5.0	37	2.8	32	0.0	70	7	050		30.13			30.32	FM-15	0.00	30.31
31	1154	7	BKN:07 200 OVC:08 300	10.00		43	6.1	38	3.3	32	0.0	65	5	VRB		30.10			30.30	FM-15	0.00	30.28
31	1254	7	OVC:08 200	10.00		45	7.2	39	3.9	30	-1.1	56	5	060		30.04	8	+0.10	30.24	FM-15	0.00	30.22
31	1300	4		9.94		45	7.2	39	3.9	30	-1.1	56	5	060		30.04	8	+0.10	30.24	FM-12		
31	1354	7	SCT:04 140 BKN:07 190 OVC:08 300	10.00		45	7.2	39	3.9	30	-1.1	56	6	060		30.01			30.21	FM-15	0.00	30.19
31	1454	7	BKN:07 100 BKN:07 160 OVC:08 300	10.00		46	7.8	40	4.4	31	-0.6	56	0	000		30.03			30.23	FM-15	0.00	30.21
31	1554	7	BKN:07 80 OVC:08 100	10.00		45	7.2	39	3.9	30	-1.1	56	8	320		30.04	3	0.00	30.24	FM-15	0.00	30.22
31	1654	7	SCT:04 31 BKN:07 39 OVC:08 55	7.00	-RA:02 RA RA	43	6.1	38	3.3	31	-0.6	63	14	310		30.07			30.27	FM-15	T	30.25
31	1754	7	OVC:08 55	7.00	-RA:02 RA RA	39	3.9	38	3.3	37	2.8	93	0	000		30.05			30.25	FM-15	0.05	30.23
31	1854	7	OVC:08 55	7.00	-RA:02 RA RA	39	3.9	38	3.3	37	2.8	93	5	350		30.03	8	+0.01	30.23	FM-15	0.03	30.21
31	1900	4	57	6.84	RA	39	3.9	38	3.3	37	2.8	93	5	350		30.03	8	+0.01	30.23	FM-12		
31	1954	7	OVC:08 60	7.00	-RA:02 RA RA	39	3.9	38	3.3	37	2.8	93	3	030		30.02			30.22	FM-15	0.01	30.20
31	2054	7	OVC:08 65	7.00	-RA:02 RA RA	39	3.9	38	3.3	37	2.8	93	6	020		30.01			30.20	FM-15	0.03	30.19
31	2154	7	FEW:02 65 OVC:08 75	7.00	-RA:02 RA RA	38	3.3	38	3.3	38	3.3	100	0	000		29.99	8	+0.05	30.18	FM-15	0.01	30.17
31	2254	7	FEW:02 15 BKN:07 70 OVC:08 80	6.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	3	020		29.96			30.15	FM-15	T	30.14
31	2354	7	SCT:04 15 OVC:08 85	5.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	38	3.3	100	7	340		29.95			30.14	FM-15	0.01	30.13

Local Climatological Data
Hourly Precipitation
January 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 02/06/2020

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																					Date				
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID	
01								M																	01	
02																									02	
03	0.01	0.02	T	0.06	T	0.03	0.03						T	T	T	T	0.02	0.01	0.01	T	T	T		0.01	03	
04	T	T	T	0.01	0.02	0.02	0.01	0.01	T	T							T	0.06	0.03		0.05	0.08	0.06	0.02	04	
05	T	T	T																						05	
06																									06	
07													T	0.07s	0.13	0.12	0.01								07	
08																									08	
09																									09	
10																									10	
11																T	0.01	T					T	T	11	
12		0.43	0.01	T	T																				12	
13																				T	0.01				T	13
14	T			0.07s	0.28	0.40	0.22	0.16	0.05	0.03	T			T	T	T									14	
15										T	T	T													15	
16																									16	
17																									17	
18						T	T							T			0.01	0.06	0.03	0.02	T	T			18	
19																									19	
20																									20	
21																									21	
22																									22	
23																									23	
24																								T	T	24
25	T	0.02	0.44	0.19	0.05	0.05	0.01	T																	25	
26																									26	
27																									27	
28																									28	
29																									29	
30																									30	
31																		T	0.05	0.03	0.01	0.03	0.01	T	0.01	31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.12	0.16	0.20	0.25	0.37	0.43	0.46	0.57	0.63	0.73	0.87	0.94
Ending Date Time (yyyy-mm-dd hh:mi)	2020-01-14 05:20	2020-01-12 01:53	2020-01-14 05:30	2020-01-12 01:52	2020-01-12 01:51	2020-01-12 01:58	2020-01-25 03:04	2020-01-14 06:13	2020-01-14 06:32	2020-01-14 06:18	2020-01-14 06:24	2020-01-14 06:54

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing