

Local Climatological Data
Daily Summary
July 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 09/05/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH								
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees							
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23					
01	88	69	79	0.2	84	69	71	0	14	0452	1934	TS RA BR	1.02	0.0	0	29.67	29.87	4.5	42	250	33	250					
02	89	66*	78	-0.9	69	67	71	0	13	0453	1934	BR	0.00	0.0	0	29.71	29.90	5.2	17	350	13	340					
03	94	71	83	4.0	57	66	72	0	18	0453	1934		0.00	0.0	0	29.72	29.90	5.4	17	340	14	310					
04	93	73	83	3.9	68	70	74	0	18	0454	1934		0.00	0.0	0	29.72	29.92	7.0	18	030	15	030					
05	89	71	80	0.8	78	72	74	0	15	0454	1934	BR	0.00	0.0	0	29.80	29.99	6.2	20	100	16	100					
06	93	71	82	2.7	70	71	74	0	17	0455	1933		0.00	0.0	0	29.85	30.04	7.7	21	200	17	180					
07	90	71	81	1.6	73	71	74	0	16	0455	1933		0.03	0.0	0	29.85	30.04	6.8	23	100	21	100					
08	89	71	80	0.6	76	71	74	0	15	0456	1933	BR	0.00	0.0	0	29.80	29.97	5.6	17	120	14	110					
09	89	72	81	1.5	77	72	75	0	16	0457	1932	BR	0.02	0.0	0	29.74	29.92	8.3	24	070	17	050					
10	94	74	84	4.5	70	71	75	0	19	0457	1932	RA	T	0.0	0	29.65	29.83	8.2	27	270	22	280					
11	94	72	83	3.5	62	67	72	0	18	0458	1932	RA	0.01	0.0	0	29.59	29.77	9.3	24	260	17	260					
12	93	69	81	1.4	54	62	69	0	16	0459	1931		0.00	0.0	0	29.62	29.80	4.7	20	180	16	240					
13	90	70	80	0.4	69	68	71	0	15	0459	1931	TS RA BR	0.05	0.0	0	29.67	29.86	4.6	13	150	12	140					
14	93	69	81	1.4	69	68	72	0	16	0500	1930	BR	0.00	0.0	0	29.79	30.00	4.7	23	090	14	350					
15	93	71	82	2.4	67	68	72	0	17	0501	1930	MIFG FG	0.00	0.0	0	29.93	30.13	5.9	19	120	15	120					
16	91	71	81	1.4	69	68	72	0	16	0501	1929		0.00	0.0	0	30.01	30.20	7.6	23	130	17	130					
17	96	73	85	5.5	79	73	75	0	20	0502	1929	TS RA	0.03	0.0	0	29.95	30.12	7.1	24	220	18	250					
18	96	73	85	5.5	71	73	76	0	20	0503	1928		0.00	0.0	0	29.88	30.06	4.8	13	100	9	100					
19	101	75	88	8.5	63	72	76	0	23	0504	1927		T	0.0	0	29.78	29.96	6.4	29	220	23	220					
20	97	78	88	8.6	60	72	77	0	23	0504	1927		0.00	0.0	0	29.75	29.94	7.0	19	180	14	150					
21	100	73	87	7.6	63	72	76	0	22	0505	1926	TS RA BR	0.35	0.0	0	29.81	30.01	7.3	40	230	32	240					
22	96	72	84	4.6	73	71	74	0	19	0506	1925	TS BR	0.19	0.0	0	29.88	30.06	7.8	39	340	30	340					
23	94	74	84	4.7	74	72	74	0	19	0507	1924	RA	T	0.0	0	29.91	30.08	8.0	28	180	24	180					
24	91	72	82	2.7	76	71	74	0	17	0507	1924	TS RA BR	0.18	0.0	0	29.90	30.09	6.7	29	180	22	190					
25	91	71	81	1.8	75	72	75	0	16	0508	1923	FG BR RA	0.00	0.0	0	29.91	30.10	4.2	12	140	9	130					
26	99	74	87	7.8	61	69	74	0	22	0509	1922		0.00	0.0	0	29.88	30.05	6.5	21	290	15	290					
27	97	76	87	7.9	56	69	75	0	22	0510	1921		0.00	0.0	0	29.77	29.94	7.9	22	210	18	190					
28	101*	76	89	10.0	58	69	75	0	24	0511	1920		T	0.0	0	29.71	29.90	9.6	25	320	21	300					
29	93	74	84	5.0	69	71	75	0	19	0511	1919		0.00	0.0	0	29.78	29.96	7.2	20	150	14	140					
30	96	73	85	6.1				0	20	0512	1919	RA	0.01	0.0	0	29.70		7.4	21	350	18	350					
31	91	74	83	4.1				0	18	0513	1918	TS RA BR	0.91	0.0	0	29.62		5.2	25	310	21	010					
Monthly Averages Totals													2.80			29.78	29.97	6.7									
Departure from Normal (1981-2010)													-1.71														
Degree Days												Number of days with...															
Monthly						Season-to-date						Temperature				Precipitation		Snow		Weather							
Total		Departure		Total		Departure		Max		Min		Precipitation		Snow		Weather											
Heating		0		0		0		≥90°		≤32°		≤32°		≤0°		≥0.01"		≥0.1"		≥1"		T-Storms		Heavy Fog			
Cooling		555		112		1001		26		0		0		0		11		5		0							
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure								Greatest...											
N/A								Maximum				30.24				Date		16		Time		1150		24-Hr...		Snow Depth	
								Minimum				29.73										1.02		0.0			
																								Date		01-01	
Station Augmentation																											
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																											

Local Climatological Data Hourly Observations July 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 09/05/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	FEW:02 120 BKN:07 300	10.00		72	22.2	70	21.1	69	20.6	91	3	140		29.68	8	+0.02	29.87	FM-15	0.00	29.86
01	0100	4		9.94		72	22.2	70	21.1	69	20.6	91	3	140		29.68	8	+0.02	29.87	FM-12		
01	0154	7	BKN:07 120 OVC:08 300	10.00		73	22.8	70	21.1	69	20.6	87	0	000		29.68			29.87	FM-15	0.00	29.86
01	0254	7	OVC:08 110	10.00		73	22.8	70	21.1	69	20.6	87	6	170		29.66			29.85	FM-15	0.00	29.84
01	0354	7	OVC:08 110	10.00		74	23.3	71	21.7	69	20.6	85	0	000		29.66	6	+0.02	29.85	FM-15	0.00	29.84
01	0454	7	BKN:07 110 OVC:08 300	10.00		73	22.8	71	21.7	70	21.1	90	5	320		29.68			29.87	FM-15	0.00	29.86
01	0554	7	FEW:02 60 BKN:07 100 BKN:07 300	10.00	-RA:02 RA RA	73	22.8	70	21.1	69	20.6	87	6	050		29.69			29.87	FM-15	T	29.87
01	0654	7	FEW:02 60 BKN:07 100 BKN:07 300	10.00		73	22.8	71	21.7	70	21.1	90	3	110		29.69	1	-0.03	29.88	FM-15	0.00	29.87
01	0700	4	57	9.94		73	22.8	71	21.7	70	21.1	90	3	110		29.69	1	-0.03	29.88	FM-12		
01	0754	7	SCT:04 60 BKN:07 110	10.00		76	24.4	72	22.2	70	21.1	82	0	000		29.71			29.90	FM-15	0.00	29.89
01	0854	7	FEW:02 60 BKN:07 100	10.00		80	26.7	73	22.8	70	21.1	71	3	VRB		29.71			29.90	FM-15	0.00	29.89
01	0954	7	FEW:02 30 SCT:04 100	10.00		82	27.8	73	22.8	69	20.6	65	3	120		29.71	0	-0.01	29.89	FM-15	0.00	29.89
01	1054	7	FEW:02 35 FEW:02 60 SCT:04 100	10.00		84	28.9	74	23.3	69	20.6	61	0	000		29.70			29.88	FM-15	0.00	29.88
01	1154	7	SCT:04 49 SCT:04 100	10.00		87	30.6	75	23.9	70	21.1	57	3	VRB		29.68			29.87	FM-15	0.00	29.86
01	1252	6	FEW:02 40 SCT:04 49 BKN:07 60	10.00	TS:7 -RA:02 RA TS RA	84	28.9	74	23.3	70	21.1	62	6	220		29.66				FM-16		29.84
01	1254	7	SCT:04 39 BKN:07 75 BKN:07 140	10.00	TS:7 -RA:02 RA TS TS RA	85	29.4	74	23.3	69	20.6	59	7	260		29.66	8	+0.05	29.84	FM-15	T	29.84
01	1300	4	41	9.94		85	29.4	74	23.3	69	20.6	59	7	260		29.66	8	+0.05	29.84	FM-12		
01	1306	7	FEW:02 14 BKN:07 38 OVC:08 75	2.50	TS:7 +RA:02 BR:1 RA TS RA	71	21.7	68	20.0	67	19.4	87	17	VRB	34	29.67				FM-16	0.06	29.85
01	1311	7	FEW:02 14 BKN:07 38 OVC:08 75	2.50	TS:7 +RA:02 RA TS TS RA	74	23.3	69	20.6	67	19.4	79	13	VRB	32	29.66				FM-16	0.40	29.84
01	1312	7	FEW:02 8 BKN:07 37 BKN:07 120	10.00	TS:7 RA:02 RA TS TS RA	76	24.4	70	21.1	66	18.9	72	11	VRB	32	29.65				FM-16	0.46	29.83
01	1354	7	SCT:04 43 BKN:07 75 BKN:07 120	10.00		77	25.0	72	22.2	70	21.1	79	5	070		29.65			29.84	FM-15	0.73	29.83
01	1454	7	FEW:02 20 SCT:04 42 SCT:04 75	10.00	-TS:7 RA:02 TS RA	73	22.8	71	21.7	70	21.1	90	10	120		29.65			29.84	FM-15	0.11	29.83
01	1554	7	FEW:02 17 BKN:07 45 BKN:07 200	2.00	TS:7 RA:02 RA TS TS RA	70	21.1	67	19.4	65	18.3	84	9	260		29.66	3	0.00	29.85	FM-15	0.07	29.84

01	1606	7	FEW:02 20 BKN:07 50 OVC:08 110	4.00	TS:7 -RA:02 RA TS TS RA	69	20.6	66	18.9	64	17.8	84	11	330		29.67				FM-16	0.11	29.85
01	1647	7	SCT:04 50 BKN:07 110 BKN:07 250	10.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	10	350		29.66				FM-16	0.12	29.84
01	1654	7	SCT:04 50 BKN:07 110 BKN:07 250	10.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	11	360		29.66		29.85		FM-15	0.06	29.84
01	1754	7	FEW:02 15 FEW:02 50 BKN:07 110	10.00	RA RA	71	21.7	69	20.6	68	20.0	90	3	120		29.64		29.83		FM-15	0.05	29.82
01	1854	7	FEW:02 50 FEW:02 140	10.00		71	21.7	70	21.1	69	20.6	94	6	160		29.66	5	0.00	29.85	FM-15	T	29.84
01	1900	4	57	9.94		71	21.7	70	21.1	69	20.6	94	6	160		29.66	5	0.00	29.85	FM-12		
01	1954	7	BKN:07 110	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.69		29.88		FM-15	0.00	29.87
01	2029	7	SCT:04 8 BKN:07 120	10.00		71	21.7	69	20.6	68	20.0	90	0	000		29.69				FM-16		29.87
01	2054	7	FEW:02 8 SCT:04 140	10.00		70	21.1	69	20.6	68	20.0	93	0	000		29.70		29.89		FM-15	0.00	29.88
01	2154	7	SCT:04 130	7.00		70	21.1	69	20.6	68	20.0	93	5	320		29.71	1	-0.05	29.90	FM-15	0.00	29.89
01	2254	7	BKN:07 90	8.00		70	21.1	69	20.6	69	20.6	97	3	010		29.70		29.89		FM-15	0.00	29.88
01	2354	7	SCT:04 100	9.00		69	20.6	68	20.0	68	20.0	96	3	350		29.69		29.88		FM-15	0.00	29.87
02	0054	7	FEW:02 100	7.00		68	20.0	67	19.4	67	19.4	96	0	000		29.69	6	+0.02	29.88	FM-15	0.00	29.87
02	0100	4		6.84		68	20.0	67	19.4	67	19.4	96	0	000		29.69	6	+0.02	29.88	FM-12		
02	0154	7	CLR:00	7.00		69	20.6	68	20.0	67	19.4	93	0	000		29.69		29.88		FM-15	0.00	29.87
02	0254	7	CLR:00	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	5	340		29.67		29.86		FM-15	0.00	29.85
02	0354	7	CLR:00	10.00		68	20.0	67	19.4	66	18.9	93	0	000		29.67	6	+0.02	29.86	FM-15	0.00	29.85
02	0454	7	CLR:00	6.00	BR:1	67	19.4	66	18.9	66	18.9	97	0	000		29.69		29.88		FM-15	0.00	29.87
02	0554	7	CLR:00	7.00		70	21.1	69	20.6	68	20.0	93	5	350		29.71		29.90		FM-15	0.00	29.89
02	0654	7	CLR:00	10.00		73	22.8	70	21.1	69	20.6	87	8	340		29.72	1	-0.04	29.91	FM-15	0.00	29.90
02	0700	4		9.94		73	22.8	70	21.1	69	20.6	87	8	340		29.72	1	-0.04	29.91	FM-12		
02	0754	7	CLR:00	10.00		77	25.0	72	22.2	69	20.6	77	8	350		29.72		29.91		FM-15	0.00	29.90
02	0854	7	FEW:02 23	10.00		80	26.7	73	22.8	69	20.6	69	10	360		29.73		29.92		FM-15	0.00	29.91
02	0954	7	FEW:02 34	10.00		83	28.3	73	22.8	68	20.0	61	9	360		29.73	2	-0.01	29.92	FM-15	0.00	29.91
02	1054	7	SCT:04 40	10.00		85	29.4	73	22.8	67	19.4	55	9	040		29.73		29.92		FM-15	0.00	29.91
02	1154	7	SCT:04 50	10.00		85	29.4	72	22.2	65	18.3	51	10	350		29.73		29.92		FM-15	0.00	29.91
02	1254	7	SCT:04 50	10.00		87	30.6	73	22.8	66	18.9	50	8	340		29.72	8	+0.01	29.91	FM-15	0.00	29.90
02	1300	4	57	9.94		87	30.6	73	22.8	66	18.9	50	8	340		29.72	8	+0.01	29.91	FM-12		
02	1354	7	SCT:04 50	10.00		88	31.1	72	22.2	64	17.8	45	5	320		29.71		29.89		FM-15	0.00	29.89
02	1454	7	BKN:07 55	10.00		88	31.1	73	22.8	66	18.9	48	11	310		29.70		29.89		FM-15	0.00	29.88
02	1554	7	SCT:04 55	10.00		89	31.7	73	22.8	65	18.3	45	11	360		29.70	6	+0.02	29.88	FM-15	0.00	29.88
02	1654	7	SCT:04 60	10.00		87	30.6	72	22.2	65	18.3	48	7	020		29.69		29.88		FM-15	0.00	29.87
02	1754	7	FEW:02 60 FEW:02 300	10.00		87	30.6	72	22.2	64	17.8	46	9	360		29.70		29.88		FM-15	0.00	29.88
02	1854	7	FEW:02 60 FEW:02 300	10.00		83	28.3	71	21.7	65	18.3	55	6	350		29.70	5	0.00	29.89	FM-15	0.00	29.88
02	1900	4	57	9.94		83	28.3	71	21.7	65	18.3	55	6	350		29.70	5	0.00	29.89	FM-12		
02	1954	7	FEW:02 60 BKN:07 300	10.00		81	27.2	71	21.7	66	18.9	61	3	310		29.70		29.89		FM-15	0.00	29.88
02	2054	7	SCT:04 300	10.00		76	24.4	71	21.7	69	20.6	79	0	000		29.72		29.91		FM-15	0.00	29.90
02	2154	7	FEW:02 300	10.00		75	23.9	70	21.1	68	20.0	79	0	000		29.74	3	-0.04	29.92	FM-15	0.00	29.92
02	2254	7	SCT:04 300	10.00		72	22.2	69	20.6	67	19.4	84	0	000		29.74		29.93		FM-15	0.00	29.92
02	2354	7	FEW:02 300	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.73		29.92		FM-15	0.00	29.91
03	0054	7	CLR:00	10.00		72	22.2	69	20.6	67	19.4	84	0	000		29.73	8	+0.01	29.92	FM-15	0.00	29.91
03	0100	4		9.94		72	22.2	69	20.6	67	19.4	84	0	000		29.73	8	+0.01	29.92	FM-12		
03	0154	7	CLR:00	9.00		73	22.8	69	20.6	67	19.4	81	5	270		29.72		29.91		FM-15	0.00	29.90
03	0254	7	FEW:02 300	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.71		29.90		FM-15	T	29.89
03	0354	7	CLR:00	10.00		73	22.8	69	20.6	66	18.9	79	3	290		29.72	5	+0.01	29.90	FM-15	0.00	29.90

03	0454	7	FEW:02 100 FEW:02 300	10.00		73	22.8	68	20.0	65	18.3	76	7	300		29.72			29.91	FM-15	0.00	29.90
03	0554	7	FEW:02 300	10.00		75	23.9	69	20.6	66	18.9	74	3	VRB		29.72			29.91	FM-15	0.00	29.90
03	0654	7	FEW:02 300	10.00		78	25.6	70	21.1	66	18.9	67	8	320		29.74	3	-0.02	29.92	FM-15	0.00	29.92
03	0700	4		9.94		78	25.6	70	21.1	66	18.9	67	8	320		29.74	3	-0.02	29.92	FM-12		
03	0754	7	CLR:00	10.00		82	27.8	71	21.7	66	18.9	58	10	330		29.75			29.93	FM-15	0.00	29.93
03	0854	7	CLR:00	10.00		85	29.4	72	22.2	66	18.9	53	10	340		29.75			29.93	FM-15	0.00	29.93
03	0954	7	FEW:02 300	10.00		88	31.1	74	23.3	68	20.0	52	7	VRB		29.74	0	-0.01	29.93	FM-15	0.00	29.92
03	1054	7	FEW:02 300	10.00		90	32.2	76	24.4	69	20.6	50	8	VRB		29.75			29.93	FM-15	0.00	29.93
03	1154	7	FEW:02 50	10.00		91	32.8	75	23.9	67	19.4	45	6	360		29.74			29.92	FM-15	0.00	29.92
03	1254	7	FEW:02 60	10.00		92	33.3	75	23.9	67	19.4	44	6	VRB		29.73	8	+0.02	29.91	FM-15	0.00	29.91
03	1300	4	57	9.94		92	33.3	75	23.9	67	19.4	44	6			29.73	8	+0.02	29.91	FM-12		
03	1354	7	FEW:02 65	10.00		93	33.9	74	23.3	65	18.3	40	6	010		29.72			29.90	FM-15	0.00	29.90
03	1454	7	FEW:02 70	10.00		94	34.4	73	22.8	63	17.2	36	9	330		29.71			29.89	FM-15	0.00	29.89
03	1554	7	FEW:02 70	10.00		94	34.4	73	22.8	63	17.2	36	8	VRB		29.69	8	+0.04	29.88	FM-15	0.00	29.87
03	1654	7	FEW:02 70	10.00		93	33.9	73	22.8	63	17.2	37	10	340		29.68			29.86	FM-15	0.00	29.86
03	1754	7	FEW:02 70	10.00		92	33.3	73	22.8	63	17.2	38	9	340		29.67			29.85	FM-15	0.00	29.85
03	1804	6	FEW:02 70	10.00		92	33.3	73	22.8	63	17.2	38	8	340		29.67				FM-16		29.85
03	1854	7	FEW:02 70	10.00		89	31.7	72	22.2	64	17.8	43	5	330		29.67	5	+0.02	29.85	FM-15	0.00	29.85
03	1900	4	74	9.94		90	32.2	73	22.8	64	17.8	43	5	330		29.67				FM-12		
03	1954	7	FEW:02 300	10.00		87	30.6	71	21.7	63	17.2	45	5	280		29.67			29.86	FM-15	0.00	29.85
03	2054	7	FEW:02 300	10.00		80	26.7	73	22.8	69	20.6	69	0	000		29.70			29.88	FM-15	0.00	29.88
03	2154	7	CLR:00	10.00		80	26.7	72	22.2	68	20.0	67	0	000		29.71	3	-0.04	29.89	FM-15	0.00	29.89
03	2254	7	CLR:00	10.00		76	24.4	71	21.7	68	20.0	77	5	180		29.70			29.89	FM-15	0.00	29.88
03	2354	7	CLR:00	10.00		78	25.6	71	21.7	68	20.0	71	0	000		29.70			29.89	FM-15	0.00	29.88
04	0054	7	FEW:02 300	9.00		80	26.7	71	21.7	67	19.4	64	5	280		29.70	7	+0.01	29.88	FM-15	0.00	29.88
04	0100	4		8.70		80	26.7	71	21.7	67	19.4	64	5	280		29.70	7	+0.01	29.88	FM-12		
04	0154	7	SCT:04 80 SCT:04 300	10.00		77	25.0	71	21.7	68	20.0	74	0	000		29.69			29.88	FM-15	0.00	29.87
04	0254	7	SCT:04 85 SCT:04 300	10.00		77	25.0	71	21.7	68	20.0	74	5	320		29.69			29.88	FM-15	0.00	29.87
04	0354	7	SCT:04 85	10.00		76	24.4	71	21.7	68	20.0	77	5	320		29.69	6	+0.01	29.88	FM-15	0.00	29.87
04	0454	7	FEW:02 85 SCT:04 300	10.00		76	24.4	70	21.1	67	19.4	74	8	330		29.71			29.89	FM-15	0.00	29.89
04	0554	7	FEW:02 85 SCT:04 300	10.00		77	25.0	71	21.7	68	20.0	74	6	340		29.72			29.91	FM-15	0.00	29.90
04	0654	7	SCT:04 300	10.00		80	26.7	71	21.7	67	19.4	64	9	350		29.72	1	-0.03	29.91	FM-15	0.00	29.90
04	0700	4		9.94		80	26.7	71	21.7	67	19.4	64	9	350		29.72	1	-0.03	29.91	FM-12		
04	0754	7	CLR:00	10.00		83	28.3	74	23.3	69	20.6	63	7	360		29.72			29.91	FM-15	0.00	29.90
04	0854	7	FEW:02 300	10.00		86	30.0	75	23.9	70	21.1	59	10	350		29.74			29.93	FM-15	0.00	29.92
04	0954	7	CLR:00	10.00		88	31.1	76	24.4	71	21.7	57	9	010		29.75	3	-0.02	29.93	FM-15	0.00	29.93
04	1054	7	FEW:02 45	10.00		89	31.7	76	24.4	71	21.7	55	8	020		29.75			29.94	FM-15	0.00	29.93
04	1154	7	SCT:04 40	10.00		89	31.7	77	25.0	72	22.2	57	8	060		29.74			29.93	FM-15	0.00	29.92
04	1254	7	SCT:04 50 BKN:07 75	10.00		90	32.2	76	24.4	70	21.1	52	8	020		29.74	8	+0.01	29.92	FM-15	0.00	29.92
04	1300	4	57	9.94		90	32.2	76	24.4	70	21.1	52	8	020		29.74	8	+0.01	29.92	FM-12		
04	1354	7	SCT:04 50 BKN:07 75	10.00		90	32.2	76	24.4	70	21.1	52	7	010		29.73			29.92	FM-15	0.00	29.91
04	1454	7	SCT:04 55 BKN:07 75	10.00		92	33.3	76	24.4	69	20.6	47	6	030		29.72			29.90	FM-15	0.00	29.90
04	1554	7	FEW:02 55 SCT:04 120	10.00		90	32.2	77	25.0	72	22.2	56	10	050		29.71	6	+0.02	29.90	FM-15	0.00	29.89
04	1654	7	CLR:00	10.00		89	31.7	76	24.4	71	21.7	55	9	090		29.71			29.89	FM-15	0.00	29.89
04	1754	7	FEW:02 38	10.00		85	29.4	77	25.0	74	23.3	70	10	130		29.71			29.90	FM-15	0.00	29.89
04	1854	7	FEW:02 38 FEW:02 300	10.00		83	28.3	76	24.4	73	22.8	72	8	120		29.72	3	-0.01	29.91	FM-15	0.00	29.90
04	1900	4	41	9.94		83	28.3	76	24.4	73	22.8	72	8	120		29.72	3	-0.01	29.91	FM-12		
04	1954	7	FEW:02 300	10.00		81	27.2	75	23.9	73	22.8	77	6	140		29.74			29.93	FM-15	0.00	29.92
04	2054	7	SCT:04 300	10.00		79	26.1	76	24.4	74	23.3	85	8	150		29.76			29.95	FM-15	0.00	29.94

04	2154	7	SCT:04 300	10.00		77	25.0	74	23.3	72	22.2	85	6	150		29.78	3	-0.06	29.96	FM-15	0.00	29.96
04	2254	7	FEW:02 300	10.00		75	23.9	72	22.2	70	21.1	84	5	160		29.78			29.97	FM-15	0.00	29.96
04	2354	7	FEW:02 300	10.00		74	23.3	72	22.2	71	21.7	91	6	140		29.78			29.97	FM-15	0.00	29.96
05	0054	7	FEW:02 300	9.00		73	22.8	71	21.7	70	21.1	90	3	190		29.79	3	-0.01	29.98	FM-15	0.00	29.97
05	0100	4		8.70		73	22.8	71	21.7	70	21.1	90	3	190		29.79	3	-0.01	29.98	FM-12		
05	0154	7	SCT:04 300	8.00		73	22.8	71	21.7	70	21.1	90	3	170		29.78			29.97	FM-15	0.00	29.96
05	0254	7	SCT:04 300	7.00		72	22.2	71	21.7	70	21.1	94	0	000		29.78			29.96	FM-15	0.00	29.96
05	0354	7	FEW:02 300	7.00		71	21.7	70	21.1	70	21.1	96	5	140		29.78	5	+0.01	29.97	FM-15	0.00	29.96
05	0454	7	BKN:07 90 BKN:07 300	7.00		72	22.2	71	21.7	70	21.1	94	3	180		29.80			29.98	FM-15	0.00	29.98
05	0554	7	BKN:07 95 OVC:08 300	6.00	BR:1	72	22.2	71	21.7	70	21.1	94	3	160		29.80			29.98	FM-15	0.00	29.98
05	0654	7	SCT:04 95 OVC:08 300	8.00		75	23.9	73	22.8	72	22.2	90	3	140		29.82	3	-0.04	30.01	FM-15	0.00	30.00
05	0700	4		7.46		75	23.9	73	22.8	72	22.2	90	3	140		29.82	3	-0.04	30.01	FM-12		
05	0754	7	SCT:04 90 BKN:07 300	10.00		78	25.6	73	22.8	70	21.1	76	6	180		29.82			30.01	FM-15	0.00	30.00
05	0854	7	FEW:02 60 SCT:04 90 BKN:07 300	10.00		80	26.7	73	22.8	70	21.1	71	5	140		29.83			30.02	FM-15	0.00	30.01
05	0954	7	FEW:02 60 SCT:04 90 BKN:07 300	10.00		82	27.8	74	23.3	71	21.7	69	3	VRB		29.84	3	-0.03	30.03	FM-15	0.00	30.02
05	1054	7	FEW:02 50 SCT:04 95 OVC:08 300	10.00		81	27.2	74	23.3	71	21.7	72	13	110		29.86			30.04	FM-15	0.00	30.04
05	1154	7	FEW:02 50 SCT:04 95 BKN:07 300	10.00		82	27.8	73	22.8	69	20.6	65	11	130		29.84			30.03	FM-15	0.00	30.02
05	1254	7	FEW:02 50 BKN:07 300	10.00		86	30.0	76	24.4	71	21.7	61	6	VRB		29.82	8	+0.02	30.01	FM-15	0.00	30.00
05	1300	4	57	9.94		86	30.0	76	24.4	71	21.7	61	6			29.82	8	+0.02	30.01	FM-12		
05	1354	7	BKN:07 300	10.00		88	31.1	77	25.0	73	22.8	61	8	180		29.81			30.00	FM-15	0.00	29.99
05	1454	7	BKN:07 300	10.00		88	31.1	77	25.0	72	22.2	59	8	180		29.79			29.97	FM-15	0.00	29.97
05	1554	7	FEW:02 50 BKN:07 300	10.00		88	31.1	77	25.0	73	22.8	61	10	160		29.77	8	+0.06	29.95	FM-15	0.00	29.95
05	1654	7	FEW:02 50 FEW:02 200 BKN:07 300	10.00		86	30.0	78	25.6	75	23.9	70	9	150		29.76			29.95	FM-15	0.00	29.94
05	1754	7	FEW:02 50 FEW:02 200 BKN:07 300	10.00		84	28.9	78	25.6	75	23.9	74	8	130		29.78			29.97	FM-15	0.00	29.96
05	1854	7	FEW:02 50 BKN:07 200 OVC:08 300	10.00		82	27.8	77	25.0	75	23.9	79	8	140		29.78	3	-0.02	29.97	FM-15	0.00	29.96
05	1900	4	57	9.94		82	27.8	77	25.0	75	23.9	79	8	140		29.78	3	-0.02	29.97	FM-12		
05	1954	7	FEW:02 50 BKN:07 220 OVC:08 300	10.00		80	26.7	76	24.4	74	23.3	82	5	130		29.80			29.98	FM-15	0.00	29.98
05	2054	7	SCT:04 240 OVC:08 300	10.00		79	26.1	76	24.4	74	23.3	85	8	140		29.81			30.00	FM-15	0.00	29.99
05	2154	7	BKN:07 230 OVC:08 300	10.00		78	25.6	75	23.9	73	22.8	85	6	180		29.83	3	-0.05	30.02	FM-15	0.00	30.01
05	2254	7	OVC:08 230	10.00		78	25.6	73	22.8	70	21.1	76	7	170		29.84			30.02	FM-15	0.00	30.02
05	2354	7	BKN:07 250	10.00		76	24.4	71	21.7	69	20.6	79	7	200		29.85			30.03	FM-15	0.00	30.03
06	0054	7	BKN:07 240	10.00		76	24.4	71	21.7	69	20.6	79	7	210		29.83	8	0.00	30.02	FM-15	0.00	30.01
06	0100	4		9.94		76	24.4	71	21.7	69	20.6	79	7	210		29.83	8	0.00	30.02	FM-12		
06	0154	7	BKN:07 250	10.00		75	23.9	70	21.1	68	20.0	79	9	210		29.83			30.01	FM-15	0.00	30.01
06	0254	7	SCT:04 250	10.00		74	23.3	70	21.1	68	20.0	82	6	200		29.83			30.01	FM-15	0.00	30.01
06	0354	7	SCT:04 250	10.00		73	22.8	70	21.1	68	20.0	84	3	170		29.83	3	0.00	30.02	FM-15	0.00	30.01
06	0454	7	FEW:02 120 SCT:04 250	10.00		71	21.7	69	20.6	68	20.0	90	5	180		29.85			30.03	FM-15	0.00	30.03

06	0554	7	FEW:02 150 FEW:02 250	10.00		73	22.8	70	21.1	69	20.6	87	3	200		29.86			30.04	FM-15	0.00	30.04
06	0654	7	FEW:02 150 SCT:04 250	10.00		76	24.4	72	22.2	70	21.1	82	7	210		29.88	3	-0.05	30.07	FM-15	0.00	30.06
06	0700	4		9.94		76	24.4	72	22.2	70	21.1	82	7	210		29.88	3	-0.05	30.07	FM-12		
06	0754	7	SCT:04 230 BKN:07 300	10.00		80	26.7	74	23.3	71	21.7	74	8	200		29.89			30.07	FM-15	0.00	30.07
06	0854	7	SCT:04 230 BKN:07 300	10.00		82	27.8	74	23.3	71	21.7	69	7	220		29.89			30.08	FM-15	0.00	30.07
06	0954	7	FEW:02 230 SCT:04 300	10.00		85	29.4	77	25.0	73	22.8	68	5	160		29.88	0	0.00	30.07	FM-15	0.00	30.06
06	1054	7	FEW:02 33 FEW:02 300	10.00		88	31.1	78	25.6	74	23.3	63	7	200		29.88			30.07	FM-15	0.00	30.06
06	1154	7	FEW:02 40 SCT:04 300	10.00		90	32.2	78	25.6	73	22.8	58	9	200		29.88			30.06	FM-15	0.00	30.06
06	1254	7	SCT:04 45	10.00		91	32.8	78	25.6	72	22.2	54	9	200		29.87	8	+0.01	30.06	FM-15	0.00	30.05
06	1300	4	41	9.94		91	32.8	78	25.6	72	22.2	54	9	200		29.87	8	+0.01	30.06	FM-12		
06	1354	7	FEW:02 47 SCT:04 100 SCT:04 300	10.00		92	33.3	78	25.6	73	22.8	54	10	170		29.86			30.04	FM-15	0.00	30.04
06	1454	7	FEW:02 46 SCT:04 300	10.00		92	33.3	78	25.6	72	22.2	52	15	180		29.83			30.02	FM-15	0.00	30.01
06	1554	7	FEW:02 55 BKN:07 300	10.00		92	33.3	77	25.0	70	21.1	49	13	210		29.82	6	+0.05	30.01	FM-15	0.00	30.00
06	1654	7	FEW:02 55 BKN:07 300	10.00		91	32.8	75	23.9	68	20.0	47	14	210		29.82			30.01	FM-15	0.00	30.00
06	1754	7	FEW:02 55 BKN:07 300	10.00		87	30.6	76	24.4	71	21.7	59	9	190		29.81			29.99	FM-15	0.00	29.99
06	1854	7	FEW:02 250 BKN:07 300	10.00		84	28.9	76	24.4	72	22.2	67	7	180		29.82	5	+0.01	30.00	FM-15	0.00	30.00
06	1900	4		9.94		84	28.9	76	24.4	72	22.2	67	7	180		29.82	5	+0.01	30.00	FM-12		
06	1954	7	FEW:02 250 BKN:07 300	10.00		80	26.7	75	23.9	73	22.8	79	6	190		29.83			30.02	FM-15	0.00	30.01
06	2054	7	BKN:07 300	10.00		78	25.6	73	22.8	71	21.7	79	6	180		29.86			30.05	FM-15	0.00	30.04
06	2154	7	BKN:07 300	10.00		78	25.6	73	22.8	71	21.7	79	8	180		29.86	1	-0.04	30.05	FM-15	0.00	30.04
06	2254	7	SCT:04 170 BKN:07 300	10.00		78	25.6	74	23.3	72	22.2	82	7	190		29.88			30.06	FM-15	0.00	30.06
06	2354	7	BKN:07 170 BKN:07 300	10.00		78	25.6	74	23.3	72	22.2	82	6	180		29.89			30.08	FM-15	0.00	30.07
07	0054	7	FEW:02 170 FEW:02 300	10.00		76	24.4	73	22.8	71	21.7	85	6	180		29.87	0	-0.01	30.06	FM-15	0.00	30.05
07	0100	4		9.94		76	24.4	73	22.8	71	21.7	85	6	180		29.87	9	+0.01	30.06	FM-12		
07	0154	7	FEW:02 300	10.00		76	24.4	73	22.8	71	21.7	85	3	170		29.87			30.05	FM-15	0.00	30.05
07	0254	7	SCT:04 300	10.00		76	24.4	73	22.8	71	21.7	85	0	000		29.88			30.06	FM-15	0.00	30.06
07	0354	7	SCT:04 300	8.00		73	22.8	72	22.2	71	21.7	94	5	070		29.89	3	-0.01	30.08	FM-15	0.00	30.07
07	0454	7	SCT:04 300	7.00		72	22.2	71	21.7	70	21.1	94	5	190		29.88			30.07	FM-15	0.00	30.06
07	0554	7	SCT:04 300	7.00		74	23.3	72	22.2	71	21.7	91	5	190		29.88			30.06	FM-15	0.00	30.06
07	0654	7	FEW:02 300	9.00		79	26.1	74	23.3	72	22.2	79	7	230		29.88	6	+0.01	30.06	FM-15	0.00	30.06
07	0700	4		8.70		79	26.1	74	23.3	72	22.2	79	7	230		29.88	6	+0.01	30.06	FM-12		
07	0754	7	BKN:07 300	10.00		81	27.2	74	23.3	71	21.7	72	5	260		29.88			30.06	FM-15	0.00	30.06
07	0854	7	SCT:04 300	10.00		83	28.3	75	23.9	72	22.2	70	7	200		29.88			30.06	FM-15	0.00	30.06
07	0954	7	FEW:02 30 SCT:04 300	10.00		85	29.4	76	24.4	72	22.2	65	6	200		29.88	3	-0.01	30.07	FM-15	0.00	30.06
07	1054	7	FEW:02 40 SCT:04 300	10.00		87	30.6	75	23.9	70	21.1	57	11	200		29.89			30.07	FM-15	0.00	30.07
07	1154	7	FEW:02 37 SCT:04 300	10.00		88	31.1	76	24.4	70	21.1	55	9	170		29.88			30.06	FM-15	0.00	30.06
07	1254	7	SCT:04 41 BKN:07 300	10.00		89	31.7	76	24.4	71	21.7	55	11	170		29.87	8	+0.01	30.06	FM-15	0.00	30.05
07	1300	4	41	9.94		89	31.7	76	24.4	71	21.7	55	11	170		29.87	8	+0.01	30.06	FM-12		
07	1354	7	SCT:04 46 BKN:07 300	10.00		89	31.7	76	24.4	70	21.1	53	10	150		29.86			30.04	FM-15	0.00	30.04

07	1454	7	FEW:02 44 SCT:04 300	10.00		89	31.7	76	24.4	70	21.1	53	10	200		29.84			30.03	FM-15	0.00	30.02
07	1554	7	FEW:02 47 SCT:04 300	10.00		90	32.2	75	23.9	68	20.0	48	10	190		29.82	8	+0.05	30.01	FM-15	0.00	30.00
07	1654	7	FEW:02 50 BKN:07 300	10.00		89	31.7	75	23.9	69	20.6	52	7	160		29.81			29.99	FM-15	0.00	29.99
07	1754	7	FEW:02 50 BKN:07 300	10.00		87	30.6	76	24.4	71	21.7	59	7	120		29.80			29.99	FM-15	0.00	29.98
07	1854	7	BKN:07 46 BKN:07 300	10.00		83	28.3	73	22.8	68	20.0	61	13	190		29.81	5	+0.01	30.00	FM-15	0.00	29.99
07	1900	4	41	9.94		83	28.3	73	22.8	68	20.0	61	13	190		29.81	5	+0.01	30.00	FM-12		
07	1954	7	SCT:04 55 SCT:04 90 OVC:08 300	10.00		77	25.0	75	23.9	74	23.3	90	5	140		29.82			30.01	FM-15	0.03	30.00
07	2054	7	FEW:02 50 FEW:02 90 BKN:07 300	10.00		77	25.0	74	23.3	72	22.2	85	7	130		29.84			30.02	FM-15	0.00	30.02
07	2154	7	BKN:07 42 BKN:07 300	10.00		77	25.0	74	23.3	72	22.2	85	5	140		29.85	1	-0.04	30.03	FM-15	0.00	30.03
07	2254	7	FEW:02 42 BKN:07 300	10.00		75	23.9	73	22.8	72	22.2	90	5	130		29.85			30.03	FM-15	0.00	30.03
07	2354	7	FEW:02 150 SCT:04 300	10.00		75	23.9	73	22.8	72	22.2	90	5	150		29.84			30.03	FM-15	0.00	30.02
08	0054	7	FEW:02 150 SCT:04 300	10.00		73	22.8	72	22.2	71	21.7	94	3	130		29.83	8	+0.01	30.02	FM-15	0.00	30.01
08	0100	4		9.94		73	22.8	72	22.2	71	21.7	94	3	130		29.83	8	+0.01	30.02	FM-12		
08	0154	7	BKN:07 300	10.00		73	22.8	72	22.2	71	21.7	94	3	140		29.81			30.00	FM-15	0.00	29.99
08	0254	7	BKN:07 300	8.00		72	22.2	71	21.7	70	21.1	94	5	120		29.80			29.99	FM-15	0.00	29.98
08	0354	7	FEW:02 200 SCT:04 300	8.00		73	22.8	72	22.2	71	21.7	94	0	000		29.81	5	+0.03	29.99	FM-15	0.00	29.99
08	0454	7	FEW:02 200 BKN:07 300	6.00	BR:1	72	22.2	71	21.7	70	21.1	94	0	000		29.82			30.01	FM-15	0.00	30.00
08	0554	7	FEW:02 200 SCT:04 300	7.00		74	23.3	73	22.8	72	22.2	94	3	070		29.82			30.01	FM-15	0.00	30.00
08	0654	7	FEW:02 20 FEW:02 200 SCT:04 300	8.00		76	24.4	74	23.3	73	22.8	91	5	080		29.83	1	-0.02	30.01	FM-15	0.00	30.01
08	0700	4	26	7.46		76	24.4	74	23.3	73	22.8	91	5	080		29.83	1	-0.02	30.01	FM-12		
08	0740	7	SCT:04 9 SCT:04 200	10.00		78	25.6	75	23.9	74	23.3	87	3	VRB		29.83				FM-16		30.01
08	0754	7	SCT:04 10 BKN:07 200	10.00		79	26.1	75	23.9	73	22.8	82	5	VRB		29.84			30.02	FM-15	0.00	30.02
08	0800	7	BKN:07 12 BKN:07 200	10.00		78	25.6	75	23.9	73	22.8	85	3	140		29.84				FM-16		30.02
08	0845	6	BKN:07 15 BKN:07 200	10.00		82	27.8	76	24.4	74	23.3	77	6	120		29.84				FM-16		30.02
08	0854	7	BKN:07 18 BKN:07 200	10.00		82	27.8	75	23.9	72	22.2	72	6	110		29.84			30.03	FM-15	0.00	30.02
08	0914	7	SCT:04 19 BKN:07 200	10.00		82	27.8	75	23.9	72	22.2	72	6	090		29.83				FM-16		30.01
08	0954	7	SCT:04 28 BKN:07 200	10.00		84	28.9	76	24.4	72	22.2	67	7	130		29.82	8	+0.01	30.01	FM-15	0.00	30.00
08	1054	7	BKN:07 33 BKN:07 200	10.00		86	30.0	76	24.4	71	21.7	61	5	130		29.81			30.00	FM-15	0.00	29.99
08	1154	7	BKN:07 34 BKN:07 200	10.00		86	30.0	76	24.4	71	21.7	61	10	060		29.81			29.99	FM-15	0.00	29.99
08	1254	7	SCT:04 35 BKN:07 220 BKN:07 300	10.00		87	30.6	76	24.4	71	21.7	59	10	110		29.79	8	+0.03	29.97	FM-15	0.00	29.97
08	1300	4	41	9.94		87	30.6	76	24.4	71	21.7	59	10	110		29.79	8	+0.03	29.97	FM-12		
08	1354	7	FEW:02 36 BKN:07 240 BKN:07 300	10.00		89	31.7	76	24.4	71	21.7	55	9	090		29.76			29.95	FM-15	0.00	29.94

08	1454	7	FEW:02 38 BKN:07 220 BKN:07 300	10.00		89	31.7	75	23.9	69	20.6	52	10	100		29.75			29.94	FM-15	0.00	29.93
08	1554	7	FEW:02 40 SCT:04 220 BKN:07 300	10.00		89	31.7	76	24.4	70	21.1	53	9	070		29.74	6	+0.05	29.93	FM-15	0.00	29.92
08	1654	7	FEW:02 40 SCT:04 230 BKN:07 300	10.00		85	29.4	75	23.9	71	21.7	63	8	110		29.73			29.91	FM-15	0.00	29.91
08	1754	7	FEW:02 40 SCT:04 230 SCT:04 300	10.00		85	29.4	76	24.4	72	22.2	65	8	100		29.73			29.92	FM-15	0.00	29.91
08	1854	7	FEW:02 40 FEW:02 230 SCT:04 300	10.00		82	27.8	74	23.3	71	21.7	69	9	120		29.74	3	0.00	29.93	FM-15	0.00	29.92
08	1900	4	41	9.94		82	27.8	74	23.3	71	21.7	69	9	120		29.74	3	0.00	29.93	FM-12		
08	1954	7	FEW:02 230 FEW:02 300	10.00		78	25.6	73	22.8	71	21.7	79	5	120		29.75			29.94	FM-15	0.00	29.93
08	2054	7	FEW:02 230	10.00		77	25.0	73	22.8	71	21.7	82	5	090		29.76			29.95	FM-15	0.00	29.94
08	2154	7	FEW:02 230	10.00		76	24.4	73	22.8	71	21.7	85	5	030		29.77	3	-0.03	29.96	FM-15	0.00	29.95
08	2254	7	FEW:02 230	10.00		75	23.9	72	22.2	71	21.7	88	5	040		29.77			29.95	FM-15	0.00	29.95
08	2354	7	FEW:02 230	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.75			29.94	FM-15	0.00	29.93
09	0054	7	FEW:02 200	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.75	7	+0.03	29.93	FM-15	0.00	29.93
09	0100	4		9.94		74	23.3	72	22.2	71	21.7	91	0	000		29.75	7	+0.03	29.93	FM-12		
09	0154	7	FEW:02 15 SCT:04 200	10.00		74	23.3	73	22.8	72	22.2	94	0	000		29.74			29.92	FM-15	0.00	29.92
09	0254	7	SCT:04 230	8.00		73	22.8	72	22.2	71	21.7	94	5	050		29.73			29.92	FM-15	0.00	29.91
09	0354	7	FEW:02 230	7.00		72	22.2	71	21.7	71	21.7	97	7	040		29.74	5	+0.01	29.92	FM-15	0.00	29.92
09	0428	7	SCT:04 3 SCT:04 250	7.00		72	22.2	71	21.7	71	21.7	97	9	020		29.75				FM-16		29.93
09	0454	7	FEW:02 3 SCT:04 250	6.00	BR:1	72	22.2	71	21.7	71	21.7	97	7	020		29.76			29.94	FM-15	0.00	29.94
09	0539	7	BKN:07 3 BKN:07 250	5.00	BR:1	73	22.8	72	22.2	72	22.2	96	6	040		29.77				FM-16		29.95
09	0554	7	BKN:07 3 BKN:07 250	5.00	BR:1	73	22.8	72	22.2	72	22.2	96	8	030		29.77			29.96	FM-15	0.00	29.95
09	0611	7	BKN:07 3 OVC:08 250	1.75	BR:1	73	22.8	72	22.2	72	22.2	96	7	030		29.77				FM-16		29.95
09	0633	7	OVC:08 3	1.00	BR:1	74	23.3	73	22.8	73	22.8	97	7	040		29.77				FM-16		29.95
09	0642	7	BKN:07 2 BKN:07 250	2.00	BR:1	75	23.9	74	23.3	73	22.8	94	6	050		29.77				FM-16		29.95
09	0650	7	SCT:04 2 BKN:07 250	6.00	BR:1	75	23.9	74	23.3	73	22.8	94	6	040		29.77				FM-16		29.95
09	0651	7	SCT:04 2 BKN:07 250	7.00		76	24.4	75	23.9	74	23.3	94	7	030		29.77	1	-0.04	29.96	FM-15	0.00	29.95
09	0700	4	2	6.84		76	24.4	75	23.9	74	23.3	94	7	030		29.77	1	-0.04	29.96	FM-12		
09	0754	7	SCT:04 14 BKN:07 65 BKN:07 250	10.00		81	27.2	76	24.4	74	23.3	79	8	080		29.78			29.96	FM-15	0.00	29.96
09	0825	7	BKN:07 18 BKN:07 250	10.00		82	27.8	76	24.4	73	22.8	74	10	060		29.78				FM-16		29.96
09	0854	7	BKN:07 23 BKN:07 250	10.00		83	28.3	75	23.9	72	22.2	70	11	060		29.77			29.96	FM-15	0.00	29.95
09	0954	7	BKN:07 26 BKN:07 250	10.00		86	30.0	76	24.4	72	22.2	63	8	060		29.76	8	+0.01	29.95	FM-15	0.00	29.94
09	1032	7	BKN:07 30 BKN:07 250	10.00		87	30.6	77	25.0	72	22.2	61	10	050		29.76				FM-16		29.94
09	1054	7	BKN:07 35 BKN:07 60	10.00		87	30.6	77	25.0	72	22.2	61	13	050		29.76			29.94	FM-15	0.00	29.94
09	1154	7	BKN:07 40 BKN:07 75	10.00		86	30.0	78	25.6	75	23.9	70	9	VRB		29.76			29.94	FM-15	T	29.94

09	1254	7	SCT:04 35 BKN:07 70 BKN:07 300	10.00		85	29.4	77	25.0	74	23.3	70	11	050		29.75	8	+0.01	29.93	FM-15	0.02	29.93
09	1300	4	41	9.94		85	29.4	77	25.0	74	23.3	70	11	050		29.75	8	+0.01	29.93	FM-12		
09	1354	7	SCT:04 33 BKN:07 75	10.00		88	31.1	77	25.0	73	22.8	61	14	090		29.73			29.92	FM-15	0.00	29.91
09	1454	7	SCT:04 30 BKN:07 85 BKN:07 300	10.00		88	31.1	77	25.0	73	22.8	61	13	090	22	29.73			29.91	FM-15	T	29.91
09	1554	7	FEW:02 32 SCT:04 65 BKN:07 85	10.00		87	30.6	77	25.0	73	22.8	63	11	080		29.72	6	+0.03	29.90	FM-15	0.00	29.90
09	1654	7	FEW:02 34 SCT:04 65 SCT:04 300	10.00		87	30.6	76	24.4	71	21.7	59	15	080		29.71			29.89	FM-15	0.00	29.89
09	1754	7	FEW:02 33 SCT:04 65 SCT:04 300	10.00		86	30.0	76	24.4	71	21.7	61	13	050		29.71			29.90	FM-15	0.00	29.89
09	1854	7	FEW:02 33 FEW:02 65 SCT:04 300	10.00		83	28.3	75	23.9	72	22.2	70	11	090		29.70	6	+0.01	29.89	FM-15	0.00	29.88
09	1900	4	26	9.94		83	28.3	75	23.9	72	22.2	70	11	090		29.70	6	+0.01	29.89	FM-12		
09	1954	7	FEW:02 33 FEW:02 65 SCT:04 300	10.00		80	26.7	75	23.9	72	22.2	76	9	080		29.70			29.89	FM-15	0.00	29.88
09	2054	7	FEW:02 33 FEW:02 65 SCT:04 300	10.00		78	25.6	74	23.3	72	22.2	82	6	060		29.72			29.91	FM-15	0.00	29.90
09	2154	7	FEW:02 33 SCT:04 300	10.00		77	25.0	74	23.3	72	22.2	85	5	020		29.72	3	-0.02	29.91	FM-15	0.00	29.90
09	2254	7	FEW:02 33 FEW:02 300	10.00		76	24.4	73	22.8	72	22.2	88	5	010		29.72			29.91	FM-15	0.00	29.90
09	2354	7	FEW:02 33 FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	5	360		29.72			29.90	FM-15	0.00	29.90
10	0054	7	FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	8	350		29.71	8	+0.01	29.90	FM-15	0.00	29.89
10	0100	4		9.94		75	23.9	73	22.8	72	22.2	90	8	350		29.71	8	+0.01	29.90	FM-12		
10	0154	7	FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	8	350		29.69			29.88	FM-15	0.00	29.87
10	0254	7	SCT:04 28 BKN:07 300	10.00		75	23.9	73	22.8	72	22.2	90	9	350		29.69			29.88	FM-15	0.00	29.87
10	0354	7	FEW:02 15 FEW:02 27 SCT:04 300	10.00		74	23.3	73	22.8	73	22.8	97	8	340		29.68	6	+0.03	29.87	FM-15	T	29.86
10	0423	7	SCT:04 7 SCT:04 18 SCT:04 30	10.00		74	23.3	73	22.8	73	22.8	97	8	330		29.68				FM-16		29.86
10	0454	7	SCT:04 7 SCT:04 18 SCT:04 300	10.00		74	23.3	73	22.8	72	22.2	94	8	340		29.67			29.85	FM-15	0.00	29.85
10	0554	7	FEW:02 7 FEW:02 300	10.00		75	23.9	73	22.8	72	22.2	90	6	330		29.68			29.87	FM-15	0.00	29.86
10	0654	7	FEW:02 7	10.00		78	25.6	75	23.9	73	22.8	85	8	340		29.68	3	0.00	29.87	FM-15	0.00	29.86
10	0700	4	8	9.94		78	25.6	75	23.9	73	22.8	85	8	340		29.68	3	0.00	29.87	FM-12		
10	0704	7	BKN:07 9	10.00		78	25.6	75	23.9	73	22.8	85	8	350		29.68				FM-16		29.86
10	0709	7	BKN:07 10	10.00		78	25.6	75	23.9	73	22.8	85	10	360		29.68				FM-16		29.86
10	0754	7	BKN:07 13	10.00		80	26.7	75	23.9	72	22.2	76	10	340	18	29.68			29.86	FM-15	0.00	29.86
10	0808	7	BKN:07 15	10.00		79	26.1	74	23.3	72	22.2	79	14	350		29.68				FM-16		29.86
10	0854	7	BKN:07 19	10.00		83	28.3	75	23.9	72	22.2	70	7	350		29.68			29.87	FM-15	0.00	29.86
10	0944	7	SCT:04 24 BKN:07 39	10.00		84	28.9	76	24.4	72	22.2	67	10	320		29.68				FM-16		29.86
10	0954	7	SCT:04 24 BKN:07 40	10.00		85	29.4	76	24.4	72	22.2	65	11	320		29.68	8	+0.01	29.86	FM-15	0.00	29.86
10	1054	7	SCT:04 29 BKN:07 38	10.00		86	30.0	76	24.4	71	21.7	61	11	320	21	29.68			29.86	FM-15	0.00	29.86

10	1154	7	SCT:04 37 BKN:07 50	10.00		89	31.7	76	24.4	71	21.7	55	7	340		29.67			29.85	FM-15	0.00	29.85
10	1254	7	BKN:07 45	10.00		90	32.2	76	24.4	70	21.1	52	0	000		29.64	8	+0.03	29.83	FM-15	0.00	29.82
10	1300	4	41	9.94		90	32.2	76	24.4	70	21.1	52	0	000		29.64	8	+0.03	29.83	FM-12		
10	1354	7	BKN:07 50	10.00		90	32.2	75	23.9	68	20.0	48	7	VRB		29.62			29.80	FM-15	0.00	29.80
10	1454	7	SCT:04 50	10.00		93	33.9	77	25.0	70	21.1	47	11	240		29.60			29.79	FM-15	0.00	29.78
10	1554	7	SCT:04 55 SCT:04 300	10.00		93	33.9	76	24.4	68	20.0	44	8	210		29.59	6	+0.05	29.78	FM-15	0.00	29.77
10	1654	7	FEW:02 60 FEW:02 300	10.00		92	33.3	74	23.3	66	18.9	43	11	210		29.58			29.77	FM-15	0.00	29.76
10	1754	7	FEW:02 60 FEW:02 250	10.00		90	32.2	75	23.9	68	20.0	48	10	190		29.58			29.77	FM-15	0.00	29.76
10	1854	7	FEW:02 60 FEW:02 250	10.00		84	28.9	74	23.3	70	21.1	63	7	190		29.59	5	+0.01	29.77	FM-15	0.00	29.77
10	1900	4	57	9.94		84	28.9	74	23.3	70	21.1	63	7	190		29.59	5	+0.01	29.77	FM-12		
10	1954	7	FEW:02 60 SCT:04 250	10.00		80	26.7	74	23.3	71	21.7	74	7	170		29.59			29.78	FM-15	0.00	29.77
10	2054	7	BKN:07 65	10.00		80	26.7	75	23.9	72	22.2	76	7	180		29.61			29.79	FM-15	0.00	29.79
10	2154	7	SCT:04 60 BKN:07 95	10.00		80	26.7	75	23.9	72	22.2	76	9	190		29.60	0	-0.01	29.78	FM-15	0.00	29.78
10	2224	7	SCT:04 38 BKN:07 45	10.00		81	27.2	74	23.3	70	21.1	69	16	290	24	29.63				FM-16	T	29.81
10	2254	7	FEW:02 45 SCT:04 70 BKN:07 110	10.00		78	25.6	73	22.8	70	21.1	76	9	270		29.63			29.81	FM-15	T	29.81
10	2354	7	FEW:02 70 BKN:07 110	10.00	-RA:02 RA RA	76	24.4	73	22.8	71	21.7	85	7	210		29.63			29.81	FM-15	T	29.81
11	0054	7	FEW:02 45 FEW:02 70 SCT:04 110	10.00	RA RA	73	22.8	72	22.2	71	21.7	94	8	180		29.59	8	+0.01	29.78	FM-15	0.01	29.77
11	0100	4	41	9.94	RA	73	22.8	72	22.2	71	21.7	94	8	180		29.59	8	+0.01	29.78	FM-12		
11	0154	7	FEW:02 120 SCT:04 150 BKN:07 240	10.00		72	22.2	71	21.7	70	21.1	94	5	190		29.57			29.76	FM-15	T	29.75
11	0254	7	SCT:04 170 OVC:08 250	10.00		73	22.8	72	22.2	71	21.7	94	5	200		29.57			29.75	FM-15	0.00	29.75
11	0354	7	FEW:02 120 OVC:08 150	10.00		73	22.8	72	22.2	71	21.7	94	5	210		29.56	6	+0.03	29.75	FM-15	0.00	29.74
11	0454	7	FEW:02 120 SCT:04 150 BKN:07 250	9.00		74	23.3	71	21.7	70	21.1	88	9	240		29.57			29.75	FM-15	0.00	29.75
11	0554	7	FEW:02 90 FEW:02 120 SCT:04 150	9.00		74	23.3	72	22.2	71	21.7	91	8	210		29.58			29.77	FM-15	0.00	29.76
11	0654	7	FEW:02 120 SCT:04 300	8.00		73	22.8	71	21.7	70	21.1	90	8	220		29.58	1	-0.02	29.77	FM-15	0.00	29.76
11	0700	4		7.46		73	22.8	71	21.7	70	21.1	90	8	220		29.58	1	-0.02	29.77	FM-12		
11	0754	7	SCT:04 250	10.00		77	25.0	73	22.8	71	21.7	82	8	240		29.58			29.77	FM-15	0.00	29.76
11	0854	7	FEW:02 250	10.00		83	28.3	75	23.9	71	21.7	67	10	260		29.58			29.77	FM-15	0.00	29.76
11	0954	7	FEW:02 300	10.00		86	30.0	75	23.9	70	21.1	59	13	250		29.59	3	-0.01	29.77	FM-15	0.00	29.77
11	1054	7	FEW:02 45 FEW:02 250	10.00		89	31.7	75	23.9	68	20.0	50	10	270		29.59			29.77	FM-15	0.00	29.77
11	1154	7	SCT:04 49 BKN:07 65	10.00		90	32.2	74	23.3	67	19.4	47	11	240		29.58			29.77	FM-15	0.00	29.76
11	1254	7	SCT:04 49 BKN:07 65	10.00		90	32.2	74	23.3	67	19.4	47	11	260	18	29.58	8	+0.01	29.76	FM-15	0.00	29.76
11	1300	4	41	9.94		90	32.2	74	23.3	67	19.4	47	11	260		29.58	8	+0.01	29.76	FM-12		
11	1354	7	SCT:04 55	10.00		92	33.3	74	23.3	66	18.9	43	15	260		29.56			29.74	FM-15	0.00	29.74
11	1454	7	FEW:02 55	10.00		92	33.3	72	22.2	61	16.1	36	11	300		29.55			29.73	FM-15	0.00	29.73
11	1554	7	FEW:02 65	10.00		91	32.8	72	22.2	62	16.7	38	15	260		29.54	6	+0.03	29.73	FM-15	0.00	29.72
11	1654	7	SCT:04 70	10.00		92	33.3	72	22.2	62	16.7	37	13	270		29.55			29.74	FM-15	0.00	29.73
11	1754	7	SCT:04 70	10.00		90	32.2	72	22.2	63	17.2	41	15	250		29.57			29.75	FM-15	0.00	29.75

11	1854	7	FEW:02 70	10.00		88	31.1	72	22.2	64	17.8	45	9	240		29.58	3	-0.04	29.77	FM-15	0.00	29.76
11	1900	4	74	9.94		88	31.1	72	22.2	64	17.8	45	9	240		29.58	3	-0.04	29.77	FM-12		
11	1954	7	CLR:00	10.00		79	26.1	70	21.1	66	18.9	65	7	220		29.59			29.78	FM-15	0.00	29.77
11	2054	7	FEW:02 80	10.00		77	25.0	69	20.6	65	18.3	66	6	220		29.61			29.79	FM-15	0.00	29.79
11	2154	7	SCT:04 80	10.00		82	27.8	69	20.6	62	16.7	51	8	250		29.62	3	-0.04	29.81	FM-15	0.00	29.80
11	2254	7	FEW:02 85	10.00		81	27.2	69	20.6	62	16.7	53	6	270		29.63			29.82	FM-15	0.00	29.81
11	2354	7	FEW:02 90	10.00		79	26.1	68	20.0	62	16.7	56	8	310		29.63			29.82	FM-15	0.00	29.81
12	0054	7	FEW:02 90	10.00		77	25.0	68	20.0	63	17.2	62	6	280		29.63	0	-0.01	29.82	FM-15	0.00	29.81
12	0100	4		9.94		77	25.0	68	20.0	63	17.2	62	6	280		29.63	9	+0.01	29.82	FM-12		
12	0154	7	CLR:00	10.00		73	22.8	67	19.4	63	17.2	71	0	000		29.62			29.80	FM-15	0.00	29.80
12	0254	7	CLR:00	10.00		69	20.6	66	18.9	64	17.8	84	0	000		29.61			29.80	FM-15	0.00	29.79
12	0354	7	FEW:02 85	10.00		70	21.1	66	18.9	64	17.8	82	0	000		29.61	6	+0.02	29.80	FM-15	0.00	29.79
12	0454	7	FEW:02 85	10.00		70	21.1	66	18.9	63	17.2	79	0	000		29.63			29.81	FM-15	0.00	29.81
12	0554	7	FEW:02 85	10.00		70	21.1	66	18.9	64	17.8	82	0	000		29.64			29.83	FM-15	0.00	29.82
12	0654	7	CLR:00	10.00		78	25.6	69	20.6	64	17.8	62	0	000		29.64	1	-0.03	29.83	FM-15	0.00	29.82
12	0700	4		9.94		78	25.6	69	20.6	64	17.8	62	0	000		29.64	1	-0.03	29.83	FM-12		
12	0754	7	CLR:00	10.00		83	28.3	70	21.1	63	17.2	51	0	000		29.66			29.84	FM-15	0.00	29.84
12	0854	7	CLR:00	10.00		87	30.6	69	20.6	59	15.0	39	0	000		29.65			29.83	FM-15	0.00	29.83
12	0954	7	CLR:00	10.00		86	30.0	68	20.0	58	14.4	39	6	140		29.64	0	0.00	29.83	FM-15	0.00	29.82
12	1054	7	FEW:02 50	10.00		88	31.1	69	20.6	59	15.0	38	6	VRB		29.64			29.83	FM-15	0.00	29.82
12	1154	7	SCT:04 50	10.00		90	32.2	71	21.7	61	16.1	38	10	160		29.63			29.81	FM-15	0.00	29.81
12	1254	7	SCT:04 50 SCT:04 95	10.00		91	32.8	71	21.7	60	15.6	35	9	140		29.62	8	+0.03	29.80	FM-15	0.00	29.80
12	1300	4	57	9.94		91	32.8	71	21.7	60	15.6	35	9	140		29.62	8	+0.03	29.80	FM-12		
12	1354	7	FEW:02 50 SCT:04 80 SCT:04 300	10.00		91	32.8	71	21.7	61	16.1	37	13	VRB	18	29.60			29.78	FM-15	0.00	29.78
12	1454	7	FEW:02 55 BKN:07 250	10.00		92	33.3	71	21.7	59	15.0	33	9	190		29.58			29.76	FM-15	0.00	29.76
12	1554	7	FEW:02 60 BKN:07 300	10.00		92	33.3	72	22.2	62	16.7	37	7	VRB		29.56	6	+0.05	29.75	FM-15	0.00	29.74
12	1654	7	FEW:02 60 SCT:04 300	10.00		92	33.3	71	21.7	59	15.0	33	10	230		29.55			29.73	FM-15	0.00	29.73
12	1754	7	FEW:02 60 FEW:02 200 BKN:07 300	10.00		89	31.7	70	21.1	59	15.0	36	10	240		29.56			29.75	FM-15	0.00	29.74
12	1854	7	FEW:02 70 FEW:02 200 SCT:04 300	10.00		88	31.1	71	21.7	62	16.7	42	9	230		29.57	3	-0.01	29.76	FM-15	0.00	29.75
12	1900	4	74	9.94		88	31.1	71	21.7	62	16.7	42	9	230		29.57	3	-0.01	29.76	FM-12		
12	1954	7	FEW:02 150 SCT:04 250	10.00		81	27.2	71	21.7	65	18.3	58	6	200		29.59			29.77	FM-15	0.00	29.77
12	2054	7	BKN:07 150	10.00		81	27.2	71	21.7	66	18.9	61	5	210		29.60			29.79	FM-15	0.00	29.78
12	2154	7	FEW:02 130 BKN:07 180	10.00		79	26.1	70	21.1	66	18.9	65	3	170		29.61	1	-0.04	29.80	FM-15	0.00	29.79
12	2254	7	BKN:07 220	10.00		79	26.1	70	21.1	66	18.9	65	0	000		29.62			29.81	FM-15	0.00	29.80
12	2354	7	BKN:07 220	10.00		77	25.0	70	21.1	66	18.9	69	3	360		29.62			29.81	FM-15	0.00	29.80
13	0054	7	SCT:04 220	10.00		75	23.9	70	21.1	67	19.4	76	7	350		29.62	0	-0.01	29.81	FM-15	0.00	29.80
13	0100	4		9.94		75	23.9	70	21.1	67	19.4	76	7	350		29.62	9	+0.01	29.81	FM-12		
13	0154	7	SCT:04 230	10.00		73	22.8	69	20.6	67	19.4	81	6	010		29.62			29.80	FM-15	0.00	29.80
13	0254	7	BKN:07 230	10.00		73	22.8	69	20.6	66	18.9	79	6	340		29.62			29.80	FM-15	0.00	29.80
13	0354	7	BKN:07 240	10.00		72	22.2	68	20.0	66	18.9	82	5	360		29.63	3	-0.01	29.82	FM-15	0.00	29.81
13	0454	7	SCT:04 100 BKN:07 240	10.00		72	22.2	68	20.0	66	18.9	82	3	030		29.65			29.83	FM-15	0.00	29.83
13	0552	6	SCT:04 55 BKN:07 95 BKN:07 240	10.00	TS:7 TS	72	22.2	68	20.0	66	18.9	83	5	330		29.67				FM-16		29.85
13	0554	7	SCT:04 55 BKN:07 95 BKN:07 240	10.00	TS:7 TS TS	72	22.2	69	20.6	67	19.4	84	6	330		29.68			29.86	FM-15	0.00	29.86

13	0644	7	SCT:04 50 BKN:07 110 BKN:07 250	5.00	-RA:02 BR:1 RA RA	70	21.1	69	20.6	68	20.0	93	5	160		29.69				FM-16	0.05	29.87
13	0654	7	SCT:04 45 BKN:07 110 BKN:07 250	8.00	-RA:02 RA RA	71	21.7	70	21.1	69	20.6	94	5	120		29.68	1	-0.05	29.87	FM-15	0.05	29.86
13	0700	4	41	7.46	RA	71	21.7	70	21.1	69	20.6	94	5	120		29.68	1	-0.05	29.87	FM-12		
13	0754	7	FEW:02 50 SCT:04 120 BKN:07 250	10.00		73	22.8	70	21.1	68	20.0	84	0	000		29.69			29.88	FM-15	0.00	29.87
13	0854	7	FEW:02 60 SCT:04 75 BKN:07 300	10.00		78	25.6	71	21.7	68	20.0	71	3	VRB		29.69			29.87	FM-15	0.00	29.87
13	0954	7	FEW:02 50 FEW:02 100 SCT:04 300	10.00		82	27.8	72	22.2	67	19.4	60	8	360		29.69	1	-0.01	29.88	FM-15	0.00	29.87
13	1054	7	FEW:02 50 FEW:02 110 SCT:04 300	10.00		85	29.4	72	22.2	66	18.9	53	5	VRB		29.70			29.88	FM-15	0.00	29.88
13	1154	7	FEW:02 50 SCT:04 300	10.00		85	29.4	72	22.2	65	18.3	51	5	VRB		29.69			29.88	FM-15	0.00	29.87
13	1254	7	SCT:04 49	10.00		87	30.6	72	22.2	65	18.3	48	5	040		29.68	8	+0.01	29.87	FM-15	0.00	29.86
13	1300	4	41	9.94		87	30.6	72	22.2	65	18.3	48	5	040		29.68	8	+0.01	29.87	FM-12		
13	1354	7	BKN:07 50	10.00		86	30.0	72	22.2	64	17.8	48	6	170		29.67			29.86	FM-15	0.00	29.85
13	1454	7	BKN:07 55	10.00		88	31.1	73	22.8	66	18.9	48	5	080		29.66			29.85	FM-15	0.00	29.84
13	1554	7	SCT:04 55	10.00		87	30.6	73	22.8	66	18.9	50	7	150		29.66	6	+0.03	29.84	FM-15	0.00	29.84
13	1654	7	OVC:08 60	10.00		86	30.0	74	23.3	68	20.0	55	7	130		29.66			29.85	FM-15	0.00	29.84
13	1754	7	SCT:04 60 SCT:04 110	10.00		87	30.6	74	23.3	68	20.0	53	8	120		29.67			29.85	FM-15	0.00	29.85
13	1854	7	FEW:02 60 FEW:02 110 FEW:02 250	10.00		85	29.4	74	23.3	69	20.6	59	6	150		29.69	3	-0.03	29.88	FM-15	0.00	29.87
13	1900	4	57	9.94		85	29.4	74	23.3	69	20.6	59	6	150		29.69	3	-0.03	29.88	FM-12		
13	1954	7	FEW:02 60 FEW:02 250	10.00		80	26.7	73	22.8	70	21.1	71	3	100		29.70			29.89	FM-15	0.00	29.88
13	2054	7	FEW:02 60 FEW:02 250	9.00		77	25.0	73	22.8	71	21.7	82	0	000		29.72			29.91	FM-15	0.00	29.90
13	2154	7	FEW:02 250	9.00		76	24.4	73	22.8	71	21.7	85	7	130		29.73	1	-0.04	29.91	FM-15	0.00	29.91
13	2254	7	FEW:02 250	8.00		76	24.4	73	22.8	71	21.7	85	0	000		29.73			29.91	FM-15	0.00	29.91
13	2354	7	CLR:00	9.00		74	23.3	71	21.7	70	21.1	88	0	000		29.72			29.91	FM-15	0.00	29.90
14	0054	7	FEW:02 250	8.00		72	22.2	70	21.1	69	20.6	91	0	000		29.72	5	+0.01	29.91	FM-15	0.00	29.90
14	0100	4		7.46		72	22.2	70	21.1	69	20.6	91	0	000		29.72	5	+0.01	29.91	FM-12		
14	0154	7	FEW:02 250	9.00		72	22.2	71	21.7	70	21.1	94	3	020		29.74			29.92	FM-15	0.00	29.92
14	0254	7	CLR:00	7.00		71	21.7	70	21.1	69	20.6	94	0	000		29.74			29.92	FM-15	0.00	29.92
14	0354	7	FEW:02 30	8.00		72	22.2	71	21.7	70	21.1	94	6	040		29.75	1	-0.02	29.93	FM-15	0.00	29.93
14	0454	7	FEW:02 60 FEW:02 120	6.00	BR:1	71	21.7	70	21.1	70	21.1	96	0	000		29.76			29.95	FM-15	0.00	29.94
14	0554	7	FEW:02 75	9.00		72	22.2	71	21.7	70	21.1	94	6	360		29.78			29.97	FM-15	0.00	29.96
14	0618	7	FEW:02 5 FEW:02 75	10.00		73	22.8	72	22.2	71	21.7	94	5	350		29.79				FM-16		29.97
14	0654	7	FEW:02 7 FEW:02 75	10.00		75	23.9	72	22.2	71	21.7	88	0	000		29.79	1	-0.05	29.98	FM-15	0.00	29.97
14	0700	4	8	9.94		75	23.9	72	22.2	71	21.7	88	0	000		29.79	1	-0.05	29.98	FM-12		
14	0754	7	FEW:02 9 FEW:02 80	10.00		79	26.1	74	23.3	72	22.2	79	5	360		29.81			30.00	FM-15	0.00	29.99
14	0854	7	FEW:02 20 FEW:02 70	10.00		82	27.8	74	23.3	70	21.1	67	8	030		29.82			30.01	FM-15	0.00	30.00
14	0954	7	FEW:02 30 SCT:04 90	10.00		85	29.4	75	23.9	70	21.1	61	5	VRB		29.82	1	-0.03	30.01	FM-15	0.00	30.00
14	1054	7	FEW:02 35 SCT:04 70 SCT:04 90	10.00		86	30.0	74	23.3	69	20.6	57	6	VRB		29.82			30.01	FM-15	0.00	30.00

14	1154	7	SCT:04 40 BKN:07 90	10.00		89	31.7	74	23.3	67	19.4	48	6	310		29.82			30.00	FM-15	0.00	30.00
14	1254	7	BKN:07 50	10.00		89	31.7	74	23.3	66	18.9	47	9	010		29.82	6	+0.01	30.00	FM-15	0.00	30.00
14	1300	4	57	9.94		89	31.7	74	23.3	66	18.9	47	9	010		29.82	6	+0.01	30.00	FM-12		
14	1354	7	BKN:07 55	10.00		90	32.2	72	22.2	63	17.2	41	8	VRB		29.82			30.00	FM-15	0.00	30.00
14	1454	7	SCT:04 65	10.00		89	31.7	71	21.7	61	16.1	39	8	020		29.81			29.99	FM-15	0.00	29.99
14	1554	7	FEW:02 70 SCT:04 100 SCT:04 300	10.00		90	32.2	71	21.7	60	15.6	37	0	000		29.80	8	+0.02	29.98	FM-15	0.00	29.98
14	1654	7	FEW:02 70 SCT:04 300	10.00		90	32.2	72	22.2	63	17.2	41	7	100		29.81			30.00	FM-15	0.00	29.99
14	1754	7	SCT:04 70 SCT:04 300	10.00		86	30.0	72	22.2	64	17.8	48	7	100		29.83			30.01	FM-15	0.00	30.01
14	1854	7	SCT:04 90 SCT:04 300	10.00		84	28.9	72	22.2	66	18.9	55	5	090		29.84	3	-0.05	30.03	FM-15	0.00	30.02
14	1900	4		9.94		84	28.9	72	22.2	66	18.9	55	5	090		29.84	3	-0.05	30.03	FM-12		
14	1954	7	FEW:02 60 FEW:02 90 SCT:04 300	10.00		79	26.1	74	23.3	71	21.7	77	7	100		29.86			30.05	FM-15	0.00	30.04
14	2054	7	FEW:02 60 FEW:02 90 SCT:04 300	10.00		78	25.6	73	22.8	70	21.1	76	8	100		29.88			30.06	FM-15	0.00	30.06
14	2154	7	FEW:02 300	10.00		76	24.4	71	21.7	69	20.6	79	5	150		29.89	1	-0.05	30.08	FM-15	0.00	30.07
14	2254	7	FEW:02 300	10.00		75	23.9	72	22.2	70	21.1	84	3	130		29.90			30.08	FM-15	0.00	30.08
14	2354	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	3	120		29.90			30.08	FM-15	0.00	30.08
15	0054	7	CLR:00	8.00		74	23.3	71	21.7	70	21.1	88	0	000		29.90	1	0.00	30.08	FM-15	0.00	30.08
15	0100	4		7.46		74	23.3	71	21.7	70	21.1	88	0	000		29.90	1	0.00	30.08	FM-12		
15	0154	7	FEW:02 75	7.00		73	22.8	72	22.2	71	21.7	94	0	000		29.90			30.08	FM-15	0.00	30.08
15	0254	7	FEW:02 75	7.00		72	22.2	71	21.7	70	21.1	94	3	040		29.90			30.09	FM-15	0.00	30.08
15	0354	7	SCT:04 70	8.00		72	22.2	70	21.1	69	20.6	91	0	000		29.91	3	-0.01	30.10	FM-15	0.00	30.09
15	0454	7	FEW:02 70 FEW:02 90 SCT:04 300	7.00	MI:1 FG:2 FG	72	22.2	71	21.7	70	21.1	94	0	000		29.93			30.11	FM-15	0.00	30.11
15	0554	7	FEW:02 50 SCT:04 300	10.00		73	22.8	71	21.7	70	21.1	90	3	060		29.94			30.12	FM-15	0.00	30.12
15	0654	7	FEW:02 90 SCT:04 300	10.00		75	23.9	73	22.8	72	22.2	90	5	030		29.95	1	-0.04	30.14	FM-15	0.00	30.13
15	0700	4		9.94		75	23.9	73	22.8	72	22.2	90	5	030		29.95	1	-0.04	30.14	FM-12		
15	0754	7	FEW:02 200 SCT:04 300	10.00		80	26.7	75	23.9	72	22.2	76	0	000		29.95			30.14	FM-15	0.00	30.13
15	0854	7	FEW:02 25 FEW:02 75 SCT:04 300	10.00		84	28.9	75	23.9	71	21.7	65	5	160		29.95			30.14	FM-15	0.00	30.13
15	0954	7	FEW:02 40 SCT:04 80 BKN:07 300	10.00		86	30.0	74	23.3	68	20.0	55	6	100		29.96	3	-0.01	30.14	FM-15	0.00	30.14
15	1054	7	FEW:02 50 SCT:04 80 BKN:07 300	10.00		88	31.1	73	22.8	65	18.3	46	6	110		29.96			30.15	FM-15	0.00	30.14
15	1154	7	SCT:04 47 BKN:07 85 BKN:07 300	10.00		87	30.6	73	22.8	66	18.9	50	9	100		29.97			30.16	FM-15	0.00	30.15
15	1254	7	FEW:02 50 SCT:04 90	10.00		91	32.8	74	23.3	66	18.9	44	9	120		29.97	0	-0.01	30.15	FM-15	0.00	30.15
15	1300	4	57	9.94		91	32.8	74	23.3	66	18.9	44	9	120		29.97	9	+0.01	30.15	FM-12		
15	1354	7	FEW:02 50 SCT:04 90	10.00		91	32.8	73	22.8	64	17.8	41	7	130		29.95			30.14	FM-15	0.00	30.13
15	1454	7	FEW:02 55 FEW:02 100 SCT:04 300	10.00		91	32.8	73	22.8	64	17.8	41	9	090		29.94			30.12	FM-15	0.00	30.12
15	1554	7	FEW:02 60 SCT:04 300	10.00		91	32.8	74	23.3	65	18.3	42	8	VRB		29.93	6	+0.04	30.11	FM-15	0.00	30.11

15	1654	7	FEW:02 60 SCT:04 300	10.00		87	30.6	73	22.8	66	18.9	50	9	120		29.93			30.11	FM-15	0.00	30.11
15	1754	7	FEW:02 60 FEW:02 300	10.00		86	30.0	73	22.8	67	19.4	53	11	120		29.93			30.12	FM-15	0.00	30.11
15	1854	7	FEW:02 80 FEW:02 300	10.00		83	28.3	73	22.8	68	20.0	61	11	120		29.94	3	-0.01	30.12	FM-15	0.00	30.12
15	1900	4	74	9.94		83	28.3	73	22.8	68	20.0	61	11	120		29.94	3	-0.01	30.12	FM-12		
15	1954	7	FEW:02 85 FEW:02 300	10.00		80	26.7	73	22.8	69	20.6	69	9	120		29.94			30.13	FM-15	0.00	30.12
15	2054	7	FEW:02 300	10.00		78	25.6	71	21.7	67	19.4	69	10	120		29.96			30.14	FM-15	0.00	30.14
15	2154	7	CLR:00	10.00		76	24.4	70	21.1	66	18.9	72	9	130		29.96	1	-0.02	30.15	FM-15	0.00	30.14
15	2254	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	6	150		29.99			30.17	FM-15	0.00	30.17
15	2354	7	BKN:07 75	10.00		75	23.9	69	20.6	66	18.9	74	6	170		30.02			30.20	FM-15	0.00	30.20
16	0054	7	FEW:02 75 BKN:07 100	10.00		75	23.9	69	20.6	66	18.9	74	5	140		30.02	1	-0.06	30.20	FM-15	0.00	30.20
16	0100	4	74	9.94		75	23.9	69	20.6	66	18.9	74	5	140		30.02	1	-0.06	30.20	FM-12		
16	0154	7	SCT:04 75 SCT:04 100	10.00		73	22.8	69	20.6	66	18.9	79	3	140		30.01			30.19	FM-15	0.00	30.19
16	0254	7	BKN:07 65 BKN:07 110	10.00		73	22.8	69	20.6	66	18.9	79	0	000		30.01			30.20	FM-15	0.00	30.19
16	0354	7	BKN:07 75 BKN:07 100	10.00		71	21.7	68	20.0	67	19.4	87	7	120		30.00	6	+0.01	30.19	FM-15	0.00	30.18
16	0454	7	BKN:07 60 BKN:07 80	10.00		73	22.8	69	20.6	67	19.4	81	0	000		30.02			30.21	FM-15	0.00	30.20
16	0554	7	BKN:07 60 BKN:07 80	10.00		73	22.8	69	20.6	67	19.4	81	6	120		30.03			30.22	FM-15	0.00	30.21
16	0654	7	BKN:07 60 BKN:07 85	10.00		74	23.3	70	21.1	68	20.0	82	5	130		30.04	1	-0.04	30.23	FM-15	0.00	30.22
16	0700	4	57	9.94		74	23.3	70	21.1	68	20.0	82	5	130		30.04	1	-0.04	30.23	FM-12		
16	0754	7	BKN:07 75 BKN:07 110	10.00		77	25.0	72	22.2	70	21.1	79	7	120		30.04			30.22	FM-15	0.00	30.22
16	0854	7	FEW:02 75 FEW:02 110 SCT:04 300	10.00		82	27.8	72	22.2	67	19.4	60	9	120		30.03			30.22	FM-15	0.00	30.21
16	0954	7	FEW:02 40 BKN:07 55 BKN:07 70	10.00		83	28.3	71	21.7	65	18.3	55	6	100		30.04	5	0.00	30.23	FM-15	0.00	30.22
16	1054	7	FEW:02 40 FEW:02 60 BKN:07 100	10.00		84	28.9	72	22.2	66	18.9	55	0	000		30.05			30.24	FM-15	0.00	30.23
16	1154	7	FEW:02 42 SCT:04 100	10.00		87	30.6	74	23.3	68	20.0	53	6	080		30.05			30.23	FM-15	0.00	30.23
16	1254	7	FEW:02 45 SCT:04 100 BKN:07 300	10.00		88	31.1	74	23.3	67	19.4	50	9	150		30.03	8	+0.01	30.22	FM-15	0.00	30.21
16	1300	4	41	9.94		88	31.1	74	23.3	67	19.4	50	9	150		30.03	8	+0.01	30.22	FM-12		
16	1354	7	FEW:02 46 BKN:07 100	10.00		89	31.7	74	23.3	67	19.4	48	9	160		30.03			30.22	FM-15	0.00	30.21
16	1454	7	FEW:02 50 SCT:04 100 SCT:04 180	10.00		89	31.7	74	23.3	67	19.4	48	11	160		30.00			30.19	FM-15	0.00	30.18
16	1554	7	FEW:02 45 FEW:02 180 SCT:04 300	10.00		89	31.7	74	23.3	67	19.4	48	15	150	23	29.98	8	+0.05	30.17	FM-15	0.00	30.16
16	1654	7	FEW:02 45 BKN:07 300	10.00		87	30.6	75	23.9	69	20.6	55	13	130		29.98			30.17	FM-15	0.00	30.16
16	1754	7	FEW:02 45 BKN:07 300	10.00		84	28.9	74	23.3	69	20.6	61	13	130		29.97			30.16	FM-15	0.00	30.15
16	1854	7	FEW:02 150 BKN:07 300	10.00		82	27.8	74	23.3	70	21.1	67	13	120		29.97	8	+0.01	30.16	FM-15	0.00	30.15
16	1900	4		9.94		82	27.8	74	23.3	70	21.1	67	13	120		29.97	8	+0.01	30.16	FM-12		
16	1954	7	FEW:02 150 SCT:04 300	10.00		79	26.1	73	22.8	70	21.1	74	8	120		29.99			30.18	FM-15	0.00	30.17

16	2054	7	FEW:02 150 FEW:02 300	10.00		77	25.0	73	22.8	71	21.7	82	10	120		30.00			30.19	FM-15	0.00	30.18
16	2154	7	CLR:00	10.00		76	24.4	73	22.8	71	21.7	85	9	140		30.01	1	-0.03	30.19	FM-15	0.00	30.19
16	2254	7	FEW:02 180 SCT:04 300	10.00		76	24.4	72	22.2	70	21.1	82	10	150		30.00			30.19	FM-15	0.00	30.18
16	2354	7	FEW:02 180 SCT:04 300	10.00		75	23.9	72	22.2	71	21.7	88	8	160		30.00			30.19	FM-15	0.00	30.18
17	0054	7	SCT:04 300	10.00		75	23.9	72	22.2	71	21.7	88	8	160		29.98	8	+0.02	30.17	FM-15	0.00	30.16
17	0100	4		9.94		75	23.9	72	22.2	71	21.7	88	8	160		29.98	8	+0.02	30.17	FM-12		
17	0154	7	FEW:02 10 SCT:04 300	10.00		74	23.3	73	22.8	72	22.2	94	7	170		29.98			30.17	FM-15	0.00	30.16
17	0254	7	FEW:02 10 SCT:04 240	10.00		74	23.3	73	22.8	72	22.2	94	6	180		29.99			30.17	FM-15	0.00	30.17
17	0354	7	FEW:02 60 FEW:02 110 SCT:04 240	10.00		74	23.3	73	22.8	72	22.2	94	7	180		29.97	8	+0.01	30.16	FM-15	0.00	30.15
17	0454	7	FEW:02 110 BKN:07 300	10.00		73	22.8	72	22.2	71	21.7	94	5	180		29.98			30.16	FM-15	0.00	30.16
17	0554	7	SCT:04 120 BKN:07 300	10.00		74	23.3	73	22.8	72	22.2	94	0	000		29.99			30.17	FM-15	0.00	30.17
17	0654	7	SCT:04 120	10.00		76	24.4	73	22.8	72	22.2	88	6	190		29.99	1	-0.01	30.17	FM-15	0.00	30.17
17	0700	4		9.94		76	24.4	73	22.8	72	22.2	88	6	190		29.99	1	-0.01	30.17	FM-12		
17	0754	7	SCT:04 95 BKN:07 120 BKN:07 300	10.00		80	26.7	75	23.9	72	22.2	76	11	210		29.98			30.17	FM-15	0.00	30.16
17	0854	7	FEW:02 60 SCT:04 80 SCT:04 300	10.00		84	28.9	76	24.4	73	22.8	70	10	200		29.97			30.16	FM-15	0.00	30.15
17	0954	7	FEW:02 300	10.00		89	31.7	78	25.6	74	23.3	61	11	210		29.96	8	+0.03	30.14	FM-15	0.00	30.14
17	1054	7	FEW:02 50 FEW:02 110 SCT:04 300	10.00		91	32.8	78	25.6	72	22.2	54	13	220		29.94			30.13	FM-15	0.00	30.12
17	1154	7	SCT:04 41 SCT:04 120 BKN:07 300	10.00		94	34.4	79	26.1	73	22.8	51	13	230		29.94			30.12	FM-15	0.00	30.12
17	1254	7	SCT:04 43 SCT:04 110 BKN:07 300	10.00		93	33.9	79	26.1	74	23.3	54	13	190		29.92	8	+0.04	30.10	FM-15	0.00	30.10
17	1300	4	41	9.94		93	33.9	79	26.1	74	23.3	54	13	190		29.92	8	+0.04	30.10	FM-12		
17	1354	7	SCT:04 48 SCT:04 110 BKN:07 300	10.00		95	35.0	80	26.7	74	23.3	51	10	180		29.89			30.08	FM-15	0.00	30.07
17	1408	7	SCT:04 47 BKN:07 60 BKN:07 90	10.00	TS:7 TS TS	94	34.4	79	26.1	73	22.8	51	14	200		29.88				FM-16		30.06
17	1438	7	SCT:04 31 SCT:04 47 BKN:07 60	7.00		86	30.0	80	26.7	78	25.6	77	14	250		29.89				FM-16	0.03	30.07
17	1454	7	FEW:02 31 SCT:04 45 BKN:07 60	10.00		86	30.0	80	26.7	77	25.0	75	9	250		29.88			30.06	FM-15	0.03	30.06
17	1511	7	FEW:02 30 SCT:04 50 BKN:07 150	10.00	TS:7 TS TS	85	29.4	77	25.0	73	22.8	68	10	210		29.87				FM-16		30.05
17	1554	7	SCT:04 50 BKN:07 120	10.00	TS:7 -RA:02 RA TS TS RA	78	25.6	75	23.9	73	22.8	85	13	210		29.89	5	+0.03	30.08	FM-15	T	30.07
17	1626	7	FEW:02 43 SCT:04 90 BKN:07 250	10.00		77	25.0	74	23.3	72	22.2	85	9	170		29.90				FM-16	T	30.08
17	1654	7	FEW:02 45 SCT:04 90 OVC:08 230	10.00		77	25.0	73	22.8	71	21.7	82	6	210		29.89			30.08	FM-15	T	30.07

17	1754	7	FEW:02 50 SCT:04 220 OVC:08 300	10.00		78	25.6	74	23.3	72	22.2	82	6	220		29.89			30.08	FM-15	0.00	30.07
17	1854	7	FEW:02 50 BKN:07 120 BKN:07 300	10.00		79	26.1	74	23.3	72	22.2	79	0	000		29.91	3	-0.02	30.09	FM-15	0.00	30.09
17	1900	4	57	9.94		79	26.1	74	23.3	72	22.2	79	0	000		29.91	3	-0.02	30.09	FM-12		
17	1954	7	FEW:02 50 BKN:07 140 BKN:07 300	10.00		77	25.0	75	23.9	74	23.3	90	5	180		29.90			30.08	FM-15	0.00	30.08
17	2054	7	FEW:02 150 BKN:07 300	10.00		76	24.4	75	23.9	74	23.3	94	3	140		29.90			30.09	FM-15	0.00	30.08
17	2154	7	OVC:08 300	10.00		79	26.1	75	23.9	73	22.8	82	5	250		29.91	3	-0.01	30.10	FM-15	0.00	30.09
17	2254	7	OVC:08 300	10.00		79	26.1	74	23.3	72	22.2	79	6	270		29.91			30.09	FM-15	0.00	30.09
17	2354	7	OVC:08 300	10.00		76	24.4	73	22.8	72	22.2	88	0	000		29.91			30.09	FM-15	0.00	30.09
18	0054	7	OVC:08 300	10.00		74	23.3	73	22.8	72	22.2	94	3	190		29.90	8	+0.01	30.09	FM-15	0.00	30.08
18	0100	4		9.94		74	23.3	73	22.8	72	22.2	94	3	190		29.90	8	+0.01	30.09	FM-12		
18	0154	7	BKN:07 300	9.00		74	23.3	73	22.8	72	22.2	94	3	180		29.90			30.09	FM-15	0.00	30.08
18	0254	7	BKN:07 300	9.00		73	22.8	72	22.2	72	22.2	96	8	190		29.89			30.07	FM-15	0.00	30.07
18	0354	7	BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	7	220		29.89	6	+0.01	30.08	FM-15	0.00	30.07
18	0454	7	FEW:02 60 SCT:04 300	10.00		74	23.3	72	22.2	71	21.7	91	6	230		29.90			30.09	FM-15	0.00	30.08
18	0554	7	FEW:02 300	9.00		74	23.3	72	22.2	71	21.7	91	6	230		29.90			30.09	FM-15	0.00	30.08
18	0654	7	CLR:00	10.00		78	25.6	74	23.3	72	22.2	82	3	260		29.91	1	-0.02	30.09	FM-15	0.00	30.09
18	0700	4		9.94		78	25.6	74	23.3	72	22.2	82	3	260		29.91	1	-0.02	30.09	FM-12		
18	0754	7	FEW:02 300	10.00		82	27.8	76	24.4	73	22.8	74	0	000		29.92			30.10	FM-15	0.00	30.10
18	0854	7	FEW:02 300	10.00		85	29.4	77	25.0	74	23.3	70	0	000		29.91			30.10	FM-15	0.00	30.09
18	0954	7	FEW:02 300	10.00		88	31.1	78	25.6	74	23.3	63	0	000		29.92	1	-0.01	30.11	FM-15	0.00	30.10
18	1054	7	SCT:04 45 SCT:04 300	10.00		92	33.3	80	26.7	75	23.9	58	7	VRB		29.91			30.10	FM-15	0.00	30.09
18	1154	7	SCT:04 35 BKN:07 70 BKN:07 90	10.00		91	32.8	79	26.1	75	23.9	59	6	VRB		29.90			30.08	FM-15	0.00	30.08
18	1254	7	FEW:02 35 BKN:07 55 BKN:07 70	10.00		92	33.3	78	25.6	73	22.8	54	3	VRB		29.88	8	+0.04	30.06	FM-15	0.00	30.06
18	1300	4	41	9.94		92	33.3	78	25.6	73	22.8	54	3			29.88	8	+0.04	30.06	FM-12		
18	1354	7	SCT:04 49 BKN:07 70	10.00		93	33.9	78	25.6	72	22.2	50	6	140		29.86			30.04	FM-15	0.00	30.04
18	1454	7	SCT:04 49 BKN:07 80	10.00		93	33.9	78	25.6	72	22.2	50	7	110		29.84			30.03	FM-15	0.00	30.02
18	1554	7	SCT:04 49 SCT:04 90	10.00		92	33.3	78	25.6	72	22.2	52	7	090		29.83	6	+0.05	30.01	FM-15	0.00	30.01
18	1654	7	SCT:04 55	10.00		92	33.3	78	25.6	73	22.8	54	8	090		29.81			30.00	FM-15	0.00	29.99
18	1754	7	SCT:04 65	10.00		91	32.8	78	25.6	73	22.8	56	9	120		29.82			30.01	FM-15	0.00	30.00
18	1854	7	FEW:02 65 FEW:02 300	10.00		89	31.7	77	25.0	72	22.2	57	8	130		29.82	6	+0.01	30.01	FM-15	0.00	30.00
18	1900	4	57	9.94		89	31.7	77	25.0	72	22.2	57	8	130		29.82	6	+0.01	30.01	FM-12		
18	1954	7	FEW:02 70	10.00		86	30.0	77	25.0	73	22.8	65	5	140		29.83			30.01	FM-15	0.00	30.01
18	2054	7	SCT:04 75	10.00		83	28.3	77	25.0	74	23.3	74	5	120		29.84			30.02	FM-15	0.00	30.02
18	2154	7	FEW:02 65	10.00		82	27.8	78	25.6	76	24.4	82	7	110		29.84	1	-0.02	30.03	FM-15	0.00	30.02
18	2254	7	CLR:00	10.00		80	26.7	77	25.0	76	24.4	87	3	150		29.84			30.03	FM-15	0.00	30.02
18	2354	7	CLR:00	10.00		78	25.6	76	24.4	75	23.9	90	3	150		29.83			30.01	FM-15	0.00	30.01
19	0054	7	CLR:00	10.00		77	25.0	75	23.9	74	23.3	90	5	160		29.82	8	+0.01	30.01	FM-15	0.00	30.00
19	0100	4		9.94		77	25.0	75	23.9	74	23.3	90	5	160		29.82	8	+0.01	30.01	FM-12		
19	0154	7	CLR:00	9.00		77	25.0	74	23.3	73	22.8	88	3	200		29.82			30.00	FM-15	0.00	30.00
19	0254	7	CLR:00	10.00		75	23.9	74	23.3	73	22.8	94	6	190		29.81			30.00	FM-15	0.00	29.99
19	0354	7	FEW:02 300	10.00		76	24.4	74	23.3	73	22.8	91	6	200		29.80	8	+0.02	29.98	FM-15	0.00	29.98
19	0454	7	FEW:02 50 SCT:04 300	10.00		76	24.4	74	23.3	73	22.8	91	3	150		29.80			29.98	FM-15	0.00	29.98

19	0554	7	FEW:02 50 FEW:02 300	8.00		76	24.4	74	23.3	73	22.8	91	3	200		29.82			30.00	FM-15	0.00	30.00
19	0654	7	FEW:02 70 FEW:02 300	10.00		80	26.7	75	23.9	73	22.8	79	6	220		29.83	3	-0.03	30.01	FM-15	0.00	30.01
19	0700	4	74	9.94		80	26.7	75	23.9	73	22.8	79	6	220		29.83	3	-0.03	30.01	FM-12		
19	0754	7	FEW:02 180 SCT:04 300	10.00		85	29.4	77	25.0	73	22.8	68	5	260		29.82			30.01	FM-15	0.00	30.00
19	0854	7	FEW:02 45 FEW:02 180 SCT:04 300	10.00		87	30.6	78	25.6	74	23.3	65	0	000		29.82			30.00	FM-15	0.00	30.00
19	0954	7	FEW:02 80 FEW:02 180 SCT:04 300	10.00		92	33.3	78	25.6	73	22.8	54	7	230		29.80	8	+0.02	29.99	FM-15	0.00	29.98
19	1054	7	FEW:02 80 FEW:02 180 SCT:04 300	10.00		94	34.4	78	25.6	71	21.7	48	7	VRB		29.80			29.99	FM-15	0.00	29.98
19	1154	7	FEW:02 45 FEW:02 180 SCT:04 300	10.00		98	36.7	77	25.0	68	20.0	38	13	250	18	29.79			29.97	FM-15	0.00	29.97
19	1254	7	SCT:04 45 SCT:04 300	10.00		98	36.7	77	25.0	68	20.0	38	6	VRB		29.77	8	+0.03	29.96	FM-15	0.00	29.95
19	1300	4	41	9.94		98	36.7	77	25.0	68	20.0	38	6			29.77	8	+0.03	29.96	FM-12		
19	1354	7	SCT:04 45	10.00		100	37.8	76	24.4	65	18.3	32	6	VRB		29.76			29.95	FM-15	0.00	29.94
19	1454	7	SCT:04 55 BKN:07 95 BKN:07 250	10.00		96	35.6	77	25.0	69	20.6	41	13	220		29.74			29.93	FM-15	0.00	29.92
19	1554	7	FEW:02 65 FEW:02 250	10.00		99	37.2	78	25.6	69	20.6	38	9	200		29.72	8	+0.05	29.91	FM-15	0.00	29.90
19	1654	7	SCT:04 80	10.00		99	37.2	78	25.6	69	20.6	38	9	210		29.73			29.91	FM-15	0.00	29.91
19	1754	7	FEW:02 75 SCT:04 250	10.00		97	36.1	77	25.0	68	20.0	39	9	280		29.73			29.92	FM-15	T	29.91
19	1854	7	FEW:02 75 FEW:02 250	10.00		90	32.2	78	25.6	73	22.8	58	3	210		29.73	0	0.00	29.91	FM-15	0.00	29.91
19	1900	4	74	9.94		90	32.2	78	25.6	73	22.8	58	3	210		29.73	9	0.00	29.91	FM-12		
19	1954	7	FEW:02 75 FEW:02 250	10.00		85	29.4	77	25.0	73	22.8	68	6	210		29.73			29.91	FM-15	0.00	29.91
19	2054	7	CLR:00	10.00		82	27.8	76	24.4	73	22.8	74	7	190		29.75			29.93	FM-15	0.00	29.93
19	2154	7	CLR:00	10.00		82	27.8	76	24.4	73	22.8	74	7	190		29.76	3	-0.03	29.94	FM-15	0.00	29.94
19	2254	7	CLR:00	10.00		82	27.8	76	24.4	74	23.3	77	8	200		29.75			29.94	FM-15	0.00	29.93
19	2354	7	CLR:00	10.00		84	28.9	77	25.0	74	23.3	72	7	200		29.74			29.92	FM-15	0.00	29.92
20	0054	7	CLR:00	10.00		84	28.9	76	24.4	73	22.8	70	9	230		29.72	8	+0.04	29.91	FM-15	0.00	29.90
20	0100	4		9.94		84	28.9	76	24.4	73	22.8	70	9	230		29.72	8	+0.04	29.91	FM-12		
20	0154	7	CLR:00	10.00		83	28.3	75	23.9	72	22.2	70	8	240		29.72			29.90	FM-15	0.00	29.90
20	0254	7	CLR:00	10.00		82	27.8	74	23.3	71	21.7	69	8	250		29.74			29.92	FM-15	0.00	29.92
20	0354	7	CLR:00	10.00		83	28.3	74	23.3	70	21.1	65	7	260		29.75	3	-0.03	29.94	FM-15	0.00	29.93
20	0454	7	FEW:02 160 SCT:04 300	10.00		82	27.8	74	23.3	70	21.1	67	7	270		29.77			29.95	FM-15	0.00	29.95
20	0554	7	FEW:02 110 SCT:04 300	10.00		79	26.1	74	23.3	71	21.7	77	5	200		29.77			29.96	FM-15	0.00	29.95
20	0654	7	FEW:02 110 SCT:04 300	10.00		82	27.8	74	23.3	71	21.7	69	5	220		29.78	1	-0.03	29.97	FM-15	0.00	29.96
20	0700	4		9.94		82	27.8	74	23.3	71	21.7	69	5	220		29.78	1	-0.03	29.97	FM-12		
20	0754	7	FEW:02 110 BKN:07 300	10.00		82	27.8	76	24.4	73	22.8	74	6	190		29.79			29.98	FM-15	0.00	29.97
20	0854	7	FEW:02 180 BKN:07 300	10.00		88	31.1	77	25.0	73	22.8	61	3	VRB		29.80			29.98	FM-15	0.00	29.98
20	0954	7	FEW:02 180 BKN:07 300	10.00		90	32.2	78	25.6	73	22.8	58	5	VRB		29.80	1	-0.01	29.98	FM-15	0.00	29.98
20	1054	7	FEW:02 150 FEW:02 180 BKN:07 300	10.00		93	33.9	78	25.6	72	22.2	50	3	VRB		29.80			29.98	FM-15	0.00	29.98

20	1154	7	FEW:02 48 SCT:04 180 BKN:07 300	10.00		94	34.4	77	25.0	70	21.1	46	7	150		29.78			29.97	FM-15	0.00	29.96
20	1254	7	FEW:02 55 SCT:04 180 BKN:07 300	10.00		96	35.6	77	25.0	69	20.6	41	8	VRB		29.77	8	+0.03	29.96	FM-15	0.00	29.95
20	1300	4	57	9.94		96	35.6	77	25.0	69	20.6	41	8	220		29.77	8	+0.03	29.96	FM-12		
20	1354	7	FEW:02 60 SCT:04 170 BKN:07 300	10.00		97	36.1	78	25.6	70	21.1	42	11	150		29.76			29.94	FM-15	0.00	29.94
20	1454	7	FEW:02 55 SCT:04 180 BKN:07 300	10.00		95	35.0	78	25.6	71	21.7	46	8	160		29.75			29.93	FM-15	0.00	29.93
20	1554	7	FEW:02 55 SCT:04 170 BKN:07 300	10.00		96	35.6	79	26.1	72	22.2	46	8	170		29.72	8	+0.05	29.91	FM-15	0.00	29.90
20	1654	7	FEW:02 50 FEW:02 170 BKN:07 300	10.00		95	35.0	79	26.1	72	22.2	47	10	160		29.70			29.89	FM-15	0.00	29.88
20	1754	7	FEW:02 50 SCT:04 170 BKN:07 300	10.00		94	34.4	80	26.7	75	23.9	54	9	160		29.71			29.90	FM-15	0.00	29.89
20	1854	7	FEW:02 50 FEW:02 170 BKN:07 300	10.00		90	32.2	80	26.7	76	24.4	63	7	180		29.72	5	0.00	29.91	FM-15	0.00	29.90
20	1900	4	57	9.94		90	32.2	80	26.7	76	24.4	63	7	180		29.72	5	0.00	29.91	FM-12		
20	1954	7	FEW:02 50 FEW:02 170 SCT:04 300	10.00		86	30.0	79	26.1	76	24.4	72	6	210		29.74			29.93	FM-15	0.00	29.92
20	2054	7	FEW:02 170 SCT:04 300	10.00		85	29.4	77	25.0	73	22.8	68	8	200		29.76			29.95	FM-15	0.00	29.94
20	2154	7	SCT:04 75 SCT:04 300	10.00		85	29.4	76	24.4	72	22.2	65	7	210		29.78	2	-0.06	29.96	FM-15	0.00	29.96
20	2254	7	FEW:02 85 FEW:02 120 SCT:04 300	10.00		85	29.4	75	23.9	71	21.7	63	7	210		29.78			29.97	FM-15	0.00	29.96
20	2354	7	FEW:02 85 FEW:02 120 SCT:04 300	10.00		86	30.0	76	24.4	71	21.7	61	7	240		29.78			29.96	FM-15	0.00	29.96
21	0054	7	FEW:02 300	10.00		84	28.9	76	24.4	72	22.2	67	9	230		29.78	3	0.00	29.96	FM-15	0.00	29.96
21	0100	4		9.94		84	28.9	76	24.4	72	22.2	67	9	230		29.78			29.96	FM-12		
21	0154	7	CLR:00	10.00		84	28.9	76	24.4	72	22.2	67	8	230		29.78			29.97	FM-15	0.00	29.96
21	0254	7	CLR:00	10.00		83	28.3	75	23.9	71	21.7	67	8	240		29.79			29.98	FM-15	0.00	29.97
21	0354	7	CLR:00	10.00		79	26.1	74	23.3	72	22.2	79	3	200		29.79	3	-0.01	29.98	FM-15	0.00	29.97
21	0454	7	SCT:04 120	10.00		77	25.0	74	23.3	72	22.2	85	6	200		29.81			29.99	FM-15	0.00	29.99
21	0554	7	FEW:02 75 FEW:02 120 FEW:02 300	10.00		80	26.7	75	23.9	73	22.8	79	6	230		29.82			30.01	FM-15	0.00	30.00
21	0654	7	FEW:02 85	10.00		82	27.8	76	24.4	73	22.8	74	7	240		29.83	1	-0.04	30.02	FM-15	0.00	30.01
21	0700	4		9.94		82	27.8	76	24.4	73	22.8	74	7	240		29.83	1	-0.04	30.02	FM-12		
21	0754	7	FEW:02 85	10.00		85	29.4	76	24.4	72	22.2	65	6	260		29.84			30.03	FM-15	0.00	30.02
21	0854	7	FEW:02 150	10.00		90	32.2	77	25.0	72	22.2	56	6	320		29.85			30.03	FM-15	0.00	30.03
21	0954	7	FEW:02 42 FEW:02 150 SCT:04 300	10.00		92	33.3	77	25.0	71	21.7	51	0	000		29.86	1	-0.02	30.04	FM-15	0.00	30.04
21	1054	7	FEW:02 45 SCT:04 150	10.00		94	34.4	78	25.6	72	22.2	49	7	200		29.85			30.04	FM-15	0.00	30.03
21	1154	7	FEW:02 55 SCT:04 170	10.00		96	35.6	79	26.1	72	22.2	46	8	180		29.84			30.03	FM-15	0.00	30.02
21	1254	7	FEW:02 55 SCT:04 170 SCT:04 300	10.00		98	36.7	79	26.1	71	21.7	42	10	200		29.83	8	+0.03	30.01	FM-15	0.00	30.01
21	1300	4	57	9.94		98	36.7	79	26.1	71	21.7	42	10	200		29.83	8	+0.03	30.01	FM-12		

21	1354	7	FEW:02 55 SCT:04 120 BKN:07 300	10.00		99	37.2	79	26.1	71	21.7	41	7	190		29.82			30.00	FM-15	T	30.00
21	1454	7	SCT:04 60 SCT:04 150 BKN:07 300	10.00		100	37.8	79	26.1	71	21.7	39	10	200	16	29.79			29.98	FM-15	0.00	29.97
21	1548	7	FEW:02 60 SCT:04 150 BKN:07 300	10.00	TS:7 TS TS	100	37.8	79	26.1	70	21.1	37	11	230		29.78				FM-16		29.96
21	1554	7	FEW:02 60 FEW:02 150 BKN:07 300	10.00	TS:7 TS TS	98	36.7	78	25.6	70	21.1	40	13	230		29.78	7	+0.04	29.97	FM-15	0.00	29.96
21	1616	7	FEW:02 50 FEW:02 150 BKN:07 300	10.00		94	34.4	78	25.6	71	21.7	48	18	240		29.79				FM-16		29.97
21	1628	7	FEW:02 50 FEW:02 150 BKN:07 300	10.00	TS:7 TS TS	93	33.9	78	25.6	72	22.2	50	14	200		29.78				FM-16		29.96
21	1654	7	FEW:02 50 FEW:02 150 BKN:07 300	10.00	TS:7 TS TS	94	34.4	77	25.0	70	21.1	46	13	160		29.78			29.97	FM-15	0.00	29.96
21	1724	7	FEW:02 50 FEW:02 85 SCT:04 150	10.00		91	32.8	78	25.6	72	22.2	54	11	180		29.79				FM-16		29.97
21	1754	7	FEW:02 50 FEW:02 85 SCT:04 150	10.00		91	32.8	78	25.6	72	22.2	54	11	150		29.79			29.98	FM-15	0.00	29.97
21	1854	7	FEW:02 50 FEW:02 85 BKN:07 300	10.00		88	31.1	77	25.0	73	22.8	61	7	160		29.80	3	-0.02	29.99	FM-15	0.00	29.98
21	1900	4	57	9.94		88	31.1	77	25.0	73	22.8	61	7	160		29.80	3	-0.02	29.99	FM-12		
21	1954	7	SCT:04 50 SCT:04 85 BKN:07 300	10.00		84	28.9	75	23.9	71	21.7	65	3	150		29.81			30.00	FM-15	0.00	29.99
21	2030	7	SCT:04 50 SCT:04 80 BKN:07 300	10.00	TS:7 TS TS	85	29.4	75	23.9	71	21.7	63	7	360		29.86				FM-16		30.04
21	2054	7	SCT:04 50 BKN:07 80 OVC:08 300	10.00	TS:7 TS TS	84	28.9	76	24.4	72	22.2	67	9	020		29.85			30.03	FM-15	0.00	30.03
21	2126	7	FEW:02 26 BKN:07 55 BKN:07 80	9.00	TS:7 TS	79	26.1	72	22.2	69	20.6	72	29	240	40	29.91				FM-16		30.09
21	2136	7	FEW:02 26 BKN:07 55 BKN:07 80	2.50	TS:7 RA:02 TS	75	23.9	70	21.1	68	20.0	79	10	230	34	29.90				FM-16	T	30.08
21	2145	7	FEW:02 29 BKN:07 50 OVC:08 85	1.75	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	70	21.1	69	20.6	87	7	080		29.88				FM-16	0.12	30.06
21	2150	7	FEW:02 29 BKN:07 50 OVC:08 85	3.00	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	71	21.7	70	21.1	89	9	110		29.88				FM-16	0.17	30.06
21	2154	7	FEW:02 35 BKN:07 55 OVC:08 100	4.00	TS:7 RA:02 BR:1 RA TS RA	73	22.8	71	21.7	70	21.1	89	8	100		29.87	3	-0.07	30.06	FM-15	0.20s	30.05
21	2254	7	SCT:04 55 BKN:07 120 OVC:08 300	6.00	TS:7 -RA:02 BR:1 RA TS RA	74	23.3	73	22.8	72	22.2	94	3	200		29.90			30.08	FM-15	0.10	30.08
21	2354	7	SCT:04 55 BKN:07 120 OVC:08 300	8.00	TS:7 -RA:02 RA TS TS RA	74	23.3	73	22.8	72	22.2	94	7	130		29.90			30.09	FM-15	0.05	30.08
22	0054	7	SCT:04 65 SCT:04 80	6.00	TS RA	74	23.3	73	22.8	72	22.2	94	10	170		29.92	1	-0.05	30.11	FM-15	0.12	30.10
22	0100	4	57	5.59		74	23.3	73	22.8	72	22.2	94	10	170		29.92	1	-0.05	30.11	FM-12		
22	0154	7	FEW:02 65 FEW:02 80	10.00	TS RA	74	23.3	72	22.2	71	21.7	91	6	170		29.86			30.05	FM-15	0.07	30.04

22	0244	7	FEW:02 80 SCT:04 100 OVC:08 180	10.00		74	23.3	72	22.2	71	21.7	91	3	250		29.85				FM-16	0.01	30.03
22	0254	7	FEW:02 80 SCT:04 100 OVC:08 180	10.00		74	23.3	71	21.7	70	21.1	88	5	210		29.85			30.03	FM-15	T	30.03
22	0354	7	BKN:07 180 OVC:08 220	10.00		73	22.8	72	22.2	71	21.7	94	6	140		29.84	6	+0.08	30.02	FM-15	0.00	30.02
22	0454	7	FEW:02 180 SCT:04 220 BKN:07 300	10.00		73	22.8	72	22.2	71	21.7	94	7	300		29.86			30.04	FM-15	0.00	30.04
22	0554	7	FEW:02 220 OVC:08 300	10.00		75	23.9	73	22.8	72	22.2	90	5	260		29.87			30.05	FM-15	0.00	30.05
22	0654	7	FEW:02 230 BKN:07 300	10.00		77	25.0	74	23.3	72	22.2	85	6	220		29.88	1	-0.04	30.07	FM-15	0.00	30.06
22	0700	4		9.94		77	25.0	74	23.3	72	22.2	85	6	220		29.88	1	-0.04	30.07	FM-12		
22	0754	7	FEW:02 240 BKN:07 300	10.00		79	26.1	75	23.9	73	22.8	82	6	210		29.90			30.08	FM-15	0.00	30.08
22	0854	7	FEW:02 20 FEW:02 210 BKN:07 300	10.00		83	28.3	77	25.0	74	23.3	74	7	240		29.90			30.09	FM-15	0.00	30.08
22	0954	7	FEW:02 25 FEW:02 200 BKN:07 300	10.00		86	30.0	78	25.6	74	23.3	67	8	220		29.89	0	-0.01	30.08	FM-15	0.00	30.07
22	1054	7	FEW:02 32 SCT:04 300	10.00		89	31.7	78	25.6	74	23.3	61	9	230		29.89			30.08	FM-15	0.00	30.07
22	1154	7	FEW:02 35 SCT:04 300	10.00		89	31.7	78	25.6	74	23.3	61	5	180		29.88			30.06	FM-15	0.00	30.06
22	1254	7	FEW:02 45 FEW:02 150 SCT:04 300	10.00		93	33.9	78	25.6	71	21.7	49	10	230	17	29.86	8	+0.04	30.05	FM-15	0.00	30.04
22	1300	4	41	9.94		93	33.9	78	25.6	71	21.7	49	10	230		29.86	8	+0.04	30.05	FM-12		
22	1354	7	FEW:02 45 FEW:02 250	10.00		94	34.4	78	25.6	72	22.2	49	13	190		29.84			30.02	FM-15	0.00	30.02
22	1454	7	FEW:02 50 FEW:02 250	10.00		94	34.4	77	25.0	69	20.6	44	17	220	22	29.82			30.01	FM-15	0.00	30.00
22	1554	7	FEW:02 50 FEW:02 250	10.00		95	35.0	76	24.4	68	20.0	41	13	220		29.81	6	+0.04	30.00	FM-15	0.00	29.99
22	1652	6	SCT:04 70 BKN:07 95	10.00		82	27.8	74	23.3	70	21.1	66	24	350	39	29.89				FM-16		30.07
22	1654	7	BKN:07 60 BKN:07 250	10.00		83	28.3	74	23.3	69	20.6	63	28	340	39	29.89			30.08	FM-15	0.00	30.07
22	1701	7	BKN:07 65 BKN:07 250	10.00		83	28.3	74	23.3	69	20.6	63	24	350	33	29.89				FM-16		30.07
22	1754	7	FEW:02 65 BKN:07 250	10.00		80	26.7	73	22.8	69	20.6	69	9	340		29.89			30.08	FM-15	0.00	30.07
22	1854	7	FEW:02 60 SCT:04 190 BKN:07 300	10.00		79	26.1	72	22.2	69	20.6	72	8	040		29.87	0	-0.06	30.06	FM-15	0.00	30.05
22	1900	4	57	9.94		79	26.1	72	22.2	69	20.6	72	8	040		29.87	9	+0.06	30.06	FM-12		
22	1954	7	FEW:02 60 SCT:04 190 BKN:07 300	10.00		78	25.6	72	22.2	69	20.6	74	0	000		29.86			30.05	FM-15	0.00	30.04
22	2054	7	FEW:02 180 BKN:07 300	10.00		76	24.4	72	22.2	70	21.1	82	5	160		29.88			30.07	FM-15	0.00	30.06
22	2154	7	BKN:07 170 BKN:07 300	10.00		76	24.4	72	22.2	70	21.1	82	0	000		29.90	3	-0.03	30.09	FM-15	0.00	30.08
22	2254	7	FEW:02 180 SCT:04 300	10.00		76	24.4	72	22.2	70	21.1	82	0	000		29.90			30.08	FM-15	0.00	30.08
22	2354	7	FEW:02 65 FEW:02 180 SCT:04 300	10.00		77	25.0	73	22.8	71	21.7	82	7	290		29.91			30.09	FM-15	0.00	30.09

23	0054	7	FEW:02 60 SCT:04 75 BKN:07 300	10.00		77	25.0	73	22.8	71	21.7	82	6	280		29.90	2	0.00	30.09	FM-15	0.00	30.08
23	0100	4	57	9.94		77	25.0	73	22.8	71	21.7	82	6	280		29.90	2	0.00	30.09	FM-12		
23	0154	7	BKN:07 170	10.00		77	25.0	72	22.2	70	21.1	79	8	250		29.90			30.09	FM-15	0.00	30.08
23	0254	7	FEW:02 50 BKN:07 190	10.00		77	25.0	72	22.2	70	21.1	79	9	250		29.89			30.07	FM-15	0.00	30.07
23	0354	7	BKN:07 230	10.00		76	24.4	72	22.2	70	21.1	82	6	210		29.88	8	+0.03	30.06	FM-15	0.00	30.06
23	0454	7	BKN:07 210	10.00		74	23.3	71	21.7	70	21.1	88	6	190		29.89			30.08	FM-15	0.00	30.07
23	0554	7	BKN:07 170 BKN:07 210	10.00		74	23.3	72	22.2	71	21.7	91	6	200		29.91			30.10	FM-15	0.00	30.09
23	0654	7	SCT:04 95 BKN:07 150 BKN:07 210	10.00		76	24.4	72	22.2	70	21.1	82	10	220		29.93	3	-0.06	30.12	FM-15	0.00	30.11
23	0700	4		9.94		76	24.4	72	22.2	70	21.1	82	10	220		29.93	3	-0.06	30.12	FM-12		
23	0754	7	FEW:02 95 SCT:04 150 BKN:07 250	10.00		80	26.7	73	22.8	70	21.1	71	15	240		29.94			30.13	FM-15	0.00	30.12
23	0854	7	FEW:02 80 SCT:04 110 BKN:07 250	10.00		82	27.8	74	23.3	71	21.7	69	10	220		29.94			30.13	FM-15	0.00	30.12
23	0954	7	FEW:02 50 BKN:07 100 BKN:07 250	10.00		83	28.3	75	23.9	72	22.2	70	11	210		29.94	0	-0.01	30.13	FM-15	0.00	30.12
23	1054	7	FEW:02 55 SCT:04 70 BKN:07 100	10.00		82	27.8	74	23.3	71	21.7	69	9	210		29.93			30.12	FM-15	T	30.11
23	1154	7	FEW:02 70 SCT:04 150 BKN:07 250	10.00		85	29.4	77	25.0	74	23.3	70	9	210		29.92			30.11	FM-15	0.00	30.10
23	1254	7	FEW:02 50 FEW:02 150	10.00		91	32.8	79	26.1	75	23.9	59	8	250		29.90	8	+0.04	30.08	FM-15	0.00	30.08
23	1300	4	57	9.94		91	32.8	79	26.1	75	23.9	59	8	250		29.90	8	+0.04	30.08	FM-12		
23	1354	7	FEW:02 50 FEW:02 250	10.00		91	32.8	79	26.1	74	23.3	57	6	VRB		29.86			30.05	FM-15	0.00	30.04
23	1454	7	SCT:04 50 SCT:04 120	10.00		93	33.9	78	25.6	72	22.2	50	6	VRB		29.83			30.02	FM-15	0.00	30.01
23	1554	7	CLR:00	10.00		93	33.9	79	26.1	73	22.8	52	13	170		29.84	5	+0.06	30.03	FM-15	0.00	30.02
23	1556	7	SCT:04 50 BKN:07 200	10.00		92	33.3	79	26.1	74	23.3	56	15	170		29.84				FM-16		30.02
23	1654	7	SCT:04 55 SCT:04 90 BKN:07 250	10.00		84	28.9	77	25.0	74	23.3	72	21	190		29.86			30.05	FM-15	T	30.04
23	1754	7	FEW:02 60 SCT:04 150 BKN:07 250	10.00		80	26.7	74	23.3	71	21.7	74	7	160		29.86			30.05	FM-15	0.00	30.04
23	1854	7	FEW:02 60 BKN:07 110 BKN:07 250	10.00		79	26.1	74	23.3	72	22.2	79	3	180		29.89	1	-0.05	30.08	FM-15	0.00	30.07
23	1900	4	57	9.94		79	26.1	74	23.3	72	22.2	79	3	180		29.89	1	-0.05	30.08	FM-12		
23	1954	7	FEW:02 60 BKN:07 150	10.00		78	25.6	75	23.9	73	22.8	85	6	170		29.90			30.09	FM-15	0.00	30.08
23	2054	7	OVC:08 180	10.00		80	26.7	75	23.9	72	22.2	76	6	280		29.89			30.08	FM-15	T	30.07
23	2154	7	SCT:04 120 OVC:08 190	10.00		78	25.6	73	22.8	70	21.1	76	3	300		29.91	3	-0.02	30.09	FM-15	0.00	30.09
23	2254	7	SCT:04 120 OVC:08 160	10.00	-RA:02 RA RA	78	25.6	73	22.8	70	21.1	76	3	280		29.91			30.09	FM-15	T	30.09
23	2354	7	SCT:04 130 BKN:07 170	10.00		77	25.0	74	23.3	72	22.2	85	10	230		29.90			30.09	FM-15	T	30.08
24	0054	7	FEW:02 130 BKN:07 150 OVC:08 250	10.00	-RA:02 RA RA	76	24.4	73	22.8	71	21.7	85	6	240		29.90	5	+0.01	30.09	FM-15	T	30.08
24	0100	4		9.94	RA	76	24.4	73	22.8	71	21.7	85	6	240		29.90	5	+0.01	30.09	FM-12		
24	0154	7	OVC:08 130	10.00	-RA:02 RA RA	75	23.9	72	22.2	71	21.7	88	6	200		29.90			30.09	FM-15	T	30.08

24	0254	7	FEW:02 110 OVC:08 140	10.00		74	23.3	73	22.8	72	22.2	94	6	200		29.90			30.09	FM-15	T	30.08
24	0354	7	BKN:07 130 OVC:08 160	10.00		74	23.3	73	22.8	72	22.2	94	7	200		29.90	5	0.00	30.09	FM-15	0.00	30.08
24	0454	7	BKN:07 110 OVC:08 140	10.00	-RA:02 RA RA	74	23.3	73	22.8	72	22.2	94	6	200		29.90			30.09	FM-15	T	30.08
24	0554	7	FEW:02 10 BKN:07 100 OVC:08 150	10.00		75	23.9	72	22.2	71	21.7	88	6	250		29.91			30.10	FM-15	0.00	30.09
24	0654	7	FEW:02 10 SCT:04 100 BKN:07 180	10.00		76	24.4	73	22.8	71	21.7	85	5	240		29.92	3	-0.02	30.11	FM-15	0.00	30.10
24	0700	4	15	9.94		76	24.4	73	22.8	71	21.7	85	5	240		29.92	3	-0.02	30.11	FM-12		
24	0754	7	FEW:02 12 FEW:02 40 OVC:08 110	10.00		78	25.6	74	23.3	72	22.2	82	7	250		29.93			30.11	FM-15	T	30.11
24	0854	7	FEW:02 15 SCT:04 40 OVC:08 170	10.00	-RA:02 RA RA	80	26.7	74	23.3	71	21.7	74	7	280		29.93			30.12	FM-15	T	30.11
24	0954	7	FEW:02 12 FEW:02 35 BKN:07 85	10.00		82	27.8	75	23.9	72	22.2	72	6	290		29.94	3	-0.02	30.13	FM-15	T	30.12
24	1054	7	SCT:04 23 BKN:07 100 BKN:07 180	10.00		85	29.4	75	23.9	71	21.7	63	0	000		29.94			30.12	FM-15	0.00	30.12
24	1154	7	SCT:04 30 BKN:07 120 OVC:08 250	10.00		85	29.4	75	23.9	71	21.7	63	5	190		29.93			30.11	FM-15	0.00	30.11
24	1254	7	SCT:04 34 BKN:07 120 BKN:07 300	10.00		88	31.1	76	24.4	71	21.7	57	10	200		29.91	8	+0.03	30.10	FM-15	0.00	30.09
24	1300	4	41	9.94		88	31.1	76	24.4	71	21.7	57	10	200		29.91	8	+0.03	30.10	FM-12		
24	1354	7	FEW:02 40 SCT:04 65 BKN:07 300	10.00		89	31.7	76	24.4	70	21.1	53	11	220		29.89			30.07	FM-15	0.00	30.07
24	1454	7	FEW:02 40 BKN:07 65 BKN:07 300	10.00		89	31.7	76	24.4	70	21.1	53	10	210		29.86			30.05	FM-15	0.00	30.04
24	1554	7	SCT:04 45 BKN:07 300	10.00		88	31.1	76	24.4	70	21.1	55	5	200		29.85	6	+0.06	30.03	FM-15	0.00	30.03
24	1654	7	SCT:04 45 BKN:07 300	10.00		87	30.6	75	23.9	70	21.1	57	6	150		29.84			30.03	FM-15	0.00	30.02
24	1754	7	SCT:04 43 BKN:07 300	10.00		86	30.0	76	24.4	72	22.2	63	5	160		29.86			30.04	FM-15	0.00	30.04
24	1854	7	SCT:04 41 BKN:07 250	10.00		83	28.3	75	23.9	71	21.7	67	6	190		29.86	3	-0.01	30.05	FM-15	0.00	30.04
24	1900	4	41	9.94		83	28.3	75	23.9	71	21.7	67	6	190		29.86	3	-0.01	30.05	FM-12		
24	1954	7	BKN:07 45 BKN:07 200	10.00	TS:7 TS TS	83	28.3	75	23.9	72	22.2	70	5	210		29.88			30.07	FM-15	0.00	30.06
24	2054	7	BKN:07 35 OVC:08 70	3.00	TS:7 RA:02 BR:1 RA TS RA	77	25.0	75	23.9	74	23.3	90	17	190		29.90			30.09	FM-15	0.06	30.08
24	2154	7	BKN:07 35 BKN:07 110	10.00	TS:7 -RA:02 RA TS TS RA	74	23.3	73	22.8	72	22.2	94	9	090		29.92	3	-0.06	30.11	FM-15	0.12	30.10
24	2238	7	FEW:02 40 SCT:04 120 BKN:07 250	10.00		73	22.8	72	22.2	72	22.2	96	9	180		29.90				FM-16	T	30.08
24	2254	7	FEW:02 120 BKN:07 250	10.00		73	22.8	72	22.2	71	21.7	94	7	180		29.90			30.09	FM-15	T	30.08
24	2354	7	SCT:04 120 OVC:08 250	10.00		72	22.2	71	21.7	70	21.1	94	6	220		29.90			30.09	FM-15	0.00	30.08
25	0054	7	SCT:04 140 BKN:07 250	10.00		73	22.8	71	21.7	70	21.1	90	6	240		29.90	6	+0.02	30.08	FM-15	0.00	30.08
25	0100	4		9.94		73	22.8	71	21.7	70	21.1	90	6	240		29.90	6	+0.02	30.08	FM-12		

25	0123	7	BKN:07 10 BKN:07 140 OVC:08 250	10.00		73	22.8	72	22.2	71	21.7	94	3	280		29.90				FM-16		30.08
25	0154	7	BKN:07 10 BKN:07 140 OVC:08 250	10.00		74	23.3	72	22.2	71	21.7	91	5	290		29.89			30.08	FM-15	0.00	30.07
25	0205	7	BKN:07 8 BKN:07 140 OVC:08 250	10.00		73	22.8	72	22.2	71	21.7	94	5	290		29.89				FM-16		30.07
25	0232	7	SCT:04 8 SCT:04 140 BKN:07 250	10.00		73	22.8	72	22.2	71	21.7	94	6	280		29.88				FM-16		30.06
25	0254	7	FEW:02 8 FEW:02 140 SCT:04 250	10.00		73	22.8	72	22.2	71	21.7	94	5	290		29.88			30.07	FM-15	0.00	30.06
25	0354	7	FEW:02 150 SCT:04 300	10.00		74	23.3	73	22.8	72	22.2	94	0	000		29.89	5	+0.01	30.08	FM-15	0.00	30.07
25	0454	7	FEW:02 150 FEW:02 300	10.00		72	22.2	71	21.7	71	21.7	97	3	130		29.91			30.09	FM-15	0.00	30.09
25	0523	7	FEW:02 2 FEW:02 50 FEW:02 150	7.00		71	21.7	70	21.1	70	21.1	96	3	170		29.92				FM-16		30.10
25	0527	7	FEW:02 2 FEW:02 50 FEW:02 150	2.00	RA	71	21.7	71	21.7	71	21.7	100	3	140		29.92				FM-16		30.10
25	0529	7	FEW:02 2 FEW:02 50 FEW:02 150	0.75	RA	71	21.7	71	21.7	71	21.7	100	0	000		29.92				FM-16		30.10
25	0538	7	FEW:02 2 FEW:02 50 SCT:04 150	0.25	FG RA	71	21.7	70	21.1	70	21.1	96	3	130		29.92				FM-16		30.10
25	0550	7	FEW:02 2 FEW:02 50 SCT:04 150	1.75	RA	72	22.2	72	22.2	72	22.2	100	0	000		29.93				FM-16		30.11
25	0552	6	FEW:02 2 FEW:02 50 SCT:04 150	4.00	RA	72	22.2	72	22.2	72	22.2	100	0	000		29.93				FM-16		30.11
25	0554	7	FEW:02 2 FEW:02 50 SCT:04 150	5.00	RA	72	22.2	71	21.7	71	21.7	97	0	000		29.93			30.11	FM-15	0.00	30.11
25	0654	7	FEW:02 2 FEW:02 150 SCT:04 300	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.94	2	-0.05	30.13	FM-15	0.00	30.12
25	0700	4	2	9.94		75	23.9	73	22.8	72	22.2	90	0	000		29.94	2	-0.05	30.13	FM-12		
25	0754	7	FEW:02 5 FEW:02 12 SCT:04 150	10.00		79	26.1	74	23.3	72	22.2	79	0	000		29.94			30.13	FM-15	0.00	30.12
25	0854	7	SCT:04 13	10.00		81	27.2	75	23.9	73	22.8	77	0	000		29.95			30.14	FM-15	0.00	30.13
25	0954	7	SCT:04 19 BKN:07 32 BKN:07 300	10.00		83	28.3	76	24.4	73	22.8	72	5	130		29.94	0	0.00	30.13	FM-15	0.00	30.12
25	1054	7	FEW:02 15 SCT:04 25 SCT:04 300	10.00		85	29.4	77	25.0	73	22.8	68	6	130		29.95			30.13	FM-15	0.00	30.13
25	1154	7	SCT:04 30	10.00		88	31.1	77	25.0	72	22.2	59	6	VRB		29.94			30.12	FM-15	0.00	30.12
25	1254	7	FEW:02 29 BKN:07 38	10.00		87	30.6	76	24.4	71	21.7	59	6	VRB		29.92	8	+0.02	30.11	FM-15	0.00	30.10
25	1300	4	26	9.94		87	30.6	76	24.4	71	21.7	59	6			29.92	8	+0.02	30.11	FM-12		
25	1354	7	FEW:02 25 BKN:07 38	10.00		88	31.1	77	25.0	72	22.2	59	8	140		29.90			30.09	FM-15	0.00	30.08
25	1454	7	FEW:02 40 SCT:04 60 SCT:04 300	10.00		89	31.7	76	24.4	71	21.7	55	6	VRB		29.89			30.07	FM-15	0.00	30.07
25	1554	7	FEW:02 40 SCT:04 300	10.00		91	32.8	78	25.6	72	22.2	54	9	130		29.88	6	+0.04	30.06	FM-15	0.00	30.06

25	1654	7	FEW:02 40 SCT:04 300	10.00		91	32.8	77	25.0	71	21.7	52	8	130		29.87			30.05	FM-15	0.00	30.05
25	1754	7	FEW:02 40 FEW:02 300	10.00		89	31.7	76	24.4	71	21.7	55	7	140		29.87			30.06	FM-15	0.00	30.05
25	1854	7	FEW:02 40 FEW:02 300	10.00		86	30.0	78	25.6	75	23.9	70	5	170		29.88	3	0.00	30.06	FM-15	0.00	30.06
25	1900	4	41	9.94		86	30.0	78	25.6	75	23.9	70	5	170		29.88			30.06	FM-12		
25	1954	7	FEW:02 40 FEW:02 300	10.00		82	27.8	76	24.4	74	23.3	77	7	180		29.89			30.08	FM-15	0.00	30.07
25	2054	7	FEW:02 300	10.00		80	26.7	76	24.4	74	23.3	82	7	140		29.92			30.11	FM-15	0.00	30.10
25	2154	7	CLR:00	10.00		80	26.7	75	23.9	73	22.8	79	7	140		29.92	0	-0.04	30.10	FM-15	0.00	30.10
25	2254	7	CLR:00	10.00		78	25.6	75	23.9	73	22.8	85	5	120		29.92			30.11	FM-15	0.00	30.10
25	2354	7	FEW:02 80	10.00		78	25.6	75	23.9	73	22.8	85	3	130		29.92			30.10	FM-15	0.00	30.10
26	0054	7	CLR:00	10.00		76	24.4	74	23.3	73	22.8	91	3	140		29.92	0	0.00	30.10	FM-15	0.00	30.10
26	0100	4		9.94		76	24.4	74	23.3	73	22.8	91	3	140		29.92	9	0.00	30.10	FM-12		
26	0154	7	CLR:00	10.00		76	24.4	74	23.3	73	22.8	91	3	180		29.91			30.10	FM-15	0.00	30.09
26	0254	7	CLR:00	10.00		75	23.9	74	23.3	73	22.8	94	6	200		29.91			30.09	FM-15	0.00	30.09
26	0354	7	CLR:00	10.00		75	23.9	74	23.3	73	22.8	94	3	200		29.90	8	+0.01	30.09	FM-15	0.00	30.08
26	0454	7	FEW:02 50 FEW:02 300	10.00		74	23.3	73	22.8	72	22.2	94	3	200		29.91			30.10	FM-15	0.00	30.09
26	0554	7	CLR:00	9.00		75	23.9	73	22.8	72	22.2	90	3	180		29.91			30.10	FM-15	0.00	30.09
26	0654	7	CLR:00	10.00		79	26.1	75	23.9	73	22.8	82	7	270		29.92	1	-0.01	30.11	FM-15	0.00	30.10
26	0700	4		9.94		79	26.1	75	23.9	73	22.8	82	7	270		29.92	1	-0.01	30.11	FM-12		
26	0754	7	CLR:00	10.00		83	28.3	76	24.4	73	22.8	72	5	300		29.92			30.10	FM-15	0.00	30.10
26	0854	7	CLR:00	10.00		87	30.6	77	25.0	73	22.8	63	6	230		29.91			30.09	FM-15	0.00	30.09
26	0954	7	CLR:00	10.00		91	32.8	78	25.6	72	22.2	54	7	240		29.90	8	+0.02	30.09	FM-15	0.00	30.08
26	1054	7	FEW:02 50	10.00		94	34.4	75	23.9	66	18.9	40	9	260		29.89			30.08	FM-15	0.00	30.07
26	1154	7	FEW:02 50	10.00		96	35.6	74	23.3	63	17.2	34	15	240	18	29.88			30.06	FM-15	0.00	30.06
26	1254	7	FEW:02 50	10.00		97	36.1	73	22.8	61	16.1	30	14	300	18	29.87	7	+0.04	30.05	FM-15	0.00	30.05
26	1300	4	57	9.94		97	36.1	73	22.8	61	16.1	30	14	300		29.87	7	+0.04	30.05	FM-12		
26	1354	7	FEW:02 50 FEW:02 250	10.00		96	35.6	72	22.2	59	15.0	29	9	240		29.85			30.03	FM-15	0.00	30.03
26	1454	7	FEW:02 50 FEW:02 250	10.00		98	36.7	73	22.8	60	15.6	28	11	260		29.84			30.03	FM-15	0.00	30.02
26	1554	7	FEW:02 60 FEW:02 250	10.00		98	36.7	73	22.8	60	15.6	28	10	300		29.83	6	+0.04	30.02	FM-15	0.00	30.01
26	1654	7	FEW:02 60 FEW:02 100 FEW:02 250	10.00		97	36.1	73	22.8	61	16.1	30	6	260		29.81			30.00	FM-15	0.00	29.99
26	1754	7	FEW:02 55 FEW:02 100 FEW:02 250	10.00		95	35.0	73	22.8	62	16.7	34	6	VRB		29.81			29.99	FM-15	0.00	29.99
26	1854	7	FEW:02 100 FEW:02 250	10.00		90	32.2	76	24.4	69	20.6	50	0	000		29.81	5	+0.02	30.00	FM-15	0.00	29.99
26	1900	4		9.94		90	32.2	76	24.4	69	20.6	50	0	000		29.81	5	+0.02	30.00	FM-12		
26	1954	7	FEW:02 100 FEW:02 250	10.00		86	30.0	74	23.3	68	20.0	55	5	130		29.81			30.00	FM-15	0.00	29.99
26	2054	7	BKN:07 90 BKN:07 250	10.00		84	28.9	75	23.9	71	21.7	65	6	160		29.82			30.01	FM-15	0.00	30.00
26	2154	7	FEW:02 90 FEW:02 250	10.00		81	27.2	75	23.9	73	22.8	77	5	140		29.81	0	0.00	30.00	FM-15	0.00	29.99
26	2254	7	FEW:02 90 SCT:04 250	10.00		79	26.1	76	24.4	74	23.3	85	7	200		29.81			30.00	FM-15	0.00	29.99
26	2354	7	SCT:04 300	10.00		81	27.2	75	23.9	73	22.8	77	6	220		29.80			29.99	FM-15	0.00	29.98
27	0054	7	FEW:02 300	10.00		79	26.1	74	23.3	72	22.2	79	6	210		29.79	8	+0.02	29.98	FM-15	0.00	29.97
27	0100	4		9.94		79	26.1	74	23.3	72	22.2	79	6	210		29.79	8	+0.02	29.98	FM-12		
27	0154	7	CLR:00	10.00		82	27.8	75	23.9	72	22.2	72	8	250		29.78			29.97	FM-15	0.00	29.96
27	0254	7	CLR:00	10.00		79	26.1	74	23.3	71	21.7	77	7	230		29.78			29.97	FM-15	0.00	29.96
27	0354	7	CLR:00	10.00		79	26.1	74	23.3	72	22.2	79	5	240		29.79	5	+0.01	29.97	FM-15	0.00	29.97
27	0454	7	FEW:02 300	10.00		79	26.1	74	23.3	72	22.2	79	7	250		29.80			29.99	FM-15	0.00	29.98

27	0554	7	FEW:02 110 FEW:02 300	10.00		79	26.1	74	23.3	72	22.2	79	6	260		29.81			30.00	FM-15	0.00	29.99
27	0654	7	FEW:02 110 FEW:02 300	10.00		82	27.8	75	23.9	72	22.2	72	6	260		29.82	1	-0.03	30.00	FM-15	0.00	30.00
27	0700	4		9.94		82	27.8	75	23.9	72	22.2	72	6	260		29.82	1	-0.03	30.00	FM-12		
27	0754	7	FEW:02 110 FEW:02 300	10.00		86	30.0	76	24.4	72	22.2	63	3	280		29.82			30.01	FM-15	0.00	30.00
27	0854	6	FEW:02 300	10.00		90	32.2	76	24.4	70	21.1	52	5	310		29.81			30.00	FM-15	0.00	29.99
27	0954	7	FEW:02 50 FEW:02 300	10.00		93	33.9	74	23.3	64	17.8	38	5	VRB		29.80	8	+0.02	29.98	FM-15	0.00	29.98
27	1054	7	FEW:02 55 SCT:04 300	10.00		93	33.9	76	24.4	69	20.6	46	5	VRB		29.79			29.98	FM-15	0.00	29.97
27	1154	7	FEW:02 60 FEW:02 300	10.00		95	35.0	76	24.4	68	20.0	41	13	200		29.78			29.97	FM-15	0.00	29.96
27	1254	7	FEW:02 60	10.00		95	35.0	75	23.9	66	18.9	39	11	220	17	29.76	8	+0.04	29.95	FM-15	0.00	29.94
27	1300	4	57	9.94		95	35.0	75	23.9	66	18.9	39	11	220		29.76	8	+0.04	29.95	FM-12		
27	1354	7	FEW:02 60	10.00		96	35.6	76	24.4	67	19.4	39	13	200		29.75			29.93	FM-15	0.00	29.93
27	1454	7	FEW:02 60	10.00		96	35.6	75	23.9	66	18.9	37	10	190		29.72			29.91	FM-15	0.00	29.90
27	1554	7	FEW:02 60	10.00		97	36.1	76	24.4	66	18.9	36	15	210	22	29.70	8	+0.06	29.88	FM-15	0.00	29.88
27	1654	7	FEW:02 60 FEW:02 250	10.00		96	35.6	75	23.9	66	18.9	37	10	210		29.68			29.86	FM-15	0.00	29.86
27	1754	7	FEW:02 60 FEW:02 250	10.00		94	34.4	76	24.4	68	20.0	43	9	200		29.68			29.87	FM-15	0.00	29.86
27	1854	7	FEW:02 250	10.00		93	33.9	75	23.9	67	19.4	42	10	250		29.69	5	+0.01	29.87	FM-15	0.00	29.87
27	1900	4		9.94		93	33.9	75	23.9	67	19.4	42	10	250		29.69	5	+0.01	29.87	FM-12		
27	1954	7	FEW:02 250	10.00		90	32.2	75	23.9	68	20.0	48	8	240		29.70			29.89	FM-15	0.00	29.88
27	2054	7	FEW:02 250	10.00		87	30.6	75	23.9	69	20.6	55	7	210		29.70			29.89	FM-15	0.00	29.88
27	2154	7	FEW:02 300	10.00		82	27.8	74	23.3	71	21.7	69	6	200		29.70	1	-0.01	29.89	FM-15	0.00	29.88
27	2254	7	FEW:02 300	10.00		80	26.7	75	23.9	72	22.2	76	7	200		29.71			29.89	FM-15	0.00	29.89
27	2354	7	FEW:02 300	10.00		84	28.9	75	23.9	71	21.7	65	9	240		29.70			29.88	FM-15	0.00	29.88
28	0054	7	CLR:00	10.00		80	26.7	75	23.9	72	22.2	76	7	220		29.69	8	+0.01	29.88	FM-15	0.00	29.87
28	0100	4		9.94		80	26.7	75	23.9	72	22.2	76	7	220		29.69	8	+0.01	29.88	FM-12		
28	0154	7	CLR:00	10.00		79	26.1	74	23.3	72	22.2	79	6	210		29.67			29.85	FM-15	0.00	29.85
28	0254	7	CLR:00	10.00		79	26.1	74	23.3	71	21.7	77	8	220		29.66			29.85	FM-15	0.00	29.84
28	0354	7	CLR:00	10.00		79	26.1	73	22.8	70	21.1	74	10	250		29.67	5	+0.02	29.86	FM-15	0.00	29.85
28	0454	7	FEW:02 300	10.00		78	25.6	73	22.8	70	21.1	76	7	250		29.69			29.88	FM-15	0.00	29.87
28	0554	7	FEW:02 250	10.00		79	26.1	73	22.8	70	21.1	74	7	230		29.71			29.90	FM-15	0.00	29.89
28	0654	7	FEW:02 150 FEW:02 300	10.00		82	27.8	74	23.3	70	21.1	67	10	260		29.72	1	-0.05	29.91	FM-15	0.00	29.90
28	0700	4		9.94		82	27.8	74	23.3	70	21.1	67	10	260		29.72	1	-0.05	29.91	FM-12		
28	0754	7	FEW:02 120 FEW:02 300	10.00		86	30.0	76	24.4	71	21.7	61	8	270		29.73			29.92	FM-15	0.00	29.91
28	0854	7	FEW:02 120 FEW:02 300	10.00		90	32.2	76	24.4	70	21.1	52	10	280		29.73			29.92	FM-15	0.00	29.91
28	0954	7	FEW:02 120 FEW:02 300	10.00		94	34.4	75	23.9	67	19.4	41	9	270		29.73	1	-0.01	29.92	FM-15	0.00	29.91
28	1054	7	FEW:02 120 FEW:02 300	10.00		96	35.6	76	24.4	67	19.4	39	11	270		29.73			29.92	FM-15	0.00	29.91
28	1154	7	FEW:02 70 FEW:02 120	10.00		98	36.7	76	24.4	66	18.9	35	6	290		29.72			29.91	FM-15	0.00	29.90
28	1254	7	FEW:02 65 SCT:04 120	10.00		98	36.7	77	25.0	68	20.0	38	13	210	20	29.70	8	+0.03	29.89	FM-15	0.00	29.88
28	1300	4	57	9.94		98	36.7	77	25.0	68	20.0	38	13	210		29.70	8	+0.03	29.89	FM-12		
28	1354	7	FEW:02 55 SCT:04 80 SCT:04 120	10.00		98	36.7	78	25.6	69	20.6	39	11	230	22	29.67			29.86	FM-15	0.00	29.85
28	1454	7	FEW:02 65 SCT:04 95 SCT:04 300	10.00		98	36.7	77	25.0	68	20.0	38	9	190	17	29.66			29.84	FM-15	0.00	29.84

28	1554	7	FEW:02 80 SCT:04 95 SCT:04 300	10.00		100	37.8	75	23.9	64	17.8	31	14	240		29.66	5	+0.04	29.84	FM-15	0.00	29.84
28	1654	7	SCT:04 70 SCT:04 110 BKN:07 300	10.00		91	32.8	75	23.9	68	20.0	47	21	240	24	29.66			29.85	FM-15	0.00	29.84
28	1754	7	FEW:02 50 SCT:04 80 BKN:07 110	10.00		91	32.8	76	24.4	69	20.6	49	14	260	23	29.68			29.86	FM-15	T	29.86
28	1854	7	FEW:02 50 SCT:04 110 SCT:04 160	10.00		88	31.1	75	23.9	69	20.6	54	14	330	24	29.71	3	-0.06	29.90	FM-15	0.00	29.89
28	1900	4	57	9.94		88	31.1	75	23.9	69	20.6	54	14	330		29.71	3	-0.06	29.90	FM-12		
28	1909	7	CLR:00	10.00		83	28.3	74	23.3	70	21.1	65	13	010	24	29.74				FM-16		29.92
28	1954	7	FEW:02 50 SCT:04 110 SCT:04 160	10.00		81	27.2	74	23.3	70	21.1	69	3	010		29.75			29.93	FM-15	0.00	29.93
28	2054	7	FEW:02 75 BKN:07 90 BKN:07 150	10.00		80	26.7	74	23.3	71	21.7	74	8	100		29.78			29.96	FM-15	0.00	29.96
28	2154	7	SCT:04 90 BKN:07 180 OVC:08 300	10.00		80	26.7	74	23.3	71	21.7	74	6	230		29.76	0	-0.05	29.95	FM-15	0.00	29.94
28	2254	7	FEW:02 90 BKN:07 150 BKN:07 230	10.00		79	26.1	73	22.8	70	21.1	74	10	250		29.76			29.95	FM-15	0.00	29.94
28	2354	7	SCT:04 140 BKN:07 210	10.00		79	26.1	73	22.8	70	21.1	74	7	230		29.76			29.94	FM-15	0.00	29.94
29	0054	7	SCT:04 140	10.00		77	25.0	72	22.2	70	21.1	79	7	210		29.76	5	0.00	29.95	FM-15	0.00	29.94
29	0100	4		9.94		77	25.0	72	22.2	70	21.1	79	7	210		29.76	5	0.00	29.95	FM-12		
29	0154	7	FEW:02 70	10.00		76	24.4	73	22.8	71	21.7	85	7	220		29.76			29.95	FM-15	0.00	29.94
29	0254	7	FEW:02 70	10.00		74	23.3	72	22.2	71	21.7	91	7	200		29.78			29.96	FM-15	0.00	29.96
29	0354	7	SCT:04 90	10.00		75	23.9	72	22.2	71	21.7	88	6	270		29.77	0	-0.01	29.96	FM-15	0.00	29.95
29	0454	7	FEW:02 90 BKN:07 150	10.00		76	24.4	73	22.8	71	21.7	85	0	000		29.77			29.95	FM-15	0.00	29.95
29	0554	7	FEW:02 90 SCT:04 150	10.00		77	25.0	73	22.8	71	21.7	82	6	330		29.78			29.96	FM-15	0.00	29.96
29	0654	7	FEW:02 70 SCT:04 150 SCT:04 300	10.00		79	26.1	74	23.3	71	21.7	77	6	350		29.79	3	-0.01	29.97	FM-15	0.00	29.97
29	0700	4	74	9.94		79	26.1	74	23.3	71	21.7	77	6	350		29.79	3	-0.01	29.97	FM-12		
29	0754	7	FEW:02 60 SCT:04 80 BKN:07 300	10.00		84	28.9	75	23.9	71	21.7	65	6	020		29.80			29.98	FM-15	0.00	29.98
29	0854	7	FEW:02 70 BKN:07 85	10.00		87	30.6	76	24.4	71	21.7	59	11	040		29.81			29.99	FM-15	0.00	29.99
29	0954	7	FEW:02 45 BKN:07 85	10.00		89	31.7	76	24.4	71	21.7	55	9	070		29.80	0	-0.02	29.99	FM-15	0.00	29.98
29	1054	7	FEW:02 55 BKN:07 85	10.00		88	31.1	75	23.9	69	20.6	54	8	080	18	29.82			30.01	FM-15	0.00	30.00
29	1154	7	FEW:02 40 SCT:04 55 BKN:07 110	10.00		91	32.8	75	23.9	67	19.4	45	5	VRB		29.81			29.99	FM-15	0.00	29.99
29	1254	7	BKN:07 47 BKN:07 110	10.00		89	31.7	75	23.9	69	20.6	52	7	140		29.78	8	+0.02	29.97	FM-15	0.00	29.96
29	1300	4	41	9.94		89	31.7	75	23.9	69	20.6	52	7	140		29.78	8	+0.02	29.97	FM-12		
29	1354	7	SCT:04 43 BKN:07 110 BKN:07 300	10.00		90	32.2	76	24.4	69	20.6	50	10	160		29.77			29.95	FM-15	0.00	29.95
29	1454	7	SCT:04 40 SCT:04 80 BKN:07 300	10.00		91	32.8	76	24.4	70	21.1	50	11	150		29.74			29.93	FM-15	0.00	29.92

29	1554	7	SCT:04 40 SCT:04 90 SCT:04 300	10.00		89	31.7	78	25.6	73	22.8	59	11	150		29.74	6	+0.04	29.93	FM-15	0.00	29.92
29	1654	7	FEW:02 40 FEW:02 90 SCT:04 300	10.00		89	31.7	78	25.6	73	22.8	59	10	160		29.73			29.92	FM-15	0.00	29.91
29	1754	7	FEW:02 35 FEW:02 90 SCT:04 300	10.00		88	31.1	77	25.0	73	22.8	61	9	160		29.73			29.92	FM-15	0.00	29.91
29	1854	7	FEW:02 35 FEW:02 90 FEW:02 300	10.00		85	29.4	77	25.0	74	23.3	70	6	170		29.74	5	0.00	29.93	FM-15	0.00	29.92
29	1900	4	41	9.94		85	29.4	77	25.0	74	23.3	70	6	170		29.74	5	0.00	29.93	FM-12		
29	1954	7	FEW:02 35 FEW:02 90 FEW:02 300	10.00		83	28.3	76	24.4	73	22.8	72	9	200		29.76			29.94	FM-15	0.00	29.94
29	2054	7	FEW:02 35 FEW:02 90 FEW:02 300	10.00		80	26.7	75	23.9	73	22.8	79	7	190		29.76			29.95	FM-15	0.00	29.94
29	2154	7	FEW:02 100 FEW:02 300	10.00		80	26.7	75	23.9	73	22.8	79	3	190		29.77	1	-0.03	29.96	FM-15	0.00	29.95
29	2254	7	SCT:04 300	10.00		79	26.1	76	24.4	74	23.3	85	6	200		29.77			29.95	FM-15	0.00	29.95
29	2354	7	FEW:02 300	10.00		78	25.6	75	23.9	74	23.3	87	6	230		29.76			29.94	FM-15	0.00	29.94
30	0054	7	FEW:02 300	10.00		79	26.1	76	24.4	74	23.3	85	8	250		29.75	8	+0.02	29.93	FM-15	0.00	29.93
30	0100	4		9.94		79	26.1	76	24.4	74	23.3	85	8	250		29.75	8	+0.02	29.93	FM-12		
30	0154	7	CLR:00	10.00		78	25.6	75	23.9	73	22.8	85	3	250		29.73			29.92	FM-15	0.00	29.91
30	0254	7	CLR:00	10.00		75	23.9	74	23.3	73	22.8	94	5	170		29.72			29.91	FM-15	0.00	29.90
30	0354	7	CLR:00	10.00		74	23.3	73	22.8	72	22.2	94	3	150		29.72	6	+0.03	29.90	FM-15	0.00	29.90
30	0454	7	FEW:02 100 FEW:02 300	8.00		74	23.3	73	22.8	72	22.2	94	0	000		29.72			29.91	FM-15	0.00	29.90
30	0554	7	FEW:02 9 FEW:02 300	7.00		74	23.3	73	22.8	73	22.8	97	6	180		29.74			29.93	FM-15	0.00	29.92
30	0654	7	FEW:02 4 SCT:04 300	10.00		77	25.0	75	23.9	74	23.3	90	7	200		29.75	3	-0.03	29.93	FM-15	0.00	29.93
30	0700	4	5	9.94		77	25.0	75	23.9	74	23.3	90	7	200		29.75	3	-0.03	29.93	FM-12		
30	0754	7	BKN:07 300	10.00		80	26.7	76	24.4	74	23.3	82	6	190		29.74			29.93	FM-15	0.00	29.92
30	0854	7	FEW:02 22 FEW:02 150 BKN:07 300	10.00		85	29.4	78	25.6	75	23.9	72	5	170		29.75			29.93	FM-15	0.00	29.93
30	0954	7	FEW:02 25 FEW:02 200 BKN:07 300	10.00		88	31.1	79	26.1	75	23.9	66	7	160		29.75	5	0.00	29.93	FM-15	0.00	29.93
30	1054	7	FEW:02 32 FEW:02 80 BKN:07 300	10.00		89	31.7	79	26.1	75	23.9	63	8	150		29.74			29.92	FM-15	0.00	29.92
30	1154	7	SCT:04 40 BKN:07 300	10.00		92	33.3	79	26.1	74	23.3	56	11	180		29.72			29.90	FM-15	0.00	29.90
30	1254	7	SCT:04 40 BKN:07 300	10.00		94	34.4	78	25.6	72	22.2	49	13	180		29.69	8	+0.06	29.88	FM-15	0.00	29.87
30	1300	4	41	9.94		94	34.4	78	25.6	72	22.2	49	13	180		29.69	8	+0.06	29.88	FM-12		
30	1354	7	FEW:02 45 SCT:04 80 BKN:07 300	10.00		94	34.4	78	25.6	72	22.2	49	11	170		29.67			29.85	FM-15	0.00	29.85
30	1454	7	SCT:04 44 SCT:04 200 BKN:07 300	10.00		94	34.4	78	25.6	72	22.2	49	9	VRB		29.65			29.83	FM-15	0.00	29.83
30	1554	7	SCT:04 45 SCT:04 200 BKN:07 300	10.00		92	33.3	77	25.0	71	21.7	51	13	140	21	29.63	6	+0.06	29.82	FM-15	0.00	29.81
30	1654	7	SCT:04 45 BKN:07 190 BKN:07 300	10.00		91	32.8	78	25.6	72	22.2	54	7	150		29.62			29.81	FM-15	0.00	29.80

30	1754	7	SCT:04 55 BKN:07 140 BKN:07 200	10.00	RA RA	87	30.6	77	25.0	73	22.8	63	8	180		29.63			29.81	FM-15	T	29.81
30	1854	7	SCT:04 55 BKN:07 150 OVC:08 300	10.00		84	28.9	76	24.4	73	22.8	70	7	360		29.64	3	-0.01	29.83	FM-15	T	29.82
30	1900	4	57	9.94		84	28.9	76	24.4	73	22.8	70	7	360		29.64	3	-0.01	29.83	FM-12		
30	1954	7	SCT:04 50 BKN:07 90 OVC:08 140	10.00	-RA:02 RA RA	80	26.7	75	23.9	73	22.8	79	17	350		29.67			29.85	FM-15	T	29.85
30	2054	7	FEW:02 50 SCT:04 100 OVC:08 140	10.00		76	24.4	73	22.8	72	22.2	88	6	040		29.67			29.86	FM-15	0.01	29.85
30	2154	7	FEW:02 150 BKN:07 190 OVC:08 300	10.00		76	24.4	73	22.8	71	21.7	85	5	050		29.67	1	-0.03	29.86	FM-15	0.00	29.85
30	2252	6	FEW:02 7 BKN:07 28 OVC:08 33	10.00	-RA:02 RA RA	75	23.9	73	22.8	72	22.2	89	7	030		29.68				FM-16		29.86
30	2254	7	FEW:02 7 BKN:07 28 OVC:08 33	10.00	-RA:02 RA RA	75	23.9	73	22.8	72	22.2	90	7	030		29.68			29.87	FM-15	T	29.86
30	2352	7	BKN:07 6 OVC:08 28	10.00	-RA:02 RA RA	75	23.9	74	23.3	73	22.8	94	7	050		29.66			29.85	FM-16	T	29.84
31	0052	6	SCT:04 6 BKN:07 36 OVC:08 120	2.00	+RA:02 BR:1 RA RA	73	22.8	73	22.8	73	22.8	100	0	000		29.64				FM-16		29.82
31	0054	7	SCT:04 6 BKN:07 36 OVC:08 120	2.00	+RA:02 BR:1 RA RA	74	23.3	73	22.8	73	22.8	97	3	110		29.64	8	+0.03	29.83	FM-15	0.26s	29.82
31	0100	4	5	1.99	RA	74	23.3	73	22.8	73	22.8	97	3	110		29.64	8	+0.03	29.83	FM-12		
31	0108	7	FEW:02 4 BKN:07 36 OVC:08 100	5.00	RA:02 BR:1 RA RA	74	23.3	73	22.8	73	22.8	97	5	120		29.64				FM-16	0.05	29.82
31	0154	7	SCT:04 4 SCT:04 36 SCT:04 80	10.00		74	23.3	73	22.8	73	22.8	97	6	130		29.62			29.80	FM-15	0.03	29.80
31	0233	7	BKN:07 4 OVC:08 15	10.00		74	23.3	73	22.8	73	22.8	97	5	090		29.60				FM-16	T	29.78
31	0254	7	BKN:07 4 BKN:07 15 OVC:08 49	10.00		74	23.3	73	22.8	72	22.2	94	5	070		29.60			29.79	FM-15	T	29.78
31	0354	7	BKN:07 4 BKN:07 11 BKN:07 80	10.00		74	23.3	73	22.8	73	22.8	97	0	000		29.60	6	+0.04	29.78	FM-15	0.00	29.78
31	0454	7	OVC:08 6	10.00		75	23.9	74	23.3	73	22.8	94	3	280		29.60			29.79	FM-15	0.00	29.78
31	0537	7	OVC:08 4	8.00		75	23.9	74	23.3	73	22.8	94	0	000		29.61				FM-16		29.79
31	0554	7	OVC:08 5	7.00		75	23.9	74	23.3	73	22.8	94	0	000		29.61			29.80	FM-15	0.00	29.79
31	0654	7	OVC:08 6	7.00		76	24.4	74	23.3	73	22.8	91	7	290		29.62	3	-0.02	29.81	FM-15	0.00	29.80
31	0700	4	5	6.84		76	24.4	74	23.3	73	22.8	91	7	290		29.62	3	-0.02	29.81	FM-12		
31	0747	7	BKN:07 10 BKN:07 300	9.00		78	25.6	75	23.9	74	23.3	87	3	VRB		29.62				FM-16		29.80
31	0754	7	BKN:07 10 OVC:08 300	10.00		78	25.6	75	23.9	74	23.3	87	6	240		29.62			29.81	FM-15	0.00	29.80
31	0854	7	BKN:07 14 BKN:07 100 BKN:07 300	10.00		80	26.7	76	24.4	74	23.3	82	7	240		29.63			29.82	FM-15	0.00	29.81
31	0954	7	BKN:07 15 BKN:07 120 OVC:08 190	10.00		82	27.8	76	24.4	73	22.8	74	6	260		29.63	0	0.00	29.81	FM-15	0.00	29.81
31	1054	7	BKN:07 20 BKN:07 55 BKN:07 100	10.00		85	29.4	77	25.0	74	23.3	70	8	230		29.61			29.80	FM-15	0.00	29.79

31	1154	7	BKN:07 24 BKN:07 38 BKN:07 120	10.00		88	31.1	78	25.6	74	23.3	63	7	230		29.61			29.80	FM-15	0.00	29.79
31	1221	7	BKN:07 32 BKN:07 55 BKN:07 100	10.00		89	31.7	78	25.6	73	22.8	59	13	230		29.61				FM-16		29.79
31	1254	7	BKN:07 30 BKN:07 65 BKN:07 100	10.00		87	30.6	77	25.0	73	22.8	63	7	190		29.59	8	+0.03	29.78	FM-15	0.00	29.77
31	1300	4	26	9.94		87	30.6	77	25.0	73	22.8	63	7	190		29.59	8	+0.03	29.78	FM-12		
31	1315	7	BKN:07 30 OVC:08 65	1.75	+RA:02 RA RA	83	28.3	78	25.6	76	24.4	79	13	320		29.61				FM-16	T	29.79
31	1320	7	BKN:07 31 BKN:07 65 BKN:07 150	10.00	-RA:02 RA RA	80	26.7	77	25.0	76	24.4	87	11	330		29.60				FM-16	0.06	29.78
31	1354	7	FEW:02 15 SCT:04 32 SCT:04 110	10.00		86	30.0	80	26.7	77	25.0	75	0	000		29.59			29.78	FM-15	0.09	29.77
31	1454	7	FEW:02 33 SCT:04 95 BKN:07 120	10.00		87	30.6	79	26.1	76	24.4	70	7	310		29.58			29.77	FM-15	0.00	29.76
31	1554	7	SCT:04 45 BKN:07 120 BKN:07 300	10.00		91	32.8	79	26.1	74	23.3	57	5	260		29.57	8	+0.02	29.76	FM-15	0.00	29.75
31	1619	7	BKN:07 42 BKN:07 120 BKN:07 300	10.00		83	28.3	77	25.0	75	23.9	77	20	030		29.57				FM-16		29.75
31	1654	7	FEW:02 9 SCT:04 12 OVC:08 37	2.00	+RA:02 BR:1 RA RA	79	26.1	77	25.0	76	24.4	90	8	300		29.62			29.80	FM-15	0.07	29.80
31	1657	7	SCT:04 6 BKN:07 12 OVC:08 37	0.75	TS:7 +RA:02 BR:1 RA TS RA	78	25.6	77	25.0	76	24.4	93	6	280		29.62				FM-16	0.03	29.80
31	1720	7	SCT:04 6 BKN:07 35 OVC:08 70	3.00	-RA:02 BR:1 RA RA	78	25.6	77	25.0	76	24.4	93	9	020		29.61				FM-16	0.53	29.79
31	1754	7	SCT:04 24 BKN:07 50 BKN:07 140	10.00	-RA:02 RA RA	79	26.1	78	25.6	77	25.0	94	8	030		29.61			29.80	FM-15	0.46	29.79
31	1816	7	SCT:04 6 SCT:04 24 BKN:07 60	10.00		79	26.1	77	25.0	76	24.4	90	7	020		29.62				FM-16	T	29.80
31	1848	7	BKN:07 6 BKN:07 60 BKN:07 300	10.00		79	26.1	76	24.4	75	23.9	89	6	040		29.62				FM-16	T	29.80
31	1854	7	BKN:07 6 BKN:07 60 BKN:07 300	10.00		79	26.1	77	25.0	76	24.4	90	7	040		29.63	1	-0.06	29.82	FM-15	0.00	29.81
31	1900	4	5	9.94		79	26.1	77	25.0	76	24.4	90	7	040		29.63	1	-0.06	29.82	FM-12		
31	1954	7	BKN:07 8 BKN:07 16 OVC:08 47	10.00		78	25.6	77	25.0	76	24.4	93	6	020		29.65			29.84	FM-15	0.00	29.83
31	2045	7	SCT:04 7 BKN:07 40 OVC:08 85	10.00		77	25.0	76	24.4	75	23.9	94	5	360		29.67				FM-16		29.85
31	2054	7	SCT:04 7 BKN:07 40 OVC:08 85	10.00		77	25.0	76	24.4	75	23.9	94	3	360		29.68			29.86	FM-15	0.00	29.86
31	2121	7	FEW:02 9 BKN:07 16 OVC:08 37	10.00		77	25.0	76	24.4	75	23.9	94	6	360		29.68				FM-16		29.86
31	2145	7	FEW:02 9 SCT:04 16 OVC:08 45	10.00		77	25.0	76	24.4	75	23.9	94	6	340		29.69				FM-16		29.87

31	2154	7	FEW:02 9 SCT:04 16 OVC:08 45	10.00		77	25.0	76	24.4	75	23.9	94	5	340		29.69	1	-0.06	29.88	FM-15	0.00	29.87
31	2223	7	FEW:02 8 BKN:07 18 OVC:08 46	10.00		77	25.0	76	24.4	75	23.9	94	5	350		29.69				FM-16		29.87
31	2254	7	FEW:02 8 OVC:08 18	10.00		77	25.0	75	23.9	74	23.3	90	6	340		29.70			29.88	FM-15	0.00	29.88
31	2354	7	FEW:02 5 OVC:08 24	10.00		76	24.4	75	23.9	74	23.3	94	7	330		29.70			29.88	FM-15	0.00	29.88

Local Climatological Data
Hourly Precipitation
July 2020

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 09/05/2020

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																					Date				
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID	
01						T							T	0.73	0.11	0.07	0.06	0.05	T						01	
02																									02	
03			T																						03	
04																									04	
05																									05	
06																									06	
07																				0.03					07	
08																									08	
09												T	0.02		T										09	
10				T																			T	T	10	
11	0.01	T																							11	
12																									12	
13							0.05																		13	
14																									14	
15																									15	
16																									16	
17															0.03	T	T								17	
18																									18	
19																			T						19	
20																									20	
21															T										21	
22	0.12	0.07	T																			0.20s	0.10	0.05	22	
23											T						T						T	T	23	
24	T	T	T		T			T	T	T												0.06	0.12	T	24	
25																									25	
26																									26	
27																									27	
28																			T						28	
29																									29	
30																			T	T	T	0.01		T	M	30
31	0.26s	0.03	T											0.09			0.07	0.46							31	

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.36	0.59	0.70	0.73	0.73	0.73	0.73	0.74	0.84	0.84	0.84	0.95
Ending Date Time (yyyy-mm-dd hh:mi)	2020-07-01 13:13	2020-07-01 13:15	2020-07-01 13:20	2020-07-01 13:21	2020-07-01 13:21	2020-07-01 13:21	2020-07-01 13:21	2020-07-01 14:24	2020-07-01 14:41	2020-07-01 14:41	2020-07-01 14:41	2020-07-01 16:04

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing