

**Local Climatological Data**  
**Daily Summary**  
**March 2020**

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 04/05/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH										
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees									
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23							
01	54	21*	38	-6.0				27	0	0640	1804		0.00	0.0	0	30.05		5.4	25	210	13	210							
02	69	35	52	7.7				13	0	0638	1805		T	0.0	0	29.85		13.2	41	210	30	220							
03	65	46	56	11.4				9	0	0637	1806	RA	T	0.0	0	29.57		11.9	36	220	26	190							
04	63	39	51	6.2				14	0	0635	1807		0.00	0.0	0	29.71		8.2	26	280	21	280							
05	55	39	47	1.9				18	0	0634	1808		0.00	0.0	0	29.89		8.4	24	360	17	010							
06	59	39	49	3.6				16	0	0633	1809	RA BR	0.04	0.0	0	29.70		10.3	34	340	26	330							
07	54	38	46	0.3				19	0	0631	1810		0.00	0.0	0	30.07		15.4	37	330	30	330							
08	62	28	45	-1.0				20	0	0630	1811		0.00	0.0	0	30.34		6.3	19	210	15	210							
09	73	39	56	9.7				9	0	0628	1812		0.00	0.0	0	30.26		11.1	24	220	20	220							
10	70	56	63	16.4				2	0	0627	1813	RA	T	0.0	0	30.04		16.3	37	230	31	230							
11	68	49	59	12.1				6	0	0625	1814		0.00	0.0	0	29.88		6.6	19	030	14	170							
12	65	47	56	8.8				9	0	0624	1815		0.00	0.0	0	29.85		5.3	14	120	12	100							
13	80	51	66	18.5				0	1	0622	1815	RA BR	0.15	0.0	0	29.74		12.3	29	230	22	260							
14	62	48	55	7.2				10	0	0621	1816	RA	T	0.0	0	30.14		6.7	19	020	15	010							
15	52	44	48	-0.1				17	0	0619	1817	RA	T	0.0	0	30.21		9.1	22	020	16	020							
16	58	42	50	1.5				15	0	0618	1818		0.00	0.0	0	30.25		8.1	21	060	17	060							
17	68	41	55	6.2				10	0	0616	1819	RA	T	0.0	0	30.02		6.4	23	030	17	020							
18	59	50	55	5.9				10	0	0615	1820	RA BR	0.08	0.0	0	30.21		9.5	23	020	18	020							
19	82	50	66	16.6				0	1	0613	1821	RA BR	0.12	0.0	0	30.02		8.9	23	210	17	210							
20	88	65	77	27.2				0	12	0612	1822	RA	0.08	0.0	0	29.88		16.2	40	240	32	230							
21	65	48	57	6.9				8	0	0610	1823	RA	0.12	0.0	0	30.05		9.9	29	020	24	360							
22	56	45	51	0.6				14	0	0609	1824	RA	T	0.0	0	30.29		9.5	21	090	16	090							
23	49	42	46	-4.8				19	0	0607	1825	RA DZ BR	0.80	0.0	0	30.03		7.5	25	300	22	300							
24	58	40	49	-2.1				16	0	0606	1826	RA BR	0.01	0.0	0	29.94		5.1	19	020	13	110							
25	50	45	48	-3.4				17	0	0604	1826	RA DZ BR	0.75	0.0	0	29.75		10.3	25	350	20	350							
26	58	41	50	-1.8				15	0	0603	1827	BR	0.00	0.0	0	29.88		8.1	24	180	18	190							
27	71	50	61	8.9				4	0	0601	1828	RA	0.01	0.0	0	29.70		6.8	18	200	15	350							
28	79	56	68	15.6				0	3	0600	1829		0.00	0.0	0	29.77		5.6	19	090	15	040							
29	88*	54	71	18.2				0	6	0558	1830	FG BR	0.00	0.0	0	29.69		8.7	29	260	22	260							
30	75	55	65	11.9				0	0	0557	1831		0.00	0.0	0	29.73		9.5	31	230	24	220							
31	56	44	50	-3.4				15	0	0555	1832	RA BR	0.50	0.0	0	29.73		7.4	25	050	20	050							
	64.9	44.7	54.8							<b>Monthly Averages   Totals</b>			2.66			29.95	30.14												
	4.9	7.6	6.2					<b>Departure from Normal (1981-2010)</b>				-1.38																	
<b>Degree Days</b>												<b>Number of days with...</b>																	
<b>Monthly</b>						<b>Season-to-date</b>						<b>Temperature</b>				<b>Precipitation</b>		<b>Snow</b>		<b>Weather</b>									
<b>Total</b>			<b>Departure</b>			<b>Total</b>			<b>Departure</b>			<b>Max</b>		<b>Min</b>		<b>&gt;=0.01"</b>		<b>&gt;=0.1"</b>		<b>&gt;=1"</b>		<b>T-Storms</b>	<b>Heavy Fog</b>						
<b>Heating</b>												<b>&gt;=90°</b>		<b>&lt;=32°</b>		<b>&lt;=32°</b>		<b>&lt;=0°</b>		<b>11</b>		<b>6</b>							
<b>Cooling</b>												<b>0</b>		<b>0</b>		<b>2</b>		<b>0</b>		<b>11</b>		<b>6</b>							
<b>Date of 5-sec to 3-sec wind equipment change</b>								<b>Sea Level Pressure</b>								<b>Greatest...</b>													
N/A								<b>Maximum</b>				30.63				<b>Date</b>		08		<b>Time</b>		1051		<b>24-Hr...</b>		<b>Snow Depth</b>			
								<b>Minimum</b>				29.58						03		1738		<b>Precip</b>		0.80				<b>Snowfall</b>	
																<b>Date</b>				23-23									
<b>Station Augmentation</b>																													
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																													

**Local Climatological Data**  
**Hourly Observations**  
**March 2020**

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 04/05/2020

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU   AW   MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		31	-0.6	25	-3.9	12	-11.1	45	7	290		30.02	1	-0.02	30.22	FM-15	0.00	30.20
01	0100	4		9.94		31	-0.6	25	-3.9	12	-11.1	45	7	290		30.02	1	-0.02	30.22	FM-12		
01	0154	7	CLR:00	10.00		30	-1.1	25	-3.9	13	-10.6	49	3	290		30.03			30.23	FM-15	0.00	30.21
01	0254	7	CLR:00	10.00		27	-2.8	23	-5.0	14	-10.0	58	0	000		30.03			30.23	FM-15	0.00	30.21
01	0354	7	CLR:00	10.00		26	-3.3	23	-5.0	15	-9.4	63	0	000		30.04	1	-0.03	30.24	FM-15	0.00	30.22
01	0454	7	CLR:00	10.00		25	-3.9	22	-5.6	14	-10.0	63	0	000		30.07			30.27	FM-15	0.00	30.25
01	0554	7	CLR:00	10.00		24	-4.4	21	-6.1	15	-9.4	68	3	190		30.09			30.29	FM-15	0.00	30.27
01	0654	7	FEW:02 150	10.00		22	-5.6	20	-6.7	15	-9.4	75	6	200		30.10	1	-0.05	30.30	FM-15	0.00	30.28
01	0700	4		9.94		22	-5.6	20	-6.7	15	-9.4	75	6	200		30.10	1	-0.05	30.30	FM-12		
01	0754	7	FEW:02 150	10.00		29	-1.7	26	-3.3	19	-7.2	66	3	200		30.12			30.32	FM-15	0.00	30.30
01	0854	7	FEW:02 200	10.00		36	2.2	29	-1.7	16	-8.9	44	0	000		30.12			30.32	FM-15	0.00	30.30
01	0954	7	FEW:02 200	10.00		40	4.4	32	0.0	15	-9.4	36	0	000		30.12	0	-0.02	30.31	FM-15	0.00	30.30
01	1054	7	FEW:02 250	10.00		44	6.7	33	0.6	12	-11.1	27	7	270		30.11			30.31	FM-15	0.00	30.29
01	1154	7	FEW:02 250	10.00		46	7.8	35	1.7	13	-10.6	26	5	VRB		30.11			30.31	FM-15	0.00	30.29
01	1254	7	FEW:02 250	10.00		48	8.9	36	2.2	12	-11.1	23	7	220		30.07	8	+0.05	30.26	FM-15	0.00	30.25
01	1300	4		9.94		48	8.9	36	2.2	12	-11.1	23	7	220		30.07	8	+0.05	30.26	FM-12		
01	1354	7	FEW:02 250	10.00		51	10.6	37	2.8	12	-11.1	21	7	280		30.03			30.23	FM-15	0.00	30.21
01	1454	7	FEW:02 250	10.00		52	11.1	38	3.3	13	-10.6	21	9	210		30.02			30.22	FM-15	0.00	30.20
01	1554	7	FEW:02 250	10.00		53	11.7	39	3.9	14	-10.0	21	11	220		30.01	6	+0.06	30.20	FM-15	0.00	30.19
01	1654	7	FEW:02 250	10.00		53	11.7	39	3.9	15	-9.4	22	13	200		30.00			30.19	FM-15	0.00	30.18
01	1754	7	FEW:02 250	10.00		50	10.0	37	2.8	16	-8.9	26	8	210		30.01			30.20	FM-15	0.00	30.19
01	1854	7	FEW:02 250	10.00		47	8.3	36	2.2	16	-8.9	29	7	180		30.02	3	-0.01	30.22	FM-15	0.00	30.20
01	1900	4		9.94		47	8.3	36	2.2	16	-8.9	29	7	180		30.02	3	-0.01	30.22	FM-12		
01	1954	7	FEW:02 250	10.00		42	5.6	34	1.1	19	-7.2	40	6	190		30.02			30.22	FM-15	0.00	30.20
01	2054	7	FEW:02 250	10.00		39	3.9	32	0.0	20	-6.7	46	6	190		30.02			30.21	FM-15	0.00	30.20
01	2154	7	CLR:00	10.00		38	3.3	32	0.0	21	-6.1	51	8	180		30.01	8	0.00	30.21	FM-15	0.00	30.19
01	2254	7	CLR:00	10.00		39	3.9	33	0.6	22	-5.6	50	7	190		30.00			30.20	FM-15	0.00	30.18
01	2354	7	CLR:00	10.00		39	3.9	33	0.6	22	-5.6	50	7	190		29.99			30.19	FM-15	0.00	30.17
02	0054	7	CLR:00	10.00		39	3.9	33	0.6	23	-5.0	53	10	200		29.98	6	+0.03	30.18	FM-15	0.00	30.16
02	0100	4		9.94		39	3.9	33	0.6	23	-5.0	53	10	200		29.98	6	+0.03	30.18	FM-12		
02	0154	7	CLR:00	10.00		38	3.3	32	0.0	22	-5.6	52	7	190		29.97			30.16	FM-15	0.00	30.15
02	0254	7	CLR:00	10.00		37	2.8	32	0.0	22	-5.6	54	6	190		29.95			30.15	FM-15	0.00	30.13
02	0354	7	CLR:00	10.00		36	2.2	31	-0.6	23	-5.0	59	7	190		29.94	6	+0.04	30.14	FM-15	0.00	30.12
02	0454	7	CLR:00	10.00		36	2.2	32	0.0	24	-4.4	62	7	190		29.94			30.13	FM-15	0.00	30.12
02	0554	7	CLR:00	10.00		38	3.3	33	0.6	26	-3.3	62	5	190		29.94			30.13	FM-15	0.00	30.12
02	0654	7	FEW:02 170 SCT:04 300	10.00		36	2.2	33	0.6	27	-2.8	70	7	190		29.93	8	+0.01	30.12	FM-15	0.00	30.11
02	0700	4		9.94		36	2.2	33	0.6	27	-2.8	70	7	190		29.93	8	+0.01	30.12	FM-12		
02	0754	7	FEW:02 170 SCT:04 300	10.00		43	6.1	38	3.3	31	-0.6	63	11	200		29.93			30.12	FM-15	0.00	30.11
02	0854	7	FEW:02 150 FEW:02 300	10.00		50	10.0	42	5.6	32	0.0	50	13	200		29.92			30.12	FM-15	0.00	30.10
02	0954	7	FEW:02 150 FEW:02 300	10.00		56	13.3	46	7.8	34	1.1	44	13	190		29.91	8	+0.02	30.10	FM-15	0.00	30.09
02	1054	7	FEW:02 150 BKN:07 300	10.00		61	16.1	48	8.9	34	1.1	36	18	210		29.89			30.08	FM-15	0.00	30.07
02	1154	7	FEW:02 170 BKN:07 300	10.00		63	17.2	49	9.4	34	1.1	34	21	210	30	29.85			30.04	FM-15	0.00	30.03

02	1254	7	BKN:07 220 BKN:07 300	10.00		66	18.9	51	10.6	34	1.1	30	22	210	30	29.81	8	+0.09	30.00	FM-15	0.00	29.99
02	1300	4		9.94		66	18.9	51	10.6	34	1.1	30	22	210		29.81	8	+0.09	30.00	FM-12		
02	1354	7	FEW:02 230 OVC:08 300	10.00		67	19.4	51	10.6	33	0.6	28	24	210	36	29.76			29.95	FM-15	0.00	29.94
02	1454	7	FEW:02 170 FEW:02 240 OVC:08 300	10.00		67	19.4	50	10.0	32	0.0	27	17	200	31	29.74			29.93	FM-15	0.00	29.92
02	1554	7	BKN:07 130 BKN:07 170 OVC:08 300	10.00		66	18.9	49	9.4	28	-2.2	24	24	220	33	29.72	6	+0.09	29.91	FM-15	0.00	29.90
02	1654	7	SCT:04 120 BKN:07 150 OVC:08 300	10.00		66	18.9	50	10.0	31	-0.6	27	17	210	29	29.71			29.90	FM-15	0.00	29.89
02	1754	7	FEW:02 110 BKN:07 150 OVC:08 300	10.00		64	17.8	49	9.4	33	0.6	32	14	210		29.70			29.89	FM-15	0.00	29.88
02	1854	7	BKN:07 120 BKN:07 150 OVC:08 300	10.00		63	17.2	50	10.0	35	1.7	35	15	210		29.70	6	+0.02	29.89	FM-15	0.00	29.88
02	1900	4		9.94		63	17.2	50	10.0	35	1.7	35	15	210		29.70	6	+0.02	29.89	FM-12		
02	1954	7	BKN:07 110 OVC:08 150	10.00		62	16.7	50	10.0	37	2.8	40	14	190		29.69			29.88	FM-15	0.00	29.87
02	2054	7	BKN:07 100 BKN:07 150 OVC:08 300	10.00		60	15.6	50	10.0	39	3.9	46	11	200		29.70			29.89	FM-15	0.00	29.88
02	2154	7	OVC:08 75	10.00		59	15.0	50	10.0	41	5.0	51	9	190		29.70	3	0.00	29.89	FM-15	T	29.88
02	2254	7	BKN:07 70 BKN:07 100	10.00		58	14.4	50	10.0	43	6.1	58	13	200		29.69			29.89	FM-15	T	29.87
02	2354	7	SCT:04 85	10.00		58	14.4	50	10.0	43	6.1	58	11	220		29.70			29.89	FM-15	0.00	29.88
03	0054	7	FEW:02 90	10.00		55	12.8	49	9.4	42	5.6	62	8	230		29.70	2	0.00	29.89	FM-15	0.00	29.88
03	0100	4		9.94		55	12.8	49	9.4	42	5.6	62	8	230		29.70			29.89	FM-12		
03	0154	7	FEW:02 300	10.00		50	10.0	46	7.8	41	5.0	71	8	210		29.70			29.89	FM-15	0.00	29.88
03	0254	7	FEW:02 300	10.00		48	8.9	45	7.2	41	5.0	77	8	200		29.69			29.88	FM-15	0.00	29.87
03	0354	7	FEW:02 300	10.00		49	9.4	46	7.8	42	5.6	77	5	190		29.66	8	+0.04	29.85	FM-15	0.00	29.84
03	0454	7	BKN:07 250	10.00		48	8.9	45	7.2	42	5.6	80	3	160		29.65			29.84	FM-15	0.00	29.83
03	0554	7	SCT:04 250	10.00		48	8.9	46	7.8	44	6.7	86	8	200		29.63			29.83	FM-15	0.00	29.81
03	0654	7	BKN:07 190 BKN:07 300	10.00		49	9.4	48	8.9	46	7.8	90	7	210		29.64	5	+0.02	29.83	FM-15	0.00	29.82
03	0700	4		9.94		49	9.4	48	8.9	46	7.8	90	7	210		29.64	5	+0.02	29.83	FM-12		
03	0754	7	BKN:07 170 OVC:08 300	10.00		54	12.2	51	10.6	49	9.4	83	6	180		29.63			29.82	FM-15	0.00	29.81
03	0823	7	BKN:07 17 OVC:08 170	10.00		54	12.2	51	10.6	48	8.9	80	8	180		29.62				FM-16		29.80
03	0854	7	BKN:07 18 OVC:08 170	10.00		55	12.8	52	11.1	49	9.4	80	7	200		29.62			29.81	FM-15	0.00	29.80
03	0943	7	SCT:04 21 OVC:08 130	10.00		57	13.9	53	11.7	50	10.0	78	10	170		29.59				FM-16		29.77
03	0954	7	FEW:02 21 BKN:07 130 OVC:08 250	10.00		58	14.4	54	12.2	51	10.6	78	11	190		29.60	6	+0.04	29.80	FM-15	0.00	29.78
03	1001	7	BKN:07 15 BKN:07 23 BKN:07 130	10.00		58	14.4	54	12.2	51	10.6	78	11	210		29.60				FM-16		29.78
03	1054	7	BKN:07 16 OVC:08 20	10.00		59	15.0	55	12.8	52	11.1	78	11	180		29.55			29.74	FM-15	0.00	29.73
03	1154	7	FEW:02 17 BKN:07 21 OVC:08 27	10.00		62	16.7	57	13.9	54	12.2	75	16	200	23	29.53			29.72	FM-15	0.00	29.71
03	1254	7	BKN:07 26 BKN:07 34 OVC:08 48	10.00		63	17.2	58	14.4	54	12.2	73	16	200		29.52	6	+0.10	29.70	FM-15	0.00	29.69
03	1300	4	26	9.94		63	17.2	58	14.4	54	12.2	73	16	200		29.51	6	+0.10	29.70	FM-12		

03	1354	7	BKN:07 27 BKN:07 75 OVC:08 100	9.00	-RA:02  RA  RA	64	17.8	59	15.0	55	12.8	73	20	220	31	29.47			29.67	FM-15	T	29.65
03	1414	7	SCT:04 26 SCT:04 33 OVC:08 110	10.00		64	17.8	58	14.4	54	12.2	70	22	220	30	29.47				FM-16	T	29.65
03	1454	7	FEW:02 27 BKN:07 80 BKN:07 95	10.00		64	17.8	58	14.4	53	11.7	68	21	200	31	29.44			29.62	FM-15	T	29.61
03	1554	7	FEW:02 28 BKN:07 140	10.00		63	17.2	58	14.4	54	12.2	73	16	210		29.41	6	+0.11	29.59	FM-15	0.00	29.58
03	1654	7	SCT:04 150 BKN:07 240	10.00		62	16.7	57	13.9	53	11.7	73	15	200	26	29.39			29.58	FM-15	0.00	29.57
03	1754	7	FEW:02 50 FEW:02 150 BKN:07 210	10.00		61	16.1	56	13.3	52	11.1	72	17	210		29.41			29.59	FM-15	0.00	29.58
03	1854	7	FEW:02 50 FEW:02 150 BKN:07 220	10.00		60	15.6	56	13.3	52	11.1	75	17	220	25	29.42	3	-0.02	29.61	FM-15	0.00	29.60
03	1900	4	57	9.94		60	15.6	56	13.3	52	11.1	75	17	220		29.42	3	-0.02	29.61	FM-12		
03	1954	7	FEW:02 50 FEW:02 220	10.00		59	15.0	55	12.8	51	10.6	75	10	230		29.44			29.63	FM-15	0.00	29.62
03	2054	7	CLR:00	10.00		60	15.6	55	12.8	51	10.6	72	14	240		29.47			29.65	FM-15	0.00	29.64
03	2154	7	SCT:04 65 BKN:07 85	10.00		59	15.0	55	12.8	51	10.6	75	14	250	23	29.50	3	-0.08	29.70	FM-15	0.00	29.68
03	2254	7	FEW:02 85	10.00		58	14.4	54	12.2	50	10.0	75	11	250		29.54			29.73	FM-15	0.00	29.72
03	2354	7	FEW:02 85	10.00		60	15.6	51	10.6	41	5.0	50	15	260		29.56			29.75	FM-15	0.00	29.74
04	0054	7	FEW:02 90	10.00		58	14.4	47	8.3	34	1.1	41	14	270		29.60	3	-0.10	29.79	FM-15	0.00	29.78
04	0100	4		9.94		58	14.4	47	8.3	34	1.1	41	14	270		29.60	3	-0.10	29.79	FM-12		
04	0154	7	CLR:00	10.00		56	13.3	44	6.7	28	-2.2	34	8	270		29.62			29.82	FM-15	0.00	29.80
04	0254	7	CLR:00	10.00		56	13.3	43	6.1	26	-3.3	32	8	290	17	29.62			29.81	FM-15	0.00	29.80
04	0354	7	SCT:04 250	10.00		54	12.2	43	6.1	28	-2.2	37	10	310		29.65	3	-0.05	29.84	FM-15	0.00	29.83
04	0454	7	FEW:02 250	10.00		47	8.3	40	4.4	29	-1.7	50	3	190		29.69			29.88	FM-15	0.00	29.87
04	0554	7	FEW:02 250	10.00		41	5.0	37	2.8	31	-0.6	67	5	150		29.73			29.92	FM-15	0.00	29.91
04	0654	7	FEW:02 230 SCT:04 300	10.00		42	5.6	37	2.8	31	-0.6	65	5	220		29.76	1	-0.10	29.95	FM-15	0.00	29.94
04	0700	4		9.94		42	5.6	37	2.8	31	-0.6	65	5	220		29.76	1	-0.10	29.95	FM-12		
04	0754	7	FEW:02 190 BKN:07 250	10.00		50	10.0	43	6.1	34	1.1	54	0	000		29.76			29.96	FM-15	T	29.94
04	0854	7	BKN:07 180 BKN:07 250	10.00		57	13.9	45	7.2	29	-1.7	34	8	270		29.78			29.97	FM-15	0.00	29.96
04	0954	7	BKN:07 190 BKN:07 250	10.00		58	14.4	45	7.2	28	-2.2	32	13	260		29.78	0	-0.02	29.97	FM-15	0.00	29.96
04	1054	7	BKN:07 190 BKN:07 300	10.00		59	15.0	44	6.7	24	-4.4	26	10	260		29.78			29.97	FM-15	0.00	29.96
04	1154	7	BKN:07 180 BKN:07 300	10.00		60	15.6	44	6.7	22	-5.6	23	10	270		29.77			29.96	FM-15	0.00	29.95
04	1254	7	FEW:02 190 SCT:04 300	10.00		61	16.1	45	7.2	24	-4.4	24	3	280		29.75	8	+0.03	29.94	FM-15	0.00	29.93
04	1300	4		9.94		61	16.1	45	7.2	24	-4.4	24	3	280		29.75	8	+0.03	29.94	FM-12		
04	1354	7	FEW:02 190 BKN:07 300	10.00		63	17.2	46	7.8	23	-5.0	22	5	220		29.71			29.91	FM-15	0.00	29.89
04	1454	7	FEW:02 180 BKN:07 300	10.00		62	16.7	46	7.8	26	-3.3	25	9	210		29.71			29.90	FM-15	0.00	29.89
04	1554	7	FEW:02 210 BKN:07 300	10.00		62	16.7	46	7.8	25	-3.9	24	11	220		29.70	6	+0.05	29.89	FM-15	0.00	29.88
04	1654	7	FEW:02 210 BKN:07 300	10.00		62	16.7	46	7.8	26	-3.3	25	11	230		29.72			29.91	FM-15	0.00	29.90
04	1754	7	FEW:02 200 BKN:07 300	10.00		60	15.6	46	7.8	27	-2.8	28	9	240		29.74			29.93	FM-15	0.00	29.92
04	1854	7	SCT:04 200 BKN:07 300	10.00		52	11.1	42	5.6	28	-2.2	40	7	200		29.74	0	-0.04	29.93	FM-15	0.00	29.92

04	1900	4		9.94		52	11.1	42	5.6	28	-2.2	40	7	200		29.74	9	+0.04	29.93	FM-12		
04	1954	7	FEW:02 200 SCT:04 300	10.00		50	10.0	41	5.0	29	-1.7	44	8	210		29.74			29.93	FM-15	0.00	29.92
04	2054	7	BKN:07 200 BKN:07 300	10.00		53	11.7	43	6.1	30	-1.1	41	8	230		29.75			29.94	FM-15	0.00	29.93
04	2154	7	BKN:07 200 BKN:07 300	10.00		54	12.2	44	6.7	30	-1.1	40	9	230		29.76	3	-0.02	29.95	FM-15	0.00	29.94
04	2254	7	OVC:08 200	10.00		54	12.2	44	6.7	32	0.0	43	14	230		29.78			29.97	FM-15	0.00	29.96
04	2354	7	FEW:02 220 BKN:07 300	10.00		52	11.1	44	6.7	33	0.6	49	8	230		29.78			29.98	FM-15	0.00	29.96
05	0054	7	BKN:07 300	10.00		52	11.1	44	6.7	34	1.1	50	8	250		29.78	1	-0.03	29.98	FM-15	0.00	29.96
05	0100	4		9.94		52	11.1	44	6.7	34	1.1	50	8	250		29.78	1	-0.03	29.98	FM-12		
05	0154	7	BKN:07 300	10.00		50	10.0	43	6.1	34	1.1	54	5	280		29.81			30.01	FM-15	0.00	29.99
05	0254	7	BKN:07 300	10.00		49	9.4	42	5.6	33	0.6	55	6	310		29.81			30.00	FM-15	0.00	29.99
05	0354	7	BKN:07 300	10.00		50	10.0	42	5.6	31	-0.6	48	11	010		29.84	1	-0.05	30.03	FM-15	0.00	30.02
05	0454	7	OVC:08 300	10.00		48	8.9	41	5.0	33	0.6	56	13	010		29.90			30.09	FM-15	0.00	30.08
05	0554	7	OVC:08 250	10.00		48	8.9	42	5.6	34	1.1	58	11	020		29.92			30.12	FM-15	0.00	30.10
05	0654	7	BKN:07 240 BKN:07 300	10.00		46	7.8	41	5.0	34	1.1	63	10	020		29.94	1	-0.10	30.13	FM-15	0.00	30.12
05	0700	4		9.94		46	7.8	41	5.0	34	1.1	63	10	020		29.94	1	-0.10	30.13	FM-12		
05	0754	7	BKN:07 240 BKN:07 300	10.00		46	7.8	39	3.9	28	-2.2	50	15	040		30.00			30.20	FM-15	0.00	30.18
05	0854	7	BKN:07 230 OVC:08 300	10.00		47	8.3	38	3.3	25	-3.9	42	15	020		30.03			30.22	FM-15	0.00	30.21
05	0954	7	BKN:07 220 BKN:07 300	10.00		48	8.9	39	3.9	26	-3.3	42	10	050		30.01	0	-0.08	30.21	FM-15	0.00	30.19
05	1054	7	BKN:07 230 OVC:08 300	10.00		50	10.0	40	4.4	26	-3.3	39	8	040		30.01			30.20	FM-15	0.00	30.19
05	1154	7	SCT:04 230 BKN:07 300	10.00		51	10.6	40	4.4	24	-4.4	35	7	070		30.01			30.20	FM-15	0.00	30.19
05	1254	7	SCT:04 230 BKN:07 300	10.00		54	12.2	42	5.6	25	-3.9	33	6	040		29.96	8	+0.05	30.16	FM-15	0.00	30.14
05	1300	4		9.94		54	12.2	42	5.6	25	-3.9	33	6	040		29.96	8	+0.05	30.16	FM-12		
05	1354	7	BKN:07 190 OVC:08 300	10.00		54	12.2	42	5.6	26	-3.3	34	8	140		29.94			30.13	FM-15	0.00	30.12
05	1454	7	BKN:07 180 OVC:08 300	10.00		54	12.2	43	6.1	27	-2.8	35	9	170		29.93			30.12	FM-15	0.00	30.11
05	1554	7	BKN:07 170 OVC:08 300	10.00		52	11.1	43	6.1	30	-1.1	43	10	160		29.93	6	+0.04	30.12	FM-15	0.00	30.11
05	1654	7	BKN:07 170 OVC:08 300	10.00		51	10.6	42	5.6	29	-1.7	43	7	150		29.91			30.10	FM-15	0.00	30.09
05	1754	7	OVC:08 170	10.00		49	9.4	41	5.0	30	-1.1	48	10	130		29.89			30.09	FM-15	0.00	30.07
05	1854	7	OVC:08 170	10.00		47	8.3	40	4.4	30	-1.1	52	5	100		29.89	6	+0.04	30.09	FM-15	0.00	30.07
05	1900	4		9.94		47	8.3	40	4.4	30	-1.1	52	5	100		29.89	6	+0.04	30.09	FM-12		
05	1954	7	OVC:08 160	10.00		45	7.2	39	3.9	31	-0.6	58	5	120		29.90			30.10	FM-15	0.00	30.08
05	2054	7	SCT:04 170 BKN:07 300	10.00		43	6.1	38	3.3	31	-0.6	63	7	150		29.90			30.10	FM-15	0.00	30.08
05	2154	7	SCT:04 160 BKN:07 250 BKN:07 300	10.00		42	5.6	37	2.8	30	-1.1	62	3	100		29.88	8	+0.01	30.07	FM-15	0.00	30.06
05	2254	7	SCT:04 180 SCT:04 250 BKN:07 300	10.00		39	3.9	36	2.2	31	-0.6	73	7	150		29.85			30.04	FM-15	0.00	30.03
05	2354	7	SCT:04 60 SCT:04 180 BKN:07 300	10.00		40	4.4	37	2.8	32	0.0	73	5	340		29.83			30.02	FM-15	0.00	30.01
06	0054	7	BKN:07 55	10.00		40	4.4	37	2.8	33	0.6	77	0	000		29.79	8	+0.09	29.99	FM-15	0.00	29.97
06	0100	4	57	9.94		40	4.4	37	2.8	33	0.6	77	0	000		29.79	8	+0.09	29.99	FM-12		
06	0154	7	BKN:07 50	10.00		40	4.4	37	2.8	33	0.6	77	0	000		29.77			29.97	FM-15	0.00	29.95
06	0254	7	OVC:08 42	10.00		41	5.0	38	3.3	34	1.1	76	5	110		29.73			29.93	FM-15	0.00	29.91
06	0354	7	OVC:08 40	10.00		43	6.1	40	4.4	35	1.7	74	0	000		29.70	8	+0.09	29.90	FM-15	0.00	29.88

06	0454	7	OVC:08 39	10.00		43	6.1	40	4.4	35	1.7	74	5	100		29.69			29.88	FM-15	0.00	29.87
06	0554	7	BKN:07 37 OVC:08 48	4.00	RA:02 BR:1  RA  RA	42	5.6	40	4.4	38	3.3	85	3	050		29.68			29.87	FM-15	0.03	29.86
06	0654	7	SCT:04 45 OVC:08 80	10.00		43	6.1	42	5.6	40	4.4	89	7	300		29.67	6	+0.03	29.87	FM-15	T	29.85
06	0700	4	41	9.94		43	6.1	42	5.6	40	4.4	89	7	300		29.67	6	+0.03	29.87	FM-12		
06	0719	7	BKN:07 10 BKN:07 45 OVC:08 80	10.00		43	6.1	42	5.6	40	4.4	89	8	270		29.68				FM-16		29.86
06	0754	7	OVC:08 11	10.00		44	6.7	42	5.6	40	4.4	85	6	300		29.67			29.87	FM-15	0.00	29.85
06	0807	7	SCT:04 10 BKN:07 70 OVC:08 95	10.00	-RA:02  RA  RA	44	6.7	42	5.6	40	4.4	85	5	310		29.66				FM-16	T	29.84
06	0854	7	FEW:02 10 BKN:07 75 OVC:08 90	10.00	-RA:02  RA  RA	44	6.7	42	5.6	40	4.4	85	11	310		29.67			29.86	FM-15	T	29.85
06	0954	7	BKN:07 75 OVC:08 100	10.00		45	7.2	42	5.6	38	3.3	77	8	310		29.64	8	+0.04	29.83	FM-15	0.01	29.82
06	1054	7	FEW:02 75 BKN:07 130	10.00		51	10.6	44	6.7	36	2.2	56	10	300		29.62			29.81	FM-15	0.00	29.80
06	1154	7	FEW:02 50 SCT:04 90 BKN:07 130	10.00		57	13.9	46	7.8	33	0.6	41	21	330	29	29.61			29.80	FM-15	0.00	29.79
06	1254	7	FEW:02 55 BKN:07 80 BKN:07 120	10.00		55	12.8	44	6.7	30	-1.1	38	15	320		29.60	6	+0.04	29.79	FM-15	0.00	29.78
06	1300	4	57	9.94		55	12.8	44	6.7	30	-1.1	38	15	320		29.60	6	+0.04	29.79	FM-12		
06	1354	7	FEW:02 55 SCT:04 70 BKN:07 110	10.00		57	13.9	44	6.7	27	-2.8	32	15	320	31	29.59			29.78	FM-15	0.00	29.77
06	1454	7	FEW:02 55 BKN:07 75 BKN:07 130	10.00		56	13.3	44	6.7	27	-2.8	33	20	350	25	29.59			29.78	FM-15	0.00	29.77
06	1554	7	FEW:02 31 BKN:07 47 BKN:07 75	10.00		50	10.0	43	6.1	34	1.1	54	9	020		29.62	3	-0.02	29.82	FM-15	T	29.80
06	1654	7	FEW:02 47 BKN:07 75 BKN:07 90	10.00		49	9.4	43	6.1	35	1.7	59	10	020		29.65			29.84	FM-15	T	29.83
06	1754	7	FEW:02 60 BKN:07 100 BKN:07 300	10.00		51	10.6	40	4.4	23	-5.0	33	20	320	28	29.68			29.88	FM-15	0.00	29.86
06	1854	7	BKN:07 70 BKN:07 90 BKN:07 120	10.00		49	9.4	40	4.4	27	-2.8	43	11	320	23	29.72	3	-0.10	29.92	FM-15	0.00	29.90
06	1900	4	74	9.94		49	9.4	40	4.4	27	-2.8	43	11	320		29.72	3	-0.10	29.92	FM-12		
06	1954	7	BKN:07 65 OVC:08 120	10.00		48	8.9	39	3.9	27	-2.8	44	18	310	25	29.75			29.95	FM-15	0.00	29.93
06	2054	7	FEW:02 65 BKN:07 120 BKN:07 300	10.00		46	7.8	39	3.9	28	-2.2	50	11	320		29.77			29.97	FM-15	0.00	29.95
06	2154	7	FEW:02 60 FEW:02 130 FEW:02 300	10.00		45	7.2	38	3.3	28	-2.2	52	13	300		29.79	1	-0.06	29.98	FM-15	0.00	29.97
06	2254	7	SCT:04 130 SCT:04 300	10.00		44	6.7	38	3.3	29	-1.7	55	15	310	21	29.81			30.00	FM-15	0.00	29.99
06	2354	7	BKN:07 65 BKN:07 300	10.00		45	7.2	38	3.3	28	-2.2	52	14	320		29.83			30.02	FM-15	0.00	30.01
07	0054	7	SCT:04 80 SCT:04 300	10.00		43	6.1	37	2.8	28	-2.2	56	9	320		29.85	3	-0.06	30.04	FM-15	0.00	30.03
07	0100	4	74	9.94		43	6.1	37	2.8	28	-2.2	56	9	320		29.85	3	-0.06	30.04	FM-12		
07	0154	7	FEW:02 48 BKN:07 60 BKN:07 300	10.00		43	6.1	37	2.8	27	-2.8	53	21	340	28	29.88			30.07	FM-15	0.00	30.06

07	0254	7	FEW:02 45 BKN:07 70	10.00		42	5.6	36	2.2	26	-3.3	53	22	340	32	29.90			30.09	FM-15	0.00	30.08
07	0354	7	BKN:07 55 OVC:08 75	10.00		42	5.6	35	1.7	25	-3.9	51	25	330	34	29.92	1	-0.08	30.12	FM-15	0.00	30.10
07	0454	7	OVC:08 55	10.00		42	5.6	35	1.7	25	-3.9	51	21	330	29	29.97			30.16	FM-15	0.00	30.15
07	0554	7	OVC:08 50	10.00		41	5.0	35	1.7	25	-3.9	53	18	340	31	30.01			30.20	FM-15	0.00	30.19
07	0654	7	BKN:07 55 BKN:07 70	10.00		41	5.0	35	1.7	25	-3.9	53	23	350	30	30.05	3	-0.12	30.25	FM-15	0.00	30.23
07	0700	4	57	9.94		41	5.0	35	1.7	25	-3.9	53	23	350		30.05	3	-0.12	30.25	FM-12		
07	0754	7	SCT:04 50 SCT:04 70	10.00		42	5.6	35	1.7	25	-3.9	51	17	340	29	30.09			30.29	FM-15	0.00	30.27
07	0854	7	FEW:02 44	10.00		43	6.1	36	2.2	25	-3.9	49	23	340	32	30.12			30.31	FM-15	0.00	30.30
07	0954	7	SCT:04 47	10.00		46	7.8	37	2.8	24	-4.4	42	23	330	29	30.14	1	-0.08	30.33	FM-15	0.00	30.32
07	1054	7	SCT:04 49	10.00		49	9.4	39	3.9	24	-4.4	38	22	350		30.14			30.34	FM-15	0.00	30.32
07	1154	7	SCT:04 55	10.00		48	8.9	38	3.3	23	-5.0	37	21	340	30	30.16			30.36	FM-15	0.00	30.34
07	1254	7	FEW:02 60	10.00		50	10.0	39	3.9	23	-5.0	35	17	340	26	30.16	0	-0.02	30.35	FM-15	0.00	30.34
07	1300	4	57	9.94		50	10.0	39	3.9	23	-5.0	35	17	340		30.16	9	+0.02	30.35	FM-12		
07	1354	7	FEW:02 60	10.00		52	11.1	40	4.4	20	-6.7	28	20	320	26	30.15			30.35	FM-15	0.00	30.33
07	1454	7	FEW:02 60	10.00		53	11.7	40	4.4	19	-7.2	26	13	350	21	30.16			30.36	FM-15	0.00	30.34
07	1509	7	FEW:02 60	10.00		53	11.7	40	4.4	19	-7.2	26	16	020	26	30.16				FM-16		30.34
07	1554	7	CLR:00	10.00		54	12.2	40	4.4	17	-8.3	23	14	340	22	30.17	3	-0.01	30.36	FM-15	0.00	30.35
07	1654	7	CLR:00	10.00		52	11.1	38	3.3	15	-9.4	23	15	350	22	30.18			30.37	FM-15	0.00	30.36
07	1754	7	CLR:00	10.00		49	9.4	37	2.8	16	-8.9	27	13	330		30.21			30.40	FM-15	0.00	30.39
07	1854	7	CLR:00	10.00		46	7.8	36	2.2	17	-8.3	31	7	330		30.22	3	-0.05	30.42	FM-15	0.00	30.40
07	1900	4		9.94		46	7.8	36	2.2	17	-8.3	31	7	330		30.22	3	-0.05	30.42	FM-12		
07	1954	7	CLR:00	10.00		45	7.2	35	1.7	17	-8.3	33	5	310		30.25			30.44	FM-15	0.00	30.43
07	2054	7	CLR:00	10.00		43	6.1	34	1.1	18	-7.8	37	5	320		30.27			30.47	FM-15	0.00	30.45
07	2154	7	CLR:00	10.00		41	5.0	33	0.6	18	-7.8	39	7	360		30.29	1	-0.07	30.49	FM-15	0.00	30.47
07	2254	7	CLR:00	10.00		38	3.3	31	-0.6	19	-7.2	46	7	360		30.30			30.49	FM-15	0.00	30.48
07	2354	7	CLR:00	10.00		39	3.9	32	0.0	18	-7.8	43	5	330		30.31			30.51	FM-15	0.00	30.49
08	0054	7	CLR:00	10.00		36	2.2	30	-1.1	20	-6.7	52	6	350		30.32	3	-0.03	30.52	FM-15	0.00	30.50
08	0100	4		9.94		36	2.2	30	-1.1	20	-6.7	52	6	350		30.32	3	-0.03	30.52	FM-12		
08	0154	7	CLR:00	10.00		36	2.2	30	-1.1	19	-7.2	50	7	010		30.33			30.52	FM-15	0.00	30.51
08	0254	7	CLR:00	10.00		37	2.8	31	-0.6	19	-7.2	48	5	300		30.33			30.53	FM-15	0.00	30.51
08	0354	7	CLR:00	10.00		32	0.0	28	-2.2	20	-6.7	61	0	000		30.34	1	-0.02	30.53	FM-15	0.00	30.52
08	0454	7	CLR:00	10.00		30	-1.1	27	-2.8	20	-6.7	66	0	000		30.36			30.56	FM-15	0.00	30.54
08	0554	7	CLR:00	10.00		29	-1.7	26	-3.3	21	-6.1	72	0	000		30.38			30.58	FM-15	0.00	30.56
08	0654	7	CLR:00	10.00		29	-1.7	26	-3.3	21	-6.1	72	0	000		30.40	1	-0.06	30.60	FM-15	0.00	30.58
08	0700	4		9.94		29	-1.7	26	-3.3	21	-6.1	72	0	000		30.40	1	-0.06	30.60	FM-12		
08	0754	7	CLR:00	10.00		36	2.2	33	0.6	27	-2.8	70	0	000		30.41			30.61	FM-15	0.00	30.59
08	0854	7	CLR:00	10.00		45	7.2	37	2.8	23	-5.0	42	3	VRB		30.42			30.62	FM-15	0.00	30.60
08	0954	7	CLR:00	10.00		49	9.4	39	3.9	23	-5.0	36	0	000		30.43	1	-0.03	30.63	FM-15	0.00	30.61
08	1054	7	FEW:02 350	10.00		51	10.6	39	3.9	20	-6.7	29	8	210		30.43			30.62	FM-15	0.00	30.61
08	1154	7	CLR:00	10.00		54	12.2	41	5.0	20	-6.7	26	9	220		30.40			30.60	FM-15	0.00	30.58
08	1254	7	CLR:00	10.00		57	13.9	42	5.6	18	-7.8	22	7	200		30.36	8	+0.07	30.56	FM-15	0.00	30.54
08	1300	4		9.94		57	13.9	42	5.6	18	-7.8	22	7	200		30.36	8	+0.07	30.56	FM-12		
08	1354	7	FEW:02 300	10.00		60	15.6	43	6.1	17	-8.3	19	10	250	16	30.32			30.52	FM-15	0.00	30.50
08	1454	7	FEW:02 250	10.00		61	16.1	44	6.7	19	-7.2	20	11	200		30.30			30.49	FM-15	0.00	30.48
08	1554	7	CLR:00	10.00		62	16.7	45	7.2	20	-6.7	20	11	220		30.28	6	+0.08	30.48	FM-15	0.00	30.46
08	1654	7	CLR:00	10.00		61	16.1	44	6.7	20	-6.7	20	13	210		30.29			30.48	FM-15	0.00	30.47
08	1754	7	FEW:02 300	10.00		59	15.0	44	6.7	21	-6.1	23	10	210		30.29			30.49	FM-15	0.00	30.47
08	1854	7	CLR:00	10.00		49	9.4	39	3.9	22	-5.6	35	9	200		30.30	3	-0.01	30.50	FM-15	0.00	30.48
08	1900	4		9.94		49	9.4	39	3.9	22	-5.6	35	9	200		30.30	3	-0.01	30.50	FM-12		
08	1954	7	CLR:00	10.00		47	8.3	38	3.3	25	-3.9	42	8	180		30.31			30.50	FM-15	0.00	30.49
08	2054	7	CLR:00	10.00		46	7.8	38	3.3	25	-3.9	44	7	180		30.31			30.51	FM-15	0.00	30.49
08	2154	7	CLR:00	10.00		47	8.3	39	3.9	27	-2.8	46	13	200		30.31	0	-0.01	30.50	FM-15	0.00	30.49
08	2254	7	CLR:00	10.00		48	8.9	39	3.9	25	-3.9	41	8	200		30.31			30.50	FM-15	0.00	30.49
08	2354	7	CLR:00	10.00		46	7.8	38	3.3	25	-3.9	44	9	210		30.30			30.50	FM-15	0.00	30.48

09	0054	7	CLR:00	10.00		45	7.2	37	2.8	26	-3.3	48	9	210		30.31	5	0.00	30.50	FM-15	0.00	30.49
09	0100	4		9.94		45	7.2	37	2.8	26	-3.3	48	9	210		30.31	5	0.00	30.50	FM-12		
09	0154	7	CLR:00	10.00		42	5.6	36	2.2	26	-3.3	53	8	210		30.31			30.50	FM-15	0.00	30.49
09	0254	7	SCT:04 250	10.00		44	6.7	37	2.8	26	-3.3	49	7	180		30.29			30.48	FM-15	0.00	30.47
09	0354	7	FEW:02 250	10.00		41	5.0	36	2.2	27	-2.8	57	7	190		30.29	8	+0.02	30.48	FM-15	0.00	30.47
09	0454	7	FEW:02 250	10.00		41	5.0	36	2.2	27	-2.8	57	8	180		30.29			30.48	FM-15	0.00	30.47
09	0554	7	FEW:02 250	10.00		42	5.6	36	2.2	27	-2.8	55	6	180		30.29			30.49	FM-15	0.00	30.47
09	0654	7	FEW:02 250	10.00		41	5.0	36	2.2	28	-2.2	60	7	190		30.31	3	-0.02	30.50	FM-15	0.00	30.49
09	0700	4		9.94		41	5.0	36	2.2	28	-2.2	60	7	190		30.31	3	-0.02	30.50	FM-12		
09	0754	7	FEW:02 250	10.00		48	8.9	40	4.4	30	-1.1	50	9	220		30.32			30.51	FM-15	0.00	30.50
09	0854	7	FEW:02 250	10.00		54	12.2	44	6.7	31	-0.6	42	11	220		30.31			30.50	FM-15	0.00	30.49
09	0954	7	FEW:02 250	10.00		60	15.6	47	8.3	31	-0.6	33	11	230		30.31	1	0.00	30.50	FM-15	0.00	30.49
09	1054	7	FEW:02 250	10.00		65	18.3	49	9.4	31	-0.6	28	16	220		30.29			30.48	FM-15	0.00	30.47
09	1154	7	BKN:07 250	10.00		68	20.0	50	10.0	30	-1.1	24	11	230		30.27			30.47	FM-15	0.00	30.45
09	1254	7	SCT:04 200	10.00		70	21.1	51	10.6	30	-1.1	23	13	210		30.24	8	+0.07	30.43	FM-15	0.00	30.42
09	1300	4		9.94		70	21.1	51	10.6	30	-1.1	23	13	210		30.24	8	+0.07	30.43	FM-12		
09	1354	7	FEW:02 200 BKN:07 300	10.00		72	22.2	52	11.1	28	-2.2	19	13	200	22	30.21			30.40	FM-15	0.00	30.39
09	1454	7	BKN:07 300	10.00		72	22.2	52	11.1	29	-1.7	20	15	210		30.19			30.38	FM-15	0.00	30.37
09	1554	7	BKN:07 300	10.00		71	21.7	51	10.6	29	-1.7	21	17	210	24	30.17	6	+0.06	30.37	FM-15	0.00	30.35
09	1654	7	BKN:07 300	10.00		69	20.6	51	10.6	31	-0.6	24	18	200	23	30.17			30.37	FM-15	0.00	30.35
09	1754	7	SCT:04 250 OVC:08 300	10.00		65	18.3	49	9.4	30	-1.1	27	11	200		30.18			30.37	FM-15	0.00	30.36
09	1854	7	SCT:04 250 BKN:07 300	10.00		63	17.2	49	9.4	34	1.1	34	14	210		30.19	3	-0.01	30.38	FM-15	0.00	30.37
09	1900	4		9.94		63	17.2	49	9.4	34	1.1	34	14	210		30.19	3	-0.01	30.38	FM-12		
09	1954	7	BKN:07 300	10.00		56	13.3	46	7.8	35	1.7	46	9	190		30.20			30.39	FM-15	0.00	30.38
09	2054	7	BKN:07 300	10.00		57	13.9	48	8.9	39	3.9	51	9	200		30.21			30.40	FM-15	0.00	30.39
09	2154	7	BKN:07 300	10.00		57	13.9	49	9.4	41	5.0	55	10	200		30.20	0	-0.01	30.40	FM-15	0.00	30.38
09	2254	7	OVC:08 300	10.00		57	13.9	50	10.0	43	6.1	60	11	200		30.20			30.39	FM-15	0.00	30.38
09	2354	7	BKN:07 220 OVC:08 300	10.00		57	13.9	50	10.0	44	6.7	62	13	190		30.19			30.38	FM-15	0.00	30.37
10	0054	7	BKN:07 220 OVC:08 300	10.00		57	13.9	51	10.6	45	7.2	64	13	200		30.17	8	+0.03	30.36	FM-15	0.00	30.35
10	0100	4		9.94		57	13.9	51	10.6	45	7.2	64	13	200		30.17	8	+0.03	30.36	FM-12		
10	0154	7	BKN:07 220 OVC:08 300	10.00		57	13.9	51	10.6	46	7.8	67	15	200		30.15			30.34	FM-15	0.00	30.33
10	0254	7	BKN:07 200 OVC:08 300	10.00		57	13.9	52	11.1	47	8.3	69	15	200		30.12			30.32	FM-15	0.00	30.30
10	0354	7	BKN:07 190 OVC:08 300	10.00		57	13.9	52	11.1	48	8.9	72	14	200		30.10	6	+0.07	30.29	FM-15	0.00	30.28
10	0454	7	OVC:08 160	10.00		58	14.4	53	11.7	49	9.4	72	14	210		30.10			30.29	FM-15	0.00	30.28
10	0554	7	OVC:08 160	10.00		58	14.4	54	12.2	50	10.0	75	11	210		30.11			30.30	FM-15	0.00	30.29
10	0654	7	FEW:02 80 BKN:07 160 OVC:08 300	10.00		58	14.4	54	12.2	50	10.0	75	15	210		30.10	0	0.00	30.29	FM-15	0.00	30.28
10	0700	4	74	9.94		58	14.4	54	12.2	50	10.0	75	15	210		30.10	9	0.00	30.29	FM-12		
10	0754	7	FEW:02 90 BKN:07 140 OVC:08 300	10.00		61	16.1	55	12.8	50	10.0	67	18	210		30.10			30.29	FM-15	0.00	30.28
10	0854	7	FEW:02 80 BKN:07 110 OVC:08 300	10.00		62	16.7	56	13.3	51	10.6	67	18	210	30	30.09			30.28	FM-15	0.00	30.27
10	0954	7	FEW:02 65 BKN:07 100 OVC:08 300	10.00		64	17.8	57	13.9	52	11.1	65	16	210	32	30.07	8	+0.03	30.27	FM-15	0.00	30.25
10	1054	7	FEW:02 30 BKN:07 85 OVC:08 300	10.00		64	17.8	58	14.4	53	11.7	68	17	210		30.06			30.25	FM-15	T	30.24



10	1154	7	FEW:02 32 BKN:07 100 OVC:08 300	10.00		67	19.4	59	15.0	53	11.7	61	20	220	29	30.03			30.22	FM-15	0.00	30.21
10	1254	7	BKN:07 38 BKN:07 100 OVC:08 300	10.00	-RA:02  RA  RA	67	19.4	59	15.0	53	11.7	61	18	240	32	30.00	8	+0.08	30.19	FM-15	T	30.18
10	1300	4	41	9.94	RA	67	19.4	59	15.0	53	11.7	61	18	240		30.00	8	+0.08	30.19	FM-12		
10	1354	7	FEW:02 36 BKN:07 90 BKN:07 300	10.00		66	18.9	58	14.4	52	11.1	61	22	220	32	29.96			30.16	FM-15	T	30.14
10	1454	7	FEW:02 35 BKN:07 85 BKN:07 150	10.00		68	20.0	59	15.0	53	11.7	59	21	210	30	29.93			30.12	FM-15	0.00	30.11
10	1554	7	BKN:07 45 BKN:07 85 BKN:07 300	10.00		70	21.1	60	15.6	52	11.1	53	24	210	33	29.91	6	+0.09	30.10	FM-15	0.00	30.09
10	1654	7	SCT:04 45 SCT:04 85 BKN:07 110	10.00		69	20.6	59	15.0	52	11.1	55	23	230	31	29.89			30.09	FM-15	0.00	30.07
10	1754	7	FEW:02 85 BKN:07 110 BKN:07 300	10.00		67	19.4	59	15.0	52	11.1	59	16	220		29.90			30.09	FM-15	0.00	30.08
10	1854	7	FEW:02 45 BKN:07 100 BKN:07 300	10.00		67	19.4	59	15.0	52	11.1	59	16	220		29.91	5	0.00	30.10	FM-15	0.00	30.09
10	1900	4	41	9.94		67	19.4	59	15.0	52	11.1	59	16	220		29.91	5	0.00	30.10	FM-12		
10	1954	7	FEW:02 45 SCT:04 100 BKN:07 300	10.00		65	18.3	58	14.4	52	11.1	63	14	220		29.92			30.11	FM-15	0.00	30.10
10	2054	7	SCT:04 70 BKN:07 90 BKN:07 300	10.00		64	17.8	57	13.9	52	11.1	65	13	230		29.92			30.11	FM-15	0.00	30.10
10	2154	7	SCT:04 70 BKN:07 85 OVC:08 100	10.00		65	18.3	58	14.4	52	11.1	63	16	230	22	29.92	1	-0.01	30.11	FM-15	0.00	30.10
10	2254	7	BKN:07 90 OVC:08 100	10.00	-RA:02  RA  RA	64	17.8	57	13.9	52	11.1	65	11	240		29.92			30.12	FM-15	T	30.10
10	2354	7	BKN:07 85 BKN:07 100 BKN:07 300	10.00		63	17.2	57	13.9	52	11.1	68	11	240		29.92			30.11	FM-15	0.00	30.10
11	0054	7	FEW:02 85 FEW:02 300	10.00		61	16.1	56	13.3	51	10.6	70	6	240		29.92	8	+0.01	30.11	FM-15	0.00	30.10
11	0100	4		9.94		61	16.1	56	13.3	51	10.6	70	6	240		29.92	8	+0.01	30.11	FM-12		
11	0154	7	BKN:07 90 BKN:07 120 BKN:07 300	10.00		61	16.1	56	13.3	52	11.1	72	5	270		29.91			30.10	FM-15	0.00	30.09
11	0254	7	BKN:07 100 BKN:07 300	10.00		57	13.9	54	12.2	51	10.6	81	6	320		29.91			30.10	FM-15	0.00	30.09
11	0354	7	FEW:02 90 FEW:02 300	10.00		55	12.8	52	11.1	50	10.0	83	6	030		29.92	3	0.00	30.11	FM-15	0.00	30.10
11	0454	6	SCT:04 85 SCT:04 300	10.00		53	11.7	49	9.4	45	7.2	74	6	050		29.94			30.13	FM-15	0.00	30.12
11	0554	6	FEW:02 85 FEW:02 300	10.00		52	11.1	49	9.4	45	7.2	77	5	030		29.94			30.13	FM-15	0.00	30.12
11	0654	6	BKN:07 90 OVC:08 300	10.00		52	11.1	48	8.9	44	6.7	75	6	020		29.95	1	-0.03	30.14	FM-15	0.00	30.13
11	0754	6	SCT:04 70 BKN:07 95 OVC:08 300	10.00		54	12.2	49	9.4	43	6.1	67	7	040		29.95			30.14	FM-15	0.00	30.13
11	0854	6	BKN:07 70 BKN:07 100 OVC:08 300	10.00		56	13.3	49	9.4	42	5.6	60	7	080		29.97			30.16	FM-15	0.00	30.15
11	0954	6	SCT:04 65 SCT:04 80 BKN:07 100	10.00		58	14.4	50	10.0	41	5.0	53	5	160		29.95	0	-0.01	30.15	FM-15	0.00	30.13

11	1054	7	SCT:04 50 BKN:07 80 OVC:08 300	10.00		61	16.1	52	11.1	44	6.7	54	8	110		29.91			30.10	FM-15	0.00	30.09
11	1154	7	BKN:07 36 BKN:07 65 BKN:07 80	10.00		63	17.2	54	12.2	45	7.2	52	9	190		29.90			30.09	FM-15	0.00	30.08
11	1254	7	SCT:04 36 BKN:07 80 OVC:08 300	10.00		65	18.3	56	13.3	48	8.9	54	8	VRB		29.87	6	+0.09	30.06	FM-15	0.00	30.05
11	1300	4	41	9.94		65	18.3	56	13.3	48	8.9	54	8	160		29.87	6	+0.09	30.06	FM-12		
11	1354	7	BKN:07 39 BKN:07 60 OVC:08 300	10.00		64	17.8	55	12.8	48	8.9	56	5	060		29.85			30.04	FM-15	0.00	30.03
11	1454	7	FEW:02 40 SCT:04 80 BKN:07 180	10.00		68	20.0	58	14.4	50	10.0	53	7	070		29.82			30.01	FM-15	0.00	30.00
11	1554	7	BKN:07 45 OVC:08 300	10.00		66	18.9	57	13.9	50	10.0	56	6	080		29.82	5	+0.04	30.01	FM-15	0.00	30.00
11	1654	7	FEW:02 45 BKN:07 300	10.00		67	19.4	58	14.4	50	10.0	55	8	080		29.81			30.00	FM-15	0.00	29.99
11	1754	7	FEW:02 45 BKN:07 220 BKN:07 300	10.00		63	17.2	56	13.3	50	10.0	63	5	110		29.80			30.00	FM-15	0.00	29.98
11	1854	7	BKN:07 220 OVC:08 300	10.00		59	15.0	53	11.7	48	8.9	67	8	120		29.82	5	0.00	30.01	FM-15	0.00	30.00
11	1900	4		9.94		59	15.0	53	11.7	48	8.9	67	8	120		29.82	5	0.00	30.01	FM-12		
11	1954	7	BKN:07 200 OVC:08 300	10.00		58	14.4	53	11.7	48	8.9	70	8	100		29.83			30.02	FM-15	0.00	30.01
11	2054	7	BKN:07 200 OVC:08 300	10.00		55	12.8	51	10.6	47	8.3	74	9	100		29.84			30.03	FM-15	0.00	30.02
11	2154	7	FEW:02 220 BKN:07 300	10.00		53	11.7	49	9.4	46	7.8	77	7	070		29.84	1	-0.02	30.03	FM-15	0.00	30.02
11	2254	7	BKN:07 300	10.00		51	10.6	48	8.9	45	7.2	80	5	090		29.85			30.04	FM-15	0.00	30.03
11	2354	7	FEW:02 24 SCT:04 300	10.00		50	10.0	48	8.9	45	7.2	83	9	040		29.84			30.03	FM-15	0.00	30.02
12	0054	7	SCT:04 300	10.00		48	8.9	47	8.3	45	7.2	89	5	060		29.85	3	-0.01	30.04	FM-15	0.00	30.03
12	0100	4		9.94		48	8.9	47	8.3	45	7.2	89	5	060		29.85	3	-0.01	30.04	FM-12		
12	0154	7	SCT:04 20 BKN:07 200 BKN:07 300	10.00		47	8.3	46	7.8	45	7.2	93	3	100		29.84			30.03	FM-15	0.00	30.02
12	0211	7	SCT:04 15 BKN:07 20 OVC:08 300	10.00		48	8.9	47	8.3	45	7.2	89	3	080		29.83				FM-16		30.01
12	0254	7	OVC:08 16	10.00		48	8.9	47	8.3	45	7.2	89	3	050		29.82			30.01	FM-15	0.00	30.00
12	0354	7	OVC:08 19	10.00		49	9.4	48	8.9	46	7.8	90	7	020		29.83	5	+0.01	30.02	FM-15	0.00	30.01
12	0454	7	OVC:08 17	10.00		49	9.4	48	8.9	46	7.8	90	6	040		29.85			30.05	FM-15	0.00	30.03
12	0554	7	OVC:08 16	10.00		50	10.0	48	8.9	46	7.8	86	6	030		29.87			30.07	FM-15	0.00	30.05
12	0624	7	OVC:08 14	10.00		50	10.0	48	8.9	46	7.8	86	6	010		29.88				FM-16		30.06
12	0654	7	OVC:08 14	10.00		50	10.0	48	8.9	46	7.8	86	8	020		29.89	1	-0.06	30.08	FM-15	0.00	30.07
12	0700	4	15	9.94		50	10.0	48	8.9	46	7.8	86	8	020		29.89	1	-0.06	30.08	FM-12		
12	0733	7	BKN:07 16 OVC:08 24	10.00		50	10.0	48	8.9	46	7.8	86	7	060		29.90				FM-16		30.08
12	0754	7	OVC:08 14	10.00		50	10.0	48	8.9	46	7.8	86	8	050		29.90			30.09	FM-15	0.00	30.08
12	0823	7	OVC:08 15	10.00		51	10.6	49	9.4	47	8.3	86	6	070		29.90				FM-16		30.08
12	0854	7	FEW:02 15 OVC:08 21	10.00		52	11.1	49	9.4	47	8.3	83	5	080		29.91			30.10	FM-15	0.00	30.09
12	0954	7	OVC:08 20	10.00		55	12.8	51	10.6	48	8.9	77	6	060		29.90	0	-0.01	30.09	FM-15	0.00	30.08
12	1054	7	OVC:08 21	10.00		58	14.4	53	11.7	49	9.4	72	5	070		29.89			30.09	FM-15	0.00	30.07
12	1154	7	FEW:02 15 OVC:08 20	10.00		59	15.0	54	12.2	49	9.4	69	5	050		29.88			30.07	FM-15	0.00	30.06
12	1254	7	OVC:08 19	10.00		60	15.6	55	12.8	50	10.0	70	6	100		29.87	8	+0.03	30.06	FM-15	0.00	30.05
12	1300	4	15	9.94		60	15.6	55	12.8	50	10.0	70	6	100		29.87	8	+0.03	30.06	FM-12		

12	1354	7	OVC:08 21	10.00		60	15.6	55	12.8	51	10.6	72	6	110		29.85			30.05	FM-15	0.00	30.03
12	1439	7	FEW:02 21 SCT:04 27 OVC:08 270	10.00		62	16.7	56	13.3	51	10.6	67	5	VRB		29.84				FM-16		30.02
12	1454	7	SCT:04 29 OVC:08 220	10.00		62	16.7	56	13.3	51	10.6	67	3	VRB		29.83			30.03	FM-15	0.00	30.01
12	1554	7	FEW:02 30 BKN:07 220 BKN:07 300	10.00		63	17.2	56	13.3	51	10.6	65	6	070		29.81	8	+0.06	30.00	FM-15	0.00	29.99
12	1654	7	FEW:02 30 FEW:02 220 BKN:07 300	10.00		63	17.2	56	13.3	51	10.6	65	9	070		29.79			29.98	FM-15	0.00	29.97
12	1754	7	FEW:02 30 FEW:02 220 BKN:07 300	10.00		60	15.6	55	12.8	50	10.0	70	5	070		29.80			29.99	FM-15	0.00	29.98
12	1854	7	FEW:02 230 BKN:07 300	10.00		57	13.9	53	11.7	50	10.0	78	5	060		29.81	5	0.00	30.00	FM-15	0.00	29.99
12	1900	4		9.94		57	13.9	53	11.7	50	10.0	78	5	060		29.81	5	0.00	30.00	FM-12		
12	1954	7	BKN:07 300	10.00		55	12.8	52	11.1	49	9.4	80	6	070		29.80			29.99	FM-15	0.00	29.98
12	2054	7	BKN:07 300	10.00		53	11.7	50	10.0	48	8.9	83	5	100		29.79			29.98	FM-15	0.00	29.97
12	2154	7	OVC:08 300	10.00		53	11.7	51	10.6	49	9.4	86	3	070		29.80	5	+0.01	29.99	FM-15	0.00	29.98
12	2254	7	BKN:07 240 OVC:08 300	10.00		50	10.0	49	9.4	48	8.9	93	5	110		29.78			29.97	FM-15	0.00	29.96
12	2354	6	SCT:04 150 BKN:07 230 OVC:08 300	10.00		51	10.6	50	10.0	49	9.4	92	5	130		29.75			29.94	FM-15	0.00	29.93
13	0054	6	BKN:07 110 OVC:08 150	10.00		52	11.1	51	10.6	51	10.6	97	6	140		29.72	8	+0.08	29.91	FM-15	0.00	29.90
13	0154	7	OVC:08 70	10.00		56	13.3	54	12.2	53	11.7	90	10	170		29.70			29.89	FM-15	T	29.88
13	0254	7	FEW:02 60 BKN:07 70 OVC:08 85	10.00	-RA:02  RA  RA	59	15.0	57	13.9	55	12.8	87	10	190		29.68			29.87	FM-15	T	29.86
13	0354	7	FEW:02 28 BKN:07 44 OVC:08 90	6.00	RA:02 BR:1  RA  RA	61	16.1	59	15.0	58	14.4	90	16	220		29.69	5	+0.04	29.88	FM-15	0.03s	29.87
13	0408	7	SCT:04 26 BKN:07 39 OVC:08 95	2.50	RA:02 BR:1  RA  RA	60	15.6	59	15.0	58	14.4	93	11	200		29.68				FM-16	0.10	29.86
13	0426	7	SCT:04 26 BKN:07 70 OVC:08 100	9.00	-RA:02  RA  RA	60	15.6	59	15.0	59	15.0	96	16	190		29.67				FM-16	0.12	29.85
13	0454	7	FEW:02 26 FEW:02 45 OVC:08 95	10.00		61	16.1	60	15.6	59	15.0	93	16	190		29.66			29.85	FM-15	0.11	29.84
13	0554	7	FEW:02 14 BKN:07 90 OVC:08 180	9.00		62	16.7	61	16.1	60	15.6	93	9	200		29.67			29.86	FM-15	T	29.85
13	0654	6	SCT:04 34 BKN:07 75 OVC:08 140	10.00		63	17.2	62	16.7	61	16.1	93	9	210		29.68	5	+0.01	29.87	FM-15	0.00	29.86
13	0719	6	BKN:07 21 BKN:07 38 OVC:08 120	9.00	-RA:02  RA  RA	64	17.8	62	16.7	61	16.1	90	10	210		29.68				FM-16		29.86
13	0754	6	SCT:04 18 BKN:07 75 OVC:08 110	9.00	-RA:02  RA  RA	65	18.3	63	17.2	62	16.7	90	20	210	25	29.68			29.87	FM-15	T	29.86
13	0854	7	SCT:04 15 BKN:07 110 OVC:08 300	10.00		66	18.9	64	17.8	63	17.2	90	15	230	26	29.70			29.89	FM-15	0.01	29.88
13	0954	7	FEW:02 18 BKN:07 130 BKN:07 180	10.00		69	20.6	65	18.3	62	16.7	78	17	240	26	29.71	3	-0.03	29.90	FM-15	T	29.89
13	1054	7	FEW:02 16 SCT:04 140 SCT:04 170	10.00		74	23.3	66	18.9	61	16.1	64	17	250	24	29.71			29.90	FM-15	T	29.89

13	1154	7	FEW:02 40 BKN:07 140 BKN:07 300	10.00		77	25.0	65	18.3	57	13.9	50	18	260	26	29.73			29.92	FM-15	0.00	29.91
13	1254	7	FEW:02 50 SCT:04 150 BKN:07 300	10.00		79	26.1	65	18.3	55	12.8	44	22	270	26	29.72	0	-0.01	29.91	FM-15	0.00	29.90
13	1300	4	57	9.94		79	26.1	65	18.3	55	12.8	44	22	270		29.72	9	+0.01	29.91	FM-12		
13	1354	7	SCT:04 55 SCT:04 150 BKN:07 300	10.00		79	26.1	64	17.8	54	12.2	42	13	280		29.71			29.90	FM-15	0.00	29.89
13	1454	7	SCT:04 60 SCT:04 230 BKN:07 300	10.00		80	26.7	64	17.8	54	12.2	41	11	240	20	29.73			29.91	FM-15	0.00	29.91
13	1554	7	FEW:02 65 SCT:04 230 BKN:07 300	10.00		79	26.1	62	16.7	49	9.4	35	15	290		29.74	3	-0.02	29.93	FM-15	0.00	29.92
13	1654	7	FEW:02 65 SCT:04 230 BKN:07 300	10.00		79	26.1	60	15.6	46	7.8	31	14	330		29.77			29.96	FM-15	0.00	29.95
13	1754	7	FEW:02 70 OVC:08 250	10.00		74	23.3	57	13.9	43	6.1	33	11	320		29.80			29.99	FM-15	0.00	29.98
13	1854	7	OVC:08 250	10.00		70	21.1	55	12.8	41	5.0	35	6	310		29.85	3	-0.11	30.04	FM-15	0.00	30.03
13	1900	4		9.94		70	21.1	55	12.8	41	5.0	35	6	310		29.85	3	-0.11	30.04	FM-12		
13	1954	7	CLR:00	10.00		70	21.1	54	12.2	39	3.9	32	10	310	20	29.89			30.08	FM-15	0.00	30.07
13	1959	7	OVC:08 220	10.00		69	20.6	54	12.2	39	3.9	33	10	310		29.90				FM-16		30.08
13	2054	7	BKN:07 210 OVC:08 300	10.00		68	20.0	52	11.1	36	2.2	31	10	310		29.93			30.11	FM-15	0.00	30.11
13	2154	7	FEW:02 190 OVC:08 300	10.00		64	17.8	50	10.0	34	1.1	33	5	320		29.96	1	-0.11	30.15	FM-15	0.00	30.14
13	2254	7	BKN:07 300	10.00		62	16.7	48	8.9	33	0.6	34	5	340		29.99			30.18	FM-15	0.00	30.17
13	2354	7	BKN:07 300	10.00		59	15.0	45	7.2	28	-2.2	31	9	360		30.01			30.19	FM-15	0.00	30.19
14	0054	6	BKN:07 300	10.00		57	13.9	43	6.1	24	-4.4	28	8	350		30.04	3	-0.08	30.23	FM-15	0.00	30.22
14	0154	6	BKN:07 300	10.00		53	11.7	42	5.6	26	-3.3	35	6	020		30.06			30.25	FM-15	0.00	30.24
14	0254	6	BKN:07 300	10.00		53	11.7	41	5.0	23	-5.0	31	10	360		30.09			30.27	FM-15	0.00	30.27
14	0354	6	SCT:04 300	10.00		50	10.0	38	3.3	20	-6.7	30	9	010		30.11	3	-0.07	30.30	FM-15	0.00	30.29
14	0454	6	SCT:04 300	10.00		49	9.4	38	3.3	19	-7.2	31	8	010		30.15			30.34	FM-15	0.00	30.33
14	0554	6	SCT:04 300	10.00		48	8.9	37	2.8	19	-7.2	32	9	010		30.17			30.36	FM-15	0.00	30.35
14	0654	6	SCT:04 250 BKN:07 300	10.00		48	8.9	37	2.8	20	-6.7	33	10	010		30.20	1	-0.09	30.40	FM-15	0.00	30.38
14	0754	7	BKN:07 250	10.00		50	10.0	39	3.9	22	-5.6	33	10	010		30.22			30.42	FM-15	0.00	30.40
14	0854	7	BKN:07 230	10.00		51	10.6	40	4.4	23	-5.0	33	11	010		30.23			30.43	FM-15	0.00	30.41
14	0954	7	FEW:02 220 BKN:07 300	10.00		56	13.3	42	5.6	22	-5.6	27	9	030		30.22	0	-0.02	30.42	FM-15	0.00	30.40
14	1054	7	BKN:07 120	10.00		58	14.4	43	6.1	22	-5.6	25	7	VRB		30.24			30.43	FM-15	0.00	30.42
14	1154	7	BKN:07 110	10.00		57	13.9	42	5.6	19	-7.2	23	6	360		30.22			30.42	FM-15	0.00	30.40
14	1254	7	BKN:07 100 BKN:07 120 OVC:08 250	10.00		60	15.6	44	6.7	19	-7.2	20	3	VRB		30.19	8	+0.03	30.38	FM-15	0.00	30.37
14	1300	4		9.94		60	15.6	44	6.7	19	-7.2	20	3			30.19	8	+0.03	30.38	FM-12		
14	1354	7	BKN:07 110	10.00		60	15.6	44	6.7	20	-6.7	21	0	000		30.16			30.35	FM-15	0.00	30.34
14	1454	7	BKN:07 110	10.00		61	16.1	44	6.7	19	-7.2	20	3	VRB		30.15			30.34	FM-15	0.00	30.33
14	1554	7	BKN:07 110 BKN:07 180	10.00		62	16.7	45	7.2	20	-6.7	20	5	300		30.14	6	+0.05	30.33	FM-15	0.00	30.32
14	1654	7	OVC:08 110	10.00		60	15.6	44	6.7	20	-6.7	21	7	330		30.16			30.35	FM-15	0.00	30.34
14	1754	7	FEW:02 75 OVC:08 100	10.00		59	15.0	43	6.1	21	-6.1	23	5	320		30.17			30.36	FM-15	0.00	30.35
14	1854	7	BKN:07 110	10.00		57	13.9	44	6.7	26	-3.3	30	9	050		30.15	0	-0.01	30.35	FM-15	0.00	30.33
14	1900	4		9.94		57	13.9	44	6.7	26	-3.3	30	9	050		30.15	9	+0.01	30.35	FM-12		
14	1954	7	OVC:08 100	10.00		55	12.8	43	6.1	25	-3.9	31	10	080		30.13			30.32	FM-15	0.00	30.31
14	2054	7	OVC:08 75	10.00		55	12.8	43	6.1	25	-3.9	31	3	070		30.14			30.33	FM-15	0.00	30.32
14	2154	7	OVC:08 70	10.00	-RA:02  RA  RA	53	11.7	43	6.1	31	-0.6	43	3	110		30.16	3	-0.01	30.36	FM-15	T	30.34

14	2254	7	OVC:08 60	10.00	-RA:02  RA  RA	51	10.6	44	6.7	35	1.7	54	7	140		30.15			30.35	FM-15	T	30.33
14	2354	7	OVC:08 65	10.00		51	10.6	44	6.7	35	1.7	54	3	090		30.14			30.33	FM-15	0.00	30.32
15	0054	7	OVC:08 60	10.00		50	10.0	44	6.7	36	2.2	59	5	050		30.14	6	+0.03	30.33	FM-15	T	30.32
15	0100	4	57	9.94		50	10.0	44	6.7	36	2.2	59	5	050		30.14	6	+0.03	30.33	FM-12		
15	0154	7	OVC:08 60	10.00		47	8.3	42	5.6	36	2.2	66	13	040		30.17			30.36	FM-15	T	30.35
15	0254	7	OVC:08 65	10.00		46	7.8	42	5.6	36	2.2	68	10	040		30.16			30.35	FM-15	0.00	30.34
15	0354	7	OVC:08 60	10.00		45	7.2	42	5.6	38	3.3	77	13	040		30.15	0	-0.01	30.34	FM-15	0.00	30.33
15	0454	7	SCT:04 50 OVC:08 60	10.00	-RA:02  RA  RA	44	6.7	42	5.6	40	4.4	85	9	050		30.17			30.36	FM-15	T	30.35
15	0554	7	SCT:04 16 OVC:08 60	10.00		44	6.7	42	5.6	40	4.4	85	7	040	17	30.17			30.36	FM-15	T	30.35
15	0652	6	BKN:07 15 OVC:08 60	10.00		45	7.2	42	5.6	39	3.9	81	10	040		30.19				FM-16		30.37
15	0654	7	BKN:07 15 OVC:08 60	10.00		44	6.7	42	5.6	40	4.4	85	10	050		30.19	3	-0.04	30.38	FM-15	0.00	30.37
15	0700	4	15	9.94		44	6.7	42	5.6	40	4.4	85	10	050		30.19	3	-0.04	30.38	FM-12		
15	0754	7	BKN:07 16 OVC:08 60	10.00		45	7.2	43	6.1	40	4.4	83	9	040		30.20			30.39	FM-15	0.00	30.38
15	0854	7	BKN:07 18 OVC:08 60	10.00		46	7.8	43	6.1	40	4.4	79	14	020		30.22			30.42	FM-15	0.00	30.40
15	0954	7	BKN:07 18 OVC:08 60	10.00		46	7.8	43	6.1	39	3.9	77	13	040		30.26	3	-0.06	30.45	FM-15	0.00	30.44
15	1054	7	BKN:07 18 OVC:08 60	10.00		48	8.9	44	6.7	39	3.9	71	11	030		30.27			30.46	FM-15	0.00	30.45
15	1154	7	SCT:04 19 BKN:07 26 OVC:08 60	10.00		48	8.9	44	6.7	39	3.9	71	13	020		30.26			30.45	FM-15	0.00	30.44
15	1254	7	BKN:07 19 OVC:08 28	10.00		50	10.0	45	7.2	39	3.9	66	10	360		30.24	8	+0.01	30.44	FM-15	0.00	30.42
15	1300	4	15	9.94		50	10.0	45	7.2	39	3.9	66	10	360		30.24	8	+0.01	30.44	FM-12		
15	1354	7	BKN:07 26 OVC:08 37	10.00		52	11.1	46	7.8	38	3.3	59	6	010		30.23			30.43	FM-15	0.00	30.41
15	1454	7	BKN:07 26 OVC:08 35	10.00		50	10.0	44	6.7	38	3.3	63	8	020		30.24			30.43	FM-15	0.00	30.42
15	1542	7	SCT:04 27 OVC:08 39	10.00		50	10.0	45	7.2	39	3.9	66	10	020		30.24				FM-16		30.42
15	1554	7	SCT:04 27 OVC:08 39	10.00		49	9.4	44	6.7	38	3.3	66	13	020		30.24	5	0.00	30.44	FM-15	0.00	30.42
15	1610	7	BKN:07 25 OVC:08 40	10.00		48	8.9	43	6.1	38	3.3	68	14	020		30.24				FM-16		30.42
15	1654	7	OVC:08 27	10.00		48	8.9	43	6.1	37	2.8	66	11	020		30.25			30.45	FM-15	0.00	30.43
15	1752	6	SCT:04 27 OVC:08 38	10.00		46	7.8	42	5.6	37	2.8	71	9	010		30.26				FM-16		30.44
15	1754	7	SCT:04 27 OVC:08 38	10.00		47	8.3	43	6.1	37	2.8	69	8	010		30.26			30.45	FM-15	0.00	30.44
15	1854	7	FEW:02 25 OVC:08 37	10.00		47	8.3	43	6.1	38	3.3	71	8	010		30.27	3	-0.03	30.46	FM-15	0.00	30.45
15	1900	4	26	9.94		47	8.3	43	6.1	38	3.3	71	8	010		30.27	3	-0.03	30.46	FM-12		
15	1954	7	OVC:08 41	10.00		47	8.3	43	6.1	38	3.3	71	6	010		30.29			30.49	FM-15	0.00	30.47
15	2054	7	OVC:08 44	10.00		46	7.8	42	5.6	38	3.3	73	6	010		30.30			30.50	FM-15	0.00	30.48
15	2154	7	OVC:08 43	10.00		46	7.8	42	5.6	38	3.3	73	7	360		30.30	0	-0.03	30.50	FM-15	0.00	30.48
15	2254	7	BKN:07 43	10.00		45	7.2	42	5.6	38	3.3	77	6	030		30.30			30.49	FM-15	0.00	30.48
15	2354	7	FEW:02 43 OVC:08 70	10.00		45	7.2	42	5.6	38	3.3	77	3	020		30.28			30.48	FM-15	0.00	30.46
16	0054	7	OVC:08 70	10.00		45	7.2	41	5.0	37	2.8	74	5	030		30.28	8	+0.02	30.47	FM-15	0.00	30.46
16	0100	4	74	9.94		45	7.2	41	5.0	37	2.8	74	5	030		30.28	8	+0.02	30.47	FM-12		
16	0154	7	OVC:08 70	10.00		44	6.7	41	5.0	37	2.8	76	7	020		30.28			30.47	FM-15	0.00	30.46
16	0254	7	OVC:08 70	10.00		43	6.1	40	4.4	37	2.8	80	5	020		30.27			30.47	FM-15	0.00	30.45
16	0354	7	OVC:08 70	10.00		43	6.1	40	4.4	37	2.8	80	5	020		30.26	8	+0.01	30.46	FM-15	0.00	30.44
16	0454	7	OVC:08 70	10.00		43	6.1	40	4.4	37	2.8	80	5	040		30.27			30.47	FM-15	0.00	30.45
16	0554	7	OVC:08 70	10.00		42	5.6	40	4.4	37	2.8	82	5	030		30.28			30.48	FM-15	0.00	30.46

16	0654	7	OVC:08 70	10.00		43	6.1	40	4.4	37	2.8	80	3	360		30.29	3	-0.03	30.49	FM-15	0.00	30.47
16	0700	4	74	9.94		43	6.1	40	4.4	37	2.8	80	3	360		30.29	3	-0.03	30.49	FM-12		
16	0754	7	OVC:08 70	10.00		46	7.8	42	5.6	37	2.8	71	6	020		30.30			30.50	FM-15	0.00	30.48
16	0854	7	BKN:07 65	10.00		49	9.4	42	5.6	32	0.0	52	10	070		30.32			30.51	FM-15	0.00	30.50
16	0954	7	FEW:02 40 BKN:07 65	10.00		51	10.6	43	6.1	32	0.0	48	8	110		30.31	0	-0.02	30.51	FM-15	0.00	30.49
16	1054	7	FEW:02 41 BKN:07 65 BKN:07 300	10.00		53	11.7	44	6.7	33	0.6	47	13	VRB	18	30.30			30.49	FM-15	0.00	30.48
16	1154	7	FEW:02 45 SCT:04 65 SCT:04 250	10.00		55	12.8	45	7.2	34	1.1	45	10	090	18	30.27			30.46	FM-15	0.00	30.45
16	1254	7	FEW:02 55 FEW:02 65 OVC:08 300	10.00		57	13.9	46	7.8	33	0.6	41	11	110		30.24	8	+0.07	30.43	FM-15	0.00	30.42
16	1300	4	57	9.94		57	13.9	46	7.8	33	0.6	41	11	110		30.24	8	+0.07	30.43	FM-12		
16	1354	7	FEW:02 55 FEW:02 70 OVC:08 300	10.00		57	13.9	46	7.8	34	1.1	42	10	070	21	30.21			30.40	FM-15	0.00	30.39
16	1454	7	FEW:02 55 FEW:02 70 OVC:08 300	10.00		57	13.9	46	7.8	34	1.1	42	13	050		30.19			30.39	FM-15	0.00	30.37
16	1554	7	FEW:02 55 FEW:02 70 OVC:08 300	10.00		55	12.8	45	7.2	33	0.6	44	9	090		30.18	6	+0.06	30.37	FM-15	0.00	30.36
16	1654	7	FEW:02 55 FEW:02 70 OVC:08 300	10.00		53	11.7	45	7.2	35	1.7	51	11	090		30.17			30.37	FM-15	0.00	30.35
16	1754	7	FEW:02 55 FEW:02 70 OVC:08 300	10.00		50	10.0	44	6.7	36	2.2	59	10	070		30.19			30.39	FM-15	0.00	30.37
16	1854	7	FEW:02 70 OVC:08 300	10.00		49	9.4	43	6.1	36	2.2	61	11	090		30.20	3	-0.01	30.40	FM-15	0.00	30.38
16	1900	4	74	9.94		49	9.4	43	6.1	36	2.2	61	11	090		30.20	3	-0.01	30.40	FM-12		
16	1954	7	FEW:02 70 SCT:04 150 OVC:08 300	10.00		47	8.3	43	6.1	37	2.8	69	11	100		30.19			30.38	FM-15	0.00	30.37
16	2054	7	FEW:02 70 BKN:07 130 OVC:08 300	10.00		47	8.3	43	6.1	38	3.3	71	9	110		30.17			30.36	FM-15	0.00	30.35
16	2154	7	FEW:02 70 OVC:08 130	10.00		46	7.8	43	6.1	39	3.9	77	6	100		30.16	6	+0.04	30.35	FM-15	0.00	30.34
16	2254	7	SCT:04 55 SCT:04 70 OVC:08 130	10.00		45	7.2	42	5.6	39	3.9	80	5	080		30.15			30.34	FM-15	0.00	30.33
16	2354	7	FEW:02 55 SCT:04 130 OVC:08 210	10.00		44	6.7	42	5.6	39	3.9	83	5	110		30.13			30.32	FM-15	0.00	30.31
17	0054	7	BKN:07 46 OVC:08 190	10.00		43	6.1	41	5.0	39	3.9	86	6	120		30.11	8	+0.05	30.30	FM-15	0.00	30.29
17	0100	4	41	9.94		43	6.1	41	5.0	39	3.9	86	6	120		30.11	8	+0.05	30.30	FM-12		
17	0154	7	SCT:04 42 BKN:07 130 OVC:08 200	10.00		43	6.1	41	5.0	39	3.9	86	3	120		30.10			30.29	FM-15	0.00	30.28
17	0254	7	SCT:04 10 SCT:04 42 BKN:07 130	10.00		42	5.6	41	5.0	39	3.9	89	0	000		30.07			30.26	FM-15	0.00	30.25
17	0354	7	FEW:02 10 OVC:08 40	10.00		43	6.1	42	5.6	40	4.4	89	3	130		30.05	8	+0.06	30.24	FM-15	0.00	30.23
17	0454	7	FEW:02 10 BKN:07 39 BKN:07 90	10.00		43	6.1	42	5.6	40	4.4	89	5	120		30.04			30.24	FM-15	0.00	30.22
17	0554	7	BKN:07 35 BKN:07 85 OVC:08 120	10.00		43	6.1	42	5.6	40	4.4	89	5	160		30.04			30.24	FM-15	0.00	30.22

17	0654	7	BKN:07 35 OVC:08 85	10.00		43	6.1	42	5.6	41	5.0	93	3	150		30.05	5	0.00	30.24	FM-15	0.00	30.23
17	0700	4	41	9.94		43	6.1	42	5.6	41	5.0	93	3	150		30.05	5	0.00	30.24	FM-12		
17	0754	7	FEW:02 31 BKN:07 100 BKN:07 120	10.00		46	7.8	45	7.2	43	6.1	89	7	180		30.04			30.23	FM-15	0.00	30.22
17	0854	7	FEW:02 28 BKN:07 90 BKN:07 110	10.00		49	9.4	47	8.3	44	6.7	83	9	200		30.03			30.23	FM-15	T	30.21
17	0954	7	SCT:04 80 BKN:07 240 BKN:07 300	10.00		55	12.8	50	10.0	44	6.7	67	8	230		30.03	6	+0.02	30.22	FM-15	0.00	30.21
17	1054	7	SCT:04 90 BKN:07 230	10.00		60	15.6	52	11.1	45	7.2	58	11	210		30.00			30.20	FM-15	0.00	30.18
17	1154	7	FEW:02 90 SCT:04 230 BKN:07 300	10.00		63	17.2	55	12.8	47	8.3	56	13	230	20	30.00			30.19	FM-15	0.00	30.18
17	1254	7	FEW:02 55 BKN:07 90 BKN:07 140	10.00		64	17.8	55	12.8	48	8.9	56	14	220		29.96	8	+0.06	30.15	FM-15	0.00	30.14
17	1300	4	57	9.94		64	17.8	55	12.8	48	8.9	56	14	220		29.96	8	+0.06	30.15	FM-12		
17	1354	7	FEW:02 29 FEW:02 42 BKN:07 100	10.00	-RA:02  RA  RA	64	17.8	56	13.3	49	9.4	58	8	270		29.94			30.14	FM-15	T	30.12
17	1454	7	FEW:02 100 SCT:04 140 BKN:07 300	10.00		66	18.9	57	13.9	49	9.4	54	7	220		29.93			30.12	FM-15	T	30.11
17	1554	7	FEW:02 100 SCT:04 130 SCT:04 300	10.00		67	19.4	58	14.4	50	10.0	55	10	240		29.92	6	+0.04	30.11	FM-15	0.00	30.10
17	1654	7	FEW:02 39 FEW:02 130 FEW:02 300	10.00		67	19.4	58	14.4	50	10.0	55	7	200		29.93			30.12	FM-15	0.00	30.11
17	1754	7	FEW:02 39 FEW:02 130 FEW:02 300	10.00		65	18.3	57	13.9	50	10.0	59	6	210		29.95			30.15	FM-15	0.00	30.13
17	1854	7	SCT:04 55 SCT:04 300	10.00		59	15.0	54	12.2	49	9.4	69	5	220		29.98	3	-0.05	30.17	FM-15	0.00	30.16
17	1900	4	57	9.94		59	15.0	54	12.2	49	9.4	69	5	220		29.98	3	-0.05	30.17	FM-12		
17	1954	7	BKN:07 60 BKN:07 300	10.00		59	15.0	54	12.2	50	10.0	72	0	000		30.01			30.20	FM-15	0.00	30.19
17	2054	7	OVC:08 50	10.00		56	13.3	53	11.7	50	10.0	81	0	000		30.02			30.22	FM-15	0.00	30.20
17	2154	7	BKN:07 55	10.00		58	14.4	54	12.2	51	10.6	78	0	000		30.04	1	-0.06	30.23	FM-15	0.00	30.22
17	2254	7	OVC:08 41	10.00		61	16.1	55	12.8	49	9.4	65	10	030		30.07			30.26	FM-15	0.00	30.25
17	2354	7	FEW:02 43 BKN:07 60	10.00		59	15.0	53	11.7	47	8.3	64	14	030		30.08			30.27	FM-15	0.00	30.26
18	0054	7	FEW:02 60	10.00		55	12.8	50	10.0	44	6.7	67	15	030	23	30.11	3	-0.07	30.31	FM-15	0.00	30.29
18	0100	4	57	9.94		55	12.8	50	10.0	44	6.7	67	15	030		30.11	3	-0.07	30.31	FM-12		
18	0154	7	FEW:02 60	10.00		53	11.7	47	8.3	41	5.0	64	13	020	20	30.13			30.32	FM-15	0.00	30.31
18	0254	7	FEW:02 50	10.00		51	10.6	46	7.8	40	4.4	66	14	020		30.15			30.34	FM-15	0.00	30.33
18	0354	7	SCT:04 50	10.00		51	10.6	45	7.2	39	3.9	64	9	030		30.17	3	-0.05	30.36	FM-15	0.00	30.35
18	0454	7	BKN:07 45	10.00		51	10.6	45	7.2	39	3.9	64	16	030		30.19			30.39	FM-15	0.00	30.37
18	0554	7	SCT:04 39 BKN:07 48	10.00		50	10.0	44	6.7	37	2.8	61	10	030		30.22			30.41	FM-15	0.00	30.40
18	0654	7	SCT:04 39 BKN:07 48	10.00		50	10.0	44	6.7	37	2.8	61	11	040		30.24	1	-0.08	30.44	FM-15	0.00	30.42
18	0700	4	41	9.94		50	10.0	44	6.7	37	2.8	61	11	040		30.24	1	-0.08	30.44	FM-12		
18	0754	7	SCT:04 36 OVC:08 50	10.00		51	10.6	45	7.2	37	2.8	59	11	050		30.27			30.46	FM-15	0.00	30.45
18	0854	7	SCT:04 37 OVC:08 48	10.00		51	10.6	45	7.2	39	3.9	64	9	070		30.30			30.49	FM-15	0.00	30.48
18	0954	7	BKN:07 39 OVC:08 49	10.00		52	11.1	45	7.2	36	2.2	55	9	070		30.31	1	-0.07	30.50	FM-15	0.00	30.49

18	1054	7	SCT:04 38 OVC:08 50	10.00		53	11.7	45	7.2	36	2.2	52	8	090		30.31			30.50	FM-15	0.00	30.49
18	1154	7	BKN:07 37 OVC:08 50	10.00		55	12.8	47	8.3	37	2.8	51	6	080		30.31			30.50	FM-15	0.00	30.49
18	1254	7	BKN:07 38 OVC:08 55	10.00		56	13.3	47	8.3	38	3.3	51	7	110		30.28	8	+0.03	30.47	FM-15	0.00	30.46
18	1300	4	41	9.94		56	13.3	47	8.3	38	3.3	51	7	110		30.28	8	+0.03	30.47	FM-12		
18	1354	7	BKN:07 35 BKN:07 50 OVC:08 300	10.00		58	14.4	49	9.4	39	3.9	50	10	140		30.24			30.43	FM-15	0.00	30.42
18	1454	7	FEW:02 35 BKN:07 55 OVC:08 300	10.00		59	15.0	50	10.0	41	5.0	51	9	120		30.20			30.39	FM-15	0.00	30.38
18	1554	7	FEW:02 37 SCT:04 60 BKN:07 300	10.00		57	13.9	49	9.4	41	5.0	55	5	130		30.21	5	+0.07	30.40	FM-15	0.00	30.39
18	1654	7	FEW:02 37 BKN:07 60 BKN:07 300	10.00		57	13.9	50	10.0	42	5.6	58	7	090		30.18			30.37	FM-15	0.00	30.36
18	1754	7	FEW:02 60 BKN:07 200 OVC:08 300	10.00		56	13.3	50	10.0	43	6.1	62	9	130		30.19			30.38	FM-15	0.00	30.37
18	1854	7	BKN:07 55 OVC:08 200	10.00		54	12.2	49	9.4	43	6.1	67	14	110		30.19	5	+0.02	30.38	FM-15	0.00	30.37
18	1900	4	57	9.94		54	12.2	49	9.4	43	6.1	67	14	110		30.19	5	+0.02	30.38	FM-12		
18	1954	7	BKN:07 60 OVC:08 200	10.00		53	11.7	48	8.9	43	6.1	69	8	120		30.20			30.39	FM-15	0.00	30.38
18	2054	7	FEW:02 19 FEW:02 60 OVC:08 75	10.00		52	11.1	48	8.9	44	6.7	75	8	120		30.18			30.37	FM-15	0.00	30.36
18	2147	7	BKN:07 14 OVC:08 70	10.00		52	11.1	48	8.9	43	6.1	72	6	140		30.18				FM-16		30.36
18	2154	7	BKN:07 14 OVC:08 70	10.00		52	11.1	48	8.9	43	6.1	72	5	140		30.18	8	+0.01	30.37	FM-15	0.00	30.36
18	2254	7	BKN:07 12 OVC:08 24	7.00	-RA:02  RA  RA	51	10.6	49	9.4	47	8.3	86	7	130		30.14			30.33	FM-15	0.01	30.32
18	2332	7	SCT:04 12 BKN:07 26 OVC:08 75	6.00	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	7	140		30.11				FM-16	0.05	30.29
18	2343	7	FEW:02 12 SCT:04 26 OVC:08 85	5.00	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	8	140		30.10				FM-16	0.07	30.28
18	2354	7	FEW:02 12 SCT:04 29 OVC:08 90	6.00	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	8	140		30.09			30.28	FM-15	0.07	30.27
19	0054	7	BKN:07 90 OVC:08 110	7.00	-RA:02  RA  RA	50	10.0	49	9.4	49	9.4	96	5	170		30.09	6	+0.09	30.28	FM-15	0.02	30.27
19	0100	4		6.84	RA	50	10.0	49	9.4	49	9.4	96	5	170		30.09	6	+0.09	30.28	FM-12		
19	0154	7	FEW:02 29 BKN:07 44 OVC:08 50	3.00	RA:02 BR:1  RA  RA	50	10.0	49	9.4	49	9.4	96	5	200		30.08			30.27	FM-15	0.06	30.26
19	0252	6	FEW:02 4 SCT:04 28 OVC:08 41	8.00		50	10.0	49	9.4	48	8.9	94	7	210		30.06				FM-16		30.24
19	0254	7	FEW:02 4 SCT:04 28 OVC:08 41	8.00		50	10.0	49	9.4	49	9.4	96	7	200		30.06			30.26	FM-15	0.04	30.24
19	0354	7	FEW:02 4 SCT:04 43 OVC:08 120	6.00	BR:1	50	10.0	49	9.4	49	9.4	96	7	190		30.05	8	+0.04	30.24	FM-15	T	30.23
19	0436	7	FEW:02 4 BKN:07 26 BKN:07 50	7.00		51	10.6	50	10.0	50	10.0	96	9	180		30.02				FM-16		30.20



19	0454	7	FEW:02 4 BKN:07 21 BKN:07 50	7.00		51	10.6	50	10.0	50	10.0	96	7	200		30.03			30.22	FM-15	0.00	30.21
19	0521	7	SCT:04 21 SCT:04 120 OVC:08 170	7.00		51	10.6	50	10.0	50	10.0	96	5	190		30.03				FM-16		30.21
19	0543	7	FEW:02 18 BKN:07 23 BKN:07 110	7.00		51	10.6	51	10.6	51	10.6	100	8	190		30.04				FM-16		30.22
19	0554	7	SCT:04 16 BKN:07 23 BKN:07 110	7.00		52	11.1	51	10.6	51	10.6	97	8	190		30.03			30.22	FM-15	0.00	30.21
19	0614	7	SCT:04 7 BKN:07 17 OVC:08 23	7.00		52	11.1	51	10.6	51	10.6	97	5	220		30.04				FM-16		30.22
19	0624	7	BKN:07 7 BKN:07 17 OVC:08 23	7.00		53	11.7	52	11.1	51	10.6	93	7	200		30.04				FM-16		30.22
19	0654	7	BKN:07 6 OVC:08 17	6.00	BR:1	53	11.7	52	11.1	52	11.1	96	5	200		30.04	5	0.00	30.24	FM-15	0.00	30.22
19	0700	4	5	5.59		53	11.7	52	11.1	52	11.1	96	5	200		30.04	5	0.00	30.24	FM-12		
19	0754	7	OVC:08 6	6.00	BR:1	56	13.3	55	12.8	55	12.8	97	8	210		30.05			30.24	FM-15	0.00	30.23
19	0854	7	BKN:07 9	10.00		61	16.1	59	15.0	58	14.4	90	10	220		30.05			30.24	FM-15	0.00	30.23
19	0913	7	BKN:07 10 OVC:08 300	10.00		63	17.2	61	16.1	59	15.0	87	11	220		30.05				FM-16		30.23
19	0948	7	SCT:04 13 BKN:07 300	10.00		66	18.9	63	17.2	61	16.1	83	10	240		30.05				FM-16		30.23
19	0954	7	SCT:04 13 BKN:07 300	10.00		68	20.0	64	17.8	61	16.1	78	11	230		30.05	1	-0.01	30.24	FM-15	0.00	30.23
19	1054	7	FEW:02 21 BKN:07 300	10.00		73	22.8	66	18.9	61	16.1	66	13	230		30.03			30.23	FM-15	0.00	30.21
19	1154	7	FEW:02 28 SCT:04 300	10.00		77	25.0	67	19.4	61	16.1	58	9	230		30.01			30.21	FM-15	0.00	30.19
19	1254	7	FEW:02 35 BKN:07 300	10.00		78	25.6	67	19.4	61	16.1	56	9	220		29.98	8	+0.06	30.18	FM-15	0.00	30.16
19	1300	4	41	9.94		78	25.6	67	19.4	61	16.1	56	9	220		29.98	8	+0.06	30.18	FM-12		
19	1354	7	FEW:02 45 FEW:02 150 BKN:07 300	10.00		79	26.1	68	20.0	61	16.1	54	9	210	18	29.96			30.15	FM-15	0.00	30.14
19	1454	7	FEW:02 46 FEW:02 150 SCT:04 300	10.00		81	27.2	67	19.4	59	15.0	47	11	200		29.95			30.14	FM-15	0.00	30.13
19	1554	7	FEW:02 50 FEW:02 150 SCT:04 300	10.00		82	27.8	68	20.0	59	15.0	46	15	210	23	29.95	6	+0.04	30.14	FM-15	0.00	30.13
19	1654	7	FEW:02 60 SCT:04 220 BKN:07 300	10.00		80	26.7	67	19.4	60	15.6	51	11	200		29.95			30.14	FM-15	0.00	30.13
19	1754	7	FEW:02 60 BKN:07 190 BKN:07 300	10.00		78	25.6	66	18.9	59	15.0	52	9	220		29.96			30.15	FM-15	0.00	30.14
19	1854	7	BKN:07 160 BKN:07 230	10.00		72	22.2	64	17.8	59	15.0	64	7	210		29.98	3	-0.03	30.17	FM-15	0.00	30.16
19	1900	4		9.94		72	22.2	64	17.8	59	15.0	64	7	210		29.98	3	-0.03	30.17	FM-12		
19	1954	7	BKN:07 160	10.00		70	21.1	63	17.2	59	15.0	68	6	190		29.98			30.17	FM-15	0.00	30.16
19	2054	7	FEW:02 200	10.00		68	20.0	63	17.2	60	15.6	76	8	180		29.99			30.18	FM-15	0.00	30.17
19	2154	7	SCT:04 65	10.00		69	20.6	64	17.8	61	16.1	76	10	180		29.99	0	-0.01	30.18	FM-15	0.00	30.17
19	2254	7	CLR:00	10.00		70	21.1	65	18.3	62	16.7	76	11	190		29.98			30.17	FM-15	0.00	30.16
19	2354	7	FEW:02 230	10.00		69	20.6	65	18.3	62	16.7	78	10	200		29.96			30.15	FM-15	0.00	30.14
20	0054	7	FEW:02 250	10.00		68	20.0	64	17.8	62	16.7	81	11	190		29.94	8	+0.04	30.13	FM-15	0.00	30.12
20	0100	4		9.94		68	20.0	64	17.8	62	16.7	81	11	190		29.94	8	+0.04	30.13	FM-12		
20	0154	7	SCT:04 190 BKN:07 250	10.00		69	20.6	65	18.3	63	17.2	81	14	190		29.93			30.12	FM-15	0.00	30.11

20	0254	7	FEW:02 25 SCT:04 75 BKN:07 110	10.00		69	20.6	65	18.3	63	17.2	81	15	200		29.92			30.11	FM-15	T	30.10
20	0354	7	BKN:07 160 BKN:07 220	10.00		69	20.6	65	18.3	63	17.2	81	13	200		29.93	5	+0.01	30.12	FM-15	0.00	30.11
20	0454	7	FEW:02 170 OVC:08 200	10.00		69	20.6	65	18.3	63	17.2	81	13	200		29.92			30.11	FM-15	0.00	30.10
20	0554	7	SCT:04 180 BKN:07 210	10.00		69	20.6	65	18.3	62	16.7	78	11	210		29.92			30.11	FM-15	0.00	30.10
20	0654	7	FEW:02 100 SCT:04 200 BKN:07 300	10.00		69	20.6	65	18.3	62	16.7	78	14	200		29.92	6	+0.01	30.11	FM-15	0.00	30.10
20	0700	4		9.94		69	20.6	65	18.3	62	16.7	78	14	200		29.92	6	+0.01	30.11	FM-12		
20	0754	7	SCT:04 180 OVC:08 300	10.00		72	22.2	65	18.3	61	16.1	68	17	200		29.93			30.11	FM-15	0.00	30.11
20	0854	7	SCT:04 180 BKN:07 300	10.00		74	23.3	66	18.9	61	16.1	64	17	210	26	29.93			30.11	FM-15	0.00	30.11
20	0954	7	FEW:02 180 BKN:07 300	10.00		79	26.1	68	20.0	62	16.7	56	21	220	26	29.92	8	0.00	30.11	FM-15	0.00	30.10
20	1054	7	FEW:02 45 FEW:02 180 BKN:07 300	10.00		82	27.8	69	20.6	61	16.1	49	26	220	33	29.90			30.09	FM-15	0.00	30.08
20	1154	7	FEW:02 50 SCT:04 170 BKN:07 300	10.00		84	28.9	69	20.6	60	15.6	44	23	240	36	29.89			30.08	FM-15	0.00	30.07
20	1254	7	FEW:02 60 SCT:04 100 SCT:04 170	10.00		87	30.6	69	20.6	58	14.4	37	22	240	30	29.85	8	+0.07	30.04	FM-15	0.00	30.03
20	1300	4	57	9.94		87	30.6	69	20.6	58	14.4	37	22	240		29.85	8	+0.07	30.04	FM-12		
20	1354	7	FEW:02 65 FEW:02 95 SCT:04 170	10.00		85	29.4	67	19.4	56	13.3	37	23	240	33	29.80			29.99	FM-15	0.00	29.98
20	1454	7	SCT:04 70 SCT:04 190 BKN:07 300	10.00		88	31.1	69	20.6	57	13.9	35	18	250	31	29.78			29.97	FM-15	0.00	29.96
20	1554	7	SCT:04 65 SCT:04 200 BKN:07 300	10.00		86	30.0	68	20.0	58	14.4	39	17	240	28	29.78	6	+0.07	29.97	FM-15	0.00	29.96
20	1654	7	SCT:04 70 SCT:04 200 BKN:07 300	10.00		86	30.0	67	19.4	55	12.8	35	15	250	23	29.78			29.97	FM-15	0.00	29.96
20	1754	7	SCT:04 80 SCT:04 150 BKN:07 300	10.00		84	28.9	66	18.9	54	12.2	36	11	260		29.80			29.99	FM-15	0.00	29.98
20	1854	7	SCT:04 80 BKN:07 120 OVC:08 150	10.00		83	28.3	66	18.9	55	12.8	38	10	270	17	29.81	2	-0.03	30.00	FM-15	0.00	29.99
20	1900	4	74	9.94		83	28.3	66	18.9	55	12.8	38	10	270		29.81	2	-0.03	30.00	FM-12		
20	1954	7	BKN:07 80 BKN:07 120 OVC:08 150	10.00		81	27.2	65	18.3	55	12.8	41	16	250		29.83			30.02	FM-15	T	30.01
20	2054	7	FEW:02 75 OVC:08 100	10.00		79	26.1	65	18.3	55	12.8	44	14	260	23	29.85			30.04	FM-15	T	30.03
20	2154	7	OVC:08 90	10.00	-RA:02  RA  RA	76	24.4	65	18.3	57	13.9	52	18	260	23	29.86	1	-0.06	30.05	FM-15	T	30.04
20	2254	7	OVC:08 80	10.00		73	22.8	64	17.8	59	15.0	62	15	260		29.87			30.06	FM-15	T	30.05
20	2354	7	SCT:04 90 OVC:08 110	9.00	-RA:02  RA  RA	66	18.9	64	17.8	62	16.7	87	13	220		29.90			30.09	FM-15	0.08	30.08
21	0054	7	OVC:08 100	10.00	-RA:02  RA  RA	65	18.3	63	17.2	61	16.1	87	11	220	23	29.89	0	-0.03	30.08	FM-15	0.01	30.07
21	0100	4		9.94	RA	65	18.3	63	17.2	61	16.1	87	11	220		29.89	9	+0.03	30.08	FM-12		
21	0154	7	FEW:02 70 OVC:08 95	10.00	-RA:02  RA  RA	65	18.3	63	17.2	61	16.1	87	10	260		29.89			30.08	FM-15	T	30.07
21	0254	7	BKN:07 70 OVC:08 95	9.00	-RA:02  RA  RA	64	17.8	62	16.7	61	16.1	90	11	250		29.89			30.09	FM-15	0.03	30.07

21	0354	7	SCT:04 60 OVC:08 95	10.00	-RA:02  RA  RA	63	17.2	62	16.7	61	16.1	93	7	240		29.89	3	-0.01	30.08	FM-15	0.04	30.07
21	0454	7	OVC:08 70	10.00		63	17.2	62	16.7	61	16.1	93	7	240		29.90			30.09	FM-15	T	30.08
21	0551	7	BKN:07 11 BKN:07 40 OVC:08 60	7.00	RA:02  RA  RA	57	13.9	56	13.3	55	12.8	94	17	010		29.96				FM-16	0.02	30.14
21	0552	7	BKN:07 11 BKN:07 40 OVC:08 60	7.00	-RA:02  RA  RA	57	13.9	56	13.3	55	12.8	93	18	010		29.96			30.15	FM-15	0.03	30.14
21	0612	7	SCT:04 11 BKN:07 20 OVC:08 60	10.00	-RA:02  RA  RA	56	13.3	55	12.8	54	12.2	93	17	020		29.95				FM-16	0.01	30.13
21	0654	7	SCT:04 11 BKN:07 25 OVC:08 60	10.00		55	12.8	54	12.2	53	11.7	93	15	360		30.02	3	-0.13	30.22	FM-15	0.01	30.20
21	0700	4	15	9.94		55	12.8	54	12.2	53	11.7	93	15	360		30.02	3	-0.13	30.22	FM-12		
21	0717	7	BKN:07 12 BKN:07 22 OVC:08 28	7.00	-RA:02  RA  RA	55	12.8	53	11.7	52	11.1	90	15	020		30.02				FM-16	T	30.20
21	0742	7	FEW:02 10 SCT:04 15 OVC:08 27	10.00		53	11.7	50	10.0	48	8.9	83	15	360	29	30.05				FM-16	T	30.23
21	0754	7	FEW:02 15 OVC:08 27	10.00		52	11.1	50	10.0	48	8.9	86	13	360		30.06			30.25	FM-15	T	30.24
21	0845	7	FEW:02 17 OVC:08 30	10.00		52	11.1	49	9.4	47	8.3	83	15	350		30.08				FM-16		30.26
21	0854	7	FEW:02 17 OVC:08 31	10.00		52	11.1	49	9.4	47	8.3	83	14	010		30.08			30.27	FM-15	0.00	30.26
21	0944	7	BKN:07 14 OVC:08 32	10.00	-RA:02  RA  RA	50	10.0	48	8.9	46	7.8	86	14	010		30.12				FM-16	T	30.30
21	0954	7	BKN:07 13 OVC:08 32	10.00	-RA:02  RA  RA	50	10.0	48	8.9	46	7.8	86	15	020		30.11	1	-0.09	30.31	FM-15	T	30.29
21	1054	7	BKN:07 13 OVC:08 29	10.00		50	10.0	48	8.9	46	7.8	86	15	030		30.12			30.32	FM-15	T	30.30
21	1118	7	FEW:02 14 OVC:08 29	10.00		50	10.0	47	8.3	44	6.7	80	11	040		30.13				FM-16		30.31
21	1131	7	FEW:02 14 OVC:08 31	10.00		50	10.0	46	7.8	42	5.6	74	11	040		30.13				FM-16		30.31
21	1154	7	SCT:04 15 OVC:08 31	10.00		51	10.6	47	8.3	42	5.6	71	14	030		30.14			30.33	FM-15	0.00	30.32
21	1245	7	BKN:07 23 OVC:08 33	10.00		53	11.7	48	8.9	43	6.1	69	14	030		30.13				FM-16		30.31
21	1254	7	BKN:07 22 OVC:08 33	10.00		53	11.7	49	9.4	44	6.7	72	10	050		30.13	0	-0.01	30.32	FM-15	0.00	30.31
21	1300	4	26	9.94		53	11.7	49	9.4	44	6.7	72	10	050		30.13	9	+0.01	30.32	FM-12		
21	1354	7	BKN:07 23 OVC:08 28	10.00		53	11.7	49	9.4	44	6.7	72	8	060		30.11			30.30	FM-15	0.00	30.29
21	1454	7	BKN:07 31 OVC:08 38	10.00		54	12.2	49	9.4	43	6.1	67	6	VRB		30.10			30.29	FM-15	0.00	30.28
21	1554	7	FEW:02 30 BKN:07 40	10.00		54	12.2	49	9.4	43	6.1	67	6	VRB		30.11	5	+0.02	30.30	FM-15	0.00	30.29
21	1654	7	SCT:04 45 SCT:04 300	10.00		55	12.8	49	9.4	42	5.6	62	7	100		30.11			30.31	FM-15	0.00	30.29
21	1754	7	BKN:07 40	10.00		52	11.1	46	7.8	40	4.4	64	5	120		30.14			30.34	FM-15	0.00	30.32
21	1854	7	BKN:07 37	10.00		52	11.1	46	7.8	40	4.4	64	6	040		30.16	3	-0.05	30.35	FM-15	0.00	30.34
21	1900	4	41	9.94		52	11.1	46	7.8	40	4.4	64	6	040		30.16	3	-0.05	30.35	FM-12		
21	1954	7	BKN:07 36 OVC:08 50	10.00		51	10.6	44	6.7	36	2.2	56	10	020		30.18			30.37	FM-15	0.00	30.36
21	2054	7	BKN:07 35 BKN:07 60	10.00		49	9.4	43	6.1	36	2.2	61	6	030		30.20			30.40	FM-15	0.00	30.38
21	2154	7	BKN:07 42 BKN:07 60	10.00		50	10.0	44	6.7	36	2.2	59	9	010		30.21	1	-0.05	30.40	FM-15	0.00	30.39
21	2254	7	OVC:08 47	10.00		49	9.4	43	6.1	36	2.2	61	7	360		30.22			30.42	FM-15	0.00	30.40

21	2354	7	BKN:07 49 OVC:08 60	10.00		49	9.4	43	6.1	36	2.2	61	8	360		30.22			30.42	FM-15	0.00	30.40
22	0054	7	OVC:08 50	10.00		48	8.9	42	5.6	35	1.7	61	6	020		30.22	1	-0.01	30.42	FM-15	0.00	30.40
22	0100	4	57	9.94		48	8.9	42	5.6	35	1.7	61	6	020		30.22	1	-0.01	30.42	FM-12		
22	0154	7	OVC:08 50	10.00		48	8.9	42	5.6	35	1.7	61	6	010		30.23			30.42	FM-15	0.00	30.41
22	0254	7	OVC:08 55	10.00		47	8.3	42	5.6	35	1.7	63	5	010		30.23			30.42	FM-15	0.00	30.41
22	0354	7	OVC:08 55	10.00		46	7.8	42	5.6	37	2.8	71	6	020		30.23	1	-0.01	30.42	FM-15	0.00	30.41
22	0454	7	OVC:08 55	10.00		46	7.8	42	5.6	36	2.2	68	7	020		30.26			30.45	FM-15	0.00	30.44
22	0554	7	BKN:07 34 OVC:08 55	10.00		45	7.2	41	5.0	35	1.7	68	8	020		30.29			30.49	FM-15	0.00	30.47
22	0654	7	SCT:04 55 BKN:07 250	10.00		45	7.2	40	4.4	33	0.6	63	11	030		30.31	1	-0.08	30.50	FM-15	0.00	30.49
22	0700	4	57	9.94		45	7.2	40	4.4	33	0.6	63	11	030		30.31	1	-0.08	30.50	FM-12		
22	0754	7	FEW:02 50 BKN:07 250	10.00		47	8.3	40	4.4	31	-0.6	54	13	030		30.34			30.53	FM-15	0.00	30.52
22	0854	7	FEW:02 80 BKN:07 250	10.00		49	9.4	41	5.0	31	-0.6	50	11	030		30.34			30.54	FM-15	0.00	30.52
22	0954	7	FEW:02 80 OVC:08 250	10.00		51	10.6	43	6.1	32	0.0	48	7	050	16	30.34	1	-0.04	30.54	FM-15	0.00	30.52
22	1054	7	FEW:02 40 OVC:08 250	10.00		53	11.7	44	6.7	32	0.0	45	9	040		30.35			30.55	FM-15	0.00	30.53
22	1154	7	BKN:07 48 OVC:08 250	10.00		53	11.7	44	6.7	32	0.0	45	11	070		30.35			30.55	FM-15	0.00	30.53
22	1254	7	SCT:04 48 BKN:07 250	10.00		53	11.7	44	6.7	32	0.0	45	8	050	18	30.34	8	+0.01	30.53	FM-15	0.00	30.52
22	1300	4	41	9.94		53	11.7	44	6.7	32	0.0	45	8	050		30.34	8	+0.01	30.53	FM-12		
22	1354	7	SCT:04 50 SCT:04 100 OVC:08 250	10.00		55	12.8	45	7.2	32	0.0	42	14	060	21	30.31			30.50	FM-15	0.00	30.49
22	1454	7	SCT:04 50 OVC:08 250	10.00		53	11.7	44	6.7	33	0.6	47	9	090		30.31			30.50	FM-15	0.00	30.49
22	1554	7	SCT:04 49 OVC:08 200	10.00		53	11.7	44	6.7	33	0.6	47	11	090		30.30	6	+0.04	30.50	FM-15	0.00	30.48
22	1654	7	FEW:02 45 BKN:07 210 OVC:08 300	10.00		50	10.0	43	6.1	35	1.7	57	11	100		30.31			30.51	FM-15	0.00	30.49
22	1754	7	FEW:02 70 OVC:08 200	10.00		50	10.0	43	6.1	33	0.6	52	8	090		30.30			30.50	FM-15	0.00	30.48
22	1854	7	FEW:02 30 BKN:07 42 OVC:08 190	10.00		49	9.4	44	6.7	37	2.8	64	8	090		30.31	1	-0.01	30.51	FM-15	0.00	30.49
22	1900	4	26	9.94		49	9.4	44	6.7	37	2.8	64	8	090		30.31	1	-0.01	30.51	FM-12		
22	1954	7	FEW:02 30 OVC:08 160	10.00		48	8.9	43	6.1	38	3.3	68	13	090		30.31			30.50	FM-15	0.00	30.49
22	2054	7	BKN:07 26 OVC:08 35	10.00		47	8.3	43	6.1	38	3.3	71	10	100		30.30			30.50	FM-15	0.00	30.48
22	2154	7	FEW:02 26 BKN:07 35 OVC:08 47	10.00	-RA:02  RA  RA	47	8.3	43	6.1	39	3.9	74	11	070		30.30	6	+0.01	30.50	FM-15	T	30.48
22	2254	7	FEW:02 24 OVC:08 34	10.00		47	8.3	43	6.1	39	3.9	74	9	060		30.29			30.48	FM-15	T	30.47
22	2318	7	BKN:07 23 OVC:08 30	10.00		47	8.3	43	6.1	39	3.9	74	10	060	17	30.29				FM-16		30.47
22	2354	7	OVC:08 20	10.00	-RA:02  RA  RA	46	7.8	43	6.1	40	4.4	79	14	070		30.27			30.47	FM-15	T	30.45
23	0040	7	OVC:08 14	10.00	-RA:02  RA  RA	45	7.2	44	6.7	42	5.6	90	9	030		30.26				FM-16	0.02	30.44
23	0054	7	OVC:08 14	5.00	-RA:02 BR:1  RA  RA	44	6.7	43	6.1	42	5.6	93	11	040		30.25	8	+0.05	30.44	FM-15	0.03	30.43
23	0100	4	15	4.97	RA	44	6.7	43	6.1	42	5.6	93	11	040		30.25	8	+0.05	30.44	FM-12		
23	0119	7	BKN:07 8 OVC:08 14	4.00	BR:1	44	6.7	43	6.1	42	5.6	93	11	040		30.23				FM-16	T	30.41
23	0154	7	BKN:07 7 OVC:08 13	3.00	RA:02 BR:1  RA  RA	44	6.7	43	6.1	42	5.6	93	10	050		30.20			30.40	FM-15	0.09	30.38

23	0254	7	BKN:07 8 OVC:08 13	4.00	+RA:02 BR:1  RA  RA	43	6.1	43	6.1	42	5.6	97	8	010		30.19			30.39	FM-15	0.18	30.37
23	0347	7	SCT:04 8 BKN:07 14 OVC:08 29	2.50	+RA:02 BR:1  RA  RA	43	6.1	43	6.1	42	5.6	97	10	040		30.14				FM-16	0.25	30.32
23	0352	6	SCT:04 8 BKN:07 14 OVC:08 29	3.00	RA:02 BR:1  RA  RA	43	6.1	43	6.1	43	6.1	100	9	050		30.14				FM-16		30.32
23	0354	7	SCT:04 8 BKN:07 14 OVC:08 29	3.00	RA:02 BR:1  RA  RA	43	6.1	43	6.1	42	5.6	97	9	040		30.14	8	+0.11	30.34	FM-15	0.27	30.32
23	0415	7	BKN:07 7 OVC:08 12	6.00	-RA:02 BR:1  RA  RA	43	6.1	43	6.1	42	5.6	97	8	030		30.14				FM-16	0.03	30.32
23	0454	7	OVC:08 10	5.00	-RA:02 BR:1  RA  RA	43	6.1	42	5.6	41	5.0	93	5	050		30.14			30.34	FM-15	0.07	30.32
23	0529	7	BKN:07 9 OVC:08 13	10.00	-RA:02  RA  RA	43	6.1	43	6.1	42	5.6	97	7	350		30.14				FM-16	0.02	30.32
23	0554	7	BKN:07 9 OVC:08 13	6.00	RA:02 BR:1  RA  RA	43	6.1	42	5.6	41	5.0	93	10	030		30.10			30.30	FM-15	0.05	30.28
23	0654	7	BKN:07 7 BKN:07 13 OVC:08 17	7.00	-RA:02  RA  RA	43	6.1	42	5.6	41	5.0	93	8	030		30.09	8	+0.06	30.28	FM-15	0.05	30.27
23	0700	4	8	6.84	RA	43	6.1	42	5.6	41	5.0	93	8	030		30.09	8	+0.06	30.28	FM-12		
23	0713	7	BKN:07 5 BKN:07 12 OVC:08 28	2.50	-RA:02 BR:1  RA  RA	43	6.1	43	6.1	42	5.6	97	6	340		30.11				FM-16	0.01	30.29
23	0754	7	BKN:07 6 OVC:08 13	2.50	-RA:02 BR:1  RA  RA	43	6.1	42	5.6	41	5.0	93	10	330		30.11			30.31	FM-15	0.04	30.29
23	0811	7	BKN:07 6 BKN:07 15 OVC:08 22	4.00	-RA:02 BR:1  RA  RA	43	6.1	42	5.6	41	5.0	93	9	350		30.09				FM-16	T	30.27
23	0854	7	BKN:07 6 OVC:08 27	10.00	-DZ:01  DZ  DZ	43	6.1	43	6.1	42	5.6	97	9	360		30.06			30.26	FM-15	T	30.24
23	0954	7	OVC:08 7	10.00		44	6.7	43	6.1	42	5.6	93	13	350		30.07	8	+0.02	30.26	FM-15	T	30.25
23	1054	7	OVC:08 7	10.00		45	7.2	44	6.7	42	5.6	90	10	350		30.04			30.23	FM-15	0.00	30.22
23	1154	7	OVC:08 7	10.00	-RA:02  RA  RA	45	7.2	44	6.7	42	5.6	90	3	050		29.99			30.18	FM-15	T	30.17
23	1254	7	OVC:08 7	10.00		45	7.2	44	6.7	42	5.6	90	5	VRB		29.96	6	+0.10	30.16	FM-15	T	30.14
23	1300	4	8	9.94		45	7.2	44	6.7	42	5.6	90	5			29.96	6	+0.10	30.16	FM-12		
23	1354	7	OVC:08 9	10.00	-RA:02  RA  RA	45	7.2	44	6.7	43	6.1	93	7	320		29.92			30.11	FM-15	0.02	30.10
23	1424	7	OVC:08 10	10.00		46	7.8	45	7.2	43	6.1	89	11	290		29.91				FM-16	T	30.09
23	1441	7	OVC:08 8	10.00		47	8.3	46	7.8	44	6.7	90	7	270		29.90				FM-16	T	30.08
23	1454	7	OVC:08 9	10.00		47	8.3	45	7.2	43	6.1	86	7	250		29.90			30.09	FM-15	T	30.08
23	1552	6	OVC:08 10	10.00	-RA:02  RA  RA	48	8.9	47	8.3	45	7.2	87	11	260		29.89				FM-16		30.07
23	1554	7	OVC:08 12	10.00		48	8.9	46	7.8	44	6.7	86	10	250		29.88	6	+0.04	30.08	FM-15	T	30.06
23	1654	7	OVC:08 14	10.00		49	9.4	47	8.3	44	6.7	83	8	250		29.88			30.07	FM-15	0.00	30.06
23	1754	7	OVC:08 14	10.00		49	9.4	47	8.3	44	6.7	83	7	250		29.88			30.07	FM-15	T	30.06
23	1816	7	BKN:07 16 BKN:07 100	10.00		48	8.9	46	7.8	44	6.7	86	10	260		29.88				FM-16		30.06
23	1854	7	BKN:07 16 BKN:07 100	10.00		48	8.9	46	7.8	44	6.7	86	6	260		29.88	3	0.00	30.08	FM-15	0.00	30.06
23	1900	4	15	9.94		48	8.9	46	7.8	44	6.7	86	6	260		29.88	3	0.00	30.08	FM-12		
23	1954	7	OVC:08 14	10.00		48	8.9	46	7.8	44	6.7	86	9	250		29.89			30.09	FM-15	0.00	30.07
23	2054	7	OVC:08 12	10.00		48	8.9	46	7.8	44	6.7	86	6	260		29.91			30.11	FM-15	0.00	30.09
23	2154	7	OVC:08 12	10.00		49	9.4	47	8.3	44	6.7	83	3	280		29.92	1	-0.03	30.11	FM-15	0.00	30.10
23	2254	7	OVC:08 12	10.00		49	9.4	47	8.3	44	6.7	83	5	290		29.92			30.12	FM-15	0.00	30.10
23	2354	7	OVC:08 12	10.00		48	8.9	46	7.8	44	6.7	86	0	000		29.92			30.12	FM-15	0.00	30.10
24	0041	7	SCT:04 12 SCT:04 42 BKN:07 55	10.00		46	7.8	45	7.2	44	6.7	93	0	000		29.92				FM-16		30.10
24	0054	7	FEW:02 12 SCT:04 42 BKN:07 55	10.00		45	7.2	45	7.2	44	6.7	97	3	140		29.92	0	0.00	30.11	FM-15	0.00	30.10
24	0100	4	15	9.94		45	7.2	45	7.2	44	6.7	97	3	140		29.92	9	0.00	30.11	FM-12		

24	0154	7	FEW:02 15 BKN:07 55	10.00		45	7.2	45	7.2	44	6.7	97	3	180		29.93			30.12	FM-15	0.00	30.11
24	0254	7	BKN:07 50	10.00		46	7.8	45	7.2	44	6.7	93	0	000		29.92			30.12	FM-15	0.00	30.10
24	0354	7	BKN:07 50	10.00		45	7.2	45	7.2	44	6.7	97	0	000		29.93	1	-0.01	30.12	FM-15	0.00	30.11
24	0454	7	BKN:07 50	10.00		44	6.7	44	6.7	43	6.1	96	0	000		29.94			30.13	FM-15	0.00	30.12
24	0531	7	SCT:04 50	1.50	BR:1	42	5.6	42	5.6	41	5.0	96	0	000		29.95				FM-16		30.13
24	0552	6	FEW:02 50 FEW:02 150	3.00	BR:1	41	5.0	40	4.4	39	3.9	93	0	000		29.96				FM-16		30.14
24	0554	7	FEW:02 50 FEW:02 150	2.50	BR:1	41	5.0	41	5.0	40	4.4	96	3	180		29.96			30.16	FM-15	0.00	30.14
24	0623	7	FEW:02 2 FEW:02 45 FEW:02 150	1.00	BR:1	40	4.4	40	4.4	39	3.9	97	0	000		29.97				FM-16		30.15
24	0625	7	FEW:02 2	0.75	BR:1	40	4.4	40	4.4	40	4.4	100	0	000		29.97				FM-16		30.15
24	0634	7	FEW:02 2 FEW:02 45 FEW:02 150	2.50	BR:1	41	5.0	40	4.4	39	3.9	93	0	000		29.98				FM-16		30.16
24	0641	7	FEW:02 2 FEW:02 45 FEW:02 150	6.00	BR:1	41	5.0	40	4.4	39	3.9	93	0	000		29.98				FM-16		30.16
24	0654	7	FEW:02 2 FEW:02 45 FEW:02 150	9.00		43	6.1	43	6.1	43	6.1	100	0	000		29.98	3	-0.05	30.17	FM-15	0.00	30.16
24	0700	4	2	8.70		43	6.1	43	6.1	43	6.1	100	0	000		29.98	3	-0.05	30.17	FM-12		
24	0754	7	FEW:02 9 FEW:02 120 BKN:07 220	10.00		50	10.0	48	8.9	46	7.8	86	5	020		30.00			30.19	FM-15	0.00	30.18
24	0843	7	BKN:07 18 BKN:07 40 BKN:07 220	10.00		51	10.6	48	8.9	44	6.7	77	10	050		30.00				FM-16		30.18
24	0854	7	BKN:07 19 BKN:07 39 OVC:08 300	10.00		51	10.6	47	8.3	43	6.1	74	10	030		30.01			30.20	FM-15	0.00	30.19
24	0911	7	SCT:04 19 BKN:07 39 BKN:07 300	10.00		52	11.1	47	8.3	42	5.6	69	11	030		30.00				FM-16		30.18
24	0954	7	SCT:04 24 BKN:07 39 BKN:07 300	10.00		54	12.2	49	9.4	43	6.1	67	9	030		30.01	1	-0.03	30.20	FM-15	0.00	30.19
24	1054	7	SCT:04 28 OVC:08 39	10.00		56	13.3	50	10.0	43	6.1	62	8	010		30.01			30.20	FM-15	0.00	30.19
24	1113	7	BKN:07 28 OVC:08 40	10.00		55	12.8	49	9.4	42	5.6	62	0	000		30.01				FM-16		30.19
24	1146	7	SCT:04 29 OVC:08 40	10.00		56	13.3	50	10.0	43	6.1	62	5	080		29.99				FM-16		30.17
24	1154	7	SCT:04 29 OVC:08 40	10.00		58	14.4	51	10.6	44	6.7	60	3	VRB		29.99			30.18	FM-15	0.00	30.17
24	1254	7	BKN:07 34 OVC:08 300	10.00		57	13.9	50	10.0	43	6.1	60	0	000		29.96	8	+0.05	30.15	FM-15	0.00	30.14
24	1300	4	41	9.94		57	13.9	50	10.0	43	6.1	60	0	000		29.96	8	+0.05	30.15	FM-12		
24	1354	7	OVC:08 34	10.00		57	13.9	50	10.0	43	6.1	60	5	080		29.92			30.11	FM-15	0.00	30.10
24	1454	7	OVC:08 36	10.00		56	13.3	50	10.0	43	6.1	62	6	VRB		29.92			30.11	FM-15	0.00	30.10
24	1554	7	OVC:08 40	10.00		56	13.3	50	10.0	45	7.2	67	6	180		29.93	5	+0.03	30.12	FM-15	0.00	30.11
24	1654	7	OVC:08 41	10.00		56	13.3	50	10.0	44	6.7	65	3	150		29.91			30.10	FM-15	0.00	30.09
24	1754	7	SCT:04 40 OVC:08 150	10.00		54	12.2	49	9.4	45	7.2	72	5	130		29.92			30.11	FM-15	0.00	30.10
24	1854	7	FEW:02 40 OVC:08 140	10.00		53	11.7	49	9.4	46	7.8	77	11	150		29.90	6	+0.02	30.10	FM-15	0.00	30.08
24	1900	4	41	9.94		53	11.7	49	9.4	46	7.8	77	11	150		29.90	6	+0.02	30.10	FM-12		
24	1954	7	FEW:02 40 OVC:08 120	10.00		50	10.0	47	8.3	44	6.7	80	10	120		29.90			30.09	FM-15	0.00	30.08

24	2054	7	FEW:02 35 BKN:07 90 OVC:08 100	10.00	-RA:02  RA  RA	49	9.4	47	8.3	44	6.7	83	10	080		29.88			30.08	FM-15	T	30.06
24	2154	7	OVC:08 85	10.00		48	8.9	46	7.8	44	6.7	86	8	100		29.86	8	+0.04	30.06	FM-15	T	30.04
24	2222	7	BKN:07 11 OVC:08 85	10.00		48	8.9	47	8.3	45	7.2	89	9	110		29.87				FM-16		30.05
24	2254	7	OVC:08 11	10.00	-RA:02  RA  RA	48	8.9	47	8.3	45	7.2	89	7	100		29.86			30.05	FM-15	T	30.04
24	2318	7	OVC:08 9	8.00	-RA:02  RA  RA	48	8.9	47	8.3	46	7.8	93	7	120		29.85				FM-16	0.01	30.03
24	2352	6	BKN:07 10 BKN:07 33 OVC:08 48	10.00	-RA:02  RA  RA	46	7.8	46	7.8	45	7.2	93	6	090		29.83				FM-16		30.01
24	2354	7	BKN:07 10 BKN:07 33 OVC:08 48	10.00	-RA:02  RA  RA	47	8.3	46	7.8	45	7.2	93	6	080		29.83			30.02	FM-15	0.01	30.01
25	0009	7	SCT:04 10 BKN:07 45 OVC:08 75	10.00	-RA:02  RA  RA	47	8.3	46	7.8	45	7.2	93	7	070		29.82				FM-16	T	30.00
25	0054	7	FEW:02 10 BKN:07 34 OVC:08 60	7.00	-RA:02  RA  RA	47	8.3	46	7.8	45	7.2	93	5	100		29.82	8	+0.04	30.01	FM-15	0.01	30.00
25	0100	4	15	6.84	RA	47	8.3	46	7.8	45	7.2	93	5	100		29.82	8	+0.04	30.01	FM-12		
25	0112	7	FEW:02 7 SCT:04 12 OVC:08 34	5.00	-RA:02 BR:1  RA  RA	46	7.8	46	7.8	45	7.2	96	6	080		29.82				FM-16	0.02	30.00
25	0122	7	FEW:02 7 BKN:07 10 OVC:08 34	5.00	RA:02 BR:1  RA  RA	46	7.8	46	7.8	45	7.2	96	6	070		29.82				FM-16	0.04	30.00
25	0154	7	BKN:07 10 BKN:07 48 OVC:08 75	5.00	RA:02 BR:1  RA  RA	46	7.8	46	7.8	45	7.2	96	9	060		29.77			29.96	FM-15	0.12	29.95
25	0214	7	FEW:02 10 BKN:07 55 OVC:08 70	6.00	RA:02 BR:1  RA  RA	46	7.8	45	7.2	44	6.7	93	7	070		29.78				FM-16	0.05	29.96
25	0254	7	FEW:02 14 BKN:07 65 OVC:08 75	5.00	RA:02 BR:1  RA  RA	45	7.2	45	7.2	44	6.7	97	9	080		29.73			29.92	FM-15	0.16	29.91
25	0315	7	FEW:02 9 BKN:07 34 OVC:08 75	6.00	RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	11	070		29.72				FM-16	0.02	29.90
25	0345	7	BKN:07 9 BKN:07 29 OVC:08 75	5.00	RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	11	100		29.70				FM-16	0.09	29.88
25	0354	7	BKN:07 9 BKN:07 29 OVC:08 75	5.00	RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	9	100		29.70	6	+0.12	29.90	FM-15	0.10	29.88
25	0454	7	BKN:07 8 OVC:08 12	4.00	RA:02 BR:1  RA  RA	45	7.2	45	7.2	44	6.7	97	7	060		29.66			29.85	FM-15	0.15	29.84
25	0554	7	OVC:08 6	8.00	-RA:02  RA  RA	45	7.2	45	7.2	44	6.7	97	9	060		29.65			29.84	FM-15	0.03	29.83
25	0654	7	OVC:08 6	6.00	-RA:02 BR:1  RA  RA	46	7.8	45	7.2	44	6.7	93	9	010		29.66	5	+0.05	29.85	FM-15	T	29.84
25	0700	4	5	5.59	RA	46	7.8	45	7.2	44	6.7	93	9	010		29.66	5	+0.05	29.85	FM-12		
25	0729	7	OVC:08 7	2.50	RA:02 BR:1  RA  RA	46	7.8	45	7.2	44	6.7	93	10	360		29.66				FM-16	0.02	29.84
25	0754	7	BKN:07 6 OVC:08 17	2.00	-RA:02 BR:1  RA  RA	46	7.8	45	7.2	44	6.7	93	13	020		29.65			29.85	FM-15	0.04	29.83
25	0803	7	BKN:07 7 OVC:08 23	3.00	-RA:02 BR:1  RA  RA	46	7.8	45	7.2	44	6.7	93	13	030		29.64				FM-16	0.01	29.82
25	0854	7	BKN:07 7 OVC:08 18	2.00	RA:02 BR:1  RA  RA	46	7.8	46	7.8	45	7.2	96	11	020		29.66			29.85	FM-15	0.03	29.84
25	0915	7	BKN:07 6 BKN:07 13 OVC:08 23	3.00	-RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	13	010		29.66				FM-16	0.02	29.84
25	0954	7	OVC:08 7	4.00	-RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	13	010		29.67	3	-0.01	29.86	FM-15	0.01	29.85
25	1054	7	OVC:08 8	9.00	-RA:02  RA  RA	48	8.9	47	8.3	46	7.8	93	14	360		29.69			29.88	FM-15	T	29.87
25	1139	7	OVC:08 8	2.50	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	15	350		29.69				FM-16	T	29.87

25	1154	7	BKN:07 7 BKN:07 19 OVC:08 40	2.50	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	14	350		29.69			29.88	FM-15	0.01	29.87
25	1254	7	BKN:07 8 OVC:08 15	2.50	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	16	360		29.69	1	-0.02	29.89	FM-15	0.02	29.87
25	1300	4	8	2.49	RA	49	9.4	48	8.9	47	8.3	93	16	360		29.69	1	-0.02	29.89	FM-12		
25	1318	7	BKN:07 9 BKN:07 18 OVC:08 28	3.00	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	11	360		29.69				FM-16	T	29.87
25	1338	7	BKN:07 8 BKN:07 18 OVC:08 30	2.50	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	17	350		29.69				FM-16	T	29.87
25	1354	7	BKN:07 8 BKN:07 18 OVC:08 30	2.00	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	15	360		29.70			29.89	FM-15	0.01	29.88
25	1428	7	BKN:07 9 BKN:07 23 OVC:08 45	1.50	RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	13	360		29.70				FM-16	0.01	29.88
25	1440	7	BKN:07 6 BKN:07 20 OVC:08 28	2.00	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	48	8.9	97	15	350		29.71				FM-16	0.03	29.89
25	1454	7	BKN:07 9 OVC:08 20	2.50	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	13	360		29.71			29.91	FM-15	0.05	29.89
25	1554	7	BKN:07 7 OVC:08 19	3.00	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	14	350		29.72	3	-0.03	29.92	FM-15	0.01	29.90
25	1613	7	SCT:04 8 BKN:07 14 OVC:08 21	6.00	BR:1	49	9.4	48	8.9	47	8.3	93	14	360	23	29.73				FM-16	T	29.91
25	1654	7	BKN:07 6 OVC:08 14	3.00	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	9	360		29.75			29.94	FM-15	T	29.93
25	1752	6	SCT:04 9 BKN:07 20 OVC:08 50	9.00		48	8.9	47	8.3	46	7.8	94	13	360		29.79				FM-16		29.97
25	1754	7	SCT:04 9 BKN:07 20 OVC:08 50	8.00		49	9.4	48	8.9	47	8.3	93	10	360		29.79			29.98	FM-15	T	29.97
25	1852	6	FEW:02 9 BKN:07 30 OVC:08 48	10.00		48	8.9	47	8.3	46	7.8	94	8	010		29.81				FM-16		29.99
25	1854	7	FEW:02 9 BKN:07 30 OVC:08 48	10.00		48	8.9	48	8.9	47	8.3	96	7	010		29.81	3	-0.09	30.01	FM-15	T	29.99
25	1900	4	8	9.94		48	8.9	48	8.9	47	8.3	96	7	010		29.81	3	-0.09	30.01	FM-12		
25	1915	7	SCT:04 7 BKN:07 16 OVC:08 30	9.00		48	8.9	48	8.9	47	8.3	96	11	350		29.83				FM-16		30.01
25	1922	7	BKN:07 8 BKN:07 13 OVC:08 30	10.00		48	8.9	47	8.3	46	7.8	93	10	360		29.84				FM-16		30.02
25	1954	7	BKN:07 8 BKN:07 15 OVC:08 33	9.00		48	8.9	47	8.3	46	7.8	93	8	010		29.85			30.05	FM-15	T	30.03
25	2054	7	OVC:08 5	10.00		46	7.8	46	7.8	45	7.2	96	10	360		29.86			30.06	FM-15	T	30.04
25	2154	7	OVC:08 6	7.00		46	7.8	45	7.2	44	6.7	93	9	350		29.88	1	-0.07	30.08	FM-15	0.00	30.06
25	2254	7	OVC:08 5	3.00	-DZ:01 BR:1  DZ  DZ	46	7.8	46	7.8	45	7.2	96	6	360		29.89			30.09	FM-15	T	30.07
25	2343	7	SCT:04 9 OVC:08 19	10.00		46	7.8	46	7.8	45	7.2	96	7	010		29.90				FM-16	T	30.08
25	2354	7	SCT:04 9 BKN:07 16 OVC:08 22	10.00		46	7.8	45	7.2	44	6.7	93	7	010		29.90			30.10	FM-15	T	30.08
26	0020	7	FEW:02 9 BKN:07 13 OVC:08 22	10.00		46	7.8	45	7.2	44	6.7	93	8	020		29.90				FM-16		30.08



26	0052	6	FEW:02 9 SCT:04 13 OVC:08 24	10.00		45	7.2	45	7.2	45	7.2	100	7	360		29.90				FM-16		30.08
26	0054	7	FEW:02 9 SCT:04 13 OVC:08 24	10.00		45	7.2	45	7.2	44	6.7	97	6	360		29.90	1	-0.02	30.10	FM-15	0.00	30.08
26	0100	4	8	9.94		45	7.2	45	7.2	44	6.7	97	6	360		29.90	1	-0.02	30.10	FM-12		
26	0139	7	SCT:04 27 BKN:07 39	10.00		44	6.7	43	6.1	42	5.6	93	5	320		29.90				FM-16		30.08
26	0154	7	SCT:04 39	10.00		43	6.1	43	6.1	42	5.6	97	5	340		29.89			30.09	FM-15	0.00	30.07
26	0254	7	FEW:02 40	7.00		42	5.6	42	5.6	41	5.0	96	6	320		29.88			30.08	FM-15	0.00	30.06
26	0312	7	SCT:04 4 SCT:04 40	5.00	BR:1	41	5.0	41	5.0	41	5.0	100	5	070		29.88				FM-16		30.06
26	0332	7	BKN:07 3 BKN:07 40	2.50	BR:1	41	5.0	41	5.0	41	5.0	100	3	020		29.89				FM-16		30.07
26	0352	6	SCT:04 4 SCT:04 20 SCT:04 40	4.00	BR:1	43	6.1	43	6.1	43	6.1	100	6	010		29.90				FM-16		30.08
26	0354	7	SCT:04 4 SCT:04 20 SCT:04 40	4.00	BR:1	43	6.1	43	6.1	42	5.6	97	6	010		29.90	3	0.00	30.10	FM-15	0.00	30.08
26	0416	7	SCT:04 4 BKN:07 7 OVC:08 18	6.00	BR:1	43	6.1	43	6.1	43	6.1	100	5	310		29.91				FM-16		30.09
26	0438	7	FEW:02 4 SCT:04 7 OVC:08 18	7.00		44	6.7	43	6.1	42	5.6	93	7	310		29.91				FM-16		30.09
26	0454	7	FEW:02 7 OVC:08 18	8.00		44	6.7	43	6.1	42	5.6	93	6	VRB		29.91			30.11	FM-15	0.00	30.09
26	0547	7	OVC:08 14	8.00		44	6.7	44	6.7	43	6.1	96	5	320		29.93				FM-16		30.11
26	0554	7	OVC:08 14	7.00		44	6.7	44	6.7	43	6.1	96	3	330		29.93			30.13	FM-15	0.00	30.11
26	0640	7	OVC:08 15	10.00		45	7.2	44	6.7	42	5.6	90	0	000		29.94				FM-16		30.12
26	0654	7	OVC:08 16	10.00		45	7.2	43	6.1	41	5.0	86	0	000		29.94	1	-0.03	30.13	FM-15	0.00	30.12
26	0700	4	15	9.94		45	7.2	43	6.1	41	5.0	86	0	000		29.94	1	-0.03	30.13	FM-12		
26	0754	7	OVC:08 16	10.00		46	7.8	43	6.1	40	4.4	79	0	000		29.95			30.14	FM-15	0.00	30.13
26	0854	7	OVC:08 15	10.00		47	8.3	44	6.7	40	4.4	77	3	290		29.96			30.15	FM-15	0.00	30.14
26	0941	7	OVC:08 14	10.00		46	7.8	44	6.7	41	5.0	83	5	200		29.97				FM-16		30.15
26	0954	7	OVC:08 14	10.00		47	8.3	44	6.7	41	5.0	80	7	200		29.97	1	-0.03	30.16	FM-15	0.00	30.15
26	1007	7	OVC:08 16	10.00		47	8.3	44	6.7	41	5.0	80	6	210		29.97				FM-16		30.15
26	1054	7	OVC:08 17	10.00		48	8.9	45	7.2	41	5.0	77	9	190		29.96			30.15	FM-15	0.00	30.14
26	1154	7	OVC:08 17	10.00		48	8.9	45	7.2	42	5.6	80	7	190		29.93			30.13	FM-15	0.00	30.11
26	1254	7	BKN:07 20	10.00		51	10.6	47	8.3	42	5.6	71	9	220		29.91	8	+0.06	30.10	FM-15	0.00	30.09
26	1300	4	26	9.94		51	10.6	47	8.3	42	5.6	71	9	220		29.91	8	+0.06	30.10	FM-12		
26	1354	7	BKN:07 24	10.00		54	12.2	49	9.4	44	6.7	69	15	190	20	29.85			30.04	FM-15	0.00	30.03
26	1454	7	BKN:07 26 BKN:07 300	10.00		55	12.8	49	9.4	43	6.1	64	11	210		29.83			30.02	FM-15	0.00	30.01
26	1552	6	SCT:04 29 SCT:04 300	10.00		55	12.8	50	10.0	45	7.2	67	11	190		29.81				FM-16		29.99
26	1554	7	SCT:04 29 SCT:04 300	10.00		56	13.3	50	10.0	44	6.7	65	13	190		29.81	6	+0.10	30.00	FM-15	0.00	29.99
26	1654	7	FEW:02 31 FEW:02 300	10.00		57	13.9	51	10.6	45	7.2	64	15	200		29.79			29.98	FM-15	0.00	29.97
26	1754	7	FEW:02 35 SCT:04 300	10.00		55	12.8	50	10.0	45	7.2	69	9	180		29.76			29.95	FM-15	0.00	29.94
26	1854	7	SCT:04 190 BKN:07 300	10.00		53	11.7	49	9.4	45	7.2	74	9	200		29.76	5	+0.04	29.96	FM-15	0.00	29.94
26	1900	4		9.94		53	11.7	49	9.4	45	7.2	74	9	200		29.76	5	+0.04	29.96	FM-12		
26	1954	7	BKN:07 180	10.00		53	11.7	49	9.4	45	7.2	74	8	200		29.76			29.95	FM-15	0.00	29.94
26	2054	7	OVC:08 150	10.00		53	11.7	49	9.4	45	7.2	74	9	190		29.74			29.93	FM-15	0.00	29.92
26	2154	7	OVC:08 140	10.00		54	12.2	50	10.0	46	7.8	75	13	190		29.71	8	+0.05	29.90	FM-15	0.00	29.89
26	2254	7	FEW:02 80 OVC:08 140	10.00		55	12.8	50	10.0	46	7.8	72	14	190		29.69			29.88	FM-15	0.00	29.87

26	2354	7	FEW:02 80 SCT:04 120 OVC:08 140	10.00		54	12.2	50	10.0	47	8.3	77	13	200		29.67			29.86	FM-15	0.00	29.85
27	0054	7	BKN:07 110 OVC:08 140	10.00		55	12.8	51	10.6	48	8.9	77	8	210		29.68	5	+0.04	29.87	FM-15	0.00	29.86
27	0100	4		9.94		55	12.8	51	10.6	48	8.9	77	8	210		29.68	5	+0.04	29.87	FM-12		
27	0154	7	BKN:07 120	10.00		54	12.2	51	10.6	48	8.9	80	10	200		29.65			29.84	FM-15	0.00	29.83
27	0254	7	SCT:04 130	10.00		53	11.7	50	10.0	48	8.9	83	9	200		29.63			29.83	FM-15	0.00	29.81
27	0354	7	BKN:07 110 BKN:07 150	10.00		54	12.2	51	10.6	49	9.4	83	13	220		29.63	6	+0.05	29.82	FM-15	0.00	29.81
27	0454	7	FEW:02 120	10.00		53	11.7	51	10.6	49	9.4	86	9	210		29.63			29.82	FM-15	0.00	29.81
27	0554	7	FEW:02 110 FEW:02 300	10.00		50	10.0	49	9.4	48	8.9	93	8	200		29.64			29.83	FM-15	0.00	29.82
27	0654	7	FEW:02 20 FEW:02 110 FEW:02 300	10.00		54	12.2	52	11.1	50	10.0	87	6	190		29.66	3	-0.03	29.85	FM-15	0.00	29.84
27	0700	4	26	9.94		54	12.2	52	11.1	50	10.0	87	6	190		29.66	3	-0.03	29.85	FM-12		
27	0754	7	FEW:02 120 FEW:02 220	10.00		58	14.4	54	12.2	51	10.6	78	6	250		29.68			29.87	FM-15	0.00	29.86
27	0854	7	FEW:02 120 FEW:02 220	10.00		63	17.2	57	13.9	52	11.1	68	9	290		29.68			29.88	FM-15	0.00	29.86
27	0954	7	FEW:02 120 FEW:02 230	10.00		67	19.4	59	15.0	52	11.1	59	3	300		29.70	1	-0.04	29.89	FM-15	0.00	29.88
27	1054	7	SCT:04 170 BKN:07 210	10.00		70	21.1	60	15.6	53	11.7	55	3	300		29.71			29.90	FM-15	0.00	29.89
27	1154	7	OVC:08 140	10.00		70	21.1	60	15.6	53	11.7	55	5	320		29.72			29.91	FM-15	0.00	29.90
27	1254	7	OVC:08 130	10.00		70	21.1	60	15.6	53	11.7	55	0	000		29.71	0	-0.01	29.90	FM-15	0.00	29.89
27	1300	4		9.94		70	21.1	60	15.6	53	11.7	55	0	000		29.71	9	+0.01	29.90	FM-12		
27	1354	7	FEW:02 100 BKN:07 130	10.00		70	21.1	61	16.1	54	12.2	57	7	040		29.69			29.88	FM-15	T	29.87
27	1454	7	BKN:07 140 BKN:07 160	10.00		70	21.1	61	16.1	55	12.8	59	5	070		29.71			29.90	FM-15	0.00	29.89
27	1554	7	OVC:08 140	10.00		68	20.0	60	15.6	55	12.8	63	7	050		29.71	3	-0.01	29.91	FM-15	0.00	29.89
27	1654	7	CLR:00	10.00		67	19.4	60	15.6	54	12.2	63	9	060		29.73			29.92	FM-15	0.00	29.91
27	1656	7	BKN:07 140	10.00		67	19.4	60	15.6	54	12.2	63	10	070		29.73				FM-16		29.91
27	1754	7	FEW:02 110 BKN:07 140	10.00		66	18.9	59	15.0	53	11.7	63	6	070		29.75			29.94	FM-15	0.00	29.93
27	1854	7	BKN:07 110 OVC:08 140	10.00		64	17.8	57	13.9	52	11.1	65	7	100		29.77	3	-0.06	29.96	FM-15	0.00	29.95
27	1900	4		9.94		64	17.8	57	13.9	52	11.1	65	7	100		29.77	3	-0.06	29.96	FM-12		
27	1954	7	BKN:07 110	10.00		63	17.2	57	13.9	53	11.7	70	8	080		29.81			30.00	FM-15	0.00	29.99
27	2054	7	BKN:07 95 OVC:08 120	10.00		61	16.1	56	13.3	52	11.1	72	5	100		29.81			30.00	FM-15	0.00	29.99
27	2154	7	OVC:08 75	10.00		60	15.6	55	12.8	51	10.6	72	10	060		29.84	1	-0.06	30.03	FM-15	0.00	30.02
27	2254	7	FEW:02 35 BKN:07 60 OVC:08 100	10.00	-RA:02  RA  RA	59	15.0	55	12.8	51	10.6	75	5	170		29.86			30.04	FM-15	0.01	30.04
27	2354	7	FEW:02 35 OVC:08 60	10.00		58	14.4	55	12.8	53	11.7	84	5	120		29.83			30.03	FM-15	T	30.01
28	0054	7	OVC:08 47	10.00		58	14.4	55	12.8	53	11.7	84	7	130		29.83	8	+0.01	30.02	FM-15	0.00	30.01
28	0100	4	41	9.94		58	14.4	55	12.8	53	11.7	84	7	130		29.83	8	+0.01	30.02	FM-12		
28	0154	7	OVC:08 45	10.00		58	14.4	55	12.8	52	11.1	81	9	110		29.82			30.01	FM-15	0.00	30.00
28	0254	7	BKN:07 44 OVC:08 60	10.00		57	13.9	54	12.2	51	10.6	81	8	110		29.77			29.96	FM-15	0.00	29.95
28	0354	7	OVC:08 43	10.00		57	13.9	54	12.2	51	10.6	81	0	000		29.81	5	+0.02	30.00	FM-15	0.00	29.99
28	0454	7	OVC:08 35	10.00		57	13.9	54	12.2	51	10.6	81	6	040		29.79			29.98	FM-15	0.00	29.97
28	0554	7	BKN:07 35 OVC:08 60	10.00		56	13.3	53	11.7	50	10.0	81	0	000		29.77			29.96	FM-15	0.00	29.95
28	0621	7	BKN:07 29 OVC:08 60	10.00		57	13.9	54	12.2	51	10.6	81	5	010		29.78				FM-16		29.96
28	0654	7	BKN:07 25 OVC:08 60	10.00		57	13.9	53	11.7	50	10.0	78	7	020		29.80	5	+0.01	29.99	FM-15	0.00	29.98

28	0700	4	26	9.94		57	13.9	53	11.7	50	10.0	78	7	020		29.80	5	+0.01	29.99	FM-12		
28	0754	7	OVC:08 17	10.00		58	14.4	55	12.8	52	11.1	81	7	040		29.81			30.01	FM-15	0.00	29.99
28	0854	7	OVC:08 15	10.00		59	15.0	56	13.3	53	11.7	81	7	060		29.80			29.99	FM-15	0.00	29.98
28	0913	7	OVC:08 13	10.00		59	15.0	56	13.3	53	11.7	81	7	080		29.79				FM-16		29.97
28	0954	7	OVC:08 12	10.00		61	16.1	57	13.9	54	12.2	78	5	090		29.80	8	0.00	29.99	FM-15	0.00	29.98
28	1054	7	OVC:08 14	10.00		63	17.2	59	15.0	56	13.3	78	5	190		29.77			29.96	FM-15	0.00	29.95
28	1124	7	BKN:07 16	10.00		66	18.9	61	16.1	57	13.9	73	0	000		29.77				FM-16		29.95
28	1154	7	BKN:07 18	10.00		67	19.4	62	16.7	58	14.4	73	3	VRB		29.76			29.95	FM-15	0.00	29.94
28	1202	7	SCT:04 18	10.00		68	20.0	62	16.7	58	14.4	70	0	000		29.76				FM-16		29.94
28	1254	7	FEW:02 18 FEW:02 250	10.00		71	21.7	64	17.8	59	15.0	66	5	VRB		29.74	6	+0.06	29.93	FM-15	0.00	29.92
28	1300	4	15	9.94		71	21.7	64	17.8	59	15.0	66	5			29.74	6	+0.06	29.93	FM-12		
28	1354	7	FEW:02 250	10.00		75	23.9	66	18.9	60	15.6	60	6	290		29.72			29.91	FM-15	0.00	29.90
28	1454	7	FEW:02 250	10.00		77	25.0	66	18.9	60	15.6	56	3	340		29.69			29.88	FM-15	0.00	29.87
28	1554	7	BKN:07 300	10.00		77	25.0	67	19.4	61	16.1	58	3	080		29.67	8	+0.07	29.86	FM-15	0.00	29.85
28	1654	7	BKN:07 300	10.00		76	24.4	67	19.4	62	16.7	62	9	180		29.67			29.86	FM-15	0.00	29.85
28	1754	7	BKN:07 300	10.00		74	23.3	66	18.9	61	16.1	64	3	080		29.70			29.89	FM-15	0.00	29.88
28	1854	7	SCT:04 300	10.00		71	21.7	65	18.3	61	16.1	71	9	060		29.72	3	-0.05	29.91	FM-15	0.00	29.90
28	1900	4		9.94		71	21.7	65	18.3	61	16.1	71	9	060		29.72	3	-0.05	29.91	FM-12		
28	1954	7	SCT:04 300	10.00		65	18.3	61	16.1	59	15.0	81	10	050		29.74			29.93	FM-15	0.00	29.92
28	2054	7	BKN:07 250	10.00		63	17.2	60	15.6	57	13.9	81	9	050		29.74			29.93	FM-15	0.00	29.92
28	2154	7	BKN:07 250	10.00		60	15.6	57	13.9	55	12.8	84	8	040		29.75	1	-0.03	29.94	FM-15	0.00	29.93
28	2254	7	BKN:07 300	10.00		58	14.4	56	13.3	55	12.8	90	7	060		29.74			29.93	FM-15	0.00	29.92
28	2338	7	SCT:04 8 BKN:07 300	10.00		57	13.9	56	13.3	55	12.8	93	6	060		29.74				FM-16		29.92
28	2352	6	BKN:07 8 OVC:08 300	10.00		57	13.9	56	13.3	55	12.8	94	5	060		29.74				FM-16		29.92
28	2354	7	BKN:07 8 OVC:08 300	10.00		58	14.4	56	13.3	55	12.8	90	5	080		29.74			29.93	FM-15	0.00	29.92
29	0054	7	OVC:08 6	9.00		57	13.9	56	13.3	55	12.8	93	5	050		29.75	5	+0.01	29.94	FM-15	0.00	29.93
29	0100	4	5	8.70		57	13.9	56	13.3	55	12.8	93	5	050		29.75	5	+0.01	29.94	FM-12		
29	0154	7	OVC:08 5	6.00	BR:1	57	13.9	56	13.3	55	12.8	93	5	030		29.74			29.93	FM-15	0.00	29.92
29	0205	7	OVC:08 4	5.00	BR:1	57	13.9	56	13.3	55	12.8	93	6	030		29.73				FM-16		29.91
29	0249	7	OVC:08 3	1.75	BR:1	55	12.8	55	12.8	55	12.8	100	7	020		29.72				FM-16		29.90
29	0252	6	OVC:08 3	1.25	BR:1	55	12.8	55	12.8	55	12.8	100	6	020		29.72				FM-16		29.90
29	0254	7	OVC:08 3	1.25	BR:1	56	13.3	55	12.8	55	12.8	97	7	020		29.72			29.91	FM-15	0.00	29.90
29	0306	7	VV:09 3	0.75	BR:1	56	13.3	55	12.8	55	12.8	97	8	020		29.72				FM-16		29.90
29	0354	7	VV:09 2	0.50	FG:2  FG	55	12.8	55	12.8	55	12.8	100	5	050		29.72	6	+0.03	29.91	FM-15	0.00	29.90
29	0454	7	VV:09 2	0.25	FG:2  FG	54	12.2	54	12.2	54	12.2	100	6	010		29.73			29.92	FM-15	0.00	29.91
29	0554	7	VV:09 2	0.50	FG:2  FG	54	12.2	54	12.2	54	12.2	100	7	340		29.76			29.95	FM-15	0.00	29.94
29	0633	7	VV:09 2	0.25	FG:2  FG	54	12.2	54	12.2	54	12.2	100	3	040		29.75				FM-16		29.93
29	0654	7	VV:09 2	0.25	FG:2  FG	54	12.2	54	12.2	54	12.2	100	0	000		29.77	1	-0.05	29.96	FM-15	0.00	29.95
29	0713	7	VV:09 2	0.00	FG:2  FG	54	12.2	54	12.2	54	12.2	100	3	350		29.78				FM-16		29.96
29	0731	7	VV:09 2	0.25	FG:2  FG	54	12.2	54	12.2	54	12.2	100	0	000		29.78				FM-16		29.96
29	0754	7	VV:09 3	0.50	FG:2  FG	55	12.8	54	12.2	54	12.2	96	3	360		29.78			29.98	FM-15	0.00	29.96
29	0807	7	OVC:08 2	1.00	BR:1	55	12.8	54	12.2	54	12.2	96	3	010		29.79				FM-16		29.97
29	0814	7	OVC:08 2	2.00	BR:1	55	12.8	55	12.8	55	12.8	100	0	000		29.79				FM-16		29.97
29	0852	6	OVC:08 3	5.00	BR:1	55	12.8	54	12.2	54	12.2	94	0	000		29.80				FM-16		29.98
29	0854	7	OVC:08 3	6.00	BR:1	56	13.3	55	12.8	55	12.8	97	0	000		29.80			30.00	FM-15	0.00	29.98
29	0936	7	OVC:08 5	6.00	BR:1	58	14.4	57	13.9	56	13.3	93	3	280		29.80				FM-16		29.98
29	0954	7	OVC:08 6	6.00	BR:1	59	15.0	57	13.9	56	13.3	90	3	270		29.80	1	-0.04	30.00	FM-15	0.00	29.98
29	1052	6	SCT:04 8 SCT:04 25 OVC:08 250	9.00		63	17.2	60	15.6	57	13.9	83	0	000		29.77				FM-16		29.95
29	1054	7	SCT:04 8 SCT:04 25 OVC:08 250	9.00		63	17.2	60	15.6	58	14.4	84	0	000		29.76			29.96	FM-15	0.00	29.94
29	1154	7	FEW:02 25 OVC:08 250	10.00		68	20.0	63	17.2	60	15.6	76	9	160		29.71			29.90	FM-15	0.00	29.89

29	1254	7	BKN:07 250	10.00		73	22.8	66	18.9	62	16.7	69	10	170		29.67	6	+0.13	29.86	FM-15	0.00	29.85
29	1300	4		9.94		73	22.8	66	18.9	62	16.7	69	10	170		29.67	6	+0.13	29.86	FM-12		
29	1354	7	BKN:07 250	9.00		80	26.7	70	21.1	65	18.3	60	10	190		29.62			29.81	FM-15	0.00	29.80
29	1454	7	FEW:02 35 BKN:07 250	10.00		85	29.4	71	21.7	64	17.8	50	17	190	24	29.59			29.78	FM-15	0.00	29.77
29	1554	7	FEW:02 35 SCT:04 100 BKN:07 250	10.00		86	30.0	70	21.1	62	16.7	45	18	210	29	29.57	6	+0.10	29.76	FM-15	0.00	29.75
29	1654	7	FEW:02 40 BKN:07 250	10.00		86	30.0	71	21.7	63	17.2	46	18	230	25	29.57			29.75	FM-15	0.00	29.75
29	1754	7	FEW:02 40 BKN:07 250	10.00		85	29.4	70	21.1	62	16.7	46	15	220		29.57			29.76	FM-15	0.00	29.75
29	1854	7	FEW:02 40 BKN:07 300	10.00		83	28.3	68	20.0	60	15.6	46	11	230		29.58	3	-0.01	29.77	FM-15	0.00	29.76
29	1900	4	41	9.94		83	28.3	68	20.0	60	15.6	46	11	230		29.58	3	-0.01	29.77	FM-12		
29	1954	7	SCT:04 300	10.00		83	28.3	63	17.2	48	8.9	30	16	260	28	29.62			29.81	FM-15	0.00	29.80
29	2054	7	BKN:07 250	10.00		80	26.7	56	13.3	31s	31ss	17	11	250		29.64			29.83	FM-15	0.00	29.82
29	2154	7	BKN:07 250	10.00		77	25.0	55	12.8	33s	33ss	20	11	260		29.65	1	-0.07	29.84	FM-15	0.00	29.83
29	2254	7	FEW:02 240 BKN:07 300	10.00		75	23.9	55	12.8	35	1.7	23	10	260		29.67			29.86	FM-15	0.00	29.85
29	2354	7	FEW:02 240 BKN:07 300	10.00		72	22.2	55	12.8	38	3.3	29	8	240		29.67			29.86	FM-15	0.00	29.85
30	0054	7	FEW:02 250 SCT:04 300	10.00		70	21.1	54	12.2	38	3.3	31	6	250		29.70	3	-0.04	29.89	FM-15	0.00	29.88
30	0100	4		9.94		70	21.1	54	12.2	38	3.3	31	6	250		29.70	3	-0.04	29.89	FM-12		
30	0154	7	FEW:02 250 SCT:04 300	10.00		68	20.0	54	12.2	40	4.4	36	6	270		29.70			29.89	FM-15	0.00	29.88
30	0254	7	SCT:04 250 BKN:07 300	10.00		67	19.4	53	11.7	40	4.4	37	8	280		29.71			29.90	FM-15	0.00	29.89
30	0354	7	BKN:07 250 BKN:07 300	10.00		65	18.3	52	11.1	40	4.4	40	7	270		29.74	3	-0.04	29.93	FM-15	0.00	29.92
30	0454	7	SCT:04 250 BKN:07 300	10.00		63	17.2	51	10.6	40	4.4	43	7	280		29.76			29.95	FM-15	0.00	29.94
30	0554	7	BKN:07 250 BKN:07 300	10.00		58	14.4	50	10.0	43	6.1	58	8	040		29.79			29.98	FM-15	0.00	29.97
30	0654	7	BKN:07 230 BKN:07 300	10.00		57	13.9	54	12.2	51	10.6	81	6	060		29.83	3	-0.09	30.02	FM-15	0.00	30.01
30	0700	4		9.94		57	13.9	54	12.2	51	10.6	81	6	060		29.83	3	-0.09	30.02	FM-12		
30	0742	7	FEW:02 5 BKN:07 220	10.00		55	12.8	54	12.2	53	11.7	93	5	060		29.84				FM-16		30.02
30	0754	7	FEW:02 5 BKN:07 220	10.00		55	12.8	54	12.2	53	11.7	93	5	080		29.84			30.03	FM-15	0.00	30.02
30	0854	7	FEW:02 5 BKN:07 220	10.00		57	13.9	55	12.8	53	11.7	87	0	000		29.84			30.02	FM-15	0.00	30.02
30	0954	7	BKN:07 220	10.00		59	15.0	56	13.3	53	11.7	81	0	000		29.83	8	0.00	30.02	FM-15	0.00	30.01
30	1054	7	BKN:07 220	10.00		64	17.8	55	12.8	47	8.3	54	7	210		29.80			29.98	FM-15	0.00	29.98
30	1154	7	BKN:07 270	10.00		68	20.0	51	10.6	33s	33ss	27	11	240	22	29.76			29.95	FM-15	0.00	29.94
30	1254	7	SCT:04 270	10.00		71	21.7	53	11.7	34	1.1	26	18	220	25	29.73	6	+0.10	29.92	FM-15	0.00	29.91
30	1300	4		9.94		71	21.7	53	11.7	34	1.1	26	18	220		29.73	6	+0.10	29.92	FM-12		
30	1354	7	FEW:02 270	10.00		73	22.8	54	12.2	34	1.1	24	18	230	25	29.68			29.87	FM-15	0.00	29.86
30	1454	7	FEW:02 230 SCT:04 300	10.00		73	22.8	54	12.2	36	2.2	26	18	210	29	29.66			29.84	FM-15	0.00	29.84
30	1554	7	SCT:04 230 SCT:04 300	10.00		73	22.8	54	12.2	36	2.2	26	17	220		29.63	6	+0.10	29.82	FM-15	0.00	29.81
30	1654	7	SCT:04 240 BKN:07 300	10.00		71	21.7	54	12.2	37	2.8	29	15	220		29.64			29.83	FM-15	0.00	29.82
30	1754	7	FEW:02 80 BKN:07 230 BKN:07 300	10.00		70	21.1	53	11.7	37	2.8	30	14	220		29.65			29.84	FM-15	0.00	29.83
30	1854	7	SCT:04 230 SCT:04 300	10.00		68	20.0	52	11.1	36	2.2	31	3	280		29.67	3	-0.04	29.86	FM-15	0.00	29.85
30	1900	4		9.94		68	20.0	52	11.1	36	2.2	31	3	280		29.67	3	-0.04	29.86	FM-12		

30	1954	7	SCT:04 230 SCT:04 300	10.00		64	17.8	50	10.0	35	1.7	34	8	020		29.71			29.91	FM-15	0.00	29.89
30	2054	7	FEW:02 230 SCT:04 300	10.00		63	17.2	50	10.0	36	2.2	37	10	020		29.73			29.92	FM-15	0.00	29.91
30	2154	7	BKN:07 300	10.00		61	16.1	50	10.0	38	3.3	43	13	040		29.75	1	-0.08	29.95	FM-15	0.00	29.93
30	2254	7	FEW:02 230 BKN:07 300	10.00		59	15.0	49	9.4	38	3.3	46	11	030		29.77			29.96	FM-15	0.00	29.95
30	2354	7	SCT:04 230 SCT:04 300	10.00		56	13.3	48	8.9	40	4.4	55	10	040		29.77			29.96	FM-15	0.00	29.95
31	0054	7	SCT:04 300	10.00		54	12.2	48	8.9	41	5.0	62	8	030		29.77	1	-0.02	29.96	FM-15	0.00	29.95
31	0100	4		9.94		54	12.2	48	8.9	41	5.0	62	8	030		29.77	1	-0.02	29.96	FM-12		
31	0154	7	SCT:04 250 SCT:04 300	10.00		52	11.1	47	8.3	41	5.0	66	8	040		29.78			29.97	FM-15	0.00	29.96
31	0254	7	SCT:04 220 BKN:07 300	10.00		50	10.0	46	7.8	42	5.6	74	6	070		29.79			29.98	FM-15	0.00	29.97
31	0354	7	SCT:04 210 SCT:04 300	10.00		49	9.4	46	7.8	42	5.6	77	5	070		29.79	1	-0.01	29.98	FM-15	0.00	29.97
31	0454	7	FEW:02 200 FEW:02 300	10.00		46	7.8	44	6.7	41	5.0	83	0	000		29.80			29.99	FM-15	0.00	29.98
31	0554	7	SCT:04 210 BKN:07 300	10.00		47	8.3	45	7.2	43	6.1	86	0	000		29.82			30.01	FM-15	0.00	30.00
31	0654	7	FEW:02 65 BKN:07 190 BKN:07 300	10.00		47	8.3	45	7.2	43	6.1	86	0	000		29.83	1	-0.04	30.02	FM-15	0.00	30.01
31	0700	4	57	9.94		47	8.3	45	7.2	43	6.1	86	0	000		29.83	1	-0.04	30.02	FM-12		
31	0754	7	FEW:02 60 BKN:07 180 OVC:08 300	10.00		50	10.0	48	8.9	45	7.2	83	0	000		29.82			30.01	FM-15	0.00	30.00
31	0854	7	FEW:02 60 BKN:07 160 OVC:08 300	10.00		52	11.1	48	8.9	43	6.1	72	8	080		29.80			29.99	FM-15	0.00	29.98
31	0954	7	FEW:02 30 BKN:07 140 OVC:08 300	10.00		54	12.2	48	8.9	41	5.0	62	8	100		29.80	6	+0.03	29.99	FM-15	0.00	29.98
31	1054	7	SCT:04 39 BKN:07 120 OVC:08 300	10.00		55	12.8	47	8.3	39	3.9	55	8	060		29.76			29.96	FM-15	0.00	29.94
31	1154	7	FEW:02 40 BKN:07 90 OVC:08 300	10.00		55	12.8	48	8.9	40	4.4	57	6	080		29.74			29.93	FM-15	0.00	29.92
31	1254	7	FEW:02 35 BKN:07 70 OVC:08 100	10.00		55	12.8	48	8.9	40	4.4	57	8	110		29.72	6	+0.07	29.91	FM-15	0.00	29.90
31	1300	4	41	9.94		55	12.8	48	8.9	40	4.4	57	8	110		29.72	6	+0.07	29.91	FM-12		
31	1354	7	BKN:07 50 OVC:08 65	10.00	-RA:02  RA  RA	53	11.7	48	8.9	43	6.1	69	6	110		29.69			29.89	FM-15	0.01	29.87
31	1454	7	BKN:07 30 BKN:07 40 OVC:08 65	9.00	-RA:02  RA  RA	51	10.6	48	8.9	46	7.8	83	8	080		29.67			29.86	FM-15	0.03	29.85
31	1512	7	SCT:04 19 BKN:07 29 OVC:08 37	7.00	-RA:02  RA  RA	50	10.0	48	8.9	46	7.8	86	7	080		29.66				FM-16	0.02	29.84
31	1526	7	FEW:02 21 BKN:07 35 OVC:08 55	7.00	-RA:02  RA  RA	50	10.0	48	8.9	47	8.3	89	6	080		29.66				FM-16	0.02	29.84
31	1554	7	FEW:02 21 BKN:07 37 OVC:08 65	6.00	-RA:02 BR:1  RA  RA	50	10.0	48	8.9	46	7.8	86	8	090		29.65	6	+0.07	29.84	FM-15	0.04	29.83
31	1654	7	SCT:04 19 SCT:04 37 OVC:08 55	6.00	-RA:02 BR:1  RA  RA	48	8.9	47	8.3	45	7.2	89	6	100		29.65			29.84	FM-15	0.03	29.83
31	1740	7	FEW:02 9 OVC:08 55	2.50	RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	8	070		29.62				FM-16	0.10	29.80

31	1752	7	SCT:04 7 BKN:07 17 OVC:08 60	3.00	RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	94	6	150		29.66				FM-16	0.13	29.84
31	1754	7	BKN:07 7 BKN:07 17 OVC:08 60	3.00	RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	7	150		29.66			29.86	FM-15	0.15	29.84
31	1817	7	SCT:04 7 BKN:07 30 OVC:08 39	4.00	RA:02 BR:1  RA  RA	47	8.3	46	7.8	45	7.2	93	13	110		29.65				FM-16	0.09	29.83
31	1854	7	SCT:04 7 SCT:04 30 OVC:08 50	9.00	-RA:02  RA  RA	47	8.3	46	7.8	45	7.2	93	10	080		29.63	8	+0.02	29.83	FM-15	0.16	29.81
31	1900	4	8	8.70	RA	47	8.3	46	7.8	45	7.2	93	10	080		29.63	8	+0.02	29.83	FM-12		
31	1934	7	SCT:04 10 BKN:07 22 OVC:08 60	10.00	-RA:02  RA  RA	46	7.8	46	7.8	45	7.2	96	14	050		29.61				FM-16	0.03	29.79
31	1954	7	SCT:04 10 BKN:07 15 OVC:08 60	10.00	-RA:02  RA  RA	46	7.8	46	7.8	45	7.2	96	13	060		29.61			29.80	FM-15	0.02	29.79
31	1958	7	BKN:07 9 BKN:07 17 OVC:08 55	10.00	-RA:02  RA  RA	46	7.8	45	7.2	44	6.7	93	15	050		29.61				FM-16	T	29.79
31	2010	7	SCT:04 9 BKN:07 16 OVC:08 60	10.00	-RA:02  RA  RA	46	7.8	45	7.2	44	6.7	93	16	060	23	29.61				FM-16	T	29.79
31	2014	7	BKN:07 9 OVC:08 60	10.00	-RA:02  RA  RA	46	7.8	45	7.2	43	6.1	89	14	060	21	29.61				FM-16	0.01	29.79
31	2029	7	BKN:07 10 BKN:07 17 OVC:08 55	8.00	-RA:02  RA  RA	46	7.8	45	7.2	44	6.7	93	11	060		29.61				FM-16	0.01	29.79
31	2038	7	SCT:04 7 BKN:07 13 OVC:08 55	7.00	-RA:02  RA  RA	46	7.8	45	7.2	44	6.7	93	11	050		29.60				FM-16	0.02	29.78
31	2054	7	BKN:07 9 BKN:07 15 OVC:08 21	9.00	-RA:02  RA  RA	45	7.2	44	6.7	43	6.1	93	11	050	23	29.60			29.79	FM-15	0.02	29.78
31	2101	7	SCT:04 10 OVC:08 13	10.00	-RA:02  RA  RA	45	7.2	44	6.7	43	6.1	93	11	050		29.59				FM-16	T	29.77
31	2154	7	BKN:07 10 OVC:08 15	7.00	-RA:02  RA  RA	45	7.2	44	6.7	42	5.6	90	15	050	25	29.57	8	+0.06	29.77	FM-15	0.04	29.75
31	2210	7	SCT:04 11 BKN:07 16 OVC:08 100	10.00	-RA:02  RA  RA	44	6.7	43	6.1	42	5.6	93	14	050	23	29.57				FM-16	T	29.75
31	2224	7	BKN:07 14 OVC:08 60	10.00	-RA:02  RA  RA	44	6.7	43	6.1	42	5.6	93	11	040		29.57				FM-16	T	29.75
31	2254	7	BKN:07 11 BKN:07 16 OVC:08 60	10.00		44	6.7	43	6.1	41	5.0	89	13	050		29.55			29.75	FM-15	T	29.73
31	2354	7	OVC:08 11	10.00		44	6.7	43	6.1	41	5.0	89	16	040		29.54			29.74	FM-15	0.00	29.72

**Local Climatological Data**  
**Hourly Precipitation**  
**March 2020**

Generated on 04/05/2020

Date	For Hour (LST) Ending at																					Date				
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID	
01																									01	
02																							T	T		02
03															T	T									03	
04								T																	04	
05																									05	
06						0.03	T		T	0.01						T	T								06	
07																									07	
08																									08	
09																									09	
10											T		T	T									T		10	
11																									11	
12																									12	
13		T	T	0.03s	0.11	T		T	0.01	T	T														13	
14																							T	T	14	
15	T	T			T	T																			15	
16																									16	
17									T					T	T										17	
18																							0.01	0.07	18	
19	0.02	0.06	0.04	T																					19	
20			T																	T	T	T	T	0.08	20	
21	0.01	T	0.03	0.04	T	0.03	0.01	T		T	T														21	
22																						T	T	T	22	
23	0.03	0.09	0.18	0.27	0.07	0.05	0.05	0.04	T	T		T	T	0.02	T	T			T						23	
24																									24	
25	0.01	0.12	0.16	0.10	0.15	0.03	T	0.04	0.03	0.01	T	0.01	0.02	0.01	0.05	0.01	T	T	T	T	T	T	T	25		
26																									26	
27														T										0.01	T	27
28																									28	
29																									29	
30																									30	
31															0.01	0.03	0.04	0.03	0.15	0.16	0.02	0.02	0.04	T	31	

**Maximum Short Duration Precipitation**

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.08	0.10	0.11	0.12	0.15	0.22	0.29	0.36	0.41	0.47	0.55	0.57
Ending Date Time (yyyy-mm-dd hh:mi)	2020-03-13 04:06	2020-03-13 04:09	2020-03-13 04:09	2020-03-13 04:15	2020-03-23 03:34	2020-03-23 03:50	2020-03-23 03:50	2020-03-23 03:56	2020-03-23 04:01	2020-03-23 03:56	2020-03-23 04:10	2020-03-23 04:46

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace  
 s = Suspect  
 \* = Erroneous  
 blank = No precipitation observed  
 M = Missing