

Local Climatological Data
Daily Summary
April 2021

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/19/2021

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH								
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees							
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23					
01	60	37	49	-4.4				16	0	0555	1832	RA BR	0.18	0.0	0	29.80		16.8	39	350	33	350					
02	48	31	40	-13.8				25	0	0554	1833		0.00	0.0	0	30.11		13.7	33	330	25	350					
03	57	30*	44	-10.1				21	0	0552	1834		0.00	0.0	0	30.21		5.9	*		13	020					
04	76	35	56	1.6				9	0	0551	1835		0.00	0.0	0	29.95		7.3	31	290	23	300					
05	75	47	61	6.3				4	0	0549	1835		0.00	0.0	0	29.89		5.6	20	270	14	310					
06	81	48	65	9.9				0	0	0548	1836		0.00	0.0	0	29.79		4.4	17	140	13	120					
07	84	47	66	10.6				0	1	0546	1837		0.00	0.0	0	29.77		3.9	*		10	020					
08	74	54	64	8.3				1	0	0545	1838		0.00	0.0	0	29.83		11.8	26	110	23	110					
09	78	55	67	11.0				0	2	0543	1839	TS RA BR	0.15	0.0	0	29.84		6.8	33	150	24	140					
10	77	53	65	8.7				0	0	0542	1840	RA FG BR	0.03	0.0	0	29.73		6.0	*		12	140					
11	80	57	69	12.3				0	4	0541	1841	RA	0.06	0.0	0	29.36		10.3	39	210	25	210					
12	73	53	63	6.0				2	0	0539	1842	RA	0.00s	0.0	0	29.49		5.9	17	270	10	050					
13	70	50	60	2.7				5	0	0538	1843		T	0.0	0	29.87		7.2	20	020	14	020					
14	72	47	60	2.4				5	0	0536	1844	RA BR	0.20	0.0	0	29.85		7.1	21	330	17	330					
15	69	49	59	1.1				6	0	0535	1844	RA DZ BR	0.03	0.0	0	29.59		8.4	29	330	23	330					
16	67	37	52	-6.2				13	0	0533	1845		0.00	0.0	0	29.62		9.0	27	020	21	280					
17	69	38	54	-4.5				11	0	0532	1846		T	0.0	0	29.65		5.2	20	320	15	310					
18	69	45	57	-1.8				8	0	0531	1847		0.00	0.0	0	29.70		3.4	16	110	14	110					
19	60	46	53	-6.0				12	0	0529	1848	RA BR	0.16	0.0	0	29.70		4.7	26	010	18	360					
20	76	43	60	0.7				5	0	0528	1849	BR	0.00	0.0	0	29.78		8.3	26	190	22	190					
21	75	42	59	-0.6				6	0	0527	1850	RA	0.02	0.0	0	29.62		16.4	37	330	30	290					
22	58	36	47	-12.9				18	0	0525	1851		0.00	0.0	0	29.86		11.1	33	270	25	270					
23	65	36	51	-9.2				14	0	0524	1852		0.00	0.0	0	29.96		7.4	20	230	16	240					
24	64	36	50	-10.4				15	0	0523	1853	RA BR	0.49	0.0	0	29.84		5.9	21	120	15	090					
25	70	47	59	-1.7				6	0	0522	1854	RA BR	0.02	0.0	0	29.60		9.0	31	320	24	320					
26	73	45	59	-2.0				6	0	0520	1854		0.00	0.0	0	29.91		4.7	17	020	14	320					
27	86	48	67	5.8				0	2	0519	1855		0.00	0.0	0	29.86		10.9	27s	190s	22	210					
28	88*	61	75	13.5				0	10	0518	1856		0.00	0.0	0	29.77		12.3	30	240	23	220					
29	87	69	78	16.3				0	13	0517	1857		T	0.0	0	29.61		14.4	35	210	29	220					
30	78	54	66	4.0				0	1	0516	1858	RA	T	0.0	0	29.55		18.2	42	290	31	310					
	72.0	45.9	59.0										1.34			29.77	29.96	8.7									
	1.7	-0.2	0.8										-1.93														
Monthly Averages Totals												1.34			29.77	29.96	8.7										
Departure from Normal (1981-2010)												-1.93															
Degree Days												Number of days with...															
Monthly				Season-to-date				Temperature				Precipitation		Snow		Weather											
Total		Departure		Total		Departure		Max		Min																	
Heating		214		-26		3388		>=90°		<=32°		<=32°		<=0°		>=0.01"		>=0.1"		>=1"		T-Storms	Heavy Fog				
Cooling		31		-5		40		0		0		2		0		8s		4s		0							
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure				Greatest...															
N/A								Maximum		30.51		Date		03		Time		0924		24-Hr... Precip		Snowfall		Snow Depth			
								Minimum		29.46				11		1642				0.51s							
												Date															
												24-25															
Station Augmentation																											
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																											

Local Climatological Data Hourly Observations April 2021

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/19/2021

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0045	7	OVC:08 4	4.00	BR:1	59	15.0	58	14.4	57	13.9	93	0	000		29.64				FM-16		29.82
01	0054	7	OVC:08 4	3.00	BR:1	59	15.0	58	14.4	57	13.9	93	0	000		29.64	6	+0.07	29.83	FM-15	0.00	29.82
01	0100	4	5	2.98		59	15.0	58	14.4	57	13.9	93	0	000		29.64	6	+0.07	29.83	FM-12		
01	0138	7	SCT:04 5 BKN:07 13 OVC:08 40	10.00	-RA:02 RA RA	53	11.7	51	10.6	50	10.0	89	23	350	36	29.66				FM-16	T	29.84
01	0152	6	BKN:07 9 OVC:08 14	5.00	RA:02 BR:1 RA RA	52	11.1	50	10.0	48	8.9	88	22	350	36	29.67				FM-16		29.85
01	0154	7	BKN:07 7 OVC:08 20	4.00	RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	28	350	39	29.68			29.87	FM-15	T	29.86
01	0221	7	SCT:04 9 OVC:08 35	6.00	-RA:02 BR:1 RA RA	48	8.9	47	8.3	45	7.2	89	26	340	36	29.69				FM-16	0.05	29.87
01	0254	7	SCT:04 15 OVC:08 40	10.00	-RA:02 RA RA	48	8.9	46	7.8	44	6.7	86	23	350	32	29.71			29.90	FM-15	0.05	29.89
01	0354	7	FEW:02 12 BKN:07 45 OVC:08 60	8.00	-RA:02 RA RA	46	7.8	45	7.2	43	6.1	89	21	350	29	29.72	1	-0.08	29.91	FM-15	0.02	29.90
01	0428	7	BKN:07 15 OVC:08 45	4.00	RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	16	360		29.72				FM-16	0.02	29.90
01	0439	7	FEW:02 8 BKN:07 11 OVC:08 16	6.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	11	010	21	29.73				FM-16	0.04	29.91
01	0454	7	SCT:04 7 OVC:08 14	5.00	-RA:02 BR:1 RA RA	45	7.2	44	6.7	42	5.6	90	16	360	25	29.75			29.94	FM-15	0.05	29.93
01	0539	7	FEW:02 9 BKN:07 17 OVC:08 35	10.00	-RA:02 RA RA	43	6.1	42	5.6	40	4.4	89	15	350		29.78				FM-16	0.02	29.96
01	0554	7	FEW:02 9 BKN:07 15 OVC:08 22	10.00	-RA:02 RA RA	43	6.1	42	5.6	40	4.4	89	14	360		29.78			29.97	FM-15	0.04	29.96
01	0654	7	BKN:07 11 OVC:08 50	7.00	-RA:02 RA RA	42	5.6	41	5.0	39	3.9	89	21	360	28	29.82	3	-0.09	30.01	FM-15	0.02	30.00
01	0700	4	15	6.84	RA	42	5.6	41	5.0	39	3.9	89	21	360		29.82	3	-0.09	30.01	FM-12		
01	0705	7	FEW:02 11 BKN:07 47 OVC:08 90	10.00	-RA:02 RA RA	42	5.6	40	4.4	38	3.3	85	13	360	24	29.82				FM-16	T	30.00
01	0754	7	FEW:02 11 BKN:07 48 BKN:07 100	10.00		43	6.1	41	5.0	39	3.9	86	8	350		29.82			30.01	FM-15	T	30.00
01	0854	7	FEW:02 20 BKN:07 43	10.00		44	6.7	42	5.6	39	3.9	83	11	330		29.82			30.01	FM-15	0.00	30.00
01	0954	7	FEW:02 16 BKN:07 46 BKN:07 60	10.00		46	7.8	42	5.6	38	3.3	73	13	330	24	29.84	3	-0.02	30.03	FM-15	0.00	30.02
01	1054	7	FEW:02 27 BKN:07 55	10.00		48	8.9	43	6.1	37	2.8	66	11	320		29.84			30.03	FM-15	0.00	30.02
01	1154	7	BKN:07 35 BKN:07 60	10.00		49	9.4	42	5.6	34	1.1	56	16	330	24	29.84			30.03	FM-15	0.00	30.02
01	1254	7	FEW:02 39 BKN:07 65	10.00		50	10.0	42	5.6	31	-0.6	48	15	330	24	29.83	8	0.00	30.03	FM-15	0.00	30.01
01	1300	4	41	9.94		50	10.0	42	5.6	31	-0.6	48	15	330		29.83			30.03	FM-12		
01	1354	7	FEW:02 55 BKN:07 70	10.00		51	10.6	41	5.0	28	-2.2	41	14	320	23	29.83			30.02	FM-15	0.00	30.01

01	1454	7	BKN:07 70	10.00		50	10.0	40	4.4	26	-3.3	39	17	330	24	29.83			30.02	FM-15	0.00	30.01
01	1554	7	OVC:08 75	10.00		48	8.9	39	3.9	25	-3.9	41	21	340	29	29.85	3	-0.02	30.05	FM-15	0.00	30.03
01	1654	7	BKN:07 80	10.00		48	8.9	38	3.3	22	-5.6	36	22	340	32	29.88			30.08	FM-15	0.00	30.06
01	1754	7	SCT:04 75	10.00		46	7.8	37	2.8	22	-5.6	38	17	330	26	29.90			30.10	FM-15	0.00	30.08
01	1854	7	SCT:04 65 BKN:07 85	10.00		43	6.1	36	2.2	24	-4.4	47	15	340	23	29.93	2	-0.08	30.13	FM-15	0.00	30.11
01	1900	4	57	9.94		43	6.1	36	2.2	24	-4.4	47	15	340		29.93	2	-0.08	30.13	FM-12		
01	1954	7	FEW:02 70 BKN:07 85	10.00		42	5.6	35	1.7	22	-5.6	45	17	320	23	29.97			30.16	FM-15	0.00	30.15
01	2054	7	BKN:07 90	10.00		41	5.0	33	0.6	20	-6.7	43	14	320		30.00			30.19	FM-15	0.00	30.18
01	2154	7	BKN:07 70	10.00		40	4.4	33	0.6	22	-5.6	49	20	360	26	30.02	1	-0.08	30.21	FM-15	0.00	30.20
01	2254	7	BKN:07 55	10.00		39	3.9	33	0.6	22	-5.6	50	18	340	25	30.02			30.22	FM-15	0.00	30.20
01	2354	7	BKN:07 49 BKN:07 75	10.00		37	2.8	31	-0.6	19	-7.2	48	14	340	25	30.03			30.22	FM-15	0.00	30.21
02	0054	7	BKN:07 80	10.00		35	1.7	29	-1.7	16	-8.9	46	13	340		30.04	3	-0.02	30.23	FM-15	0.00	30.22
02	0100	4	74	9.94		35	1.7	29	-1.7	16	-8.9	46	13	340		30.04	3	-0.02	30.23	FM-12		
02	0154	7	FEW:02 85	10.00		33	0.6	28	-2.2	17	-8.3	52	7	320		30.04			30.24	FM-15	0.00	30.22
02	0254	7	CLR:00	10.00		33	0.6	27	-2.8	16	-8.9	49	10	320		30.04			30.24	FM-15	0.00	30.22
02	0354	7	CLR:00	10.00		31	-0.6	26	-3.3	17	-8.3	56	8	310		30.06	3	-0.02	30.26	FM-15	0.00	30.24
02	0454	7	CLR:00	10.00		31	-0.6	26	-3.3	17	-8.3	56	13	330		30.09			30.29	FM-15	0.00	30.27
02	0554	7	FEW:02 90	10.00		31	-0.6	26	-3.3	16	-8.9	54	16	340	25	30.12			30.32	FM-15	0.00	30.30
02	0654	7	FEW:02 90 FEW:02 300	10.00		32	0.0	27	-2.8	15	-9.4	50	18	330	30	30.15	1	-0.09	30.35	FM-15	0.00	30.33
02	0700	4		9.94		32	0.0	27	-2.8	15	-9.4	50	18	330		30.15	1	-0.09	30.35	FM-12		
02	0754	7	FEW:02 45	10.00		34	1.1	28	-2.2	15	-9.4	46	23	330	29	30.16			30.36	FM-15	0.00	30.34
02	0854	7	FEW:02 50	10.00		36	2.2	29	-1.7	14	-10.0	40	24	340	33	30.17			30.37	FM-15	0.00	30.35
02	0954	7	SCT:04 60	10.00		37	2.8	29	-1.7	14	-10.0	39	21	340	30	30.18	1	-0.03	30.38	FM-15	0.00	30.36
02	1054	7	SCT:04 60	10.00		40	4.4	31	-0.6	13	-10.6	33	17	330	26	30.17			30.36	FM-15	0.00	30.35
02	1154	7	SCT:04 70	10.00		42	5.6	33	0.6	14	-10.0	32	20	310	26	30.15			30.35	FM-15	0.00	30.33
02	1254	7	SCT:04 70	10.00		44	6.7	34	1.1	14	-10.0	30	14	350	26	30.14	8	+0.04	30.33	FM-15	0.00	30.32
02	1300	4	74	9.94		44	6.7	34	1.1	14	-10.0	30	14	350		30.14	8	+0.04	30.33	FM-12		
02	1354	7	FEW:02 80	10.00		45	7.2	34	1.1	12	-11.1	26	16	300	26	30.11			30.31	FM-15	0.00	30.29
02	1454	7	FEW:02 80	10.00		47	8.3	35	1.7	11	-11.7	23	18	310	32	30.10			30.29	FM-15	0.00	30.28
02	1554	7	FEW:02 85	10.00		45	7.2	34	1.1	12	-11.1	26	15	320	24	30.10	5	+0.04	30.29	FM-15	0.00	30.28
02	1654	7	SCT:04 85	10.00		47	8.3	35	1.7	12	-11.1	24	15	300	26	30.11			30.30	FM-15	0.00	30.29
02	1754	7	FEW:02 85	10.00		45	7.2	34	1.1	11	-11.7	25	18	330		30.12			30.32	FM-15	0.00	30.30
02	1854	7	FEW:02 85	10.00		42	5.6	32	0.0	13	-10.6	30	10	320		30.13	3	-0.04	30.33	FM-15	0.00	30.31
02	1900	4		9.94		42	5.6	32	0.0	13	-10.6	30	10	320		30.13	3	-0.04	30.33	FM-12		
02	1954	7	CLR:00	10.00		41	5.0	32	0.0	14	-10.0	33	9	330		30.17			30.36	FM-15	0.00	30.35
02	2054	7	CLR:00	10.00		39	3.9	31	-0.6	16	-8.9	39	7	320		30.19			30.38	FM-15	0.00	30.37
02	2154	7	CLR:00	10.00		39	3.9	31	-0.6	16	-8.9	39	5	280		30.20	1	-0.06	30.40	FM-15	0.00	30.38
02	2254	7	CLR:00	10.00		38	3.3	31	-0.6	16	-8.9	41	5	310		30.20			30.40	FM-15	0.00	30.38
02	2354	7	CLR:00	10.00		36	2.2	30	-1.1	18	-7.8	48	6	300		30.21			30.41	FM-15	0.00	30.39
03	0054	7	CLR:00	10.00		36	2.2	30	-1.1	18	-7.8	48	6	300		30.22	3	-0.02	30.41	FM-15	0.00	30.40
03	0100	4		9.94		36	2.2	30	-1.1	18	-7.8	48	6	300		30.22	3	-0.02	30.41	FM-12		
03	0154	7	CLR:00	10.00		34	1.1	29	-1.7	18	-7.8	52	6	330		30.22			30.42	FM-15	0.00	30.40
03	0254	7	CLR:00	10.00		33	0.6	28	-2.2	18	-7.8	54	5	330		30.23			30.43	FM-15	0.00	30.41
03	0354	7	CLR:00	10.00		32	0.0	28	-2.2	19	-7.2	59	6	340		30.24	3	-0.02	30.44	FM-15	0.00	30.42
03	0454	7	CLR:00	10.00		32	0.0	27	-2.8	18	-7.8	56	6	310		30.26			30.45	FM-15	0.00	30.44
03	0554	7	CLR:00	10.00		31	-0.6	27	-2.8	18	-7.8	59	5	320		30.28			30.47	FM-15	0.00	30.46
03	0654	7	CLR:00	10.00		35	1.7	30	-1.1	19	-7.2	52	7	340		30.30	3	-0.06	30.50	FM-15	0.00	30.48
03	0700	4		9.94		35	1.7	30	-1.1	19	-7.2	52	7	340		30.30	3	-0.06	30.50	FM-12		
03	0754	7	CLR:00	10.00		39	3.9	32	0.0	18	-7.8	43	9	010		30.30			30.50	FM-15	0.00	30.48
03	0854	7	CLR:00	10.00		43	6.1	33	0.6	15	-9.4	32	13	020		30.31			30.51	FM-15	0.00	30.49
03	0954	7	CLR:00	10.00		46	7.8	36	2.2	17	-8.3	31	10	330		30.30	0	0.00	30.50	FM-15	0.00	30.48
03	1054	7	FEW:02 300	10.00		48	8.9	37	2.8	17	-8.3	29	7	330		30.28			30.48	FM-15	0.00	30.46
03	1154	7	FEW:02 300	10.00		50	10.0	38	3.3	17	-8.3	27	8	VRB		30.25			30.44	FM-15	0.00	30.43
03	1254	7	FEW:02 300	10.00		51	10.6	38	3.3	16	-8.9	25	5	VRB		30.22	8	+0.09	30.41	FM-15	0.00	30.40

03	1300	4		9.94		51	10.6	38	3.3	16	-8.9	25	5			30.22	8	+0.09	30.41	FM-12		
03	1354	7	FEW:02 300	10.00		55	12.8	40	4.4	17	-8.3	22	9	310		30.19			30.39	FM-15	0.00	30.37
03	1454	7	FEW:02 300	10.00		55	12.8	40	4.4	14	-10.0	20	6	VRB		30.16			30.36	FM-15	0.00	30.34
03	1554	7	FEW:02 300	10.00		54	12.2	39	3.9	15	-9.4	21	5	VRB		30.15	6	+0.07	30.34	FM-15	0.00	30.33
03	1654	7	FEW:02 300	10.00		55	12.8	40	4.4	14	-10.0	20	3	270		30.14			30.34	FM-15	0.00	30.32
03	1754	7	FEW:02 300	10.00		54	12.2	40	4.4	16	-8.9	22	5	230		30.13			30.32	FM-15	0.00	30.31
03	1854	7	FEW:02 300	10.00		49	9.4	39	3.9	24	-4.4	38	6	170		30.12	6	+0.02	30.32	FM-15	0.00	30.30
03	1900	4		9.94		49	9.4	39	3.9	24	-4.4	38	6	170		30.12	6	+0.02	30.32	FM-12		
03	1954	7	CLR:00	10.00		44	6.7	38	3.3	29	-1.7	55	0	000		30.12			30.32	FM-15	0.00	30.30
03	2054	7	CLR:00	10.00		43	6.1	37	2.8	28	-2.2	56	3	140		30.12			30.32	FM-15	0.00	30.30
03	2154	7	CLR:00	10.00		43	6.1	37	2.8	28	-2.2	56	5	180		30.12	7	+0.01	30.31	FM-15	0.00	30.30
03	2254	7	CLR:00	10.00		42	5.6	36	2.2	26	-3.3	53	3	180		30.10			30.30	FM-15	0.00	30.28
03	2354	7	CLR:00	10.00		41	5.0	35	1.7	26	-3.3	55	5	190		30.09			30.29	FM-15	0.00	30.27
04	0054	7	CLR:00	10.00		41	5.0	35	1.7	26	-3.3	55	5	180		30.07	8	+0.04	30.27	FM-15	0.00	30.25
04	0100	4		9.94		41	5.0	35	1.7	26	-3.3	55	5	180		30.07	8	+0.04	30.27	FM-12		
04	0154	7	CLR:00	10.00		41	5.0	35	1.7	26	-3.3	55	7	210		30.05			30.24	FM-15	0.00	30.23
04	0254	7	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	5	200		30.04			30.23	FM-15	0.00	30.22
04	0354	7	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	5	190		30.02	6	+0.05	30.22	FM-15	0.00	30.20
04	0454	7	CLR:00	10.00		36	2.2	33	0.6	28	-2.2	73	5	200		30.02			30.21	FM-15	0.00	30.20
04	0554	7	BKN:07 110	10.00		37	2.8	34	1.1	29	-1.7	73	3	220		30.02			30.21	FM-15	0.00	30.20
04	0654	7	BKN:07 100	10.00		44	6.7	38	3.3	28	-2.2	53	5	250		30.02	5	+0.01	30.22	FM-15	0.00	30.20
04	0700	4		9.94		44	6.7	38	3.3	28	-2.2	53	5	250		30.02	5	+0.01	30.22	FM-12		
04	0754	7	OVC:08 110	10.00		47	8.3	40	4.4	29	-1.7	50	6	230		30.01			30.20	FM-15	0.00	30.19
04	0854	7	SCT:04 100	10.00		52	11.1	43	6.1	30	-1.1	43	6	230		30.00			30.19	FM-15	0.00	30.18
04	0954	7	CLR:00	10.00		62	16.7	47	8.3	29	-1.7	29	8	240		29.98	8	+0.04	30.17	FM-15	0.00	30.16
04	1054	7	CLR:00	10.00		67	19.4	50	10.0	30	-1.1	25	11	300	21	29.95			30.15	FM-15	0.00	30.13
04	1154	7	CLR:00	10.00		70	21.1	52	11.1	33	0.6	26	10	300		29.93			30.12	FM-15	0.00	30.11
04	1254	7	CLR:00	10.00		73	22.8	54	12.2	34	1.1	24	17	290	31	29.89	8	+0.09	30.09	FM-15	0.00	30.07
04	1300	4		9.94		73	22.8	54	12.2	34	1.1	24	17	290		29.89	8	+0.09	30.09	FM-12		
04	1354	7	FEW:02 30	10.00		74	23.3	54	12.2	33	0.6	22	21	300	25	29.87			30.06	FM-15	0.00	30.05
04	1454	7	CLR:00	10.00		75	23.9	54	12.2	32	0.0	21	15	VRB	25	29.84			30.03	FM-15	0.00	30.02
04	1554	7	CLR:00	10.00		76	24.4	55	12.8	33	0.6	21	10	310		29.82	6	+0.07	30.01	FM-15	0.00	30.00
04	1654	7	CLR:00	10.00		75	23.9	54	12.2	32	0.0	21	13	290		29.81			30.00	FM-15	0.00	29.99
04	1754	7	CLR:00	10.00		73	22.8	53	11.7	31	-0.6	21	10	310		29.81			30.00	FM-15	0.00	29.99
04	1854	7	CLR:00	10.00		69	20.6	51	10.6	31	-0.6	24	3	350		29.82	3	0.00	30.01	FM-15	0.00	30.00
04	1900	4		9.94		69	20.6	51	10.6	31	-0.6	24	3	350		29.82	3	0.00	30.01	FM-12		
04	1954	7	CLR:00	10.00		63	17.2	49	9.4	34	1.1	34	0	000		29.84			30.03	FM-15	0.00	30.02
04	2054	7	CLR:00	10.00		61	16.1	48	8.9	34	1.1	36	6	330		29.86			30.05	FM-15	0.00	30.04
04	2154	7	CLR:00	10.00		57	13.9	46	7.8	33	0.6	41	5	050		29.87	1	-0.04	30.06	FM-15	0.00	30.05
04	2254	7	CLR:00	10.00		54	12.2	45	7.2	34	1.1	47	0	000		29.87			30.07	FM-15	0.00	30.05
04	2354	7	CLR:00	10.00		50	10.0	43	6.1	35	1.7	57	0	000		29.88			30.08	FM-15	0.00	30.06
05	0054	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	7	350		29.88	1	-0.02	30.08	FM-15	0.00	30.06
05	0100	4		9.94		51	10.6	44	6.7	36	2.2	56	7	350		29.88	1	-0.02	30.08	FM-12		
05	0154	7	CLR:00	10.00		50	10.0	43	6.1	34	1.1	54	7	350		29.89			30.08	FM-15	0.00	30.07
05	0254	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	9	010		29.90			30.09	FM-15	0.00	30.08
05	0354	7	CLR:00	10.00		52	11.1	42	5.6	29	-1.7	41	5	020		29.92	3	-0.04	30.11	FM-15	0.00	30.10
05	0454	7	CLR:00	10.00		49	9.4	41	5.0	31	-0.6	50	7	360		29.95			30.14	FM-15	0.00	30.13
05	0554	7	FEW:02 250	10.00		49	9.4	41	5.0	30	-1.1	48	3	360		29.96			30.15	FM-15	0.00	30.14
05	0654	7	FEW:02 250	10.00		50	10.0	44	6.7	37	2.8	61	5	360		29.98	1	-0.06	30.17	FM-15	0.00	30.16
05	0700	4		9.94		50	10.0	44	6.7	37	2.8	61	5	360		29.98	1	-0.06	30.17	FM-12		
05	0754	7	FEW:02 250	10.00		58	14.4	46	7.8	31	-0.6	36	5	360		29.98			30.17	FM-15	0.00	30.16
05	0854	7	CLR:00	10.00		61	16.1	47	8.3	30	-1.1	31	8	030		29.98			30.18	FM-15	0.00	30.16
05	0954	7	CLR:00	10.00		63	17.2	48	8.9	30	-1.1	29	5	020		29.97	8	+0.01	30.16	FM-15	0.00	30.15
05	1054	7	CLR:00	10.00		66	18.9	49	9.4	29	-1.7	25	5	340		29.95			30.14	FM-15	0.00	30.13
05	1154	7	CLR:00	10.00		68	20.0	50	10.0	28	-2.2	22	8	310	17	29.93			30.12	FM-15	0.00	30.11
05	1254	7	CLR:00	10.00		70	21.1	51	10.6	29	-1.7	22	11	290		29.90	6	+0.07	30.10	FM-15	0.00	30.08
05	1300	4		9.94		70	21.1	51	10.6	29	-1.7	22	11	290		29.90	6	+0.07	30.10	FM-12		

05	1354	7	CLR:00	10.00		73	22.8	52	11.1	30	-1.1	20	8	320		29.87			30.06	FM-15	0.00	30.05
05	1454	7	FEW:02 250	10.00		73	22.8	52	11.1	30	-1.1	20	5	VRB		29.84			30.03	FM-15	0.00	30.02
05	1554	7	BKN:07 250	10.00		74	23.3	53	11.7	31	-0.6	20	8	270		29.82	6	+0.08	30.02	FM-15	0.00	30.00
05	1654	7	SCT:04 250	10.00		73	22.8	53	11.7	31	-0.6	21	7	240		29.81			30.00	FM-15	0.00	29.99
05	1754	7	SCT:04 250	10.00		72	22.2	52	11.1	31	-0.6	22	7	260		29.80			30.00	FM-15	0.00	29.98
05	1854	7	BKN:07 250	10.00		64	17.8	51	10.6	38	3.3	38	3	160		29.81	5	+0.02	30.00	FM-15	0.00	29.99
05	1900	4		9.94		64	17.8	51	10.6	38	3.3	38	3	160		29.81	5	+0.02	30.00	FM-12		
05	1954	7	BKN:07 250	10.00		60	15.6	51	10.6	42	5.6	52	3	150		29.81			30.00	FM-15	0.00	29.99
05	2054	7	FEW:02 120 BKN:07 250	10.00		58	14.4	48	8.9	38	3.3	48	5	180		29.82			30.01	FM-15	0.00	30.00
05	2154	7	BKN:07 110 OVC:08 250	10.00		61	16.1	51	10.6	40	4.4	46	0	000		29.82	0	-0.01	30.01	FM-15	0.00	30.00
05	2254	7	BKN:07 110	10.00		59	15.0	50	10.0	42	5.6	54	0	000		29.81			30.00	FM-15	0.00	29.99
05	2354	7	BKN:07 100	10.00		58	14.4	50	10.0	43	6.1	58	3	150		29.80			29.99	FM-15	0.00	29.98
06	0054	7	FEW:02 110	10.00		57	13.9	49	9.4	41	5.0	55	0	000		29.78	8	+0.03	29.97	FM-15	0.00	29.96
06	0100	4		9.94		57	13.9	49	9.4	41	5.0	55	0	000		29.78	8	+0.03	29.97	FM-12		
06	0154	7	CLR:00	10.00		53	11.7	48	8.9	42	5.6	66	5	200		29.76			29.96	FM-15	0.00	29.94
06	0254	7	CLR:00	10.00		48	8.9	45	7.2	41	5.0	77	5	210		29.76			29.95	FM-15	0.00	29.94
06	0354	7	CLR:00	10.00		52	11.1	46	7.8	40	4.4	64	0	000		29.76	5	+0.02	29.96	FM-15	0.00	29.94
06	0454	7	CLR:00	10.00		52	11.1	46	7.8	40	4.4	64	0	000		29.78			29.98	FM-15	0.00	29.96
06	0554	7	CLR:00	10.00		50	10.0	46	7.8	41	5.0	71	5	340		29.80			29.99	FM-15	0.00	29.98
06	0654	7	FEW:02 180	10.00		54	12.2	48	8.9	42	5.6	64	3	010		29.83	3	-0.06	30.02	FM-15	0.00	30.01
06	0700	4		9.94		54	12.2	48	8.9	42	5.6	64	3	010		29.83	3	-0.06	30.02	FM-12		
06	0754	7	FEW:02 120	10.00		59	15.0	50	10.0	40	4.4	49	8	040		29.85			30.04	FM-15	0.00	30.03
06	0854	7	CLR:00	10.00		64	17.8	52	11.1	41	5.0	43	7	040		29.86			30.05	FM-15	0.00	30.04
06	0954	7	FEW:02 300	10.00		67	19.4	53	11.7	39	3.9	36	7	030		29.87	1	-0.04	30.06	FM-15	0.00	30.05
06	1054	7	FEW:02 300	10.00		69	20.6	53	11.7	37	2.8	31	0	000		29.85			30.04	FM-15	0.00	30.03
06	1154	7	FEW:02 300	10.00		72	22.2	55	12.8	38	3.3	29	0	000		29.83			30.02	FM-15	0.00	30.01
06	1254	7	FEW:02 300	10.00		75	23.9	57	13.9	41	5.0	29	3	VRB		29.80	8	+0.07	29.99	FM-15	0.00	29.98
06	1300	4		9.94		75	23.9	57	13.9	41	5.0	29	3			29.80	8	+0.07	29.99	FM-12		
06	1354	7	FEW:02 300	10.00		78	25.6	58	14.4	41	5.0	27	8	250		29.77			29.96	FM-15	0.00	29.95
06	1454	7	FEW:02 80 FEW:02 300	10.00		80	26.7	59	15.0	42	5.6	26	3	VRB		29.76			29.95	FM-15	0.00	29.94
06	1554	7	FEW:02 80 FEW:02 300	10.00		80	26.7	59	15.0	41	5.0	25	3	VRB		29.74	6	+0.06	29.93	FM-15	0.00	29.92
06	1654	7	FEW:02 80 FEW:02 300	10.00		79	26.1	59	15.0	41	5.0	26	0	000		29.73			29.92	FM-15	0.00	29.91
06	1754	7	SCT:04 110 SCT:04 300	10.00		76	24.4	58	14.4	43	6.1	31	6	100		29.73			29.93	FM-15	0.00	29.91
06	1854	7	SCT:04 110 SCT:04 300	10.00		67	19.4	55	12.8	44	6.7	44	10	120		29.76	3	-0.02	29.95	FM-15	0.00	29.94
06	1900	4		9.94		67	19.4	55	12.8	44	6.7	44	10	120		29.76	3	-0.02	29.95	FM-12		
06	1954	7	FEW:02 110 SCT:04 300	10.00		64	17.8	52	11.1	39	3.9	40	10	120		29.79			29.98	FM-15	0.00	29.97
06	2054	7	FEW:02 110 FEW:02 300	10.00		60	15.6	50	10.0	39	3.9	46	5	150		29.80			29.99	FM-15	0.00	29.98
06	2154	7	FEW:02 300	10.00		58	14.4	48	8.9	38	3.3	48	5	110		29.80	0	-0.04	29.99	FM-15	0.00	29.98
06	2254	7	FEW:02 300	10.00		55	12.8	47	8.3	39	3.9	55	6	110		29.80			29.99	FM-15	0.00	29.98
06	2354	7	FEW:02 300	10.00		55	12.8	48	8.9	40	4.4	57	6	140		29.79			29.98	FM-15	0.00	29.97
07	0054	7	CLR:00	10.00		54	12.2	47	8.3	40	4.4	59	0	000		29.79	8	+0.01	29.98	FM-15	0.00	29.97
07	0100	4		9.94		54	12.2	47	8.3	40	4.4	59	0	000		29.79	8	+0.01	29.98	FM-12		
07	0154	7	CLR:00	10.00		51	10.6	46	7.8	41	5.0	69	3	130		29.78			29.97	FM-15	0.00	29.96
07	0254	7	CLR:00	10.00		52	11.1	46	7.8	40	4.4	64	6	150		29.77			29.96	FM-15	0.00	29.95
07	0354	7	CLR:00	10.00		51	10.6	46	7.8	40	4.4	66	0	000		29.78	5	+0.01	29.97	FM-15	0.00	29.96
07	0454	7	CLR:00	10.00		50	10.0	45	7.2	40	4.4	68	0	000		29.79			29.98	FM-15	0.00	29.97
07	0554	7	FEW:02 300	10.00		47	8.3	44	6.7	41	5.0	80	0	000		29.80			30.00	FM-15	0.00	29.98
07	0654	7	FEW:02 300	10.00		52	11.1	48	8.9	43	6.1	72	0	000		29.82	3	-0.03	30.01	FM-15	0.00	30.00
07	0700	4		9.94		52	11.1	48	8.9	43	6.1	72	0	000		29.82	3	-0.03	30.01	FM-12		
07	0754	7	FEW:02 300	10.00		58	14.4	52	11.1	46	7.8	65	3	210		29.81			30.01	FM-15	0.00	29.99

07	0854	7	FEW:02 190 FEW:02 300	10.00		63	17.2	54	12.2	47	8.3	56	0	000		29.81			30.01	FM-15	0.00	29.99
07	0954	7	FEW:02 300	10.00		70	21.1	57	13.9	47	8.3	44	0	000		29.81	8	+0.01	30.00	FM-15	0.00	29.99
07	1054	7	CLR:00	10.00		75	23.9	60	15.6	49	9.4	40	0	000		29.80			29.99	FM-15	0.00	29.98
07	1154	7	FEW:02 65	10.00		80	26.7	62	16.7	48	8.9	33	0	000		29.78			29.97	FM-15	0.00	29.96
07	1254	7	FEW:02 70 FEW:02 300	10.00		82	27.8	62	16.7	48	8.9	31	10	020		29.76	8	+0.05	29.95	FM-15	0.00	29.94
07	1300	4	74	9.94		82	27.8	62	16.7	48	8.9	31	10	020		29.76	8	+0.05	29.95	FM-12		
07	1354	7	SCT:04 80	10.00		83	28.3	62	16.7	47	8.3	28	7	VRB		29.74			29.93	FM-15	0.00	29.92
07	1454	7	SCT:04 80	10.00		83	28.3	62	16.7	47	8.3	28	8	290		29.72			29.91	FM-15	0.00	29.90
07	1554	7	SCT:04 100 SCT:04 300	10.00		81	27.2	62	16.7	48	8.9	32	3	090		29.71	6	+0.04	29.90	FM-15	0.00	29.89
07	1654	7	SCT:04 100 SCT:04 300	10.00		80	26.7	62	16.7	49	9.4	34	5	070		29.72			29.91	FM-15	0.00	29.90
07	1754	7	SCT:04 110 SCT:04 300	10.00		78	25.6	61	16.1	49	9.4	36	7	120		29.72			29.91	FM-15	0.00	29.90
07	1854	7	FEW:02 120 SCT:04 300	10.00		71	21.7	59	15.0	49	9.4	46	9	100		29.73	3	-0.01	29.92	FM-15	0.00	29.91
07	1900	4		9.94		71	21.7	59	15.0	49	9.4	46	9	100		29.73	3	-0.01	29.92	FM-12		
07	1954	7	BKN:07 120	10.00		68	20.0	58	14.4	49	9.4	51	7	100		29.75			29.94	FM-15	0.00	29.93
07	2054	7	SCT:04 120	10.00		65	18.3	55	12.8	47	8.3	52	7	140		29.77			29.96	FM-15	0.00	29.95
07	2154	7	FEW:02 120	10.00		63	17.2	54	12.2	47	8.3	56	5	140		29.76	0	-0.03	29.95	FM-15	0.00	29.94
07	2254	7	FEW:02 130 SCT:04 300	10.00		61	16.1	54	12.2	47	8.3	60	8	080		29.77			29.96	FM-15	0.00	29.95
07	2354	7	BKN:07 110	10.00		59	15.0	52	11.1	46	7.8	62	7	090		29.78			29.97	FM-15	0.00	29.96
08	0054	7	BKN:07 100	10.00		59	15.0	52	11.1	45	7.2	60	6	090		29.79	3	-0.03	29.98	FM-15	0.00	29.97
08	0100	4		9.94		59	15.0	52	11.1	45	7.2	60	6	090		29.79	3	-0.03	29.98	FM-12		
08	0154	7	BKN:07 120	10.00		57	13.9	52	11.1	47	8.3	69	5	090		29.80			29.99	FM-15	0.00	29.98
08	0254	7	BKN:07 120	10.00		58	14.4	53	11.7	49	9.4	72	6	080		29.81			30.00	FM-15	0.00	29.99
08	0354	7	SCT:04 120	10.00		56	13.3	52	11.1	49	9.4	77	8	080		29.81	0	-0.01	29.99	FM-15	0.00	29.99
08	0454	7	FEW:02 110	10.00		55	12.8	52	11.1	49	9.4	80	7	090		29.82			30.01	FM-15	0.00	30.00
08	0554	7	FEW:02 100	10.00		55	12.8	50	10.0	46	7.8	72	8	080		29.83			30.02	FM-15	0.00	30.01
08	0654	7	FEW:02 100 SCT:04 250	10.00		57	13.9	50	10.0	44	6.7	62	9	070		29.85	3	-0.05	30.05	FM-15	0.00	30.03
08	0700	4		9.94		57	13.9	50	10.0	44	6.7	62	9	070		29.85	3	-0.05	30.05	FM-12		
08	0754	7	FEW:02 20 SCT:04 300	10.00		60	15.6	52	11.1	45	7.2	58	11	100		29.86			30.05	FM-15	0.00	30.04
08	0854	7	FEW:02 23 FEW:02 300	10.00		64	17.8	54	12.2	46	7.8	52	15	100		29.86			30.05	FM-15	0.00	30.04
08	0954	7	FEW:02 25 SCT:04 300	10.00		68	20.0	57	13.9	47	8.3	47	14	110		29.88	3	-0.02	30.06	FM-15	0.00	30.06
08	1054	7	FEW:02 25 SCT:04 300	10.00		71	21.7	58	14.4	47	8.3	42	21	130		29.87			30.06	FM-15	0.00	30.05
08	1154	7	SCT:04 300	10.00		72	22.2	59	15.0	48	8.9	43	14	110	20	29.86			30.05	FM-15	0.00	30.04
08	1254	7	FEW:02 300	10.00		73	22.8	59	15.0	48	8.9	41	14	090	24	29.83	8	+0.04	30.02	FM-15	0.00	30.01
08	1300	4		9.94		73	22.8	59	15.0	48	8.9	41	14	090		29.83	8	+0.04	30.02	FM-12		
08	1354	7	SCT:04 300	10.00		72	22.2	59	15.0	48	8.9	43	16	110	23	29.83			30.01	FM-15	0.00	30.01
08	1454	7	FEW:02 40 FEW:02 110 BKN:07 300	10.00		71	21.7	58	14.4	48	8.9	44	17	100	25	29.81			30.00	FM-15	0.00	29.99
08	1554	7	FEW:02 110 BKN:07 300	10.00		69	20.6	57	13.9	48	8.9	47	21	110		29.80	8	+0.03	29.99	FM-15	0.00	29.98
08	1654	7	FEW:02 110 BKN:07 300	10.00		66	18.9	55	12.8	46	7.8	49	15	110	24	29.82			30.01	FM-15	0.00	30.00
08	1754	7	FEW:02 140 BKN:07 300	10.00		63	17.2	54	12.2	46	7.8	54	18	110		29.82			30.01	FM-15	0.00	30.00
08	1854	7	FEW:02 120 BKN:07 240 OVC:08 300	10.00		60	15.6	53	11.7	47	8.3	62	11	100		29.82	0	-0.01	30.01	FM-15	0.00	30.00
08	1900	4		9.94		60	15.6	53	11.7	47	8.3	62	11	100		29.82	9	+0.01	30.01	FM-12		

08	1954	7	BKN:07 37 OVC:08 300	10.00		58	14.4	53	11.7	49	9.4	72	10	100		29.83			30.03	FM-15	0.00	30.01
08	2054	7	OVC:08 37	10.00		58	14.4	54	12.2	50	10.0	75	10	110		29.84			30.04	FM-15	0.00	30.02
08	2154	7	SCT:04 35 OVC:08 100	10.00		57	13.9	54	12.2	51	10.6	81	9	110		29.84	0	-0.02	30.03	FM-15	0.00	30.02
08	2224	7	BKN:07 25 OVC:08 100	10.00		57	13.9	54	12.2	51	10.6	81	8	100		29.85				FM-16		30.03
08	2252	6	SCT:04 26	10.00		55	12.8	53	11.7	52	11.1	88	9	120		29.85				FM-16		30.03
08	2254	7	FEW:02 23 OVC:08 160	10.00		56	13.3	53	11.7	51	10.6	84	9	110		29.85			30.04	FM-15	0.00	30.03
08	2354	7	SCT:04 25 BKN:07 32 OVC:08 160	10.00		56	13.3	53	11.7	51	10.6	84	9	110		29.84			30.04	FM-15	0.00	30.02
09	0052	6	FEW:02 31 SCT:04 37 OVC:08 75	10.00	TS:7 -RA:02 RA TS RA	57	13.9	54	12.2	52	11.1	82	7	100		29.84				FM-16		30.02
09	0054	7	FEW:02 31 SCT:04 37 OVC:08 75	10.00	TS:7 -RA:02 RA TS TS RA	57	13.9	54	12.2	52	11.1	83	8	100		29.84	0	0.00	30.03	FM-15	T	30.02
09	0100	4	26	9.94		57	13.9	54	12.2	52	11.1	83	8	100		29.84	9	0.00	30.03	FM-12		
09	0116	7	FEW:02 29 BKN:07 37 OVC:08 70	10.00		57	13.9	54	12.2	52	11.1	83	7	100		29.83				FM-16	T	30.01
09	0154	7	BKN:07 32 OVC:08 80	10.00		57	13.9	54	12.2	52	11.1	83	5	VRB		29.83			30.02	FM-15	T	30.01
09	0203	7	BKN:07 28 OVC:08 32	10.00		57	13.9	54	12.2	52	11.1	83	6	010		29.84				FM-16		30.02
09	0219	7	BKN:07 14 OVC:08 26	10.00		57	13.9	54	12.2	52	11.1	83	5	010		29.85				FM-16		30.03
09	0254	7	BKN:07 14 BKN:07 26 OVC:08 34	10.00		57	13.9	54	12.2	52	11.1	83	5	040		29.85			30.04	FM-15	0.00	30.03
09	0327	7	SCT:04 14 SCT:04 28 OVC:08 37	10.00		57	13.9	54	12.2	52	11.1	83	6	070		29.84				FM-16		30.02
09	0352	6	FEW:02 14 BKN:07 28 OVC:08 35	10.00		57	13.9	54	12.2	52	11.1	82	5	060		29.84				FM-16		30.02
09	0354	7	FEW:02 14 BKN:07 28 OVC:08 35	10.00		57	13.9	54	12.2	52	11.1	83	7	060		29.83	8	+0.01	30.03	FM-15	0.00	30.01
09	0454	7	BKN:07 22 OVC:08 70	10.00		56	13.3	54	12.2	53	11.7	90	5	030		29.85			30.04	FM-15	0.00	30.03
09	0554	7	BKN:07 20 BKN:07 27 OVC:08 160	10.00		55	12.8	53	11.7	52	11.1	90	6	050		29.86			30.05	FM-15	0.00	30.04
09	0654	7	OVC:08 19	10.00		56	13.3	54	12.2	53	11.7	90	6	060		29.88	3	-0.04	30.07	FM-15	0.00	30.06
09	0700	4	15	9.94		56	13.3	54	12.2	53	11.7	90	6	060		29.88	3	-0.04	30.07	FM-12		
09	0713	7	FEW:02 9 OVC:08 18	10.00		57	13.9	55	12.8	53	11.7	87	7	060		29.88				FM-16		30.06
09	0754	7	FEW:02 9 OVC:08 17	10.00		58	14.4	56	13.3	54	12.2	87	5	080		29.88			30.07	FM-15	0.00	30.06
09	0828	7	FEW:02 8 OVC:08 14	10.00		59	15.0	56	13.3	54	12.2	83	3	VRB		29.88				FM-16		30.06
09	0854	7	FEW:02 8 OVC:08 12	10.00		60	15.6	57	13.9	55	12.8	84	3	030		29.89			30.08	FM-15	0.00	30.07
09	0954	7	OVC:08 14	10.00		65	18.3	60	15.6	57	13.9	76	6	030		29.88	0	-0.01	30.07	FM-15	0.00	30.06
09	1001	7	OVC:08 16	10.00		65	18.3	60	15.6	57	13.9	76	6	020		29.88				FM-16		30.06
09	1054	7	BKN:07 23	10.00		69	20.6	62	16.7	58	14.4	68	5	100		29.87			30.06	FM-15	0.00	30.05
09	1143	7	BKN:07 30 BKN:07 300	10.00		72	22.2	64	17.8	58	14.4	61	3	080		29.85				FM-16		30.03
09	1154	7	BKN:07 31 BKN:07 300	10.00		73	22.8	64	17.8	58	14.4	59	3	350		29.85			30.04	FM-15	0.00	30.03

09	1254	7	BKN:07 40 BKN:07 300	10.00		75	23.9	65	18.3	58	14.4	55	7	110		29.84	8	+0.05	30.02	FM-15	0.00	30.02
09	1300	4	41	9.94		75	23.9	65	18.3	58	14.4	55	7	110		29.84	8	+0.05	30.02	FM-12		
09	1354	7	BKN:07 42 BKN:07 80	10.00		75	23.9	65	18.3	59	15.0	58	0	000		29.82			30.01	FM-15	0.00	30.00
09	1454	7	SCT:04 45 BKN:07 80 BKN:07 300	10.00		76	24.4	65	18.3	58	14.4	54	0	000		29.80			29.98	FM-15	0.00	29.98
09	1554	7	BKN:07 45 BKN:07 300	10.00		75	23.9	66	18.9	60	15.6	60	11	090		29.78	7	+0.05	29.97	FM-15	0.00	29.96
09	1654	7	SCT:04 45 BKN:07 300	10.00		72	22.2	65	18.3	60	15.6	66	9	080		29.79			29.98	FM-15	0.00	29.97
09	1739	7	SCT:04 45 BKN:07 100 OVC:08 250	9.00	TS:7 -RA:02 RA TS TS RA	68	20.0	64	17.8	62	16.7	81	10	070		29.80				FM-16	0.02	29.98
09	1754	7	SCT:04 40 BKN:07 100 OVC:08 200	5.00	TS:7 RA:02 BR:1 RA TS RA	67	19.4	65	18.3	63	17.2	87	11	100		29.79			29.98	FM-15	0.05	29.97
09	1812	7	FEW:02 40 BKN:07 110 BKN:07 200	10.00	-RA:02 RA RA	66	18.9	64	17.8	63	17.2	90	7	080		29.79				FM-16	0.04	29.97
09	1854	7	FEW:02 24 BKN:07 150 OVC:08 250	10.00		66	18.9	62	16.7	60	15.6	81	13	140		29.81	3	-0.03	30.01	FM-15	0.02	29.99
09	1900	4	26	9.94		66	18.9	62	16.7	60	15.6	81	13	140		29.81	3	-0.03	30.01	FM-12		
09	1904	7	FEW:02 20 SCT:04 40 OVC:08 150	10.00	TS:7 TS TS	65	18.3	61	16.1	59	15.0	81	9	130		29.80				FM-16		29.98
09	1954	7	BKN:07 45 BKN:07 110 OVC:08 170	10.00	TS:7 -RA:02 RA TS TS RA	63	17.2	60	15.6	58	14.4	84	10	250		29.86			30.06	FM-15	T	30.04
09	2022	7	FEW:02 19 BKN:07 50 OVC:08 100	7.00	-RA:02 RA RA	62	16.7	60	15.6	59	15.0	90	11	110		29.85				FM-16	0.06	30.03
09	2054	7	FEW:02 30 BKN:07 75 OVC:08 180	10.00	-RA:02 RA RA	63	17.2	60	15.6	58	14.4	84	20	130	30	29.81			30.00	FM-15	0.08	29.99
09	2154	7	BKN:07 150 BKN:07 250	10.00		62	16.7	59	15.0	57	13.9	84	8	140		29.82	1	0.00	30.01	FM-15	T	30.00
09	2254	7	BKN:07 190	10.00		61	16.1	58	14.4	56	13.3	84	5	210		29.84			30.03	FM-15	0.00	30.02
09	2354	7	BKN:07 190 OVC:08 300	10.00		60	15.6	58	14.4	57	13.9	90	6	180		29.84			30.03	FM-15	0.00	30.02
10	0054	7	BKN:07 210 OVC:08 300	10.00		61	16.1	59	15.0	57	13.9	87	5	260		29.84	0	-0.02	30.03	FM-15	0.00	30.02
10	0100	4		9.94		61	16.1	59	15.0	57	13.9	87	5	260		29.84	9	+0.02	30.03	FM-12		
10	0154	7	FEW:02 130 BKN:07 210 OVC:08 300	10.00		58	14.4	57	13.9	57	13.9	97	3	030		29.81			30.00	FM-15	0.00	29.99
10	0254	7	SCT:04 210 BKN:07 300	7.00		56	13.3	55	12.8	55	12.8	97	5	050		29.78			29.97	FM-15	0.00	29.96
10	0354	7	SCT:04 210 BKN:07 300	6.00	BR:1	56	13.3	55	12.8	55	12.8	97	0	000		29.78	6	+0.05	29.97	FM-15	0.00	29.96
10	0416	7	FEW:02 3 SCT:04 210 BKN:07 300	3.00	BR:1	55	12.8	54	12.2	53	11.7	93	0	000		29.78				FM-16		29.96
10	0442	7	SCT:04 3 SCT:04 210 BKN:07 300	0.50	FG:2 FG	54	12.2	53	11.7	53	11.7	97	3	140		29.79				FM-16		29.97
10	0454	7	SCT:04 3 SCT:04 210 BKN:07 300	0.50	FG:2 FG	54	12.2	54	12.2	54	12.2	100	3	170		29.80			29.99	FM-15	0.00	29.98
10	0552	6	SCT:04 2 SCT:04 16 SCT:04 210	0.75		55	12.8	54	12.2	54	12.2	94	0	000		29.81				FM-16		29.99

10	0554	7	SCT:04 2 SCT:04 16 SCT:04 210	0.75		55	12.8	54	12.2	54	12.2	96	0	000		29.80			30.00	FM-15	0.00	29.98
10	0612	7	SCT:04 2	0.75	BR:1	53	11.7	53	11.7	53	11.7	100	0	000		29.82				FM-16		30.00
10	0619	7	BKN:07 2 OVC:08 16	0.75	BR:1	55	12.8	54	12.2	54	12.2	96	0	000		29.82				FM-16		30.00
10	0641	7	SCT:04 2 BKN:07 16 BKN:07 300	2.00	BR:1	56	13.3	55	12.8	55	12.8	97	5	040		29.81				FM-16		29.99
10	0654	7	SCT:04 2 BKN:07 16 BKN:07 300	2.00	BR:1	57	13.9	56	13.3	56	13.3	96	5	040		29.81	1	-0.03	30.00	FM-15	0.00	29.99
10	0700	4	2	1.99		57	13.9	56	13.3	56	13.3	96	5	040		29.81	1	-0.03	30.00	FM-12		
10	0751	7	SCT:04 4 BKN:07 13 BKN:07 300	3.00	BR:1	57	13.9	57	13.9	57	13.9	100	5	110		29.81				FM-16		29.99
10	0754	7	SCT:04 4 BKN:07 13 BKN:07 300	3.00	BR:1	59	15.0	58	14.4	58	14.4	96	6	100		29.81			30.01	FM-15	0.00	29.99
10	0854	7	BKN:07 12	10.00		63	17.2	60	15.6	57	13.9	81	6	140		29.82			30.01	FM-15	0.00	30.00
10	0921	7	X:10 0	10.00		65	18.3	61	16.1	58	14.4	78	6	160		29.82				FM-16		30.00
10	0923	7	SCT:04 15 BKN:07 100	10.00		65	18.3	61	16.1	58	14.4	78	5	170		29.82				FM-16		30.00
10	0954	7	FEW:02 17 SCT:04 90	10.00		65	18.3	61	16.1	58	14.4	78	5	180		29.81	0	0.00	30.01	FM-15	0.00	29.99
10	1054	7	SCT:04 20	10.00		69	20.6	63	17.2	59	15.0	70	9	190		29.80			29.98	FM-15	0.00	29.98
10	1154	7	FEW:02 20 SCT:04 300	10.00		72	22.2	64	17.8	58	14.4	61	5	VRB		29.75			29.94	FM-15	0.00	29.93
10	1254	7	FEW:02 25 SCT:04 300	10.00		74	23.3	64	17.8	57	13.9	56	3	230		29.73	8	+0.09	29.92	FM-15	0.00	29.91
10	1300	4	26	9.94		74	23.3	64	17.8	57	13.9	56	3	230		29.73	8	+0.09	29.92	FM-12		
10	1354	7	FEW:02 39 SCT:04 300	10.00		76	24.4	65	18.3	58	14.4	54	3	230		29.69			29.88	FM-15	0.00	29.87
10	1454	7	BKN:07 44 BKN:07 300	10.00		76	24.4	65	18.3	58	14.4	54	11	170		29.66			29.85	FM-15	0.00	29.84
10	1554	7	SCT:04 45 BKN:07 300	10.00		76	24.4	64	17.8	57	13.9	52	6	190		29.63	6	+0.09	29.82	FM-15	0.00	29.81
10	1654	7	FEW:02 50 SCT:04 140 BKN:07 300	10.00		76	24.4	64	17.8	57	13.9	52	6	170		29.61			29.80	FM-15	0.00	29.79
10	1754	7	FEW:02 50 SCT:04 110 BKN:07 300	10.00		74	23.3	64	17.8	58	14.4	57	7	140		29.59			29.78	FM-15	0.00	29.77
10	1854	7	FEW:02 50 SCT:04 150 BKN:07 300	10.00		71	21.7	63	17.2	57	13.9	61	10	130		29.57	6	+0.06	29.76	FM-15	0.00	29.75
10	1900	4	57	9.94		71	21.7	63	17.2	57	13.9	61	10	130		29.57	6	+0.06	29.76	FM-12		
10	1954	7	SCT:04 150 OVC:08 300	10.00		70	21.1	63	17.2	58	14.4	66	11	130		29.57			29.75	FM-15	0.00	29.75
10	2054	7	BKN:07 48 OVC:08 60	10.00		69	20.6	62	16.7	58	14.4	68	11	140		29.56			29.74	FM-15	0.00	29.74
10	2154	7	OVC:08 110	10.00	-RA:02 RA RA	66	18.9	62	16.7	60	15.6	81	9	130		29.53	8	+0.04	29.72	FM-15	T	29.71
10	2254	7	SCT:04 41 BKN:07 95	10.00	-RA:02 RA RA	64	17.8	62	16.7	61	16.1	90	8	140		29.52			29.70	FM-15	0.03	29.70
10	2354	7	FEW:02 50 BKN:07 110 OVC:08 130	10.00		64	17.8	62	16.7	61	16.1	90	9	120		29.48			29.66	FM-15	T	29.66
11	0054	7	FEW:02 70 BKN:07 110 OVC:08 130	10.00		64	17.8	62	16.7	61	16.1	90	11	130		29.44	8	+0.10	29.62	FM-15	T	29.61
11	0100	4	74	9.94		64	17.8	62	16.7	61	16.1	90	11	130		29.43	8	+0.10	29.62	FM-12		
11	0152	6	BKN:07 24 BKN:07 30 OVC:08 110	10.00	-RA:02 RA RA	64	17.8	63	17.2	63	17.2	94	11	150		29.41				FM-16		29.59

11	0154	7	BKN:07 24 BKN:07 30 OVC:08 110	10.00	-RA:02 RA RA	65	18.3	63	17.2	62	16.7	90	14	150		29.41			29.60	FM-15	T	29.59
11	0254	7	BKN:07 18 OVC:08 25	8.00	RA:02 RA RA	66	18.9	62	16.7	60	15.6	81	25	210	39	29.44			29.62	FM-15	0.02	29.61
11	0310	7	FEW:02 16 BKN:07 80 OVC:08 100	8.00	-RA:02 RA RA	64	17.8	60	15.6	58	14.4	81	17	210	25	29.41				FM-16	0.04	29.59
11	0354	7	BKN:07 85	10.00		63	17.2	61	16.1	59	15.0	87	13	190		29.39	8	+0.05	29.57	FM-15	0.04	29.56
11	0454	7	FEW:02 90 SCT:04 250	10.00		61	16.1	60	15.6	59	15.0	93	8	190		29.39			29.57	FM-15	0.00	29.56
11	0554	7	FEW:02 80	10.00		58	14.4	57	13.9	56	13.3	93	6	200		29.39			29.57	FM-15	0.00	29.56
11	0654	7	CLR:00	10.00		62	16.7	60	15.6	59	15.0	90	9	220		29.39	3	0.00	29.57	FM-15	0.00	29.57
11	0700	4		9.94		62	16.7	60	15.6	59	15.0	90	9	220		29.39	3	0.00	29.57	FM-12		
11	0754	7	SCT:04 11	10.00		65	18.3	62	16.7	60	15.6	84	8	250		29.39			29.57	FM-15	0.00	29.57
11	0854	7	FEW:02 15	10.00		69	20.6	64	17.8	60	15.6	73	8	230		29.39			29.58	FM-15	0.00	29.57
11	0954	7	FEW:02 15	10.00		71	21.7	65	18.3	61	16.1	71	11	220		29.39	8	0.00	29.57	FM-15	0.00	29.56
11	1054	7	SCT:04 27 BKN:07 35	10.00		73	22.8	65	18.3	60	15.6	64	10	220		29.39			29.58	FM-15	0.00	29.57
11	1154	7	FEW:02 27 SCT:04 32	10.00		73	22.8	64	17.8	58	14.4	59	8	220		29.36			29.54	FM-15	0.00	29.53
11	1254	7	SCT:04 42 BKN:07 55	10.00		76	24.4	65	18.3	58	14.4	54	10	200	21	29.34	8	+0.04	29.53	FM-15	0.00	29.52
11	1300	4	41	9.94		76	24.4	65	18.3	58	14.4	54	10	200		29.34				FM-12		
11	1354	7	BKN:07 40 BKN:07 55	10.00		76	24.4	63	17.2	55	12.8	48	10	240		29.31			29.49	FM-15	0.00	29.48
11	1454	7	FEW:02 15 BKN:07 37 BKN:07 300	10.00		78	25.6	65	18.3	56	13.3	47	16	190		29.29			29.48	FM-15	0.00	29.47
11	1554	7	SCT:04 36 BKN:07 65 BKN:07 300	10.00		78	25.6	63	17.2	53	11.7	42	14	220		29.28	6	+0.05	29.47	FM-15	0.00	29.46
11	1654	7	SCT:04 36 BKN:07 300	10.00		78	25.6	62	16.7	50	10.0	37	10	220		29.28			29.47	FM-15	0.00	29.46
11	1754	7	SCT:04 40 BKN:07 300	10.00		75	23.9	59	15.0	47	8.3	37	9	220		29.28			29.47	FM-15	0.00	29.46
11	1854	7	FEW:02 40 SCT:04 90 BKN:07 300	10.00		69	20.6	58	14.4	49	9.4	49	6	200		29.29	3	-0.01	29.48	FM-15	0.00	29.47
11	1900	4	41	9.94		69	20.6	58	14.4	49	9.4	49	6	200		29.29	3	-0.01	29.48	FM-12		
11	1954	7	BKN:07 110	10.00		72	22.2	59	15.0	48	8.9	43	8	230		29.33			29.51	FM-15	0.00	29.50
11	2054	7	BKN:07 110	10.00		70	21.1	58	14.4	48	8.9	46	7	240		29.34			29.52	FM-15	0.00	29.51
11	2154	7	FEW:02 120	10.00		67	19.4	57	13.9	49	9.4	53	7	230		29.34	1	-0.04	29.52	FM-15	0.00	29.52
11	2254	7	SCT:04 120	10.00		67	19.4	57	13.9	49	9.4	53	7	270		29.36			29.54	FM-15	0.00	29.53
11	2354	7	SCT:04 110	10.00		64	17.8	56	13.3	50	10.0	60	3	320		29.37			29.55	FM-15	0.00	29.55
12	0054	7	SCT:04 85 BKN:07 110	10.00		65	18.3	56	13.3	49	9.4	56	7	010		29.39	3	-0.05	29.58	FM-15	0.00	29.57
12	0100	4		9.94		65	18.3	56	13.3	49	9.4	56	7	010		29.39	3	-0.05	29.58	FM-12		
12	0154	7	FEW:02 90	10.00		62	16.7	55	12.8	49	9.4	62	7	010		29.39			29.57	FM-15	0.00	29.57
12	0254	7	CLR:00	10.00		61	16.1	55	12.8	49	9.4	65	3	310		29.41			29.60	FM-15	0.00	29.59
12	0354	7	CLR:00	10.00		56	13.3	53	11.7	50	10.0	81	6	300		29.44			29.62	FM-15	0.00	29.61
12	0454	7	FEW:02 80	10.00		54	12.2	51	10.6	49	9.4	83	0	000		29.44			29.63	FM-15	0.00	29.62
12	0554	7	FEW:02 80	10.00		54	12.2	51	10.6	49	9.4	83	3	010		29.47			29.65	FM-15	0.00	29.64
12	0654	7	FEW:02 80	10.00		60	15.6	55	12.8	51	10.6	72	5	330		29.47	3	-0.05	29.66	FM-15	0.00	29.65
12	0700	4	74	9.94		60	15.6	55	12.8	51	10.6	72	5	330		29.47	3	-0.05	29.66	FM-12		
12	0754	7	SCT:04 80	10.00		64	17.8	58	14.4	53	11.7	68	6	010		29.49			29.68	FM-15	0.00	29.67
12	0854	7	SCT:04 75	10.00		67	19.4	59	15.0	52	11.1	59	5	100		29.50			29.69	FM-15	0.00	29.68
12	0954	7	FEW:02 30 FEW:02 75 SCT:04 90	10.00		71	21.7	58	14.4	48	8.9	44	7	330		29.52	1	-0.04	29.70	FM-15	0.00	29.69

12	1054	7	SCT:04 50 SCT:04 90 BKN:07 120	10.00		71	21.7	58	14.4	48	8.9	44	3	VRB		29.50			29.69	FM-15	0.00	29.68
12	1154	7	FEW:02 50 BKN:07 70 OVC:08 85	10.00		69	20.6	56	13.3	45	7.2	42	9	270	17	29.50			29.69	FM-15	0.00	29.68
12	1254	7	FEW:02 55 OVC:08 70	10.00		68	20.0	57	13.9	47	8.3	47	7	360		29.52	3	0.00	29.70	FM-15	0.00	29.69
12	1300	4	57	9.94		68	20.0	57	13.9	47	8.3	47	7	360		29.51	3	0.00	29.70	FM-12		
12	1354	7	FEW:02 60 BKN:07 70 OVC:08 90	10.00		67	19.4	56	13.3	47	8.3	49	6	360		29.52			29.70	FM-15	0.00	29.69
12	1454	7	BKN:07 75 BKN:07 100	10.00		68	20.0	59	15.0	52	11.1	57	8	070		29.52			29.70	FM-15	0.00	29.69
12	1554	7	SCT:04 70 BKN:07 90	10.00		67	19.4	58	14.4	50	10.0	55	6	060		29.53	3	-0.01	29.72	FM-15	0.00	29.71
12	1654	7	SCT:04 80 BKN:07 95	10.00		65	18.3	58	14.4	53	11.7	66	9	080		29.54			29.74	FM-15	0.00	29.72
12	1754	7	SCT:04 75 BKN:07 100	10.00		64	17.8	58	14.4	54	12.2	70	7	070		29.56			29.75	FM-15	0.00	29.74
12	1854	7	BKN:07 75 BKN:07 100	10.00		62	16.7	57	13.9	54	12.2	75	8	060		29.60	3	-0.07	29.79	FM-15	0.00	29.78
12	1900	4	74	9.94		62	16.7	57	13.9	54	12.2	75	8	060		29.60	3	-0.07	29.79	FM-12		
12	1952	6	SCT:04 20 BKN:07 27 OVC:08 100	10.00	-RA:02 RA RA	55	12.8	53	11.7	52	11.1	88	10	050		29.67				FM-16		29.85
12	1954	7	SCT:04 20 BKN:07 27 OVC:08 100	10.00		56	13.3	54	12.2	52	11.1	87	10	050		29.67			29.86	FM-15	T	29.85
12	2052	6	FEW:02 20 FEW:02 27 SCT:04 100	10.00		54	12.2	53	11.7	52	11.1	94	5	050		29.70				FM-16		29.88
12	2054	7	FEW:02 20 FEW:02 27 SCT:04 100	10.00		54	12.2	53	11.7	52	11.1	93	6	050		29.70			29.89	FM-15	0.00	29.88
12	2133	7	FEW:02 7 FEW:02 27 BKN:07 70	10.00		54	12.2	53	11.7	52	11.1	93	3	050		29.71				FM-16		29.89
12	2152	6	BKN:07 7 BKN:07 20 OVC:08 70	10.00		54	12.2	54	12.2	54	12.2	100	5	060		29.72				FM-16		29.90
12	2154	7	BKN:07 7 BKN:07 20 OVC:08 70	10.00		54	12.2	53	11.7	52	11.1	93	3	060		29.72	1	-0.12	29.91	FM-15	0.00	29.90
12	2244	7	BKN:07 10 OVC:08 70	10.00		54	12.2	53	11.7	52	11.1	93	7	040		29.74				FM-16		29.92
12	2254	7	BKN:07 10 OVC:08 70	10.00		54	12.2	53	11.7	52	11.1	93	7	030		29.74			29.93	FM-15	0.00	29.92
12	2354	7	SCT:04 10 BKN:07 17 OVC:08 85	10.00		54	12.2	53	11.7	52	11.1	93	6	030		29.75			29.94	FM-15	0.00	29.93
13	0054	7	FEW:02 6 BKN:07 65 OVC:08 80	10.00		53	11.7	52	11.1	51	10.6	93	3	050		29.75	1	-0.04	29.95	FM-15	T	29.93
13	0100	4	5	9.94		53	11.7	52	11.1	51	10.6	93	3	050		29.75	1	-0.04	29.95	FM-12		
13	0154	7	FEW:02 12 BKN:07 60 OVC:08 80	10.00		52	11.1	51	10.6	50	10.0	93	6	040		29.76			29.95	FM-15	T	29.94
13	0254	7	SCT:04 65 BKN:07 80	10.00		51	10.6	50	10.0	49	9.4	92	7	030		29.77			29.96	FM-15	T	29.95
13	0354	7	SCT:04 13 BKN:07 60	10.00		52	11.1	50	10.0	49	9.4	89	0	000		29.80	3	-0.04	29.99	FM-15	0.00	29.98
13	0454	7	SCT:04 14 BKN:07 65	10.00		52	11.1	50	10.0	48	8.9	86	5	020		29.81			30.01	FM-15	0.00	29.99

13	0554	7	BKN:07 14 OVC:08 65	10.00		52	11.1	50	10.0	49	9.4	89	6	010		29.84			30.03	FM-15	0.00	30.02
13	0654	7	BKN:07 10	10.00		54	12.2	51	10.6	49	9.4	83	5	330		29.86	3	-0.06	30.05	FM-15	0.00	30.04
13	0700	4	15	9.94		54	12.2	51	10.6	49	9.4	83	5	330		29.86	3	-0.06	30.05	FM-12		
13	0738	7	FEW:02 12 BKN:07 17 OVC:08 26	10.00		54	12.2	51	10.6	49	9.4	83	6	330		29.88				FM-16		30.06
13	0754	7	FEW:02 12 BKN:07 18 OVC:08 27	10.00		54	12.2	51	10.6	49	9.4	83	7	360		29.88			30.07	FM-15	0.00	30.06
13	0854	7	FEW:02 10 BKN:07 20 BKN:07 300	10.00		57	13.9	52	11.1	48	8.9	72	10	340		29.88			30.07	FM-15	0.00	30.06
13	0903	7	SCT:04 15 SCT:04 26 BKN:07 300	10.00		58	14.4	53	11.7	48	8.9	70	9	350	18	29.88				FM-16		30.06
13	0933	7	BKN:07 19 BKN:07 300	10.00		61	16.1	55	12.8	49	9.4	65	10	350		29.89				FM-16		30.07
13	0954	7	BKN:07 22 BKN:07 300	10.00		60	15.6	54	12.2	48	8.9	65	10	040		29.90	1	-0.04	30.09	FM-15	0.00	30.08
13	1054	7	BKN:07 25 BKN:07 300	10.00		62	16.7	55	12.8	50	10.0	65	11	050	17	29.90			30.09	FM-15	0.00	30.08
13	1145	7	BKN:07 30 BKN:07 300	10.00		64	17.8	56	13.3	49	9.4	58	13	010		29.90				FM-16		30.08
13	1154	7	BKN:07 31 BKN:07 300	10.00		66	18.9	57	13.9	49	9.4	54	8	030		29.89			30.09	FM-15	0.00	30.07
13	1254	7	BKN:07 39 BKN:07 300	10.00		68	20.0	58	14.4	49	9.4	51	14	020	20	29.88	8	+0.02	30.07	FM-15	0.00	30.06
13	1300	4	41	9.94		68	20.0	58	14.4	49	9.4	51	14	020		29.88	8	+0.02	30.07	FM-12		
13	1354	7	BKN:07 43 BKN:07 300	10.00		69	20.6	57	13.9	47	8.3	45	10	020	16	29.87			30.06	FM-15	0.00	30.05
13	1454	7	BKN:07 46 BKN:07 70 BKN:07 300	10.00		68	20.0	57	13.9	47	8.3	47	10	010		29.86			30.05	FM-15	0.00	30.04
13	1554	7	FEW:02 47 SCT:04 60 BKN:07 300	10.00		68	20.0	57	13.9	48	8.9	49	8	080		29.86	6	+0.02	30.05	FM-15	0.00	30.04
13	1654	7	FEW:02 60 BKN:07 300	10.00		67	19.4	56	13.3	47	8.3	49	8	090		29.86			30.06	FM-15	0.00	30.04
13	1754	7	BKN:07 300	10.00		65	18.3	56	13.3	48	8.9	54	8	090		29.86			30.05	FM-15	0.00	30.04
13	1854	7	SCT:04 300	10.00		63	17.2	55	12.8	47	8.3	56	3	100		29.87	3	-0.01	30.06	FM-15	0.00	30.05
13	1900	4		9.94		63	17.2	55	12.8	47	8.3	56	3	100		29.87	3	-0.01	30.06	FM-12		
13	1954	7	SCT:04 300	10.00		58	14.4	53	11.7	48	8.9	70	7	090		29.90			30.09	FM-15	0.00	30.08
13	2054	7	SCT:04 300	10.00		57	13.9	53	11.7	50	10.0	78	9	140		29.93			30.12	FM-15	0.00	30.11
13	2154	7	SCT:04 300	10.00		55	12.8	52	11.1	49	9.4	80	5	160		29.95	1	-0.08	30.14	FM-15	0.00	30.13
13	2254	7	CLR:00	10.00		53	11.7	51	10.6	49	9.4	86	6	150		29.94			30.13	FM-15	0.00	30.12
13	2354	7	CLR:00	10.00		51	10.6	49	9.4	48	8.9	89	3	150		29.94			30.13	FM-15	0.00	30.12
14	0054	7	CLR:00	10.00		50	10.0	48	8.9	47	8.3	89	3	170		29.92	8	+0.03	30.11	FM-15	0.00	30.10
14	0100	4		9.94		50	10.0	48	8.9	47	8.3	89	3	170		29.92	8	+0.03	30.11	FM-12		
14	0154	7	CLR:00	10.00		49	9.4	48	8.9	47	8.3	93	3	150		29.92			30.11	FM-15	0.00	30.10
14	0254	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	3	150		29.93			30.12	FM-15	0.00	30.11
14	0354	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	3	200		29.92	3	0.00	30.11	FM-15	0.00	30.10
14	0454	7	CLR:00	10.00		49	9.4	48	8.9	47	8.3	93	3	170		29.92			30.12	FM-15	0.00	30.10
14	0554	7	FEW:02 250	10.00		47	8.3	47	8.3	46	7.8	97	5	120		29.94			30.13	FM-15	0.00	30.12
14	0654	7	FEW:02 90 SCT:04 250	10.00		51	10.6	50	10.0	49	9.4	92	7	130		29.93	0	-0.01	30.12	FM-15	0.00	30.11
14	0700	4		9.94		51	10.6	50	10.0	49	9.4	92	7	130		29.93	9	+0.01	30.12	FM-12		
14	0754	7	SCT:04 120 OVC:08 300	10.00		56	13.3	54	12.2	52	11.1	87	6	180		29.94			30.13	FM-15	0.00	30.12
14	0854	7	SCT:04 120 OVC:08 300	10.00		61	16.1	57	13.9	53	11.7	75	9	190		29.91			30.11	FM-15	0.00	30.09

14	0954	7	SCT:04 120 BKN:07 300	10.00		65	18.3	58	14.4	53	11.7	66	10	160		29.89	8	+0.04	30.09	FM-15	0.00	30.07
14	1054	7	BKN:07 95 OVC:08 300	10.00		67	19.4	59	15.0	53	11.7	61	8	160		29.87			30.07	FM-15	0.00	30.05
14	1154	7	BKN:07 90 OVC:08 110	10.00		69	20.6	60	15.6	53	11.7	57	9	190		29.86			30.05	FM-15	0.00	30.04
14	1254	7	FEW:02 35 BKN:07 80 OVC:08 95	10.00		69	20.6	60	15.6	54	12.2	59	5	180		29.84	6	+0.05	30.03	FM-15	0.00	30.02
14	1300	4	41	9.94		69	20.6	60	15.6	54	12.2	59	5	180		29.84	6	+0.05	30.03	FM-12		
14	1354	7	FEW:02 36 BKN:07 85 OVC:08 300	10.00		69	20.6	60	15.6	54	12.2	59	8	140		29.81			30.00	FM-15	T	29.99
14	1454	7	FEW:02 38 BKN:07 90 BKN:07 150	10.00		71	21.7	61	16.1	54	12.2	55	7	140		29.77			29.96	FM-15	T	29.95
14	1554	7	FEW:02 40 BKN:07 85 BKN:07 150	10.00		71	21.7	61	16.1	54	12.2	55	8	150		29.76	6	+0.09	29.95	FM-15	0.00	29.94
14	1654	7	FEW:02 40 SCT:04 90 OVC:08 300	10.00		71	21.7	61	16.1	54	12.2	55	7	150		29.73			29.92	FM-15	0.00	29.91
14	1754	7	SCT:04 55 BKN:07 90 OVC:08 140	10.00		68	20.0	60	15.6	54	12.2	61	10	050		29.73			29.92	FM-15	T	29.91
14	1854	7	BKN:07 45 OVC:08 80	10.00	-RA:02 RA RA	61	16.1	58	14.4	55	12.8	81	7	050		29.74	5	+0.02	29.93	FM-15	0.01	29.92
14	1900	4	41	9.94	RA	61	16.1	58	14.4	55	12.8	81	7	050		29.74	5	+0.02	29.93	FM-12		
14	1954	7	OVC:08 32	10.00		59	15.0	56	13.3	54	12.2	83	9	070		29.72			29.92	FM-15	T	29.90
14	2054	7	BKN:07 31 OVC:08 95	10.00	-RA:02 RA RA	58	14.4	56	13.3	54	12.2	87	7	020		29.74			29.93	FM-15	T	29.92
14	2114	7	SCT:04 25 OVC:08 29	4.00	RA:02 BR:1 RA RA	57	13.9	55	12.8	54	12.2	90	8	040		29.73				FM-16	0.02	29.91
14	2154	7	BKN:07 15 OVC:08 27	10.00	-RA:02 RA RA	56	13.3	54	12.2	53	11.7	90	10	350		29.73	7	+0.01	29.92	FM-15	0.06	29.91
14	2211	7	FEW:02 9 BKN:07 17 OVC:08 29	2.00	+RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	13	040	21	29.71				FM-16	0.06	29.89
14	2222	7	SCT:04 9 BKN:07 50 OVC:08 90	6.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	14	050		29.71				FM-16	0.12	29.89
14	2252	6	BKN:07 6 OVC:08 40	10.00	-RA:02 RA RA	55	12.8	54	12.2	54	12.2	94	11	040		29.68				FM-16		29.86
14	2254	7	BKN:07 6 OVC:08 40	10.00	-RA:02 RA RA	55	12.8	54	12.2	53	11.7	93	13	040		29.68			29.87	FM-15	0.13	29.86
14	2354	7	BKN:07 6 OVC:08 40	10.00	-RA:02 RA RA	54	12.2	53	11.7	53	11.7	97	8	060		29.66			29.85	FM-15	T	29.84
15	0054	7	BKN:07 5 BKN:07 55 OVC:08 90	10.00		54	12.2	53	11.7	52	11.1	93	6	120		29.64	6	+0.09	29.83	FM-15	T	29.82
15	0100	4	5	9.94		54	12.2	53	11.7	52	11.1	93	6	120		29.64	6	+0.09	29.83	FM-12		
15	0154	7	OVC:08 5	10.00		54	12.2	53	11.7	53	11.7	97	3	360		29.62			29.81	FM-15	T	29.80
15	0254	7	OVC:08 5	10.00		54	12.2	53	11.7	53	11.7	97	7	330		29.62			29.81	FM-15	0.00	29.80
15	0354	7	OVC:08 3	8.00		54	12.2	53	11.7	53	11.7	97	7	350		29.60	6	+0.04	29.79	FM-15	0.00	29.78
15	0454	7	OVC:08 3	7.00		54	12.2	53	11.7	53	11.7	97	6	340		29.59			29.78	FM-15	0.00	29.77
15	0523	7	OVC:08 3	2.00	BR:1	54	12.2	53	11.7	53	11.7	97	8	320		29.61				FM-16		29.79
15	0554	7	OVC:08 2	3.00	BR:1	54	12.2	53	11.7	53	11.7	97	3	290		29.61			29.80	FM-15	0.00	29.79
15	0654	7	BKN:07 4 OVC:08 44	6.00	BR:1	55	12.8	54	12.2	54	12.2	96	5	310		29.61	3	-0.01	29.80	FM-15	0.00	29.79
15	0700	4	5	5.59		55	12.8	54	12.2	54	12.2	96	5	310		29.61	3	-0.01	29.80	FM-12		
15	0710	7	BKN:07 5 OVC:08 43	3.00	BR:1	56	13.3	55	12.8	54	12.2	93	5	300		29.61				FM-16		29.79

15	0754	7	BKN:07 5 OVC:08 38	4.00	-DZ:01 BR:1 DZ DZ	56	13.3	55	12.8	55	12.8	97	7	340		29.62			29.81	FM-15	T	29.80
15	0854	7	BKN:07 6 BKN:07 30 OVC:08 42	4.00	-DZ:01 BR:1 DZ DZ	57	13.9	56	13.3	55	12.8	93	5	320		29.61			29.80	FM-15	T	29.79
15	0945	7	SCT:04 8 BKN:07 17 OVC:08 30	10.00	-RA:02 RA RA	58	14.4	56	13.3	55	12.8	90	6	330		29.61				FM-16	T	29.79
15	0954	7	BKN:07 13 OVC:08 21	9.00	-RA:02 RA RA	58	14.4	56	13.3	55	12.8	90	9	350		29.61	1	0.00	29.80	FM-15	T	29.79
15	1013	7	SCT:04 13 BKN:07 27 OVC:08 65	10.00	-RA:02 RA RA	54	12.2	52	11.1	50	10.0	87	9	360		29.61				FM-16	0.03	29.79
15	1044	7	FEW:02 13 OVC:08 32	10.00		57	13.9	54	12.2	51	10.6	81	3	020		29.59				FM-16	0.03	29.77
15	1054	7	FEW:02 15 OVC:08 35	10.00		57	13.9	53	11.7	50	10.0	78	0	000		29.59			29.78	FM-15	0.03	29.77
15	1154	7	SCT:04 45 SCT:04 55 BKN:07 210	10.00		63	17.2	55	12.8	48	8.9	58	3	VRB		29.57			29.76	FM-15	0.00	29.75
15	1254	7	SCT:04 41 BKN:07 150 BKN:07 220	10.00		64	17.8	55	12.8	48	8.9	56	7	300		29.54	8	+0.07	29.73	FM-15	0.00	29.72
15	1300	4	41	9.94		64	17.8	55	12.8	48	8.9	56	7	300		29.54	8	+0.07	29.73	FM-12		
15	1354	7	FEW:02 43 SCT:04 65 BKN:07 200	10.00		69	20.6	56	13.3	45	7.2	42	11	260		29.52			29.70	FM-15	0.00	29.69
15	1454	7	FEW:02 55 BKN:07 80 BKN:07 200	10.00		69	20.6	55	12.8	43	6.1	39	11	260		29.50			29.69	FM-15	0.00	29.68
15	1554	7	BKN:07 75 BKN:07 200	10.00		67	19.4	53	11.7	39	3.9	36	11	280		29.50	6	+0.04	29.69	FM-15	0.00	29.68
15	1654	7	BKN:07 65	10.00		66	18.9	54	12.2	42	5.6	42	15	310	21	29.52			29.71	FM-15	0.00	29.69
15	1754	7	FEW:02 80 BKN:07 95	10.00		64	17.8	51	10.6	39	3.9	40	10	300		29.52			29.71	FM-15	0.00	29.70
15	1854	7	SCT:04 80 OVC:08 95	10.00		62	16.7	51	10.6	40	4.4	44	10	320		29.54	3	-0.04	29.73	FM-15	0.00	29.72
15	1900	4	74	9.94		62	16.7	51	10.6	40	4.4	44	10	320		29.54	3	-0.04	29.73	FM-12		
15	1954	7	BKN:07 80	10.00		59	15.0	48	8.9	35	1.7	41	20	330	28	29.59			29.78	FM-15	0.00	29.77
15	2054	7	FEW:02 85	10.00		55	12.8	44	6.7	31	-0.6	40	15	330	22	29.62			29.81	FM-15	0.00	29.80
15	2154	7	FEW:02 90	10.00		53	11.7	43	6.1	29	-1.7	40	13	330		29.64	1	-0.10	29.83	FM-15	0.00	29.82
15	2254	7	CLR:00	10.00		50	10.0	41	5.0	29	-1.7	44	9	320		29.65			29.84	FM-15	0.00	29.83
15	2354	7	CLR:00	10.00		49	9.4	41	5.0	29	-1.7	46	8	320		29.67			29.86	FM-15	0.00	29.85
16	0054	7	CLR:00	10.00		47	8.3	39	3.9	29	-1.7	50	3	300		29.66	0	-0.02	29.85	FM-15	0.00	29.84
16	0100	4		9.94		47	8.3	39	3.9	29	-1.7	50	3	300		29.66	9	+0.02	29.85	FM-12		
16	0154	7	CLR:00	10.00		46	7.8	39	3.9	29	-1.7	51	6	280		29.64			29.84	FM-15	0.00	29.82
16	0254	7	CLR:00	10.00		45	7.2	38	3.3	29	-1.7	54	3	310		29.64			29.83	FM-15	0.00	29.82
16	0354	7	CLR:00	10.00		39	3.9	36	2.2	32	0.0	76	3	170		29.63	6	+0.02	29.83	FM-15	0.00	29.81
16	0454	7	CLR:00	10.00		38	3.3	36	2.2	32	0.0	79	6	180		29.65			29.84	FM-15	0.00	29.83
16	0554	7	FEW:02 65	10.00		43	6.1	38	3.3	31	-0.6	63	6	260		29.66			29.85	FM-15	0.00	29.84
16	0654	7	FEW:02 70	10.00		46	7.8	40	4.4	32	0.0	58	7	250		29.67	1	-0.04	29.86	FM-15	0.00	29.85
16	0700	4	74	9.94		46	7.8	40	4.4	32	0.0	58	7	250		29.67	1	-0.04	29.86	FM-12		
16	0754	7	FEW:02 70	10.00		52	11.1	43	6.1	32	0.0	47	11	260		29.67			29.86	FM-15	0.00	29.85
16	0854	7	FEW:02 50	10.00		56	13.3	45	7.2	31	-0.6	39	14	250	22	29.67			29.86	FM-15	0.00	29.85
16	0954	7	FEW:02 55	10.00		58	14.4	46	7.8	32	0.0	38	18	250	24	29.66	8	+0.01	29.85	FM-15	0.00	29.84
16	1054	7	FEW:02 60 SCT:04 300	10.00		59	15.0	46	7.8	31	-0.6	35	9	280	20	29.64			29.83	FM-15	0.00	29.82
16	1154	7	SCT:04 70 BKN:07 300	10.00		63	17.2	49	9.4	32	0.0	31	17	320	22	29.61			29.80	FM-15	0.00	29.79
16	1254	7	BKN:07 70 BKN:07 300	10.00		64	17.8	49	9.4	32	0.0	30	13	260		29.60	6	+0.06	29.79	FM-15	0.00	29.78
16	1300	4	74	9.94		64	17.8	49	9.4	32	0.0	30	13	260		29.60	6	+0.06	29.79	FM-12		

16	1354	7	SCT:04 75 BKN:07 300	10.00		65	18.3	50	10.0	33	0.6	31	15	260	21	29.58			29.78	FM-15	0.00	29.76
16	1454	7	SCT:04 80 BKN:07 300	10.00		64	17.8	49	9.4	33	0.6	32	8	VRB		29.56			29.75	FM-15	0.00	29.74
16	1554	7	SCT:04 75	10.00		67	19.4	51	10.6	34	1.1	30	14	260	22	29.55	6	+0.05	29.74	FM-15	0.00	29.73
16	1654	7	SCT:04 85	10.00		65	18.3	50	10.0	34	1.1	32	10	240		29.55			29.74	FM-15	0.00	29.73
16	1754	7	SCT:04 90 SCT:04 300	10.00		64	17.8	50	10.0	34	1.1	33	10	250		29.56			29.75	FM-15	0.00	29.74
16	1854	7	BKN:07 90 BKN:07 300	10.00		62	16.7	49	9.4	35	1.7	37	5	240		29.57	3	-0.03	29.77	FM-15	0.00	29.75
16	1900	4		9.94		62	16.7	49	9.4	35	1.7	37	5	240		29.57	3	-0.03	29.77	FM-12		
16	1944	7	SCT:04 85	10.00		59	15.0	48	8.9	36	2.2	42	14	010		29.62				FM-16		29.80
16	1954	7	FEW:02 85	10.00		58	14.4	48	8.9	36	2.2	44	13	010		29.62			29.82	FM-15	0.00	29.80
16	2054	7	CLR:00	10.00		54	12.2	46	7.8	36	2.2	51	9	020		29.65			29.84	FM-15	0.00	29.83
16	2154	7	CLR:00	10.00		51	10.6	44	6.7	35	1.7	54	9	010		29.66	1	-0.08	29.85	FM-15	0.00	29.84
16	2254	7	CLR:00	10.00		50	10.0	43	6.1	35	1.7	57	5	360		29.66			29.85	FM-15	0.00	29.84
16	2354	7	CLR:00	10.00		45	7.2	41	5.0	36	2.2	71	0	000		29.67			29.86	FM-15	0.00	29.85
17	0054	7	CLR:00	10.00		43	6.1	40	4.4	36	2.2	76	0	000		29.67	0	-0.01	29.86	FM-15	0.00	29.85
17	0100	4		9.94		43	6.1	40	4.4	36	2.2	76	0	000		29.67	9	+0.01	29.86	FM-12		
17	0154	7	CLR:00	10.00		43	6.1	40	4.4	36	2.2	76	0	000		29.67			29.86	FM-15	0.00	29.85
17	0254	7	CLR:00	10.00		41	5.0	39	3.9	36	2.2	82	3	170		29.66			29.85	FM-15	0.00	29.84
17	0354	7	CLR:00	10.00		40	4.4	38	3.3	35	1.7	83	3	220		29.66	8	+0.01	29.85	FM-15	0.00	29.84
17	0454	7	CLR:00	10.00		41	5.0	38	3.3	35	1.7	79	3	200		29.66			29.85	FM-15	0.00	29.84
17	0554	7	FEW:02 150 FEW:02 300	10.00		38	3.3	37	2.8	35	1.7	89	5	220		29.68			29.87	FM-15	0.00	29.86
17	0654	7	FEW:02 180	10.00		46	7.8	43	6.1	40	4.4	79	3	VRB		29.68	3	-0.03	29.88	FM-15	0.00	29.86
17	0700	4		9.94		46	7.8	43	6.1	40	4.4	79	3			29.68	3	-0.03	29.88	FM-12		
17	0754	7	FEW:02 180 FEW:02 300	10.00		54	12.2	47	8.3	39	3.9	57	7	270		29.69			29.88	FM-15	0.00	29.87
17	0854	7	FEW:02 45 SCT:04 300	10.00		59	15.0	48	8.9	37	2.8	44	7	260		29.68			29.87	FM-15	0.00	29.86
17	0954	7	FEW:02 45 BKN:07 300	10.00		61	16.1	49	9.4	36	2.2	39	11	280		29.67	8	+0.01	29.86	FM-15	0.00	29.85
17	1054	7	FEW:02 45 BKN:07 300	10.00		62	16.7	49	9.4	36	2.2	38	3	VRB		29.66			29.85	FM-15	0.00	29.84
17	1154	7	FEW:02 50 BKN:07 250	10.00		65	18.3	51	10.6	37	2.8	36	8	VRB		29.65			29.84	FM-15	0.00	29.83
17	1254	7	SCT:04 50 BKN:07 250	10.00		66	18.9	52	11.1	37	2.8	34	7	VRB	17	29.64	6	+0.03	29.83	FM-15	0.00	29.82
17	1300	4	57	9.94		66	18.9	52	11.1	37	2.8	34	7			29.64	6	+0.03	29.83	FM-12		
17	1354	7	SCT:04 50 SCT:04 120 BKN:07 250	10.00		66	18.9	51	10.6	36	2.2	33	3	VRB		29.63			29.82	FM-15	0.00	29.81
17	1454	7	SCT:04 50 SCT:04 120 BKN:07 250	10.00		67	19.4	52	11.1	37	2.8	33	13	280	17	29.60			29.79	FM-15	0.00	29.78
17	1554	7	FEW:02 50 SCT:04 110 BKN:07 250	10.00		66	18.9	51	10.6	36	2.2	33	6	290		29.60	5	+0.04	29.80	FM-15	0.00	29.78
17	1654	7	FEW:02 50 BKN:07 110 BKN:07 250	10.00		65	18.3	51	10.6	36	2.2	34	6	270		29.61			29.80	FM-15	0.00	29.79
17	1754	7	BKN:07 70 OVC:08 150	10.00		64	17.8	51	10.6	37	2.8	37	5	360		29.62			29.81	FM-15	0.00	29.80
17	1854	7	BKN:07 75 OVC:08 120	10.00		61	16.1	51	10.6	40	4.4	46	11	080		29.63	3	-0.03	29.82	FM-15	0.00	29.81
17	1900	4	74	9.94		61	16.1	51	10.6	40	4.4	46	11	080		29.63	3	-0.03	29.82	FM-12		
17	1954	7	BKN:07 90 BKN:07 120 OVC:08 250	10.00		58	14.4	51	10.6	44	6.7	60	6	060		29.66			29.85	FM-15	0.00	29.84
17	2054	7	BKN:07 90 OVC:08 120	10.00		57	13.9	50	10.0	44	6.7	62	5	060		29.68			29.88	FM-15	0.00	29.86

17	2154	7	OVC:08 85	10.00		55	12.8	49	9.4	43	6.1	64	5	100		29.69	1	-0.06	29.88	FM-15	0.00	29.87
17	2254	7	BKN:07 75 OVC:08 110	10.00		54	12.2	49	9.4	44	6.7	69	5	080		29.69			29.88	FM-15	0.00	29.87
17	2354	7	FEW:02 39 BKN:07 85 OVC:08 130	10.00		52	11.1	48	8.9	44	6.7	75	0	000		29.68			29.87	FM-15	T	29.86
18	0054	7	BKN:07 90 OVC:08 130	10.00		52	11.1	49	9.4	45	7.2	77	3	060		29.67	8	+0.01	29.87	FM-15	0.00	29.85
18	0100	4		9.94		52	11.1	49	9.4	45	7.2	77	3	060		29.67	8	+0.01	29.87	FM-12		
18	0154	7	BKN:07 70 OVC:08 85	10.00		52	11.1	49	9.4	46	7.8	80	0	000		29.68			29.87	FM-15	0.00	29.86
18	0254	7	SCT:04 95 BKN:07 130	10.00		50	10.0	48	8.9	45	7.2	83	0	000		29.68			29.87	FM-15	0.00	29.86
18	0354	7	FEW:02 90 SCT:04 130	10.00		49	9.4	47	8.3	45	7.2	86	0	000		29.69	3	-0.01	29.88	FM-15	0.00	29.87
18	0454	7	FEW:02 90	10.00		47	8.3	46	7.8	44	6.7	90	7	360		29.70			29.89	FM-15	0.00	29.88
18	0554	7	FEW:02 90	10.00		47	8.3	46	7.8	44	6.7	90	0	000		29.71			29.91	FM-15	0.00	29.89
18	0654	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	5	360		29.74	3	-0.05	29.93	FM-15	0.00	29.92
18	0700	4		9.94		52	11.1	49	9.4	46	7.8	80	5	360		29.74	3	-0.05	29.93	FM-12		
18	0754	7	CLR:00	10.00		57	13.9	51	10.6	46	7.8	67	0	000		29.74			29.93	FM-15	0.00	29.92
18	0854	7	FEW:02 50 FEW:02 250	10.00		59	15.0	52	11.1	45	7.2	60	0	000		29.74			29.94	FM-15	0.00	29.92
18	0954	7	SCT:04 50 SCT:04 250	10.00		62	16.7	53	11.7	44	6.7	52	5	270		29.73	8	+0.01	29.93	FM-15	0.00	29.91
18	1054	7	BKN:07 50 BKN:07 250	10.00		63	17.2	52	11.1	41	5.0	45	5	230		29.72			29.91	FM-15	0.00	29.90
18	1154	7	FEW:02 20 BKN:07 55 BKN:07 250	10.00		64	17.8	52	11.1	41	5.0	43	3	VRB		29.70			29.89	FM-15	0.00	29.88
18	1254	7	BKN:07 55 BKN:07 250	10.00		66	18.9	53	11.7	41	5.0	40	3	250		29.69	6	+0.05	29.88	FM-15	0.00	29.87
18	1300	4	57	9.94		66	18.9	53	11.7	41	5.0	40	3	250		29.69	6	+0.05	29.88	FM-12		
18	1354	7	BKN:07 60 BKN:07 85	10.00		67	19.4	54	12.2	41	5.0	39	6	VRB		29.67			29.87	FM-15	0.00	29.85
18	1454	7	SCT:04 60 BKN:07 90 BKN:07 250	10.00		67	19.4	53	11.7	40	4.4	37	3	VRB		29.66			29.85	FM-15	0.00	29.84
18	1554	7	FEW:02 70 BKN:07 90	10.00		67	19.4	54	12.2	41	5.0	39	6	190		29.66	6	+0.03	29.85	FM-15	0.00	29.84
18	1654	7	FEW:02 70 BKN:07 110	10.00		67	19.4	54	12.2	42	5.6	41	3	150		29.67			29.86	FM-15	0.00	29.85
18	1754	7	FEW:02 70 BKN:07 120	10.00		66	18.9	54	12.2	42	5.6	42	3	150		29.67			29.86	FM-15	0.00	29.85
18	1854	7	FEW:02 70 BKN:07 110	10.00		63	17.2	54	12.2	45	7.2	52	11	100		29.67	0	-0.01	29.86	FM-15	0.00	29.85
18	1900	4	74	9.94		63	17.2	54	12.2	45	7.2	52	11	100		29.67	9	+0.01	29.86	FM-12		
18	1954	7	OVC:08 100	10.00		60	15.6	52	11.1	45	7.2	58	10	110		29.69			29.88	FM-15	0.00	29.87
18	2054	7	SCT:04 95	10.00		57	13.9	50	10.0	44	6.7	62	5	070		29.71			29.91	FM-15	0.00	29.89
18	2154	7	SCT:04 110	10.00		54	12.2	49	9.4	44	6.7	69	5	090		29.71	0	-0.04	29.90	FM-15	0.00	29.89
18	2254	7	BKN:07 110	10.00		52	11.1	49	9.4	45	7.2	77	0	000		29.71			29.91	FM-15	0.00	29.89
18	2354	7	BKN:07 110	10.00		52	11.1	49	9.4	45	7.2	77	3	040		29.72			29.91	FM-15	0.00	29.90
19	0054	7	BKN:07 110	10.00		52	11.1	49	9.4	46	7.8	80	6	040		29.70	8	0.00	29.89	FM-15	0.00	29.88
19	0100	4		9.94		52	11.1	49	9.4	46	7.8	80	6	040		29.70	8	0.00	29.89	FM-12		
19	0154	7	BKN:07 110	10.00		51	10.6	48	8.9	46	7.8	83	5	050		29.68			29.87	FM-15	0.00	29.86
19	0254	7	SCT:04 110	10.00		50	10.0	48	8.9	46	7.8	86	5	030		29.68			29.87	FM-15	0.00	29.86
19	0354	7	FEW:02 110	10.00		49	9.4	47	8.3	45	7.2	86	0	000		29.68	6	+0.02	29.87	FM-15	0.00	29.86
19	0454	7	SCT:04 90	10.00		50	10.0	48	8.9	47	8.3	89	6	080		29.66			29.85	FM-15	0.00	29.84
19	0554	7	BKN:07 90	10.00		52	11.1	49	9.4	47	8.3	83	6	340		29.67			29.87	FM-15	0.00	29.85
19	0654	7	BKN:07 70 OVC:08 90	10.00	-RA:02 RA RA	53	11.7	50	10.0	48	8.9	83	7	310		29.69	3	-0.01	29.88	FM-15	T	29.87
19	0700	4	74	9.94	RA	53	11.7	50	10.0	48	8.9	83	7	310		29.69	3	-0.01	29.88	FM-12		

19	0754	7	OVC:08 30	10.00	-RA:02 RA RA	53	11.7	51	10.6	49	9.4	86	9	330		29.71			29.90	FM-15	T	29.89
19	0854	7	FEW:02 30 OVC:08 38	10.00		55	12.8	52	11.1	50	10.0	83	14	360		29.70			29.90	FM-15	T	29.88
19	0954	7	FEW:02 14 OVC:08 47	10.00	-RA:02 RA RA	54	12.2	51	10.6	49	9.4	83	10	350		29.71	1	-0.02	29.91	FM-15	T	29.89
19	1045	7	BKN:07 50 OVC:08 60	5.00	RA:02 RA RA	54	12.2	51	10.6	49	9.4	83	11	350		29.72				FM-16	T	29.90
19	1054	7	FEW:02 14 BKN:07 50 OVC:08 60	3.00	RA:02 BR:1 RA RA	54	12.2	52	11.1	50	10.0	87	11	360		29.71			29.90	FM-15	0.03	29.89
19	1111	7	FEW:02 41 OVC:08 55	10.00		52	11.1	50	10.0	49	9.4	89	10	350		29.72				FM-16	T	29.90
19	1120	7	OVC:08 50	10.00	RA:02 RA RA	52	11.1	50	10.0	48	8.9	86	11	360		29.72				FM-16	T	29.90
19	1154	7	OVC:08 55	3.00	RA:02 BR:1 RA RA	51	10.6	50	10.0	49	9.4	92	3	360		29.72			29.92	FM-15	0.10	29.90
19	1254	7	SCT:04 70 BKN:07 90 OVC:08 110	10.00	-RA:02 RA RA	51	10.6	50	10.0	49	9.4	92	8	060		29.69	8	+0.02	29.88	FM-15	0.03	29.87
19	1300	4	74	9.94	RA	51	10.6	50	10.0	49	9.4	92	8	060		29.69	8	+0.02	29.88	FM-12		
19	1316	7	FEW:02 9 FEW:02 75 BKN:07 110	10.00		53	11.7	51	10.6	50	10.0	89	9	050		29.69				FM-16	T	29.87
19	1354	7	FEW:02 11 BKN:07 100 BKN:07 120	10.00		53	11.7	51	10.6	49	9.4	86	0	000		29.69			29.88	FM-15	T	29.87
19	1408	7	BKN:07 11 OVC:08 100	10.00		53	11.7	50	10.0	48	8.9	83	0	000		29.70				FM-16		29.88
19	1427	7	FEW:02 12 BKN:07 19 OVC:08 120	10.00		53	11.7	50	10.0	48	8.9	83	6	060		29.67				FM-16		29.85
19	1454	7	FEW:02 110	10.00		55	12.8	52	11.1	50	10.0	83	5	350		29.67			29.86	FM-15	0.00	29.85
19	1554	7	FEW:02 15 SCT:04 120 SCT:04 300	10.00		59	15.0	54	12.2	50	10.0	72	5	050		29.67	8	+0.01	29.86	FM-15	0.00	29.85
19	1654	7	FEW:02 15 FEW:02 120 FEW:02 300	10.00		60	15.6	54	12.2	48	8.9	65	0	000		29.69			29.88	FM-15	0.00	29.87
19	1754	7	FEW:02 120 FEW:02 300	10.00		58	14.4	53	11.7	48	8.9	70	0	000		29.70			29.89	FM-15	0.00	29.88
19	1854	7	FEW:02 120 FEW:02 300	10.00		54	12.2	51	10.6	48	8.9	80	6	180		29.71	1	-0.04	29.91	FM-15	0.00	29.89
19	1900	4		9.94		54	12.2	51	10.6	48	8.9	80	6	180		29.71	1	-0.04	29.91	FM-12		
19	1954	7	CLR:00	10.00		51	10.6	49	9.4	48	8.9	89	0	000		29.74			29.93	FM-15	0.00	29.92
19	2054	7	CLR:00	10.00		49	9.4	48	8.9	47	8.3	93	3	130		29.76			29.96	FM-15	0.00	29.94
19	2154	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	0	000		29.77	1	-0.05	29.96	FM-15	0.00	29.95
19	2254	7	CLR:00	10.00		46	7.8	46	7.8	45	7.2	96	6	190		29.78			29.97	FM-15	0.00	29.96
19	2354	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	0	000		29.79			29.98	FM-15	0.00	29.97
20	0052	6	CLR:00	2.00	BR:1	45	7.2	44	6.7	43	6.1	93	0	000		29.79				FM-16		29.97
20	0054	7	CLR:00	1.75	BR:1	44	6.7	44	6.7	43	6.1	96	0	000		29.79	1	-0.02	29.98	FM-15	0.00	29.97
20	0100	4		1.74		44	6.7	44	6.7	43	6.1	96	0	000		29.79	1	-0.02	29.98	FM-12		
20	0102	7	CLR:00	3.00	BR:1	45	7.2	44	6.7	43	6.1	93	3	200		29.79				FM-16		29.97
20	0154	7	CLR:00	9.00		45	7.2	44	6.7	43	6.1	93	0	000		29.79			29.98	FM-15	0.00	29.97
20	0254	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	3	180		29.80			29.99	FM-15	0.00	29.98
20	0354	7	CLR:00	8.00		45	7.2	44	6.7	43	6.1	93	0	000		29.81	3	-0.02	30.00	FM-15	0.00	29.99
20	0454	7	CLR:00	10.00		45	7.2	44	6.7	43	6.1	93	5	180		29.82			30.01	FM-15	0.00	30.00
20	0554	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	3	190		29.84			30.03	FM-15	0.00	30.02
20	0654	7	FEW:02 250	10.00		49	9.4	48	8.9	47	8.3	93	3	180		29.84	1	-0.04	30.03	FM-15	0.00	30.02
20	0700	4		9.94		49	9.4	48	8.9	47	8.3	93	3	180		29.84	1	-0.04	30.03	FM-12		
20	0754	7	BKN:07 300	10.00		54	12.2	51	10.6	49	9.4	83	5	200		29.84			30.03	FM-15	0.00	30.02
20	0854	7	BKN:07 300	10.00		61	16.1	55	12.8	50	10.0	67	3	VRB		29.85			30.04	FM-15	0.00	30.03
20	0954	7	BKN:07 300	10.00		67	19.4	57	13.9	49	9.4	53	9	200		29.86	3	-0.02	30.05	FM-15	0.00	30.04

20	1054	7	FEW:02 55 BKN:07 300	10.00		71	21.7	57	13.9	44	6.7	38	9	VRB		29.84			30.04	FM-15	0.00	30.02
20	1154	7	BKN:07 300	10.00		72	22.2	55	12.8	39	3.9	30	9	VRB		29.81			30.01	FM-15	0.00	29.99
20	1254	7	SCT:04 300	10.00		74	23.3	56	13.3	39	3.9	28	7	180		29.79	8	+0.08	29.98	FM-15	0.00	29.97
20	1300	4		9.94		74	23.3	56	13.3	39	3.9	28	7	180		29.79	8	+0.08	29.98	FM-12		
20	1354	7	FEW:02 65 SCT:04 300	10.00		76	24.4	57	13.9	39	3.9	26	16	210	21	29.77			29.96	FM-15	0.00	29.95
20	1454	7	FEW:02 75 SCT:04 300	10.00		75	23.9	57	13.9	42	5.6	31	14	200	25	29.74			29.93	FM-15	0.00	29.92
20	1554	7	FEW:02 75 FEW:02 300	10.00		75	23.9	57	13.9	42	5.6	31	14	170		29.73	6	+0.06	29.92	FM-15	0.00	29.91
20	1654	7	SCT:04 75	10.00		73	22.8	56	13.3	41	5.0	32	16	200		29.73			29.92	FM-15	0.00	29.91
20	1754	7	SCT:04 85	10.00		71	21.7	55	12.8	41	5.0	34	16	190		29.73			29.92	FM-15	0.00	29.91
20	1854	7	FEW:02 85	10.00		67	19.4	54	12.2	41	5.0	39	11	180		29.73	5	0.00	29.92	FM-15	0.00	29.91
20	1900	4		9.94		67	19.4	54	12.2	41	5.0	39	11	180		29.73	5	0.00	29.92	FM-12		
20	1954	7	CLR:00	10.00		63	17.2	52	11.1	42	5.6	47	8	170		29.73			29.92	FM-15	0.00	29.91
20	2054	7	CLR:00	10.00		62	16.7	52	11.1	42	5.6	48	10	180		29.73			29.93	FM-15	0.00	29.91
20	2154	7	CLR:00	10.00		61	16.1	51	10.6	42	5.6	50	13	170		29.73	0	0.00	29.92	FM-15	0.00	29.91
20	2254	7	CLR:00	10.00		60	15.6	51	10.6	43	6.1	53	13	180		29.72			29.91	FM-15	0.00	29.90
20	2354	7	CLR:00	10.00		58	14.4	51	10.6	44	6.7	60	11	180		29.71			29.90	FM-15	0.00	29.89
21	0054	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	13	190		29.69	8	+0.04	29.88	FM-15	0.00	29.87
21	0100	4		9.94		57	13.9	50	10.0	43	6.1	60	13	190		29.69	8	+0.04	29.88	FM-12		
21	0154	7	CLR:00	10.00		56	13.3	50	10.0	43	6.1	62	9	190		29.67			29.85	FM-15	0.00	29.85
21	0254	7	CLR:00	10.00		56	13.3	50	10.0	44	6.7	65	10	190		29.64			29.83	FM-15	0.00	29.82
21	0354	7	CLR:00	10.00		55	12.8	49	9.4	44	6.7	67	9	190		29.62	6	+0.07	29.81	FM-15	0.00	29.80
21	0454	7	CLR:00	10.00		55	12.8	49	9.4	44	6.7	67	13	200		29.61			29.80	FM-15	0.00	29.79
21	0554	7	CLR:00	10.00		54	12.2	49	9.4	45	7.2	72	10	200		29.60			29.80	FM-15	0.00	29.78
21	0654	7	FEW:02 250	10.00		58	14.4	53	11.7	48	8.9	70	15	200		29.60	6	+0.02	29.79	FM-15	0.00	29.78
21	0700	4		9.94		58	14.4	53	11.7	48	8.9	70	15	200		29.60	6	+0.02	29.79	FM-12		
21	0754	7	FEW:02 300	10.00		62	16.7	56	13.3	51	10.6	67	14	220		29.57			29.76	FM-15	0.00	29.75
21	0854	7	SCT:04 110	10.00		67	19.4	59	15.0	53	11.7	61	16	220	25	29.55			29.74	FM-15	0.00	29.73
21	0954	7	FEW:02 36 SCT:04 110	10.00		70	21.1	60	15.6	52	11.1	53	18	220		29.53	6	+0.07	29.72	FM-15	0.00	29.71
21	1054	7	FEW:02 55 SCT:04 140 BKN:07 300	10.00		75	23.9	60	15.6	48	8.9	39	17	250	24	29.52			29.69	FM-15	0.00	29.69
21	1154	7	SCT:04 65 BKN:07 95 BKN:07 140	10.00		73	22.8	58	14.4	46	7.8	38	22	280	29	29.48			29.67	FM-15	0.00	29.66
21	1240	7	BKN:07 65 BKN:07 100 BKN:07 140	10.00	RA	66	18.9	57	13.9	50	10.0	56	11	300	22	29.49				FM-16	0.01	29.67
21	1254	7	BKN:07 65 BKN:07 95 OVC:08 140	9.00	-RA:02 RA RA	65	18.3	56	13.3	49	9.4	56	25	300	36	29.52	5	+0.02	29.70	FM-15	0.01	29.69
21	1300	4	57	8.70	RA	65	18.3	56	13.3	49	9.4	56	25	300		29.51	5	+0.02	29.70	FM-12		
21	1354	7	FEW:02 50 SCT:04 80 BKN:07 120	10.00		67	19.4	53	11.7	40	4.4	37	22	300	33	29.52			29.71	FM-15	0.01	29.70
21	1454	7	FEW:02 70 SCT:04 120	10.00		69	20.6	53	11.7	36	2.2	30	26	280	37	29.53			29.72	FM-15	0.00	29.71
21	1554	7	FEW:02 90	10.00		67	19.4	50	10.0	32	0.0	27	18	290	31	29.55	3	-0.04	29.74	FM-15	0.00	29.73
21	1654	7	FEW:02 90	10.00		61	16.1	47	8.3	29	-1.7	30	24	300	30	29.59			29.78	FM-15	0.00	29.77
21	1754	7	FEW:02 90	10.00		56	13.3	43	6.1	25	-3.9	30	20	320	31	29.63			29.82	FM-15	0.00	29.81
21	1854	7	FEW:02 100	10.00		51	10.6	40	4.4	23	-5.0	33	20	330	29	29.67	1	-0.12	29.86	FM-15	0.00	29.85
21	1900	4		9.94		51	10.6	40	4.4	23	-5.0	33	20	330		29.67	1	-0.12	29.86	FM-12		
21	1954	7	FEW:02 100	10.00		49	9.4	38	3.3	22	-5.6	35	16	330	23	29.71			29.90	FM-15	0.00	29.89
21	2054	7	CLR:00	10.00		47	8.3	38	3.3	24	-4.4	41	15	320		29.75			29.94	FM-15	0.00	29.93
21	2154	7	CLR:00	10.00		45	7.2	37	2.8	25	-3.9	46	10	320		29.79	1	-0.12	29.98	FM-15	0.00	29.97
21	2254	7	CLR:00	10.00		44	6.7	36	2.2	24	-4.4	45	16	320	26	29.81			30.00	FM-15	0.00	29.99

21	2354	7	CLR:00	10.00		42	5.6	35	1.7	24	-4.4	49	15	310	21	29.84			30.03	FM-15	0.00	30.02
22	0054	7	CLR:00	10.00		41	5.0	33	0.6	20	-6.7	43	14	300	25	29.85	1	-0.06	30.04	FM-15	0.00	30.03
22	0100	4		9.94		41	5.0	33	0.6	20	-6.7	43	14	300		29.85	1	-0.06	30.04	FM-12		
22	0154	7	CLR:00	10.00		39	3.9	32	0.0	20	-6.7	46	10	290		29.85			30.04	FM-15	0.00	30.03
22	0254	7	CLR:00	10.00		39	3.9	33	0.6	22	-5.6	50	5	280		29.85			30.04	FM-15	0.00	30.03
22	0354	7	CLR:00	10.00		37	2.8	33	0.6	25	-3.9	62	9	240		29.85	3	0.00	30.05	FM-15	0.00	30.03
22	0454	7	CLR:00	10.00		36	2.2	32	0.0	25	-3.9	64	8	270		29.86			30.05	FM-15	0.00	30.04
22	0554	7	FEW:02 250	10.00		37	2.8	33	0.6	25	-3.9	62	10	250		29.87			30.07	FM-15	0.00	30.05
22	0654	7	FEW:02 250	10.00		40	4.4	34	1.1	25	-3.9	55	13	260		29.89	3	-0.04	30.09	FM-15	0.00	30.07
22	0700	4		9.94		40	4.4	34	1.1	25	-3.9	55	13	260		29.89	3	-0.04	30.09	FM-12		
22	0754	7	FEW:02 300	10.00		45	7.2	37	2.8	24	-4.4	44	13	270		29.89			30.09	FM-15	0.00	30.07
22	0854	7	FEW:02 60 FEW:02 300	10.00		48	8.9	38	3.3	21	-6.1	34	15	280	23	29.89			30.08	FM-15	0.00	30.07
22	0954	7	SCT:04 65	10.00		50	10.0	39	3.9	22	-5.6	33	11	300	23	29.89	3	0.00	30.09	FM-15	0.00	30.07
22	1054	7	BKN:07 70	10.00		51	10.6	40	4.4	22	-5.6	32	13	290		29.89			30.09	FM-15	0.00	30.07
22	1154	7	BKN:07 75	10.00		55	12.8	42	5.6	22	-5.6	28	10	290	24	29.87			30.06	FM-15	0.00	30.05
22	1254	7	BKN:07 80	10.00		54	12.2	41	5.0	20	-6.7	26	15	290	24	29.86	8	+0.04	30.05	FM-15	0.00	30.04
22	1300	4	74	9.94		54	12.2	41	5.0	20	-6.7	26	15	290		29.86	8	+0.04	30.05	FM-12		
22	1354	7	BKN:07 80 BKN:07 100	10.00		56	13.3	42	5.6	21	-6.1	26	14	340	22	29.84			30.04	FM-15	0.00	30.02
22	1454	7	FEW:02 55 BKN:07 90 BKN:07 110	10.00		55	12.8	41	5.0	18	-7.8	23	18	280	26	29.83			30.03	FM-15	0.00	30.01
22	1554	7	BKN:07 90	10.00		57	13.9	42	5.6	20	-6.7	24	15	310	28	29.83	5	+0.02	30.03	FM-15	0.00	30.01
22	1654	7	SCT:04 90	10.00		56	13.3	42	5.6	21	-6.1	26	15	280	25	29.85			30.04	FM-15	0.00	30.03
22	1754	7	SCT:04 90	10.00		53	11.7	40	4.4	21	-6.1	28	15	290		29.85			30.05	FM-15	0.00	30.03
22	1854	7	FEW:02 85	10.00		52	11.1	40	4.4	21	-6.1	30	15	290	23	29.86	1	-0.03	30.06	FM-15	0.00	30.04
22	1900	4		9.94		52	11.1	40	4.4	21	-6.1	30	15	290		29.86	1	-0.03	30.06	FM-12		
22	1954	7	FEW:02 85	10.00		48	8.9	38	3.3	24	-4.4	39	5	320		29.89			30.09	FM-15	0.00	30.07
22	2054	7	FEW:02 85	10.00		47	8.3	38	3.3	25	-3.9	42	5	290		29.93			30.12	FM-15	0.00	30.11
22	2154	7	SCT:04 85	10.00		47	8.3	38	3.3	25	-3.9	42	7	290		29.94	1	-0.08	30.13	FM-15	0.00	30.12
22	2254	7	CLR:00	10.00		45	7.2	37	2.8	26	-3.3	48	6	290		29.95			30.15	FM-15	0.00	30.13
22	2354	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	6	290		29.96			30.16	FM-15	0.00	30.14
23	0054	7	CLR:00	10.00		41	5.0	36	2.2	28	-2.2	60	6	240		29.96	1	-0.02	30.16	FM-15	0.00	30.14
23	0100	4		9.94		41	5.0	36	2.2	28	-2.2	60	6	240		29.96	1	-0.02	30.16	FM-12		
23	0154	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	6	250		29.96			30.16	FM-15	0.00	30.14
23	0254	7	CLR:00	10.00		41	5.0	36	2.2	29	-1.7	62	7	250		29.97			30.16	FM-15	0.00	30.15
23	0354	7	CLR:00	10.00		40	4.4	36	2.2	29	-1.7	65	5	250		29.98	3	-0.02	30.18	FM-15	0.00	30.16
23	0454	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	6	270		29.99			30.19	FM-15	0.00	30.17
23	0554	7	CLR:00	10.00		36	2.2	34	1.1	30	-1.1	79	3	240		30.01			30.21	FM-15	0.00	30.19
23	0654	7	CLR:00	10.00		45	7.2	38	3.3	29	-1.7	54	8	260		30.03	3	-0.05	30.22	FM-15	0.00	30.21
23	0700	4		9.94		45	7.2	38	3.3	29	-1.7	54	8	260		30.03	3	-0.05	30.22	FM-12		
23	0754	7	FEW:02 300	10.00		51	10.6	42	5.6	29	-1.7	43	8	270		30.04			30.23	FM-15	0.00	30.22
23	0854	7	SCT:04 300	10.00		54	12.2	42	5.6	26	-3.3	34	8	300		30.04			30.23	FM-15	0.00	30.22
23	0954	7	SCT:04 300	10.00		55	12.8	42	5.6	23	-5.0	29				30.03	8	0.00	30.22	FM-15	0.00	30.21
23	1005	7	SCT:04 300	10.00		56	13.3	43	6.1	24	-4.4	29	0	000		30.03				FM-16		30.21
23	1054	7	SCT:04 300	10.00		58	14.4	44	6.7	26	-3.3	29	13	270		30.01			30.20	FM-15	0.00	30.19
23	1154	7	BKN:07 300	10.00		60	15.6	45	7.2	26	-3.3	27	11	290		29.98			30.17	FM-15	0.00	30.16
23	1254	7	SCT:04 180 BKN:07 300	10.00		60	15.6	45	7.2	26	-3.3	27	8	VRB		29.95	8	+0.08	30.14	FM-15	0.00	30.13
23	1300	4		9.94		60	15.6	45	7.2	26	-3.3	27	8	260		29.95	8	+0.08	30.14	FM-12		
23	1354	7	BKN:07 160 BKN:07 300	10.00		63	17.2	47	8.3	26	-3.3	25	10	270		29.93			30.12	FM-15	0.00	30.11
23	1454	7	BKN:07 160 BKN:07 300	10.00		64	17.8	47	8.3	26	-3.3	24	13	250		29.91			30.10	FM-15	0.00	30.09
23	1554	7	BKN:07 160 BKN:07 300	10.00		63	17.2	46	7.8	24	-4.4	23	11	260		29.89	6	+0.06	30.08	FM-15	0.00	30.07
23	1654	7	BKN:07 140 OVC:08 300	10.00		63	17.2	47	8.3	26	-3.3	25	11	250		29.90			30.09	FM-15	0.00	30.08

23	1754	7	CLR:00	10.00		61	16.1	46	7.8	26	-3.3	26	13	250		29.90			30.09	FM-15	0.00	30.08
23	1802	7	OVC:08 150	10.00		61	16.1	45	7.2	25	-3.9	25	15	250		29.90				FM-16		30.08
23	1854	7	SCT:04 120 BKN:07 300	10.00		59	15.0	45	7.2	26	-3.3	28	9	230		29.90	1	-0.01	30.09	FM-15	0.00	30.08
23	1900	4		9.94		59	15.0	45	7.2	26	-3.3	28	9	230		29.90	1	-0.01	30.09	FM-12		
23	1954	7	SCT:04 140	10.00		53	11.7	43	6.1	29	-1.7	40	6	210		29.92			30.11	FM-15	0.00	30.10
23	2054	7	CLR:00	10.00		50	10.0	42	5.6	31	-0.6	48	5	220		29.92			30.11	FM-15	0.00	30.10
23	2154	7	CLR:00	10.00		46	7.8	40	4.4	33	0.6	61	3	170		29.92	0	-0.01	30.11	FM-15	0.00	30.10
23	2254	7	CLR:00	10.00		45	7.2	40	4.4	33	0.6	63	0	000		29.93			30.12	FM-15	0.00	30.11
23	2354	7	CLR:00	10.00		44	6.7	40	4.4	34	1.1	68	0	000		29.93			30.12	FM-15	0.00	30.11
24	0054	7	CLR:00	10.00		42	5.6	39	3.9	34	1.1	73	0	000		29.91	8	+0.01	30.10	FM-15	0.00	30.09
24	0100	4		9.94		42	5.6	39	3.9	34	1.1	73	0	000		29.91	8	+0.01	30.10	FM-12		
24	0154	7	CLR:00	10.00		42	5.6	39	3.9	34	1.1	73	0	000		29.89			30.09	FM-15	0.00	30.07
24	0254	7	FEW:02 300	10.00		39	3.9	37	2.8	34	1.1	82	3	170		29.90			30.09	FM-15	0.00	30.08
24	0354	7	FEW:02 300	10.00		39	3.9	37	2.8	34	1.1	82	0	000		29.89	6	+0.01	30.09	FM-15	0.00	30.07
24	0454	7	FEW:02 300	10.00		37	2.8	35	1.7	33	0.6	86	6	200		29.92			30.11	FM-15	0.00	30.10
24	0554	7	CLR:00	10.00		42	5.6	40	4.4	37	2.8	82	0	000		29.93			30.12	FM-15	0.00	30.11
24	0654	7	BKN:07 250	10.00		48	8.9	44	6.7	39	3.9	71	0	000		29.94	1	-0.05	30.13	FM-15	0.00	30.12
24	0700	4		9.94		48	8.9	44	6.7	39	3.9	71	0	000		29.94	1	-0.05	30.13	FM-12		
24	0754	7	BKN:07 250	10.00		56	13.3	48	8.9	39	3.9	53	3	010		29.93			30.12	FM-15	0.00	30.11
24	0854	7	OVC:08 200	10.00		60	15.6	49	9.4	36	2.2	41	3	130		29.92			30.11	FM-15	0.00	30.10
24	0954	7	OVC:08 200	10.00		62	16.7	50	10.0	37	2.8	40	8	150		29.91	8	+0.03	30.10	FM-15	0.00	30.09
24	1054	7	OVC:08 200	10.00		63	17.2	50	10.0	37	2.8	38	9	210		29.90			30.09	FM-15	0.00	30.08
24	1154	7	OVC:08 200	10.00		64	17.8	51	10.6	38	3.3	38	8	180		29.87			30.06	FM-15	0.00	30.05
24	1254	7	SCT:04 80 OVC:08 160	10.00		63	17.2	50	10.0	37	2.8	38	5	160		29.84	8	+0.07	30.03	FM-15	0.00	30.02
24	1300	4	74	9.94		63	17.2	50	10.0	37	2.8	38	5	160		29.84	8	+0.07	30.03	FM-12		
24	1354	7	OVC:08 75	10.00		63	17.2	51	10.6	39	3.9	41	9	180		29.82			30.01	FM-15	0.00	30.00
24	1416	7	OVC:08 75	10.00	-RA:02 RA RA	63	17.2	51	10.6	38	3.3	40	11	200		29.82				FM-16	T	30.00
24	1454	7	OVC:08 70	10.00	-RA:02 RA RA	60	15.6	52	11.1	45	7.2	58	8	190		29.82			30.01	FM-15	T	30.00
24	1554	7	OVC:08 70	9.00	-RA:02 RA RA	57	13.9	54	12.2	51	10.6	81	6	120		29.80	8	+0.04	29.99	FM-15	0.03s	29.98
24	1654	7	SCT:04 60 OVC:08 85	8.00	-RA:02 RA RA	55	12.8	53	11.7	51	10.6	87	7	120		29.77			29.96	FM-15	0.02	29.95
24	1754	7	BKN:07 50 OVC:08 90	9.00	-RA:02 RA RA	54	12.2	52	11.1	51	10.6	90	7	100		29.72			29.92	FM-15	0.01	29.90
24	1854	7	BKN:07 50 OVC:08 80	8.00	-RA:02 RA RA	53	11.7	52	11.1	51	10.6	93	8	100		29.67	8	+0.12	29.86	FM-15	0.01	29.85
24	1900	4	57	7.46	RA	53	11.7	52	11.1	51	10.6	93	8	100		29.67	8	+0.12	29.86	FM-12		
24	1954	7	BKN:07 30 OVC:08 37	3.00	RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	13	100		29.64			29.83	FM-15	0.07	29.82
24	2006	7	BKN:07 22 OVC:08 33	2.50	RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	14	100	20	29.64				FM-16	0.02	29.82
24	2011	7	FEW:02 7 BKN:07 22 OVC:08 36	3.00	-RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	10	100		29.64				FM-16	0.03	29.82
24	2020	7	SCT:04 7 BKN:07 22 OVC:08 34	2.50	RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	14	110		29.63				FM-16	0.04	29.81
24	2031	7	BKN:07 5 OVC:08 22	2.50	RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	13	090		29.62				FM-16	0.06	29.80
24	2054	7	BKN:07 5 OVC:08 27	2.00	RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	15	090	21	29.59			29.78	FM-15	0.11	29.77
24	2152	6	OVC:08 5	3.00	+RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	13	110		29.57				FM-16		29.75
24	2154	7	OVC:08 5	3.00	RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	13	100		29.57	6	+0.10	29.76	FM-15	0.14	29.75
24	2254	7	BKN:07 5 OVC:08 11	8.00	-RA:02 RA RA	53	11.7	52	11.1	52	11.1	96	8	110		29.52			29.71	FM-15	0.06	29.70
24	2354	7	OVC:08 5	4.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	3	360		29.52			29.70	FM-15	0.04	29.69
25	0054	7	OVC:08 5	9.00	-RA:02 RA RA	54	12.2	53	11.7	53	11.7	97	5	340		29.48	6	+0.09	29.67	FM-15	0.02	29.66
25	0100	4	5	8.70	RA	54	12.2	53	11.7	53	11.7	97	5	340		29.48	6	+0.09	29.67	FM-12		
25	0125	7	OVC:08 4	4.00	-RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	6	330		29.47				FM-16	T	29.65

25	0154	7	OVC:08 3	10.00		53	11.7	52	11.1	52	11.1	96	6	310		29.47			29.65	FM-15	T	29.64
25	0254	7	OVC:08 4	10.00		53	11.7	52	11.1	52	11.1	96	9	310		29.47			29.66	FM-15	0.00	29.64
25	0354	7	OVC:08 4	10.00		52	11.1	51	10.6	51	10.6	97	9	310		29.47	5	+0.01	29.67	FM-15	0.00	29.65
25	0454	7	OVC:08 4	10.00		51	10.6	50	10.0	50	10.0	96	9	320		29.49			29.69	FM-15	0.00	29.67
25	0519	7	OVC:08 5	10.00		51	10.6	50	10.0	50	10.0	96	10	330		29.50				FM-16		29.68
25	0554	7	OVC:08 5	10.00		51	10.6	50	10.0	50	10.0	96	10	320		29.53			29.72	FM-15	0.00	29.71
25	0654	7	BKN:07 5 OVC:08 12	10.00		51	10.6	50	10.0	49	9.4	92	11	340		29.55	1	-0.07	29.74	FM-15	0.00	29.73
25	0700	4	5	9.94		51	10.6	50	10.0	49	9.4	92	11	340		29.55	1	-0.07	29.74	FM-12		
25	0725	7	SCT:04 6 OVC:08 12	10.00		52	11.1	50	10.0	49	9.4	89	9	340		29.56				FM-16		29.74
25	0754	7	SCT:04 6 BKN:07 12 OVC:08 25	10.00		53	11.7	51	10.6	49	9.4	86	11	340		29.57			29.76	FM-15	0.00	29.75
25	0832	7	FEW:02 12 BKN:07 16 OVC:08 25	10.00		54	12.2	51	10.6	49	9.4	83	15	350		29.59				FM-16		29.77
25	0854	7	FEW:02 12 BKN:07 16 OVC:08 25	10.00		54	12.2	51	10.6	49	9.4	83	15	340		29.60			29.80	FM-15	0.00	29.78
25	0954	7	BKN:07 16 OVC:08 25	10.00		55	12.8	52	11.1	49	9.4	80	10	340		29.64	3	-0.09	29.83	FM-15	0.00	29.82
25	1054	7	SCT:04 20 BKN:07 26	10.00		59	15.0	54	12.2	49	9.4	69	13	340		29.64			29.84	FM-15	0.00	29.82
25	1127	7	FEW:02 21 SCT:04 26 BKN:07 31	10.00		61	16.1	55	12.8	49	9.4	65	11	340		29.64				FM-16		29.82
25	1154	7	FEW:02 21 SCT:04 26 BKN:07 34	10.00		63	17.2	55	12.8	49	9.4	60	14	330	20	29.64			29.83	FM-15	0.00	29.82
25	1254	7	FEW:02 30 BKN:07 41 BKN:07 55	10.00		62	16.7	54	12.2	47	8.3	58	11	340	18	29.65	3	-0.01	29.84	FM-15	0.00	29.83
25	1300	4	26	9.94		62	16.7	54	12.2	47	8.3	58	11	340		29.65	3	-0.01	29.84	FM-12		
25	1354	7	BKN:07 47 BKN:07 60	10.00		65	18.3	56	13.3	49	9.4	56	8	340		29.66			29.85	FM-15	0.00	29.84
25	1454	7	SCT:04 45 BKN:07 60 BKN:07 250	10.00		66	18.9	56	13.3	47	8.3	50	8	320		29.66			29.85	FM-15	0.00	29.84
25	1554	7	FEW:02 50 SCT:04 70 BKN:07 250	10.00		67	19.4	55	12.8	44	6.7	44	18	330	26	29.66	1	-0.01	29.85	FM-15	0.00	29.84
25	1654	7	FEW:02 50 SCT:04 80 BKN:07 250	10.00		68	20.0	54	12.2	42	5.6	39	18	340	29	29.68			29.88	FM-15	0.00	29.86
25	1754	7	FEW:02 70 SCT:04 250	10.00		66	18.9	53	11.7	40	4.4	39	15	330	24	29.71			29.90	FM-15	0.00	29.89
25	1854	7	FEW:02 70 FEW:02 250	10.00		60	15.6	51	10.6	41	5.0	50	5	330		29.72	1	-0.06	29.91	FM-15	0.00	29.90
25	1900	4	74	9.94		60	15.6	51	10.6	41	5.0	50	5	330		29.72	1	-0.06	29.91	FM-12		
25	1954	7	FEW:02 250	10.00		59	15.0	50	10.0	40	4.4	49	6	290		29.74			29.93	FM-15	0.00	29.92
25	2054	7	CLR:00	10.00		54	12.2	49	9.4	43	6.1	67	3	250		29.77			29.96	FM-15	0.00	29.95
25	2154	7	CLR:00	10.00		51	10.6	48	8.9	44	6.7	77	0	000		29.78	1	-0.06	29.97	FM-15	0.00	29.96
25	2254	7	FEW:02 250	10.00		48	8.9	46	7.8	44	6.7	86	0	000		29.79			29.98	FM-15	0.00	29.97
25	2354	7	FEW:02 70	10.00		49	9.4	46	7.8	43	6.1	80	0	000		29.81			30.00	FM-15	0.00	29.99
26	0054	7	FEW:02 70 SCT:04 300	10.00		51	10.6	47	8.3	43	6.1	74	7	270		29.82	1	-0.04	30.01	FM-15	0.00	30.00
26	0100	4	74	9.94		51	10.6	47	8.3	43	6.1	74	7	270		29.82	1	-0.04	30.01	FM-12		
26	0154	7	FEW:02 70 BKN:07 300	10.00		49	9.4	46	7.8	43	6.1	80	0	000		29.83			30.02	FM-15	0.00	30.01
26	0254	7	BKN:07 230	10.00		46	7.8	45	7.2	43	6.1	89	0	000		29.84			30.03	FM-15	0.00	30.02
26	0354	7	FEW:02 230	10.00		47	8.3	45	7.2	43	6.1	86	5	340		29.86	3	-0.04	30.06	FM-15	0.00	30.04

26	0454	7	FEW:02 230	10.00		47	8.3	44	6.7	40	4.4	77	9	360		29.88			30.08	FM-15	0.00	30.06
26	0554	7	FEW:02 250	10.00		46	7.8	43	6.1	40	4.4	79	5	360		29.92			30.11	FM-15	0.00	30.10
26	0654	7	CLR:00	10.00		50	10.0	44	6.7	36	2.2	59	11	360		29.95	3	-0.08	30.14	FM-15	0.00	30.13
26	0700	4		9.94		50	10.0	44	6.7	36	2.2	59	11	360		29.95	3	-0.08	30.14	FM-12		
26	0754	7	CLR:00	10.00		53	11.7	44	6.7	34	1.1	48	9	020		29.96			30.16	FM-15	0.00	30.14
26	0854	7	FEW:02 150	10.00		57	13.9	47	8.3	35	1.7	44	9	010		29.97			30.16	FM-15	0.00	30.15
26	0954	7	CLR:00	10.00		60	15.6	48	8.9	35	1.7	39	3	VRB		29.98	1	-0.03	30.17	FM-15	0.00	30.16
26	1054	7	CLR:00	10.00		64	17.8	50	10.0	34	1.1	33	7	350		29.97			30.16	FM-15	0.00	30.15
26	1154	7	CLR:00	10.00		67	19.4	50	10.0	31	-0.6	26	6	VRB		29.96			30.15	FM-15	0.00	30.14
26	1254	7	CLR:00	10.00		67	19.4	50	10.0	31	-0.6	26	3	VRB		29.95	8	+0.03	30.14	FM-15	0.00	30.13
26	1300	4		9.94		67	19.4	50	10.0	31	-0.6	26	3			29.95	8	+0.03	30.14	FM-12		
26	1354	7	CLR:00	10.00		70	21.1	51	10.6	31	-0.6	23	6	330		29.93			30.12	FM-15	0.00	30.11
26	1454	7	CLR:00	10.00		72	22.2	53	11.7	33	0.6	24				29.92			30.11	FM-15	0.00	30.10
26	1457	7	CLR:00	10.00		72	22.2	53	11.7	34	1.1	25	6	330		29.92				FM-16		30.10
26	1554	7	FEW:02 300	10.00		72	22.2	54	12.2	35	1.7	26	5	300		29.91	6	+0.04	30.10	FM-15	0.00	30.09
26	1654	7	SCT:04 300	10.00		72	22.2	54	12.2	37	2.8	28	0	000		29.90			30.09	FM-15	0.00	30.08
26	1754	7	SCT:04 300	10.00		69	20.6	54	12.2	40	4.4	35	6	170		29.90			30.09	FM-15	0.00	30.08
26	1854	7	SCT:04 300	10.00		64	17.8	53	11.7	43	6.1	46	6	140		29.91	3	0.00	30.10	FM-15	0.00	30.09
26	1900	4		9.94		64	17.8	53	11.7	43	6.1	46	6	140		29.91	3	0.00	30.10	FM-12		
26	1954	7	SCT:04 300	10.00		59	15.0	51	10.6	44	6.7	58	5	160		29.93			30.12	FM-15	0.00	30.11
26	2054	7	SCT:04 300	10.00		56	13.3	50	10.0	44	6.7	65	6	120		29.94			30.13	FM-15	0.00	30.12
26	2154	7	SCT:04 300	10.00		56	13.3	49	9.4	42	5.6	60	0	000		29.94	1	-0.04	30.14	FM-15	0.00	30.12
26	2254	7	SCT:04 300	10.00		53	11.7	48	8.9	42	5.6	66	3	150		29.94			30.13	FM-15	0.00	30.12
26	2354	7	FEW:02 300	10.00		53	11.7	48	8.9	43	6.1	69	3	130		29.94			30.13	FM-15	0.00	30.12
27	0054	7	SCT:04 300	10.00		51	10.6	47	8.3	42	5.6	71	0	000		29.91	8	+0.03	30.11	FM-15	0.00	30.09
27	0100	4		9.94		51	10.6	47	8.3	42	5.6	71	0	000		29.91	8	+0.03	30.11	FM-12		
27	0154	7	SCT:04 300	10.00		52	11.1	48	8.9	43	6.1	72	5	180		29.91			30.11	FM-15	0.00	30.09
27	0254	7	CLR:00	10.00		51	10.6	48	8.9	44	6.7	77	3	130		29.92			30.11	FM-15	0.00	30.10
27	0354	7	CLR:00	10.00		51	10.6	48	8.9	44	6.7	77	3	180		29.91	8	+0.01	30.10	FM-15	0.00	30.09
27	0454	7	CLR:00	10.00		50	10.0	47	8.3	44	6.7	80	5	210		29.91			30.11	FM-15	0.00	30.09
27	0554	7	FEW:02 300	10.00		50	10.0	48	8.9	45	7.2	83	7	200		29.93			30.12	FM-15	0.00	30.11
27	0654	7	FEW:02 300	10.00		57	13.9	52	11.1	47	8.3	69	7	210		29.94	3	-0.03	30.13	FM-15	0.00	30.12
27	0700	4		9.94		57	13.9	52	11.1	47	8.3	69	7	210		29.94	3	-0.03	30.13	FM-12		
27	0754	7	SCT:04 300	10.00		63	17.2	55	12.8	47	8.3	56	13	220		29.92			30.12	FM-15	0.00	30.10
27	0854	7	FEW:02 300	10.00		71	21.7	59	15.0	50	10.0	47	14	230		29.92			30.11	FM-15	0.00	30.10
27	0954	7	FEW:02 300	10.00		76	24.4	62	16.7	51	10.6	42	18	230		29.91	6	+0.03	30.10	FM-15	0.00	30.09
27	1054	7	FEW:02 300	10.00		79	26.1	63	17.2	51	10.6	38	16	230		29.89			30.08	FM-15	0.00	30.07
27	1154	7	FEW:02 300	10.00		81	27.2	64	17.8	52	11.1	37	16	210	21	29.86			30.05	FM-15	0.00	30.04
27	1254	7	BKN:07 300	10.00		83	28.3	65	18.3	52	11.1	34	11	220		29.83	8	+0.08	30.02	FM-15	0.00	30.01
27	1300	4		9.94		83	28.3	65	18.3	52	11.1	34	11	220		29.83	8	+0.08	30.02	FM-12		
27	1354	7	BKN:07 300	10.00		85	29.4	65	18.3	51	10.6	31	16	210	25	29.82			30.01	FM-15	0.00	30.00
27	1454	7	BKN:07 300	10.00		85	29.4	64	17.8	50	10.0	30	15	220		29.79			29.98	FM-15	0.00	29.97
27	1554	7	BKN:07 300	10.00		85	29.4	65	18.3	52	11.1	32	18	210	28	29.78	6	+0.05	29.97	FM-15	0.00	29.96
27	1654	7	BKN:07 300	10.00		84	28.9	65	18.3	53	11.7	34	14	210		29.78			29.97	FM-15	0.00	29.96
27	1754	7	BKN:07 300	10.00		80	26.7	64	17.8	54	12.2	41	11	200		29.77			29.96	FM-15	0.00	29.95
27	1854	7	BKN:07 300	10.00		77	25.0	63	17.2	54	12.2	45	16	200		29.79	3	-0.01	29.98	FM-15	0.00	29.97
27	1900	4		9.94		77	25.0	63	17.2	54	12.2	45	16	200		29.79	3	-0.01	29.98	FM-12		
27	1954	7	BKN:07 300	10.00		76	24.4	63	17.2	53	11.7	45	11	200		29.80			29.99	FM-15	0.00	29.98
27	2054	7	BKN:07 300	10.00		73	22.8	61	16.1	53	11.7	50	11	200		29.80			29.99	FM-15	0.00	29.98
27	2154	7	BKN:07 300	10.00		70	21.1	61	16.1	54	12.2	57	10	210		29.81	2	-0.02	30.00	FM-15	0.00	29.99
27	2254	7	BKN:07 300	10.00		65	18.3	59	15.0	54	12.2	68	8	200		29.82			30.01	FM-15	0.00	30.00
27	2354	7	SCT:04 250	10.00		66	18.9	59	15.0	54	12.2	65	10	210		29.82			30.01	FM-15	0.00	30.00
28	0054	7	FEW:02 250	10.00		67	19.4	59	15.0	53	11.7	61	9	220		29.80	8	+0.01	29.99	FM-15	0.00	29.98
28	0100	4		9.94		67	19.4	59	15.0	53	11.7	61	9	220		29.80	8	+0.01	29.99	FM-12		
28	0154	7	SCT:04 250	10.00		67	19.4	59	15.0	52	11.1	59	9	220		29.80			29.99	FM-15	0.00	29.98
28	0254	7	SCT:04 250	10.00		63	17.2	57	13.9	52	11.1	68	9	210		29.80			29.99	FM-15	0.00	29.98
28	0354	7	SCT:04 250	10.00		62	16.7	56	13.3	52	11.1	70	8	200		29.80	5	0.00	29.99	FM-15	0.00	29.98

28	0454	7	BKN:07 250	10.00		64	17.8	57	13.9	51	10.6	63	8	220		29.81			30.00	FM-15	0.00	29.99
28	0554	7	BKN:07 250	10.00		61	16.1	57	13.9	53	11.7	75	5	190		29.82			30.01	FM-15	0.00	30.00
28	0654	7	BKN:07 250	10.00		67	19.4	59	15.0	53	11.7	61	13	230		29.83	1	-0.03	30.02	FM-15	0.00	30.01
28	0700	4		9.94		67	19.4	59	15.0	53	11.7	61	13	230		29.83	1	-0.03	30.02	FM-12		
28	0754	7	OVC:08 220	10.00		69	20.6	61	16.1	55	12.8	61	13	230		29.82			30.01	FM-15	0.00	30.00
28	0854	7	BKN:07 210 OVC:08 300	10.00		73	22.8	63	17.2	57	13.9	57	11	240		29.82			30.01	FM-15	0.00	30.00
28	0954	7	SCT:04 230 BKN:07 300	10.00		77	25.0	66	18.9	59	15.0	54	10	240		29.82	6	+0.01	30.01	FM-15	0.00	30.00
28	1054	7	FEW:02 240 SCT:04 300	10.00		81	27.2	67	19.4	59	15.0	47	11	220		29.80			29.99	FM-15	0.00	29.98
28	1154	7	FEW:02 55 FEW:02 240 BKN:07 300	10.00		84	28.9	68	20.0	58	14.4	41	13	230		29.78			29.97	FM-15	0.00	29.96
28	1254	7	FEW:02 60 BKN:07 300	10.00		86	30.0	67	19.4	56	13.3	36	14	220	21	29.75	8	+0.06	29.94	FM-15	0.00	29.93
28	1300	4	57	9.94		86	30.0	67	19.4	56	13.3	36	14	220		29.75	8	+0.06	29.94	FM-12		
28	1354	7	FEW:02 70 SCT:04 300	10.00		87	30.6	67	19.4	54	12.2	32	20	220	28	29.73			29.92	FM-15	0.00	29.91
28	1454	7	FEW:02 70 BKN:07 300	10.00		88	31.1	68	20.0	55	12.8	33	17	220	24	29.71			29.90	FM-15	0.00	29.89
28	1554	7	BKN:07 300	10.00		87	30.6	67	19.4	55	12.8	34	17	230	29	29.70	6	+0.05	29.89	FM-15	0.00	29.88
28	1654	7	BKN:07 300	10.00		86	30.0	67	19.4	56	13.3	36	18	220		29.69			29.88	FM-15	0.00	29.87
28	1754	7	BKN:07 300	10.00		84	28.9	67	19.4	57	13.9	40	14	220		29.69			29.88	FM-15	0.00	29.87
28	1854	7	FEW:02 240 BKN:07 300	10.00		79	26.1	66	18.9	58	14.4	49	9	210		29.70	3	0.00	29.89	FM-15	0.00	29.88
28	1900	4		9.94		79	26.1	66	18.9	58	14.4	49	9	210		29.70	3	0.00	29.89	FM-12		
28	1954	7	SCT:04 300	10.00		79	26.1	66	18.9	57	13.9	47	14	220		29.70			29.89	FM-15	0.00	29.88
28	2054	7	FEW:02 300	10.00		78	25.6	65	18.3	57	13.9	48	11	220		29.72			29.91	FM-15	0.00	29.90
28	2154	7	SCT:04 300	10.00		78	25.6	65	18.3	57	13.9	48	15	220	24	29.72	1	-0.02	29.91	FM-15	0.00	29.90
28	2254	7	SCT:04 300	10.00		76	24.4	65	18.3	58	14.4	54	13	230		29.71			29.90	FM-15	0.00	29.89
28	2354	7	SCT:04 250	10.00		76	24.4	65	18.3	58	14.4	54	13	240		29.71			29.90	FM-15	0.00	29.89
29	0054	7	FEW:02 250	10.00		75	23.9	65	18.3	59	15.0	58	14	230		29.69	8	+0.03	29.88	FM-15	0.00	29.87
29	0100	4		9.94		75	23.9	65	18.3	59	15.0	58	14	230		29.69	8	+0.03	29.88	FM-12		
29	0154	7	FEW:02 250	10.00		73	22.8	64	17.8	59	15.0	62	10	220		29.68			29.86	FM-15	0.00	29.86
29	0254	7	FEW:02 250	10.00		69	20.6	63	17.2	59	15.0	70	6	200		29.67			29.86	FM-15	0.00	29.85
29	0354	7	BKN:07 110	10.00		70	21.1	64	17.8	60	15.6	71	9	210		29.67	6	+0.03	29.85	FM-15	0.00	29.85
29	0454	7	SCT:04 110	10.00		70	21.1	64	17.8	60	15.6	71	7	220		29.67			29.86	FM-15	0.00	29.85
29	0554	7	FEW:02 110 BKN:07 200	10.00		71	21.7	64	17.8	60	15.6	68	9	220		29.68			29.87	FM-15	0.00	29.86
29	0654	7	SCT:04 110 BKN:07 180	10.00		70	21.1	64	17.8	61	16.1	73	10	210		29.68	1	-0.01	29.87	FM-15	0.00	29.86
29	0700	4		9.94		70	21.1	64	17.8	61	16.1	73	10	210		29.68	1	-0.01	29.87	FM-12		
29	0754	7	BKN:07 140 OVC:08 190	10.00		73	22.8	66	18.9	61	16.1	66	9	230		29.69			29.88	FM-15	0.00	29.87
29	0854	7	FEW:02 150 BKN:07 190 OVC:08 300	10.00		76	24.4	68	20.0	63	17.2	64	10	230		29.68			29.86	FM-15	0.00	29.86
29	0954	7	BKN:07 180 OVC:08 300	10.00		80	26.7	69	20.6	63	17.2	56	9	220		29.65	8	+0.03	29.84	FM-15	0.00	29.83
29	1054	7	SCT:04 180 BKN:07 300	10.00		81	27.2	69	20.6	63	17.2	54	15	220		29.64			29.83	FM-15	0.00	29.82
29	1154	7	FEW:02 70 SCT:04 160 BKN:07 300	10.00		85	29.4	71	21.7	63	17.2	48	17	240	23	29.61			29.80	FM-15	0.00	29.79
29	1254	7	SCT:04 50 SCT:04 60 BKN:07 300	10.00		86	30.0	72	22.2	64	17.8	48	16	210		29.58	8	+0.07	29.77	FM-15	0.00	29.76
29	1300	4	57	9.94		86	30.0	72	22.2	64	17.8	48	16	210		29.58	8	+0.07	29.77	FM-12		

29	1354	7	SCT:04 55 SCT:04 200 BKN:07 300	10.00		86	30.0	70	21.1	61	16.1	43	21	210	26	29.56			29.75	FM-15	0.00	29.74
29	1454	7	BKN:07 65 BKN:07 200 OVC:08 300	10.00		85	29.4	69	20.6	59	15.0	42	25	220	31	29.54			29.73	FM-15	0.00	29.72
29	1554	7	FEW:02 65 BKN:07 210 OVC:08 300	10.00		84	28.9	68	20.0	59	15.0	43	21	220	30	29.52	8	+0.07	29.70	FM-15	0.00	29.69
29	1654	7	FEW:02 65 SCT:04 180 BKN:07 300	10.00		84	28.9	69	20.6	60	15.6	44	17	210	23	29.48			29.67	FM-15	0.00	29.66
29	1754	7	BKN:07 180 OVC:08 300	10.00		82	27.8	68	20.0	60	15.6	47	15	200		29.45			29.64	FM-15	0.00	29.63
29	1854	7	BKN:07 90 OVC:08 200	10.00		82	27.8	68	20.0	59	15.0	46	21	230	31	29.48	5	+0.03	29.67	FM-15	0.00	29.66
29	1900	4		9.94		82	27.8	68	20.0	59	15.0	46	21	230		29.48	5	+0.03	29.67	FM-12		
29	1954	7	SCT:04 70 BKN:07 90 OVC:08 250	10.00		80	26.7	67	19.4	59	15.0	49	15	220		29.48			29.67	FM-15	0.00	29.66
29	2054	7	FEW:02 60 BKN:07 80 OVC:08 200	10.00		79	26.1	67	19.4	59	15.0	50	13	210		29.47			29.65	FM-15	0.00	29.64
29	2154	7	FEW:02 80 BKN:07 250	10.00		78	25.6	66	18.9	59	15.0	52	17	220		29.44	8	+0.04	29.62	FM-15	0.00	29.62
29	2254	7	SCT:04 100 BKN:07 150	10.00		78	25.6	66	18.9	59	15.0	52	20	240	26	29.44			29.63	FM-15	0.00	29.62
29	2354	7	OVC:08 75	10.00		78	25.6	66	18.9	59	15.0	52	18	250	23	29.44			29.62	FM-15	T	29.62
30	0054	7	BKN:07 50 OVC:08 70	10.00		78	25.6	66	18.9	58	14.4	50	18	280	25	29.45	3	-0.01	29.64	FM-15	0.00	29.63
30	0100	4	57	9.94		78	25.6	66	18.9	58	14.4	50	18	280		29.45	3	-0.01	29.64	FM-12		
30	0108	7	FEW:02 38 BKN:07 50 OVC:08 55	7.00	-RA:02 RA RA	68	20.0	65	18.3	63	17.2	84	15	310	36	29.47				FM-16	T	29.65
30	0154	7	OVC:08 90	10.00		69	20.6	65	18.3	62	16.7	78	6	300		29.47			29.65	FM-15	T	29.64
30	0254	7	OVC:08 100	10.00		71	21.7	64	17.8	59	15.0	66	13	300		29.48			29.67	FM-15	T	29.66
30	0354	7	FEW:02 75 SCT:04 120 OVC:08 140	10.00		71	21.7	63	17.2	57	13.9	61	21	300	28	29.50	3	-0.05	29.69	FM-15	T	29.68
30	0454	7	FEW:02 75 SCT:04 150 SCT:04 180	10.00		68	20.0	59	15.0	52	11.1	57	15	310	23	29.52			29.71	FM-15	0.00	29.70
30	0554	7	FEW:02 75 FEW:02 150 FEW:02 180	10.00		67	19.4	57	13.9	49	9.4	53	16	300	25	29.56			29.75	FM-15	0.00	29.74
30	0654	7	CLR:00	10.00		68	20.0	57	13.9	49	9.4	51	18	290	26	29.58	3	-0.08	29.77	FM-15	0.00	29.76
30	0700	4		9.94		68	20.0	57	13.9	49	9.4	51	18	290		29.58	3	-0.08	29.77	FM-12		
30	0754	7	FEW:02 50	10.00		68	20.0	54	12.2	41	5.0	38	24	300	33	29.60			29.79	FM-15	0.00	29.78
30	0854	7	FEW:02 60	10.00		69	20.6	54	12.2	40	4.4	35	22	310	37	29.60			29.79	FM-15	0.00	29.78
30	0954	7	BKN:07 70	10.00		71	21.7	55	12.8	41	5.0	34	23	290	32	29.60	1	-0.02	29.79	FM-15	0.00	29.78
30	1054	7	BKN:07 70	10.00		70	21.1	55	12.8	41	5.0	35	16	290	25	29.59			29.78	FM-15	0.00	29.77
30	1154	7	SCT:04 75	10.00		74	23.3	56	13.3	39	3.9	28	24	280	38	29.57			29.76	FM-15	0.00	29.75
30	1254	7	SCT:04 80	10.00		76	24.4	57	13.9	39	3.9	26	20	280	26	29.56	6	+0.04	29.75	FM-15	0.00	29.74
30	1300	4	74	9.94		76	24.4	57	13.9	39	3.9	26	20	280		29.56	6	+0.04	29.75	FM-12		
30	1354	7	FEW:02 80	10.00		77	25.0	56	13.3	37	2.8	24	21	280	31	29.53			29.72	FM-15	0.00	29.71
30	1454	7	FEW:02 85	10.00		78	25.6	56	13.3	35	1.7	21	17	300	26	29.52			29.70	FM-15	0.00	29.70
30	1554	7	FEW:02 85	10.00		76	24.4	54	12.2	31	-0.6	19	23	300	36	29.53	5	+0.03	29.72	FM-15	0.00	29.71
30	1654	7	FEW:02 90	10.00		76	24.4	54	12.2	31	-0.6	19	20	310	30	29.53			29.72	FM-15	0.00	29.71
30	1754	7	FEW:02 90	10.00		73	22.8	53	11.7	31	-0.6	21	18	310	25	29.55			29.74	FM-15	0.00	29.73
30	1854	7	BKN:07 110	10.00		71	21.7	51	10.6	30	-1.1	22	24	330	29	29.60	3	-0.07	29.79	FM-15	0.00	29.78
30	1900	4		9.94		71	21.7	51	10.6	30	-1.1	22	24	330		29.60	3	-0.07	29.79	FM-12		
30	1954	7	BKN:07 110	10.00		59	15.0	50	10.0	42	5.6	54	20	350	29	29.69			29.88	FM-15	0.00	29.87

30	2054	7	BKN:07 100	10.00		58	14.4	50	10.0	42	5.6	56	14	340		29.72			29.92	FM-15	0.00	29.90
30	2154	7	FEW:02 110	10.00		57	13.9	49	9.4	40	4.4	53	14	330		29.75	1	-0.14	29.94	FM-15	0.00	29.93
30	2254	7	CLR:00	10.00		56	13.3	47	8.3	38	3.3	51	16	330		29.76			29.95	FM-15	0.00	29.94
30	2354	7	CLR:00	10.00		54	12.2	46	7.8	37	2.8	53	14	330		29.78			29.97	FM-15	0.00	29.96

Local Climatological Data
Hourly Precipitation
April 2021

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/19/2021

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																						Date			
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID	
01		T	0.05	0.02	0.05	0.04	0.02	T																	01	
02																									02	
03																									03	
04																									04	
05																									05	
06																									06	
07																									07	
08																									08	
09	T	T																0.05	0.02	T	0.08	T			09	
10																						T	0.03	T	10	
11	T	T	0.02	0.04																					11	
12																					T				12	
13	T	T	T																						13	
14														T	T			T	0.01	T	T	0.06	0.13	T	14	
15	T	T						T	T	T	0.03														15	
16																								T	16	
17																									17	
18																									18	
19								T	T	T	T	0.03	0.10	0.03	T										19	
20																									20	
21														0.01	0.01										21	
22																									22	
23																									23	
24																T	0.03s	0.02	0.01	0.01	0.07	0.11	0.14	0.06	0.04	24
25	0.02	T																							25	
26																									26	
27																									27	
28																									28	
29																									29	
30		T	T	T																				T	30	

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.06	0.09	0.11	0.12	0.13	0.13	0.16	0.20	0.23	0.27	0.32	0.35
Ending Date Time (yyyy-mm-dd hh:mi)	2021-04-14 22:16	2021-04-14 22:16	2021-04-14 22:16	2021-04-14 22:16	2021-04-14 22:26	2021-04-14 22:26	2021-04-24 21:41	2021-04-24 21:41	2021-04-24 22:03	2021-04-24 21:41	2021-04-24 22:03	2021-04-24 22:28

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 \$ = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing