

Local Climatological Data Hourly Observations December 2021

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 02/13/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		41	5.0	36	2.2	28	-2.2	60	5	230		29.89	1	-0.03	30.08	FM-15	0.00	30.07
01	0100	4		9.94		41	5.0	36	2.2	28	-2.2	60	5	230		29.89	1	-0.03	30.08	FM-12		
01	0154	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	3	210		29.90			30.10	FM-15	0.00	30.08
01	0254	7	CLR:00	10.00		32	0.0	30	-1.1	27	-2.8	82	3	VRB		29.93			30.12	FM-15	0.00	30.11
01	0354	7	CLR:00	10.00		37	2.8	34	1.1	28	-2.2	70	0	000		29.94	1	-0.05	30.13	FM-15	0.00	30.12
01	0454	7	CLR:00	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		29.95			30.15	FM-15	0.00	30.13
01	0554	7	CLR:00	10.00		36	2.2	33	0.6	29	-1.7	76	0	000		29.97			30.17	FM-15	0.00	30.15
01	0654	7	CLR:00	10.00		36	2.2	33	0.6	29	-1.7	76	0	000		29.99	2	-0.06	30.19	FM-15	0.00	30.17
01	0700	4		9.94		36	2.2	33	0.6	29	-1.7	76	0	000		29.99	2	-0.06	30.19	FM-12		
01	0754	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		30.01			30.21	FM-15	0.00	30.19
01	0854	7	FEW:02 250	10.00		44	6.7	39	3.9	33	0.6	65	5	070		30.03			30.23	FM-15	0.00	30.21
01	0954	7	SCT:04 300	10.00		51	10.6	43	6.1	33	0.6	50	3	070		30.05	2	-0.06	30.24	FM-15	0.00	30.23
01	1054	7	FEW:02 150 BKN:07 300	10.00		55	12.8	45	7.2	32	0.0	42	9	120		30.04			30.23	FM-15	0.00	30.22
01	1154	7	FEW:02 150 SCT:04 300	10.00		58	14.4	46	7.8	32	0.0	38	6	150		30.03			30.22	FM-15	0.00	30.21
01	1254	7	BKN:07 200 BKN:07 300	10.00		57	13.9	46	7.8	32	0.0	39	9	130		30.00	8	+0.05	30.19	FM-15	0.00	30.18
01	1300	4		9.94		57	13.9	46	7.8	32	0.0	39	9	130		30.00	8	+0.05	30.19	FM-12		
01	1354	7	FEW:02 110 SCT:04 160 BKN:07 300	10.00		58	14.4	47	8.3	33	0.6	39	8	160		29.99			30.18	FM-15	0.00	30.17
01	1454	7	FEW:02 90 SCT:04 130 BKN:07 190	10.00		57	13.9	46	7.8	32	0.0	39	7	150		29.96			30.16	FM-15	0.00	30.14
01	1554	7	BKN:07 140 BKN:07 190 OVC:08 300	10.00		55	12.8	45	7.2	33	0.6	44	6	140		29.93	8	+0.06	30.13	FM-15	0.00	30.11
01	1654	7	BKN:07 140 OVC:08 300	10.00		53	11.7	44	6.7	34	1.1	48	3	140		29.94			30.14	FM-15	0.00	30.12
01	1754	7	OVC:08 170	10.00		52	11.1	44	6.7	34	1.1	50	6	140		29.94			30.14	FM-15	0.00	30.12
01	1854	7	BKN:07 150 OVC:08 250	10.00		49	9.4	42	5.6	34	1.1	56	5	140		29.94	0	-0.01	30.14	FM-15	0.00	30.12
01	1900	4		9.94		49	9.4	42	5.6	34	1.1	56	5	140		29.94	9	+0.01	30.14	FM-12		
01	1954	7	OVC:08 200	10.00		49	9.4	42	5.6	34	1.1	56	6	140		29.94			30.14	FM-15	0.00	30.12
01	2054	7	BKN:07 120 OVC:08 200	10.00		49	9.4	43	6.1	36	2.2	61	5	160		29.92			30.11	FM-15	0.00	30.10
01	2154	7	BKN:07 110 OVC:08 170	10.00		49	9.4	43	6.1	36	2.2	61	6	150		29.90	8	+0.04	30.09	FM-15	0.00	30.08
01	2254	7	FEW:02 110 BKN:07 160	10.00		49	9.4	43	6.1	36	2.2	61	8	180		29.88			30.07	FM-15	0.00	30.06
01	2354	7	OVC:08 110	10.00		50	10.0	44	6.7	36	2.2	59	6	160		29.86			30.05	FM-15	0.00	30.04
02	0054	7	BKN:07 110	10.00		51	10.6	45	7.2	38	3.3	61	10	180		29.83	8	+0.07	30.02	FM-15	0.00	30.01
02	0100	4		9.94		51	10.6	45	7.2	38	3.3	61	10	180		29.83	8	+0.07	30.02	FM-12		
02	0154	7	OVC:08 100	10.00		51	10.6	45	7.2	39	3.9	64	8	190		29.81			30.01	FM-15	0.00	29.99
02	0254	7	SCT:04 100	10.00		51	10.6	45	7.2	39	3.9	64	8	210		29.79			29.99	FM-15	0.00	29.97
02	0354	7	FEW:02 100	10.00		47	8.3	43	6.1	38	3.3	71	6	200		29.78	8	+0.05	29.97	FM-15	0.00	29.96
02	0454	7	FEW:02 100	10.00		44	6.7	41	5.0	38	3.3	79	6	190		29.77			29.96	FM-15	0.00	29.95
02	0554	7	FEW:02 250	10.00		43	6.1	41	5.0	38	3.3	82	7	190		29.77			29.96	FM-15	0.00	29.95
02	0654	7	FEW:02 250	10.00		43	6.1	41	5.0	39	3.9	86	7	190		29.77	5	+0.01	29.96	FM-15	0.00	29.95

02	0700	4		9.94		43	6.1	41	5.0	39	3.9	86	7	190		29.77	5	+0.01	29.96	FM-12		
02	0754	7	SCT:04 200 BKN:07 300	10.00		46	7.8	44	6.7	41	5.0	83	7	200		29.77			29.96	FM-15	0.00	29.95
02	0854	7	FEW:02 110 BKN:07 300	10.00		52	11.1	47	8.3	42	5.6	69	7	210		29.76			29.96	FM-15	0.00	29.94
02	0954	7	FEW:02 190 BKN:07 300	10.00		59	15.0	50	10.0	42	5.6	54	14	220		29.76	8	+0.01	29.95	FM-15	0.00	29.94
02	1054	7	FEW:02 110 FEW:02 190 BKN:07 300	10.00		62	16.7	52	11.1	42	5.6	48	14	250		29.74			29.93	FM-15	0.00	29.92
02	1154	7	FEW:02 190 BKN:07 300	10.00		65	18.3	54	12.2	44	6.7	47	14	240		29.69			29.88	FM-15	0.00	29.87
02	1254	7	FEW:02 190 BKN:07 300	10.00		67	19.4	54	12.2	43	6.1	42	21	250	29	29.64	8	+0.12	29.83	FM-15	0.00	29.82
02	1300	4		9.94		67	19.4	54	12.2	43	6.1	42	21	250		29.64	8	+0.12	29.83	FM-12		
02	1354	7	FEW:02 240 BKN:07 300	10.00		68	20.0	54	12.2	42	5.6	39	17	240		29.63			29.82	FM-15	0.00	29.81
02	1454	7	FEW:02 190 BKN:07 300	10.00		68	20.0	54	12.2	41	5.0	38	15	240		29.60			29.80	FM-15	0.00	29.78
02	1554	7	SCT:04 190 BKN:07 300	10.00		67	19.4	54	12.2	43	6.1	42	14	210		29.61	5	+0.03	29.80	FM-15	0.00	29.79
02	1654	7	FEW:02 190 FEW:02 300	10.00		64	17.8	53	11.7	42	5.6	45	14	210		29.61			29.80	FM-15	0.00	29.79
02	1754	7	FEW:02 200 FEW:02 300	10.00		62	16.7	52	11.1	42	5.6	48	13	210		29.60			29.79	FM-15	0.00	29.78
02	1854	7	CLR:00	10.00		62	16.7	52	11.1	42	5.6	48	13	220		29.61	5	0.00	29.80	FM-15	0.00	29.79
02	1900	4		9.94		62	16.7	52	11.1	42	5.6	48	13	220		29.61	5	0.00	29.80	FM-12		
02	1954	7	CLR:00	10.00		61	16.1	51	10.6	42	5.6	50	11	220		29.60			29.80	FM-15	0.00	29.78
02	2054	7	CLR:00	10.00		59	15.0	50	10.0	42	5.6	54	10	220		29.61			29.80	FM-15	0.00	29.79
02	2154	7	CLR:00	10.00		54	12.2	48	8.9	41	5.0	62	8	210		29.61	3	0.00	29.80	FM-15	0.00	29.79
02	2254	7	FEW:02 200	10.00		58	14.4	50	10.0	41	5.0	53	8	240		29.62			29.81	FM-15	0.00	29.80
02	2354	7	FEW:02 150	10.00		61	16.1	51	10.6	41	5.0	48	10	250		29.63			29.82	FM-15	0.00	29.81
03	0054	7	FEW:02 150	10.00		60	15.6	51	10.6	41	5.0	50	10	250		29.64	1	-0.03	29.83	FM-15	0.00	29.82
03	0100	4		9.94		60	15.6	51	10.6	41	5.0	50	10	250		29.64	1	-0.03	29.83	FM-12		
03	0154	7	FEW:02 150	10.00		57	13.9	49	9.4	41	5.0	55	6	270		29.67			29.86	FM-15	0.00	29.85
03	0254	7	FEW:02 150 FEW:02 300	10.00		55	12.8	48	8.9	41	5.0	59	5	230		29.69			29.88	FM-15	0.00	29.87
03	0354	7	FEW:02 150 FEW:02 300	10.00		52	11.1	46	7.8	40	4.4	64	5	330		29.72	1	-0.08	29.91	FM-15	0.00	29.90
03	0454	7	FEW:02 150 BKN:07 300	10.00		50	10.0	45	7.2	40	4.4	68	0	000		29.73			29.92	FM-15	0.00	29.91
03	0554	7	BKN:07 300	10.00		47	8.3	43	6.1	39	3.9	74	9	020		29.78			29.97	FM-15	0.00	29.96
03	0654	7	FEW:02 150 SCT:04 300	10.00		47	8.3	43	6.1	38	3.3	71	0	000		29.81	3	-0.09	30.00	FM-15	0.00	29.99
03	0700	4		9.94		47	8.3	43	6.1	38	3.3	71	0	000		29.81	3	-0.09	30.00	FM-12		
03	0754	7	FEW:02 150 SCT:04 300	10.00		47	8.3	43	6.1	37	2.8	69	5	030		29.84			30.03	FM-15	0.00	30.02
03	0854	7	FEW:02 120 SCT:04 300	10.00		54	12.2	46	7.8	36	2.2	51	6	020		29.86			30.05	FM-15	0.00	30.04
03	0954	7	FEW:02 120 FEW:02 300	10.00		57	13.9	47	8.3	35	1.7	44	7	360		29.89	2	-0.08	30.09	FM-15	0.00	30.07
03	1054	7	FEW:02 120 FEW:02 300	10.00		58	14.4	47	8.3	34	1.1	41	3	040		29.87			30.06	FM-15	0.00	30.05
03	1154	7	FEW:02 110 FEW:02 300	10.00		59	15.0	47	8.3	34	1.1	39	0	000		29.85			30.04	FM-15	0.00	30.03
03	1254	7	FEW:02 110 FEW:02 300	10.00		62	16.7	49	9.4	34	1.1	35	0	000		29.83	7	+0.06	30.02	FM-15	0.00	30.01
03	1300	4		9.94		62	16.7	49	9.4	34	1.1	35	0	000		29.83	7	+0.06	30.02	FM-12		
03	1354	7	FEW:02 110 FEW:02 300	10.00		65	18.3	50	10.0	33	0.6	31	3	340		29.82			30.01	FM-15	0.00	30.00
03	1454	7	FEW:02 100 FEW:02 300	10.00		65	18.3	49	9.4	31	-0.6	28	3	290		29.82			30.02	FM-15	0.00	30.00

03	1554	7	FEW:02 100 FEW:02 300	10.00		63	17.2	49	9.4	32	0.0	31	0	000		29.83	3	-0.01	30.03	FM-15	0.00	30.01
03	1654	7	SCT:04 300	10.00		57	13.9	47	8.3	36	2.2	45	6	130		29.85			30.04	FM-15	0.00	30.03
03	1754	7	CLR:00	10.00		53	11.7	45	7.2	36	2.2	52	6	060		29.86			30.05	FM-15	0.00	30.04
03	1854	7	CLR:00	10.00		50	10.0	43	6.1	35	1.7	57	7	050		29.87	1	-0.03	30.06	FM-15	0.00	30.05
03	1900	4		9.94		50	10.0	43	6.1	35	1.7	57	7	050		29.87	1	-0.03	30.06	FM-12		
03	1954	7	CLR:00	10.00		49	9.4	43	6.1	36	2.2	61	7	090		29.88			30.07	FM-15	0.00	30.06
03	2054	7	CLR:00	10.00		47	8.3	42	5.6	36	2.2	66	6	090		29.89			30.08	FM-15	0.00	30.07
03	2154	7	CLR:00	10.00		45	7.2	41	5.0	35	1.7	68	6	100		29.91	3	-0.04	30.10	FM-15	0.00	30.09
03	2254	7	CLR:00	10.00		45	7.2	41	5.0	36	2.2	71	5	090		29.91			30.10	FM-15	0.00	30.09
03	2354	7	SCT:04 300	10.00		43	6.1	40	4.4	37	2.8	80	5	110		29.89			30.08	FM-15	0.00	30.07
04	0054	7	FEW:02 300	10.00		42	5.6	40	4.4	37	2.8	82	5	150		29.87	8	+0.04	30.06	FM-15	0.00	30.05
04	0100	4		9.94		42	5.6	40	4.4	37	2.8	82	5	150		29.87	8	+0.04	30.06	FM-12		
04	0154	7	FEW:02 300	10.00		42	5.6	40	4.4	38	3.3	85	0	000		29.86			30.05	FM-15	0.00	30.04
04	0254	7	FEW:02 300	10.00		42	5.6	41	5.0	39	3.9	89	5	050		29.85			30.04	FM-15	0.00	30.03
04	0354	7	FEW:02 300	10.00		41	5.0	40	4.4	38	3.3	89	0	000		29.84	6	+0.02	30.04	FM-15	0.00	30.02
04	0454	7	FEW:02 300	10.00		39	3.9	38	3.3	37	2.8	93	0	000		29.85			30.04	FM-15	0.00	30.03
04	0554	7	FEW:02 300	10.00		38	3.3	38	3.3	37	2.8	97	3	030		29.85			30.05	FM-15	0.00	30.03
04	0654	7	FEW:02 300	10.00		39	3.9	38	3.3	37	2.8	93	0	000		29.86	1	-0.01	30.05	FM-15	0.00	30.04
04	0700	4		9.94		39	3.9	38	3.3	37	2.8	93	0	000		29.86	1	-0.01	30.05	FM-12		
04	0754	7	BKN:07 300	10.00		40	4.4	39	3.9	37	2.8	89	5	300		29.87			30.06	FM-15	0.00	30.05
04	0854	7	BKN:07 300	10.00		44	6.7	42	5.6	39	3.9	83	5	360		29.89			30.09	FM-15	0.00	30.07
04	0954	7	BKN:07 300	10.00		48	8.9	44	6.7	40	4.4	74	5	350		29.91	3	-0.06	30.11	FM-15	0.00	30.09
04	1054	7	BKN:07 300	10.00		52	11.1	47	8.3	41	5.0	66	5	340		29.92			30.11	FM-15	0.00	30.10
04	1154	7	BKN:07 300	10.00		55	12.8	49	9.4	43	6.1	64	6	350		29.90			30.10	FM-15	0.00	30.08
04	1254	7	FEW:02 120 BKN:07 300	10.00		57	13.9	50	10.0	43	6.1	60	7	360		29.89	8	+0.02	30.09	FM-15	0.00	30.07
04	1300	4		9.94		57	13.9	50	10.0	43	6.1	60	7	360		29.89	8	+0.02	30.09	FM-12		
04	1354	7	SCT:04 120 BKN:07 300	10.00		58	14.4	50	10.0	43	6.1	58	6	360		29.90			30.09	FM-15	0.00	30.08
04	1454	7	BKN:07 250	10.00		60	15.6	51	10.6	42	5.6	52	8	020		29.90			30.09	FM-15	0.00	30.08
04	1554	7	SCT:04 180 BKN:07 250	10.00		56	13.3	49	9.4	41	5.0	57	7	010		29.92	3	-0.03	30.11	FM-15	0.00	30.10
04	1654	7	FEW:02 190 BKN:07 250	10.00		54	12.2	47	8.3	40	4.4	59	7	010		29.94			30.14	FM-15	0.00	30.12
04	1754	7	BKN:07 250	10.00		53	11.7	47	8.3	40	4.4	61	0	000		29.96			30.16	FM-15	0.00	30.14
04	1854	7	BKN:07 250	10.00		49	9.4	45	7.2	40	4.4	71	0	000		29.97	1	-0.05	30.17	FM-15	0.00	30.15
04	1900	4		9.94		49	9.4	45	7.2	40	4.4	71	0	000		29.97	1	-0.05	30.17	FM-12		
04	1954	7	BKN:07 250	10.00		48	8.9	45	7.2	41	5.0	77	0	000		29.98			30.18	FM-15	0.00	30.16
04	2054	7	BKN:07 250	10.00		46	7.8	43	6.1	40	4.4	79	0	000		30.02			30.22	FM-15	0.00	30.20
04	2154	7	BKN:07 250	10.00		44	6.7	42	5.6	40	4.4	85	0	000		30.04	3	-0.06	30.23	FM-15	0.00	30.22
04	2254	7	BKN:07 250	10.00		44	6.7	42	5.6	40	4.4	85	0	000		30.06			30.25	FM-15	0.00	30.24
04	2354	7	SCT:04 300	6.00	BR:1	41	5.0	40	4.4	38	3.3	89	0	000		30.05			30.24	FM-15	0.00	30.23
05	0054	7	BKN:07 300	10.00		40	4.4	39	3.9	38	3.3	93	0	000		30.06	1	-0.02	30.25	FM-15	0.00	30.24
05	0100	4		9.94		40	4.4	39	3.9	38	3.3	93	0	000		30.06	1	-0.02	30.25	FM-12		
05	0154	7	BKN:07 300	10.00		38	3.3	37	2.8	36	2.2	93	3	350		30.07			30.27	FM-15	0.00	30.25
05	0254	7	SCT:04 300	9.00		36	2.2	35	1.7	34	1.1	93	0	000		30.10			30.29	FM-15	0.00	30.28
05	0354	7	FEW:02 300	10.00		37	2.8	36	2.2	35	1.7	93	0	000		30.10	1	-0.04	30.29	FM-15	0.00	30.28
05	0454	7	SCT:04 300	10.00		35	1.7	35	1.7	34	1.1	96	3	010		30.11			30.31	FM-15	0.00	30.29
05	0554	7	SCT:04 90 SCT:04 300	10.00		38	3.3	36	2.2	33	0.6	83	0	000		30.13			30.33	FM-15	0.00	30.31
05	0654	7	SCT:04 100 BKN:07 300	10.00		37	2.8	36	2.2	34	1.1	89	0	000		30.15	3	-0.05	30.34	FM-15	0.00	30.33
05	0700	4		9.94		37	2.8	36	2.2	34	1.1	89	0	000		30.15	3	-0.05	30.34	FM-12		
05	0754	7	FEW:02 80 SCT:04 100	10.00		38	3.3	37	2.8	35	1.7	89	7	020		30.17			30.36	FM-15	0.00	30.35
05	0854	7	FEW:02 80 SCT:04 100	10.00		44	6.7	41	5.0	37	2.8	76	6	050		30.18			30.38	FM-15	0.00	30.36
05	0954	7	BKN:07 100	10.00		48	8.9	42	5.6	35	1.7	61	10	060		30.19	1	-0.05	30.39	FM-15	0.00	30.37

05	1054	7	BKN:07 110	10.00		51	10.6	43	6.1	32	0.0	48	11	090		30.18			30.38	FM-15	0.00	30.36
05	1154	7	FEW:02 80 BKN:07 110	10.00		56	13.3	45	7.2	32	0.0	40	6	100		30.15			30.35	FM-15	0.00	30.33
05	1254	7	FEW:02 60 BKN:07 110	10.00		57	13.9	46	7.8	32	0.0	39	8	070		30.12	8	+0.07	30.31	FM-15	0.00	30.30
05	1300	4	57	9.94		57	13.9	46	7.8	32	0.0	39	8	070		30.12	8	+0.07	30.31	FM-12		
05	1354	7	SCT:04 70 BKN:07 110	10.00		57	13.9	46	7.8	32	0.0	39	6	050		30.09			30.28	FM-15	0.00	30.27
05	1454	7	FEW:02 70 SCT:04 110	10.00		57	13.9	45	7.2	30	-1.1	36	7	040		30.07			30.27	FM-15	0.00	30.25
05	1554	7	BKN:07 41 OVC:08 70	10.00		55	12.8	45	7.2	33	0.6	44	8	050		30.07	6	+0.05	30.26	FM-15	0.00	30.25
05	1654	7	OVC:08 36	10.00		53	11.7	46	7.8	37	2.8	55	8	080		30.06			30.25	FM-15	0.00	30.24
05	1754	7	OVC:08 35	10.00		52	11.1	45	7.2	38	3.3	59	8	060		30.05			30.24	FM-15	0.00	30.23
05	1854	7	OVC:08 33	10.00		52	11.1	45	7.2	38	3.3	59	5	040		30.04	7	+0.03	30.23	FM-15	0.00	30.22
05	1900	4	26	9.94		52	11.1	45	7.2	38	3.3	59	5	040		30.04	7	+0.03	30.23	FM-12		
05	1954	7	FEW:02 33 OVC:08 55	10.00		51	10.6	45	7.2	37	2.8	59	3	040		30.03			30.23	FM-15	0.00	30.21
05	2054	7	BKN:07 32 OVC:08 45	10.00		51	10.6	45	7.2	37	2.8	59	5	020		30.02			30.22	FM-15	0.00	30.20
05	2105	7	BKN:07 18 OVC:08 47	10.00		51	10.6	45	7.2	37	2.8	59	3	020		30.02				FM-16		30.20
05	2154	7	BKN:07 16 OVC:08 47	10.00		51	10.6	44	6.7	36	2.2	56	0	000		30.00	8	+0.04	30.19	FM-15	0.00	30.18
05	2200	7	SCT:04 15 OVC:08 47	10.00		51	10.6	44	6.7	36	2.2	56	0	000		30.00				FM-16		30.18
05	2239	7	BKN:07 12 OVC:08 43	10.00		49	9.4	44	6.7	38	3.3	66	0	000		29.99				FM-16		30.17
05	2254	7	OVC:08 12	10.00		50	10.0	44	6.7	37	2.8	61	3	280		29.98			30.18	FM-15	0.00	30.16
05	2354	7	OVC:08 10	10.00		51	10.6	45	7.2	38	3.3	61	5	250		29.97			30.16	FM-15	0.00	30.15
06	0054	7	SCT:04 10 BKN:07 29	10.00		49	9.4	44	6.7	38	3.3	66	3	180		29.94	8	+0.06	30.13	FM-15		30.12
06	0100	4	15	9.94		49	9.4	44	6.7	38	3.3	66	3	180		29.94	8	+0.06	30.13	FM-12		
06	0154	7	SCT:04 29 BKN:07 43	10.00		46	7.8	42	5.6	38	3.3	73	3	150		29.92			30.11	FM-15		30.10
06	0254	7	SCT:04 43	10.00		45	7.2	42	5.6	38	3.3	77	5	240		29.90			30.10	FM-15		30.08
06	0354	7	SCT:04 43	10.00		44	6.7	41	5.0	38	3.3	79	0	000		29.88	8	+0.05	30.08	FM-15		30.06
06	0454	7	BKN:07 30 BKN:07 49	10.00		44	6.7	43	6.1	41	5.0	89	8	190		29.86			30.05	FM-15		30.04
06	0554	7	FEW:02 10 SCT:04 49	10.00		44	6.7	43	6.1	42	5.6	93	6	190		29.84			30.04	FM-15		30.02
06	0654	7	FEW:02 30 SCT:04 140 SCT:04 250	10.00		45	7.2	45	7.2	44	6.7	97	7	180		29.84	6	+0.05	30.03	FM-15		30.02
06	0700	4	26	9.94		45	7.2	45	7.2	44	6.7	97	7	180		29.84	6	+0.05	30.03	FM-12		
06	0754	7	FEW:02 30 BKN:07 120 BKN:07 250	9.00		48	8.9	48	8.9	47	8.3	96	7	190		29.82			30.01	FM-15		30.00
06	0854	7	FEW:02 30 SCT:04 140 BKN:07 250	10.00		51	10.6	50	10.0	50	10.0	96	7	200		29.81			30.00	FM-15		29.99
06	0954	7	SCT:04 120 BKN:07 250	10.00		56	13.3	54	12.2	52	11.1	87	14	200		29.79	8	+0.05	29.98	FM-15		29.97
06	1054	7	FEW:02 90	10.00		62	16.7	56	13.3	52	11.1	70	16	200		29.76			29.95	FM-15		29.94
06	1154	7	FEW:02 40 FEW:02 150	10.00		66	18.9	59	15.0	53	11.7	63	13	200		29.70			29.89	FM-15		29.88
06	1254	7	FEW:02 150	10.00		68	20.0	60	15.6	54	12.2	60	24	200	30	29.66	8	+0.12		FM-15		29.84
06	1300	4		9.94		68	20.0	60	15.6	54	12.2	60	24	200		29.66	8	+0.12		FM-12		
06	1354	7	SCT:04 150 BKN:07 250	10.00		69	20.6	60	15.6	53	11.7	57	18	200	28	29.63			29.82	FM-15		29.81
06	1454	7	SCT:04 150 BKN:07 250	10.00		69	20.6	60	15.6	53	11.7	57	16	190	28	29.60			29.79	FM-15	0.00	29.78

06	1554	7	FEW:02 150 OVC:08 300	10.00		67	19.4	59	15.0	53	11.7	61	16	190	26	29.58	6	+0.08	29.78	FM-15	0.00	29.76
06	1654	7	FEW:02 150 OVC:08 300	10.00		66	18.9	59	15.0	53	11.7	63	16	190		29.59			29.78	FM-15	0.00	29.77
06	1754	7	OVC:08 300	10.00		66	18.9	59	15.0	53	11.7	63	21	200	26	29.59			29.78	FM-15	0.00	29.77
06	1854	7	OVC:08 300	10.00		65	18.3	58	14.4	53	11.7	66	15	210	23	29.59	3	-0.01	29.78	FM-15	0.00	29.77
06	1900	4		9.94		65	18.3	58	14.4	53	11.7	66	15	210		29.59	3	-0.01	29.78	FM-12		
06	1954	7	SCT:04 50 BKN:07 70 OVC:08 300	10.00		65	18.3	58	14.4	53	11.7	66	10	210		29.61			29.80	FM-15	0.00	29.79
06	2054	7	BKN:07 48 OVC:08 85	10.00		65	18.3	58	14.4	53	11.7	66	7	240		29.64			29.83	FM-15	0.00	29.82
06	2136	7	FEW:02 45 OVC:08 55	10.00		64	17.8	54	12.2	44	6.7	48	24	300	39	29.68				FM-16		29.86
06	2154	7	OVC:08 50	10.00		63	17.2	52	11.1	41	5.0	45	22	300	31	29.71	3	-0.12	29.90	FM-15	0.00	29.89
06	2254	7	OVC:08 49	10.00		58	14.4	47	8.3	34	1.1	41	23	330	26	29.79			29.98	FM-15	0.00	29.97
06	2354	7	FEW:02 55 BKN:07 75 OVC:08 300	10.00		53	11.7	39	3.9	17	-8.3	24	17	320	24	29.83			30.03	FM-15	0.00	30.01
07	0054	7	OVC:08 80	10.00		50	10.0	37	2.8	13	-10.6	22	11	330		29.86	1	-0.15		FM-15	0.00	30.04
07	0100	4	74	9.94		50	10.0	37	2.8	13	-10.6	22	11	330		29.86	1	-0.15		FM-12		
07	0154	7	BKN:07 75	10.00		46	7.8	34	1.1	11	-11.7	24	13	340		29.90			30.09	FM-15	0.00	30.08
07	0254	7	FEW:02 75	10.00		41	5.0	31	-0.6	9	-12.8	27	9	360		29.93			30.13	FM-15	0.00	30.11
07	0354	7	FEW:02 75	10.00		40	4.4	31	-0.6	13	-10.6	33	14	020		29.96	1	-0.10	30.15	FM-15	0.00	30.14
07	0454	7	CLR:00	10.00		38	3.3	30	-1.1	15	-9.4	39	11	010		29.99			30.18	FM-15	0.00	30.17
07	0554	7	CLR:00	10.00		35	1.7	29	-1.7	16	-8.9	46	7	010		30.02			30.22	FM-15	0.00	30.20
07	0654	7	FEW:02 80 SCT:04 250	10.00		34	1.1	29	-1.7	18	-7.8	52	8	020		30.05	3	-0.09	30.25	FM-15	0.00	30.23
07	0700	4	74	9.94		34	1.1	29	-1.7	18	-7.8	52	8	020		30.05	3	-0.09	30.25	FM-12		
07	0754	7	BKN:07 150 BKN:07 250	10.00		36	2.2	30	-1.1	18	-7.8	48	8	030		30.06			30.26	FM-15	0.00	30.24
07	0854	7	SCT:04 250 BKN:07 300	10.00		38	3.3	31	-0.6	19	-7.2	46	8	030		30.08			30.28	FM-15	0.00	30.26
07	0954	7	FEW:02 250 BKN:07 300	10.00		41	5.0	33	0.6	18	-7.8	39	9	010		30.10	3	-0.04	30.29	FM-15	0.00	30.28
07	1054	7	BKN:07 300	10.00		42	5.6	33	0.6	17	-8.3	36	5	360		30.08			30.27	FM-15	0.00	30.26
07	1154	7	BKN:07 300	10.00		45	7.2	35	1.7	16	-8.9	31	3	VRB		30.05			30.24	FM-15	0.00	30.23
07	1254	7	SCT:04 300	10.00		47	8.3	36	2.2	15	-9.4	28	3	330		30.03	7	+0.06	30.22	FM-15	0.00	30.21
07	1300	4		9.94		47	8.3	36	2.2	15	-9.4	28	3	330		30.03	7	+0.06	30.22	FM-12		
07	1354	7	FEW:02 250 SCT:04 300	10.00		47	8.3	36	2.2	15	-9.4	28	0	000		30.01			30.21	FM-15	0.00	30.19
07	1454	7	FEW:02 250 SCT:04 300	10.00		48	8.9	36	2.2	14	-10.0	25	0	000		30.00			30.20	FM-15	0.00	30.18
07	1554	7	FEW:02 200 SCT:04 300	10.00		46	7.8	35	1.7	15	-9.4	29	0	000		30.00	6	+0.04	30.19	FM-15	0.00	30.18
07	1654	7	FEW:02 200 SCT:04 300	10.00		44	6.7	34	1.1	17	-8.3	34	0	000		30.00			30.20	FM-15	0.00	30.18
07	1754	7	SCT:04 300	10.00		39	3.9	32	0.0	20	-6.7	46	0	000		30.01			30.20	FM-15	0.00	30.19
07	1854	7	SCT:04 300	10.00		37	2.8	30	-1.1	18	-7.8	46	7	080		30.01	2	-0.01	30.21	FM-15	0.00	30.19
07	1900	4		9.94		37	2.8	30	-1.1	18	-7.8	46	7	080		30.01	2	-0.01	30.21	FM-12		
07	1954	7	FEW:02 300	10.00		36	2.2	31	-0.6	22	-5.6	57	5	090		30.01			30.21	FM-15	0.00	30.19
07	2054	7	FEW:02 300	10.00		36	2.2	31	-0.6	22	-5.6	57	0	000		30.01			30.20	FM-15	0.00	30.19
07	2154	7	BKN:07 300	10.00		35	1.7	31	-0.6	23	-5.0	61	3	070		29.99	8	+0.02	30.19	FM-15	0.00	30.17
07	2254	7	SCT:04 200 BKN:07 300	10.00		34	1.1	30	-1.1	24	-4.4	67	0	000		29.98			30.18	FM-15	0.00	30.16
07	2354	7	SCT:04 200 OVC:08 300	10.00		34	1.1	31	-0.6	26	-3.3	73	5	030		29.96			30.16	FM-15	0.00	30.14
08	0054	7	SCT:04 240 BKN:07 300	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		29.93	8	+0.06	30.13	FM-15	0.00	30.11
08	0100	4		9.94		33	0.6	30	-1.1	25	-3.9	72	0	000		29.93	8	+0.06	30.13	FM-12		

08	0154	7	SCT:04 95 BKN:07 250	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		29.94			30.13	FM-15	0.00	30.12
08	0254	7	OVC:08 100	10.00		34	1.1	31	-0.6	27	-2.8	75	0	000		29.92			30.11	FM-15	0.00	30.10
08	0354	7	OVC:08 65	10.00		36	2.2	33	0.6	27	-2.8	70	0	000		29.89	8	+0.04	30.09	FM-15	0.00	30.07
08	0454	7	OVC:08 60	10.00		37	2.8	33	0.6	27	-2.8	67	5	070		29.86			30.06	FM-15	T	30.04
08	0554	7	OVC:08 60	10.00	-RA:02 RA RA	37	2.8	34	1.1	30	-1.1	76	6	050		29.86			30.06	FM-15	T	30.04
08	0654	7	BKN:07 65 OVC:08 80	10.00		37	2.8	34	1.1	30	-1.1	76	7	010		29.89	5	0.00	30.08	FM-15	T	30.07
08	0700	4	57	9.94		37	2.8	34	1.1	30	-1.1	76	7	010		29.89	5	0.00	30.08	FM-12		
08	0754	7	BKN:07 65 OVC:08 80	10.00		37	2.8	35	1.7	31	-0.6	79	5	030		29.87			30.06	FM-15	T	30.05
08	0805	7	OVC:08 65	10.00	-PL:06 RA:02 RA PL RA PL	37	2.8	35	1.7	31	-0.6	79	5	010		29.88				FM-16	T	30.06
08	0819	7	OVC:08 65	10.00		37	2.8	35	1.7	32	0.0	82	7	060		29.86				FM-16	T	30.04
08	0854	7	OVC:08 60	10.00		38	3.3	36	2.2	32	0.0	79	7	030		29.87			30.06	FM-15	T	30.05
08	0954	7	BKN:07 65 OVC:08 80	10.00		40	4.4	37	2.8	33	0.6	77	7	040		29.85	6	+0.04	30.05	FM-15	0.00	30.03
08	1054	7	BKN:07 60 OVC:08 75	10.00		41	5.0	38	3.3	33	0.6	73	7	070		29.83			30.02	FM-15	0.00	30.01
08	1115	7	OVC:08 60	10.00	-PL:06 RA:02 RA PL RA PL	41	5.0	38	3.3	33	0.6	73	3	050		29.83				FM-16	T	30.01
08	1124	7	BKN:07 60 OVC:08 75	10.00	-RA:02 RA RA	41	5.0	38	3.3	34	1.1	76	0	000		29.84				FM-16	T	30.02
08	1154	7	BKN:07 60 OVC:08 75	10.00	-RA:02 RA RA	42	5.6	38	3.3	33	0.6	71	6	360		29.81			30.01	FM-15	T	29.99
08	1223	7	BKN:07 60 OVC:08 75	10.00	-PL:06 RA:02 RA PL RA PL	42	5.6	38	3.3	32	0.0	68	5	360		29.79				FM-16	T	29.97
08	1230	7	BKN:07 60 OVC:08 70	10.00		42	5.6	38	3.3	32	0.0	68	7	350		29.78				FM-16	T	29.96
08	1254	7	BKN:07 60 OVC:08 120	10.00		41	5.0	38	3.3	33	0.6	73	5	010		29.77	8	+0.09	29.96	FM-15	T	29.95
08	1300	4	57	9.94		41	5.0	38	3.3	33	0.6	73	5	010		29.77	8	+0.09	29.96	FM-12		
08	1354	7	FEW:02 60 BKN:07 90 OVC:08 300	10.00		41	5.0	38	3.3	33	0.6	73	6	020		29.73			29.93	FM-15	0.00	29.91
08	1454	7	BKN:07 90 BKN:07 300	10.00		43	6.1	38	3.3	32	0.0	65	3	320		29.72			29.92	FM-15	0.00	29.90
08	1554	7	FEW:02 90 FEW:02 300	10.00		43	6.1	38	3.3	31	-0.6	63	3	300		29.73	5	+0.04	29.92	FM-15	0.00	29.91
08	1654	7	FEW:02 90	10.00		42	5.6	37	2.8	30	-1.1	62	5	300		29.75			29.94	FM-15	0.00	29.93
08	1754	7	FEW:02 100	10.00		38	3.3	35	1.7	30	-1.1	73	3	240		29.75			29.95	FM-15	0.00	29.93
08	1854	7	CLR:00	10.00		35	1.7	33	0.6	29	-1.7	78	3	170		29.78	3	-0.05	29.98	FM-15	0.00	29.96
08	1900	4		9.94		35	1.7	33	0.6	29	-1.7	78	3	170		29.78	3	-0.05	29.98	FM-12		
08	1954	7	CLR:00	10.00		33	0.6	31	-0.6	28	-2.2	82	0	000		29.81			30.00	FM-15	0.00	29.99
08	2054	7	FEW:02 70	10.00		31	-0.6	30	-1.1	27	-2.8	85	0	000		29.82			30.02	FM-15	0.00	30.00
08	2154	7	FEW:02 55	10.00		33	0.6	31	-0.6	28	-2.2	82	5	320		29.85	1	-0.07	30.04	FM-15	0.00	30.03
08	2254	7	FEW:02 55	10.00		34	1.1	31	-0.6	27	-2.8	75	7	330		29.89			30.09	FM-15	0.00	30.07
08	2354	7	CLR:00	10.00		32	0.0	30	-1.1	26	-3.3	79	7	340		29.93			30.12	FM-15	0.00	30.11
09	0054	7	CLR:00	10.00		32	0.0	30	-1.1	26	-3.3	79	3	350		29.93	1	-0.09	30.13	FM-15	0.00	30.11
09	0100	4		9.94		32	0.0	30	-1.1	26	-3.3	79	3	350		29.93	1	-0.09	30.13	FM-12		
09	0154	7	CLR:00	10.00		31	-0.6	29	-1.7	24	-4.4	76	6	020		29.95			30.15	FM-15	0.00	30.13
09	0254	7	CLR:00	10.00		30	-1.1	28	-2.2	23	-5.0	75	7	360		29.99			30.19	FM-15	0.00	30.17
09	0354	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	7	020		30.00	1	-0.06	30.20	FM-15	0.00	30.18
09	0454	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	3	020		30.02			30.22	FM-15	0.00	30.20
09	0554	7	CLR:00	10.00		26	-3.3	24	-4.4	21	-6.1	81	0	000		30.02			30.22	FM-15	0.00	30.20
09	0654	7	FEW:02 250	10.00		28	-2.2	26	-3.3	22	-5.6	78	3	020		30.07	3	-0.07	30.27	FM-15	0.00	30.25
09	0700	4		9.94		28	-2.2	26	-3.3	22	-5.6	78	3	020		30.07	3	-0.07	30.27	FM-12		
09	0754	7	BKN:07 250	10.00		30	-1.1	28	-2.2	24	-4.4	79	0	000		30.07			30.27	FM-15	0.00	30.25
09	0854	7	OVC:08 300	10.00		34	1.1	31	-0.6	26	-3.3	73	3	090		30.09			30.29	FM-15	0.00	30.27
09	0954	7	OVC:08 300	10.00		39	3.9	34	1.1	26	-3.3	60	5	090		30.11	3	-0.04	30.30	FM-15	0.00	30.29
09	1054	7	FEW:02 250 OVC:08 300	10.00		41	5.0	35	1.7	25	-3.9	53	7	VRB		30.13			30.32	FM-15	0.00	30.31

09	1154	7	SCT:04 250 OVC:08 300	10.00		42	5.6	35	1.7	22	-5.6	45	5	070		30.09			30.28	FM-15	0.00	30.27
09	1254	7	FEW:02 240 OVC:08 300	10.00		43	6.1	35	1.7	22	-5.6	43	3	VRB		30.08	8	+0.02	30.28	FM-15	0.00	30.26
09	1300	4		9.94		43	6.1	35	1.7	22	-5.6	43	3			30.08	8	+0.02	30.28	FM-12		
09	1354	7	BKN:07 240 OVC:08 300	10.00		44	6.7	36	2.2	23	-5.0	43	6	150		30.06			30.26	FM-15	0.00	30.24
09	1454	7	BKN:07 200 OVC:08 300	10.00		43	6.1	36	2.2	24	-4.4	47	8	190		30.05			30.25	FM-15	0.00	30.23
09	1554	7	SCT:04 200 BKN:07 300	10.00		43	6.1	36	2.2	24	-4.4	47	6	170		30.06	5	+0.02	30.25	FM-15	0.00	30.24
09	1654	7	FEW:02 180 SCT:04 250	10.00		38	3.3	33	0.6	24	-4.4	57	7	180		30.07			30.27	FM-15	0.00	30.25
09	1754	7	FEW:02 190	10.00		36	2.2	32	0.0	25	-3.9	64	8	170		30.07			30.27	FM-15	0.00	30.25
09	1854	7	SCT:04 250	10.00		36	2.2	32	0.0	25	-3.9	64	8	140		30.06	0	0.00	30.26	FM-15	0.00	30.24
09	1900	4		9.94		36	2.2	32	0.0	25	-3.9	64	8	140		30.06	9	0.00	30.26	FM-12		
09	1954	7	FEW:02 250	10.00		33	0.6	30	-1.1	26	-3.3	75	5	160		30.06			30.25	FM-15	0.00	30.24
09	2054	7	FEW:02 250	10.00		34	1.1	31	-0.6	26	-3.3	73	3	100		30.06			30.26	FM-15	0.00	30.24
09	2154	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	3	110		30.05	8	0.00	30.25	FM-15	0.00	30.23
09	2254	7	CLR:00	10.00		30	-1.1	29	-1.7	26	-3.3	85	5	150		30.04			30.24	FM-15	0.00	30.22
09	2354	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	5	180		30.02			30.22	FM-15	0.00	30.20
10	0054	7	BKN:07 41	10.00		32	0.0	31	-0.6	29	-1.7	88	5	190		30.01	8	+0.05	30.20	FM-15	0.00	30.19
10	0100	4	41	9.94		32	0.0	31	-0.6	29	-1.7	88	5	190		30.01	8	+0.05	30.20	FM-12		
10	0154	7	OVC:08 40	10.00		35	1.7	33	0.6	31	-0.6	85	7	190		29.99			30.19	FM-15	0.00	30.17
10	0254	7	OVC:08 70	10.00		37	2.8	35	1.7	31	-0.6	79	9	200		29.99			30.18	FM-15	0.00	30.17
10	0354	7	BKN:07 36 OVC:08 75	10.00		38	3.3	36	2.2	32	0.0	79	7	180		29.98	6	+0.02	30.18	FM-15	0.00	30.16
10	0454	7	BKN:07 35 OVC:08 75	10.00		38	3.3	36	2.2	32	0.0	79	7	180		29.98			30.17	FM-15	0.00	30.16
10	0542	7	BKN:07 27 OVC:08 60	10.00		39	3.9	37	2.8	33	0.6	79	7	190		29.98				FM-16		30.16
10	0554	7	OVC:08 26	10.00		39	3.9	37	2.8	33	0.6	79	7	190		29.98			30.17	FM-15	0.00	30.16
10	0624	7	FEW:02 28 OVC:08 55	10.00		39	3.9	37	2.8	33	0.6	79	5	180		29.98				FM-16		30.16
10	0654	7	FEW:02 25 BKN:07 55	10.00		39	3.9	37	2.8	33	0.6	79	7	190		29.98	3	0.00	30.18	FM-15	0.00	30.16
10	0700	4	26	9.94		39	3.9	37	2.8	33	0.6	79	7	190		29.98			30.18	FM-12		
10	0705	7	BKN:07 24 BKN:07 55	10.00		40	4.4	37	2.8	33	0.6	77	8	200		29.99				FM-16		30.17
10	0754	7	BKN:07 19 BKN:07 49 OVC:08 300	10.00		42	5.6	39	3.9	34	1.1	73	6	190		29.99			30.19	FM-15	0.00	30.17
10	0823	7	FEW:02 17 BKN:07 49 OVC:08 300	10.00		43	6.1	39	3.9	34	1.1	71	8	210		30.00				FM-16		30.18
10	0854	7	BKN:07 50 OVC:08 300	10.00		44	6.7	40	4.4	35	1.7	71	8	200		30.01			30.21	FM-15	0.00	30.19
10	0954	7	FEW:02 48 OVC:08 65	10.00		46	7.8	42	5.6	36	2.2	68	7	200		30.01	1	-0.03	30.21	FM-15	0.00	30.19
10	1054	7	OVC:08 60	10.00		47	8.3	43	6.1	38	3.3	71	6	180		29.99			30.19	FM-15	0.00	30.17
10	1154	7	OVC:08 55	10.00		49	9.4	44	6.7	39	3.9	69	7	170		29.97			30.16	FM-15	0.00	30.15
10	1254	7	OVC:08 47	10.00		50	10.0	45	7.2	40	4.4	68	5	170		29.94	8	+0.07	30.14	FM-15	0.00	30.12
10	1300	4	41	9.94		50	10.0	45	7.2	40	4.4	68	5	170		29.94	8	+0.07	30.14	FM-12		
10	1354	7	BKN:07 43 BKN:07 65 OVC:08 300	10.00		54	12.2	48	8.9	41	5.0	62	7	180		29.92			30.11	FM-15	0.00	30.10
10	1454	7	SCT:04 65 BKN:07 150 OVC:08 200	10.00		54	12.2	49	9.4	43	6.1	67	6	180		29.90			30.10	FM-15	0.00	30.08
10	1554	7	OVC:08 32	10.00	-RA:02 RA RA	54	12.2	49	9.4	44	6.7	69	8	140		29.90	6	+0.04	30.10	FM-15	T	30.08

10	1654	7	BKN:07 35 BKN:07 80 OVC:08 100	10.00		54	12.2	49	9.4	45	7.2	72	3	120		29.92			30.12	FM-15	T	30.10
10	1754	7	BKN:07 30 OVC:08 75	10.00		52	11.1	50	10.0	48	8.9	86	3	170		29.94			30.14	FM-15	T	30.12
10	1854	7	BKN:07 28 OVC:08 75	10.00		52	11.1	50	10.0	49	9.4	89	7	160		29.92	0	-0.02	30.12	FM-15	0.02	30.10
10	1900	4	26	9.94		52	11.1	50	10.0	49	9.4	89	7	160		29.92	9	+0.02	30.12	FM-12		
10	1954	7	OVC:08 27	10.00	-RA:02 RA RA	51	10.6	50	10.0	49	9.4	92	8	170		29.92			30.11	FM-15	T	30.10
10	2054	7	OVC:08 24	10.00		51	10.6	50	10.0	49	9.4	92	7	170		29.91			30.11	FM-15	0.00	30.09
10	2154	7	OVC:08 25	10.00		52	11.1	51	10.6	50	10.0	93	8	170		29.89	8	+0.03	30.09	FM-15	0.00	30.07
10	2254	7	OVC:08 23	10.00		53	11.7	52	11.1	51	10.6	93	7	190		29.89			30.08	FM-15	0.00	30.07
10	2354	7	OVC:08 17	10.00		53	11.7	52	11.1	52	11.1	96	7	200		29.88			30.07	FM-15	0.00	30.06
11	0004	7	BKN:07 9 OVC:08 18	7.00		53	11.7	52	11.1	52	11.1	96	6	190		29.87				FM-16		30.05
11	0052	6	SCT:04 9 OVC:08 21	9.00		54	12.2	53	11.7	52	11.1	94	5	190		29.84				FM-16		30.02
11	0054	7	SCT:04 9 OVC:08 21	9.00		53	11.7	52	11.1	52	11.1	96	5	190		29.84	8	+0.05	30.03	FM-15	0.00	30.02
11	0100	4	8	8.70		53	11.7	52	11.1	52	11.1	96	5	190		29.84	8	+0.05	30.03	FM-12		
11	0154	7	FEW:02 9 OVC:08 17	10.00		54	12.2	53	11.7	52	11.1	93	8	190		29.83			30.02	FM-15	0.00	30.01
11	0240	7	BKN:07 14 OVC:08 21	10.00		54	12.2	52	11.1	51	10.6	90	7	190		29.83				FM-16		30.01
11	0254	7	BKN:07 14 OVC:08 20	10.00		54	12.2	52	11.1	51	10.6	90	7	190		29.82			30.01	FM-15	0.00	30.00
11	0354	7	SCT:04 13 BKN:07 18 OVC:08 30	10.00		54	12.2	53	11.7	52	11.1	93	7	180		29.80	8	+0.04	29.99	FM-15	0.00	29.98
11	0426	7	BKN:07 12 OVC:08 25	9.00		54	12.2	53	11.7	52	11.1	93	7	190		29.79				FM-16		29.97
11	0454	7	OVC:08 12	9.00		54	12.2	53	11.7	52	11.1	93	8	170		29.78			29.98	FM-15	0.00	29.96
11	0520	7	SCT:04 12 BKN:07 60 OVC:08 100	9.00		54	12.2	53	11.7	53	11.7	97	9	170		29.77				FM-16		29.95
11	0528	7	BKN:07 12 BKN:07 20 OVC:08 100	9.00		54	12.2	53	11.7	53	11.7	97	9	180		29.77				FM-16		29.95
11	0554	7	OVC:08 9	9.00		55	12.8	54	12.2	53	11.7	93	9	190		29.77			29.96	FM-15	0.00	29.95
11	0654	7	OVC:08 7	8.00		56	13.3	55	12.8	54	12.2	93	11	180		29.76	6	+0.04	29.96	FM-15	0.00	29.94
11	0700	4	8	7.46		56	13.3	55	12.8	54	12.2	93	11	180		29.76	6	+0.04	29.96	FM-12		
11	0754	7	OVC:08 5	4.00	-DZ:01 BR:1 DZ DZ	57	13.9	56	13.3	56	13.3	96	9	190		29.78			29.97	FM-15	T	29.96
11	0804	7	OVC:08 5	2.00	-DZ:01 BR:1 DZ DZ	57	13.9	56	13.3	56	13.3	96	11	170		29.77				FM-16	T	29.95
11	0852	6	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	57	13.9	57	13.9	57	13.9	100	15	200		29.77				FM-16		29.95
11	0854	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	58	14.4	58	14.4	58	14.4	100	14	200		29.77			29.96	FM-15	T	29.95
11	0924	7	OVC:08 5	3.00	BR:1	59	15.0	58	14.4	58	14.4	96	14	190		29.77				FM-16	T	29.95
11	0954	7	OVC:08 6	3.00	BR:1	60	15.6	59	15.0	59	15.0	96	14	170		29.75	8	+0.01	29.94	FM-15	T	29.93
11	1054	7	BKN:07 8 OVC:08 13	10.00		64	17.8	62	16.7	61	16.1	90	14	190		29.72			29.92	FM-15	0.00	29.90
11	1145	7	BKN:07 11 OVC:08 17	10.00		67	19.4	64	17.8	62	16.7	84	14	200		29.68				FM-16		29.86
11	1154	7	BKN:07 11 OVC:08 17	10.00		67	19.4	64	17.8	62	16.7	84	17	200		29.68			29.87	FM-15	0.00	29.86
11	1252	6	BKN:07 16 OVC:08 22	10.00		70	21.1	66	18.9	63	17.2	78	20	190	31	29.62				FM-16		29.80
11	1254	7	BKN:07 16 OVC:08 22	10.00		70	21.1	65	18.3	62	16.7	76	26	190	36	29.62	8	+0.13	29.81	FM-15	0.00	29.80
11	1300	4	15	9.94		70	21.1	65	18.3	62	16.7	76	26	190		29.62	8	+0.13	29.81	FM-12		
11	1354	7	SCT:04 18 OVC:08 24	10.00		71	21.7	66	18.9	63	17.2	76	17	190	28	29.60			29.79	FM-15	0.00	29.78
11	1452	6	SCT:04 25 OVC:08 45	10.00		72	22.2	66	18.9	63	17.2	73	18	200	28	29.59				FM-16		29.77

11	1454	7	SCT:04 25 OVC:08 45	10.00		71	21.7	65	18.3	62	16.7	73	21	190	28	29.59			29.78	FM-15	0.00	29.77
11	1523	7	BKN:07 25 BKN:07 38	10.00		71	21.7	66	18.9	63	17.2	76	20	200	28	29.60				FM-16		29.78
11	1554	7	BKN:07 28 OVC:08 35	10.00		71	21.7	66	18.9	63	17.2	76	17	200		29.59	5	+0.03	29.79	FM-15	0.00	29.77
11	1618	7	FEW:02 25 BKN:07 33 OVC:08 47	10.00		71	21.7	66	18.9	63	17.2	76	14	210		29.59				FM-16		29.77
11	1654	7	SCT:04 29 BKN:07 40 OVC:08 60	10.00		70	21.1	66	18.9	63	17.2	79	14	190		29.58			29.78	FM-15	0.00	29.76
11	1754	7	FEW:02 26 BKN:07 75 OVC:08 250	10.00		71	21.7	65	18.3	61	16.1	71	18	200		29.59			29.78	FM-15	0.00	29.77
11	1808	7	SCT:04 30 BKN:07 38 BKN:07 75	10.00		70	21.1	63	17.2	58	14.4	66	17	260	24	29.60				FM-16		29.78
11	1854	7	BKN:07 34 OVC:08 60	10.00	-RA:02 RA RA	64	17.8	61	16.1	59	15.0	84	20	220	31	29.61	3	-0.02	29.80	FM-15	0.07	29.79
11	1900	4	41	9.94	RA	64	17.8	61	16.1	59	15.0	84	20	220		29.61	3	-0.02	29.80	FM-12		
11	1954	7	FEW:02 40 OVC:08 85	10.00	-RA:02 RA RA	62	16.7	60	15.6	59	15.0	90	18	210		29.61			29.80	FM-15	0.01	29.79
11	2054	7	FEW:02 80 OVC:08 100	10.00	-RA:02 RA RA	61	16.1	60	15.6	59	15.0	93	11	210		29.60			29.80	FM-15	0.02	29.78
11	2154	7	OVC:08 110	10.00	-RA:02 RA RA	61	16.1	60	15.6	59	15.0	93	10	210		29.60	8	+0.01	29.80	FM-15	0.02	29.78
11	2254	7	SCT:04 15 BKN:07 40 OVC:08 100	6.00	-RA:02 BR:1 RA RA	60	15.6	58	14.4	56	13.3	86	26	270	37	29.67			29.87	FM-15	0.01	29.85
11	2301	7	FEW:02 17 BKN:07 35 OVC:08 90	5.00	-RA:02 BR:1 RA RA	58	14.4	55	12.8	53	11.7	84	24	290	36	29.71				FM-16	0.01	29.89
11	2354	7	FEW:02 35 BKN:07 47 OVC:08 60	10.00		58	14.4	54	12.2	51	10.6	78	13	300		29.71			29.90	FM-15	T	29.89
12	0054	7	FEW:02 47 OVC:08 60	10.00		54	12.2	47	8.3	39	3.9	57	14	320	22	29.73	1	-0.13	29.93	FM-15	0.00	29.91
12	0100	4	41	9.94		54	12.2	47	8.3	39	3.9	57	14	320		29.73	1	-0.13	29.93	FM-12		
12	0154	7	BKN:07 70 OVC:08 150	10.00		52	11.1	44	6.7	33	0.6	49	15	330		29.77			29.96	FM-15	0.00	29.95
12	0254	7	BKN:07 80 OVC:08 150	10.00		50	10.0	42	5.6	31	-0.6	48	15	340		29.84			30.03	FM-15	0.00	30.02
12	0354	7	BKN:07 90 OVC:08 170	10.00		47	8.3	40	4.4	29	-1.7	50	17	340		29.88	3	-0.15	30.08	FM-15	0.00	30.06
12	0454	7	SCT:04 90 OVC:08 170	10.00		46	7.8	39	3.9	30	-1.1	54	13	360		29.91			30.11	FM-15	0.00	30.09
12	0554	7	SCT:04 180 OVC:08 250	10.00		44	6.7	38	3.3	29	-1.7	55	8	360		29.97			30.16	FM-15	0.00	30.15
12	0654	7	SCT:04 250	10.00		40	4.4	35	1.7	28	-2.2	63	6	360		30.02	3	-0.14	30.22	FM-15	0.00	30.20
12	0700	4		9.94		40	4.4	35	1.7	28	-2.2	63	6	360		30.02	3	-0.14	30.22	FM-12		
12	0754	7	FEW:02 90	10.00		40	4.4	36	2.2	29	-1.7	65	6	340		30.06			30.25	FM-15	0.00	30.24
12	0854	7	FEW:02 90	10.00		45	7.2	38	3.3	28	-2.2	52	8	340		30.09			30.28	FM-15	0.00	30.27
12	0954	7	CLR:00	10.00		47	8.3	38	3.3	24	-4.4	41	13	360		30.12	1	-0.10	30.32	FM-15	0.00	30.30
12	1054	7	CLR:00	10.00		49	9.4	38	3.3	22	-5.6	35	9	310		30.13			30.33	FM-15	0.00	30.31
12	1154	7	CLR:00	10.00		50	10.0	38	3.3	18	-7.8	28	10	360		30.12			30.31	FM-15	0.00	30.30
12	1254	7	CLR:00	10.00		51	10.6	39	3.9	20	-6.7	29	9	270		30.11	8	+0.01	30.31	FM-15	0.00	30.29
12	1300	4		9.94		51	10.6	39	3.9	20	-6.7	29	9	270		30.11	8	+0.01	30.31	FM-12		
12	1354	7	CLR:00	10.00		51	10.6	39	3.9	19	-7.2	28	7	310		30.11			30.30	FM-15	0.00	30.29
12	1454	7	CLR:00	10.00		51	10.6	39	3.9	18	-7.8	27	5	260		30.13			30.32	FM-15	0.00	30.31
12	1554	7	CLR:00	10.00		50	10.0	38	3.3	18	-7.8	28	7	300		30.14	3	-0.03	30.33	FM-15	0.00	30.32
12	1654	7	FEW:02 90	10.00		47	8.3	36	2.2	18	-7.8	31	5	300		30.14			30.33	FM-15	0.00	30.32
12	1754	7	CLR:00	10.00		43	6.1	35	1.7	21	-6.1	42	0	000		30.15			30.35	FM-15	0.00	30.33

12	1854	7	CLR:00	10.00		38	3.3	33	0.6	25	-3.9	60	0	000		30.16	3	-0.02	30.36	FM-15	0.00	30.34
12	1900	4		9.94		38	3.3	33	0.6	25	-3.9	60	0	000		30.16	3	-0.02	30.36	FM-12		
12	1954	7	CLR:00	10.00		34	1.1	31	-0.6	25	-3.9	70	3	230		30.17			30.36	FM-15	0.00	30.35
12	2054	7	CLR:00	10.00		34	1.1	31	-0.6	25	-3.9	70	0	000		30.17			30.37	FM-15	0.00	30.35
12	2154	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		30.18	3	-0.02	30.38	FM-15	0.00	30.36
12	2254	7	CLR:00	10.00		32	0.0	29	-1.7	24	-4.4	73	0	000		30.19			30.39	FM-15	0.00	30.37
12	2354	7	CLR:00	10.00		31	-0.6	29	-1.7	24	-4.4	76	3	180		30.19			30.39	FM-15	0.00	30.37
13	0054	7	CLR:00	10.00		31	-0.6	28	-2.2	23	-5.0	72	5	180		30.19	0	-0.01	30.38	FM-15	0.00	30.37
13	0100	4		9.94		31	-0.6	28	-2.2	23	-5.0	72	5	180		30.19	9	+0.01	30.38	FM-12		
13	0154	7	CLR:00	10.00		32	0.0	29	-1.7	24	-4.4	73	0	000		30.19			30.38	FM-15	0.00	30.37
13	0254	7	CLR:00	10.00		31	-0.6	29	-1.7	24	-4.4	76	0	000		30.20			30.39	FM-15	0.00	30.38
13	0354	7	CLR:00	10.00		29	-1.7	27	-2.8	24	-4.4	82	0	000		30.20	3	-0.02	30.40	FM-15	0.00	30.38
13	0454	7	CLR:00	10.00		27	-2.8	26	-3.3	23	-5.0	85	3	140		30.19			30.39	FM-15	0.00	30.37
13	0554	7	CLR:00	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.20			30.40	FM-15	0.00	30.38
13	0654	7	FEW:02 200	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.22	3	-0.01	30.42	FM-15	0.00	30.40
13	0700	4		9.94		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.22	3	-0.01	30.42	FM-12		
13	0754	7	FEW:02 250	10.00		30	-1.1	28	-2.2	25	-3.9	82	3	190		30.23			30.43	FM-15	0.00	30.41
13	0854	7	FEW:02 300	10.00		37	2.8	34	1.1	28	-2.2	70	8	200		30.23			30.43	FM-15	0.00	30.41
13	0954	7	FEW:02 300	10.00		44	6.7	37	2.8	26	-3.3	49	10	220		30.23	1	-0.01	30.43	FM-15	0.00	30.41
13	1054	7	FEW:02 300	10.00		50	10.0	40	4.4	24	-4.4	36	11	210		30.21			30.41	FM-15	0.00	30.39
13	1154	7	FEW:02 300	10.00		53	11.7	41	5.0	24	-4.4	32	11	250		30.19			30.38	FM-15	0.00	30.37
13	1254	7	FEW:02 300	10.00		55	12.8	42	5.6	24	-4.4	30	14	220		30.16	8	+0.06	30.36	FM-15	0.00	30.34
13	1300	4		9.94		55	12.8	42	5.6	24	-4.4	30	14	220		30.16	8	+0.06	30.36	FM-12		
13	1354	7	SCT:04 300	10.00		55	12.8	43	6.1	25	-3.9	31	6	220		30.13			30.33	FM-15	0.00	30.31
13	1454	7	BKN:07 300	10.00		57	13.9	44	6.7	25	-3.9	29	6	VRB		30.13			30.32	FM-15	0.00	30.31
13	1554	7	BKN:07 300	10.00		56	13.3	44	6.7	27	-2.8	33	6	VRB		30.13	5	+0.03	30.33	FM-15	0.00	30.31
13	1654	7	SCT:04 300	10.00		51	10.6	41	5.0	28	-2.2	41	5	180		30.14			30.34	FM-15	0.00	30.32
13	1754	7	SCT:04 300	10.00		45	7.2	39	3.9	31	-0.6	58	0	000		30.15			30.35	FM-15	0.00	30.33
13	1854	7	FEW:02 300	10.00		45	7.2	39	3.9	30	-1.1	56	3	160		30.16	1	-0.03	30.35	FM-15	0.00	30.34
13	1900	4		9.94		45	7.2	39	3.9	30	-1.1	56	3	160		30.16	1	-0.03	30.35	FM-12		
13	1954	7	FEW:02 300	10.00		39	3.9	35	1.7	30	-1.1	70	3	160		30.17			30.37	FM-15	0.00	30.35
13	2054	7	FEW:02 300	10.00		40	4.4	36	2.2	29	-1.7	65	5	190		30.17			30.37	FM-15	0.00	30.35
13	2154	7	FEW:02 300	10.00		39	3.9	35	1.7	29	-1.7	67	3	150		30.17	1	-0.01	30.37	FM-15	0.00	30.35
13	2254	7	FEW:02 300	10.00		39	3.9	35	1.7	29	-1.7	67	5	190		30.17			30.37	FM-15	0.00	30.35
13	2354	7	FEW:02 300	10.00		37	2.8	34	1.1	30	-1.1	76	0	000		30.17			30.36	FM-15	0.00	30.35
14	0054	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		30.16	7	+0.01	30.36	FM-15	0.00	30.34
14	0100	4		9.94		34	1.1	32	0.0	29	-1.7	82	0	000		30.16	7	+0.01	30.36	FM-12		
14	0154	7	CLR:00	10.00		33	0.6	31	-0.6	29	-1.7	85	0	000		30.17			30.36	FM-15	0.00	30.35
14	0254	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		30.19			30.38	FM-15	0.00	30.37
14	0354	7	CLR:00	10.00		32	0.0	31	-0.6	28	-2.2	85	0	000		30.20	3	-0.03	30.39	FM-15	0.00	30.38
14	0454	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		30.21			30.40	FM-15	0.00	30.39
14	0554	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		30.23			30.43	FM-15	0.00	30.41
14	0654	7	FEW:02 250	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		30.25	3	-0.05	30.45	FM-15	0.00	30.43
14	0700	4		9.94		30	-1.1	29	-1.7	27	-2.8	88	0	000		30.25	3	-0.05	30.45	FM-12		
14	0754	7	FEW:02 250	10.00		31	-0.6	30	-1.1	28	-2.2	89	0	000		30.27			30.47	FM-15	0.00	30.45
14	0854	7	FEW:02 300	10.00		46	7.8	40	4.4	31	-0.6	56	6	020		30.30			30.49	FM-15	0.00	30.48
14	0954	7	FEW:02 300	10.00		53	11.7	42	5.6	26	-3.3	35	11	010		30.32	3	-0.06	30.51	FM-15	0.00	30.50
14	1054	7	FEW:02 300	10.00		55	12.8	42	5.6	23	-5.0	29	9	010		30.32			30.52	FM-15	0.00	30.50
14	1154	7	CLR:00	10.00		57	13.9	43	6.1	23	-5.0	27	9	020		30.31			30.50	FM-15	0.00	30.49
14	1254	7	CLR:00	10.00		59	15.0	44	6.7	24	-4.4	26	7	040		30.29	8	+0.03	30.49	FM-15	0.00	30.47
14	1300	4		9.94		59	15.0	44	6.7	24	-4.4	26	7	040		30.29	8	+0.03	30.49	FM-12		
14	1354	7	CLR:00	10.00		59	15.0	44	6.7	24	-4.4	26	6	360		30.29			30.49	FM-15	0.00	30.47
14	1454	7	CLR:00	10.00		60	15.6	45	7.2	25	-3.9	26	7	360		30.28			30.47	FM-15	0.00	30.46
14	1554	7	FEW:02 300	10.00		57	13.9	44	6.7	25	-3.9	29	6	050		30.29	5	0.00	30.48	FM-15	0.00	30.47
14	1654	7	FEW:02 300	10.00		52	11.1	41	5.0	26	-3.3	37	6	040		30.31			30.50	FM-15	0.00	30.49
14	1754	7	FEW:02 300	10.00		50	10.0	41	5.0	27	-2.8	41	6	050		30.33			30.53	FM-15	0.00	30.51
14	1854	7	FEW:02 300	10.00		47	8.3	39	3.9	28	-2.2	48	6	060		30.34	1	-0.05	30.54	FM-15	0.00	30.52

14	1900	4		9.94		47	8.3	39	3.9	28	-2.2	48	6	060		30.34	1	-0.05	30.54	FM-12		
14	1954	7	FEW:02 300	10.00		42	5.6	37	2.8	29	-1.7	60	3	040		30.37			30.56	FM-15	0.00	30.55
14	2054	7	CLR:00	10.00		40	4.4	36	2.2	29	-1.7	65	0	000		30.38			30.57	FM-15	0.00	30.56
14	2154	7	FEW:02 300	10.00		37	2.8	34	1.1	29	-1.7	73	3	060		30.39	1	-0.04	30.58	FM-15	0.00	30.57
14	2254	7	FEW:02 300	10.00		38	3.3	34	1.1	29	-1.7	70	3	050		30.39			30.58	FM-15	0.00	30.57
14	2354	7	FEW:02 300	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		30.39			30.58	FM-15	0.00	30.57
15	0054	7	FEW:02 250	10.00		36	2.2	34	1.1	30	-1.1	79	3	020		30.37	8	+0.01	30.57	FM-15	0.00	30.55
15	0100	4		9.94		36	2.2	34	1.1	30	-1.1	79	3	020		30.37	8	+0.01	30.57	FM-12		
15	0154	7	FEW:02 250	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		30.38			30.57	FM-15	0.00	30.56
15	0254	7	FEW:02 250	10.00		36	2.2	35	1.7	33	0.6	89	3	360		30.38			30.58	FM-15	0.00	30.56
15	0320	7	BKN:07 26	10.00		36	2.2	35	1.7	33	0.6	89	5	020		30.37				FM-16		30.55
15	0354	7	BKN:07 25	10.00		38	3.3	37	2.8	35	1.7	89	5	020		30.37	8	0.00	30.57	FM-15	0.00	30.55
15	0454	7	BKN:07 24	10.00		40	4.4	39	3.9	38	3.3	93	5	350		30.37			30.57	FM-15	0.00	30.55
15	0554	7	BKN:07 25	10.00		38	3.3	37	2.8	36	2.2	93	5	350		30.37			30.56	FM-15	0.00	30.55
15	0602	7	SCT:04 25	10.00		38	3.3	37	2.8	36	2.2	93	3	350		30.36				FM-16		30.54
15	0654	7	SCT:04 35	10.00		37	2.8	37	2.8	36	2.2	96	6	360		30.37	3	0.00	30.57	FM-15	0.00	30.55
15	0700	4	41	9.94		37	2.8	37	2.8	36	2.2	96	6	360		30.37	3	0.00	30.57	FM-12		
15	0754	7	FEW:02 45 SCT:04 300	10.00		38	3.3	37	2.8	36	2.2	93	6	350		30.38			30.58	FM-15	0.00	30.56
15	0854	7	BKN:07 55	10.00		43	6.1	42	5.6	40	4.4	89	5	010		30.38			30.58	FM-15	0.00	30.56
15	0954	7	SCT:04 55 SCT:04 300	10.00		48	8.9	45	7.2	41	5.0	77	6	020		30.38	0	-0.01	30.58	FM-15	0.00	30.56
15	1054	7	FEW:02 50 SCT:04 300	10.00		52	11.1	47	8.3	42	5.6	69	3	VRB		30.36			30.55	FM-15	0.00	30.54
15	1154	7	BKN:07 300	10.00		56	13.3	50	10.0	44	6.7	65	3	270		30.31			30.51	FM-15	0.00	30.49
15	1254	7	BKN:07 300	10.00		58	14.4	52	11.1	46	7.8	65	3	290		30.28	8	+0.10	30.47	FM-15	0.00	30.46
15	1300	4		9.94		58	14.4	52	11.1	46	7.8	65	3	290		30.28	8	+0.10	30.47	FM-12		
15	1354	7	BKN:07 300	10.00		61	16.1	54	12.2	47	8.3	60	0	000		30.26			30.45	FM-15	0.00	30.44
15	1454	7	FEW:02 100 BKN:07 300	10.00		62	16.7	54	12.2	47	8.3	58	0	000		30.23			30.42	FM-15	0.00	30.41
15	1554	7	FEW:02 100 BKN:07 300	10.00		62	16.7	54	12.2	47	8.3	58	0	000		30.22	6	+0.06	30.42	FM-15	0.00	30.40
15	1654	7	SCT:04 250	10.00		55	12.8	50	10.0	46	7.8	72	3	180		30.21			30.41	FM-15	0.00	30.39
15	1754	7	FEW:02 250	10.00		53	11.7	50	10.0	47	8.3	80	0	000		30.21			30.41	FM-15	0.00	30.39
15	1854	7	FEW:02 250	10.00		50	10.0	48	8.9	46	7.8	86	0	000		30.21	6	+0.02	30.40	FM-15	0.00	30.39
15	1900	4		9.94		50	10.0	48	8.9	46	7.8	86	0	000		30.21	6	+0.02	30.40	FM-12		
15	1954	7	FEW:02 250	10.00		47	8.3	46	7.8	44	6.7	90	3	220		30.20			30.40	FM-15	0.00	30.38
15	2054	7	SCT:04 250	10.00		47	8.3	46	7.8	44	6.7	90	0	000		30.19			30.38	FM-15	0.00	30.37
15	2154	7	FEW:02 250	10.00		48	8.9	46	7.8	44	6.7	86	3	210		30.18	6	+0.02	30.38	FM-15	0.00	30.36
15	2246	7	FEW:02 250	2.00	BR:1	41	5.0	41	5.0	41	5.0	100	3	220		30.17				FM-16		30.35
15	2252	6	FEW:02 250	5.00	BR:1	43	6.1	43	6.1	43	6.1	100	5	210		30.17				FM-16		30.35
15	2254	7	FEW:02 250	6.00	BR:1	42	5.6	42	5.6	42	5.6	100	5	210		30.17			30.37	FM-15	0.00	30.35
15	2354	7	CLR:00	7.00		41	5.0	41	5.0	41	5.0	100	6	180		30.15			30.34	FM-15	0.00	30.33
16	0054	7	CLR:00	6.00	BR:1	44	6.7	44	6.7	43	6.1	96	5	230		30.12	8	+0.07	30.31	FM-15	0.00	30.30
16	0100	4		5.59		44	6.7	44	6.7	43	6.1	96	5	230		30.12	8	+0.07	30.31	FM-12		
16	0154	7	FEW:02 7 SCT:04 300	4.00	BR:1	42	5.6	42	5.6	42	5.6	100	0	000		30.12			30.31	FM-15	0.00	30.30
16	0254	7	SCT:04 300	7.00		42	5.6	42	5.6	42	5.6	100	5	200		30.11			30.30	FM-15	0.00	30.29
16	0354	7	SCT:04 300	10.00		41	5.0	41	5.0	41	5.0	100	6	200		30.10	8	+0.02	30.29	FM-15	0.00	30.28
16	0454	7	SCT:04 300	10.00		41	5.0	41	5.0	40	4.4	96	7	190		30.08			30.28	FM-15	0.00	30.26
16	0554	7	FEW:02 300	10.00		43	6.1	42	5.6	41	5.0	93	9	220		30.09			30.28	FM-15	0.00	30.27
16	0654	7	FEW:02 150 SCT:04 300	10.00		45	7.2	43	6.1	40	4.4	83	9	230		30.09	6	+0.01	30.28	FM-15	0.00	30.27
16	0700	4		9.94		45	7.2	43	6.1	40	4.4	83	9	230		30.09	6	+0.01	30.28	FM-12		
16	0754	7	FEW:02 150 BKN:07 300	10.00		42	5.6	41	5.0	40	4.4	92	8	200		30.08			30.27	FM-15	0.00	30.26
16	0854	7	FEW:02 200 BKN:07 300	10.00		49	9.4	45	7.2	40	4.4	71	7	210		30.07			30.27	FM-15	0.00	30.25

16	0954	7	FEW:02 200 BKN:07 300	10.00		56	13.3	47	8.3	38	3.3	51	13	220		30.07	6	+0.02	30.26	FM-15	0.00	30.25
16	1054	7	FEW:02 200 BKN:07 300	10.00		61	16.1	51	10.6	40	4.4	46	18	210		30.05			30.24	FM-15	0.00	30.23
16	1154	7	BKN:07 300	10.00		65	18.3	54	12.2	45	7.2	49	22	220	28	30.01			30.20	FM-15	0.00	30.19
16	1254	7	BKN:07 300	10.00		68	20.0	57	13.9	47	8.3	47	17	230	26	29.97	8	+0.10	30.16	FM-15	0.00	30.15
16	1300	4		9.94		68	20.0	57	13.9	47	8.3	47	17	230		29.97	8	+0.10	30.16	FM-12		
16	1354	7	BKN:07 300	10.00		69	20.6	57	13.9	48	8.9	47	20	230		29.94			30.13	FM-15	0.00	30.12
16	1454	7	FEW:02 150 BKN:07 300	10.00		70	21.1	58	14.4	48	8.9	46	18	210		29.92			30.11	FM-15	0.00	30.10
16	1554	7	FEW:02 120 BKN:07 300	10.00		68	20.0	57	13.9	48	8.9	49	18	200	24	29.91	6	+0.05	30.11	FM-15	0.00	30.09
16	1654	7	FEW:02 120 BKN:07 250	10.00		65	18.3	56	13.3	48	8.9	54	15	210		29.92			30.11	FM-15	0.00	30.10
16	1754	7	FEW:02 120 BKN:07 250	10.00		61	16.1	54	12.2	48	8.9	63	11	190		29.91			30.10	FM-15	0.00	30.09
16	1854	7	FEW:02 120 SCT:04 250	10.00		61	16.1	55	12.8	49	9.4	65	13	200		29.91	8	0.00	30.10	FM-15	0.00	30.09
16	1900	4		9.94		61	16.1	55	12.8	49	9.4	65	13	200		29.91	8	0.00	30.10	FM-12		
16	1954	7	FEW:02 250	10.00		60	15.6	55	12.8	50	10.0	70	10	200		29.92			30.11	FM-15	0.00	30.10
16	2054	7	FEW:02 250	10.00		59	15.0	55	12.8	51	10.6	75	10	200		29.92			30.11	FM-15	0.00	30.10
16	2154	7	FEW:02 250	10.00		59	15.0	55	12.8	52	11.1	78	10	200		29.92	1	-0.01	30.11	FM-15	0.00	30.10
16	2254	7	BKN:07 120	10.00		58	14.4	55	12.8	52	11.1	81	9	200		29.93			30.12	FM-15	0.00	30.11
16	2354	7	BKN:07 220	10.00		58	14.4	55	12.8	53	11.7	84	10	200		29.90			30.09	FM-15	0.00	30.08
17	0054	7	SCT:04 190	10.00		60	15.6	56	13.3	53	11.7	78	10	220		29.90	8	+0.03	30.09	FM-15	0.00	30.08
17	0100	4		9.94		60	15.6	56	13.3	53	11.7	78	10	220		29.90	8	+0.03	30.09	FM-12		
17	0154	7	BKN:07 190	10.00		59	15.0	56	13.3	53	11.7	81	9	230		29.90			30.10	FM-15	0.00	30.08
17	0254	7	BKN:07 170	10.00		59	15.0	56	13.3	54	12.2	83	11	210		29.89			30.09	FM-15	0.00	30.07
17	0354	7	SCT:04 120 BKN:07 240	10.00		59	15.0	56	13.3	54	12.2	83	8	230		29.90	1	-0.01	30.09	FM-15	0.00	30.08
17	0454	7	FEW:02 110 BKN:07 240	10.00		56	13.3	54	12.2	53	11.7	90	6	200		29.91			30.10	FM-15	0.00	30.09
17	0554	7	FEW:02 110 BKN:07 210	10.00		58	14.4	56	13.3	54	12.2	87	7	230		29.92			30.11	FM-15	0.00	30.10
17	0654	7	BKN:07 110 BKN:07 200	10.00		57	13.9	55	12.8	54	12.2	90	7	210		29.94	3	-0.04	30.14	FM-15	0.00	30.12
17	0700	4		9.94		57	13.9	55	12.8	54	12.2	90	7	210		29.94	3	-0.04	30.14	FM-12		
17	0754	7	BKN:07 120 BKN:07 180	10.00		57	13.9	55	12.8	54	12.2	90	8	220		29.97			30.16	FM-15	0.00	30.15
17	0854	7	BKN:07 110 OVC:08 300	10.00		60	15.6	57	13.9	55	12.8	84	7	240		29.99			30.18	FM-15	0.00	30.17
17	0954	7	BKN:07 110 BKN:07 170 BKN:07 250	10.00		64	17.8	59	15.0	55	12.8	73	8	220		30.00	1	-0.06	30.19	FM-15	0.00	30.18
17	1054	7	BKN:07 110 BKN:07 170 BKN:07 250	10.00		65	18.3	59	15.0	55	12.8	70	7	210		29.99			30.18	FM-15	0.00	30.17
17	1154	7	BKN:07 100 BKN:07 230	10.00		67	19.4	60	15.6	54	12.2	63	5	310		29.97			30.16	FM-15	0.00	30.15
17	1254	7	BKN:07 95 BKN:07 230 BKN:07 300	10.00		69	20.6	60	15.6	54	12.2	59	0	000		29.95	8	+0.05	30.14	FM-15	0.00	30.13
17	1300	4		9.94		69	20.6	60	15.6	54	12.2	59	0	000		29.95	8	+0.05	30.14	FM-12		
17	1354	7	SCT:04 95 BKN:07 230 BKN:07 300	10.00		71	21.7	62	16.7	55	12.8	57	3	VRB		29.94			30.13	FM-15	0.00	30.12
17	1454	7	FEW:02 95 BKN:07 140 BKN:07 230	10.00		72	22.2	63	17.2	56	13.3	57	3	VRB		29.94			30.13	FM-15	0.00	30.12
17	1554	7	BKN:07 90 BKN:07 120	10.00		69	20.6	61	16.1	56	13.3	63	3	120		29.94	6	+0.01	30.13	FM-15	0.00	30.12

17	1654	7	BKN:07 70 BKN:07 85	10.00		67	19.4	61	16.1	56	13.3	68	5	140		29.95			30.15	FM-15	0.00	30.13
17	1754	7	BKN:07 70	10.00		66	18.9	60	15.6	56	13.3	70	7	110		29.97			30.16	FM-15	0.00	30.15
17	1854	7	BKN:07 60 OVC:08 85	10.00		64	17.8	59	15.0	56	13.3	75	5	110		29.98	3	-0.04	30.17	FM-15	0.00	30.16
17	1900	4	57	9.94		64	17.8	59	15.0	56	13.3	75	5	110		29.98	3	-0.04	30.17	FM-12		
17	1954	7	OVC:08 55	10.00		63	17.2	59	15.0	56	13.3	78	3	090		29.99			30.18	FM-15	0.00	30.17
17	2054	7	OVC:08 49	10.00		62	16.7	59	15.0	56	13.3	80	7	090		29.99			30.18	FM-15	0.00	30.17
17	2154	7	BKN:07 49 OVC:08 85	10.00		61	16.1	57	13.9	54	12.2	78	9	080		29.98	0	0.00	30.18	FM-15	0.00	30.16
17	2254	7	OVC:08 48	10.00		60	15.6	55	12.8	50	10.0	70	6	100		29.98			30.17	FM-15	0.00	30.16
17	2354	7	BKN:07 37 BKN:07 50	10.00		58	14.4	53	11.7	48	8.9	70	6	100		29.97			30.16	FM-15	0.00	30.15
18	0054	7	BKN:07 50 OVC:08 110	10.00		57	13.9	51	10.6	45	7.2	64	5	060		29.96	8	+0.02	30.15	FM-15	0.00	30.14
18	0100	4	57	9.94		57	13.9	51	10.6	45	7.2	64	5	060		29.96	8	+0.02	30.15	FM-12		
18	0141	7	BKN:07 22 OVC:08 50	10.00		56	13.3	49	9.4	41	5.0	57	6	050		29.95				FM-16		30.13
18	0154	7	OVC:08 22	10.00		56	13.3	49	9.4	41	5.0	57	6	070		29.95			30.14	FM-15	0.00	30.13
18	0254	7	OVC:08 15	10.00		56	13.3	48	8.9	40	4.4	55	3	060		29.95			30.14	FM-15	0.00	30.13
18	0307	7	OVC:08 14	10.00		56	13.3	48	8.9	40	4.4	55	3	050		29.95				FM-16		30.13
18	0354	7	OVC:08 12	10.00		56	13.3	48	8.9	39	3.9	53	3	040		29.93	8	+0.03	30.12	FM-15	0.00	30.11
18	0442	7	OVC:08 9	10.00		55	12.8	47	8.3	38	3.3	53	3	030		29.93				FM-16		30.11
18	0454	7	OVC:08 9	10.00		55	12.8	47	8.3	38	3.3	53	3	030		29.93			30.12	FM-15	0.00	30.11
18	0539	7	OVC:08 10	10.00		55	12.8	48	8.9	40	4.4	57	3	040		29.92				FM-16		30.10
18	0554	7	OVC:08 11	10.00		55	12.8	48	8.9	41	5.0	59	0	000		29.91			30.11	FM-15	0.00	30.09
18	0654	7	OVC:08 11	10.00		54	12.2	50	10.0	46	7.8	75	0	000		29.91	6	+0.02	30.10	FM-15	0.00	30.09
18	0700	4	15	9.94		54	12.2	50	10.0	46	7.8	75	0	000		29.91	6	+0.02	30.10	FM-12		
18	0754	7	OVC:08 10	10.00		54	12.2	51	10.6	48	8.9	80	0	000		29.91			30.10	FM-15	0.00	30.09
18	0854	7	OVC:08 10	10.00		54	12.2	52	11.1	50	10.0	87	3	110		29.91			30.10	FM-15	0.00	30.09
18	0954	7	OVC:08 13	10.00		55	12.8	53	11.7	51	10.6	87	0	000		29.91	5	0.00	30.10	FM-15	0.00	30.09
18	1052	6	OVC:08 9	4.00	BR:1	55	12.8	53	11.7	52	11.1	88	3	170		29.89				FM-16		30.07
18	1054	7	OVC:08 9	3.00	BR:1	55	12.8	54	12.2	53	11.7	93	3	170		29.89			30.08	FM-15	0.00	30.07
18	1124	7	OVC:08 10	5.00	BR:1	55	12.8	54	12.2	53	11.7	93	3	180		29.87				FM-16		30.05
18	1154	7	OVC:08 10	7.00		56	13.3	54	12.2	53	11.7	90	5	VRB		29.86			30.06	FM-15	0.00	30.04
18	1254	7	OVC:08 10	10.00		58	14.4	55	12.8	53	11.7	84	7	240		29.84	8	+0.07	30.03	FM-15	0.00	30.02
18	1300	4	15	9.94		58	14.4	55	12.8	53	11.7	84	7	240		29.84	8	+0.07	30.03	FM-12		
18	1354	7	OVC:08 10	10.00		59	15.0	57	13.9	56	13.3	90	6	260		29.80			30.00	FM-15	0.01	29.98
18	1428	7	SCT:04 7 OVC:08 10	2.50	RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	6	220		29.80				FM-16	0.01	29.98
18	1454	7	SCT:04 7 OVC:08 10	2.00	+RA:02 BR:1 RA RA	57	13.9	57	13.9	57	13.9	100	3	240		29.79			29.98	FM-15	0.12	29.97
18	1457	7	BKN:07 7 OVC:08 10	1.50	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	0	000		29.79				FM-16	0.01	29.97
18	1513	7	BKN:07 7 OVC:08 10	2.50	-RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	5	170		29.78				FM-16	0.06	29.96
18	1527	7	BKN:07 7 OVC:08 12	5.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	6	190		29.77				FM-16	0.06	29.95
18	1554	7	BKN:07 5 OVC:08 10	2.00	RA:02 BR:1 RA RA	58	14.4	58	14.4	58	14.4	100	6	180		29.77	6	+0.07	29.96	FM-15	0.05	29.95
18	1637	7	BKN:07 3 OVC:08 6	1.50	BR:1	58	14.4	58	14.4	58	14.4	100	7	180		29.75				FM-16	0.01	29.93
18	1654	7	OVC:08 3	1.00	BR:1	58	14.4	58	14.4	58	14.4	100	7	180		29.75			29.94	FM-15	0.01	29.93
18	1703	7	OVC:08 3	1.50	BR:1	58	14.4	58	14.4	58	14.4	100	6	180		29.74				FM-16		29.92
18	1720	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	59	15.0	59	15.0	59	15.0	100	6	190		29.74				FM-16	T	29.92
18	1754	7	OVC:08 3	2.50	BR:1	60	15.6	59	15.0	59	15.0	96	7	190		29.73			29.93	FM-15	0.01	29.91
18	1828	7	BKN:07 3 OVC:08 16	3.00	BR:1	60	15.6	60	15.6	60	15.6	100	6	200		29.73				FM-16		29.91
18	1852	6	SCT:04 3 OVC:08 14	3.00	BR:1	61	16.1	61	16.1	61	16.1	100	6	190		29.73				FM-16		29.91

18	1854	7	SCT:04 3 OVC:08 14	3.00	BR:1	61	16.1	61	16.1	61	16.1	100	6	190		29.73	6	+0.04	29.92	FM-15	0.00	29.91
18	1900	4	2	2.98		61	16.1	61	16.1	61	16.1	100	6	190		29.73	6	+0.04	29.92	FM-12		
18	1944	7	BKN:07 7 OVC:08 12	5.00	BR:1	63	17.2	62	16.7	62	16.7	97	10	200		29.69				FM-16		29.87
18	1954	7	BKN:07 5 OVC:08 11	5.00	BR:1	63	17.2	62	16.7	62	16.7	97	10	200		29.69			29.89	FM-15	0.00	29.87
18	2054	7	BKN:07 5 OVC:08 27	5.00	BR:1	63	17.2	62	16.7	62	16.7	97	7	230		29.69			29.89	FM-15	0.00	29.87
18	2120	7	SCT:04 5 BKN:07 17 OVC:08 30	4.00	BR:1	63	17.2	62	16.7	62	16.7	97	7	220		29.69				FM-16		29.87
18	2145	7	FEW:02 5 SCT:04 17 OVC:08 30	5.00	BR:1	63	17.2	63	17.2	63	17.2	100	7	230		29.69				FM-16		29.87
18	2154	7	FEW:02 5 BKN:07 30 OVC:08 50	5.00	BR:1	63	17.2	63	17.2	63	17.2	100	8	230		29.69	6	+0.03	29.88	FM-15	0.00	29.87
18	2254	7	SCT:04 35 BKN:07 110	6.00	BR:1	64	17.8	63	17.2	63	17.2	96	8	230		29.68			29.87	FM-15	0.00	29.86
18	2306	7	BKN:07 17 BKN:07 37 BKN:07 110	9.00		64	17.8	63	17.2	63	17.2	96	9	220		29.68				FM-16		29.86
18	2343	7	SCT:04 17 OVC:08 240	9.00		63	17.2	63	17.2	63	17.2	100	11	200		29.66				FM-16		29.84
18	2354	7	SCT:04 17 BKN:07 30 OVC:08 240	7.00		63	17.2	63	17.2	63	17.2	100	11	210		29.66			29.85	FM-15	0.00	29.84
19	0025	7	BKN:07 26 OVC:08 240	10.00		64	17.8	63	17.2	63	17.2	96	13	210		29.66				FM-16		29.84
19	0054	7	OVC:08 27	10.00		65	18.3	64	17.8	63	17.2	93	16	220	22	29.66	6	+0.03	29.85	FM-15	0.00	29.84
19	0100	4	26	9.94		65	18.3	64	17.8	63	17.2	93	16	220		29.66	6	+0.03	29.85	FM-12		
19	0152	6	SCT:04 28 SCT:04 110 OVC:08 180	10.00		64	17.8	63	17.2	63	17.2	94	11	230		29.66				FM-16		29.84
19	0154	7	SCT:04 28 SCT:04 110 OVC:08 180	10.00		65	18.3	64	17.8	63	17.2	93	10	230		29.66			29.85	FM-15	0.00	29.84
19	0238	7	BKN:07 23 OVC:08 170	10.00		64	17.8	63	17.2	63	17.2	96	9	230		29.67				FM-16		29.85
19	0254	7	BKN:07 23 OVC:08 170	10.00		65	18.3	64	17.8	63	17.2	93	8	230		29.67			29.87	FM-15	0.00	29.85
19	0352	6	SCT:04 23 SCT:04 48 OVC:08 150	10.00		64	17.8	63	17.2	63	17.2	94	5	260		29.66				FM-16		29.84
19	0354	7	SCT:04 23 SCT:04 48 OVC:08 150	10.00		64	17.8	63	17.2	62	16.7	93	3	260		29.66	0	0.00	29.85	FM-15	T	29.84
19	0415	7	BKN:07 28 BKN:07 48 OVC:08 100	10.00		63	17.2	62	16.7	62	16.7	97	5	300		29.67				FM-16	T	29.85
19	0452	6	FEW:02 28 SCT:04 60 BKN:07 85	10.00	-RA:02 RA RA	64	17.8	62	16.7	61	16.1	88	9	300		29.68				FM-16		29.86
19	0454	7	FEW:02 28 SCT:04 60 BKN:07 85	10.00	-RA:02 RA RA	64	17.8	62	16.7	61	16.1	90	9	300		29.68			29.88	FM-15	T	29.86
19	0511	7	BKN:07 12 BKN:07 28 OVC:08 110	7.00	-RA:02 RA RA	59	15.0	57	13.9	56	13.3	90	16	020	26	29.71				FM-16	0.02	29.89
19	0522	7	BKN:07 12 OVC:08 27	10.00	-RA:02 RA RA	57	13.9	55	12.8	54	12.2	90	16	030		29.71				FM-16	0.02	29.89
19	0542	7	FEW:02 11 BKN:07 16 OVC:08 22	10.00	-RA:02 RA RA	56	13.3	54	12.2	53	11.7	90	15	030		29.73				FM-16	0.02	29.91

19	0554	7	SCT:04 18 OVC:08 24	10.00	-RA:02 RA RA	55	12.8	53	11.7	51	10.6	87	13	020	23	29.74			29.93	FM-15	0.02	29.92
19	0647	7	OVC:08 31	10.00	RA:02 RA RA	51	10.6	48	8.9	45	7.2	80	16	350		29.79				FM-16	0.01	29.97
19	0654	7	OVC:08 33	10.00	-RA:02 RA RA	51	10.6	48	8.9	45	7.2	80	15	350		29.80	3	-0.14	29.99	FM-15	0.02	29.98
19	0700	4	26	9.94	RA	51	10.6	48	8.9	45	7.2	80	15	350		29.80	3	-0.14	29.99	FM-12		
19	0754	7	FEW:02 11 OVC:08 47	10.00	-RA:02 RA RA	47	8.3	45	7.2	42	5.6	83	15	360	24	29.85			30.04	FM-15	0.02	30.03
19	0854	7	FEW:02 11 OVC:08 50	10.00	-RA:02 RA RA	44	6.7	43	6.1	41	5.0	89	15	010		29.89			30.08	FM-15	0.02	30.07
19	0954	7	FEW:02 14 OVC:08 60	10.00	-RA:02 RA RA	43	6.1	41	5.0	38	3.3	82	17	010	24	29.93	1	-0.14	30.13	FM-15	0.02	30.11
19	1054	7	SCT:04 45 OVC:08 70	10.00	-RA:02 RA RA	41	5.0	39	3.9	37	2.8	86	16	020		29.94			30.13	FM-15	0.02	30.12
19	1154	7	SCT:04 45 OVC:08 75	10.00	-RA:02 RA RA	41	5.0	39	3.9	36	2.2	82	13	360		29.94			30.14	FM-15	0.01	30.12
19	1254	7	FEW:02 45 OVC:08 90	10.00	-RA:02 RA RA	40	4.4	39	3.9	37	2.8	89	6	360		29.94	0	-0.01	30.14	FM-15	0.03	30.12
19	1300	4	41	9.94	RA	40	4.4	39	3.9	37	2.8	89	6	360		29.94	9	+0.01	30.14	FM-12		
19	1354	7	SCT:04 50 BKN:07 100	10.00		40	4.4	39	3.9	37	2.8	89	6	010		29.93			30.12	FM-15	0.04	30.11
19	1454	7	SCT:04 70 BKN:07 110	10.00		42	5.6	39	3.9	36	2.2	79	9	010		29.93			30.12	FM-15	0.00	30.11
19	1554	7	SCT:04 120 BKN:07 180	10.00		43	6.1	39	3.9	34	1.1	71	8	360		29.95	3	-0.01	30.14	FM-15	0.00	30.13
19	1654	7	SCT:04 160	10.00		40	4.4	37	2.8	32	0.0	73	9	010		29.97			30.16	FM-15	0.00	30.15
19	1754	7	FEW:02 250	10.00		39	3.9	35	1.7	29	-1.7	67	8	360		30.00			30.19	FM-15	0.00	30.18
19	1854	7	CLR:00	10.00		38	3.3	34	1.1	29	-1.7	70	10	340		30.03	3	-0.08	30.23	FM-15	0.00	30.21
19	1900	4		9.94		38	3.3	34	1.1	29	-1.7	70	10	340		30.03	3	-0.08	30.23	FM-12		
19	1954	7	SCT:04 250	10.00		38	3.3	34	1.1	27	-2.8	65	13	360		30.05			30.25	FM-15	0.00	30.23
19	2054	7	FEW:02 250	10.00		37	2.8	33	0.6	26	-3.3	65	15	360	22	30.07			30.27	FM-15	0.00	30.25
19	2154	7	CLR:00	10.00		35	1.7	32	0.0	26	-3.3	70	14	360	22	30.10	3	-0.06	30.29	FM-15	0.00	30.28
19	2254	7	CLR:00	10.00		35	1.7	31	-0.6	25	-3.9	67	15	360		30.11			30.30	FM-15	0.00	30.29
19	2354	7	CLR:00	10.00		33	0.6	30	-1.1	24	-4.4	70	11	360		30.12			30.32	FM-15	0.00	30.30
20	0054	7	CLR:00	10.00		32	0.0	29	-1.7	23	-5.0	69	9	350		30.12	0	-0.02	30.31	FM-15	0.00	30.30
20	0100	4		9.94		32	0.0	29	-1.7	23	-5.0	69	9	350		30.12	9	+0.02	30.31	FM-12		
20	0154	7	CLR:00	10.00		30	-1.1	28	-2.2	23	-5.0	75	8	350		30.12			30.32	FM-15	0.00	30.30
20	0254	7	CLR:00	10.00		30	-1.1	27	-2.8	22	-5.6	72	8	350		30.13			30.33	FM-15	0.00	30.31
20	0354	7	CLR:00	10.00		29	-1.7	27	-2.8	22	-5.6	75	8	350		30.14	3	-0.02	30.34	FM-15	0.00	30.32
20	0454	7	CLR:00	10.00		28	-2.2	26	-3.3	22	-5.6	78	7	360		30.13			30.33	FM-15	0.00	30.31
20	0554	7	CLR:00	10.00		27	-2.8	25	-3.9	22	-5.6	81	7	360		30.15			30.35	FM-15	0.00	30.33
20	0654	7	CLR:00	10.00		27	-2.8	25	-3.9	22	-5.6	81	7	360		30.18	3	-0.04	30.38	FM-15	0.00	30.36
20	0700	4		9.94		27	-2.8	25	-3.9	22	-5.6	81	7	360		30.18	3	-0.04	30.38	FM-12		
20	0754	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	7	360		30.20			30.40	FM-15	0.00	30.38
20	0854	7	CLR:00	10.00		33	0.6	29	-1.7	23	-5.0	66	10	010		30.23			30.43	FM-15	0.00	30.41
20	0954	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	10	020		30.24	1	-0.06	30.44	FM-15	0.00	30.42
20	1054	7	CLR:00	10.00		37	2.8	33	0.6	25	-3.9	62	3	VRB		30.24			30.44	FM-15	0.00	30.42
20	1154	7	FEW:02 250	10.00		40	4.4	34	1.1	23	-5.0	51	5	020		30.21			30.41	FM-15	0.00	30.39
20	1254	7	FEW:02 250	10.00		41	5.0	34	1.1	23	-5.0	49	3	VRB		30.16	8	+0.08	30.36	FM-15	0.00	30.34
20	1300	4		9.94		41	5.0	34	1.1	23	-5.0	49	3			30.16	8	+0.08	30.36	FM-12		
20	1354	7	SCT:04 250	10.00		43	6.1	35	1.7	21	-6.1	42	3	360		30.14			30.34	FM-15	0.00	30.32
20	1454	7	SCT:04 250	10.00		43	6.1	35	1.7	22	-5.6	43	3	060		30.12			30.32	FM-15	0.00	30.30
20	1554	7	SCT:04 300	10.00		40	4.4	34	1.1	23	-5.0	51	5	120		30.12	5	+0.04	30.32	FM-15	0.00	30.30
20	1654	7	BKN:07 300	10.00		37	2.8	32	0.0	23	-5.0	57	3	180		30.12			30.32	FM-15	0.00	30.30
20	1754	7	SCT:04 300	10.00		33	0.6	30	-1.1	25	-3.9	72	5	190		30.12			30.32	FM-15	0.00	30.30
20	1854	7	SCT:04 300	10.00		34	1.1	31	-0.6	25	-3.9	70	0	000		30.11	8	+0.01	30.31	FM-15	0.00	30.29
20	1900	4		9.94		34	1.1	31	-0.6	25	-3.9	70	0	000		30.11	8	+0.01	30.31	FM-12		
20	1954	7	FEW:02 300	10.00		30	-1.1	28	-2.2	24	-4.4	79	0	000		30.11			30.31	FM-15	0.00	30.29
20	2054	7	FEW:02 300	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.10			30.30	FM-15	0.00	30.28
20	2154	7	FEW:02 300	10.00		29	-1.7	27	-2.8	24	-4.4	82	0	000		30.10	8	+0.01	30.30	FM-15	0.00	30.28

20	2254	7	FEW:02 300	10.00		29	-1.7	27	-2.8	24	-4.4	82	0	000		30.07			30.27	FM-15	0.00	30.25
20	2354	7	SCT:04 300	10.00		27	-2.8	26	-3.3	24	-4.4	89	0	000		30.05			30.24	FM-15	0.00	30.23
21	0054	7	BKN:07 300	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.01	8	+0.08	30.22	FM-15	0.00	30.19
21	0100	4		9.94		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.01	8	+0.08	30.22	FM-12		
21	0154	7	OVC:08 300	10.00		28	-2.2	27	-2.8	25	-3.9	88	3	190		30.01			30.21	FM-15	0.00	30.19
21	0254	7	OVC:08 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	3	130		30.00			30.19	FM-15	0.00	30.18
21	0354	7	BKN:07 250	10.00		27	-2.8	26	-3.3	24	-4.4	89	0	000		29.98	8	+0.03	30.18	FM-15	0.00	30.16
21	0454	7	OVC:08 230	10.00		28	-2.2	27	-2.8	26	-3.3	92	0	000		29.96			30.16	FM-15	0.00	30.14
21	0554	7	BKN:07 41 OVC:08 230	10.00		30	-1.1	29	-1.7	28	-2.2	92	0	000		29.96			30.16	FM-15	0.00	30.14
21	0654	7	BKN:07 40 OVC:08 200	10.00		32	0.0	31	-0.6	29	-1.7	88	3	030		29.96	6	+0.03	30.15	FM-15	0.00	30.14
21	0700	4	41	9.94		32	0.0	31	-0.6	29	-1.7	88	3	030		29.96	6	+0.03	30.15	FM-12		
21	0754	7	OVC:08 38	10.00		34	1.1	31	-0.6	27	-2.8	75	0	000		29.96			30.16	FM-15	0.00	30.14
21	0854	7	OVC:08 38	10.00		35	1.7	33	0.6	29	-1.7	78	5	050		29.94			30.14	FM-15	0.00	30.12
21	0954	7	OVC:08 35	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		29.96	3	0.00	30.16	FM-15	0.00	30.14
21	1054	7	OVC:08 31	10.00		38	3.3	34	1.1	27	-2.8	65	5	060		29.94			30.14	FM-15	0.00	30.12
21	1154	7	OVC:08 31	10.00		40	4.4	35	1.7	28	-2.2	63	6	040		29.89			30.09	FM-15	0.00	30.07
21	1241	7	OVC:08 29	10.00		41	5.0	36	2.2	27	-2.8	57	6	040		29.85				FM-16		30.03
21	1254	7	OVC:08 29	10.00		41	5.0	36	2.2	27	-2.8	57	0	000		29.84	8	+0.11	30.04	FM-15	0.00	30.02
21	1300	4	26	9.94		41	5.0	36	2.2	27	-2.8	57	0	000		29.84	8	+0.11	30.04	FM-12		
21	1354	7	OVC:08 23	10.00		41	5.0	35	1.7	25	-3.9	53	3	VRB		29.81			30.01	FM-15	0.00	29.99
21	1436	7	FEW:02 12 BKN:07 30 OVC:08 41	8.00	-RA:02 RA RA	39	3.9	36	2.2	32	0.0	76	6	060		29.79				FM-16	T	29.97
21	1454	7	FEW:02 11 BKN:07 27 OVC:08 39	9.00	-RA:02 RA RA	38	3.3	35	1.7	31	-0.6	76	9	040		29.78			29.98	FM-15	T	29.96
21	1514	7	BKN:07 16 OVC:08 31	2.50	-RA:02 RA RA	37	2.8	34	1.1	30	-1.1	76	5	050		29.79				FM-16	T	29.97
21	1537	7	SCT:04 16 BKN:07 30 OVC:08 45	2.50	-RA:02 RA RA	37	2.8	35	1.7	32	0.0	82	5	070		29.77				FM-16	0.01	29.95
21	1546	7	SCT:04 16 BKN:07 29 OVC:08 45	4.00	-RA:02 RA RA	37	2.8	35	1.7	32	0.0	82	5	080		29.78				FM-16	0.01	29.96
21	1554	7	BKN:07 16 OVC:08 29	4.00	-RA:02 RA RA	36	2.2	34	1.1	32	0.0	86	5	080		29.78	6	+0.07	29.98	FM-15	0.01	29.96
21	1652	6	SCT:04 16 SCT:04 29 OVC:08 60	7.00	-RA:02 RA RA	36	2.2	35	1.7	34	1.1	93	5	040		29.75				FM-16		29.93
21	1654	7	SCT:04 16 SCT:04 29 OVC:08 60	7.00	-RA:02 RA RA	36	2.2	35	1.7	34	1.1	93	3	040		29.75			29.95	FM-15	0.01	29.93
21	1733	7	OVC:08 7	6.00	-RA:02 BR:1 RA RA	36	2.2	36	2.2	35	1.7	97	8	010		29.75				FM-16	T	29.93
21	1754	7	OVC:08 6	10.00	-RA:02 RA RA	36	2.2	36	2.2	35	1.7	97	5	360		29.74			29.94	FM-15	0.01	29.92
21	1854	7	BKN:07 5 OVC:08 15	10.00		36	2.2	36	2.2	35	1.7	97	6	340		29.72	6	+0.05	29.92	FM-15	T	29.90
21	1900	4	5	9.94		36	2.2	36	2.2	35	1.7	97	6	340		29.72	6	+0.05	29.92	FM-12		
21	1954	7	BKN:07 6 OVC:08 18	10.00		36	2.2	36	2.2	35	1.7	97	9	350		29.71			29.91	FM-15	0.00	29.89
21	2019	7	SCT:04 6 OVC:08 18	9.00	-RA:02 RA RA	37	2.8	36	2.2	35	1.7	93	8	340		29.70				FM-16	T	29.88
21	2054	7	SCT:04 6 OVC:08 18	9.00	-RA:02 RA RA	37	2.8	37	2.8	36	2.2	96	8	350		29.69			29.88	FM-15	T	29.87
21	2154	7	SCT:04 6 OVC:08 16	10.00	-RA:02 RA RA	37	2.8	37	2.8	36	2.2	96	9	350		29.66	8	+0.06	29.86	FM-15	0.01	29.84
21	2202	7	BKN:07 6 OVC:08 15	10.00		37	2.8	37	2.8	36	2.2	96	10	350		29.66				FM-16	T	29.84
21	2252	6	SCT:04 6 OVC:08 13	6.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	93	8	340		29.63				FM-16		29.81

21	2254	7	SCT:04 6 OVC:08 13	6.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	8	350		29.63			29.83	FM-15	T	29.81
21	2303	7	BKN:07 6 OVC:08 13	4.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	8	340		29.63				FM-16	0.01	29.81
21	2354	7	BKN:07 6 OVC:08 11	5.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	9	350		29.58			29.77	FM-15	0.04	29.76
22	0001	7	OVC:08 4	5.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	9	350		29.57				FM-16	T	29.75
22	0054	7	BKN:07 4 OVC:08 8	6.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	7	350		29.56	8	+0.08	29.75	FM-15	T	29.74
22	0100	4	5	5.59	RA	37	2.8	37	2.8	36	2.2	96	7	350		29.56	8	+0.08	29.75	FM-12		
22	0147	7	BKN:07 4 OVC:08 10	2.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	6	360		29.53				FM-16	0.01	29.71
22	0154	7	BKN:07 4 OVC:08 10	1.75	RA:02 BR:1 RA RA	37	2.8	37	2.8	37	2.8	100	5	350		29.52			29.72	FM-15	0.03	29.70
22	0212	7	BKN:07 4 OVC:08 24	3.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	37	2.8	100	6	360		29.50				FM-16	0.03	29.68
22	0254	7	BKN:07 4 OVC:08 45	10.00		38	3.3	38	3.3	37	2.8	97	5	360		29.49			29.69	FM-15	0.03	29.67
22	0354	7	BKN:07 4 OVC:08 15	9.00	-RA:02 RA RA	38	3.3	38	3.3	38	3.3	100	5	320		29.50	5	+0.06	29.69	FM-15	0.01	29.68
22	0401	7	FEW:02 6 OVC:08 15	8.00	-RA:02 RA RA	38	3.3	38	3.3	38	3.3	100	6	320		29.50				FM-16	T	29.68
22	0417	7	BKN:07 6 OVC:08 15	8.00	-RA:02 RA RA	38	3.3	38	3.3	38	3.3	100	9	320		29.49				FM-16	T	29.67
22	0425	7	BKN:07 4 OVC:08 13	5.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	38	3.3	100	7	340		29.49				FM-16	T	29.67
22	0454	7	OVC:08 4	6.00	BR:1	38	3.3	38	3.3	38	3.3	100	7	320		29.49			29.68	FM-15	T	29.67
22	0536	7	OVC:08 5	6.00	BR:1	39	3.9	38	3.3	37	2.8	93	7	280		29.50				FM-16		29.68
22	0554	7	OVC:08 5	5.00	BR:1	39	3.9	39	3.9	38	3.3	96	7	300		29.49			29.69	FM-15	0.00	29.67
22	0652	6	FEW:02 5 OVC:08 140	6.00	BR:1	37	2.8	37	2.8	37	2.8	100	3	270		29.49				FM-16		29.67
22	0654	7	FEW:02 5 OVC:08 140	6.00	BR:1	38	3.3	38	3.3	37	2.8	97	0	000		29.49	6	+0.01	29.69	FM-15	0.00	29.67
22	0700	4	5	5.59		38	3.3	38	3.3	37	2.8	97	0	000		29.49	6	+0.01	29.69	FM-12		
22	0754	7	FEW:02 5 BKN:07 160	4.00	BR:1	38	3.3	38	3.3	37	2.8	97	7	300		29.52			29.71	FM-15	0.00	29.69
22	0854	7	FEW:02 5 SCT:04 220 BKN:07 300	8.00		39	3.9	38	3.3	36	2.2	89	7	320		29.53			29.73	FM-15	0.00	29.71
22	0954	7	FEW:02 230 SCT:04 300	10.00		43	6.1	40	4.4	36	2.2	76	6	320		29.55	1	-0.06	29.74	FM-15	0.00	29.73
22	1054	7	FEW:02 240 FEW:02 300	10.00		47	8.3	42	5.6	36	2.2	66	3	VRB		29.55			29.75	FM-15	0.00	29.73
22	1154	7	FEW:02 250	10.00		50	10.0	43	6.1	34	1.1	54	6	VRB		29.55			29.75	FM-15	0.00	29.73
22	1254	7	FEW:02 250	10.00		54	12.2	45	7.2	35	1.7	49	6	330		29.56	1	-0.01	29.75	FM-15	0.00	29.74
22	1300	4		9.94		54	12.2	45	7.2	35	1.7	49	6	330		29.56	1	-0.01	29.75	FM-12		
22	1354	7	FEW:02 55	10.00		55	12.8	44	6.7	30	-1.1	38	14	310		29.56			29.75	FM-15	0.00	29.74
22	1454	7	FEW:02 300	10.00		56	13.3	44	6.7	28	-2.2	34	10	290		29.57			29.77	FM-15	0.00	29.75
22	1554	7	FEW:02 300	10.00		56	13.3	44	6.7	27	-2.8	33	9	330		29.59	3	-0.04	29.78	FM-15	0.00	29.77
22	1654	7	FEW:02 300	10.00		52	11.1	39	3.9	20	-6.7	28	9	330		29.62			29.82	FM-15	0.00	29.80
22	1754	7	FEW:02 300	10.00		48	8.9	37	2.8	20	-6.7	33	10	340		29.66			29.85	FM-15	0.00	29.84
22	1854	7	CLR:00	10.00		45	7.2	37	2.8	24	-4.4	44	8	010		29.71	3	-0.12	29.90	FM-15	0.00	29.89
22	1900	4		9.94		45	7.2	37	2.8	24	-4.4	44	8	010		29.71	3	-0.12	29.90	FM-12		
22	1954	7	CLR:00	10.00		43	6.1	35	1.7	20	-6.7	40	10	020		29.76			29.96	FM-15	0.00	29.94
22	2054	7	CLR:00	10.00		40	4.4	33	0.6	20	-6.7	45	9	010		29.80			30.00	FM-15	0.00	29.98
22	2154	7	CLR:00	10.00		37	2.8	31	-0.6	19	-7.2	48	9	010		29.85	1	-0.14	30.04	FM-15	0.00	30.03
22	2254	7	CLR:00	10.00		36	2.2	30	-1.1	19	-7.2	50	3	350		29.88			30.07	FM-15	0.00	30.06
22	2354	7	FEW:02 300	10.00		34	1.1	29	-1.7	19	-7.2	54	5	030		29.90			30.09	FM-15	0.00	30.08
23	0054	7	CLR:00	10.00		34	1.1	29	-1.7	18	-7.8	52	5	020		29.92	1	-0.07	30.11	FM-15	0.00	30.10
23	0100	4		9.94		34	1.1	29	-1.7	18	-7.8	52	5	020		29.92	1	-0.07	30.11	FM-12		
23	0154	7	CLR:00	10.00		33	0.6	28	-2.2	18	-7.8	54	0	000		29.93			30.13	FM-15	0.00	30.11

23	0254	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	0	000		29.96			30.16	FM-15	0.00	30.14
23	0354	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	0	000		30.00	3	-0.08	30.19	FM-15	0.00	30.18
23	0454	7	CLR:00	10.00		27	-2.8	25	-3.9	20	-6.7	75	0	000		30.01			30.21	FM-15	0.00	30.19
23	0554	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	0	000		30.03			30.23	FM-15	0.00	30.21
23	0654	7	CLR:00	10.00		26	-3.3	24	-4.4	21	-6.1	81	0	000		30.06	3	-0.06	30.26	FM-15	0.00	30.24
23	0700	4		9.94		26	-3.3	24	-4.4	21	-6.1	81	0	000		30.06	3	-0.06	30.26	FM-12		
23	0754	7	FEW:02 300	10.00		26	-3.3	24	-4.4	21	-6.1	81	0	000		30.07			30.27	FM-15	0.00	30.25
23	0854	7	FEW:02 300	10.00		33	0.6	29	-1.7	23	-5.0	66	0	000		30.10			30.29	FM-15	0.00	30.28
23	0954	7	FEW:02 250	10.00		36	2.2	30	-1.1	20	-6.7	52	8	030		30.12	3	-0.06	30.32	FM-15	0.00	30.30
23	1054	7	CLR:00	10.00		37	2.8	31	-0.6	19	-7.2	48	0	000		30.11			30.31	FM-15	0.00	30.29
23	1154	7	CLR:00	10.00		41	5.0	33	0.6	19	-7.2	41	6	VRB		30.10			30.29	FM-15	0.00	30.28
23	1254	7	FEW:02 250	10.00		41	5.0	33	0.6	18	-7.8	39	0	000		30.07	8	+0.05	30.27	FM-15	0.00	30.25
23	1300	4		9.94		41	5.0	33	0.6	18	-7.8	39	0	000		30.07	8	+0.05	30.27	FM-12		
23	1354	7	FEW:02 250	10.00		45	7.2	35	1.7	17	-8.3	33	5	320		30.07			30.26	FM-15	0.00	30.25
23	1454	7	FEW:02 250	10.00		44	6.7	35	1.7	18	-7.8	35	5	210		30.05			30.25	FM-15	0.00	30.23
23	1554	7	FEW:02 200 FEW:02 300	10.00		44	6.7	35	1.7	19	-7.2	37	3	170		30.06	5	+0.01	30.25	FM-15	0.00	30.24
23	1654	7	FEW:02 180 FEW:02 300	10.00		40	4.4	33	0.6	21	-6.1	47	7	150		30.04			30.24	FM-15	0.00	30.22
23	1754	7	FEW:02 200 FEW:02 300	10.00		38	3.3	32	0.0	21	-6.1	51	6	150		30.03			30.23	FM-15	0.00	30.21
23	1854	7	FEW:02 250	10.00		36	2.2	31	-0.6	21	-6.1	55	5	150		30.03	5	+0.02	30.23	FM-15	0.00	30.21
23	1900	4		9.94		36	2.2	31	-0.6	21	-6.1	55	5	150		30.03	5	+0.02	30.23	FM-12		
23	1954	7	SCT:04 250	10.00		34	1.1	30	-1.1	22	-5.6	61	3	170		30.04			30.24	FM-15	0.00	30.22
23	2054	7	CLR:00	10.00		31	-0.6	29	-1.7	24	-4.4	76	6	170		30.03			30.22	FM-15	0.00	30.21
23	2154	7	SCT:04 250	10.00		33	0.6	30	-1.1	25	-3.9	72	8	180		30.01	8	+0.02	30.21	FM-15	0.00	30.19
23	2254	7	SCT:04 190	10.00		35	1.7	31	-0.6	25	-3.9	67	8	170		29.99			30.19	FM-15	0.00	30.17
23	2354	7	BKN:07 190	10.00		36	2.2	32	0.0	25	-3.9	64	6	170		29.97			30.16	FM-15	0.00	30.15
24	0054	7	OVC:08 220	10.00		35	1.7	31	-0.6	25	-3.9	67	6	180		29.95	8	+0.06	30.14	FM-15	0.00	30.13
24	0100	4		9.94		35	1.7	31	-0.6	25	-3.9	67	6	180		29.95	8	+0.06	30.14	FM-12		
24	0154	7	BKN:07 180 OVC:08 230	10.00		37	2.8	33	0.6	26	-3.3	65	9	180		29.94			30.14	FM-15	0.00	30.12
24	0254	7	OVC:08 180	10.00		38	3.3	33	0.6	26	-3.3	62	9	190		29.95			30.14	FM-15	0.00	30.13
24	0354	7	OVC:08 160	10.00		38	3.3	34	1.1	27	-2.8	65	9	190		29.94	8	+0.01	30.13	FM-15	0.00	30.12
24	0454	7	OVC:08 170	10.00		39	3.9	34	1.1	27	-2.8	62	11	190		29.92			30.11	FM-15	0.00	30.10
24	0554	7	OVC:08 190	10.00		40	4.4	35	1.7	27	-2.8	60	16	200		29.89			30.09	FM-15	0.00	30.07
24	0654	7	OVC:08 170	10.00		41	5.0	36	2.2	27	-2.8	57	8	210		29.91	5	+0.03	30.10	FM-15	0.00	30.09
24	0700	4		9.94		41	5.0	36	2.2	27	-2.8	57	8	210		29.91	5	+0.03	30.10	FM-12		
24	0754	7	BKN:07 160	10.00		40	4.4	35	1.7	28	-2.2	63	0	000		29.91			30.11	FM-15	0.00	30.09
24	0854	7	BKN:07 170	10.00		42	5.6	37	2.8	29	-1.7	60	5	180		29.92			30.12	FM-15	0.00	30.10
24	0954	7	BKN:07 170	10.00		47	8.3	40	4.4	30	-1.1	52	8	220		29.93	3	-0.02	30.12	FM-15	0.00	30.11
24	1054	7	SCT:04 220	10.00		52	11.1	42	5.6	29	-1.7	41	10	240		29.91			30.10	FM-15	0.00	30.09
24	1154	7	SCT:04 250	10.00		56	13.3	44	6.7	29	-1.7	36	11	230		29.87			30.06	FM-15	0.00	30.05
24	1254	7	SCT:04 280	10.00		59	15.0	46	7.8	30	-1.1	33	7	230		29.85	8	+0.08	30.04	FM-15	0.00	30.03
24	1300	4		9.94		59	15.0	46	7.8	30	-1.1	33	7	230		29.85	8	+0.08	30.04	FM-12		
24	1354	7	SCT:04 280	10.00		62	16.7	47	8.3	30	-1.1	30	8	220		29.82			30.01	FM-15	0.00	30.00
24	1454	7	SCT:04 280	10.00		62	16.7	48	8.9	31	-0.6	31	8	210		29.80			29.99	FM-15	0.00	29.98
24	1554	7	SCT:04 280	10.00		62	16.7	48	8.9	32	0.0	32	14	190		29.80	5	+0.05	29.99	FM-15	0.00	29.98
24	1654	7	BKN:07 230 BKN:07 300	10.00		56	13.3	46	7.8	33	0.6	42	9	190		29.81			30.00	FM-15	0.00	29.99
24	1754	7	BKN:07 230	10.00		55	12.8	45	7.2	34	1.1	45	11	190		29.79			29.99	FM-15	0.00	29.97
24	1854	7	BKN:07 200	10.00		55	12.8	45	7.2	34	1.1	45	11	210		29.80	1	0.00	29.99	FM-15	0.00	29.98
24	1900	4		9.94		55	12.8	45	7.2	34	1.1	45	11	210		29.80			29.99	FM-12		
24	1954	7	BKN:07 200	10.00		53	11.7	45	7.2	35	1.7	51	8	180		29.76			29.96	FM-15	0.00	29.94
24	2054	7	BKN:07 200	10.00		53	11.7	45	7.2	35	1.7	51	10	200		29.75			29.95	FM-15	0.00	29.93
24	2154	7	BKN:07 220	10.00		51	10.6	44	6.7	35	1.7	54	7	190		29.75	6	+0.05	29.94	FM-15	0.00	29.93
24	2254	7	BKN:07 180	10.00		52	11.1	45	7.2	36	2.2	55	11	190		29.70			29.89	FM-15	0.00	29.88
24	2354	7	BKN:07 160	10.00		52	11.1	45	7.2	36	2.2	55	11	200		29.68			29.87	FM-15	0.00	29.86

25	0054	7	BKN:07 170	10.00		51	10.6	45	7.2	37	2.8	59	10	190		29.65	6	+0.10	29.84	FM-15	0.00	29.83
25	0100	4		9.94		51	10.6	45	7.2	37	2.8	59	10	190		29.65	6	+0.10	29.84	FM-12		
25	0154	7	BKN:07 180	10.00		50	10.0	44	6.7	38	3.3	63	8	190		29.64			29.83	FM-15	0.00	29.82
25	0254	7	BKN:07 120	10.00		56	13.3	48	8.9	39	3.9	53	14	240		29.64			29.83	FM-15	0.00	29.82
25	0354	7	BKN:07 150	10.00		57	13.9	48	8.9	39	3.9	51	17	230	25	29.62	8	+0.02	29.82	FM-15	0.00	29.80
25	0454	7	FEW:02 100 BKN:07 150	10.00		57	13.9	48	8.9	39	3.9	51	17	240	26	29.61			29.80	FM-15	0.00	29.79
25	0554	7	BKN:07 140	10.00		57	13.9	49	9.4	40	4.4	53	17	230	25	29.60			29.79	FM-15	0.00	29.78
25	0654	7	BKN:07 150	10.00		56	13.3	48	8.9	40	4.4	55	15	210		29.58	8	+0.04	29.77	FM-15	0.00	29.76
25	0700	4		9.94		56	13.3	48	8.9	40	4.4	55	15	210		29.58	8	+0.04	29.77	FM-12		
25	0754	7	BKN:07 150	10.00		55	12.8	48	8.9	41	5.0	59	17	220	22	29.57			29.76	FM-15	0.00	29.75
25	0854	7	BKN:07 160	10.00		56	13.3	50	10.0	43	6.1	62	18	210		29.57			29.76	FM-15	0.00	29.75
25	0954	7	BKN:07 190 BKN:07 300	10.00		58	14.4	51	10.6	44	6.7	60	17	220		29.56	8	+0.02	29.75	FM-15	0.00	29.74
25	1054	7	BKN:07 180	10.00		61	16.1	53	11.7	46	7.8	58	13	220		29.53			29.72	FM-15	0.00	29.71
25	1154	7	BKN:07 180	10.00		64	17.8	55	12.8	47	8.3	54	18	220	25	29.49			29.69	FM-15	0.00	29.67
25	1254	7	SCT:04 150	10.00		69	20.6	57	13.9	48	8.9	47	20	220	24	29.47	6	+0.10	29.66	FM-15	0.00	29.64
25	1300	4		9.94		69	20.6	57	13.9	48	8.9	47	20	220		29.46	6	+0.10	29.66	FM-12		
25	1354	7	BKN:07 160	10.00		71	21.7	59	15.0	49	9.4	46	21	230	28	29.44			29.62	FM-15	0.00	29.61
25	1454	7	SCT:04 150	10.00		72	22.2	59	15.0	49	9.4	44	15	240	28	29.42			29.62	FM-15	0.00	29.60
25	1554	7	FEW:02 150	10.00		71	21.7	59	15.0	49	9.4	46	17	240	29	29.44	5	+0.02	29.63	FM-15	0.00	29.62
25	1654	7	SCT:04 65 SCT:04 150	10.00		69	20.6	58	14.4	50	10.0	51	11	230		29.45			29.65	FM-15	0.00	29.63
25	1754	7	BKN:07 75	10.00		67	19.4	58	14.4	50	10.0	55	10	210		29.47			29.66	FM-15	0.00	29.65
25	1854	7	SCT:04 85	10.00		62	16.7	55	12.8	50	10.0	65	13	200		29.48	1	-0.04	29.67	FM-15	0.00	29.66
25	1900	4		9.94		62	16.7	55	12.8	50	10.0	65	13	200		29.48	1	-0.04	29.67	FM-12		
25	1954	7	SCT:04 90	10.00		63	17.2	56	13.3	50	10.0	63	10	210		29.48			29.67	FM-15	0.00	29.66
25	2054	7	FEW:02 80	10.00		63	17.2	56	13.3	50	10.0	63	11	220		29.49			29.68	FM-15	0.00	29.67
25	2154	7	FEW:02 85	10.00		64	17.8	57	13.9	51	10.6	63	11	230		29.50	3	-0.02	29.69	FM-15	0.00	29.68
25	2254	7	FEW:02 85	10.00		66	18.9	58	14.4	51	10.6	59	13	250		29.53			29.72	FM-15	0.00	29.71
25	2354	7	BKN:07 100	10.00		65	18.3	58	14.4	52	11.1	63	9	240		29.55			29.73	FM-15	0.00	29.73
26	0054	7	SCT:04 100	10.00		63	17.2	57	13.9	52	11.1	68	8	240		29.56	1	-0.06	29.75	FM-15	0.00	29.74
26	0100	4		9.94		63	17.2	57	13.9	52	11.1	68	8	240		29.56	1	-0.06	29.75	FM-12		
26	0154	7	FEW:02 100	10.00		61	16.1	56	13.3	52	11.1	72	9	240		29.58			29.77	FM-15	0.00	29.76
26	0254	7	BKN:07 70	10.00		60	15.6	56	13.3	52	11.1	75	6	260		29.62			29.81	FM-15	0.00	29.80
26	0354	7	SCT:04 60	10.00		59	15.0	55	12.8	52	11.1	78	8	280		29.63	1	-0.06	29.81	FM-15	0.00	29.81
26	0454	7	FEW:02 60	10.00		55	12.8	52	11.1	50	10.0	83	3	340		29.65			29.84	FM-15	0.00	29.83
26	0554	7	FEW:02 60	10.00		48	8.9	48	8.9	47	8.3	96	3	210		29.68			29.87	FM-15	0.00	29.86
26	0654	7	FEW:02 60 FEW:02 250	10.00		50	10.0	49	9.4	48	8.9	93	0	000		29.72	3	-0.09	29.91	FM-15	0.00	29.90
26	0700	4	57	9.94		50	10.0	49	9.4	48	8.9	93	0	000		29.72	3	-0.09	29.91	FM-12		
26	0754	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	3	010		29.75			29.94	FM-15	0.00	29.93
26	0854	7	CLR:00	10.00		58	14.4	53	11.7	49	9.4	72	9	010		29.77			29.96	FM-15	0.00	29.95
26	0954	7	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	5	010		29.80	1	-0.08	29.99	FM-15	0.00	29.98
26	1054	7	CLR:00	10.00		65	18.3	54	12.2	45	7.2	49	6	350		29.79			29.98	FM-15	0.00	29.97
26	1154	7	FEW:02 180	10.00		68	20.0	54	12.2	41	5.0	38	9	300		29.77			29.96	FM-15	0.00	29.95
26	1254	7	SCT:04 250	10.00		71	21.7	52	11.1	32	0.0	24	10	290		29.75	8	+0.04	29.94	FM-15	0.00	29.93
26	1300	4		9.94		71	21.7	52	11.1	32	0.0	24	10	290		29.75	8	+0.04	29.94	FM-12		
26	1354	7	FEW:02 250	10.00		71	21.7	52	11.1	32	0.0	24	7	330		29.74			29.93	FM-15	0.00	29.92
26	1454	7	SCT:04 250	10.00		71	21.7	52	11.1	33	0.6	25	8	310		29.74			29.93	FM-15	0.00	29.92
26	1554	7	FEW:02 180 FEW:02 250	10.00		70	21.1	52	11.1	33	0.6	26	10	310		29.76	3	0.00	29.95	FM-15	0.00	29.94
26	1654	7	FEW:02 180 FEW:02 250	10.00		64	17.8	51	10.6	38	3.3	38	6	320		29.77			29.96	FM-15	0.00	29.95
26	1754	7	FEW:02 160 FEW:02 250	10.00		58	14.4	49	9.4	39	3.9	50	0	000		29.80			29.99	FM-15	0.00	29.98
26	1854	7	FEW:02 150	10.00		54	12.2	47	8.3	39	3.9	57	0	000		29.82	3	-0.06	30.01	FM-15	0.00	30.00
26	1900	4		9.94		54	12.2	47	8.3	39	3.9	57	0	000		29.82	3	-0.06	30.01	FM-12		

26	1954	7	FEW:02 150	10.00		54	12.2	47	8.3	40	4.4	59	9	040		29.85			30.04	FM-15	0.00	30.03
26	2054	7	FEW:02 150 SCT:04 230	10.00		54	12.2	47	8.3	40	4.4	59	7	060		29.87			30.06	FM-15	0.00	30.05
26	2154	7	SCT:04 150	10.00		53	11.7	46	7.8	39	3.9	59	3	060		29.89	1	-0.07	30.09	FM-15	0.00	30.07
26	2254	7	FEW:02 150	10.00		51	10.6	45	7.2	38	3.3	61	7	040		29.92			30.11	FM-15	0.00	30.10
26	2354	7	SCT:04 150	10.00		50	10.0	44	6.7	37	2.8	61	5	080		29.92			30.11	FM-15	0.00	30.10
27	0054	7	FEW:02 150	10.00		47	8.3	42	5.6	36	2.2	66	5	060		29.93	1	-0.04	30.12	FM-15	0.00	30.11
27	0100	4		9.94		47	8.3	42	5.6	36	2.2	66	5	060		29.93	1	-0.04	30.12	FM-12		
27	0154	7	SCT:04 220	10.00		45	7.2	40	4.4	33	0.6	63	6	050		29.93			30.13	FM-15	0.00	30.11
27	0254	7	BKN:07 210	10.00		44	6.7	39	3.9	33	0.6	65	5	080		29.93			30.12	FM-15	0.00	30.11
27	0354	7	BKN:07 180	10.00		43	6.1	39	3.9	33	0.6	68	3	070		29.92	8	0.00	30.11	FM-15	0.00	30.10
27	0454	7	BKN:07 170	10.00		40	4.4	37	2.8	33	0.6	77	6	110		29.88			30.07	FM-15	0.00	30.06
27	0554	7	SCT:04 160 BKN:07 250	10.00		40	4.4	37	2.8	32	0.0	73	3	010		29.92			30.11	FM-15	0.00	30.10
27	0654	7	SCT:04 80 BKN:07 150	10.00		39	3.9	37	2.8	33	0.6	79	3	020		29.93	3	0.00	30.12	FM-15	0.00	30.11
27	0700	4	74	9.94		39	3.9	37	2.8	33	0.6	79	3	020		29.93	3	0.00	30.12	FM-12		
27	0754	7	BKN:07 75 BKN:07 150	10.00		41	5.0	38	3.3	34	1.1	76	5	050		29.92			30.11	FM-15	0.00	30.10
27	0854	7	BKN:07 80 OVC:08 130	10.00		43	6.1	39	3.9	34	1.1	71	5	020		29.92			30.11	FM-15	0.00	30.10
27	0954	7	SCT:04 70 BKN:07 140	10.00		44	6.7	40	4.4	35	1.7	71	7	120		29.87	8	+0.06	30.06	FM-15	0.00	30.05
27	1054	7	BKN:07 55	10.00		45	7.2	41	5.0	35	1.7	68	5	170		29.86			30.06	FM-15	0.00	30.04
27	1154	7	FEW:02 39 OVC:08 50	10.00		47	8.3	42	5.6	35	1.7	63	0	000		29.85			30.04	FM-15	0.00	30.03
27	1254	7	OVC:08 30	10.00		50	10.0	44	6.7	37	2.8	61	7	VRB		29.79	8	+0.09	29.98	FM-15	0.00	29.97
27	1300	4	26	9.94		50	10.0	44	6.7	37	2.8	61	7			29.79	8	+0.09	29.98	FM-12		
27	1318	7	OVC:08 28	10.00		49	9.4	44	6.7	37	2.8	64	8	110		29.76				FM-16		29.94
27	1354	7	OVC:08 27	10.00		50	10.0	44	6.7	38	3.3	63	3	060		29.77			29.96	FM-15	0.00	29.95
27	1454	7	OVC:08 26	10.00		49	9.4	44	6.7	39	3.9	69	8	080		29.74			29.94	FM-15	0.00	29.92
27	1554	7	OVC:08 26	10.00		48	8.9	44	6.7	39	3.9	71	8	060		29.73	6	+0.05	29.93	FM-15	0.00	29.91
27	1654	7	OVC:08 25	10.00		48	8.9	44	6.7	40	4.4	74	0	000		29.72			29.92	FM-15	0.00	29.90
27	1754	7	OVC:08 25	10.00		49	9.4	45	7.2	40	4.4	71	0	000		29.72			29.91	FM-15	0.00	29.90
27	1854	7	BKN:07 22 OVC:08 70	10.00		48	8.9	45	7.2	41	5.0	77	5	040		29.70	8	+0.03	29.90	FM-15	0.00	29.88
27	1900	4	26	9.94		48	8.9	45	7.2	41	5.0	77	5	040		29.70	8	+0.03	29.90	FM-12		
27	1952	6	SCT:04 21 OVC:08 70	10.00		46	7.8	44	6.7	41	5.0	82	0	000		29.69				FM-16		29.87
27	1954	7	SCT:04 21 OVC:08 70	10.00		47	8.3	44	6.7	41	5.0	80	0	000		29.69			29.88	FM-15	0.00	29.87
27	2054	7	OVC:08 65	10.00		48	8.9	45	7.2	41	5.0	77	3	170		29.66			29.85	FM-15	0.00	29.84
27	2154	7	OVC:08 75	10.00		48	8.9	45	7.2	42	5.6	80	5	230		29.65	6	+0.05	29.84	FM-15	0.00	29.83
27	2254	7	SCT:04 75 OVC:08 200	10.00		48	8.9	45	7.2	42	5.6	80	0	000		29.65			29.85	FM-15	0.00	29.83
27	2354	7	FEW:02 75 OVC:08 200	10.00		47	8.3	45	7.2	42	5.6	83	7	210		29.62			29.82	FM-15	0.00	29.80
28	0054	7	BKN:07 180	10.00		46	7.8	44	6.7	42	5.6	86	5	210		29.61	8	+0.04	29.80	FM-15	0.00	29.79
28	0100	4		9.94		46	7.8	44	6.7	42	5.6	86	5	210		29.61	8	+0.04	29.80	FM-12		
28	0154	7	OVC:08 170	10.00		47	8.3	45	7.2	43	6.1	86	5	170		29.61			29.80	FM-15	0.00	29.79
28	0254	7	BKN:07 160	10.00		51	10.6	48	8.9	45	7.2	80	6	230		29.63			29.82	FM-15	0.00	29.81
28	0354	7	CLR:00	10.00		48	8.9	47	8.3	45	7.2	89	5	180		29.64	2	-0.03	29.83	FM-15	0.00	29.82
28	0401	7	BKN:07 200	10.00		48	8.9	46	7.8	44	6.7	86	0	000		29.64				FM-16		29.82
28	0454	7	FEW:02 90 OVC:08 180	10.00		49	9.4	47	8.3	45	7.2	86	0	000		29.64			29.84	FM-15	0.00	29.82
28	0554	7	OVC:08 200	10.00		48	8.9	46	7.8	44	6.7	86	7	040		29.67			29.86	FM-15	0.00	29.85
28	0654	7	BKN:07 150 BKN:07 250	10.00		47	8.3	45	7.2	42	5.6	83	3	050		29.72	3	-0.08	29.91	FM-15	0.00	29.90
28	0700	4		9.94		47	8.3	45	7.2	42	5.6	83	3	050		29.72	3	-0.08	29.91	FM-12		

28	0754	7	FEW:02 50 FEW:02 170 BKN:07 250	10.00		46	7.8	44	6.7	41	5.0	83	8	020		29.75			29.95	FM-15	0.00	29.93
28	0854	7	SCT:04 90 OVC:08 300	10.00		49	9.4	45	7.2	41	5.0	74	6	030		29.79			29.98	FM-15	0.00	29.97
28	0954	7	FEW:02 90 FEW:02 230 OVC:08 300	10.00		52	11.1	47	8.3	41	5.0	66	5	040		29.80	1	-0.09	30.00	FM-15	0.00	29.98
28	1054	7	BKN:07 95 OVC:08 300	10.00		57	13.9	49	9.4	41	5.0	55	6	030	16	29.79			29.98	FM-15	0.00	29.97
28	1154	7	BKN:07 90 OVC:08 300	10.00		58	14.4	47	8.3	35	1.7	42	7	030		29.77			29.96	FM-15	0.00	29.95
28	1254	7	BKN:07 85 BKN:07 300	10.00		60	15.6	47	8.3	33	0.6	36	6	050		29.73	8	+0.07	29.92	FM-15	0.00	29.91
28	1300	4		9.94		60	15.6	47	8.3	33	0.6	36	6	050		29.73	8	+0.07	29.92	FM-12		
28	1354	7	FEW:02 85 SCT:04 300	10.00		61	16.1	47	8.3	31	-0.6	32	9	100		29.70			29.89	FM-15	0.00	29.88
28	1454	7	FEW:02 80 SCT:04 300	10.00		62	16.7	48	8.9	31	-0.6	31	10	140		29.67			29.86	FM-15	0.00	29.85
28	1554	7	BKN:07 75 BKN:07 300	10.00		60	15.6	47	8.3	32	0.0	35	5	130		29.68	5	+0.05	29.87	FM-15	0.00	29.86
28	1654	7	OVC:08 80	10.00		59	15.0	48	8.9	37	2.8	44	3	140		29.71			29.90	FM-15	0.00	29.89
28	1754	7	FEW:02 34 BKN:07 55 OVC:08 90	10.00	-RA:02 RA RA	58	14.4	48	8.9	38	3.3	48	7	100		29.70			29.89	FM-15	T	29.88
28	1854	7	FEW:02 55 SCT:04 90	10.00		56	13.3	46	7.8	34	1.1	44	11	140		29.65	8	+0.02	29.84	FM-15	T	29.83
28	1900	4	57	9.94		56	13.3	46	7.8	34	1.1	44	11	140		29.65	8	+0.02	29.84	FM-12		
28	1952	7	BKN:07 27	10.00		55	12.8	45	7.2	32	0.0	41	9	150		29.66				FM-16		29.84
28	1954	7	BKN:07 27	10.00		55	12.8	45	7.2	32	0.0	42	10	150		29.66			29.85	FM-15	0.00	29.84
28	2052	6	SCT:04 25 OVC:08 47	10.00		54	12.2	45	7.2	34	1.1	47	9	160		29.64				FM-16		29.82
28	2054	7	SCT:04 25 OVC:08 47	10.00		54	12.2	45	7.2	34	1.1	47	8	160		29.64			29.83	FM-15	0.00	29.82
28	2154	7	FEW:02 39 OVC:08 50	10.00		55	12.8	47	8.3	37	2.8	51	7	150		29.62	8	+0.04	29.81	FM-15	0.00	29.80
28	2225	7	BKN:07 21 OVC:08 46	10.00		55	12.8	47	8.3	39	3.9	55	7	150		29.60				FM-16		29.78
28	2254	7	BKN:07 19 BKN:07 50	10.00		53	11.7	47	8.3	41	5.0	64	7	170		29.59			29.78	FM-15	0.00	29.77
28	2311	7	FEW:02 19 SCT:04 50	10.00		53	11.7	48	8.9	42	5.6	66	7	160		29.58				FM-16		29.76
28	2354	7	FEW:02 19 FEW:02 50	10.00		54	12.2	51	10.6	48	8.9	80	8	190		29.57			29.76	FM-15	0.00	29.75
29	0054	7	FEW:02 50	10.00		57	13.9	55	12.8	53	11.7	87	11	200		29.56	6	+0.05	29.76	FM-15	0.00	29.74
29	0100	4	57	9.94		57	13.9	55	12.8	53	11.7	87	11	200		29.56	6	+0.05	29.76	FM-12		
29	0154	7	SCT:04 75	10.00		59	15.0	58	14.4	57	13.9	93	11	210		29.57			29.76	FM-15	0.00	29.75
29	0254	7	SCT:04 80	10.00		59	15.0	58	14.4	57	13.9	93	11	200		29.56			29.75	FM-15	0.00	29.74
29	0354	7	SCT:04 80 BKN:07 250	10.00		60	15.6	59	15.0	58	14.4	93	13	200		29.55	8	+0.01	29.74	FM-15	0.00	29.73
29	0454	7	FEW:02 80 OVC:08 220	10.00		62	16.7	60	15.6	59	15.0	90	14	210		29.56			29.75	FM-15	0.00	29.74
29	0554	7	BKN:07 240	10.00		65	18.3	61	16.1	59	15.0	81	14	230		29.59			29.78	FM-15	0.00	29.77
29	0654	7	FEW:02 90 BKN:07 230	10.00		65	18.3	61	16.1	59	15.0	81	14	230		29.60	3	-0.05	29.80	FM-15	0.00	29.78
29	0700	4		9.94		65	18.3	61	16.1	59	15.0	81	14	230		29.60	3	-0.05	29.80	FM-12		
29	0754	7	FEW:02 20 BKN:07 170 BKN:07 230	10.00		65	18.3	61	16.1	59	15.0	81	9	230		29.63			29.83	FM-15	0.00	29.81
29	0854	7	FEW:02 20 BKN:07 60 BKN:07 200	10.00		66	18.9	62	16.7	60	15.6	81	5	280		29.67			29.86	FM-15	0.00	29.85

29	0954	7	SCT:04 23 BKN:07 60 OVC:08 200	10.00		68	20.0	63	17.2	60	15.6	76	3	250		29.68	1	-0.07	29.87	FM-15	0.00	29.86
29	1050	7	BKN:07 25 OVC:08 60	10.00		66	18.9	62	16.7	59	15.0	78	6	030		29.69				FM-16		29.87
29	1054	7	BKN:07 25 OVC:08 60	10.00		67	19.4	62	16.7	59	15.0	76	6	030		29.69			29.88	FM-15	0.00	29.87
29	1154	7	OVC:08 25	10.00		63	17.2	58	14.4	55	12.8	75	6	350		29.68			29.87	FM-15	0.00	29.86
29	1221	7	SCT:04 25 OVC:08 48	10.00		62	16.7	58	14.4	54	12.2	75	6	360		29.68				FM-16	T	29.86
29	1254	7	BKN:07 28 OVC:08 48	10.00		62	16.7	58	14.4	54	12.2	75	3	340		29.67	8	+0.01	29.86	FM-15	T	29.85
29	1300	4	26	9.94		62	16.7	58	14.4	54	12.2	75	3	340		29.67	8	+0.01	29.86	FM-12		
29	1354	7	BKN:07 28 OVC:08 33	10.00		64	17.8	59	15.0	56	13.3	75	0	000		29.66			29.85	FM-15	0.00	29.84
29	1440	7	BKN:07 34 OVC:08 45	10.00		65	18.3	60	15.6	57	13.9	76	5	170		29.66				FM-16		29.84
29	1454	7	BKN:07 34 OVC:08 45	10.00		65	18.3	61	16.1	58	14.4	78	0	000		29.67			29.86	FM-15	0.00	29.85
29	1554	7	SCT:04 30 BKN:07 42	10.00		65	18.3	61	16.1	59	15.0	81	3	160		29.67	3	0.00	29.86	FM-15	0.00	29.85
29	1654	7	SCT:04 47 SCT:04 110 OVC:08 250	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.68			29.87	FM-15	0.00	29.86
29	1754	7	BKN:07 37 BKN:07 110 OVC:08 250	10.00		63	17.2	61	16.1	59	15.0	87	0	000		29.68			29.88	FM-15	0.00	29.86
29	1851	7	BKN:07 29 OVC:08 35	10.00		63	17.2	61	16.1	59	15.0	88	0	000		29.69				FM-16		29.87
29	1854	7	BKN:07 29 OVC:08 35	10.00		63	17.2	61	16.1	59	15.0	87	0	000		29.69	1	-0.01	29.88	FM-15	0.00	29.87
29	1900	4	26	9.94		63	17.2	61	16.1	59	15.0	87	0	000		29.69	1	-0.01	29.88	FM-12		
29	1954	7	FEW:02 15 BKN:07 23 OVC:08 33	5.00	RA:02 BR:1 RA RA	60	15.6	58	14.4	57	13.9	90	10	040		29.71			29.90	FM-15	0.04	29.89
29	2019	7	BKN:07 14 OVC:08 27	7.00	-RA:02 RA RA	56	13.3	54	12.2	53	11.7	90	16	030		29.71				FM-16	0.02	29.89
29	2052	7	BKN:07 16 OVC:08 22	3.00	-RA:02 BR:1 RA RA	54	12.2	54	12.2	54	12.2	100	6	060		29.72				FM-16	0.06	29.90
29	2054	7	BKN:07 16 OVC:08 24	3.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	5	080		29.72			29.91	FM-15	0.04	29.90
29	2110	7	SCT:04 5 BKN:07 17 OVC:08 75	5.00	-RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	8	040		29.71				FM-16	0.05	29.89
29	2129	7	BKN:07 5 OVC:08 28	3.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	11	050		29.70				FM-16	0.06	29.88
29	2145	7	OVC:08 4	7.00	-RA:02 RA RA	53	11.7	53	11.7	53	11.7	100	9	070		29.71				FM-16	0.07	29.89
29	2154	7	OVC:08 4	7.00	-RA:02 RA RA	53	11.7	53	11.7	53	11.7	100	8	080		29.71	8	0.00	29.90	FM-15	0.07	29.89
29	2221	7	OVC:08 5	3.00	RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	8	080		29.71				FM-16	0.01	29.89
29	2254	7	OVC:08 5	3.00	-RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	7	060		29.71			29.91	FM-15	0.03	29.89
29	2316	7	BKN:07 5 OVC:08 15	2.00	RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	5	050		29.73				FM-16	0.08	29.91
29	2338	7	OVC:08 5	3.00	RA:02 BR:1 RA RA	53	11.7	53	11.7	53	11.7	100	8	020		29.73				FM-16	0.11	29.91
29	2354	7	BKN:07 5 OVC:08 12	3.00	-RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	7	040		29.72			29.91	FM-15	0.14	29.90
30	0054	7	BKN:07 5 OVC:08 9	6.00	-RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	6	360		29.73	3	-0.03	29.93	FM-15	0.02	29.91
30	0100	4	5	5.59	RA	53	11.7	52	11.1	52	11.1	96	6	360		29.73	3	-0.03	29.93	FM-12		
30	0154	7	BKN:07 5 OVC:08 60	10.00		52	11.1	51	10.6	51	10.6	97	7	050		29.69			29.88	FM-15	0.01	29.87
30	0254	7	OVC:08 5	10.00	-RA:02 RA RA	52	11.1	51	10.6	51	10.6	97	3	340		29.71			29.91	FM-15	T	29.89
30	0354	7	OVC:08 4	10.00		52	11.1	51	10.6	51	10.6	97	6	090		29.68	6	+0.06	29.87	FM-15	T	29.86
30	0454	7	OVC:08 3	10.00		51	10.6	51	10.6	51	10.6	100	6	060		29.68			29.88	FM-15	0.00	29.86

30	0552	6	OVC:08 2	2.00	BR:1	52	11.1	52	11.1	52	11.1	100	5	080		29.69				FM-16		29.87
30	0554	7	OVC:08 2	2.00	BR:1	51	10.6	51	10.6	51	10.6	100	3	090		29.69			29.88	FM-15	0.00	29.87
30	0603	7	OVC:08 2	3.00	BR:1	51	10.6	51	10.6	51	10.6	100	3	060		29.70				FM-16		29.88
30	0654	7	OVC:08 2	4.00	BR:1	51	10.6	51	10.6	51	10.6	100	3	040		29.71	3	-0.04	29.90	FM-15	T	29.89
30	0700	4	2	3.73		51	10.6	51	10.6	51	10.6	100	3	040		29.71	3	-0.04	29.90	FM-12		
30	0754	7	OVC:08 3	6.00	BR:1	51	10.6	51	10.6	51	10.6	100	5	030		29.72			29.92	FM-15	0.00	29.90
30	0806	7	OVC:08 3	2.50	BR:1	51	10.6	51	10.6	51	10.6	100	3	050		29.73				FM-16		29.91
30	0854	7	OVC:08 2	1.00	BR:1	52	11.1	51	10.6	51	10.6	97	5	360		29.75			29.94	FM-15	0.00	29.93
30	0908	7	OVC:08 2	0.50	FG:2 FG	52	11.1	52	11.1	52	11.1	100	6	030		29.75				FM-16		29.93
30	0918	7	OVC:08 2	2.50	BR:1	52	11.1	51	10.6	51	10.6	97	5	010		29.76				FM-16		29.94
30	0952	6	OVC:08 3	4.00	BR:1	52	11.1	52	11.1	52	11.1	100	7	020		29.77				FM-16		29.95
30	0954	7	OVC:08 3	4.00	BR:1	52	11.1	51	10.6	51	10.6	97	5	020		29.77	3	-0.06	29.96	FM-15	0.00	29.95
30	1032	7	OVC:08 5	9.00		53	11.7	52	11.1	52	11.1	96	6	050		29.76				FM-16		29.94
30	1054	7	OVC:08 5	9.00		53	11.7	52	11.1	52	11.1	96	5	360		29.75			29.95	FM-15	0.00	29.93
30	1154	7	OVC:08 5	10.00		54	12.2	53	11.7	52	11.1	93	3	020		29.74			29.93	FM-15	0.00	29.92
30	1254	7	OVC:08 6	10.00		54	12.2	53	11.7	52	11.1	93	3	080		29.73	6	+0.04	29.92	FM-15	0.00	29.91
30	1300	4	5	9.94		54	12.2	53	11.7	52	11.1	93	3	080		29.73	6	+0.04	29.92	FM-12		
30	1354	7	OVC:08 6	10.00		54	12.2	53	11.7	52	11.1	93	5	160		29.73			29.92	FM-15	0.00	29.91
30	1454	7	OVC:08 5	9.00		54	12.2	53	11.7	53	11.7	97	5	140		29.72			29.91	FM-15	0.00	29.90
30	1554	7	OVC:08 5	8.00		54	12.2	53	11.7	52	11.1	93	0	000		29.73	3	0.00	29.93	FM-15	0.00	29.91
30	1654	7	OVC:08 6	9.00		54	12.2	53	11.7	52	11.1	93	5	170		29.74			29.93	FM-15	0.00	29.92
30	1754	7	OVC:08 5	2.00	BR:1	53	11.7	53	11.7	53	11.7	100	5	160		29.75			29.94	FM-15	0.00	29.93
30	1854	7	OVC:08 3	2.00	BR:1	53	11.7	53	11.7	53	11.7	100	3	150		29.74	0	-0.01	29.93	FM-15	0.00	29.92
30	1900	4	2	1.99		53	11.7	53	11.7	53	11.7	100	3	150		29.74	9	+0.01	29.93	FM-12		
30	1919	7	OVC:08 3	1.00	BR:1	53	11.7	53	11.7	53	11.7	100	3	140		29.75				FM-16		29.93
30	1954	7	OVC:08 3	1.00	BR:1	53	11.7	53	11.7	53	11.7	100	0	000		29.75			29.94	FM-15	0.00	29.93
30	2054	7	OVC:08 3	1.00	BR:1	53	11.7	53	11.7	53	11.7	100	3	090		29.75			29.94	FM-15	T	29.93
30	2125	7	VV:09 3	0.25	FG:2 FG	53	11.7	53	11.7	53	11.7	100	3	070		29.75				FM-16	T	29.93
30	2154	7	VV:09 3	0.25	FG:2 FG	53	11.7	53	11.7	53	11.7	100	3	120		29.76	3	-0.02	29.95	FM-15	T	29.94
30	2254	7	VV:09 2	0.25	FG:2 FG	53	11.7	53	11.7	53	11.7	100	3	090		29.75			29.94	FM-15	0.00	29.93
30	2354	7	VV:09 3	0.25	FG:2 FG	52	11.1	52	11.1	52	11.1	100	3	110		29.74			29.93	FM-15	0.00	29.92
31	0054	7	VV:09 3	0.25	-DZ:01 FG:2 FG DZ DZ	52	11.1	52	11.1	52	11.1	100	0	000		29.74	6	+0.03	29.93	FM-15	T	29.92
31	0100	4		0.25	DZ	52	11.1	52	11.1	52	11.1	100	0	000		29.74	6	+0.03	29.93	FM-12		
31	0154	7	VV:09 3	0.25	-DZ:01 FG:2 FG DZ DZ	52	11.1	52	11.1	52	11.1	100	5	110		29.75			29.94	FM-15	T	29.93
31	0254	7	VV:09 3	0.25	-DZ:01 FG:2 FG DZ DZ	52	11.1	52	11.1	52	11.1	100	0	000		29.75			29.94	FM-15	T	29.93
31	0354	7	VV:09 4	0.25	-DZ:01 FG:2 FG DZ DZ	52	11.1	52	11.1	52	11.1	100	3	110		29.75	0	-0.01	29.94	FM-15	T	29.93
31	0454	7	VV:09 3	0.25	-DZ:01 FG:2 FG DZ DZ	51	10.6	51	10.6	51	10.6	100	5	120		29.75			29.94	FM-15	T	29.93
31	0554	7	VV:09 3	0.50	-DZ:01 FG:2 FG DZ DZ	51	10.6	51	10.6	51	10.6	100	3	080		29.78			29.97	FM-15	T	29.96
31	0629	7	BKN:07 3 OVC:08 9	1.00	-DZ:01 BR:1 DZ DZ	51	10.6	51	10.6	51	10.6	100	0	000		29.79				FM-16	0.01	29.97
31	0654	7	BKN:07 3 OVC:08 12	2.00	-DZ:01 BR:1 DZ DZ	51	10.6	51	10.6	51	10.6	100	0	000		29.79	3	-0.05	29.98	FM-15	0.01	29.97
31	0700	4	2	1.99	DZ	51	10.6	51	10.6	51	10.6	100	0	000		29.79	3	-0.05	29.98	FM-12		
31	0702	7	BKN:07 3 OVC:08 15	3.00	-DZ:01 BR:1 DZ DZ	51	10.6	51	10.6	51	10.6	100	5	120		29.79				FM-16	T	29.97
31	0754	7	BKN:07 3 OVC:08 15	6.00	BR:1	51	10.6	51	10.6	51	10.6	100	5	130		29.79			29.98	FM-15	T	29.97
31	0854	7	BKN:07 4 OVC:08 12	6.00	BR:1	52	11.1	52	11.1	52	11.1	100	6	230		29.82			30.01	FM-15	0.00	30.00
31	0954	7	BKN:07 4 OVC:08 10	7.00	BR:1	54	12.2	53	11.7	53	11.7	97	6	190		29.83	3	-0.04	30.03	FM-15	0.00	30.01
31	1054	7	BKN:07 4 OVC:08 7	9.00	BR:1	56	13.3	55	12.8	54	12.2	93	7	210		29.82			30.01	FM-15	0.00	30.00
31	1116	7	SCT:04 5 OVC:08 9	10.00		57	13.9	55	12.8	54	12.2	90	6	200		29.81				FM-16		29.99
31	1154	7	BKN:07 9	10.00		58	14.4	56	13.3	54	12.2	87	8	210		29.78			29.98	FM-15	0.00	29.96
31	1227	7	BKN:07 11	10.00		58	14.4	55	12.8	53	11.7	84	8	170		29.77				FM-16		29.95

31	1252	6	SCT:04 12 SCT:04 35 BKN:07 110	10.00		59	15.0	56	13.3	54	12.2	82	8	190		29.76				FM-16		29.94
31	1254	7	SCT:04 12 SCT:04 45 BKN:07 110	10.00		59	15.0	56	13.3	53	11.7	81	8	200		29.76	8	+0.07	29.96	FM-15	0.00	29.94
31	1300	4	15	9.94		59	15.0	56	13.3	53	11.7	81	8	200		29.76	8	+0.07	29.96	FM-12		
31	1354	7	FEW:02 50 BKN:07 110	10.00		61	16.1	57	13.9	54	12.2	78	9	170		29.75			29.94	FM-15	0.00	29.93
31	1454	7	BKN:07 110	10.00		61	16.1	57	13.9	54	12.2	78	7	180		29.75			29.94	FM-15	0.00	29.93
31	1554	7	FEW:02 85 BKN:07 110	10.00		60	15.6	57	13.9	54	12.2	80	8	190		29.76	5	+0.01	29.95	FM-15	0.00	29.94
31	1654	7	SCT:04 70 OVC:08 100	10.00	-RA:02 RA RA	58	14.4	56	13.3	54	12.2	87	7	170		29.75			29.95	FM-15	T	29.93
31	1754	7	OVC:08 100	10.00	-RA:02 RA RA	57	13.9	56	13.3	55	12.8	93	8	160		29.74			29.93	FM-15	0.01	29.92
31	1854	7	BKN:07 95 BKN:07 120	10.00		57	13.9	56	13.3	55	12.8	93	10	200		29.76	3	-0.01	29.96	FM-15	0.00	29.94
31	1900	4		9.94		57	13.9	56	13.3	55	12.8	93	10	200		29.76	3	-0.01	29.96	FM-12		
31	1954	7	BKN:07 100	10.00		57	13.9	56	13.3	56	13.3	96	8	160		29.73			29.92	FM-15	T	29.91
31	2015	7	FEW:02 5 BKN:07 75 OVC:08 100	8.00		57	13.9	56	13.3	56	13.3	96	8	180		29.74				FM-16		29.92
31	2054	7	FEW:02 5 BKN:07 70 BKN:07 100	8.00		56	13.3	55	12.8	55	12.8	97	8	170		29.73			29.92	FM-15	0.00	29.91
31	2154	7	FEW:02 4 SCT:04 35 BKN:07 60	8.00		57	13.9	56	13.3	56	13.3	96	5	190		29.73	5	+0.03	29.92	FM-15	0.00	29.91
31	2208	7	BKN:07 7 OVC:08 55	7.00		57	13.9	56	13.3	56	13.3	96	8	340		29.76				FM-16		29.94
31	2254	7	OVC:08 7	7.00		58	14.4	57	13.9	57	13.9	97	8	170		29.74			29.93	FM-15	0.00	29.92
31	2354	7	OVC:08 6	7.00		58	14.4	57	13.9	57	13.9	97	6	170		29.71			29.90	FM-15	0.00	29.89

Local Climatological Data
Hourly Precipitation
December 2021

Generated on 02/13/2022

Date	For Hour (LST) Ending at																					Date				
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID	
01																									01	
02																										02
03																										03
04																										04
05																										05
06	M	M	M	M	M	M	M	M	M	M	M	M	M	M												06
07																										07
08					T	T	T	T	T				T	T												08
09																										09
10																										10
11																										11
12																										12
13																										13
14																										14
15																										15
16																										16
17																										17
18																										18
19																										19
20																										20
21																										21
22	T	0.03	0.03	0.01	T																					22
23																										23
24																										24
25																										25
26																										26
27																										27
28																										28
29																										29
30	0.02	0.01	T	T																						30
31	T	T	T	T	T	T	T	0.01	T																	31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.06	0.07	0.08	0.09	0.12	0.16	0.16	0.16	0.19	0.19	0.20	0.25
Ending Date Time (yyyy-mm-dd hh:mi)	2021-12-11 18:38	2021-12-29 23:16	2021-12-29 23:16	2021-12-29 23:24	2021-12-18 15:05	2021-12-18 15:11	2021-12-18 15:11	2021-12-18 15:11	2021-12-18 16:00	2021-12-18 16:00	2021-12-29 23:24	2021-12-29 23:41

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing