

Local Climatological Data
Daily Summary
January 2021

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 02/20/2021

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH				
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees		
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	44	36	40	2.0				25	0	0724	1702	RA BR	0.65	0.0	0	30.16		8.8	21	140	20	140	
02	66*	37	52	14.0				13	0	0724	1703	DZ BR	0.01	0.0	0	29.79		6.9	19	240	14	290	
03	50	39	45	7.1				20	0	0724	1704	RA DZ BR	0.91	0.0	0	29.78		8.2	20	060	16	060	
04	47	34	41	3.2				24	0	0725	1704	BR	0.00	0.0	0	29.82		5.9	22	020	16	360	
05	50	38	44	6.3				21	0	0725	1705		0.00	0.0	0	29.75		4.7	21	350	16	360	
06	48	32	40	2.3				25	0	0725	1706		0.00	0.0	0	29.93		9.7	29	360	22	340	
07	48	26	37	-0.7				28	0	0725	1707		0.00	0.0	0	30.00		4.7	21	340	16	340	
08	43	32	38	0.4				27	0	0724	1708		Ts	T	0	29.81		7.6	19	040	15	350	
09	47	30	39	1.4				26	0	0724	1709		0.00	0.0	0	29.76		11.5	25	340	21	340	
10	52	27	40	2.4				25	0	0724	1710		0.00	0.0	0	30.04		4.9	25	010	20	360	
11	46	26	36	-1.6				29	0	0724	1711	RA	0.02	0.0	0	30.10		2.8	12	230	9	240	
12	53	31	42	4.4				23	0	0724	1712		0.00	0.0	0	29.97		2.3	12	060	10	200	
13	54	26	40	2.4				25	0	0724	1713	MIFG BR FG	0.00	0.0	0	29.86		3.4	16	240	13	210	
14	57	32	45	7.4				20	0	0723	1714		0.00	0.0	0	29.66		3.5	13	360	10	360	
15	55	29	42	4.4				23	0	0723	1715	RA FG BR	0.17	0.0	0	29.61		6.4	23	180	17	180	
16	46	33	40	2.4				25	0	0723	1716	RA BR	0.02	0.0	0	29.43		8.0	23	300	18	290	
17	50	29	40	2.4				25	0	0722	1717		0.00	0.0	0	29.62		9.8	23	250	18	260	
18	49	32	41	3.3				24	0	0722	1718		0.00	0.0	0	29.71		8.8	30	300	24	280	
19	57	26	42	4.3				23	0	0722	1719		0.00	0.0	0	29.98		8.0	29	240	22	250	
20	51	27	39	1.3				26	0	0721	1720		0.00	0.0	0	29.88		9.0	36s	290s	29	310	
21	58	25	42	4.2				23	0	0721	1721		0.00	0.0	0	29.68		7.9	23	240	18	260	
22	55	30	43	5.2				22	0	0720	1722		0.00	0.0	0	29.65		9.1	26	280	21	280	
23	40	24	32	-5.9				33	0	0719	1723		0.00	0.0	0	29.98		7.8	32	350	23	350	
24	43	19	31	-7.0				34	0	0719	1724		0.01	T	0	30.11		3.9	21	210	16	210	
25	44	34	39	1.0				26	0	0718	1726	RA BR	0.62	0.0	0	29.90		4.8	16	060	13	050	
26	44	35	40	1.9				25	0	0718	1727	RA BR	0.44	0.0	0	29.72		5.9	15	120	12	050	
27	50	37	44	5.8				21	0	0717	1728	BR	0.00	0.0	0	29.85		7.7	21	020	15	030	
28	40	27	34	-4.3				31	0	0716	1729	SN BR	0.01	0.2	T	29.96		16.1	42	340	31	350	
29	36	21	29	-9.4				36	0	0716	1730		0.00	0.0	0	30.12		9.3	27	330	22	340	
30	40	17*	29	-9.5				36	0	0715	1731		0.00	0.0	0	30.17		3.6	17	350	14	350	
31	33	30	32	-6.6				33	0	0714	1732	RA DZ SN FZFG BR FG	0.72	3.0	1	29.96		8.3	20	020	15	360	
	48.3	29.7	39.0									Monthly Averages Totals	3.58s			29.86	30.06	7.2					
	0.9	1.4	1.1									Departure from Normal (1981-2010)	0.54s										

Degree Days				Number of days with...									
Monthly		Season-to-date		Temperature				Precipitation		Snow	Weather		
Total	Departure	Total	Departure	Max		Min							
Heating	Cooling	>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog			
806	0	-36	0	2007	0	0	22	0	10s	5s	1		
Date of 5-sec to 3-sec wind equipment change				Sea Level Pressure				Greatest...					
N/A				Maximum		Date		Time		24-Hr...		Snow Depth	
				Minimum						Precip		Snowfall	
				30.48		01		0856		1.06s			
				29.53		16		1359					
								Date					
								25-26					
Station Augmentation													
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A													

Local Climatological Data
Hourly Observations
January 2021

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 02/20/2021

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	OVC:08 34	10.00		43	6.1	38	3.3	31	-0.6	63	13	040		30.20	1	-0.04	30.39	FM-15	0.00	30.38
01	0100	4	41	9.94		43	6.1	38	3.3	31	-0.6	63	13	040		30.20	1	-0.04	30.39	FM-12		
01	0154	7	OVC:08 33	10.00		42	5.6	38	3.3	32	0.0	68	10	030		30.22			30.41	FM-15	0.00	30.40
01	0254	7	OVC:08 33	10.00		42	5.6	38	3.3	31	-0.6	65	11	030		30.24			30.43	FM-15	0.00	30.42
01	0354	7	OVC:08 33	10.00		41	5.0	37	2.8	31	-0.6	67	11	030		30.24	1	-0.04	30.44	FM-15	0.00	30.42
01	0454	7	OVC:08 36	10.00		41	5.0	37	2.8	31	-0.6	67	8	040		30.25			30.44	FM-15	0.00	30.43
01	0554	7	OVC:08 37	10.00		41	5.0	37	2.8	31	-0.6	67	7	020		30.26			30.46	FM-15	0.00	30.44
01	0654	7	SCT:04 22 OVC:08 38	10.00		41	5.0	37	2.8	31	-0.6	67	9	030		30.28	3	-0.03	30.47	FM-15	0.00	30.46
01	0700	4	26	9.94		41	5.0	37	2.8	31	-0.6	67	9	030		30.28	3	-0.03	30.47	FM-12		
01	0754	7	FEW:02 22 OVC:08 37	10.00		41	5.0	37	2.8	31	-0.6	67	10	030		30.27			30.47	FM-15	0.00	30.45
01	0854	7	OVC:08 36	10.00		40	4.4	36	2.2	30	-1.1	68	9	030		30.28			30.48	FM-15	0.00	30.46
01	0954	7	OVC:08 37	10.00		41	5.0	37	2.8	30	-1.1	65	7	030		30.27	8	0.00	30.47	FM-15	0.00	30.45
01	1054	7	OVC:08 34	10.00		41	5.0	37	2.8	31	-0.6	67	7	030		30.23			30.43	FM-15	0.00	30.41
01	1129	7	BKN:07 19 OVC:08 35	10.00		42	5.6	38	3.3	31	-0.6	65	7	360		30.22				FM-16		30.40
01	1154	7	BKN:07 19 OVC:08 35	10.00		42	5.6	38	3.3	32	0.0	68	9	050		30.18			30.37	FM-15	0.00	30.36
01	1254	7	OVC:08 18	10.00		42	5.6	38	3.3	33	0.6	71	11	050		30.13	8	+0.14	30.33	FM-15	0.00	30.31
01	1300	4	15	9.94		42	5.6	38	3.3	33	0.6	71	11	050		30.13	8	+0.14	30.33	FM-12		
01	1354	7	OVC:08 16	7.00		41	5.0	38	3.3	35	1.7	79	6	070		30.10			30.30	FM-15	0.00	30.28
01	1407	7	OVC:08 14	2.50	-RA:02 RA RA	40	4.4	38	3.3	35	1.7	83	7	080		30.09				FM-16	T	30.27
01	1429	7	OVC:08 14	4.00	-RA:02 BR:1 RA RA	40	4.4	39	3.9	37	2.8	89	7	050		30.08				FM-16	T	30.26
01	1454	7	OVC:08 12	10.00		40	4.4	38	3.3	36	2.2	86	7	020		30.09			30.28	FM-15	T	30.27
01	1554	7	OVC:08 13	10.00		41	5.0	39	3.9	36	2.2	82	8	060		30.05	8	+0.09	30.24	FM-15	T	30.23
01	1652	6	OVC:08 11	2.50	-RA:02 BR:1 RA RA	41	5.0	39	3.9	37	2.8	87	6	040		30.03				FM-16		30.21
01	1654	7	OVC:08 10	2.50	-RA:02 BR:1 RA RA	40	4.4	39	3.9	37	2.8	89	5	040		30.04			30.23	FM-15	T	30.22
01	1710	7	OVC:08 10	4.00	-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	5	020		30.03				FM-16	T	30.21
01	1732	7	OVC:08 11	2.50	-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	5	010		30.02				FM-16	0.01	30.20
01	1746	7	OVC:08 11	5.00	-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	5	350		30.02				FM-16	0.01	30.20
01	1752	6	FEW:02 5 OVC:08 11	6.00	-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	7	340		30.01				FM-16		30.19
01	1754	7	FEW:02 5 OVC:08 11	6.00	-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	8	340		30.01			30.21	FM-15	0.02	30.19
01	1802	7	BKN:07 7 OVC:08 11	4.00	-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	7	320		30.02				FM-16	0.01	30.20
01	1811	7	BKN:07 5 OVC:08 11	2.50	-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	9	340		30.01				FM-16	0.01	30.19
01	1854	7	OVC:08 5	2.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	9	310		30.01	6	+0.04	30.21	FM-15	0.13	30.19
01	1900	4	5	1.99	RA	37	2.8	37	2.8	36	2.2	96	9	310		30.01	6	+0.04	30.21	FM-12		
01	1903	7	BKN:07 4 OVC:08 8	3.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	9	330		30.00				FM-16	0.03	30.18
01	1934	7	BKN:07 5 OVC:08 11	4.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	6	010		29.97				FM-16	0.10	30.15
01	1954	7	BKN:07 5 OVC:08 35	4.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	7	340		29.96			30.16	FM-15	0.13	30.14
01	2054	7	OVC:08 4	5.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	7	360		29.92			30.11	FM-15	0.11	30.10
01	2112	7	OVC:08 5	4.00	RA:02 BR:1 RA RA	37	2.8	36	2.2	35	1.7	93	7	350		29.91				FM-16	0.03	30.09

01	2128	7	BKN:07 4 OVC:08 9	2.50	+RA:02 BR:1 RA RA	37	2.8	36	2.2	35	1.7	93	9	330		29.92				FM-16	0.09	30.10
01	2154	7	BKN:07 5 OVC:08 14	5.00	-RA:02 BR:1 RA RA	36	2.2	36	2.2	35	1.7	97	10	320		29.91	6	+0.10	30.11	FM-15	0.19	30.09
01	2254	7	BKN:07 4 OVC:08 100	7.00	-RA:02 RA RA	36	2.2	36	2.2	35	1.7	97	13	140		29.77			29.97	FM-15	0.06	29.95
01	2325	7	BKN:07 5 OVC:08 110	10.00	-RA:02 RA RA	37	2.8	37	2.8	36	2.2	96	3	300		29.81				FM-16	0.02	29.99
01	2354	7	OVC:08 6	10.00		37	2.8	36	2.2	35	1.7	93	7	300		29.80			29.99	FM-15	0.01	29.98
02	0019	7	BKN:07 4 OVC:08 8	10.00		37	2.8	37	2.8	36	2.2	96	6	280		29.81				FM-16		29.99
02	0030	7	OVC:08 6	10.00		37	2.8	37	2.8	36	2.2	96	6	270		29.80				FM-16		29.98
02	0054	7	OVC:08 5	10.00		37	2.8	37	2.8	36	2.2	96	5	290		29.79	6	+0.12	29.98	FM-15	0.00	29.97
02	0100	4	5	9.94		37	2.8	37	2.8	36	2.2	96	5	290		29.79	6	+0.12	29.98	FM-12		
02	0154	7	OVC:08 5	4.00	BR:1	37	2.8	37	2.8	36	2.2	96	5	290		29.78			29.98	FM-15	T	29.96
02	0252	6	BKN:07 5 OVC:08 10	2.50	-DZ:01 BR:1 DZ DZ	37	2.8	37	2.8	36	2.2	93	6	240		29.77				FM-16		29.95
02	0254	7	BKN:07 5 OVC:08 10	2.50	-DZ:01 BR:1 DZ DZ	37	2.8	37	2.8	36	2.2	96	6	230		29.77			29.96	FM-15	0.01	29.95
02	0302	7	BKN:07 5 OVC:08 10	3.00	-DZ:01 BR:1 DZ DZ	37	2.8	37	2.8	36	2.2	96	7	220		29.77				FM-16	T	29.95
02	0331	7	OVC:08 4	3.00	-DZ:01 BR:1 DZ DZ	37	2.8	37	2.8	36	2.2	96	8	220		29.75				FM-16	T	29.93
02	0354	7	OVC:08 4	3.00	BR:1	37	2.8	37	2.8	37	2.8	100	7	210		29.74	8	+0.05	29.94	FM-15	T	29.92
02	0404	7	OVC:08 3	2.50	BR:1	38	3.3	38	3.3	37	2.8	97	9	220		29.74				FM-16		29.92
02	0454	7	OVC:08 3	2.00	BR:1	38	3.3	38	3.3	38	3.3	100	8	210		29.72			29.92	FM-15	0.00	29.90
02	0552	6	OVC:08 3	4.00	BR:1	43	6.1	42	5.6	41	5.0	93	7	240		29.72				FM-16		29.90
02	0554	7	OVC:08 3	4.00	BR:1	42	5.6	42	5.6	41	5.0	96	7	230		29.72			29.92	FM-15	0.00	29.90
02	0654	7	OVC:08 3	3.00	BR:1	45	7.2	45	7.2	44	6.7	97	10	250		29.73	5	+0.01	29.93	FM-15	0.00	29.91
02	0700	4	2	2.98		45	7.2	45	7.2	44	6.7	97	10	250		29.73	5	+0.01	29.93	FM-12		
02	0754	7	OVC:08 4	10.00		45	7.2	45	7.2	44	6.7	97	9	250		29.76			29.95	FM-15	0.00	29.94
02	0854	7	OVC:08 4	10.00		46	7.8	46	7.8	45	7.2	96	10	240		29.78			29.97	FM-15	0.00	29.96
02	0931	7	SCT:04 4 BKN:07 30	10.00		47	8.3	47	8.3	46	7.8	97	10	230		29.78				FM-16		29.96
02	0954	7	SCT:04 4 BKN:07 30	10.00		49	9.4	48	8.9	46	7.8	90	9	230		29.79	1	-0.06	29.98	FM-15	0.00	29.97
02	1010	7	FEW:02 30 BKN:07 200	10.00		50	10.0	48	8.9	47	8.3	89	7	230		29.79				FM-16		29.97
02	1054	7	BKN:07 200	10.00		55	12.8	51	10.6	48	8.9	77	7	240		29.79			29.98	FM-15	0.00	29.97
02	1154	7	BKN:07 230	10.00		62	16.7	55	12.8	49	9.4	62	9	280		29.78			29.97	FM-15	0.00	29.96
02	1254	7	BKN:07 230	10.00		64	17.8	56	13.3	50	10.0	60	10	VRB		29.77	8	+0.02	29.96	FM-15	0.00	29.95
02	1300	4		9.94		64	17.8	56	13.3	50	10.0	60	10	240		29.77	8	+0.02	29.96	FM-12		
02	1354	7	BKN:07 250	10.00		65	18.3	55	12.8	47	8.3	52	10	300		29.77			29.97	FM-15	0.00	29.95
02	1454	7	BKN:07 250	10.00		65	18.3	55	12.8	47	8.3	52	5	VRB		29.80			29.99	FM-15	0.00	29.98
02	1554	7	OVC:08 250	10.00		63	17.2	54	12.2	46	7.8	54	0	000		29.82	3	-0.05	30.01	FM-15	0.00	30.00
02	1654	7	FEW:02 240 OVC:08 300	10.00		56	13.3	52	11.1	49	9.4	77	6	100		29.84			30.03	FM-15	0.00	30.02
02	1754	7	OVC:08 300	10.00		53	11.7	50	10.0	48	8.9	83	8	050		29.86			30.06	FM-15	0.00	30.04
02	1854	7	OVC:08 300	10.00		51	10.6	48	8.9	45	7.2	80	8	050		29.87	1	-0.05	30.06	FM-15	0.00	30.05
02	1900	4		9.94		51	10.6	48	8.9	45	7.2	80	8	050		29.87	1	-0.05	30.06	FM-12		
02	1954	7	OVC:08 300	10.00		50	10.0	47	8.3	43	6.1	77	6	040		29.88			30.08	FM-15	0.00	30.06
02	2054	7	OVC:08 300	10.00		49	9.4	46	7.8	42	5.6	77	6	050		29.88			30.08	FM-15	0.00	30.06
02	2115	7	BKN:07 29 OVC:08 300	10.00		49	9.4	46	7.8	42	5.6	77	3	100		29.89				FM-16		30.07
02	2141	7	OVC:08 30	10.00		50	10.0	47	8.3	43	6.1	77	0	000		29.90				FM-16		30.08
02	2154	7	OVC:08 30	10.00		50	10.0	47	8.3	43	6.1	77	6	040		29.90	1	-0.03	30.09	FM-15	0.00	30.08
02	2224	7	OVC:08 29	10.00		49	9.4	46	7.8	43	6.1	80	6	060		29.88				FM-16		30.06
02	2254	7	OVC:08 27	10.00		49	9.4	46	7.8	43	6.1	80	6	060		29.88			30.07	FM-15	0.00	30.06
02	2354	7	OVC:08 28	10.00		50	10.0	47	8.3	43	6.1	77	5	060		29.87			30.06	FM-15	0.00	30.05
03	0054	7	OVC:08 28	10.00		49	9.4	45	7.2	41	5.0	74	9	060		29.85	6	+0.04	30.04	FM-15	0.00	30.03
03	0100	4	26	9.94		49	9.4	45	7.2	41	5.0	74	9	060		29.85	6	+0.04	30.04	FM-12		

03	0154	7	OVC:08 29	6.00	RA:02 RA RA	47	8.3	45	7.2	42	5.6	83	8	060		29.87			30.06	FM-15	0.03	30.05
03	0252	6	SCT:04 29 SCT:04 90 OVC:08 110	10.00	-RA:02 RA RA	45	7.2	44	6.7	43	6.1	93	9	080		29.79				FM-16		29.97
03	0254	7	SCT:04 29 SCT:04 90 OVC:08 110	10.00	-RA:02 RA RA	45	7.2	44	6.7	42	5.6	90	8	090		29.79		29.98		FM-15	0.05	29.97
03	0323	7	BKN:07 28 OVC:08 33	10.00		45	7.2	44	6.7	42	5.6	90	5	110		29.79				FM-16	T	29.97
03	0344	7	SCT:04 15 OVC:08 28	2.50	+RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	7	050		29.80				FM-16	0.06	29.98
03	0352	6	BKN:07 15 BKN:07 26 OVC:08 38	3.00	+RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	8	360		29.79				FM-16		29.97
03	0354	7	BKN:07 15 BKN:07 26 OVC:08 38	3.00	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	010		29.78	8	+0.07	29.97	FM-15	0.15	29.96
03	0402	7	BKN:07 10 BKN:07 15 OVC:08 26	3.00	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	020		29.77				FM-16	0.05	29.95
03	0427	7	BKN:07 8 OVC:08 13	3.00	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	360		29.79				FM-16	0.12	29.97
03	0432	7	BKN:07 8 BKN:07 13 OVC:08 21	1.75	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	350		29.80				FM-16	0.14	29.98
03	0441	7	SCT:04 8 BKN:07 13 OVC:08 48	2.00	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	9	280		29.86				FM-16	0.24	30.04
03	0452	7	FEW:02 7 BKN:07 11 OVC:08 20	1.50	+RA:02 BR:1 RA RA	45	7.2	44	6.7	43	6.1	93	10	310		29.85				FM-16	0.34	30.03
03	0454	7	BKN:07 11 OVC:08 22	1.75	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	9	340		29.84		30.03		FM-15	0.37	30.02
03	0456	7	FEW:02 9 BKN:07 13 OVC:08 26	2.00	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	9	340		29.84				FM-16	0.02	30.02
03	0500	7	FEW:02 9 BKN:07 13 OVC:08 29	3.00	RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	9	350		29.84				FM-16	0.05	30.02
03	0528	7	SCT:04 13 BKN:07 38 OVC:08 75	3.00	+RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	040		29.83				FM-16	0.15	30.01
03	0554	7	FEW:02 13 BKN:07 60 OVC:08 80	5.00	RA:02 BR:1 RA RA	43	6.1	43	6.1	42	5.6	97	9	070		29.79		29.99		FM-15	0.22	29.97
03	0616	7	FEW:02 5 BKN:07 50 OVC:08 85	5.00	-RA:02 BR:1 RA RA	43	6.1	43	6.1	42	5.6	97	10	050		29.77				FM-16	0.04	29.95
03	0637	7	BKN:07 5 BKN:07 50 OVC:08 80	5.00	-RA:02 BR:1 RA RA	43	6.1	43	6.1	42	5.6	97	8	030		29.78				FM-16	0.04	29.96
03	0654	7	BKN:07 5 OVC:08 50	9.00	-RA:02 RA RA	43	6.1	43	6.1	42	5.6	97	9	020		29.77	8	+0.07	29.97	FM-15	0.04	29.95
03	0700	4	5	8.70	RA	43	6.1	43	6.1	42	5.6	97	9	020		29.77	8	+0.07	29.97	FM-12		
03	0754	7	BKN:07 5 OVC:08 12	10.00		43	6.1	42	5.6	41	5.0	93	10	050		29.76		29.95		FM-15	0.01	29.94
03	0811	7	BKN:07 4 OVC:08 12	10.00		43	6.1	43	6.1	42	5.6	97	8	040		29.76				FM-16		29.94
03	0854	7	BKN:07 4 OVC:08 12	10.00		43	6.1	43	6.1	42	5.6	97	9	040		29.75		29.95		FM-15	0.00	29.93
03	0954	7	OVC:08 4	3.00	-DZ:01 BR:1 DZ DZ	43	6.1	43	6.1	42	5.6	97	9	020		29.76	5	+0.01	29.95	FM-15	T	29.94
03	1002	7	OVC:08 4	2.00	-RA:02 BR:1 RA RA	43	6.1	43	6.1	42	5.6	97	8	360		29.76				FM-16	T	29.94
03	1045	7	OVC:08 4	1.50	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	350		29.76				FM-16	0.02	29.94
03	1054	7	BKN:07 4 OVC:08 12	1.50	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	9	360		29.75		29.95		FM-15	0.02	29.93

03	1130	7	BKN:07 5 OVC:08 12	2.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	360		29.73				FM-16	0.01	29.91
03	1154	7	BKN:07 6 OVC:08 11	2.50	BR:1	44	6.7	44	6.7	43	6.1	96	5	340		29.71			29.91	FM-15	0.01	29.89
03	1254	7	BKN:07 6 OVC:08 12	1.50	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	9	330		29.70	8	+0.06	29.90	FM-15	T	29.88
03	1300	4	5	1.49	RA	44	6.7	44	6.7	43	6.1	96	9	330		29.70	8	+0.06	29.90	FM-12		
03	1354	7	BKN:07 7 OVC:08 14	2.00	-RA:02 BR:1 RA RA	44	6.7	44	6.7	43	6.1	96	7	330		29.70			29.89	FM-15	0.01	29.88
03	1422	7	BKN:07 6 OVC:08 11	6.00	BR:1	45	7.2	44	6.7	43	6.1	93	7	350		29.69				FM-16	T	29.87
03	1454	7	BKN:07 6 OVC:08 11	10.00		44	6.7	44	6.7	43	6.1	96	8	320		29.69			29.89	FM-15	T	29.87
03	1554	7	OVC:08 9	8.00		44	6.7	43	6.1	42	5.6	93	9	340		29.71	3	-0.01	29.91	FM-15	0.00	29.89
03	1603	7	BKN:07 5 OVC:08 11	2.00	BR:1	44	6.7	43	6.1	42	5.6	93	9	330		29.72				FM-16		29.90
03	1618	7	OVC:08 6	5.00	BR:1	44	6.7	43	6.1	42	5.6	93	10	340		29.72				FM-16	T	29.90
03	1641	7	BKN:07 5 OVC:08 10	2.50	-DZ:01 BR:1 DZ DZ	43	6.1	43	6.1	42	5.6	97	9	350		29.72				FM-16	T	29.90
03	1652	7	BKN:07 5 OVC:08 9	5.00	BR:1	43	6.1	43	6.1	43	6.1	100	8	350		29.73				FM-16	T	29.91
03	1654	7	BKN:07 5 OVC:08 9	6.00	BR:1	43	6.1	43	6.1	42	5.6	97	8	340		29.73			29.92	FM-15	T	29.91
03	1754	7	OVC:08 6	2.00	BR:1	43	6.1	43	6.1	42	5.6	97	8	350		29.74			29.93	FM-15	0.00	29.92
03	1817	7	BKN:07 6 OVC:08 10	3.00	BR:1	43	6.1	43	6.1	42	5.6	97	7	350		29.74				FM-16		29.92
03	1854	7	BKN:07 5 OVC:08 10	4.00	-DZ:01 BR:1 DZ DZ	43	6.1	43	6.1	42	5.6	97	9	330		29.76	3	-0.04	29.96	FM-15	T	29.94
03	1900	4	5	3.73	DZ	43	6.1	43	6.1	42	5.6	97	9	330		29.76	3	-0.04	29.96	FM-12		
03	1954	7	OVC:08 5	7.00		43	6.1	42	5.6	41	5.0	93	8	330		29.77			29.97	FM-15	T	29.95
03	2054	7	OVC:08 5	10.00		43	6.1	42	5.6	41	5.0	93	8	310		29.79			29.98	FM-15	0.00	29.97
03	2154	7	SCT:04 5 OVC:08 60	10.00		41	5.0	41	5.0	40	4.4	96	7	310		29.79	2	-0.03	29.99	FM-15	0.00	29.97
03	2254	7	BKN:07 60	10.00		41	5.0	41	5.0	40	4.4	96	7	320		29.80			29.99	FM-15	0.00	29.98
03	2352	6	FEW:02 7 FEW:02 60	10.00		39	3.9	39	3.9	39	3.9	100	7	330		29.79				FM-16		29.97
03	2354	7	FEW:02 7 FEW:02 60	10.00		40	4.4	39	3.9	38	3.3	93	7	330		29.79			29.99	FM-15	0.00	29.97
04	0054	7	FEW:02 60	8.00		37	2.8	37	2.8	37	2.8	100	7	330		29.79	8	+0.01	29.98	FM-15	0.00	29.97
04	0100	4	57	7.46		37	2.8	37	2.8	37	2.8	100	7	330		29.79	8	+0.01	29.98	FM-12		
04	0154	7	FEW:02 60	8.00		37	2.8	37	2.8	36	2.2	96	5	310		29.80			30.00	FM-15	0.00	29.98
04	0231	7	FEW:02 3 FEW:02 60	6.00	BR:1	36	2.2	36	2.2	36	2.2	100	6	310		29.81				FM-16		29.99
04	0252	6	BKN:07 3 BKN:07 60	5.00	BR:1	37	2.8	37	2.8	36	2.2	93	11	330		29.81				FM-16		29.99
04	0254	7	BKN:07 3 BKN:07 60	4.00	BR:1	37	2.8	37	2.8	36	2.2	96	10	330		29.81			30.00	FM-15	0.00	29.99
04	0312	7	OVC:08 2	1.50	BR:1	37	2.8	37	2.8	37	2.8	100	6	320		29.81				FM-16		29.99
04	0336	7	OVC:08 2	2.50	BR:1	37	2.8	37	2.8	37	2.8	100	6	330		29.81				FM-16		29.99
04	0354	7	OVC:08 2	2.50	BR:1	37	2.8	37	2.8	37	2.8	100	7	330		29.81	0	-0.02	30.00	FM-15	0.00	29.99
04	0413	7	OVC:08 2	4.00	BR:1	37	2.8	37	2.8	37	2.8	100	7	340		29.80				FM-16		29.98
04	0454	7	BKN:07 2	6.00	BR:1	36	2.2	36	2.2	36	2.2	100	7	340		29.81			30.00	FM-15	0.00	29.99
04	0521	7	SCT:04 2	5.00	BR:1	36	2.2	36	2.2	36	2.2	100	7	330		29.82				FM-16		30.00
04	0554	7	SCT:04 3	6.00	BR:1	35	1.7	35	1.7	35	1.7	100	7	340		29.83			30.02	FM-15	0.00	30.01
04	0654	7	FEW:02 3	7.00		35	1.7	35	1.7	34	1.1	96	6	330		29.84	3	-0.04	30.04	FM-15	0.00	30.02
04	0700	4	2	6.84		35	1.7	35	1.7	34	1.1	96	6	330		29.84	3	-0.04	30.04	FM-12		
04	0754	7	FEW:02 3 FEW:02 60	6.00	BR:1	35	1.7	35	1.7	34	1.1	96	3	300		29.86			30.06	FM-15	0.00	30.04
04	0802	7	SCT:04 3 SCT:04 60	1.00	BR:1	35	1.7	35	1.7	34	1.1	96	3	320		29.87				FM-16		30.05

04	0828	7	FEW:02 4 FEW:02 60	4.00	BR:1	36	2.2	36	2.2	35	1.7	97	3	300		29.88				FM-16		30.06
04	0854	7	FEW:02 4 FEW:02 60	9.00		39	3.9	38	3.3	37	2.8	93	5	330		29.88			30.08	FM-15	0.00	30.06
04	0954	7	FEW:02 60	10.00		43	6.1	40	4.4	37	2.8	80	8	010		29.88	0	-0.04	30.08	FM-15	0.00	30.06
04	1054	7	FEW:02 20 FEW:02 60	10.00		47	8.3	43	6.1	37	2.8	69	10	020		29.87			30.06	FM-15	0.00	30.05
04	1154	7	FEW:02 29 BKN:07 55	10.00		47	8.3	41	5.0	34	1.1	61	13	350		29.84			30.04	FM-15	0.00	30.02
04	1254	7	FEW:02 29 OVC:08 60	10.00		47	8.3	41	5.0	34	1.1	61	10	350		29.81	8	+0.06	30.01	FM-15	0.00	29.99
04	1300	4	26	9.94		47	8.3	41	5.0	34	1.1	61	10	350		29.81	8	+0.06	30.01	FM-12		
04	1354	7	FEW:02 30 OVC:08 55	10.00		47	8.3	42	5.6	35	1.7	63	7	010		29.80			29.99	FM-15	0.00	29.98
04	1454	7	FEW:02 33 OVC:08 55	10.00		46	7.8	40	4.4	33	0.6	61	7	350		29.80			29.99	FM-15	0.00	29.98
04	1554	7	FEW:02 33 OVC:08 50	10.00		45	7.2	40	4.4	33	0.6	63	6	360		29.80	5	+0.01	29.99	FM-15	0.00	29.98
04	1654	7	FEW:02 33 OVC:08 50	10.00		45	7.2	40	4.4	33	0.6	63	3	340		29.81			30.00	FM-15	0.00	29.99
04	1754	7	FEW:02 35 OVC:08 55	10.00		44	6.7	39	3.9	33	0.6	65	3	360		29.82			30.01	FM-15	0.00	30.00
04	1854	7	OVC:08 50	10.00		43	6.1	39	3.9	34	1.1	71	5	320		29.82	1	-0.02	30.02	FM-15	0.00	30.00
04	1900	4	57	9.94		43	6.1	39	3.9	34	1.1	71	5	320		29.82	1	-0.02	30.02	FM-12		
04	1954	7	OVC:08 46	10.00		43	6.1	40	4.4	36	2.2	76	0	000		29.81			30.01	FM-15	0.00	29.99
04	2054	7	OVC:08 41	10.00		43	6.1	40	4.4	36	2.2	76	0	000		29.81			30.00	FM-15	0.00	29.99
04	2154	7	OVC:08 36	10.00		42	5.6	39	3.9	36	2.2	79	6	020		29.80	6	+0.03	29.99	FM-15	0.00	29.98
04	2224	7	BKN:07 27 OVC:08 38	10.00		42	5.6	39	3.9	36	2.2	79	0	000		29.79				FM-16		29.97
04	2252	6	SCT:04 29 OVC:08 36	10.00		43	6.1	40	4.4	36	2.2	76	5	360		29.79				FM-16		29.97
04	2254	7	FEW:02 29 OVC:08 36	10.00		42	5.6	39	3.9	36	2.2	79	3	360		29.79			29.98	FM-15	0.00	29.97
04	2354	7	OVC:08 35	10.00		41	5.0	39	3.9	36	2.2	82	5	010		29.77			29.97	FM-15	0.00	29.95
05	0054	7	BKN:07 39 BKN:07 70 OVC:08 300	10.00		40	4.4	38	3.3	36	2.2	86	5	340		29.76	8	+0.04	29.96	FM-15	0.00	29.94
05	0100	4	41	9.94		40	4.4	38	3.3	36	2.2	86	5	340		29.76	8	+0.04	29.96	FM-12		
05	0154	7	FEW:02 37 BKN:07 70 BKN:07 300	10.00		40	4.4	39	3.9	37	2.8	89	3	310		29.77			29.96	FM-15	0.00	29.95
05	0254	7	BKN:07 65 OVC:08 300	10.00		40	4.4	39	3.9	38	3.3	93	3	280		29.77			29.96	FM-15	0.00	29.95
05	0354	7	SCT:04 19 OVC:08 65	10.00		40	4.4	39	3.9	38	3.3	93	0	000		29.75	8	+0.01	29.95	FM-15	0.00	29.93
05	0424	7	BKN:07 18 OVC:08 55	10.00		39	3.9	39	3.9	38	3.3	96	0	000		29.75				FM-16		29.93
05	0454	7	OVC:08 17	10.00		39	3.9	38	3.3	37	2.8	93	0	000		29.75			29.94	FM-15	0.00	29.93
05	0554	7	BKN:07 15 OVC:08 55	10.00		39	3.9	38	3.3	37	2.8	93	0	000		29.75			29.95	FM-15	0.00	29.93
05	0618	7	FEW:02 15 OVC:08 55	10.00		39	3.9	38	3.3	37	2.8	93	3	070		29.75				FM-16		29.93
05	0654	7	OVC:08 55	10.00		39	3.9	38	3.3	37	2.8	93	0	000		29.75	6	0.00	29.95	FM-15	0.00	29.93
05	0700	4	57	9.94		39	3.9	38	3.3	37	2.8	93	0	000		29.75			29.95	FM-12		
05	0754	7	BKN:07 55 BKN:07 300	7.00		39	3.9	38	3.3	37	2.8	93	0	000		29.75			29.94	FM-15	0.00	29.93
05	0854	7	FEW:02 11 FEW:02 55 BKN:07 300	10.00		41	5.0	40	4.4	38	3.3	89	0	000		29.76			29.96	FM-15	0.00	29.94
05	0934	7	FEW:02 5 BKN:07 16 BKN:07 60	10.00		42	5.6	39	3.9	36	2.2	79	0	000		29.76				FM-16		29.94

05	0954	7	FEW:02 7 BKN:07 17 BKN:07 60	10.00		41	5.0	39	3.9	37	2.8	86	0	000		29.76	3	-0.01	29.96	FM-15	0.00	29.94
05	1042	7	BKN:07 14 BKN:07 60 BKN:07 300	10.00		43	6.1	40	4.4	36	2.2	76	0	000		29.76				FM-16		29.94
05	1054	7	BKN:07 14 BKN:07 55 OVC:08 300	10.00		43	6.1	40	4.4	36	2.2	76	0	000		29.75			29.95	FM-15	0.00	29.93
05	1109	7	BKN:07 15 BKN:07 55 OVC:08 300	10.00		44	6.7	40	4.4	36	2.2	73	0	000		29.75				FM-16		29.93
05	1154	7	BKN:07 23 BKN:07 55 BKN:07 250	10.00		45	7.2	41	5.0	35	1.7	68	0	000		29.72			29.91	FM-15	0.00	29.90
05	1209	7	SCT:04 27 BKN:07 55 BKN:07 250	10.00		45	7.2	41	5.0	35	1.7	68	3	VRB		29.71				FM-16		29.89
05	1252	6	BKN:07 26 BKN:07 50 BKN:07 250	10.00		48	8.9	43	6.1	36	2.2	62	6	310		29.70				FM-16		29.88
05	1254	7	BKN:07 27 BKN:07 50 BKN:07 250	10.00		48	8.9	43	6.1	36	2.2	63	3	340		29.70	8	+0.07	29.89	FM-15	0.00	29.88
05	1300	4	26	9.94		48	8.9	43	6.1	36	2.2	63	3	340		29.70	8	+0.07	29.89	FM-12		
05	1333	7	BKN:07 30 BKN:07 50 OVC:08 250	10.00		46	7.8	41	5.0	35	1.7	66	0	000		29.69				FM-16		29.87
05	1354	7	SCT:04 30 BKN:07 50 BKN:07 200	10.00		47	8.3	41	5.0	34	1.1	61	5	300		29.69			29.89	FM-15	0.00	29.87
05	1454	7	FEW:02 35 SCT:04 50 BKN:07 150	10.00		47	8.3	41	5.0	32	0.0	56	9	310		29.70			29.90	FM-15	0.00	29.88
05	1554	7	FEW:02 30 BKN:07 55 BKN:07 150	10.00		46	7.8	41	5.0	34	1.1	63	8	360		29.72	3	-0.03	29.92	FM-15	0.00	29.90
05	1654	7	FEW:02 30 BKN:07 60 BKN:07 150	10.00		45	7.2	40	4.4	34	1.1	66	7	360		29.75			29.95	FM-15	0.00	29.93
05	1754	7	FEW:02 30 BKN:07 60 BKN:07 150	10.00		42	5.6	39	3.9	35	1.7	76	9	010		29.78			29.97	FM-15	0.00	29.96
05	1854	7	BKN:07 60 OVC:08 300	10.00		41	5.0	38	3.3	34	1.1	76	9	010		29.80	1	-0.08	29.99	FM-15	0.00	29.98
05	1900	4	57	9.94		41	5.0	38	3.3	34	1.1	76	9	010		29.80	1	-0.08	29.99	FM-12		
05	1954	7	BKN:07 60 BKN:07 300	10.00		40	4.4	37	2.8	33	0.6	77	9	340		29.82			30.01	FM-15	0.00	30.00
05	2054	7	BKN:07 65 BKN:07 300	10.00		40	4.4	37	2.8	33	0.6	77	14	360		29.83			30.02	FM-15	0.00	30.01
05	2154	7	OVC:08 65	10.00		40	4.4	37	2.8	33	0.6	77	11	350		29.84	1	-0.04	30.03	FM-15	0.00	30.02
05	2254	7	OVC:08 60	10.00		40	4.4	37	2.8	32	0.0	73	9	350		29.84			30.04	FM-15	0.00	30.02
05	2354	7	OVC:08 60	10.00		40	4.4	37	2.8	32	0.0	73	7	320		29.85			30.05	FM-15	0.00	30.03
06	0054	7	OVC:08 65	10.00		40	4.4	36	2.2	31	-0.6	70	10	320		29.86	3	-0.02	30.06	FM-15	0.00	30.04
06	0100	4	57	9.94		40	4.4	36	2.2	31	-0.6	70	10	320		29.86	3	-0.02	30.06	FM-12		
06	0154	7	OVC:08 60	10.00		40	4.4	36	2.2	30	-1.1	68	8	320		29.87			30.07	FM-15	0.00	30.05
06	0254	7	OVC:08 60	10.00		39	3.9	35	1.7	29	-1.7	67	9	320		29.88			30.07	FM-15	0.00	30.06
06	0354	7	BKN:07 60	10.00		38	3.3	34	1.1	29	-1.7	70	8	320		29.88	1	-0.02	30.08	FM-15	0.00	30.06
06	0454	7	BKN:07 60	10.00		38	3.3	34	1.1	29	-1.7	70	8	310		29.89			30.09	FM-15	0.00	30.07
06	0554	7	OVC:08 55	10.00		37	2.8	34	1.1	28	-2.2	70	7	320		29.91			30.11	FM-15	0.00	30.09
06	0654	7	OVC:08 55	10.00		38	3.3	34	1.1	27	-2.8	65	7	320		29.93	3	-0.05	30.13	FM-15	0.00	30.11
06	0700	4	57	9.94		38	3.3	34	1.1	27	-2.8	65	7	320		29.93	3	-0.05	30.13	FM-12		
06	0754	7	OVC:08 50	10.00		40	4.4	35	1.7	26	-3.3	58	9	330		29.95			30.15	FM-15	0.00	30.13

06	0854	7	OVC:08 47	10.00		41	5.0	35	1.7	25	-3.9	53	17	350	26	29.97			30.17	FM-15	0.00	30.15
06	0954	7	OVC:08 45	10.00		42	5.6	36	2.2	26	-3.3	53	8	340		29.98	1	-0.05	30.18	FM-15	0.00	30.16
06	1054	7	OVC:08 49	10.00		42	5.6	36	2.2	26	-3.3	53	16	340	24	29.98			30.17	FM-15	0.00	30.16
06	1154	7	OVC:08 45	10.00		43	6.1	36	2.2	26	-3.3	51	18	340	24	29.95			30.15	FM-15	0.00	30.13
06	1254	7	OVC:08 45	10.00		44	6.7	37	2.8	26	-3.3	49	18	340		29.94	8	+0.04	30.14	FM-15	0.00	30.12
06	1300	4	41	9.94		44	6.7	37	2.8	26	-3.3	49	18	340		29.94	8	+0.04	30.14	FM-12		
06	1354	7	BKN:07 45	10.00		47	8.3	39	3.9	28	-2.2	48	20	350	23	29.92			30.12	FM-15	0.00	30.10
06	1454	7	BKN:07 45	10.00		46	7.8	39	3.9	28	-2.2	50	10	350		29.93			30.12	FM-15	0.00	30.11
06	1554	7	SCT:04 49	10.00		46	7.8	39	3.9	29	-1.7	51	13	350		29.94	5	0.00	30.14	FM-15	0.00	30.12
06	1654	7	SCT:04 50	10.00		43	6.1	37	2.8	28	-2.2	56	9	360		29.97			30.16	FM-15	0.00	30.15
06	1754	7	FEW:02 50	10.00		39	3.9	35	1.7	28	-2.2	65	7	020		29.98			30.17	FM-15	0.00	30.16
06	1854	7	FEW:02 50	10.00		37	2.8	34	1.1	28	-2.2	70	0	000		29.99	1	-0.05	30.19	FM-15	0.00	30.17
06	1900	4	57	9.94		37	2.8	34	1.1	28	-2.2	70	0	000		29.99	1	-0.05	30.19	FM-12		
06	1954	7	CLR:00	10.00		37	2.8	34	1.1	28	-2.2	70	8	350		30.00			30.20	FM-15	0.00	30.18
06	2054	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	8	360		30.00			30.20	FM-15	0.00	30.18
06	2154	7	CLR:00	10.00		36	2.2	32	0.0	26	-3.3	67	6	340		30.01	1	-0.01	30.20	FM-15	0.00	30.19
06	2254	7	CLR:00	10.00		35	1.7	32	0.0	26	-3.3	70	0	000		30.00			30.20	FM-15	0.00	30.18
06	2354	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	7	330		30.01			30.21	FM-15	0.00	30.19
07	0054	7	CLR:00	10.00		32	0.0	29	-1.7	25	-3.9	75	3	280		30.00	8	0.00	30.20	FM-15	0.00	30.18
07	0100	4		9.94		32	0.0	29	-1.7	25	-3.9	75	3	280		30.00	8	0.00	30.20	FM-12		
07	0154	7	CLR:00	10.00		30	-1.1	28	-2.2	25	-3.9	82	3	230		30.00			30.19	FM-15	0.00	30.18
07	0254	7	CLR:00	10.00		30	-1.1	29	-1.7	26	-3.3	85	0	000		29.99			30.19	FM-15	0.00	30.17
07	0354	7	CLR:00	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.00	5	+0.01	30.19	FM-15	0.00	30.18
07	0454	7	CLR:00	10.00		30	-1.1	29	-1.7	26	-3.3	85	3	320		30.01			30.20	FM-15	0.00	30.19
07	0554	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	3	310		30.02			30.22	FM-15	0.00	30.20
07	0654	7	CLR:00	10.00		27	-2.8	26	-3.3	24	-4.4	89	0	000		30.03	3	-0.04	30.23	FM-15	0.00	30.21
07	0700	4		9.94		27	-2.8	26	-3.3	24	-4.4	89	0	000		30.03	3	-0.04	30.23	FM-12		
07	0754	7	CLR:00	10.00		31	-0.6	29	-1.7	25	-3.9	79	3	320		30.05			30.25	FM-15	0.00	30.23
07	0854	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	6	310		30.07			30.27	FM-15	0.00	30.25
07	0954	7	CLR:00	10.00		39	3.9	34	1.1	27	-2.8	62	10	330		30.07	0	-0.04	30.26	FM-15	0.00	30.25
07	1054	7	FEW:02 300	10.00		42	5.6	36	2.2	27	-2.8	55	16	350		30.05			30.24	FM-15	0.00	30.23
07	1154	7	SCT:04 300	10.00		44	6.7	37	2.8	26	-3.3	49	10	350		30.02			30.22	FM-15	0.00	30.20
07	1254	7	BKN:07 300	10.00		46	7.8	38	3.3	26	-3.3	46	8	330		29.99	8	+0.07	30.19	FM-15	0.00	30.17
07	1300	4		9.94		46	7.8	38	3.3	26	-3.3	46	8	330		29.99	8	+0.07	30.19	FM-12		
07	1354	7	SCT:04 300	10.00		48	8.9	39	3.9	26	-3.3	42	10	330	16	29.97			30.16	FM-15	0.00	30.15
07	1454	7	BKN:07 300	10.00		46	7.8	38	3.3	26	-3.3	46	0	000		29.96			30.16	FM-15	0.00	30.14
07	1554	7	BKN:07 300	10.00		47	8.3	39	3.9	27	-2.8	46	5	VRB		29.96	6	+0.04	30.15	FM-15	0.00	30.14
07	1654	7	SCT:04 250	10.00		43	6.1	36	2.2	26	-3.3	51	5	310		29.97			30.16	FM-15	0.00	30.15
07	1754	7	SCT:04 250	10.00		42	5.6	36	2.2	26	-3.3	53	5	260		29.99			30.19	FM-15	0.00	30.17
07	1854	7	SCT:04 230	10.00		37	2.8	34	1.1	28	-2.2	70	5	020		29.97	0	-0.01	30.17	FM-15	0.00	30.15
07	1900	4		9.94		37	2.8	34	1.1	28	-2.2	70	5	020		29.97	9	+0.01	30.17	FM-12		
07	1954	7	BKN:07 230	10.00		34	1.1	31	-0.6	27	-2.8	75	3	210		29.98			30.18	FM-15	0.00	30.16
07	2054	7	SCT:04 220 BKN:07 300	10.00		34	1.1	31	-0.6	27	-2.8	75	0	000		29.97			30.16	FM-15	0.00	30.15
07	2154	7	SCT:04 200 OVC:08 250	10.00		32	0.0	31	-0.6	28	-2.2	85	5	210		29.98	3	-0.01	30.18	FM-15	0.00	30.16
07	2254	7	BKN:07 170 OVC:08 240	10.00		32	0.0	31	-0.6	29	-1.7	88	5	230		29.98			30.17	FM-15	0.00	30.16
07	2354	7	OVC:08 160	10.00		35	1.7	33	0.6	30	-1.1	82	3	360		29.94			30.14	FM-15	0.00	30.12
08	0054	7	OVC:08 160	10.00		37	2.8	34	1.1	29	-1.7	73	8	010		29.90	8	+0.08	30.10	FM-15	0.00	30.08
08	0100	4		9.94		37	2.8	34	1.1	29	-1.7	73	8	010		29.90	8	+0.08	30.10	FM-12		
08	0154	7	OVC:08 160	10.00		37	2.8	33	0.6	27	-2.8	67	3	040		29.89			30.08	FM-15	0.00	30.07
08	0254	7	OVC:08 130	10.00		37	2.8	33	0.6	27	-2.8	67	6	360		29.91			30.10	FM-15	0.00	30.09
08	0354	7	OVC:08 110	10.00		37	2.8	33	0.6	27	-2.8	67	5	030		29.90	3	0.00	30.10	FM-15	0.00	30.08
08	0454	7	OVC:08 110	10.00		36	2.2	33	0.6	27	-2.8	70	3	030		29.88			30.08	FM-15	0.00	30.06
08	0554	7	OVC:08 95	10.00		36	2.2	33	0.6	27	-2.8	70	5	350		29.88			30.08	FM-15	0.00	30.06
08	0654	7	OVC:08 70	10.00		36	2.2	33	0.6	28	-2.2	73	6	010		29.87	6	+0.03	30.07	FM-15	0.00	30.05

08	0700	4	74	9.94		36	2.2	33	0.6	28	-2.2	73	6	010		29.87	6	+0.03	30.07	FM-12		
08	0754	7	OVC:08 75	10.00		36	2.2	33	0.6	27	-2.8	70	7	050		29.86			30.06	FM-15	0.00	30.04
08	0854	7	BKN:07 70 OVC:08 90	10.00		37	2.8	34	1.1	28	-2.2	70	5	040		29.87			30.07	FM-15	0.00	30.05
08	0954	7	FEW:02 60 SCT:04 90 BKN:07 200	10.00		39	3.9	34	1.1	27	-2.8	62	8	360		29.87	5	0.00	30.07	FM-15	T	30.05
08	1054	7	BKN:07 75 BKN:07 100 BKN:07 200	10.00		40	4.4	35	1.7	28	-2.2	63	8	040		29.84			30.03	FM-15	0.00	30.02
08	1154	7	BKN:07 70 BKN:07 200	10.00		40	4.4	35	1.7	27	-2.8	60	8	020		29.79			29.98	FM-15	0.00	29.97
08	1254	7	BKN:07 70 BKN:07 200	10.00		42	5.6	36	2.2	28	-2.2	58	9	020		29.75	8	+0.12	29.95	FM-15	0.00	29.93
08	1300	4	74	9.94		42	5.6	36	2.2	28	-2.2	58	9	020		29.75	8	+0.12	29.95	FM-12		
08	1354	7	SCT:04 50 BKN:07 70 BKN:07 200	10.00		42	5.6	36	2.2	28	-2.2	58	8	030		29.73			29.92	FM-15	0.00	29.91
08	1454	7	OVC:08 50	10.00		43	6.1	37	2.8	28	-2.2	56	10	030		29.71			29.90	FM-15	0.00	29.89
08	1554	7	BKN:07 55 BKN:07 200	10.00		42	5.6	36	2.2	27	-2.8	55	9	030		29.70	6	+0.05	29.89	FM-15	0.00	29.88
08	1654	7	SCT:04 70 BKN:07 140	10.00		40	4.4	35	1.7	28	-2.2	63	7	040		29.69			29.88	FM-15	0.00	29.87
08	1754	7	FEW:02 70 SCT:04 110 BKN:07 140	10.00		38	3.3	34	1.1	27	-2.8	65	8	030		29.69			29.89	FM-15	0.00	29.87
08	1854	7	FEW:02 100 BKN:07 140	10.00		37	2.8	33	0.6	26	-3.3	65	9	010		29.71	3	-0.01	29.90	FM-15	0.00	29.89
08	1900	4		9.94		37	2.8	33	0.6	26	-3.3	65	9	010		29.71	3	-0.01	29.90	FM-12		
08	1954	7	SCT:04 130	10.00		35	1.7	31	-0.6	25	-3.9	67	9	360		29.70			29.90	FM-15	0.00	29.88
08	2054	7	FEW:02 120	10.00		34	1.1	30	-1.1	24	-4.4	67	8	360		29.69			29.89	FM-15	0.00	29.87
08	2154	7	BKN:07 75	10.00		34	1.1	30	-1.1	24	-4.4	67	10	350		29.70	5	+0.01	29.90	FM-15	0.00	29.88
08	2254	7	FEW:02 70 BKN:07 140	10.00		33	0.6	30	-1.1	24	-4.4	70	10	350		29.68			29.88	FM-15	0.00	29.86
08	2354	7	FEW:02 140	10.00		32	0.0	29	-1.7	23	-5.0	69	11	340		29.67			29.86	FM-15	0.00	29.85
09	0054	7	FEW:02 140	10.00		32	0.0	29	-1.7	23	-5.0	69	8	350		29.66	6	+0.04	29.86	FM-15	0.00	29.84
09	0100	4		9.94		32	0.0	29	-1.7	23	-5.0	69	8	350		29.66	6	+0.04	29.86	FM-12		
09	0154	7	CLR:00	10.00		31	-0.6	28	-2.2	23	-5.0	72	8	340		29.68			29.87	FM-15	0.00	29.86
09	0254	7	CLR:00	10.00		31	-0.6	28	-2.2	23	-5.0	72	10	320		29.67			29.87	FM-15	0.00	29.85
09	0354	7	CLR:00	10.00		31	-0.6	28	-2.2	22	-5.6	69	10	340		29.68	1	-0.01	29.88	FM-15	0.00	29.86
09	0454	7	FEW:02 120	10.00		30	-1.1	27	-2.8	22	-5.6	72	10	340		29.69			29.88	FM-15	0.00	29.87
09	0554	7	FEW:02 120	10.00		30	-1.1	27	-2.8	21	-6.1	69	8	340		29.70			29.90	FM-15	0.00	29.88
09	0654	7	FEW:02 120	10.00		30	-1.1	27	-2.8	20	-6.7	66	9	340		29.74	3	-0.06	29.93	FM-15	0.00	29.92
09	0700	4		9.94		30	-1.1	27	-2.8	20	-6.7	66	9	340		29.74	3	-0.06	29.93	FM-12		
09	0754	7	FEW:02 120 FEW:02 300	10.00		32	0.0	28	-2.2	20	-6.7	61	11	350		29.77			29.97	FM-15	0.00	29.95
09	0854	7	FEW:02 120 FEW:02 300	10.00		35	1.7	30	-1.1	20	-6.7	54	13	350		29.81			30.00	FM-15	0.00	29.99
09	0954	7	FEW:02 110 FEW:02 300	10.00		38	3.3	31	-0.6	19	-7.2	46	15	350		29.83	1	-0.09	30.02	FM-15	0.00	30.01
09	1054	7	FEW:02 300	10.00		41	5.0	33	0.6	19	-7.2	41	15	350		29.82			30.01	FM-15	0.00	30.00
09	1154	7	FEW:02 300	10.00		42	5.6	33	0.6	17	-8.3	36	14	320		29.79			29.98	FM-15	0.00	29.97
09	1254	7	FEW:02 300	10.00		43	6.1	33	0.6	14	-10.0	31	17	320		29.78	8	+0.04	29.98	FM-15	0.00	29.96
09	1300	4		9.94		43	6.1	33	0.6	14	-10.0	31	17	320		29.78	8	+0.04	29.98	FM-12		
09	1354	7	FEW:02 300	10.00		45	7.2	34	1.1	13	-10.6	27	15	320	21	29.78			29.97	FM-15	0.00	29.96
09	1454	7	FEW:02 300	10.00		47	8.3	35	1.7	13	-10.6	25	16	320		29.79			29.98	FM-15	0.00	29.97
09	1554	7	FEW:02 300	10.00		46	7.8	34	1.1	12	-11.1	25	16	330	24	29.80	3	-0.02	29.99	FM-15	0.00	29.98
09	1654	7	FEW:02 300	10.00		43	6.1	33	0.6	15	-9.4	32	14	340		29.83			30.02	FM-15	0.00	30.01
09	1754	7	CLR:00	10.00		40	4.4	32	0.0	16	-8.9	38	7	320		29.85			30.05	FM-15	0.00	30.03
09	1854	7	CLR:00	10.00		37	2.8	31	-0.6	19	-7.2	48	8	330		29.87	1	-0.07	30.06	FM-15	0.00	30.05
09	1900	4		9.94		37	2.8	31	-0.6	19	-7.2	48	8	330		29.87	1	-0.07	30.06	FM-12		

09	1954	7	CLR:00	10.00		39	3.9	32	0.0	20	-6.7	46	9	330		29.89			30.09	FM-15	0.00	30.07
09	2054	7	CLR:00	10.00		39	3.9	32	0.0	21	-6.1	48	13	340		29.90			30.09	FM-15	0.00	30.08
09	2154	7	CLR:00	10.00		40	4.4	34	1.1	23	-5.0	51	13	330		29.91	1	-0.04	30.11	FM-15	0.00	30.09
09	2254	7	CLR:00	10.00		39	3.9	33	0.6	24	-4.4	55	10	330		29.93			30.13	FM-15	0.00	30.11
09	2354	7	CLR:00	10.00		37	2.8	32	0.0	24	-4.4	59	7	310		29.95			30.15	FM-15	0.00	30.13
10	0054	7	CLR:00	10.00		36	2.2	32	0.0	24	-4.4	62	9	320		29.95	0	-0.04	30.14	FM-15	0.00	30.13
10	0100	4		9.94		36	2.2	32	0.0	24	-4.4	62	9	320		29.95	9	+0.04	30.14	FM-12		
10	0154	7	CLR:00	10.00		34	1.1	30	-1.1	24	-4.4	67	7	320		29.96			30.15	FM-15	0.00	30.14
10	0254	7	CLR:00	10.00		34	1.1	30	-1.1	24	-4.4	67	5	300		29.97			30.17	FM-15	0.00	30.15
10	0354	7	CLR:00	10.00		32	0.0	29	-1.7	24	-4.4	73	7	270		29.99	3	-0.04	30.18	FM-15	0.00	30.17
10	0454	7	CLR:00	10.00		32	0.0	29	-1.7	23	-5.0	69	6	290		29.99			30.18	FM-15	0.00	30.17
10	0554	7	CLR:00	10.00		32	0.0	29	-1.7	23	-5.0	69	6	280		30.02			30.22	FM-15	0.00	30.20
10	0654	7	CLR:00	10.00		31	-0.6	28	-2.2	23	-5.0	72	5	320		30.04	3	-0.06	30.24	FM-15	0.00	30.22
10	0700	4		9.94		31	-0.6	28	-2.2	23	-5.0	72	5	320		30.04	3	-0.06	30.24	FM-12		
10	0754	7	CLR:00	10.00		32	0.0	29	-1.7	23	-5.0	69	3	290		30.07			30.27	FM-15	0.00	30.25
10	0854	7	CLR:00	10.00		38	3.3	33	0.6	26	-3.3	62	5	350		30.09			30.29	FM-15	0.00	30.27
10	0954	7	CLR:00	10.00		42	5.6	35	1.7	24	-4.4	49	9	340		30.11	1	-0.07	30.31	FM-15	0.00	30.29
10	1054	7	CLR:00	10.00		46	7.8	37	2.8	21	-6.1	37	16	360		30.11			30.31	FM-15	0.00	30.29
10	1154	7	FEW:02 250	10.00		48	8.9	38	3.3	22	-5.6	36	7	340		30.10			30.29	FM-15	0.00	30.28
10	1254	7	BKN:07 250	10.00		49	9.4	38	3.3	22	-5.6	35	9	340		30.07	8	+0.05	30.26	FM-15	0.00	30.25
10	1300	4		9.94		49	9.4	38	3.3	22	-5.6	35	9	340		30.07	8	+0.05	30.26	FM-12		
10	1354	7	FEW:02 250	10.00		50	10.0	39	3.9	22	-5.6	33	7	010		30.06			30.25	FM-15	0.00	30.24
10	1454	7	FEW:02 250	10.00		51	10.6	39	3.9	21	-6.1	31	6	290		30.06			30.26	FM-15	0.00	30.24
10	1554	7	FEW:02 250	10.00		51	10.6	39	3.9	21	-6.1	31	9	350		30.08	3	-0.01	30.27	FM-15	0.00	30.26
10	1654	7	FEW:02 250	10.00		49	9.4	38	3.3	21	-6.1	33	3	340		30.08			30.28	FM-15	0.00	30.26
10	1754	7	FEW:02 250	10.00		41	5.0	35	1.7	24	-4.4	51	0	000		30.10			30.29	FM-15	0.00	30.28
10	1854	7	CLR:00	10.00		36	2.2	32	0.0	26	-3.3	67	0	000		30.12	3	-0.04	30.32	FM-15	0.00	30.30
10	1900	4		9.94		36	2.2	32	0.0	26	-3.3	67	0	000		30.12	3	-0.04	30.32	FM-12		
10	1954	7	CLR:00	10.00		35	1.7	31	-0.6	25	-3.9	67	0	000		30.13			30.33	FM-15	0.00	30.31
10	2054	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		30.13			30.32	FM-15	0.00	30.31
10	2154	7	CLR:00	10.00		33	0.6	29	-1.7	23	-5.0	66	0	000		30.15	3	-0.04	30.35	FM-15	0.00	30.33
10	2254	7	CLR:00	8.00		30	-1.1	28	-2.2	24	-4.4	79	0	000		30.15			30.34	FM-15	0.00	30.33
10	2354	7	CLR:00	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.15			30.34	FM-15	0.00	30.33
11	0054	7	CLR:00	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.14	8	+0.01	30.34	FM-15	0.00	30.32
11	0100	4		9.94		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.14	8	+0.01	30.34	FM-12		
11	0154	7	CLR:00	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.15			30.35	FM-15	0.00	30.33
11	0254	7	CLR:00	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.14			30.34	FM-15	0.00	30.32
11	0354	7	CLR:00	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.14	0	0.00	30.34	FM-15	0.00	30.32
11	0454	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.12			30.32	FM-15	0.00	30.30
11	0554	7	CLR:00	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.13			30.33	FM-15	0.00	30.31
11	0654	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		30.13	5	+0.01	30.33	FM-15	0.00	30.31
11	0700	4		9.94		28	-2.2	27	-2.8	25	-3.9	88	0	000		30.13	5	+0.01	30.33	FM-12		
11	0754	7	BKN:07 200	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		30.14			30.34	FM-15	0.00	30.32
11	0854	7	BKN:07 150 OVC:08 190	10.00		33	0.6	32	0.0	30	-1.1	89	3	200		30.16			30.36	FM-15	0.00	30.34
11	0954	7	BKN:07 130 OVC:08 190	10.00		37	2.8	34	1.1	29	-1.7	73	6	220		30.17	3	-0.04	30.37	FM-15	0.00	30.35
11	1054	7	BKN:07 130 OVC:08 300	10.00		42	5.6	37	2.8	31	-0.6	65	0	000		30.14			30.34	FM-15	0.00	30.32
11	1154	7	OVC:08 110	10.00		44	6.7	38	3.3	30	-1.1	58	5	200		30.12			30.32	FM-15	0.00	30.30
11	1254	7	FEW:02 90 BKN:07 110 OVC:08 300	10.00		45	7.2	39	3.9	30	-1.1	56	7	200		30.10	6	+0.08	30.29	FM-15	0.00	30.28
11	1300	4		9.94		45	7.2	39	3.9	30	-1.1	56	7	200		30.10	6	+0.08	30.29	FM-12		
11	1354	7	SCT:04 55 SCT:04 75 OVC:08 90	10.00		45	7.2	38	3.3	29	-1.7	54	7	230		30.08			30.28	FM-15	0.00	30.26

11	1454	7	BKN:07 49 OVC:08 75	10.00		46	7.8	39	3.9	29	-1.7	51	8	220		30.08			30.28	FM-15	0.00	30.26
11	1554	7	FEW:02 55 OVC:08 65	10.00		46	7.8	40	4.4	32	0.0	58	3	180		30.07	8	+0.03	30.26	FM-15	0.00	30.25
11	1654	7	BKN:07 55 OVC:08 70	10.00	-RA:02 RA RA	44	6.7	39	3.9	33	0.6	65	6	240		30.06			30.26	FM-15	T	30.24
11	1754	7	BKN:07 38 BKN:07 50 OVC:08 85	10.00		41	5.0	39	3.9	36	2.2	82	0	000		30.05			30.25	FM-15	0.02	30.23
11	1854	7	FEW:02 65 BKN:07 90 OVC:08 110	10.00		42	5.6	39	3.9	35	1.7	76	0	000		30.05	8	+0.02	30.25	FM-15	0.00	30.23
11	1900	4	57	9.94		42	5.6	39	3.9	35	1.7	76	0	000		30.05	8	+0.02	30.25	FM-12		
11	1954	7	SCT:04 50 BKN:07 75 OVC:08 100	10.00		40	4.4	38	3.3	35	1.7	83	7	210		30.07			30.27	FM-15	0.00	30.25
11	2054	7	FEW:02 75 SCT:04 120 OVC:08 180	10.00		38	3.3	37	2.8	35	1.7	89	0	000		30.05			30.25	FM-15	0.00	30.23
11	2154	7	FEW:02 120 SCT:04 140 OVC:08 190	10.00		39	3.9	37	2.8	34	1.1	82	6	210		30.05	8	0.00	30.24	FM-15	0.00	30.23
11	2254	7	SCT:04 120 OVC:08 180	10.00		40	4.4	37	2.8	33	0.6	77	3	210		30.05			30.25	FM-15	0.00	30.23
11	2354	7	SCT:04 110 BKN:07 180	10.00		36	2.2	35	1.7	33	0.6	89	7	200		30.04			30.24	FM-15	0.00	30.22
12	0054	7	BKN:07 110	10.00		36	2.2	34	1.1	32	0.0	86	9	200		30.03	8	+0.02	30.22	FM-15	0.00	30.21
12	0100	4		9.94		36	2.2	34	1.1	32	0.0	86	9	200		30.03	8	+0.02	30.22	FM-12		
12	0154	7	BKN:07 130 BKN:07 180	10.00		37	2.8	35	1.7	33	0.6	86	3	180		30.01			30.20	FM-15	0.00	30.19
12	0254	7	BKN:07 120	10.00		36	2.2	35	1.7	33	0.6	89	0	000		30.00			30.20	FM-15	0.00	30.18
12	0354	7	BKN:07 110	10.00		37	2.8	36	2.2	34	1.1	89	0	000		29.98	6	+0.04	30.18	FM-15	0.00	30.16
12	0454	7	BKN:07 110 OVC:08 180	10.00		36	2.2	35	1.7	34	1.1	93	0	000		29.99			30.18	FM-15	0.00	30.17
12	0554	7	FEW:02 110 BKN:07 170	10.00		35	1.7	34	1.1	33	0.6	93	5	360		29.98			30.17	FM-15	0.00	30.16
12	0654	7	SCT:04 170	10.00		34	1.1	33	0.6	32	0.0	92	5	350		29.99	3	0.00	30.18	FM-15	0.00	30.17
12	0700	4		9.94		34	1.1	33	0.6	32	0.0	92	5	350		29.99	3	0.00	30.18	FM-12		
12	0754	7	FEW:02 90 FEW:02 170	9.00		34	1.1	33	0.6	32	0.0	92	5	330		29.99			30.19	FM-15	0.00	30.17
12	0854	7	FEW:02 80 FEW:02 160	10.00		40	4.4	37	2.8	34	1.1	79	3	360		30.01			30.20	FM-15	0.00	30.19
12	0954	7	FEW:02 80 FEW:02 160	10.00		43	6.1	39	3.9	33	0.6	68	7	050		30.02	3	-0.04	30.22	FM-15	0.00	30.20
12	1054	7	FEW:02 80	10.00		45	7.2	39	3.9	31	-0.6	58	7	070		30.01			30.21	FM-15	0.00	30.19
12	1154	7	FEW:02 75	10.00		48	8.9	41	5.0	31	-0.6	52	0	000		29.97			30.17	FM-15	0.00	30.15
12	1254	7	FEW:02 75	10.00		50	10.0	42	5.6	31	-0.6	48	0	000		29.93	8	+0.09	30.13	FM-15	0.00	30.11
12	1300	4	74	9.94		50	10.0	42	5.6	31	-0.6	48	0	000		29.93	8	+0.09	30.13	FM-12		
12	1354	7	CLR:00	10.00		51	10.6	42	5.6	31	-0.6	46	0	000		29.92			30.11	FM-15	0.00	30.10
12	1454	7	CLR:00	10.00		52	11.1	43	6.1	30	-1.1	43	0	000		29.91			30.11	FM-15	0.00	30.09
12	1554	7	CLR:00	10.00		52	11.1	43	6.1	30	-1.1	43	3	270		29.91	6	+0.02	30.11	FM-15	0.00	30.09
12	1654	7	CLR:00	10.00		50	10.0	41	5.0	29	-1.7	44	0	000		29.91			30.10	FM-15	0.00	30.09
12	1754	6	CLR:00	10.00		44	6.7	38	3.3	30	-1.1	58	0	000		29.93			30.13	FM-15	0.00	30.11
12	1854	7	CLR:00	10.00		39	3.9	36	2.2	31	-0.6	73	0	000		29.94	3	-0.03	30.14	FM-15	0.00	30.12
12	1900	4		9.94		39	3.9	36	2.2	31	-0.6	73	0	000		29.94	3	-0.03	30.14	FM-12		
12	1954	7	CLR:00	10.00		36	2.2	34	1.1	30	-1.1	79	0	000		29.95			30.14	FM-15	0.00	30.13
12	2054	7	CLR:00	10.00		36	2.2	34	1.1	30	-1.1	79	5	140		29.95			30.15	FM-15	0.00	30.13
12	2154	7	CLR:00	10.00		36	2.2	33	0.6	29	-1.7	76	0	000		29.95	0	-0.01	30.15	FM-15	0.00	30.13
12	2254	7	CLR:00	10.00		33	0.6	31	-0.6	29	-1.7	85	3	150		29.94			30.14	FM-15	0.00	30.12
12	2354	7	CLR:00	10.00		31	-0.6	30	-1.1	28	-2.2	89	0	000		29.93			30.13	FM-15	0.00	30.11
13	0054	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.92	8	+0.03	30.12	FM-15	0.00	30.10

13	0100	4		9.94		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.92	8	+0.03	30.12	FM-12		
13	0154	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	3	190		29.92			30.12	FM-15	0.00	30.10
13	0254	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.92			30.11	FM-15	0.00	30.10
13	0354	7	CLR:00	8.00		28	-2.2	27	-2.8	26	-3.3	92	0	000		29.91	8	+0.01	30.11	FM-15	0.00	30.09
13	0454	7	CLR:00	4.00	BR:1	29	-1.7	28	-2.2	27	-2.8	92	0	000		29.92			30.11	FM-15	0.00	30.10
13	0554	7	CLR:00	5.00	BR:1	28	-2.2	27	-2.8	26	-3.3	92	0	000		29.92			30.12	FM-15	0.00	30.10
13	0643	7	FEW:02 3	4.00	BR:1	28	-2.2	27	-2.8	26	-3.3	92	0	000		29.92				FM-16		30.10
13	0654	7	CLR:00	5.00	BR:1	28	-2.2	27	-2.8	26	-3.3	92	0	000		29.92	3	-0.01	30.12	FM-15	0.00	30.10
13	0700	4		4.97		28	-2.2	27	-2.8	26	-3.3	92	0	000		29.92	3	-0.01	30.12	FM-12		
13	0754	7	FEW:02 150	5.00	BR:1	27	-2.8	27	-2.8	26	-3.3	96	0	000		29.93			30.13	FM-15	0.00	30.11
13	0854	7	FEW:02 150	9.00	MI:1 FG:2 FG	33	0.6	32	0.0	31	-0.6	92	0	000		29.95			30.14	FM-15	0.00	30.13
13	0954	7	CLR:00	10.00		39	3.9	36	2.2	32	0.0	76	0	000		29.94	0	-0.02	30.13	FM-15	0.00	30.12
13	1054	7	CLR:00	10.00		41	5.0	37	2.8	32	0.0	70	0	000		29.92			30.11	FM-15	0.00	30.10
13	1154	7	CLR:00	10.00		46	7.8	40	4.4	33	0.6	61	0	000		29.87			30.06	FM-15	0.00	30.05
13	1254	7	FEW:02 300	10.00		51	10.6	41	5.0	26	-3.3	38	11	240		29.83	8	+0.11	30.02	FM-15	0.00	30.01
13	1300	4		9.94		51	10.6	41	5.0	26	-3.3	38	11	240		29.83	8	+0.11	30.02	FM-12		
13	1354	7	FEW:02 300	10.00		52	11.1	40	4.4	23	-5.0	32	8	200		29.81			30.00	FM-15	0.00	29.99
13	1454	7	FEW:02 300	10.00		53	11.7	41	5.0	22	-5.6	30	10	210		29.78			29.98	FM-15	0.00	29.96
13	1554	7	FEW:02 150	10.00		53	11.7	40	4.4	21	-6.1	28	9	210		29.77	6	+0.06	29.96	FM-15	0.00	29.95
13	1654	7	FEW:02 150	10.00		48	8.9	38	3.3	22	-5.6	36	8	200		29.77			29.96	FM-15	0.00	29.95
13	1754	7	FEW:02 150	10.00		47	8.3	37	2.8	22	-5.6	37	3	190		29.77			29.96	FM-15	0.00	29.95
13	1854	7	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	5	140		29.77	5	0.00	29.97	FM-15	0.00	29.95
13	1900	4		9.94		39	3.9	34	1.1	26	-3.3	60	5	140		29.77	5	0.00	29.97	FM-12		
13	1954	7	CLR:00	10.00		37	2.8	33	0.6	25	-3.9	62	6	190		29.76			29.96	FM-15	0.00	29.94
13	2054	7	CLR:00	10.00		38	3.3	32	0.0	22	-5.6	52	7	200		29.75			29.95	FM-15	0.00	29.93
13	2154	7	CLR:00	10.00		38	3.3	32	0.0	22	-5.6	52	7	200		29.74	8	+0.03	29.93	FM-15	0.00	29.92
13	2254	7	CLR:00	10.00		37	2.8	32	0.0	22	-5.6	54	0	000		29.72			29.91	FM-15	0.00	29.90
13	2354	7	CLR:00	10.00		36	2.2	31	-0.6	23	-5.0	59	3	190		29.70			29.89	FM-15	0.00	29.88
14	0054	7	BKN:07 240	10.00		35	1.7	32	0.0	26	-3.3	70	6	180		29.68	6	+0.05	29.88	FM-15	0.00	29.86
14	0100	4		9.94		35	1.7	32	0.0	26	-3.3	70	6	180		29.68	6	+0.05	29.88	FM-12		
14	0154	7	BKN:07 180 OVC:08 250	10.00		37	2.8	34	1.1	28	-2.2	70	6	170		29.68			29.88	FM-15	0.00	29.86
14	0254	7	OVC:08 200	10.00		35	1.7	33	0.6	29	-1.7	78	0	000		29.67			29.87	FM-15	0.00	29.85
14	0354	7	BKN:07 180 OVC:08 250	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		29.66	8	+0.03	29.85	FM-15	0.00	29.84
14	0454	7	OVC:08 190	10.00		36	2.2	34	1.1	31	-0.6	82	3	220		29.66			29.85	FM-15	0.00	29.84
14	0554	7	BKN:07 180 OVC:08 230	10.00		34	1.1	33	0.6	31	-0.6	89	6	200		29.66			29.85	FM-15	0.00	29.84
14	0654	7	SCT:04 230	10.00		35	1.7	34	1.1	32	0.0	89	3	200		29.66	0	0.00	29.85	FM-15	0.00	29.84
14	0700	4		9.94		35	1.7	34	1.1	32	0.0	89	3	200		29.66	9	0.00	29.85	FM-12		
14	0754	7	FEW:02 180 FEW:02 300	9.00		34	1.1	33	0.6	32	0.0	92	3	300		29.66			29.86	FM-15	0.00	29.84
14	0854	7	SCT:04 230 BKN:07 300	10.00		40	4.4	38	3.3	35	1.7	83	6	280		29.68			29.88	FM-15	0.00	29.86
14	0954	7	BKN:07 220 BKN:07 300	10.00		41	5.0	37	2.8	32	0.0	70	6	300		29.70	3	-0.04	29.90	FM-15	0.00	29.88
14	1054	7	FEW:02 220 FEW:02 300	10.00		48	8.9	40	4.4	30	-1.1	50	5	330		29.71			29.90	FM-15	0.00	29.89
14	1154	7	FEW:02 150 FEW:02 300	10.00		52	11.1	42	5.6	29	-1.7	41	7	020		29.68			29.87	FM-15	0.00	29.86
14	1254	7	FEW:02 150 FEW:02 300	10.00		54	12.2	42	5.6	26	-3.3	34	7	010		29.64	8	+0.06	29.84	FM-15	0.00	29.82
14	1300	4		9.94		54	12.2	42	5.6	26	-3.3	34	7	010		29.64	8	+0.06	29.84	FM-12		
14	1354	7	FEW:02 300	10.00		56	13.3	43	6.1	26	-3.3	32	0	000		29.63			29.82	FM-15	0.00	29.81
14	1454	7	SCT:04 300	10.00		55	12.8	42	5.6	25	-3.9	31	3	VRB		29.62			29.82	FM-15	0.00	29.80
14	1554	7	BKN:07 300	10.00		55	12.8	42	5.6	25	-3.9	31	0	000		29.62	5	+0.02	29.82	FM-15	0.00	29.80
14	1654	7	SCT:04 300	10.00		49	9.4	40	4.4	27	-2.8	43	7	180		29.62			29.82	FM-15	0.00	29.80
14	1754	7	FEW:02 300	10.00		47	8.3	39	3.9	27	-2.8	46	0	000		29.64			29.83	FM-15	0.00	29.82
14	1854	7	FEW:02 300	10.00		42	5.6	36	2.2	28	-2.2	58	0	000		29.65	3	-0.02	29.84	FM-15	0.00	29.83

14	1900	4		9.94		42	5.6	36	2.2	28	-2.2	58	0	000		29.65	3	-0.02	29.84	FM-12		
14	1954	7	FEW:02 300	10.00		38	3.3	34	1.1	28	-2.2	68	0	000		29.64			29.84	FM-15	0.00	29.82
14	2054	7	FEW:02 300	10.00		39	3.9	35	1.7	28	-2.2	65	3	140		29.65			29.85	FM-15	0.00	29.83
14	2154	7	FEW:02 300	10.00		36	2.2	33	0.6	27	-2.8	70	3	120		29.66	3	-0.01	29.85	FM-15	0.00	29.84
14	2254	7	FEW:02 300	10.00		36	2.2	33	0.6	27	-2.8	70	3	130		29.67			29.86	FM-15	0.00	29.85
14	2354	7	FEW:02 300	10.00		35	1.7	32	0.0	28	-2.2	76	6	140		29.68			29.87	FM-15	0.00	29.86
15	0054	7	CLR:00	10.00		36	2.2	33	0.6	29	-1.7	76	3	110		29.68	1	-0.02	29.88	FM-15	0.00	29.86
15	0100	4		9.94		36	2.2	33	0.6	29	-1.7	76	3	110		29.68	1	-0.02	29.88	FM-12		
15	0154	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	5	100		29.68			29.88	FM-15	0.00	29.86
15	0254	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	0	000		29.69			29.88	FM-15	0.00	29.87
15	0354	7	CLR:00	10.00		31	-0.6	30	-1.1	28	-2.2	89	3	110		29.69	0	-0.01	29.88	FM-15	0.00	29.87
15	0454	7	CLR:00	10.00		30	-1.1	29	-1.7	28	-2.2	92	7	130		29.66			29.85	FM-15	0.00	29.84
15	0554	7	CLR:00	7.00		34	1.1	33	0.6	32	0.0	92	6	140		29.64			29.84	FM-15	0.00	29.82
15	0654	7	FEW:02 250	5.00	BR:1	33	0.6	32	0.0	31	-0.6	92	0	000		29.66	5	+0.03	29.85	FM-15	0.00	29.84
15	0700	4		4.97		33	0.6	32	0.0	31	-0.6	92	0	000		29.66	5	+0.03	29.85	FM-12		
15	0754	7	SCT:04 250	3.00	BR:1	33	0.6	33	0.6	32	0.0	96	0	000		29.67			29.87	FM-15	0.00	29.85
15	0806	7	SCT:04 300	2.50	BR:1	33	0.6	33	0.6	32	0.0	96	0	000		29.67				FM-16		29.85
15	0837	7	FEW:02 4 BKN:07 300	2.00	BR:1	35	1.7	35	1.7	34	1.1	96	0	000		29.69				FM-16		29.87
15	0845	7	BKN:07 3 BKN:07 300	0.75	BR:1	35	1.7	35	1.7	34	1.1	96	0	000		29.69				FM-16		29.87
15	0854	7	BKN:07 3 OVC:08 300	0.50	FG:2 FG	37	2.8	36	2.2	35	1.7	93	0	000		29.69			29.88	FM-15	0.00	29.87
15	0926	7	BKN:07 6 OVC:08 300	1.00	BR:1	38	3.3	38	3.3	38	3.3	100	6	140		29.68				FM-16		29.86
15	0938	7	SCT:04 6 OVC:08 300	3.00	BR:1	40	4.4	40	4.4	39	3.9	97	6	150		29.68				FM-16		29.86
15	0954	7	FEW:02 6 BKN:07 300	5.00	BR:1	42	5.6	40	4.4	38	3.3	85	7	160		29.67	0	-0.02	29.87	FM-15	0.00	29.85
15	1054	7	FEW:02 150 FEW:02 300	10.00		48	8.9	43	6.1	37	2.8	66	13	140		29.65			29.85	FM-15	0.00	29.83
15	1154	7	SCT:04 160 BKN:07 300	10.00		51	10.6	44	6.7	36	2.2	56	13	180		29.61			29.80	FM-15	0.00	29.79
15	1254	7	FEW:02 35 FEW:02 160 SCT:04 300	10.00		54	12.2	46	7.8	37	2.8	53	13	170		29.58	8	+0.09	29.78	FM-15	0.00	29.76
15	1300	4	41	9.94		54	12.2	46	7.8	37	2.8	53	13	170		29.58	8	+0.09	29.78	FM-12		
15	1354	7	FEW:02 46 BKN:07 160 BKN:07 210	10.00		53	11.7	45	7.2	36	2.2	52	13	170		29.55			29.74	FM-15	0.00	29.73
15	1454	7	FEW:02 48 BKN:07 110 OVC:08 160	10.00		54	12.2	46	7.8	36	2.2	51	9	150		29.54			29.74	FM-15	0.00	29.72
15	1554	7	FEW:02 95 OVC:08 120	10.00	-RA:02 RA RA	53	11.7	45	7.2	36	2.2	52	9	130		29.53	6	+0.06	29.72	FM-15	T	29.71
15	1654	7	OVC:08 60	10.00	-RA:02 RA RA	49	9.4	45	7.2	41	5.0	74	8	120		29.52			29.72	FM-15	T	29.70
15	1754	7	SCT:04 42 OVC:08 50	8.00	RA:02 RA RA	47	8.3	45	7.2	43	6.1	86	7	130		29.54			29.74	FM-15	0.05	29.72
15	1854	7	FEW:02 36 BKN:07 55 OVC:08 75	10.00	-RA:02 RA RA	47	8.3	46	7.8	44	6.7	90	10	140		29.53	0	0.00	29.72	FM-15	0.04	29.71
15	1900	4	41	9.94	RA	47	8.3	46	7.8	44	6.7	90	10	140		29.53	9	0.00	29.72	FM-12		
15	1954	7	SCT:04 15 BKN:07 33 OVC:08 46	10.00	-RA:02 RA RA	47	8.3	46	7.8	45	7.2	93	8	230		29.53			29.73	FM-15	T	29.71
15	2042	7	BKN:07 15 OVC:08 50	6.00	-RA:02 BR:1 RA RA	47	8.3	47	8.3	46	7.8	97	6	190		29.52				FM-16	0.03	29.70
15	2054	7	BKN:07 15 OVC:08 50	5.00	RA:02 BR:1 RA RA	47	8.3	47	8.3	46	7.8	97	5	170		29.52			29.71	FM-15	0.06	29.70
15	2107	7	BKN:07 13 OVC:08 44	5.00	RA:02 BR:1 RA RA	47	8.3	47	8.3	46	7.8	97	9	150		29.52				FM-16	0.02	29.69

15	2119	7	SCT:04 13 OVC:08 44	9.00	-RA:02 RA RA	48	8.9	47	8.3	46	7.8	93	11	160		29.52				FM-16	0.03	29.69
15	2142	7	SCT:04 6 BKN:07 49 OVC:08 75	10.00	-RA:02 RA RA	48	8.9	47	8.3	46	7.8	93	5	VRB		29.48				FM-16	0.03	29.66
15	2154	7	SCT:04 6 BKN:07 55 OVC:08 80	10.00		48	8.9	47	8.3	46	7.8	93	6	250		29.50	8	+0.03	29.70	FM-15	0.02	29.68
15	2215	7	SCT:04 6 BKN:07 20 OVC:08 85	8.00		47	8.3	47	8.3	46	7.8	97	6	240		29.50				FM-16		29.68
15	2254	7	SCT:04 9 BKN:07 33 OVC:08 100	7.00		47	8.3	47	8.3	46	7.8	97	6	240		29.49			29.68	FM-15	0.00	29.67
15	2339	7	FEW:02 9 SCT:04 39 OVC:08 75	1.50	BR:1	45	7.2	45	7.2	44	6.7	97	3	120		29.47				FM-16		29.64
15	2352	6	FEW:02 9 SCT:04 30 OVC:08 75	3.00	BR:1	45	7.2	45	7.2	45	7.2	100	5	190		29.47				FM-16		29.64
15	2354	7	FEW:02 9 SCT:04 30 OVC:08 75	3.00	BR:1	45	7.2	45	7.2	44	6.7	97	3	210		29.44			29.64	FM-15	0.00	29.62
16	0042	7	OVC:08 4	6.00	BR:1	46	7.8	46	7.8	45	7.2	96	8	270		29.44				FM-16		29.62
16	0054	7	BKN:07 4 BKN:07 8 OVC:08 110	6.00	BR:1	46	7.8	46	7.8	45	7.2	96	7	280		29.44	6	+0.06	29.63	FM-15	0.00	29.62
16	0100	4	5	5.59		46	7.8	46	7.8	45	7.2	96	7	280		29.44	6	+0.06	29.63	FM-12		
16	0109	7	SCT:04 5 BKN:07 13 BKN:07 120	8.00		45	7.2	44	6.7	43	6.1	93	9	280		29.44				FM-16		29.61
16	0117	7	FEW:02 5 BKN:07 9 OVC:08 13	9.00		45	7.2	44	6.7	43	6.1	93	8	280		29.44				FM-16		29.61
16	0154	7	FEW:02 5 OVC:08 9	9.00		44	6.7	43	6.1	41	5.0	89	10	290		29.44			29.63	FM-15	0.00	29.62
16	0254	7	OVC:08 6	8.00		42	5.6	41	5.0	40	4.4	92	11	330		29.45			29.64	FM-15	0.00	29.63
16	0354	7	OVC:08 9	9.00		42	5.6	41	5.0	39	3.9	89	9	320		29.44	8	+0.01	29.62	FM-15	0.00	29.61
16	0424	7	OVC:08 10	10.00		42	5.6	41	5.0	39	3.9	89	7	320		29.42				FM-16		29.60
16	0431	7	OVC:08 8	10.00		41	5.0	40	4.4	39	3.9	93	8	320		29.44				FM-16		29.61
16	0452	6	BKN:07 11	10.00		39	3.9	38	3.3	37	2.8	93	7	300		29.44				FM-16		29.61
16	0454	7	BKN:07 11	10.00		40	4.4	39	3.9	38	3.3	93	5	290		29.44			29.62	FM-15	0.00	29.61
16	0535	7	SCT:04 11	7.00		39	3.9	38	3.3	37	2.8	93	7	250		29.44				FM-16		29.61
16	0552	6	BKN:07 8	6.00	BR:1	39	3.9	38	3.3	37	2.8	93	7	280		29.44				FM-16		29.62
16	0554	7	BKN:07 8	6.00	BR:1	39	3.9	39	3.9	38	3.3	96	7	280		29.44			29.63	FM-15	0.00	29.62
16	0654	7	BKN:07 6	8.00		39	3.9	38	3.3	37	2.8	93	5	300		29.44	3	-0.01	29.64	FM-15	0.00	29.62
16	0700	4	5	7.46		39	3.9	38	3.3	37	2.8	93	5	300		29.44	3	-0.01	29.64	FM-12		
16	0754	7	BKN:07 6	7.00		38	3.3	37	2.8	36	2.2	93	6	310		29.44			29.62	FM-15	0.00	29.61
16	0831	7	SCT:04 7 BKN:07 50	7.00		39	3.9	38	3.3	36	2.2	89	3	010		29.42				FM-16		29.60
16	0854	7	SCT:04 7 BKN:07 70	8.00		39	3.9	38	3.3	36	2.2	89	0	000		29.42			29.62	FM-15	0.00	29.60
16	0954	7	FEW:02 8 BKN:07 60	10.00		42	5.6	39	3.9	35	1.7	76	0	000		29.41	6	+0.03	29.61	FM-15	0.00	29.59
16	1054	7	BKN:07 80 OVC:08 90	10.00		42	5.6	38	3.3	33	0.6	71	6	280		29.42			29.61	FM-15	0.00	29.60
16	1154	7	OVC:08 80	10.00		43	6.1	39	3.9	33	0.6	68	3	230		29.39			29.57	FM-15	0.00	29.56
16	1254	7	FEW:02 20 SCT:04 75 BKN:07 110	10.00		43	6.1	39	3.9	34	1.1	71	5	210		29.34	8	+0.07	29.54	FM-15	0.00	29.52
16	1300	4	26	9.94		43	6.1	39	3.9	34	1.1	71	5	210		29.34	8	+0.07	29.54	FM-12		
16	1321	7	BKN:07 19 OVC:08 85	10.00		43	6.1	40	4.4	36	2.2	76	11	220		29.34				FM-16		29.52

16	1354	7	SCT:04 18 BKN:07 24 OVC:08 70	10.00		42	5.6	39	3.9	34	1.1	73	11	250		29.34			29.53	FM-15	0.00	29.52
16	1418	7	SCT:04 22 OVC:08 38	10.00	-RA:02 RA RA	41	5.0	38	3.3	33	0.6	73	8	240		29.36				FM-16	T	29.53
16	1452	6	BKN:07 20 BKN:07 31 OVC:08 37	10.00	-RA:02 RA RA	39	3.9	37	2.8	34	1.1	81	13	250		29.36				FM-16		29.54
16	1454	7	SCT:04 20 BKN:07 31 OVC:08 37	10.00	-RA:02 RA RA	39	3.9	37	2.8	34	1.1	82	14	250		29.36			29.55	FM-15	T	29.54
16	1552	6	OVC:08 10	10.00	-RA:02 RA RA	37	2.8	37	2.8	36	2.2	93	9	270		29.39				FM-16		29.57
16	1554	7	OVC:08 10	9.00	-RA:02 RA RA	38	3.3	37	2.8	36	2.2	93	9	270		29.39	3	-0.05	29.59	FM-15	0.02s	29.57
16	1624	7	SCT:04 12 BKN:07 50 OVC:08 80	10.00		39	3.9	37	2.8	35	1.7	86	8	280		29.41				FM-16	0.01	29.58
16	1654	7	FEW:02 10 OVC:08 80	10.00		38	3.3	37	2.8	36	2.2	93	14	230		29.44			29.62	FM-15	T	29.61
16	1754	7	FEW:02 13 BKN:07 100	10.00		38	3.3	36	2.2	34	1.1	86	14	260	22	29.45			29.65	FM-15	0.00	29.63
16	1854	7	BKN:07 90 BKN:07 110	10.00		38	3.3	35	1.7	31	-0.6	76	10	300		29.49	2	-0.10	29.68	FM-15	0.00	29.67
16	1900	4		9.94		38	3.3	35	1.7	31	-0.6	76	10	300		29.49	2	-0.10	29.68	FM-12		
16	1954	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	6	240		29.50			29.69	FM-15	0.00	29.68
16	2054	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	9	250		29.52			29.70	FM-15	0.00	29.69
16	2154	7	CLR:00	10.00		35	1.7	33	0.6	29	-1.7	78	8	250		29.53	3	-0.04	29.72	FM-15	0.00	29.71
16	2254	7	CLR:00	10.00		35	1.7	32	0.0	28	-2.2	76	11	250		29.55			29.74	FM-15	0.00	29.73
16	2354	7	CLR:00	10.00		33	0.6	31	-0.6	27	-2.8	78	10	240		29.57			29.77	FM-15	0.00	29.75
17	0054	7	CLR:00	10.00		33	0.6	30	-1.1	26	-3.3	75	10	250		29.58	1	-0.05	29.78	FM-15	0.00	29.76
17	0100	4		9.94		33	0.6	30	-1.1	26	-3.3	75	10	250		29.58	1	-0.05	29.78	FM-12		
17	0154	7	CLR:00	10.00		32	0.0	29	-1.7	25	-3.9	75	9	230		29.60			29.80	FM-15	0.00	29.78
17	0254	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	8	230		29.61			29.81	FM-15	0.00	29.79
17	0354	7	CLR:00	10.00		32	0.0	29	-1.7	25	-3.9	75	8	230		29.61	1	-0.03	29.81	FM-15	0.00	29.79
17	0454	7	CLR:00	10.00		29	-1.7	27	-2.8	24	-4.4	82	9	220		29.61			29.80	FM-15	0.00	29.79
17	0554	7	CLR:00	10.00		32	0.0	29	-1.7	25	-3.9	75	10	230		29.61			29.81	FM-15	0.00	29.79
17	0654	7	FEW:02 250	10.00		34	1.1	31	-0.6	25	-3.9	70	10	230		29.63	3	-0.01	29.83	FM-15	0.00	29.81
17	0700	4		9.94		34	1.1	31	-0.6	25	-3.9	70	10	230		29.63	3	-0.01	29.83	FM-12		
17	0754	7	FEW:02 75 FEW:02 250	10.00		34	1.1	31	-0.6	25	-3.9	70	11	240		29.66			29.85	FM-15	0.00	29.84
17	0854	7	FEW:02 70 BKN:07 250	10.00		38	3.3	34	1.1	27	-2.8	65	10	240		29.68			29.88	FM-15	0.00	29.86
17	0954	7	FEW:02 250	10.00		42	5.6	36	2.2	28	-2.2	58	11	250		29.69	1	-0.07	29.89	FM-15	0.00	29.87
17	1054	7	SCT:04 350	10.00		45	7.2	38	3.3	28	-2.2	52	11	240		29.68			29.87	FM-15	0.00	29.86
17	1154	7	FEW:02 180 SCT:04 250	10.00		47	8.3	39	3.9	28	-2.2	48	13	250		29.66			29.86	FM-15	0.00	29.84
17	1254	7	FEW:02 50 FEW:02 180	10.00		48	8.9	39	3.9	27	-2.8	44	15	270		29.63	8	+0.06	29.83	FM-15	0.00	29.81
17	1300	4	57	9.94		48	8.9	39	3.9	27	-2.8	44	15	270		29.63	8	+0.06	29.83	FM-12		
17	1354	7	FEW:02 50 FEW:02 180	10.00		49	9.4	40	4.4	26	-3.3	41	14	240		29.63			29.82	FM-15	0.00	29.81
17	1454	7	FEW:02 45 SCT:04 250	10.00		49	9.4	39	3.9	25	-3.9	39	10	250		29.62			29.81	FM-15	0.00	29.80
17	1554	7	BKN:07 55 BKN:07 200	10.00		48	8.9	39	3.9	27	-2.8	44	10	260		29.62	5	+0.01	29.82	FM-15	0.00	29.80
17	1654	7	SCT:04 50 OVC:08 70	10.00		47	8.3	39	3.9	27	-2.8	46	7	260		29.62			29.82	FM-15	0.00	29.80
17	1754	7	OVC:08 70	10.00		46	7.8	39	3.9	28	-2.2	50	5	230		29.63			29.83	FM-15	0.00	29.81
17	1854	7	OVC:08 70	10.00		42	5.6	37	2.8	30	-1.1	62	7	200		29.65	3	-0.02	29.84	FM-15	0.00	29.83
17	1900	4	74	9.94		42	5.6	37	2.8	30	-1.1	62	7	200		29.65	3	-0.02	29.84	FM-12		
17	1954	7	OVC:08 70	10.00		44	6.7	38	3.3	30	-1.1	58	10	210		29.65			29.85	FM-15	0.00	29.83
17	2054	7	OVC:08 70	10.00		43	6.1	38	3.3	30	-1.1	60	8	210		29.64			29.83	FM-15	0.00	29.82

17	2154	7	BKN:07 85	10.00		38	3.3	34	1.1	29	-1.7	70	6	210		29.64	8	+0.01	29.83	FM-15	0.00	29.82
17	2254	7	OVC:08 75	10.00		41	5.0	37	2.8	30	-1.1	65	9	210		29.63			29.83	FM-15	0.00	29.81
17	2354	7	BKN:07 70 OVC:08 85	10.00		41	5.0	36	2.2	29	-1.7	62	11	220		29.63			29.83	FM-15	0.00	29.81
18	0054	7	BKN:07 90	10.00		41	5.0	36	2.2	29	-1.7	62	10	230		29.64	5	0.00	29.83	FM-15	0.00	29.82
18	0100	4		9.94		41	5.0	36	2.2	29	-1.7	62	10	230		29.64	5	0.00	29.83	FM-12		
18	0154	7	BKN:07 85	10.00		40	4.4	36	2.2	29	-1.7	65	7	210		29.63			29.83	FM-15	0.00	29.81
18	0254	7	FEW:02 90	10.00		34	1.1	31	-0.6	27	-2.8	75	7	200		29.63			29.82	FM-15	0.00	29.81
18	0354	7	FEW:02 90	10.00		35	1.7	32	0.0	28	-2.2	76	7	210		29.63	6	+0.01	29.82	FM-15	0.00	29.81
18	0454	7	SCT:04 110	10.00		32	0.0	30	-1.1	27	-2.8	82	6	190		29.63			29.82	FM-15	0.00	29.81
18	0554	7	BKN:07 80 OVC:08 110	10.00		32	0.0	31	-0.6	28	-2.2	85	0	000		29.64			29.83	FM-15	0.00	29.82
18	0654	7	BKN:07 80	10.00		36	2.2	33	0.6	29	-1.7	76	5	220		29.65	3	-0.02	29.84	FM-15	0.00	29.83
18	0700	4	74	9.94		36	2.2	33	0.6	29	-1.7	76	5	220		29.65	3	-0.02	29.84	FM-12		
18	0754	7	FEW:02 65 BKN:07 130	10.00		35	1.7	33	0.6	29	-1.7	78	7	240		29.67			29.87	FM-15	0.00	29.85
18	0854	7	FEW:02 75 SCT:04 130 BKN:07 160	10.00		37	2.8	34	1.1	29	-1.7	73	7	270		29.68			29.88	FM-15	0.00	29.86
18	0954	7	BKN:07 75 BKN:07 110 BKN:07 160	10.00		43	6.1	37	2.8	29	-1.7	58	10	260		29.71	1	-0.06	29.91	FM-15	0.00	29.89
18	1054	7	FEW:02 90 BKN:07 110 BKN:07 300	10.00		45	7.2	38	3.3	28	-2.2	52	13	290		29.72			29.91	FM-15	0.00	29.90
18	1154	7	FEW:02 45 SCT:04 100 BKN:07 300	10.00		47	8.3	38	3.3	25	-3.9	42	13	270		29.69			29.89	FM-15	0.00	29.87
18	1254	7	SCT:04 60 BKN:07 90 BKN:07 300	10.00		48	8.9	38	3.3	23	-5.0	37	21	270	28	29.69	8	+0.02	29.88	FM-15	0.00	29.87
18	1300	4	57	9.94		48	8.9	38	3.3	23	-5.0	37	21	270		29.69	8	+0.02	29.88	FM-12		
18	1354	7	FEW:02 55 OVC:08 75	10.00		44	6.7	35	1.7	19	-7.2	37	21	290	29	29.71			29.90	FM-15	0.00	29.89
18	1454	7	FEW:02 55 OVC:08 80	10.00		44	6.7	35	1.7	20	-6.7	38	15	290	26	29.72			29.92	FM-15	0.00	29.90
18	1554	7	FEW:02 50 OVC:08 80	10.00		44	6.7	36	2.2	22	-5.6	41	14	260		29.76	3	-0.07	29.95	FM-15	0.00	29.94
18	1654	7	SCT:04 50 BKN:07 70	10.00		43	6.1	36	2.2	24	-4.4	47	9	260		29.79			29.98	FM-15	0.00	29.97
18	1754	7	FEW:02 50 BKN:07 70	10.00		42	5.6	35	1.7	25	-3.9	51	7	250		29.82			30.02	FM-15	0.00	30.00
18	1854	7	OVC:08 70	10.00		42	5.6	35	1.7	24	-4.4	49	7	260		29.86	3	-0.10	30.05	FM-15	0.00	30.04
18	1900	4	74	9.94		42	5.6	35	1.7	24	-4.4	49	7	260		29.86	3	-0.10	30.05	FM-12		
18	1954	7	SCT:04 65	10.00		41	5.0	35	1.7	24	-4.4	51	9	270		29.88			30.07	FM-15	0.00	30.06
18	2054	7	SCT:04 70	10.00		40	4.4	34	1.1	23	-5.0	51	6	290		29.91			30.10	FM-15	0.00	30.09
18	2154	7	OVC:08 60	10.00		38	3.3	33	0.6	25	-3.9	60	0	000		29.93	3	-0.07	30.13	FM-15	0.00	30.11
18	2254	7	BKN:07 60	10.00		34	1.1	31	-0.6	26	-3.3	73	5	200		29.93			30.13	FM-15	0.00	30.11
18	2354	7	SCT:04 60	10.00		37	2.8	32	0.0	23	-5.0	57	7	280		29.93			30.13	FM-15	0.00	30.11
19	0054	7	FEW:02 60	10.00		35	1.7	31	-0.6	23	-5.0	61	5	250		29.95	3	-0.01	30.14	FM-15	0.00	30.13
19	0100	4	57	9.94		35	1.7	31	-0.6	23	-5.0	61	5	250		29.95	3	-0.01	30.14	FM-12		
19	0154	7	CLR:00	10.00		32	0.0	29	-1.7	22	-5.6	66	7	230		29.97			30.16	FM-15	0.00	30.15
19	0254	7	CLR:00	10.00		33	0.6	29	-1.7	22	-5.6	64	5	250		29.98			30.18	FM-15	0.00	30.16
19	0354	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	7	220		29.99	1	-0.04	30.19	FM-15	0.00	30.17
19	0454	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	7	220		30.00			30.20	FM-15	0.00	30.18
19	0554	7	SCT:04 300	10.00		29	-1.7	26	-3.3	21	-6.1	72	7	180		30.01			30.21	FM-15	0.00	30.19
19	0654	7	FEW:02 190 SCT:04 300	10.00		28	-2.2	26	-3.3	21	-6.1	75	7	190		30.03	3	-0.04	30.23	FM-15	0.00	30.21
19	0700	4		9.94		28	-2.2	26	-3.3	21	-6.1	75	7	190		30.03	3	-0.04	30.23	FM-12		
19	0754	7	FEW:02 200	10.00		29	-1.7	27	-2.8	22	-5.6	75	3	170		30.05			30.24	FM-15	0.00	30.23

19	0854	7	FEW:02 50 SCT:04 200	10.00		34	1.1	31	-0.6	25	-3.9	70	8	220		30.05			30.24	FM-15	0.00	30.23
19	0954	7	FEW:02 50 FEW:02 200	10.00		41	5.0	35	1.7	26	-3.3	55	10	220		30.06	1	-0.02	30.25	FM-15	0.00	30.24
19	1054	7	FEW:02 200	10.00		48	8.9	39	3.9	27	-2.8	44	14	230		30.03			30.23	FM-15	0.00	30.21
19	1154	7	FEW:02 200	10.00		50	10.0	41	5.0	28	-2.2	43	17	240	25	30.00			30.20	FM-15	0.00	30.18
19	1254	7	FEW:02 55 FEW:02 200	10.00		53	11.7	42	5.6	28	-2.2	38	17	250		29.97	8	+0.09	30.16	FM-15	0.00	30.15
19	1300	4	57	9.94		53	11.7	42	5.6	28	-2.2	38	17	250		29.97	8	+0.09	30.16	FM-12		
19	1354	7	FEW:02 55	10.00		55	12.8	43	6.1	27	-2.8	34	16	260	24	29.95			30.14	FM-15	0.00	30.13
19	1454	7	FEW:02 65	10.00		56	13.3	44	6.7	28	-2.2	34	18	240	24	29.95			30.14	FM-15	0.00	30.13
19	1554	7	SCT:04 80	10.00		55	12.8	43	6.1	27	-2.8	34	20	270	25	29.96	5	+0.01	30.15	FM-15	0.00	30.14
19	1654	7	BKN:07 80	10.00		54	12.2	43	6.1	27	-2.8	35	9	300		29.98			30.17	FM-15	0.00	30.16
19	1754	7	SCT:04 80	10.00		50	10.0	41	5.0	28	-2.2	43	7	290		29.99			30.19	FM-15	0.00	30.17
19	1854	7	SCT:04 80	10.00		49	9.4	40	4.4	28	-2.2	44	0	000		30.01	1	-0.05	30.20	FM-15	0.00	30.19
19	1900	4	74	9.94		49	9.4	40	4.4	28	-2.2	44	0	000		30.01	1	-0.05	30.20	FM-12		
19	1954	7	SCT:04 80	10.00		43	6.1	37	2.8	28	-2.2	56	0	000		30.01			30.20	FM-15	0.00	30.19
19	2054	7	BKN:07 80	10.00		38	3.3	35	1.7	30	-1.1	73	5	150		29.99			30.19	FM-15	0.00	30.17
19	2154	7	FEW:02 80	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		29.98	8	+0.03	30.17	FM-15	0.00	30.16
19	2254	7	FEW:02 80	10.00		35	1.7	32	0.0	28	-2.2	76	0	000		29.95			30.15	FM-15	0.00	30.13
19	2354	7	FEW:02 80	10.00		33	0.6	31	-0.6	27	-2.8	78	3	130		29.91			30.11	FM-15	0.00	30.09
20	0054	7	CLR:00	10.00		32	0.0	30	-1.1	27	-2.8	82	3	200		29.87	8	+0.10	30.07	FM-15	0.00	30.05
20	0100	4		9.94		32	0.0	30	-1.1	27	-2.8	82	3	200		29.87	8	+0.10	30.07	FM-12		
20	0154	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	5	180		29.85			30.05	FM-15	0.00	30.03
20	0254	7	SCT:04 80	10.00		35	1.7	33	0.6	29	-1.7	78	3	160		29.82			30.02	FM-15	0.00	30.00
20	0354	7	SCT:04 75 BKN:07 230	10.00		33	0.6	31	-0.6	28	-2.2	82	7	210		29.79	8	+0.09	29.98	FM-15	0.00	29.97
20	0454	7	FEW:02 80 BKN:07 250	10.00		39	3.9	35	1.7	29	-1.7	67	10	250		29.78			29.98	FM-15	0.00	29.96
20	0554	7	SCT:04 250	10.00		40	4.4	35	1.7	28	-2.2	63	10	250		29.80			30.00	FM-15	0.00	29.98
20	0654	7	SCT:04 70	10.00		39	3.9	35	1.7	28	-2.2	65	8	VRB		29.83	3	-0.04	30.02	FM-15	0.00	30.01
20	0700	4	74	9.94		39	3.9	35	1.7	28	-2.2	65	8	250		29.83	3	-0.04	30.02	FM-12		
20	0754	7	FEW:02 65	10.00		41	5.0	36	2.2	27	-2.8	57	11	280		29.85			30.05	FM-15	0.00	30.03
20	0854	7	FEW:02 55 FEW:02 70	10.00		45	7.2	36	2.2	21	-6.1	39	16	300	23	29.88			30.07	FM-15	0.00	30.06
20	0954	7	FEW:02 65	10.00		46	7.8	36	2.2	18	-7.8	32	17	300	37	29.90	1	-0.07	30.09	FM-15	0.00	30.08
20	1054	7	FEW:02 70 FEW:02 85	10.00		48	8.9	37	2.8	17	-8.3	29	23	300	32	29.91			30.11	FM-15	0.00	30.09
20	1154	7	SCT:04 70	10.00		49	9.4	37	2.8	16	-8.9	27	14	300		29.89			30.09	FM-15	0.00	30.07
20	1254	7	SCT:04 75	10.00		49	9.4	37	2.8	18	-7.8	29	18	320	23	29.88	8	+0.02	30.07	FM-15	0.00	30.06
20	1300	4	74	9.94		49	9.4	37	2.8	18	-7.8	29	18	320		29.88	8	+0.02	30.07	FM-12		
20	1354	7	FEW:02 70 SCT:04 300	10.00		49	9.4	37	2.8	18	-7.8	29	13	320		29.86			30.06	FM-15	0.00	30.04
20	1454	7	FEW:02 75 FEW:02 300	10.00		50	10.0	38	3.3	17	-8.3	27	16	320		29.87			30.07	FM-15	0.00	30.05
20	1554	7	FEW:02 70 FEW:02 300	10.00		49	9.4	37	2.8	15	-9.4	26	16	300	21	29.90	3	-0.02	30.09	FM-15	0.00	30.08
20	1654	7	FEW:02 300	10.00		46	7.8	36	2.2	19	-7.2	34	9	350		29.91			30.11	FM-15	0.00	30.09
20	1754	7	FEW:02 300	10.00		41	5.0	33	0.6	20	-6.7	43	7	010		29.92			30.12	FM-15	0.00	30.10
20	1854	7	FEW:02 300	10.00		39	3.9	32	0.0	21	-6.1	48	0	000		29.92	0	-0.02	30.11	FM-15	0.00	30.10
20	1900	4		9.94		39	3.9	32	0.0	21	-6.1	48	0	000		29.92	9	+0.02	30.11	FM-12		
20	1954	7	FEW:02 300	10.00		37	2.8	31	-0.6	21	-6.1	52	3	VRB		29.92			30.12	FM-15	0.00	30.10
20	2054	7	FEW:02 300	10.00		34	1.1	29	-1.7	21	-6.1	59	0	000		29.94			30.14	FM-15	0.00	30.12
20	2154	7	FEW:02 300	10.00		31	-0.6	28	-2.2	21	-6.1	67	0	000		29.95	3	-0.03	30.14	FM-15	0.00	30.13
20	2254	7	FEW:02 300	10.00		28	-2.2	26	-3.3	21	-6.1	75	5	120		29.92			30.11	FM-15	0.00	30.10
20	2354	7	FEW:02 300	10.00		28	-2.2	26	-3.3	21	-6.1	75	0	000		29.90			30.09	FM-15	0.00	30.08
21	0054	7	BKN:07 250	10.00		29	-1.7	26	-3.3	21	-6.1	72	0	000		29.87	6	+0.08	30.07	FM-15	0.00	30.05
21	0100	4		9.94		29	-1.7	26	-3.3	21	-6.1	72	0	000		29.87	6	+0.08	30.07	FM-12		
21	0154	7	BKN:07 190	10.00		28	-2.2	26	-3.3	22	-5.6	78	0	000		29.86			30.05	FM-15	0.00	30.04

21	0254	7	SCT:04 180	10.00		29	-1.7	26	-3.3	20	-6.7	69	0	000		29.85			30.05	FM-15	0.00	30.03
21	0354	7	FEW:02 180 BKN:07 250	10.00		26	-3.3	24	-4.4	21	-6.1	81	3	130		29.80	8	+0.07	30.00	FM-15	0.00	29.98
21	0454	7	SCT:04 150 BKN:07 220	10.00		29	-1.7	27	-2.8	23	-5.0	78	5	140		29.78			29.97	FM-15	0.00	29.96
21	0554	7	OVC:08 100	10.00		30	-1.1	29	-1.7	26	-3.3	85	6	170		29.77			29.97	FM-15	0.00	29.95
21	0654	7	BKN:07 95 OVC:08 200	10.00		31	-0.6	29	-1.7	25	-3.9	79	0	000		29.74	8	+0.07	29.93	FM-15	0.00	29.92
21	0700	4		9.94		31	-0.6	29	-1.7	25	-3.9	79	0	000		29.74	8	+0.07	29.93	FM-12		
21	0754	7	BKN:07 80 OVC:08 150	10.00		33	0.6	30	-1.1	26	-3.3	75	5	190		29.73			29.93	FM-15	0.00	29.91
21	0854	7	OVC:08 75	10.00		34	1.1	31	-0.6	27	-2.8	75	3	180		29.72			29.91	FM-15	0.00	29.90
21	0954	7	BKN:07 70 BKN:07 95	10.00		37	2.8	33	0.6	26	-3.3	65	7	200		29.70	8	+0.04	29.89	FM-15	0.00	29.88
21	1054	7	FEW:02 55 FEW:02 70 SCT:04 100	10.00		44	6.7	37	2.8	25	-3.9	47	9	210		29.67			29.87	FM-15	0.00	29.85
21	1154	7	FEW:02 65 FEW:02 100	10.00		50	10.0	40	4.4	26	-3.3	39	10	250		29.61			29.81	FM-15	0.00	29.79
21	1254	7	FEW:02 100	10.00		54	12.2	43	6.1	30	-1.1	40	14	240		29.56	8	+0.13	29.76	FM-15	0.00	29.74
21	1300	4		9.94		54	12.2	43	6.1	30	-1.1	40	14	240		29.56	8	+0.13	29.76	FM-12		
21	1354	7	FEW:02 300	10.00		57	13.9	45	7.2	31	-0.6	37	10	260		29.53			29.72	FM-15	0.00	29.71
21	1454	7	FEW:02 55 FEW:02 300	10.00		57	13.9	45	7.2	31	-0.6	37	17	280	23	29.52			29.71	FM-15	0.00	29.69
21	1554	7	FEW:02 50 FEW:02 300	10.00		56	13.3	45	7.2	31	-0.6	39	13	270		29.52	6	+0.05	29.71	FM-15	0.00	29.69
21	1654	7	FEW:02 300	10.00		54	12.2	44	6.7	31	-0.6	42	6	260		29.52			29.71	FM-15	0.00	29.69
21	1754	7	FEW:02 300	10.00		51	10.6	42	5.6	31	-0.6	46	9	230		29.54			29.73	FM-15	0.00	29.72
21	1854	7	FEW:02 300	10.00		50	10.0	42	5.6	31	-0.6	48	10	250		29.54	3	-0.03	29.74	FM-15	0.00	29.72
21	1900	4		9.94		50	10.0	42	5.6	31	-0.6	48	10	250		29.54	3	-0.03	29.74	FM-12		
21	1954	7	CLR:00	10.00		49	9.4	41	5.0	31	-0.6	50	11	260		29.55			29.75	FM-15	0.00	29.73
21	2054	7	CLR:00	10.00		47	8.3	39	3.9	29	-1.7	50	13	260		29.55			29.75	FM-15	0.00	29.73
21	2154	7	CLR:00	10.00		45	7.2	38	3.3	29	-1.7	54	10	270		29.56	3	-0.02	29.76	FM-15	0.00	29.74
21	2254	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	13	270		29.57			29.77	FM-15	0.00	29.75
21	2354	7	CLR:00	10.00		43	6.1	37	2.8	27	-2.8	53	15	270		29.59			29.78	FM-15	0.00	29.77
22	0054	7	CLR:00	10.00		41	5.0	35	1.7	27	-2.8	57	8	270		29.58	0	-0.02	29.78	FM-15	0.00	29.76
22	0100	4		9.94		41	5.0	35	1.7	27	-2.8	57	8	270		29.58	9	+0.02	29.78	FM-12		
22	0154	7	CLR:00	10.00		40	4.4	35	1.7	27	-2.8	60	8	250		29.59			29.79	FM-15	0.00	29.77
22	0254	7	CLR:00	10.00		40	4.4	35	1.7	28	-2.2	63	9	250		29.59			29.79	FM-15	0.00	29.77
22	0354	7	CLR:00	10.00		39	3.9	35	1.7	28	-2.2	65	7	230		29.60	1	-0.01	29.79	FM-15	0.00	29.78
22	0454	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	8	230		29.61			29.80	FM-15	0.00	29.79
22	0554	7	CLR:00	10.00		38	3.3	34	1.1	29	-1.7	70	9	240		29.62			29.82	FM-15	0.00	29.80
22	0654	7	BKN:07 250	10.00		38	3.3	34	1.1	29	-1.7	70	8	230		29.64	3	-0.04	29.83	FM-15	0.00	29.82
22	0700	4		9.94		38	3.3	34	1.1	29	-1.7	70	8	230		29.64	3	-0.04	29.83	FM-12		
22	0754	7	FEW:02 240 SCT:04 300	10.00		38	3.3	34	1.1	29	-1.7	70	8	230		29.65			29.85	FM-15	0.00	29.83
22	0854	7	FEW:02 240 SCT:04 300	10.00		44	6.7	38	3.3	28	-2.2	53	10	230		29.67			29.86	FM-15	0.00	29.85
22	0954	7	FEW:02 300	10.00		48	8.9	39	3.9	26	-3.3	42	10	250		29.68	2	-0.05	29.88	FM-15	0.00	29.86
22	1054	7	FEW:02 300	10.00		52	11.1	41	5.0	24	-4.4	34	14	260	24	29.68			29.88	FM-15	0.00	29.86
22	1154	7	FEW:02 65 BKN:07 220	10.00		54	12.2	42	5.6	24	-4.4	31	15	290		29.66			29.85	FM-15	0.00	29.84
22	1254	7	FEW:02 65 BKN:07 220	10.00		53	11.7	41	5.0	24	-4.4	32	14	290	26	29.65	8	+0.03	29.85	FM-15	0.00	29.83
22	1300	4	57	9.94		53	11.7	41	5.0	24	-4.4	32	14	290		29.65	8	+0.03	29.85	FM-12		
22	1354	7	FEW:02 65 BKN:07 210 BKN:07 300	10.00		54	12.2	42	5.6	24	-4.4	31	18	270		29.64			29.83	FM-15	0.00	29.82
22	1454	7	FEW:02 65 FEW:02 210 SCT:04 300	10.00		55	12.8	42	5.6	23	-5.0	29	17	290	25	29.65			29.85	FM-15	0.00	29.83

22	1554	7	FEW:02 70 FEW:02 230 SCT:04 300	10.00		54	12.2	41	5.0	23	-5.0	30	11	270		29.65	5	0.00	29.85	FM-15	0.00	29.83
22	1654	7	CLR:00	10.00		53	11.7	41	5.0	23	-5.0	31	7	270		29.66			29.86	FM-15	0.00	29.84
22	1754	7	CLR:00	10.00		50	10.0	39	3.9	22	-5.6	33	5	280		29.70			29.89	FM-15	0.00	29.88
22	1854	7	CLR:00	10.00		47	8.3	37	2.8	22	-5.6	37	6	330		29.72	3	-0.07	29.92	FM-15	0.00	29.90
22	1900	4		9.94		47	8.3	37	2.8	22	-5.6	37	6	330		29.72	3	-0.07	29.92	FM-12		
22	1930	7	CLR:00	10.00		44	6.7	36	2.2	24	-4.4	45	11	010		29.74				FM-16		29.92
22	1954	7	CLR:00	10.00		42	5.6	35	1.7	23	-5.0	47	7	070		29.76			29.95	FM-15	0.00	29.94
22	2054	7	CLR:00	10.00		40	4.4	33	0.6	22	-5.6	49	7	040		29.79			29.98	FM-15	0.00	29.97
22	2154	7	CLR:00	10.00		37	2.8	31	-0.6	21	-6.1	52	7	360		29.80	1	-0.08	30.00	FM-15	0.00	29.98
22	2254	7	CLR:00	10.00		35	1.7	30	-1.1	21	-6.1	57	3	090		29.82			30.01	FM-15	0.00	30.00
22	2354	7	CLR:00	10.00		34	1.1	29	-1.7	21	-6.1	59	0	000		29.83			30.02	FM-15	0.00	30.01
23	0054	7	CLR:00	10.00		31	-0.6	28	-2.2	21	-6.1	67	0	000		29.83	1	-0.03	30.02	FM-15	0.00	30.01
23	0100	4		9.94		31	-0.6	28	-2.2	21	-6.1	67	0	000		29.83	1	-0.03	30.02	FM-12		
23	0154	7	CLR:00	10.00		29	-1.7	26	-3.3	21	-6.1	72	0	000		29.84			30.03	FM-15	0.00	30.02
23	0254	7	CLR:00	10.00		28	-2.2	26	-3.3	21	-6.1	75	0	000		29.85			30.05	FM-15	0.00	30.03
23	0354	7	CLR:00	10.00		29	-1.7	26	-3.3	21	-6.1	72	3	310		29.86	1	-0.03	30.05	FM-15	0.00	30.04
23	0454	7	CLR:00	10.00		26	-3.3	24	-4.4	21	-6.1	81	0	000		29.87			30.06	FM-15	0.00	30.05
23	0554	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	0	000		29.89			30.09	FM-15	0.00	30.07
23	0654	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	0	000		29.93	3	-0.07	30.12	FM-15	0.00	30.11
23	0700	4		9.94		27	-2.8	25	-3.9	21	-6.1	78	0	000		29.93	3	-0.07	30.12	FM-12		
23	0754	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	11	360		29.96			30.16	FM-15	0.00	30.14
23	0854	7	FEW:02 50	10.00		34	1.1	28	-2.2	16	-8.9	48	15	360	24	30.00			30.20	FM-15	0.00	30.18
23	0954	7	FEW:02 50	10.00		36	2.2	29	-1.7	14	-10.0	40	17	350	28	30.04	1	-0.11	30.23	FM-15	0.00	30.22
23	1054	7	FEW:02 50	10.00		38	3.3	30	-1.1	13	-10.6	36	11	350	22	30.05			30.25	FM-15	0.00	30.23
23	1154	7	FEW:02 55	10.00		39	3.9	30	-1.1	10	-12.2	30	15	340		30.05			30.24	FM-15	0.00	30.23
23	1254	7	FEW:02 55	10.00		39	3.9	30	-1.1	11	-11.7	31	14	330		30.04	0	0.00	30.24	FM-15	0.00	30.22
23	1300	4	57	9.94		39	3.9	30	-1.1	11	-11.7	31	14	330		30.04	9	0.00	30.24	FM-12		
23	1354	7	FEW:02 55	10.00		39	3.9	30	-1.1	11	-11.7	31	9	300	23	30.04			30.24	FM-15	0.00	30.22
23	1454	7	CLR:00	10.00		40	4.4	31	-0.6	11	-11.7	30	17	310	22	30.04			30.24	FM-15	0.00	30.22
23	1554	7	CLR:00	10.00		39	3.9	30	-1.1	11	-11.7	31	15	330		30.05	3	-0.02	30.25	FM-15	0.00	30.23
23	1654	7	CLR:00	10.00		37	2.8	29	-1.7	11	-11.7	34	13	350		30.06			30.26	FM-15	0.00	30.24
23	1754	7	CLR:00	10.00		32	0.0	26	-3.3	12	-11.1	43	5	040		30.08			30.28	FM-15	0.00	30.26
23	1854	7	CLR:00	10.00		30	-1.1	24	-4.4	11	-11.7	45	7	020		30.10	3	-0.05	30.30	FM-15	0.00	30.28
23	1900	4		9.94		30	-1.1	24	-4.4	11	-11.7	45	7	020		30.10	3	-0.05	30.30	FM-12		
23	1954	7	CLR:00	10.00		28	-2.2	23	-5.0	11	-11.7	49	7	030		30.11			30.31	FM-15	0.00	30.29
23	2054	7	CLR:00	10.00		28	-2.2	23	-5.0	10	-12.2	47	9	010		30.12			30.32	FM-15	0.00	30.30
23	2154	7	CLR:00	10.00		27	-2.8	22	-5.6	10	-12.2	49	8	010		30.13	3	-0.03	30.33	FM-15	0.00	30.31
23	2254	7	CLR:00	10.00		27	-2.8	22	-5.6	9	-12.8	46	3	360		30.15			30.35	FM-15	0.00	30.33
23	2354	7	CLR:00	10.00		25	-3.9	21	-6.1	11	-11.7	55	6	010		30.15			30.35	FM-15	0.00	30.33
24	0054	7	FEW:02 300	10.00		25	-3.9	21	-6.1	10	-12.2	53	5	360		30.15	0	-0.02	30.35	FM-15	0.00	30.33
24	0100	4		9.94		25	-3.9	21	-6.1	10	-12.2	53	5	360		30.15	9	+0.02	30.35	FM-12		
24	0154	7	FEW:02 300	10.00		25	-3.9	21	-6.1	10	-12.2	53	3	340		30.16			30.35	FM-15	0.00	30.34
24	0254	7	FEW:02 300	10.00		25	-3.9	21	-6.1	10	-12.2	53	0	000		30.15			30.35	FM-15	0.00	30.33
24	0354	7	FEW:02 300	10.00		24	-4.4	20	-6.7	11	-11.7	57	3	020		30.13	8	+0.01	30.33	FM-15	0.00	30.31
24	0454	7	SCT:04 300	10.00		24	-4.4	20	-6.7	11	-11.7	57	5	350		30.14			30.34	FM-15	0.00	30.32
24	0554	7	FEW:02 300	10.00		22	-5.6	19	-7.2	12	-11.1	66	3	310		30.17			30.37	FM-15	0.00	30.35
24	0654	7	FEW:02 300	10.00		22	-5.6	19	-7.2	12	-11.1	66	0	000		30.17	1	-0.03	30.37	FM-15	0.00	30.35
24	0700	4		9.94		22	-5.6	19	-7.2	12	-11.1	66	0	000		30.17	1	-0.03	30.37	FM-12		
24	0754	7	BKN:07 150 BKN:07 300	10.00		21	-6.1	20	-6.7	16	-8.9	81	0	000		30.17			30.37	FM-15	0.00	30.35
24	0854	7	FEW:02 110 SCT:04 150	10.00		28	-2.2	24	-4.4	15	-9.4	58	3	010		30.18			30.38	FM-15	0.00	30.36
24	0954	7	FEW:02 120 SCT:04 300	10.00		31	-0.6	26	-3.3	14	-10.0	49	6	VRB		30.17	0	0.00	30.37	FM-15	0.00	30.35
24	1054	7	FEW:02 300	10.00		33	0.6	27	-2.8	13	-10.6	43	6	070		30.13			30.32	FM-15	0.00	30.31
24	1154	7	FEW:02 300	10.00		36	2.2	29	-1.7	13	-10.6	39	5	290		30.12			30.32	FM-15	0.00	30.30

24	1254	7	SCT:04 300	10.00		38	3.3	30	-1.1	12	-11.1	34	5	240		30.09	6	+0.08	30.29	FM-15	0.00	30.27
24	1300	4		9.94		38	3.3	30	-1.1	12	-11.1	34	5	240		30.09	6	+0.08	30.29	FM-12		
24	1354	7	FEW:02 100	10.00		41	5.0	31	-0.6	12	-11.1	30	3	310		30.07			30.27	FM-15	0.00	30.25
24	1454	7	FEW:02 100 SCT:04 300	10.00		41	5.0	32	0.0	13	-10.6	32	5	120		30.04			30.24	FM-15	0.00	30.22
24	1554	7	SCT:04 90 BKN:07 180	10.00		41	5.0	32	0.0	13	-10.6	32	6	230		30.03	6	+0.06	30.23	FM-15	0.00	30.21
24	1654	7	BKN:07 70 OVC:08 110	10.00		40	4.4	32	0.0	15	-9.4	36	6	180		30.04			30.23	FM-15	0.00	30.22
24	1754	7	FEW:02 55 OVC:08 75	10.00		39	3.9	31	-0.6	17	-8.3	41	5	180		30.02			30.22	FM-15	0.00	30.20
24	1854	7	OVC:08 65	10.00		39	3.9	31	-0.6	16	-8.9	39	3	160		30.02	8	+0.01	30.22	FM-15	0.00	30.20
24	1900	4	57	9.94		39	3.9	31	-0.6	16	-8.9	39	3	160		30.02	8	+0.01	30.22	FM-12		
24	1954	7	BKN:07 60 OVC:08 80	10.00		38	3.3	31	-0.6	17	-8.3	43	3	160		30.01			30.21	FM-15	0.00	30.19
24	2054	7	BKN:07 37 OVC:08 55	10.00		35	1.7	32	0.0	28	-2.2	76	3	250		30.02			30.22	FM-15	T	30.20
24	2154	7	OVC:08 50	10.00		34	1.1	32	0.0	29	-1.7	82	5	130		29.99	8	+0.03	30.19	FM-15	0.01	30.17
24	2254	7	OVC:08 50	10.00		34	1.1	32	0.0	29	-1.7	82	7	140		29.99			30.19	FM-15	0.00	30.17
24	2354	7	OVC:08 50	10.00		35	1.7	33	0.6	29	-1.7	78	5	140		29.98			30.17	FM-15	0.00	30.16
25	0054	7	OVC:08 47	10.00		34	1.1	32	0.0	28	-2.2	79	6	130		29.95	8	+0.04	30.15	FM-15	0.00	30.13
25	0100	4	41	9.94		34	1.1	32	0.0	28	-2.2	79	6	130		29.95	8	+0.04	30.15	FM-12		
25	0154	7	OVC:08 39	10.00		35	1.7	32	0.0	28	-2.2	76	6	140		29.94			30.14	FM-15	0.00	30.12
25	0254	7	SCT:04 39 OVC:08 50	10.00		35	1.7	32	0.0	27	-2.8	72	5	150		29.94			30.14	FM-15	0.00	30.12
25	0354	7	BKN:07 43 OVC:08 60	10.00		35	1.7	32	0.0	28	-2.2	76	6	140		29.92	8	+0.03	30.12	FM-15	0.00	30.10
25	0454	7	OVC:08 55	10.00		36	2.2	33	0.6	28	-2.2	73	5	140		29.91			30.10	FM-15	0.00	30.09
25	0554	7	OVC:08 70	10.00		36	2.2	33	0.6	28	-2.2	73	3	090		29.90			30.09	FM-15	0.00	30.08
25	0654	7	OVC:08 65	10.00		36	2.2	33	0.6	27	-2.8	70	0	000		29.92	5	0.00	30.11	FM-15	0.00	30.10
25	0700	4	57	9.94		36	2.2	33	0.6	27	-2.8	70	0	000		29.92	5	0.00	30.11	FM-12		
25	0754	7	OVC:08 70	10.00		37	2.8	34	1.1	28	-2.2	70	5	070		29.92			30.11	FM-15	0.00	30.10
25	0854	7	BKN:07 70 OVC:08 300	10.00		38	3.3	34	1.1	28	-2.2	68	5	070		29.92			30.11	FM-15	0.00	30.10
25	0954	7	BKN:07 70 OVC:08 300	10.00		39	3.9	35	1.7	29	-1.7	67	3	100		29.92	5	0.00	30.11	FM-15	0.00	30.10
25	1054	7	BKN:07 60 OVC:08 300	10.00		41	5.0	36	2.2	29	-1.7	62	0	000		29.94			30.13	FM-15	0.00	30.12
25	1154	7	BKN:07 55 BKN:07 150 OVC:08 300	10.00		42	5.6	37	2.8	29	-1.7	60	0	000		29.92			30.11	FM-15	0.00	30.10
25	1254	7	BKN:07 55 BKN:07 140 BKN:07 200	10.00		44	6.7	38	3.3	29	-1.7	55	5	360		29.88	8	+0.04	30.08	FM-15	0.00	30.06
25	1300	4	57	9.94		44	6.7	38	3.3	29	-1.7	55	5	360		29.88	8	+0.04	30.08	FM-12		
25	1354	7	FEW:02 60 BKN:07 90 OVC:08 110	10.00	-RA:02 RA RA	44	6.7	38	3.3	30	-1.1	58	5	050		29.86			30.05	FM-15	T	30.04
25	1454	7	BKN:07 75 OVC:08 90	7.00	-RA:02 RA RA	41	5.0	37	2.8	32	0.0	70	7	090		29.83			30.02	FM-15	0.01	30.01
25	1554	7	FEW:02 65 OVC:08 80	6.00	-RA:02 BR:1 RA RA	40	4.4	38	3.3	36	2.2	86	5	060		29.82	6	+0.06	30.02	FM-15	0.03	30.00
25	1639	7	BKN:07 29 BKN:07 70 OVC:08 90	7.00	-RA:02 RA RA	40	4.4	38	3.3	36	2.2	86	3	060		29.84				FM-16	0.04	30.02
25	1654	7	OVC:08 29	5.00	RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	3	070		29.84			30.04	FM-15	0.06	30.02
25	1717	7	FEW:02 21 BKN:07 30 OVC:08 60	5.00	RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	0	000		29.86				FM-16	0.03	30.04
25	1736	7	BKN:07 13 BKN:07 30 OVC:08 55	5.00	RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	0	000		29.85				FM-16	0.06	30.03

25	1754	7	BKN:07 13 BKN:07 18 OVC:08 55	5.00	-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	3	120		29.83			30.03	FM-15	0.08	30.01
25	1854	7	BKN:07 10 BKN:07 15 OVC:08 47	4.00	RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	8	350		29.85	2	-0.03	30.05	FM-15	0.03	30.03
25	1900	4	15	3.73	RA	39	3.9	38	3.3	37	2.8	93	8	350		29.85	2	-0.03	30.05	FM-12		
25	1901	7	FEW:02 5 BKN:07 10 OVC:08 30	3.00	+RA:02 BR:1 RA RA	39	3.9	39	3.9	38	3.3	96	11	340		29.88				FM-16	0.01	30.06
25	1952	6	SCT:04 5 SCT:04 10 OVC:08 47	4.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	37	2.8	100	7	030		29.86				FM-16		30.04
25	1954	7	SCT:04 5 SCT:04 10 OVC:08 47	4.00	RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	7	050		29.86			30.05	FM-15	0.25	30.04
25	1957	7	BKN:07 5 BKN:07 13 OVC:08 50	4.00	RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	6	030		29.86				FM-16	0.01	30.04
25	2054	7	BKN:07 5 BKN:07 13 OVC:08 46	4.00	RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	3	090		29.84			30.03	FM-15	0.13	30.02
25	2139	7	BKN:07 3 OVC:08 65	10.00	-RA:02 RA RA	38	3.3	38	3.3	38	3.3	100	7	110		29.76				FM-16	0.04	29.94
25	2154	7	BKN:07 3 OVC:08 65	10.00		38	3.3	38	3.3	38	3.3	100	8	120		29.75	8	+0.10	29.95	FM-15	0.03	29.93
25	2254	6	OVC:08 3	10.00		38	3.3	38	3.3	37	2.8	97	8	030		29.82			30.02	FM-15	0.00	30.00
25	2354	7	OVC:08 3	6.00	BR:1	38	3.3	38	3.3	37	2.8	97	10	060		29.81			30.00	FM-15	T	29.99
26	0054	7	OVC:08 3	4.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	37	2.8	100	8	050		29.80	0	-0.05	30.00	FM-15	0.05	29.98
26	0100	4	2	3.73	RA	37	2.8	37	2.8	37	2.8	100	8	050		29.80	9	+0.05	30.00	FM-12		
26	0154	7	OVC:08 5	6.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	8	020		29.78			29.98	FM-15	0.11	29.96
26	0254	7	OVC:08 5	5.00	RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	96	9	060		29.75			29.94	FM-15	0.11	29.93
26	0354	7	OVC:08 6	10.00		37	2.8	36	2.2	35	1.7	93	7	090		29.75	5	+0.05	29.95	FM-15	0.01	29.93
26	0454	7	OVC:08 7	8.00	-RA:02 RA RA	36	2.2	36	2.2	35	1.7	97	10	040		29.76			29.95	FM-15	0.02	29.94
26	0554	7	OVC:08 5	10.00		36	2.2	36	2.2	35	1.7	97	7	020		29.75			29.95	FM-15	0.01	29.93
26	0654	7	OVC:08 5	3.00	RA:02 BR:1 RA RA	36	2.2	36	2.2	35	1.7	97	8	020		29.75	0	0.00	29.95	FM-15	0.04	29.93
26	0700	4	5	2.98	RA	36	2.2	36	2.2	35	1.7	97	8	020		29.75	9	0.00	29.95	FM-12		
26	0708	7	OVC:08 5	2.50	RA:02 BR:1 RA RA	35	1.7	35	1.7	35	1.7	100	6	020		29.75				FM-16	0.04	29.93
26	0719	7	OVC:08 5	3.00	-RA:02 BR:1 RA RA	36	2.2	36	2.2	35	1.7	97	7	010		29.76				FM-16	0.06	29.94
26	0741	7	OVC:08 4	3.00	-RA:02 BR:1 RA RA	36	2.2	36	2.2	35	1.7	97	6	040		29.74				FM-16	0.08	29.92
26	0754	7	OVC:08 4	3.00	-RA:02 BR:1 RA RA	36	2.2	36	2.2	35	1.7	97	8	350		29.76			29.96	FM-15	0.08	29.94
26	0854	7	OVC:08 4	5.00	BR:1	36	2.2	36	2.2	35	1.7	97	3	350		29.73			29.93	FM-15	T	29.91
26	0954	7	OVC:08 4	3.00	BR:1	37	2.8	36	2.2	35	1.7	93	6	350		29.74	5	+0.01	29.94	FM-15	0.01	29.92
26	1054	7	OVC:08 3	5.00	BR:1	37	2.8	37	2.8	36	2.2	96	5	350		29.73			29.92	FM-15	0.00	29.91
26	1154	7	OVC:08 4	3.00	BR:1	38	3.3	38	3.3	37	2.8	97	7	310		29.70			29.90	FM-15	0.00	29.88
26	1254	7	OVC:08 4	3.00	BR:1	40	4.4	39	3.9	38	3.3	93	0	000		29.67	8	+0.07	29.86	FM-15	0.00	29.85
26	1300	4	5	2.98		40	4.4	39	3.9	38	3.3	93	0	000		29.67	8	+0.07	29.86	FM-12		
26	1354	7	OVC:08 5	4.00	BR:1	41	5.0	40	4.4	38	3.3	89	5	250		29.65			29.85	FM-15	0.00	29.83
26	1454	7	OVC:08 6	8.00		41	5.0	40	4.4	39	3.9	93	3	240		29.65			29.85	FM-15	0.00	29.83
26	1554	7	OVC:08 7	9.00		42	5.6	41	5.0	40	4.4	92	5	220		29.64	6	+0.02	29.84	FM-15	0.00	29.82
26	1654	7	OVC:08 8	10.00		44	6.7	43	6.1	41	5.0	89	5	290		29.65			29.85	FM-15	0.00	29.83
26	1754	7	OVC:08 9	10.00		44	6.7	43	6.1	41	5.0	89	5	260		29.65			29.84	FM-15	0.00	29.83
26	1854	7	OVC:08 8	10.00		44	6.7	43	6.1	42	5.6	93	5	290		29.67	3	-0.03	29.87	FM-15	0.00	29.85
26	1900	4	8	9.94		44	6.7	43	6.1	42	5.6	93	5	290		29.67	3	-0.03	29.87	FM-12		
26	1954	7	OVC:08 8	10.00		44	6.7	43	6.1	42	5.6	93	6	280		29.69			29.88	FM-15	0.00	29.87
26	2054	7	OVC:08 7	10.00		43	6.1	42	5.6	41	5.0	93	10	320		29.71			29.91	FM-15	0.00	29.89
26	2154	7	OVC:08 5	8.00		42	5.6	42	5.6	41	5.0	96	9	360		29.72	1	-0.05	29.92	FM-15	0.00	29.90
26	2214	7	OVC:08 4	8.00		42	5.6	41	5.0	40	4.4	92	6	360		29.73				FM-16		29.91
26	2254	7	OVC:08 4	6.00	BR:1	42	5.6	41	5.0	40	4.4	92	5	010		29.74			29.93	FM-15	0.00	29.92
26	2354	7	OVC:08 3	4.00	BR:1	42	5.6	41	5.0	40	4.4	92	0	000		29.74			29.94	FM-15	0.00	29.92

27	0054	7	OVC:08 3	4.00	BR:1		42	5.6	42	5.6	41	5.0	96	5	280		29.74	0	-0.02	29.93	FM-15	0.00	29.92
27	0100	4	2	3.73			42	5.6	42	5.6	41	5.0	96	5	280		29.74	9	+0.02	29.93	FM-12		
27	0154	7	OVC:08 4	6.00	BR:1		42	5.6	41	5.0	40	4.4	92	7	250		29.75			29.95	FM-15	0.00	29.93
27	0254	7	OVC:08 4	7.00			42	5.6	41	5.0	40	4.4	92	6	270		29.78			29.97	FM-15	0.00	29.96
27	0354	7	OVC:08 4	5.00	BR:1		41	5.0	41	5.0	40	4.4	96	8	240		29.78	1	-0.04	29.98	FM-15	0.00	29.96
27	0454	7	OVC:08 2	3.00	BR:1		41	5.0	41	5.0	40	4.4	96	6	240		29.79			29.99	FM-15	0.00	29.97
27	0510	7	OVC:08 2	1.50	BR:1		41	5.0	41	5.0	40	4.4	96	5	230		29.79				FM-16		29.97
27	0515	7	OVC:08 2	1.00	BR:1		41	5.0	41	5.0	40	4.4	96	3	250		29.79				FM-16		29.97
27	0543	7	VV:09 2	0.75	BR:1		40	4.4	40	4.4	40	4.4	100	6	010		29.79				FM-16		29.97
27	0554	7	VV:09 2	0.75	BR:1		40	4.4	40	4.4	39	3.9	97	7	350		29.79			29.99	FM-15	0.00	29.97
27	0654	7	OVC:08 2	1.00	BR:1		40	4.4	40	4.4	39	3.9	97	10	010		29.84	3	-0.06	30.03	FM-15	0.00	30.02
27	0700	4	2	0.99			40	4.4	40	4.4	39	3.9	97	10	010		29.84	3	-0.06	30.03	FM-12		
27	0709	7	OVC:08 2	1.50	BR:1		40	4.4	40	4.4	40	4.4	100	9	010		29.85				FM-16		30.03
27	0720	7	OVC:08 2	2.00	BR:1		40	4.4	40	4.4	39	3.9	97	10	010		29.84				FM-16		30.02
27	0733	7	OVC:08 3	4.00	BR:1		40	4.4	40	4.4	39	3.9	97	10	020		29.85				FM-16		30.03
27	0754	7	OVC:08 4	4.00	BR:1		41	5.0	40	4.4	39	3.9	93	11	020		29.87			30.06	FM-15	0.00	30.05
27	0817	7	OVC:08 5	5.00	BR:1		41	5.0	41	5.0	40	4.4	96	3	VRB		29.90				FM-16		30.08
27	0854	7	OVC:08 7	8.00			42	5.6	41	5.0	39	3.9	89	5	060		29.93			30.13	FM-15	0.00	30.11
27	0908	7	FEW:02 8 SCT:04 13 OVC:08 160	10.00			42	5.6	41	5.0	39	3.9	89	6	050		29.92				FM-16		30.10
27	0954	7	FEW:02 16 BKN:07 160 OVC:08 300	10.00			42	5.6	40	4.4	38	3.3	85	5	040		29.92	0	-0.08	30.11	FM-15	0.00	30.10
27	1054	7	FEW:02 21 SCT:04 160 BKN:07 200	10.00			45	7.2	41	5.0	37	2.8	74	10	020		29.92			30.12	FM-15	0.00	30.10
27	1154	7	SCT:04 26 BKN:07 190 BKN:07 300	10.00			47	8.3	42	5.6	36	2.2	66	11	060		29.87			30.07	FM-15	0.00	30.05
27	1203	7	BKN:07 27 BKN:07 190	10.00			48	8.9	42	5.6	35	1.7	61	8	010		29.90				FM-16		30.08
27	1223	7	BKN:07 31 BKN:07 46 OVC:08 190	10.00			47	8.3	42	5.6	35	1.7	63	8	010		29.90				FM-16		30.08
27	1254	7	BKN:07 30 BKN:07 48 BKN:07 190	10.00			47	8.3	41	5.0	34	1.1	61	7	330		29.90	5	+0.02	30.10	FM-15	0.00	30.08
27	1300	4	26	9.94			47	8.3	41	5.0	34	1.1	61	7	330		29.90	5	+0.02	30.10	FM-12		
27	1354	7	BKN:07 35 OVC:08 50	10.00			47	8.3	41	5.0	34	1.1	61	8	320		29.89			30.09	FM-15	0.00	30.07
27	1454	7	FEW:02 31 OVC:08 40	10.00			46	7.8	41	5.0	34	1.1	63	3	340		29.89			30.09	FM-15	0.00	30.07
27	1554	7	FEW:02 31 OVC:08 44	10.00			46	7.8	41	5.0	34	1.1	63	5	080		29.88	8	+0.02	30.07	FM-15	0.00	30.06
27	1654	7	OVC:08 34	10.00			44	6.7	39	3.9	33	0.6	65	9	040		29.90			30.09	FM-15	0.00	30.08
27	1754	7	OVC:08 45	10.00			43	6.1	39	3.9	33	0.6	68	6	040		29.90			30.10	FM-15	0.00	30.08
27	1854	7	BKN:07 45 OVC:08 150	10.00			42	5.6	38	3.3	32	0.0	68	6	050		29.91	1	-0.03	30.10	FM-15	0.00	30.09
27	1900	4	41	9.94			42	5.6	38	3.3	32	0.0	68	6	050		29.91	1	-0.03	30.10	FM-12		
27	1954	7	SCT:04 45 BKN:07 190	10.00			40	4.4	36	2.2	30	-1.1	68	9	050		29.90			30.10	FM-15	0.00	30.08
27	2054	7	BKN:07 48 OVC:08 190	10.00			39	3.9	35	1.7	29	-1.7	67	8	020		29.92			30.12	FM-15	0.00	30.10
27	2154	7	SCT:04 46 SCT:04 130 OVC:08 190	10.00			39	3.9	35	1.7	28	-2.2	65	10	030		29.91	0	0.00	30.10	FM-15	0.00	30.09
27	2254	7	FEW:02 46 BKN:07 110 OVC:08 190	10.00			38	3.3	34	1.1	28	-2.2	68	10	030		29.90			30.09	FM-15	0.00	30.08

27	2354	7	FEW:02 46 SCT:04 110 BKN:07 130	10.00		37	2.8	33	0.6	26	-3.3	65	13	030		29.85			30.05	FM-15	0.00	30.03
28	0054	7	BKN:07 85 OVC:08 110	10.00		37	2.8	33	0.6	27	-2.8	67	10	010		29.85	5	+0.05	30.05	FM-15	0.00	30.03
28	0100	4		9.94		37	2.8	33	0.6	27	-2.8	67	10	010		29.85	5	+0.05	30.05	FM-12		
28	0154	7	BKN:07 32 OVC:08 70	10.00		36	2.2	32	0.0	26	-3.3	67	10	010		29.86			30.06	FM-15	0.00	30.04
28	0228	6	BKN:07 29 OVC:08 34	10.00		36	2.2	32	0.0	26	-3.3	67	15	010		29.86				FM-16		30.04
28	0254	7	BKN:07 30 OVC:08 42	10.00		36	2.2	32	0.0	25	-3.9	64	15	010		29.86			30.05	FM-15	T	30.04
28	0315	7	BKN:07 29 OVC:08 36	4.00	-SN:03 SN	35	1.7	32	0.0	26	-3.3	70	14	020		29.86				FM-16	T	30.04
28	0352	6	BKN:07 27 OVC:08 35	2.50V	-SN:03 SN	34	1.1	31	-0.6	27	-2.8	75	17	330	24	29.89				FM-16		30.07
28	0354	7	FEW:02 15 BKN:07 20 OVC:08 29	2.50	-SN:03 BR:1 SN	32	0.0	31	-0.6	28	-2.2	85	15	340	24	29.89	3	-0.03	30.08	FM-15	T	30.07
28	0406	7	FEW:02 12 BKN:07 20 OVC:08 29	1.50	-SN:03 BR:1 SN	32	0.0	31	-0.6	29	-1.7	88	16	350		29.89				FM-16	T	30.07
28	0413	7	FEW:02 7 OVC:08 20	1.50	-SN:03 BR:1 SN	31	-0.6	30	-1.1	29	-1.7	92	15	350		29.89				FM-16	T	30.07
28	0442	7	BKN:07 11 BKN:07 16 OVC:08 22	1.50	-SN:03 BR:1 SN	31	-0.6	30	-1.1	29	-1.7	92	13	340		29.91				FM-16	0.01	30.09
28	0444	7	FEW:02 7 BKN:07 11 OVC:08 22	1.50	-SN:03 BR:1 SN	31	-0.6	30	-1.1	29	-1.7	92	14	340		29.91				FM-16	0.01	30.09
28	0454	7	FEW:02 7 BKN:07 11 OVC:08 15	1.50	-SN:03 BR:1 SN	31	-0.6	30	-1.1	28	-2.2	89	14	340		29.92			30.11	FM-15	0.01	30.10
28	0513	7	SCT:04 11 OVC:08 28	1.50	-SN:03 BR:1 SN	31	-0.6	30	-1.1	28	-2.2	89	14	350		29.92				FM-16	T	30.10
28	0528	7	FEW:02 8 BKN:07 11 OVC:08 27	2.00	-SN:03 BR:1 SN	31	-0.6	30	-1.1	28	-2.2	89	11	340		29.93				FM-16	T	30.11
28	0541	7	SCT:04 10 BKN:07 15 OVC:08 35	3.00	-SN:03 BR:1 SN	31	-0.6	30	-1.1	28	-2.2	89	10	340		29.93				FM-16	T	30.11
28	0552	6	FEW:02 9 SCT:04 15 OVC:08 40	4.00	-SN:03 BR:1 SN	30	-1.1	29	-1.7	28	-2.2	93	10	330		29.93				FM-16		30.11
28	0554	7	FEW:02 9 SCT:04 15 OVC:08 40	4.00	-SN:03 BR:1 SN	31	-0.6	30	-1.1	28	-2.2	89	9	340		29.93			30.13	FM-15	T	30.11
28	0618	7	BKN:07 25 OVC:08 34	2.50	-SN:03 BR:1 SN	31	-0.6	30	-1.1	27	-2.8	85	17	340	23	29.94				FM-16	T	30.12
28	0635	7	SCT:04 17 OVC:08 35	4.00	-SN:03 BR:1 SN	30	-1.1	29	-1.7	27	-2.8	88	15	340	22	29.95				FM-16	T	30.13
28	0654	7	FEW:02 17 OVC:08 40	6.00	-SN:03 SN	31	-0.6	29	-1.7	26	-3.3	82	14	340	21	29.95	1	-0.07	30.15	FM-15	T	30.13
28	0700	4	15	5.59		31	-0.6	29	-1.7	26	-3.3	82	14	340		29.95	1	-0.07	30.15	FM-12		
28	0754	7	FEW:02 25 BKN:07 60 OVC:08 80	10.00		31	-0.6	28	-2.2	21	-6.1	67	22	350	29	29.97			30.17	FM-15	T	30.15
28	0854	7	FEW:02 30 FEW:02 100 BKN:07 220	10.00		32	0.0	27	-2.8	18	-7.8	56	22	340	31	30.00			30.20	FM-15	0.00	30.18
28	0954	7	FEW:02 25 FEW:02 45 BKN:07 120	10.00		31	-0.6	27	-2.8	18	-7.8	59	16	340	37	30.02	1	-0.06	30.22	FM-15	0.00	30.20

28	1054	7	FEW:02 43 SCT:04 120 SCT:04 170	10.00		34	1.1	29	-1.7	19	-7.2	54	24	350	36	30.02			30.22	FM-15	0.00	30.20
28	1154	7	FEW:02 49 FEW:02 170 SCT:04 300	10.00		36	2.2	29	-1.7	15	-9.4	42	23	350	41	30.01			30.20	FM-15	0.00	30.19
28	1254	7	FEW:02 50 FEW:02 300	10.00		38	3.3	31	-0.6	16	-8.9	41	21	330	30	29.99	8	+0.03	30.18	FM-15	0.00	30.17
28	1300	4	57	9.94		38	3.3	31	-0.6	16	-8.9	41	21	330		29.99	8	+0.03	30.18	FM-12		
28	1354	7	FEW:02 50	10.00		39	3.9	31	-0.6	14	-10.0	36	20	320	26	29.98			30.18	FM-15	0.00	30.16
28	1454	7	CLR:00	10.00		39	3.9	30	-1.1	12	-11.1	33	22	330	30	30.00			30.20	FM-15	0.00	30.18
28	1554	7	CLR:00	10.00		39	3.9	30	-1.1	11	-11.7	31	22	340	31	30.03	3	-0.04	30.22	FM-15	0.00	30.21
28	1654	7	CLR:00	10.00		37	2.8	29	-1.7	10	-12.2	33	23	340	29	30.04			30.24	FM-15	0.00	30.22
28	1754	7	CLR:00	10.00		35	1.7	28	-2.2	11	-11.7	37	13	350		30.06			30.26	FM-15	0.00	30.24
28	1854	7	CLR:00	10.00		34	1.1	27	-2.8	12	-11.1	40	17	340	26	30.08	1	-0.05	30.28	FM-15	0.00	30.26
28	1900	4		9.94		34	1.1	27	-2.8	12	-11.1	40	17	340		30.08	1	-0.05	30.28	FM-12		
28	1954	7	CLR:00	10.00		32	0.0	26	-3.3	12	-11.1	43	11	360		30.11			30.31	FM-15	0.00	30.29
28	2054	7	CLR:00	10.00		30	-1.1	25	-3.9	12	-11.1	47	15	350		30.12			30.32	FM-15	0.00	30.30
28	2154	7	CLR:00	10.00		28	-2.2	23	-5.0	12	-11.1	51	10	350		30.13	1	-0.05	30.32	FM-15	0.00	30.31
28	2254	7	CLR:00	10.00		28	-2.2	23	-5.0	12	-11.1	51	11	360		30.12			30.32	FM-15	0.00	30.30
28	2354	7	CLR:00	10.00		27	-2.8	23	-5.0	12	-11.1	53	8	340		30.12			30.32	FM-15	0.00	30.30
29	0054	7	CLR:00	10.00		27	-2.8	22	-5.6	11	-11.7	51	9	350		30.12	5	0.00	30.32	FM-15	0.00	30.30
29	0100	4		9.94		27	-2.8	22	-5.6	11	-11.7	51	9	350		30.12	5	0.00	30.32	FM-12		
29	0154	7	CLR:00	10.00		25	-3.9	21	-6.1	12	-11.1	58	7	350		30.12			30.32	FM-15	0.00	30.30
29	0254	7	CLR:00	10.00		25	-3.9	21	-6.1	11	-11.7	55	9	330		30.12			30.32	FM-15	0.00	30.30
29	0354	7	CLR:00	10.00		23	-5.0	20	-6.7	11	-11.7	60	8	340		30.13	3	-0.01	30.33	FM-15	0.00	30.31
29	0454	7	CLR:00	10.00		23	-5.0	19	-7.2	10	-12.2	57	9	350		30.14			30.34	FM-15	0.00	30.32
29	0554	7	CLR:00	10.00		22	-5.6	19	-7.2	10	-12.2	60	6	350		30.15			30.35	FM-15	0.00	30.33
29	0654	7	CLR:00	10.00		22	-5.6	19	-7.2	10	-12.2	60	9	350		30.17	3	-0.04	30.37	FM-15	0.00	30.35
29	0700	4		9.94		22	-5.6	19	-7.2	10	-12.2	60	9	350		30.17	3	-0.04	30.37	FM-12		
29	0754	7	CLR:00	10.00		24	-4.4	20	-6.7	9	-12.8	52	6	330		30.19			30.39	FM-15	0.00	30.37
29	0854	7	FEW:02 47	10.00		27	-2.8	22	-5.6	9	-12.8	46	9	340		30.19			30.39	FM-15	0.00	30.37
29	0954	7	FEW:02 50	10.00		29	-1.7	23	-5.0	8	-13.3	41	10	320		30.18	0	-0.01	30.38	FM-15	0.00	30.36
29	1054	7	FEW:02 55	10.00		31	-0.6	24	-4.4	8	-13.3	38	15	340		30.16			30.36	FM-15	0.00	30.34
29	1154	7	SCT:04 55	10.00		33	0.6	26	-3.3	8	-13.3	35	14	300	21	30.15			30.35	FM-15	0.00	30.33
29	1254	7	SCT:04 60	10.00		33	0.6	26	-3.3	8	-13.3	35	11	290	23	30.12	8	+0.06	30.32	FM-15	0.00	30.30
29	1300	4	57	9.94		33	0.6	26	-3.3	8	-13.3	35	11	290		30.12	8	+0.06	30.32	FM-12		
29	1354	7	SCT:04 60	10.00		34	1.1	26	-3.3	8	-13.3	34	15	280	21	30.10			30.29	FM-15	0.00	30.28
29	1454	7	SCT:04 65	10.00		34	1.1	26	-3.3	7	-13.9	32	13	VRB	21	30.09			30.29	FM-15	0.00	30.27
29	1554	7	FEW:02 60	10.00		35	1.7	27	-2.8	7	-13.9	31	16	300		30.08	6	+0.03	30.28	FM-15	0.00	30.26
29	1654	7	FEW:02 60	10.00		35	1.7	27	-2.8	6	-14.4	29	13	320		30.08			30.28	FM-15	0.00	30.26
29	1754	7	CLR:00	10.00		31	-0.6	24	-4.4	7	-13.9	36	6	340		30.10			30.29	FM-15	0.00	30.28
29	1854	7	CLR:00	10.00		30	-1.1	24	-4.4	9	-12.8	41	8	330		30.11	3	-0.02	30.31	FM-15	0.00	30.29
29	1900	4		9.94		30	-1.1	24	-4.4	9	-12.8	41	8	330		30.11	3	-0.02	30.31	FM-12		
29	1954	7	CLR:00	10.00		29	-1.7	23	-5.0	8	-13.3	41	5	360		30.12			30.32	FM-15	0.00	30.30
29	2054	7	CLR:00	10.00		26	-3.3	22	-5.6	10	-12.2	51	6	010		30.13			30.33	FM-15	0.00	30.31
29	2154	7	CLR:00	10.00		26	-3.3	22	-5.6	10	-12.2	51	6	010		30.16	3	-0.05	30.35	FM-15	0.00	30.34
29	2254	7	CLR:00	10.00		26	-3.3	22	-5.6	10	-12.2	51	8	020		30.16			30.36	FM-15	0.00	30.34
29	2354	7	CLR:00	10.00		24	-4.4	20	-6.7	10	-12.2	55	6	360		30.17			30.37	FM-15	0.00	30.35
30	0054	7	CLR:00	10.00		25	-3.9	21	-6.1	9	-12.8	50	3	360		30.17	1	-0.01	30.37	FM-15	0.00	30.35
30	0100	4		9.94		25	-3.9	21	-6.1	9	-12.8	50	3	360		30.17	1	-0.01	30.37	FM-12		
30	0154	7	CLR:00	10.00		24	-4.4	20	-6.7	10	-12.2	55	3	340		30.16			30.35	FM-15	0.00	30.34
30	0254	7	CLR:00	10.00		21	-6.1	19	-7.2	13	-10.6	71	0	000		30.15			30.35	FM-15	0.00	30.33
30	0354	7	CLR:00	10.00		18	-7.8	16	-8.9	12	-11.1	77	0	000		30.17	3	-0.01	30.37	FM-15	0.00	30.35
30	0454	7	CLR:00	10.00		19	-7.2	17	-8.3	13	-10.6	77	0	000		30.18			30.37	FM-15	0.00	30.36
30	0554	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	0	000		30.18			30.38	FM-15	0.00	30.36
30	0654	7	CLR:00	10.00		19	-7.2	17	-8.3	12	-11.1	74	0	000		30.19	3	-0.02	30.39	FM-15	0.00	30.37
30	0700	4		9.94		19	-7.2	17	-8.3	12	-11.1	74	0	000		30.19	3	-0.02	30.39	FM-12		

30	0754	7	FEW:02 50	10.00		23	-5.0	20	-6.7	14	-10.0	68	3	290		30.21			30.40	FM-15	0.00	30.39
30	0854	7	FEW:02 150	10.00		27	-2.8	24	-4.4	16	-8.9	63	6	330		30.22			30.42	FM-15	0.00	30.40
30	0954	7	FEW:02 150	10.00		31	-0.6	26	-3.3	14	-10.0	49	8	330		30.23	1	-0.04	30.43	FM-15	0.00	30.41
30	1054	7	FEW:02 150	10.00		33	0.6	27	-2.8	12	-11.1	42	6	340		30.24			30.43	FM-15	0.00	30.42
30	1154	7	FEW:02 170	10.00		36	2.2	28	-2.2	10	-12.2	34	13	350	17	30.21			30.41	FM-15	0.00	30.39
30	1254	7	SCT:04 200	10.00		37	2.8	29	-1.7	10	-12.2	33	7	290		30.18	8	+0.05	30.38	FM-15	0.00	30.36
30	1300	4		9.94		37	2.8	29	-1.7	10	-12.2	33	7	290		30.18	8	+0.05	30.38	FM-12		
30	1354	7	BKN:07 200	10.00		37	2.8	28	-2.2	9	-12.8	31	0	000		30.15			30.35	FM-15	0.00	30.33
30	1454	7	SCT:04 200	10.00		38	3.3	29	-1.7	9	-12.8	30	3	210		30.14			30.34	FM-15	0.00	30.32
30	1554	7	FEW:02 150 BKN:07 250	10.00		39	3.9	30	-1.1	10	-12.2	30	3	180		30.14	5	+0.04	30.34	FM-15	0.00	30.32
30	1654	7	SCT:04 150 BKN:07 250	10.00		36	2.2	29	-1.7	14	-10.0	40	5	180		30.15			30.35	FM-15	0.00	30.33
30	1754	7	BKN:07 150 BKN:07 250	10.00		34	1.1	27	-2.8	13	-10.6	42	3	120		30.15			30.35	FM-15	0.00	30.33
30	1854	7	BKN:07 150 BKN:07 250	10.00		32	0.0	27	-2.8	15	-9.4	50	3	100		30.15	1	-0.01	30.35	FM-15	0.00	30.33
30	1900	4		9.94		32	0.0	27	-2.8	15	-9.4	50	3	100		30.15	1	-0.01	30.35	FM-12		
30	1954	7	SCT:04 150 SCT:04 250	10.00		31	-0.6	26	-3.3	14	-10.0	49	5	140		30.16			30.36	FM-15	0.00	30.34
30	2054	7	SCT:04 120 BKN:07 200	10.00		31	-0.6	26	-3.3	16	-8.9	54	6	130		30.15			30.35	FM-15	0.00	30.33
30	2154	7	SCT:04 120 BKN:07 200	10.00		30	-1.1	26	-3.3	17	-8.3	58	5	130		30.12	8	+0.03	30.32	FM-15	0.00	30.30
30	2254	7	FEW:02 50 BKN:07 120 BKN:07 150	10.00		32	0.0	27	-2.8	17	-8.3	54	0	000		30.13			30.33	FM-15	0.00	30.31
30	2354	4		10.00		32	0.0			17	-8.3	54	3	150					30.32	FM-15		30.31
31	0054	7	OVC:08 110	10.00		32	0.0	27	-2.8	18	-7.8	56	5	160		30.11	8	+0.02	30.30	FM-15	0.00	30.29
31	0100	4		9.94		32	0.0	27	-2.8	18	-7.8	56	5	160		30.11	8	+0.02	30.30	FM-12		
31	0154	7	BKN:07 50 OVC:08 70	10.00		33	0.6	28	-2.2	18	-7.8	54	7	130		30.10			30.30	FM-15	0.00	30.28
31	0228	7	OVC:08 27	4.00	-SN:03 SN	32	0.0	29	-1.7	22	-5.6	66	9	200		30.13				FM-16	T	30.31
31	0249	7	FEW:02 22 SCT:04 27 OVC:08 55	10.00		32	0.0	29	-1.7	25	-3.9	75	6	180		30.10				FM-16	T	30.28
31	0254	7	FEW:02 22 FEW:02 30 OVC:08 55	10.00		32	0.0	29	-1.7	24	-4.4	73	6	200		30.11			30.31	FM-15	T	30.29
31	0354	7	OVC:08 36	10.00		32	0.0	29	-1.7	24	-4.4	73	0	000		30.11	0	-0.01	30.31	FM-15	T	30.29
31	0454	7	OVC:08 34	10.00		32	0.0	29	-1.7	24	-4.4	73	6	130		30.07			30.27	FM-15	0.00	30.25
31	0507	7	SCT:04 20 BKN:07 27 OVC:08 34	2.50	-SN:03 SN	31	-0.6	29	-1.7	25	-3.9	79	5	160		30.08				FM-16	T	30.26
31	0516	7	BKN:07 20 BKN:07 25 OVC:08 34	1.50	-SN:03 SN	31	-0.6	29	-1.7	26	-3.3	82	3	150		30.08				FM-16	T	30.26
31	0523	7	BKN:07 17 OVC:08 25	1.25	-SN:03 BR:1 SN	30	-1.1	29	-1.7	27	-2.8	88	3	130		30.08				FM-16	T	30.26
31	0543	7	OVC:08 14	0.75	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	5	100		30.07				FM-16	0.02	30.25
31	0550	7	OVC:08 14	1.25	-SN:03 BR:1 SN	30	-1.1	29	-1.7	28	-2.2	93	3	120		30.08				FM-16	0.02	30.26
31	0552	6	SCT:04 14 OVC:08 33	1.50	-SN:03 BR:1 SN	30	-1.1	29	-1.7	28	-2.2	93	3	120		30.08				FM-16		30.26
31	0554	7	BKN:07 14 OVC:08 33	1.50	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	3	120		30.08			30.28	FM-15	0.03	30.26
31	0601	7	BKN:07 16 OVC:08 33	1.50	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	5	120		30.08				FM-16	0.01	30.26
31	0608	7	BKN:07 16 OVC:08 33	1.00	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	6	130		30.07				FM-16	0.01	30.25
31	0615	7	BKN:07 14 OVC:08 33	1.00	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	5	130		30.07				FM-16	0.02	30.25

31	0636	7	BKN:07 8 OVC:08 14	0.75	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	7	150		30.07				FM-16	0.05	30.25
31	0645	7	BKN:07 8 OVC:08 14	1.00	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	9	140		30.06				FM-16	0.06	30.24
31	0652	6	SCT:04 8 OVC:08 11	1.00	-SN:03 BR:1 SN	30	-1.1	29	-1.7	28	-2.2	93	8	140		30.06				FM-16		30.24
31	0654	7	SCT:04 8 OVC:08 11	1.00	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	8	140		30.06	8	+0.02	30.26	FM-15	0.06	30.24
31	0658	7	SCT:04 8 OVC:08 11	1.00	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	8	140		30.06				FM-16	0.01	30.24
31	0700	4	8	0.99		30	-1.1	30	-1.1	29	-1.7	96	8	140		30.06	8	+0.02	30.26	FM-12		
31	0704	7	BKN:07 8 OVC:08 11	0.75	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	8	140		30.05				FM-16	0.01	30.23
31	0711	7	BKN:07 8 OVC:08 13	1.00	-SN:03 BR:1 SN	30	-1.1	30	-1.1	29	-1.7	96	8	140		30.05				FM-16	0.02	30.23
31	0745	7	VV:09 7	0.25	-SN:03 FZ:8 FG:2 FG SN	30	-1.1	30	-1.1	29	-1.7	96	8	130		30.05				FM-16	0.05	30.23
31	0754	7	VV:09 9	0.25	SN:03 FZ:8 FG:2 FG SN	30	-1.1	30	-1.1	29	-1.7	96	9	130		30.04			30.24	FM-15	0.06	30.22
31	0854	7	BKN:07 6 OVC:08 15	0.50	SN:03 FZ:8 FG:2 FG SN	30	-1.1	29	-1.7	28	-2.2	92	8	130		30.03			30.23	FM-15	0.05	30.21
31	0954	7	BKN:07 6 OVC:08 14	0.75	-SN:03 BR:1 SN	30	-1.1	29	-1.7	28	-2.2	92	6	110		30.02	6	+0.04	30.22	FM-15	0.05	30.20
31	1026	7	SCT:04 8 BKN:07 12 OVC:08 39	3.00	-SN:03 BR:1 SN	31	-0.6	30	-1.1	29	-1.7	92	6	100		30.00				FM-16	0.05	30.18
31	1054	7	SCT:04 8 BKN:07 12 OVC:08 39	4.00	-RA:02 SN:03 BR:1 RA RA RA	31	-0.6	30	-1.1	29	-1.7	92	7	080		29.98			30.18	FM-15	0.09	30.16
31	1116	7	BKN:07 8 OVC:08 12	4.00	-RA:02 SN:03 BR:1 RA RA RA	31	-0.6	31	-0.6	30	-1.1	96	9	090		29.97				FM-16	0.02	30.15
31	1154	7	BKN:07 8 OVC:08 12	5.00	-RA:02 SN:03 BR:1 RA RA RA	32	0.0	31	-0.6	30	-1.1	92	10	090		29.92			30.12	FM-15	0.06	30.10
31	1254	7	BKN:07 8 OVC:08 12	7.00	-RA:02 SN:03 RA RA SN RA	33	0.6	32	0.0	31	-0.6	92	9	070		29.85	8	+0.17	30.05	FM-15	0.10	30.03
31	1300	4	8	6.84		33	0.6	32	0.0	31	-0.6	92	9	070		29.85	8	+0.17	30.05	FM-12		
31	1354	7	BKN:07 6 OVC:08 12	10.00	-DZ:01 DZ DZ	33	0.6	32	0.0	31	-0.6	92	7	040		29.82			30.02	FM-15	0.04	30.00
31	1452	7	BKN:07 4 OVC:08 12	7.00	-DZ:01 DZ DZ	34	1.1	33	0.6	32	0.0	93	6	040		29.80				FM-16	0.04	29.98
31	1454	7	BKN:07 4 OVC:08 12	8.00	-DZ:01 DZ DZ	33	0.6	33	0.6	32	0.0	96	8	040		29.80			29.99	FM-15	0.05	29.98
31	1521	7	OVC:08 4	1.50	RA:02 BR:1 RA RA	33	0.6	33	0.6	32	0.0	96	8	020		29.78				FM-16	0.02	29.96
31	1552	6	OVC:08 4	2.00	-RA:02 BR:1 RA RA	34	1.1	33	0.6	32	0.0	93	8	360		29.78				FM-16		29.96
31	1554	7	OVC:08 4	2.00	-RA:02 BR:1 RA RA	33	0.6	33	0.6	32	0.0	96	8	350		29.78	6	+0.04	29.98	FM-15	0.06	29.96
31	1654	7	OVC:08 5	2.00	-RA:02 BR:1 RA RA	33	0.6	33	0.6	32	0.0	96	11	020		29.76			29.96	FM-15	0.05	29.94
31	1754	7	BKN:07 6 OVC:08 14	3.00	-RA:02 BR:1 RA RA	33	0.6	33	0.6	32	0.0	96	14	020		29.74			29.94	FM-15	0.01	29.92
31	1854	7	OVC:08 5	4.00	-RA:02 BR:1 RA RA	33	0.6	33	0.6	32	0.0	96	10	360		29.73	6	+0.05	29.93	FM-15	0.01	29.91
31	1900	4	5	3.73	RA	33	0.6	33	0.6	32	0.0	96	10	360		29.73	6	+0.05	29.93	FM-12		
31	1954	7	OVC:08 5	6.00	BR:1	33	0.6	33	0.6	32	0.0	96	11	010		29.72			29.91	FM-15	T	29.90
31	2054	7	OVC:08 5	10.00		33	0.6	33	0.6	32	0.0	96	11	010		29.68			29.88	FM-15	0.00	29.86
31	2154	7	OVC:08 5	10.00		33	0.6	33	0.6	32	0.0	96	13	360		29.66	8	+0.08	29.85	FM-15	0.00	29.84
31	2254	7	OVC:08 5	5.00	BR:1	33	0.6	33	0.6	32	0.0	96	10	360		29.65			29.85	FM-15	0.00	29.83
31	2354	7	OVC:08 4	3.00	BR:1	33	0.6	33	0.6	32	0.0	96	11	350		29.61			29.81	FM-15	0.00	29.79

Local Climatological Data Hourly Precipitation January 2021

Generated on 02/20/2021

Date	For Hour (LST) Ending at																						Date			
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID	
01																								01		
02		T	0.01	T																				02		
03		0.03	0.05	0.15	0.37	0.22	0.04	0.01			T	0.02	0.01	T	0.01	T			T	T				03		
04																								04		
05																								05		
06																								06		
07																								07		
08																								08		
09																								09		
10																								10		
11																		T	0.02					11		
12																								12		
13																								13		
14																								14		
15																								15		
16																								16		
17																								17		
18																								18		
19																								19		
20																								20		
21																								21		
22																								22		
23																								23		
24																								24		
25																								25		
26	0.05	0.11	0.11	0.01	0.02	0.01	0.04	0.08	T	0.01				T	0.01	0.03	0.06	0.08	0.03	0.25	0.13	0.03		T	26	
27																									27	
28				T	T	0.01	T	T	T																28	
29																									29	
30																									30	
31				T	T																				M	31
Maximum Short Duration Precipitation																										
Time Period (Minutes)	5		10		15		20		30		45		60		80		100		120		150		180			
Precipitation (inches)	0.07		0.12		0.15		0.20		0.28		0.33		0.39		0.50		0.56		0.65		0.74		0.77			
Ending Date Time (yyyy-mm-dd hh:mi)	2021-01-03 04:52		2021-01-03 04:57		2021-01-03 05:00		2021-01-03 04:52		2021-01-03 05:00		2021-01-03 05:00		2021-01-03 05:30		2021-01-03 05:00		2021-01-03 05:20		2021-01-03 05:40		2021-01-03 06:07		2021-01-03 06:14			

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing