

Local Climatological Data Daily Summary May 2021

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 07/25/2021

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather Type	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH						
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees					
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
01	72	44	58	-4.3	34	28	45	7	0	0514	1859		0.00	0.0	0	29.84	30.03	9.6	27	320	22	360			
02	85	49	67	4.5	42	44	56	0	2	0513	1900		0.00	0.0	0	29.73	29.92	11.1	28	210	23	220			
03	81	66	74	11.2	78	63	66	0	9	0512	1901	TS RA BR	0.18	0.0	0	29.65	29.83	11.7	35	200	26	210			
04	90	64	77	14.0	72	65	69	0	12	0511	1902	TS RA BR	0.21	0.0	0	29.59	29.78	9.6	40	300	29	300			
05	86	59	73	9.7	62	58	64	0	8	0510	1903		0.02	0.0	0	29.57	29.78	12.6	32	270	24	010			
06	68	48	58	-5.5	51	39	49	7	0	0509	1904		0.00	0.0	0	29.83	30.02	7.2	25	350	20	360			
07	66	43	55	-8.8	78	46	50	10	0	0508	1904	RA BR	0.15	0.0	0	29.71	29.91	5.4	29	290	23	280			
08	71	42	57	-7.0	56	38	47	8	0	0507	1905		0.00	0.0	0	29.77	29.98	9.4	28	300	22	270			
09	78	42	60	-4.3	54	46	54	5	0	0506	1906		0.00	0.0	0	29.83	29.99	10.7	29	200	23	210			
10	71	50	61	-3.5	71	51	55	4	0	0505	1907	RA BR	0.04	0.0	0	29.76	29.94	7.6	24	230	20	030			
11	73	46	60	-4.8	51	41	51	5	0	0504	1908		T	0.0	0	29.91	30.12	6.2	19	020	15	020			
12	64	44	54	-11.0	50	34	45	11	0	0503	1909		0.00	0.0	0	30.06	30.25	6.9	24	010	18	360			
13	73	43	58	-7.3	49	36	48	7	0	0502	1910		0.00	0.0	0	30.06	30.25	6.2	22	010	17	010			
14	74	42*	58	-7.5	51	38	49	7	0	0501	1911		0.00	0.0	0	30.07	30.26	3.0	20	070	16	040			
15	79	44	62	-3.8	47	38	50	3	0	0500	1911		0.00	0.0	0	30.05	30.25	4.7			10	030			
16	74	46	60	-6.1	56	44	52	5	0	0459	1912		0.00	0.0	0	30.07	30.27	4.0	13	150	10	210			
17	77	50	64	-2.3	59	48	55	1	0	0459	1913		0.00	0.0	0	30.10	30.30	3.5	18	120	14	120			
18	80	48	64	-2.6	54	46	55	1	0	0458	1914		0.00	0.0	0	30.16	30.36	3.3	16	130	14	130			
19	85	50	68	1.1	51	49	58	0	3	0457	1915		0.00	0.0	0	30.16	30.36	3.9	14	220	12	210			
20	91	55	73	5.8	49	49	59	0	8	0456	1916		0.00	0.0	0	30.21	30.41	4.6	25	120	21	110			
21	83	53	68	0.6	53	49	57	0	3	0456	1916		0.00	0.0	0	30.30	30.49	5.4	17	090	14	090			
22	91	55	73	5.3	49	52	61	0	8	0455	1917		0.00	0.0	0	30.11	30.28	4.8	20	300	13	250			
23	93	69	81	13.0	49	60	67	0	16	0454	1918		T	0.0	0	29.90	30.07	7.0	23	260	20	250			
24	80	62	71	2.7	62	58	64	0	6	0454	1919		T	0.0	0	30.01	30.19	10.4	23	050	17	090			
25	81	62	72	3.4	72	60	64	0	7	0453	1920	DZ	T	0.0	0	30.06	30.24	5.5	18	150	13	150			
26	95*	68	82	13.1	63	66	71	0	17	0453	1920	BR	0.00	0.0	0	29.88	30.05	9.0	26	250	22	250			
27	91	69	80	10.8	51	58	67	0	15	0452	1921		0.00	0.0	0	29.81	30.00	5.7	18	030	14	320			
28	94	66	80	10.5	71	65	70	0	15	0452	1922	RA BR	0.28	0.0	0	29.67	29.83	8.0	37	270	30	270			
29	71	53	62	-7.8	96	59	60	3	0	0451	1923	RA BR	0.81	0.0	0	29.66	29.88	11.7	29	360	22	010			
30	60	51	56	-14.1	86	50	52	9	0	0451	1923	RA BR	0.64	0.0	0	29.93	30.15	10.1	23	010	18	010			
31	76	50	63	-7.4	65	50	56	2	0	0450	1924		0.00	0.0	0	30.11	30.30	5.0	17	340	13	310			
	79.1	52.7	65.9										2.33			29.92	30.11	7.2							
	1.2	-2.3	-0.5										-1.45												
	Degree Days											Number of days with...													
	Monthly				Season-to-date				Temperature				Precipitation			Snow		Weather							
	Total	Departure		Total	Departure		Max		Min		Precipitation		Snow		Weather										
Heating	98	24		3486			>=90°	<=32°	<=32°	<=0°	>=0.01"		>=0.1"		>=1"		T-Storms	Heavy Fog							
Cooling	126	7		166			7	0	0	0	8		6		0										
	Date of 5-sec to 3-sec wind equipment change							Sea Level Pressure					Greatest...												
	N/A							Maximum		30.54		Date		21		Time		1057		24-Hr... Precip		Snowfall		Snow Depth	
	N/A							Minimum		29.68		Date		28		1732		1.08		0.0		0.0			
													Date												
													28-29												
	Station Augmentation																								
	Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																								

Local Climatological Data Hourly Observations May 2021

Current Location: Elev: 164 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 07/25/2021

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		52	11.1	44	6.7	34	1.1	50	9	330		29.79	1	-0.04	29.98	FM-15		29.97
01	0100	4		9.94		52	11.1	44	6.7	34	1.1	50	9	330		29.79	1	-0.04	29.98	FM-12		
01	0154	7	CLR:00	10.00		51	10.6	42	5.6	29	-1.7	43	11	310		29.79			29.98	FM-15		29.97
01	0254	7	CLR:00	10.00		51	10.6	40	4.4	24	-4.4	35	10	340		29.81			30.00	FM-15		29.99
01	0354	7	CLR:00	10.00		49	9.4	39	3.9	25	-3.9	39	7	310		29.84	3	-0.05	30.03	FM-15		30.02
01	0454	7	CLR:00	10.00		47	8.3	39	3.9	26	-3.3	44	5	320		29.87			30.06	FM-15		30.05
01	0554	7	CLR:00	10.00		46	7.8	39	3.9	30	-1.1	54	6	360		29.88			30.07	FM-15		30.06
01	0654	7	CLR:00	10.00		51	10.6	41	5.0	27	-2.8	39	9	350		29.91	3	-0.07	30.10	FM-15		30.09
01	0700	4		9.94		51	10.6	41	5.0	27	-2.8	39	9	350		29.91	3	-0.07	30.10	FM-12		
01	0754	7	FEW:02 250	10.00		55	12.8	43	6.1	27	-2.8	34	8	330		29.92			30.11	FM-15		30.10
01	0854	7	CLR:00	10.00		57	13.9	44	6.7	26	-3.3	30	15	350		29.91			30.11	FM-15		30.09
01	0954	7	FEW:02 250	10.00		61	16.1	46	7.8	27	-2.8	27	16	320		29.92	1	-0.01	30.11	FM-15		30.10
01	1054	7	FEW:02 250	10.00		62	16.7	45	7.2	23	-5.0	22	16	350	21	29.91			30.10	FM-15		30.09
01	1154	7	FEW:02 250	10.00		66	18.9	48	8.9	24	-4.4	20	16	300		29.90			30.09	FM-15		30.08
01	1254	7	CLR:00	10.00		66	18.9	47	8.3	23	-5.0	19	10	300	18	29.88	8	+0.04	30.07	FM-15		30.06
01	1300	4		9.94		66	18.9	47	8.3	23	-5.0	19	10	300		29.88	8	+0.04	30.07	FM-12		
01	1354	7	FEW:02 250	10.00		69	20.6	49	9.4	24	-4.4	18	13	320		29.86			30.05	FM-15		30.04
01	1454	7	CLR:00	10.00		69	20.6	48	8.9	22	-5.6	17	5	210		29.83			30.02	FM-15		30.01
01	1554	7	FEW:02 250	10.00		71	21.7	50	10.0	24	-4.4	17				29.82	6	+0.06	30.01	FM-15		30.00
01	1610	7	FEW:02 250	10.00		71	21.7	50	10.0	24	-4.4	17	6	290		29.82				FM-16		30.00
01	1654	7	FEW:02 250	10.00		70	21.1	49	9.4	23	-5.0	17	11	230		29.81			30.00	FM-15		29.99
01	1754	7	CLR:00	10.00		69	20.6	49	9.4	23	-5.0	17	10	230		29.79			29.98	FM-15		29.97
01	1854	7	CLR:00	10.00		60	15.6	47	8.3	33	0.6	36	8	200		29.79	6	+0.03	29.98	FM-15		29.97
01	1900	4		9.94		60	15.6	47	8.3	33	0.6	36	8	200		29.79	6	+0.03	29.98	FM-12		
01	1954	7	CLR:00	10.00		58	14.4	47	8.3	34	1.1	41	5	190		29.80			29.99	FM-15		29.98
01	2054	7	CLR:00	10.00		53	11.7	45	7.2	35	1.7	51	7	200		29.81			30.00	FM-15		29.99
01	2154	7	CLR:00	10.00		53	11.7	45	7.2	35	1.7	51	7	190		29.80	0	-0.01	30.00	FM-15		29.98
01	2254	7	CLR:00	10.00		53	11.7	45	7.2	35	1.7	51	7	200		29.80			29.99	FM-15		29.98
01	2354	7	CLR:00	10.00		52	11.1	44	6.7	35	1.7	53	9	200		29.79			29.98	FM-15		29.97
02	0054	7	CLR:00	10.00		55	12.8	45	7.2	33	0.6	44	9	210		29.77			29.97	FM-15	0.00	29.95
02	0100	4		9.94		55	12.8	45	7.2	33	0.6	44	9	210		29.77			29.97	FM-12		
02	0154	7	CLR:00	10.00		54	12.2	45	7.2	34	1.1	47	8	200		29.76			29.95	FM-15	0.00	29.94
02	0254	7	CLR:00	10.00		53	11.7	44	6.7	34	1.1	48	7	210		29.77			29.96	FM-15	0.00	29.95
02	0354	7	CLR:00	10.00		55	12.8	45	7.2	34	1.1	45	8	220		29.76	6	+0.01	29.96	FM-15	0.00	29.94
02	0454	7	FEW:02 250	10.00		50	10.0	44	6.7	37	2.8	61	8	200		29.77			29.96	FM-15	0.00	29.95
02	0554	7	SCT:04 250 BKN:07 300	10.00		51	10.6	45	7.2	38	3.3	61	5	180		29.78			29.98	FM-15	0.00	29.96
02	0654	7	BKN:07 250	10.00		56	13.3	48	8.9	39	3.9	53	9	210		29.79	2	-0.03	29.98	FM-15	0.00	29.97
02	0700	4		9.94		56	13.3	48	8.9	39	3.9	53	9	210		29.79	2	-0.03	29.98	FM-12		
02	0754	7	FEW:02 200 BKN:07 250	10.00		62	16.7	51	10.6	40	4.4	44	9	210		29.79			29.98	FM-15	0.00	29.97
02	0854	7	OVC:08 250	10.00		66	18.9	54	12.2	42	5.6	42	10	220		29.78			29.97	FM-15	0.00	29.96
02	0954	7	OVC:08 250	10.00		70	21.1	56	13.3	43	6.1	38	11	230		29.77	8	+0.02	29.96	FM-15	0.00	29.95
02	1054	7	BKN:07 250	10.00		75	23.9	59	15.0	46	7.8	36	15	210		29.76			29.95	FM-15	0.00	29.94
02	1154	7	FEW:02 180 BKN:07 250	10.00		79	26.1	60	15.6	46	7.8	31	15	200		29.75			29.93	FM-15	0.00	29.93
02	1254	7	FEW:02 180 BKN:07 250	10.00		81	27.2	61	16.1	46	7.8	29	14	210		29.73	8	+0.04	29.92	FM-15	0.00	29.91

02	1300	4		9.94		81	27.2	61	16.1	46	7.8	29	14	210		29.73	8	+0.04	29.92	FM-12		
02	1354	7	SCT:04 250	10.00		84	28.9	63	17.2	47	8.3	27	9	230		29.70			29.89	FM-15	0.00	29.88
02	1454	7	FEW:02 250 BKN:07 300	10.00		85	29.4	63	17.2	46	7.8	26	13	220	23	29.68			29.87	FM-15	0.00	29.86
02	1554	7	FEW:02 240 BKN:07 300	10.00		84	28.9	61	16.1	44	6.7	25	21	230	26	29.66	6	+0.06	29.85	FM-15	0.00	29.84
02	1654	7	FEW:02 240 BKN:07 300	10.00		82	27.8	63	17.2	49	9.4	32	17	200	24	29.65			29.84	FM-15	0.00	29.83
02	1754	7	SCT:04 230 BKN:07 300	10.00		80	26.7	63	17.2	51	10.6	37	13	210		29.66			29.85	FM-15	0.00	29.84
02	1854	7	SCT:04 230 BKN:07 300	10.00		76	24.4	62	16.7	52	11.1	43	11	210		29.66	5	0.00	29.85	FM-15	0.00	29.84
02	1900	4		9.94		76	24.4	62	16.7	52	11.1	43	11	210		29.66	5	0.00	29.85	FM-12		
02	1954	7	BKN:07 220	10.00		75	23.9	62	16.7	53	11.7	46	11	200		29.67			29.86	FM-15	0.00	29.85
02	2054	7	BKN:07 220	10.00		75	23.9	62	16.7	52	11.1	45	13	210		29.69			29.88	FM-15	0.00	29.87
02	2154	7	BKN:07 220	10.00		74	23.3	62	16.7	53	11.7	48	10	220		29.69	1	-0.03	29.88	FM-15	0.00	29.87
02	2254	7	OVC:08 210	10.00		73	22.8	61	16.1	53	11.7	50	11	220		29.69			29.88	FM-15	0.00	29.87
02	2354	7	BKN:07 210	10.00		69	20.6	61	16.1	55	12.8	61	8	200		29.69			29.88	FM-15	0.00	29.87
03	0054	7	BKN:07 210	10.00		70	21.1	61	16.1	55	12.8	59	11	210		29.68	8	0.00	29.87	FM-15	0.00	29.86
03	0100	4		9.94		70	21.1	61	16.1	55	12.8	59	11	210		29.68	8	0.00	29.87	FM-12		
03	0154	7	BKN:07 120	10.00	-RA:02 RA RA	70	21.1	62	16.7	57	13.9	64	10	220		29.68			29.87	FM-15	T	29.86
03	0254	7	OVC:08 110	10.00		68	20.0	63	17.2	59	15.0	73	8	220		29.69			29.88	FM-15	T	29.87
03	0354	7	FEW:02 90 BKN:07 110	10.00		68	20.0	63	17.2	59	15.0	73	10	210		29.69	0	0.00	29.88	FM-15	T	29.87
03	0454	7	FEW:02 40 BKN:07 150	10.00		67	19.4	62	16.7	59	15.0	76	10	210		29.70			29.89	FM-15	0.00	29.88
03	0554	7	FEW:02 40 SCT:04 120 BKN:07 150	10.00		67	19.4	63	17.2	60	15.6	79	9	210		29.72			29.91	FM-15	0.00	29.90
03	0654	7	FEW:02 40 SCT:04 120 OVC:08 160	10.00		67	19.4	63	17.2	60	15.6	79	9	200		29.73	1	-0.04	29.92	FM-15	0.00	29.91
03	0700	4	41	9.94		67	19.4	63	17.2	60	15.6	79	9	200		29.73	1	-0.04	29.92	FM-12		
03	0754	7	FEW:02 35 BKN:07 65 OVC:08 120	10.00		68	20.0	64	17.8	61	16.1	78	9	200		29.73			29.92	FM-15	T	29.91
03	0854	7	SCT:04 40 BKN:07 95 BKN:07 120	10.00	RA RA	71	21.7	66	18.9	63	17.2	76	13	220		29.73			29.92	FM-15	T	29.91
03	0954	7	FEW:02 18 SCT:04 34 BKN:07 65	5.00	-RA:02 BR:1 RA RA	69	20.6	66	18.9	65	18.3	87	7	200		29.71	8	+0.01	29.90	FM-15	0.03s	29.89
03	1003	7	SCT:04 19 BKN:07 65 OVC:08 100	5.00	TS:7 -RA:02 BR:1 RA TS RA	69	20.6	66	18.9	65	18.3	87	7	210		29.71				FM-16	0.01	29.89
03	1017	7	BKN:07 17 BKN:07 65 OVC:08 100	1.50	TS:7 +RA:02 BR:1 RA TS RA	68	20.0	66	18.9	65	18.3	90	8	220		29.72				FM-16	0.04	29.90
03	1025	7	BKN:07 22 BKN:07 70 OVC:08 100	4.00	TS:7 -RA:02 BR:1 RA TS RA	68	20.0	67	19.4	66	18.9	93	6	180		29.71				FM-16	0.15	29.89
03	1042	7	SCT:04 23 BKN:07 48 BKN:07 70	6.00	-RA:02 BR:1 RA RA	70	21.1	68	20.0	67	19.4	90	7	170		29.70				FM-16	0.16	29.88
03	1054	7	FEW:02 8 SCT:04 27 OVC:08 90	8.00	-RA:02 RA RA	69	20.6	67	19.4	66	18.9	90	6	160		29.70			29.88	FM-15	0.15	29.88
03	1130	7	FEW:02 8 BKN:07 27 BKN:07 40	9.00		71	21.7	68	20.0	67	19.4	87	8	160		29.68				FM-16	T	29.86
03	1154	7	FEW:02 10 BKN:07 22 OVC:08 40	9.00		73	22.8	69	20.6	67	19.4	81	10	150		29.67			29.86	FM-15	T	29.85

03	1254	7	SCT:04 26 BKN:07 39 OVC:08 80	10.00		74	23.3	70	21.1	68	20.0	82	9	210		29.65	8	+0.07	29.84	FM-15	T	29.83
03	1300	4	26	9.94		74	23.3	70	21.1	68	20.0	82	9	210		29.65	8	+0.07	29.84	FM-12		
03	1354	7	SCT:04 26 SCT:04 60 BKN:07 250	10.00		80	26.7	72	22.2	68	20.0	67	18	200	25	29.59			29.78	FM-15	0.00	29.77
03	1454	7	FEW:02 32 BKN:07 130 OVC:08 300	10.00		79	26.1	69	20.6	63	17.2	58	18	210	28	29.58			29.77	FM-15	0.00	29.76
03	1554	7	BKN:07 33 BKN:07 100 OVC:08 300	10.00		78	25.6	70	21.1	65	18.3	64	24	220	29	29.58	5	+0.06	29.77	FM-15	0.00	29.76
03	1654	7	FEW:02 31 BKN:07 48 BKN:07 130	10.00	IRA RA	72	22.2	67	19.4	64	17.8	76	22	210	30	29.58			29.77	FM-15	T	29.76
03	1754	7	FEW:02 50 FEW:02 150 SCT:04 250	10.00		73	22.8	67	19.4	64	17.8	74	10	200		29.54			29.73	FM-15	T	29.72
03	1854	7	FEW:02 20 SCT:04 120 BKN:07 300	10.00		69	20.6	67	19.4	66	18.9	90	7	190		29.56	5	+0.02	29.75	FM-15	0.00	29.74
03	1900	4	26	9.94		69	20.6	67	19.4	66	18.9	90	7	190		29.56	5	+0.02	29.75	FM-12		
03	1954	7	BKN:07 30 BKN:07 300	10.00		71	21.7	68	20.0	66	18.9	84	10	180		29.56			29.75	FM-15	0.00	29.74
03	2054	7	SCT:04 34 SCT:04 110 OVC:08 300	10.00		71	21.7	68	20.0	66	18.9	84	13	200	22	29.56			29.75	FM-15	0.00	29.74
03	2154	7	SCT:04 28 BKN:07 90 BKN:07 110	10.00		71	21.7	68	20.0	66	18.9	84	11	210		29.57	3	-0.01	29.76	FM-15	0.00	29.75
03	2254	7	FEW:02 22 SCT:04 110 BKN:07 300	10.00		70	21.1	67	19.4	65	18.3	84	11	220		29.56			29.75	FM-15	0.00	29.74
03	2354	7	BKN:07 100	10.00		70	21.1	67	19.4	65	18.3	84	11	220		29.56			29.75	FM-15	0.00	29.74
04	0054	7	SCT:04 100	10.00		69	20.6	66	18.9	64	17.8	84	9	230		29.57	5	0.00	29.76	FM-15	0.00	29.75
04	0100	4		9.94		69	20.6	66	18.9	64	17.8	84	9	230		29.57	5	0.00	29.76	FM-12		
04	0154	7	FEW:02 110	10.00		69	20.6	66	18.9	64	17.8	84	10	240		29.57			29.75	FM-15	0.00	29.75
04	0254	7	CLR:00	10.00		67	19.4	65	18.3	64	17.8	91	9	230		29.58			29.77	FM-15	0.00	29.76
04	0354	7	CLR:00	10.00		67	19.4	65	18.3	63	17.2	87	6	230		29.58	3	-0.01	29.77	FM-15	0.00	29.76
04	0454	7	CLR:00	10.00		66	18.9	64	17.8	63	17.2	90	7	230		29.60			29.79	FM-15	0.00	29.78
04	0554	7	FEW:02 120	10.00		66	18.9	64	17.8	63	17.2	90	8	210		29.60			29.79	FM-15	0.00	29.78
04	0645	7	FEW:02 9 FEW:02 120	10.00		69	20.6	66	18.9	64	17.8	84	8	220		29.63				FM-16		29.81
04	0654	7	FEW:02 9 FEW:02 120	10.00		69	20.6	66	18.9	64	17.8	84	11	220		29.63	3	-0.04	29.81	FM-15	0.00	29.81
04	0700	4	8	9.94		69	20.6	66	18.9	64	17.8	84	11	220		29.63	3	-0.04	29.81	FM-12		
04	0754	7	FEW:02 300	10.00		74	23.3	68	20.0	64	17.8	71	9	250		29.65			29.84	FM-15	0.00	29.83
04	0854	7	FEW:02 300	10.00		78	25.6	69	20.6	64	17.8	62	9	260		29.66			29.85	FM-15	0.00	29.84
04	0954	7	FEW:02 300	10.00		81	27.2	70	21.1	64	17.8	57	10	240		29.64	0	-0.02	29.83	FM-15	0.00	29.82
04	1054	7	FEW:02 40 SCT:04 300	10.00		84	28.9	71	21.7	65	18.3	53	9	240		29.64			29.83	FM-15	0.00	29.82
04	1154	7	FEW:02 44 SCT:04 300	10.00		87	30.6	73	22.8	66	18.9	50	9	220		29.61			29.80	FM-15	0.00	29.79
04	1254	7	SCT:04 48 SCT:04 300	10.00		89	31.7	74	23.3	66	18.9	47	9	250		29.60	8	+0.04	29.79	FM-15	0.00	29.78
04	1300	4	41	9.94		89	31.7	74	23.3	66	18.9	47	9	250		29.60	8	+0.04	29.79	FM-12		
04	1354	7	BKN:07 60	10.00		89	31.7	73	22.8	66	18.9	47	8	VRB		29.58			29.77	FM-15	0.00	29.76
04	1454	7	SCT:04 55 OVC:08 300	10.00		90	32.2	74	23.3	66	18.9	45	16	220		29.57			29.76	FM-15	0.00	29.75
04	1554	7	SCT:04 55 OVC:08 300	10.00		87	30.6	73	22.8	66	18.9	50	13	200		29.55	8	+0.06	29.74	FM-15	0.00	29.73

04	1654	7	FEW:02 55 SCT:04 75 OVC:08 300	10.00		85	29.4	72	22.2	65	18.3	51	18	VRB	30	29.56			29.75	FM-15	0.00	29.74
04	1707	7	SCT:04 47 BKN:07 60 OVC:08 300	2.50V	TS:7 RA:02 RA TS TS RA	71	21.7	68	20.0	66	18.9	84	20	300	40	29.57				FM-16	T	29.75
04	1709	7	SCT:04 47 BKN:07 60 OVC:08 300	1.25V	TS:7 +RA:02 BR:1 RA TS RA	70	21.1	67	19.4	66	18.9	87	16	290	40	29.56				FM-16	0.01	29.74
04	1722	7	FEW:02 16 SCT:04 47 BKN:07 55	3.00	TS RA	72	22.2	69	20.6	68	20.0	87	8	320		29.55				FM-16	0.21	29.73
04	1734	7	FEW:02 16 SCT:04 48 SCT:04 100	10.00		72	22.2	69	20.6	68	20.0	87	5	330		29.54				FM-16	0.21	29.72
04	1754	7	SCT:04 48 SCT:04 120 OVC:08 300	10.00		73	22.8	70	21.1	68	20.0	84	0	000		29.55			29.73	FM-15	0.21	29.73
04	1854	7	FEW:02 50 SCT:04 120 OVC:08 300	10.00		72	22.2	70	21.1	69	20.6	91	3	070		29.54	8	+0.01	29.73	FM-15	0.00	29.72
04	1900	4	57	9.94		72	22.2	70	21.1	69	20.6	91	3	070		29.54	8	+0.01	29.73	FM-12		
04	1954	7	FEW:02 120 OVC:08 300	10.00		72	22.2	69	20.6	68	20.0	87	11	170		29.57			29.76	FM-15	0.00	29.75
04	2054	7	BKN:07 300	10.00		71	21.7	68	20.0	67	19.4	87	9	190		29.59			29.78	FM-15	0.00	29.77
04	2154	7	SCT:04 190 BKN:07 300	10.00		70	21.1	67	19.4	65	18.3	84	11	180		29.58	0	-0.04	29.77	FM-15	0.00	29.76
04	2254	7	SCT:04 170 BKN:07 300	10.00		70	21.1	66	18.9	64	17.8	82	10	200		29.58			29.77	FM-15	0.00	29.76
04	2354	7	BKN:07 220 OVC:08 300	10.00		69	20.6	66	18.9	64	17.8	84	13	200		29.58			29.76	FM-15	0.00	29.76
05	0054	7	BKN:07 200	10.00		68	20.0	66	18.9	64	17.8	87	7	200		29.55	8	+0.02	29.74	FM-15	0.00	29.73
05	0100	4		9.94		68	20.0	66	18.9	64	17.8	87	7	200		29.55	8	+0.02	29.74	FM-12		
05	0154	7	BKN:07 180	10.00		66	18.9	64	17.8	63	17.2	90	6	190		29.54			29.72	FM-15	0.00	29.72
05	0254	7	BKN:07 180	10.00		68	20.0	65	18.3	63	17.2	84	9	210		29.54			29.72	FM-15	0.00	29.72
05	0354	7	BKN:07 170 BKN:07 300	10.00		67	19.4	63	17.2	61	16.1	81	8	200		29.52	6	+0.03	29.71	FM-15	0.00	29.70
05	0454	7	BKN:07 180	10.00		65	18.3	63	17.2	61	16.1	87	5	170		29.52			29.70	FM-15	0.00	29.69
05	0554	7	BKN:07 70 BKN:07 100 OVC:08 180	10.00		68	20.0	64	17.8	61	16.1	78	10	240		29.55			29.74	FM-15	0.00	29.73
05	0654	7	BKN:07 60 BKN:07 120 BKN:07 250	7.00		67	19.4	65	18.3	63	17.2	87	9	180		29.55	3	-0.02	29.73	FM-15	0.02	29.73
05	0700	4	57	6.84		67	19.4	65	18.3	63	17.2	87	9	180		29.55	3	-0.02	29.73	FM-12		
05	0754	7	SCT:04 21 BKN:07 170	10.00		69	20.6	66	18.9	64	17.8	84	9	210		29.56			29.75	FM-15	0.00	29.74
05	0829	7	BKN:07 18 BKN:07 300	10.00		73	22.8	67	19.4	64	17.8	74	15	230		29.56				FM-16		29.74
05	0854	7	SCT:04 18 BKN:07 300	10.00		73	22.8	67	19.4	64	17.8	74	10	230		29.55			29.74	FM-15	0.00	29.73
05	0954	7	FEW:02 25 SCT:04 300	10.00		78	25.6	70	21.1	65	18.3	64	10	250		29.54	8	0.00	29.73	FM-15	0.00	29.72
05	1054	7	SCT:04 34 SCT:04 110 SCT:04 300	10.00		81	27.2	69	20.6	63	17.2	54	15	270		29.54			29.73	FM-15	0.00	29.72
05	1154	7	BKN:07 46 BKN:07 300	10.00		83	28.3	69	20.6	62	16.7	49	16	240	22	29.53			29.72	FM-15	0.00	29.71
05	1254	7	BKN:07 55 BKN:07 70	10.00		84	28.9	69	20.6	60	15.6	44	16	270	26	29.53	5	+0.01	29.72	FM-15	0.00	29.71
05	1300	4	57	9.94		84	28.9	69	20.6	60	15.6	44	16	270		29.53	5	+0.01	29.72	FM-12		
05	1354	7	SCT:04 55 BKN:07 90	10.00		85	29.4	69	20.6	60	15.6	43	20	270		29.52			29.71	FM-15	0.00	29.70

05	1454	7	SCT:04 55 BKN:07 100	10.00		85	29.4	68	20.0	58	14.4	40	16	260	24	29.52			29.71	FM-15	0.00	29.70
05	1554	7	SCT:04 60 SCT:04 100	10.00		85	29.4	67	19.4	56	13.3	37	21	280	29	29.53	3	0.00	29.72	FM-15	0.00	29.71
05	1654	7	SCT:04 60 SCT:04 100	10.00		84	28.9	66	18.9	55	12.8	37	15	280	25	29.55			29.74	FM-15	0.00	29.73
05	1754	7	FEW:02 60 BKN:07 110 BKN:07 180	10.00		78	25.6	67	19.4	60	15.6	54	17	350	24	29.58			29.77	FM-15	0.00	29.76
05	1854	7	FEW:02 40 BKN:07 65 BKN:07 90	10.00		73	22.8	64	17.8	58	14.4	59	15	010		29.63	3	-0.09	29.82	FM-15	0.00	29.81
05	1900	4	41	9.94		73	22.8	64	17.8	58	14.4	59	15	010		29.63	3	-0.09	29.82	FM-12		
05	1954	7	SCT:04 60 SCT:04 90 BKN:07 110	10.00		69	20.6	59	15.0	52	11.1	55	15	010		29.68			29.87	FM-15	T	29.86
05	2054	7	BKN:07 70	10.00		65	18.3	56	13.3	48	8.9	54	15	360	24	29.74			29.93	FM-15	0.00	29.92
05	2154	7	BKN:07 65	10.00		63	17.2	54	12.2	47	8.3	56	11	360		29.76	1	-0.13	29.95	FM-15	0.00	29.94
05	2254	7	BKN:07 60	10.00		60	15.6	53	11.7	46	7.8	60	10	020		29.76			29.95	FM-15	0.00	29.94
05	2354	7	BKN:07 60	10.00		59	15.0	52	11.1	45	7.2	60	15	010	21	29.79			29.98	FM-15	0.00	29.97
06	0054	7	BKN:07 60	10.00		57	13.9	50	10.0	44	6.7	62	8	020		29.80	3	-0.04	29.98	FM-15	0.00	29.98
06	0100	4	57	9.94		57	13.9	50	10.0	44	6.7	62	8	020		29.80	3	-0.04	29.98	FM-12		
06	0154	7	FEW:02 60	10.00		55	12.8	49	9.4	42	5.6	62	11	010		29.81			30.00	FM-15	0.00	29.99
06	0254	7	FEW:02 60	10.00		53	11.7	48	8.9	42	5.6	66	8	360		29.83			30.02	FM-15	0.00	30.01
06	0354	7	FEW:02 60	10.00		52	11.1	46	7.8	39	3.9	61	10	340		29.85	3	-0.05	30.04	FM-15	0.00	30.03
06	0454	7	FEW:02 60	10.00		49	9.4	44	6.7	37	2.8	64	7	350		29.87			30.06	FM-15	0.00	30.05
06	0554	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	10	360		29.89			30.08	FM-15	0.00	30.07
06	0654	7	FEW:02 300	10.00		53	11.7	45	7.2	36	2.2	52	11	010	23	29.90	1	-0.05	30.09	FM-15	0.00	30.08
06	0700	4		9.94		53	11.7	45	7.2	36	2.2	52	11	010		29.90	1	-0.05	30.09	FM-12		
06	0754	7	CLR:00	10.00		55	12.8	46	7.8	35	1.7	47	13	010	25	29.90			30.10	FM-15	0.00	30.08
06	0854	7	FEW:02 300	10.00		58	14.4	47	8.3	35	1.7	42	15	340		29.90			30.10	FM-15	0.00	30.08
06	0954	7	FEW:02 300	10.00		60	15.6	49	9.4	36	2.2	41	11	350		29.89	8	0.00	30.09	FM-15	0.00	30.07
06	1054	7	FEW:02 50 FEW:02 300	10.00		62	16.7	50	10.0	38	3.3	41	7	VRB		29.89			30.08	FM-15	0.00	30.07
06	1154	7	FEW:02 50 SCT:04 300	10.00		62	16.7	50	10.0	37	2.8	40	3	VRB		29.86			30.06	FM-15	0.00	30.04
06	1254	7	FEW:02 55 SCT:04 300	10.00		64	17.8	51	10.6	38	3.3	38	6	VRB		29.84	8	+0.06	30.03	FM-15	0.00	30.02
06	1300	4	57	9.94		64	17.8	51	10.6	38	3.3	38	6			29.84	8	+0.06	30.03	FM-12		
06	1354	7	FEW:02 60 SCT:04 300	10.00		67	19.4	52	11.1	38	3.3	35	7	020		29.81			30.00	FM-15	0.00	29.99
06	1454	7	FEW:02 65 SCT:04 220 BKN:07 300	10.00		67	19.4	52	11.1	37	2.8	33	6	270		29.79			29.98	FM-15	0.00	29.97
06	1554	7	FEW:02 60 SCT:04 220 BKN:07 300	10.00		67	19.4	52	11.1	38	3.3	35	8	360		29.77	6	+0.07	29.96	FM-15	0.00	29.95
06	1654	7	FEW:02 65 SCT:04 220	10.00		67	19.4	52	11.1	37	2.8	33	5	VRB		29.76			29.96	FM-15	0.00	29.94
06	1754	7	FEW:02 65 FEW:02 300	10.00		66	18.9	52	11.1	38	3.3	36	9	320		29.78			29.97	FM-15	0.00	29.96
06	1854	7	FEW:02 65 FEW:02 300	10.00		61	16.1	50	10.0	38	3.3	43	6	350		29.78	3	-0.02	29.98	FM-15	0.00	29.96
06	1900	4	57	9.94		61	16.1	50	10.0	38	3.3	43	6	350		29.78	3	-0.02	29.98	FM-12		
06	1954	7	FEW:02 65	10.00		58	14.4	49	9.4	40	4.4	51	0	000		29.79			29.98	FM-15	0.00	29.97
06	2054	7	CLR:00	10.00		53	11.7	48	8.9	43	6.1	69	0	000		29.80			29.99	FM-15	0.00	29.98
06	2154	7	CLR:00	10.00		53	11.7	48	8.9	43	6.1	69	3	110		29.80	0	-0.01	29.99	FM-15	0.00	29.98
06	2254	7	CLR:00	10.00		50	10.0	47	8.3	44	6.7	80	5	110		29.79			29.98	FM-15	0.00	29.97
06	2354	7	CLR:00	10.00		50	10.0	47	8.3	44	6.7	80	3	150		29.78			29.97	FM-15	0.00	29.96
07	0054	7	CLR:00	10.00		50	10.0	47	8.3	44	6.7	80	0	000		29.77	8	+0.04	29.96	FM-15	0.00	29.95
07	0100	4		9.94		50	10.0	47	8.3	44	6.7	80	0	000		29.77	8	+0.04	29.96	FM-12		

07	0154	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	0	000		29.74			29.94	FM-15	0.00	29.92
07	0254	7	CLR:00	10.00		46	7.8	45	7.2	43	6.1	89	0	000		29.74			29.93	FM-15	0.00	29.92
07	0354	7	CLR:00	10.00		46	7.8	45	7.2	43	6.1	89	0	000		29.73	6	+0.04	29.92	FM-15	0.00	29.91
07	0454	7	FEW:02 200	10.00		44	6.7	43	6.1	41	5.0	89	0	000		29.72			29.91	FM-15	0.00	29.90
07	0554	7	SCT:04 220 BKN:07 300	10.00		49	9.4	48	8.9	46	7.8	90	0	000		29.72			29.91	FM-15	0.00	29.90
07	0654	7	BKN:07 150 BKN:07 300	10.00		53	11.7	51	10.6	49	9.4	86	0	000		29.71	8	+0.02	29.90	FM-15	0.00	29.89
07	0700	4		9.94		53	11.7	51	10.6	49	9.4	86	0	000		29.71	8	+0.02	29.90	FM-12		
07	0754	7	FEW:02 65 BKN:07 150 BKN:07 300	10.00		58	14.4	53	11.7	48	8.9	70	7	180		29.71			29.91	FM-15	0.00	29.89
07	0854	7	FEW:02 25 BKN:07 140 BKN:07 190	10.00		60	15.6	54	12.2	49	9.4	67	0	000		29.71			29.90	FM-15	0.00	29.89
07	0954	7	SCT:04 38 BKN:07 140 BKN:07 180	10.00		63	17.2	54	12.2	45	7.2	52	7	VRB		29.71	8	0.00	29.90	FM-15	0.00	29.89
07	1054	7	BKN:07 50 BKN:07 75 BKN:07 140	10.00		64	17.8	53	11.7	43	6.1	46	8	200		29.70			29.90	FM-15	0.00	29.88
07	1154	7	SCT:04 44 BKN:07 65 BKN:07 90	10.00		64	17.8	54	12.2	45	7.2	50	9	250		29.68			29.87	FM-15	0.00	29.86
07	1254	7	SCT:04 47 BKN:07 85 BKN:07 140	10.00		64	17.8	53	11.7	43	6.1	46	10	220		29.67	8	+0.04	29.86	FM-15	0.00	29.85
07	1300	4	41	9.94		64	17.8	53	11.7	43	6.1	46	10	220		29.67	8	+0.04	29.86	FM-12		
07	1354	7	SCT:04 47 SCT:04 80 BKN:07 140	10.00		65	18.3	54	12.2	43	6.1	45	9	200		29.65			29.85	FM-15	0.00	29.83
07	1454	7	FEW:02 15 SCT:04 38 OVC:08 80	10.00	-RA:02 RA RA	55	12.8	51	10.6	48	8.9	77	17	290	29	29.67			29.86	FM-15	T	29.85
07	1554	7	OVC:08 60	6.00	RA:02 BR:1 RA RA	53	11.7	52	11.1	51	10.6	93	14	280	22	29.68	3	-0.01	29.88	FM-15	0.08s	29.86
07	1654	7	OVC:08 65	9.00	-RA:02 RA RA	53	11.7	51	10.6	49	9.4	86	10	310		29.68			29.87	FM-15	0.06	29.86
07	1754	7	BKN:07 60 OVC:08 75	10.00	-RA:02 RA RA	53	11.7	51	10.6	50	10.0	89	9	260		29.70			29.89	FM-15	0.01	29.88
07	1856	7	FEW:02 50 BKN:07 75 BKN:07 90	10.00		53	11.7	51	10.6	50	10.0	89	7	300		29.71	3	-0.02	29.90	FM-15	T	29.89
07	1900	4	57	9.94		53	11.7	51	10.6	50	10.0	89	7	300		29.71	3	-0.02	29.90	FM-12		
07	1954	7	FEW:02 15 SCT:04 60 BKN:07 110	10.00		53	11.7	51	10.6	50	10.0	89	5	300		29.73			29.92	FM-15	0.00	29.91
07	2054	7	SCT:04 70	10.00		51	10.6	49	9.4	47	8.3	86	7	330		29.75			29.95	FM-15	0.00	29.93
07	2154	7	CLR:00	10.00		49	9.4	48	8.9	46	7.8	90	5	300		29.76	1	-0.06	29.96	FM-15	0.00	29.94
07	2254	7	CLR:00	10.00		49	9.4	48	8.9	46	7.8	90	0	000		29.76			29.95	FM-15	0.00	29.94
07	2354	7	CLR:00	10.00		49	9.4	48	8.9	47	8.3	93	5	240		29.76			29.95	FM-15	0.00	29.94
08	0054	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	3	260		29.74	8	+0.02	29.94	FM-15	0.00	29.92
08	0100	4		9.94		48	8.9	47	8.3	46	7.8	93	3	260		29.74	8	+0.02	29.94	FM-12		
08	0154	7	CLR:00	9.00		44	6.7	43	6.1	42	5.6	93	0	000		29.73			29.93	FM-15	0.00	29.91
08	0254	7	CLR:00	10.00		43	6.1	43	6.1	42	5.6	97	3	180		29.73			29.92	FM-15	0.00	29.91
08	0354	7	FEW:02 120	10.00		42	5.6	42	5.6	41	5.0	96	3	200		29.73	5	+0.01	29.92	FM-15	0.00	29.91
08	0454	7	SCT:04 70 BKN:07 95	10.00		45	7.2	44	6.7	43	6.1	93	5	190		29.73			29.92	FM-15	0.00	29.91
08	0554	7	SCT:04 80 BKN:07 110 BKN:07 250	10.00		45	7.2	44	6.7	43	6.1	93	5	180		29.75			29.94	FM-15	0.00	29.93
08	0654	7	FEW:02 80 SCT:04 110	10.00		49	9.4	46	7.8	43	6.1	80	9	250		29.75	3	-0.02	29.94	FM-15	0.00	29.93
08	0700	4	74	9.94		49	9.4	46	7.8	43	6.1	80	9	250		29.75	3	-0.02	29.94	FM-12		

08	0754	7	CLR:00	10.00		55	12.8	50	10.0	45	7.2	69	11	260		29.75			29.95	FM-15	0.00	29.93
08	0854	7	CLR:00	10.00		59	15.0	52	11.1	45	7.2	60	16	260	23	29.76			29.95	FM-15	0.00	29.94
08	0954	7	BKN:07 55	10.00		62	16.7	51	10.6	41	5.0	46	17	280	25	29.76	1	-0.01	29.95	FM-15	0.00	29.94
08	1054	7	FEW:02 55	10.00		63	17.2	51	10.6	39	3.9	41	20	280	26	29.77			29.96	FM-15	0.00	29.95
08	1154	7	BKN:07 65	10.00		65	18.3	52	11.1	39	3.9	39	16	270	24	29.75			29.94	FM-15	0.00	29.93
08	1254	7	BKN:07 65 BKN:07 85	10.00		67	19.4	52	11.1	36	2.2	32	17	260	25	29.74	8	+0.02	29.93	FM-15	0.00	29.92
08	1300	4	57	9.94		67	19.4	52	11.1	36	2.2	32	17	260		29.74	8	+0.02	29.93	FM-12		
08	1354	7	BKN:07 60 BKN:07 100	10.00		70	21.1	52	11.1	34	1.1	27	16	310	24	29.74			29.93	FM-15	0.00	29.92
08	1454	7	SCT:04 60 BKN:07 95	10.00		69	20.6	52	11.1	33	0.6	26	13	260	25	29.73			29.92	FM-15	0.00	29.91
08	1554	7	BKN:07 95 BKN:07 110	10.00		69	20.6	51	10.6	31	-0.6	24	14	340		29.74	3	0.00	29.93	FM-15	0.00	29.92
08	1654	7	SCT:04 100 SCT:04 120	10.00		69	20.6	51	10.6	30	-1.1	23	15	350		29.76			29.96	FM-15	0.00	29.94
08	1754	7	FEW:02 90	10.00		66	18.9	49	9.4	30	-1.1	26	13	340		29.78			29.98	FM-15	0.00	29.96
08	1854	7	FEW:02 70	10.00		61	16.1	47	8.3	31	-0.6	32	10	010		29.82	3	-0.08	30.02	FM-15	0.00	30.00
08	1900	4	74	9.94		61	16.1	47	8.3	31	-0.6	32	10	010		29.82	3	-0.08	30.02	FM-12		
08	1954	7	FEW:02 70 FEW:02 250	10.00		57	13.9	46	7.8	32	0.0	39	9	010		29.86			30.05	FM-15	0.00	30.04
08	2054	7	FEW:02 250	10.00		52	11.1	44	6.7	35	1.7	53	7	020		29.90			30.09	FM-15	0.00	30.08
08	2154	7	FEW:02 250	10.00		50	10.0	44	6.7	37	2.8	61	3	160		29.93	1	-0.10	30.12	FM-15	0.00	30.11
08	2254	7	FEW:02 250	10.00		48	8.9	43	6.1	37	2.8	66	0	000		29.94			30.13	FM-15	0.00	30.12
08	2354	7	CLR:00	10.00		45	7.2	41	5.0	37	2.8	74	0	000		29.94			30.13	FM-15	0.00	30.12
09	0054	7	FEW:02 250	10.00		44	6.7	41	5.0	38	3.3	79	3	020		29.92	8	+0.01	30.11	FM-15	0.00	30.10
09	0100	4		9.94		44	6.7	41	5.0	38	3.3	79	3	020		29.92	8	+0.01	30.11	FM-12		
09	0154	7	SCT:04 150	10.00		45	7.2	42	5.6	39	3.9	80	0	000		29.92			30.11	FM-15	0.00	30.10
09	0254	7	FEW:02 120 BKN:07 150	10.00		47	8.3	43	6.1	39	3.9	74	0	000		29.93			30.13	FM-15	0.00	30.11
09	0354	7	OVC:08 110	10.00		47	8.3	45	7.2	42	5.6	83	0	000		29.95	3	-0.04	30.14	FM-15	0.00	30.13
09	0454	7	OVC:08 110	10.00		49	9.4	46	7.8	43	6.1	80	0	000		29.98			30.17	FM-15	0.00	30.16
09	0554	7	BKN:07 120 BKN:07 150	10.00		47	8.3	45	7.2	43	6.1	86	0	000		29.96			30.16	FM-15	0.00	30.14
09	0654	7	BKN:07 80 OVC:08 120	10.00		50	10.0	46	7.8	42	5.6	74	3	150		29.97	1	-0.02	30.16	FM-15	0.00	30.15
09	0700	4	74	9.94		50	10.0	46	7.8	42	5.6	74	3	150		29.97	1	-0.02	30.16	FM-12		
09	0754	7	BKN:07 85 BKN:07 150	10.00		56	13.3	48	8.9	40	4.4	55	8	140		29.96			30.15	FM-15	0.00	30.14
09	0854	7	FEW:02 75 BKN:07 100 OVC:08 180	10.00		58	14.4	50	10.0	41	5.0	53	10	140		29.94			30.14	FM-15	0.00	30.12
09	0954	7	FEW:02 80 SCT:04 100 BKN:07 250	10.00		61	16.1	51	10.6	42	5.6	50	13	140		29.93	8	+0.05	30.12	FM-15	0.00	30.11
09	1054	7	FEW:02 180 SCT:04 250	10.00		65	18.3	54	12.2	44	6.7	47	15	170	21	29.90			30.09	FM-15	0.00	30.08
09	1154	7	FEW:02 180 SCT:04 250	10.00		69	20.6	56	13.3	44	6.7	41	11	160	24	29.85			30.04	FM-15	0.00	30.03
09	1254	7	BKN:07 250	10.00		72	22.2	57	13.9	44	6.7	37	17	170	25	29.81	8	+0.12	30.01	FM-15	0.00	29.99
09	1300	4		9.94		72	22.2	57	13.9	44	6.7	37	17	170		29.81	8	+0.12	30.01	FM-12		
09	1354	7	BKN:07 250	10.00		75	23.9	59	15.0	47	8.3	37	16	180	23	29.77			29.96	FM-15	0.00	29.95
09	1454	7	BKN:07 250	10.00		77	25.0	61	16.1	49	9.4	37	16	190	29	29.73			29.92	FM-15	0.00	29.91
09	1554	7	BKN:07 250	10.00		77	25.0	61	16.1	50	10.0	39	23	210	29	29.68	6	+0.13	29.88	FM-15	0.00	29.86
09	1654	7	BKN:07 220	10.00		75	23.9	62	16.7	53	11.7	46	11	190		29.64			29.83	FM-15	0.00	29.82
09	1754	7	BKN:07 200	10.00		76	24.4	62	16.7	51	10.6	42	15	190		29.61			29.80	FM-15	0.00	29.79
09	1854	7	BKN:07 200 BKN:07 250	10.00		75	23.9	62	16.7	52	11.1	45	17	200		29.60	6	+0.09	29.79	FM-15	0.00	29.78
09	1900	4		9.94		75	23.9	62	16.7	52	11.1	45	17	200		29.60	6	+0.09	29.79	FM-12		
09	1954	7	SCT:04 150 BKN:07 220	10.00		75	23.9	62	16.7	52	11.1	45	15	200		29.62			29.81	FM-15	0.00	29.80

09	2054	7	SCT:04 110 BKN:07 200	10.00		75	23.9	61	16.1	51	10.6	43	21	200	28	29.62			29.81	FM-15	0.00	29.80
09	2154	7	BKN:07 200	10.00		74	23.3	61	16.1	51	10.6	45	14	200		29.61	0	-0.01	29.80	FM-15	0.00	29.79
09	2254	7	SCT:04 110 BKN:07 200	10.00		73	22.8	61	16.1	52	11.1	48	16	210	24	29.61			29.80	FM-15	0.00	29.79
09	2354	7	FEW:02 75	10.00		72	22.2	60	15.6	52	11.1	50	11	210		29.61			29.80	FM-15	0.00	29.79
10	0054	7	BKN:07 110	10.00		70	21.1	60	15.6	53	11.7	55	14	210		29.61	6	+0.01	29.80	FM-15	0.00	29.79
10	0100	4		9.94		70	21.1	60	15.6	53	11.7	55	14	210		29.61	6	+0.01	29.80	FM-12		
10	0154	7	SCT:04 120 BKN:07 300	10.00		70	21.1	60	15.6	52	11.1	53	11	220		29.60			29.79	FM-15	0.00	29.78
10	0254	7	BKN:07 300	10.00		69	20.6	59	15.0	52	11.1	55	10	230		29.61			29.80	FM-15	0.00	29.79
10	0354	7	BKN:07 240	10.00		68	20.0	59	15.0	53	11.7	59	8	220		29.64	3	-0.03	29.83	FM-15	0.00	29.82
10	0454	7	BKN:07 90	10.00		65	18.3	59	15.0	54	12.2	68	7	200		29.64			29.83	FM-15	0.00	29.82
10	0554	7	FEW:02 50 BKN:07 110 OVC:08 300	10.00		65	18.3	59	15.0	55	12.8	70	5	210		29.66			29.85	FM-15	0.00	29.84
10	0654	7	FEW:02 50 BKN:07 100 OVC:08 300	10.00	-RA:02 RA RA	65	18.3	60	15.6	57	13.9	76	5	270		29.68	3	-0.04	29.87	FM-15	T	29.86
10	0700	4	57	9.94	RA	65	18.3	60	15.6	57	13.9	76	5	270		29.68	3	-0.04	29.87	FM-12		
10	0754	7	FEW:02 40 BKN:07 65 OVC:08 110	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.70			29.88	FM-15	T	29.88
10	0837	7	FEW:02 9 BKN:07 22 OVC:08 31	10.00	-RA:02 RA RA	63	17.2	61	16.1	59	15.0	87	15	040		29.72				FM-16	T	29.90
10	0854	7	FEW:02 9 BKN:07 26 OVC:08 40	6.00	-RA:02 BR:1 RA RA	59	15.0	57	13.9	56	13.3	90	17	030		29.73			29.92	FM-15	0.02	29.91
10	0908	7	BKN:07 7 BKN:07 21 OVC:08 31	4.00	-RA:02 BR:1 RA RA	59	15.0	57	13.9	56	13.3	90	15	010		29.74				FM-16	0.01	29.92
10	0928	7	BKN:07 13 BKN:07 21 OVC:08 33	10.00	-RA:02 RA RA	57	13.9	55	12.8	54	12.2	90	14	010	22	29.75				FM-16	0.02	29.93
10	0952	6	FEW:02 8 BKN:07 17 BKN:07 21	10.00		55	12.8	54	12.2	54	12.2	94	11	020		29.76				FM-16		29.94
10	0954	7	FEW:02 8 BKN:07 18 OVC:08 38	10.00		56	13.3	55	12.8	54	12.2	93	11	020		29.76	3	-0.09	29.95	FM-15	0.01	29.94
10	1040	7	FEW:02 8 BKN:07 13 BKN:07 36	10.00	-RA:02 RA RA	57	13.9	55	12.8	54	12.2	90	10	050		29.77				FM-16	0.01	29.95
10	1054	7	FEW:02 8 BKN:07 15 BKN:07 36	10.00		57	13.9	55	12.8	53	11.7	87	14	040		29.77			29.96	FM-15	0.01	29.95
10	1108	7	BKN:07 13 BKN:07 28 OVC:08 80	10.00		56	13.3	54	12.2	52	11.1	87	13	010		29.79				FM-16		29.97
10	1126	7	SCT:04 13 BKN:07 30 OVC:08 80	10.00		57	13.9	53	11.7	50	10.0	78	13	020	18	29.79				FM-16		29.97
10	1154	7	FEW:02 13 OVC:08 30	10.00		56	13.3	52	11.1	49	9.4	77	10	010		29.79			29.98	FM-15	0.00	29.97
10	1234	7	FEW:02 13 OVC:08 29	10.00		57	13.9	53	11.7	49	9.4	74	8	010		29.79				FM-16		29.97
10	1254	7	FEW:02 13 OVC:08 29	10.00		57	13.9	53	11.7	49	9.4	74	11	030		29.80	1	-0.03	29.99	FM-15	0.00	29.98
10	1300	4	15	9.94		57	13.9	53	11.7	49	9.4	74	11	030		29.80	1	-0.03	29.99	FM-12		
10	1320	7	FEW:02 15 OVC:08 30	10.00		58	14.4	53	11.7	49	9.4	72	13	350		29.79				FM-16		29.97
10	1354	7	FEW:02 15 OVC:08 31	10.00		60	15.6	54	12.2	48	8.9	65	13	350		29.79			29.98	FM-15	0.00	29.97

10	1454	7	BKN:07 33 BKN:07 42	10.00		63	17.2	54	12.2	47	8.3	56	9	360		29.78			29.97	FM-15	0.00	29.96
10	1554	7	FEW:02 33 SCT:04 45	10.00		65	18.3	56	13.3	48	8.9	54	5	VRB		29.78	8	+0.02	29.96	FM-15	0.00	29.96
10	1654	7	FEW:02 33 SCT:04 45	10.00		65	18.3	56	13.3	48	8.9	54	7	050		29.79			29.98	FM-15	0.00	29.97
10	1754	7	FEW:02 50 FEW:02 250	10.00		65	18.3	55	12.8	47	8.3	52	5	050		29.78			29.97	FM-15	0.00	29.96
10	1854	7	FEW:02 50 FEW:02 300	10.00		62	16.7	55	12.8	48	8.9	60	3	060		29.82	3	-0.04	30.01	FM-15	0.00	30.00
10	1900	4	57	9.94		62	16.7	55	12.8	48	8.9	60	3	060		29.82	3	-0.04	30.01	FM-12		
10	1954	7	FEW:02 80 FEW:02 300	10.00		57	13.9	52	11.1	48	8.9	72	7	020		29.84			30.03	FM-15	0.00	30.02
10	2054	7	FEW:02 80 FEW:02 300	10.00		55	12.8	50	10.0	46	7.8	72	6	020		29.86			30.06	FM-15	0.00	30.04
10	2154	7	FEW:02 300	10.00		53	11.7	49	9.4	46	7.8	77	0	000		29.89	1	-0.07	30.08	FM-15	0.00	30.07
10	2254	7	BKN:07 60 BKN:07 300	10.00		51	10.6	49	9.4	47	8.3	86	3	340		29.89			30.08	FM-15	0.00	30.07
10	2354	7	BKN:07 60	10.00		51	10.6	49	9.4	48	8.9	89	0	000		29.88			30.07	FM-15	0.00	30.06
11	0054	7	FEW:02 60	10.00		50	10.0	48	8.9	45	7.2	83	6	350		29.89	3	0.00	30.08	FM-15	0.00	30.07
11	0100	4	57	9.94		50	10.0	48	8.9	45	7.2	83	6	350		29.89			30.08	FM-12		
11	0154	7	FEW:02 60	10.00		49	9.4	46	7.8	43	6.1	80	8	360		29.89			30.08	FM-15	0.00	30.07
11	0254	7	FEW:02 60	10.00		48	8.9	45	7.2	42	5.6	80	5	350		29.90			30.09	FM-15	0.00	30.08
11	0354	7	FEW:02 60	10.00		48	8.9	45	7.2	42	5.6	80	3	350		29.91	3	-0.02	30.10	FM-15	0.00	30.09
11	0454	7	SCT:04 150	10.00		47	8.3	45	7.2	42	5.6	83	0	000		29.91			30.10	FM-15	0.00	30.09
11	0554	7	BKN:07 120	10.00		49	9.4	47	8.3	45	7.2	86	0	000		29.93			30.12	FM-15	0.00	30.11
11	0654	7	FEW:02 100 BKN:07 130	10.00		53	11.7	48	8.9	43	6.1	69	3	360		29.95	3	-0.04	30.14	FM-15	0.00	30.13
11	0700	4		9.94		53	11.7	48	8.9	43	6.1	69	3	360		29.95	3	-0.04	30.14	FM-12		
11	0754	7	FEW:02 90 BKN:07 140	10.00		58	14.4	50	10.0	41	5.0	53	6	020		29.95			30.14	FM-15	0.00	30.13
11	0854	7	BKN:07 100 BKN:07 130	10.00		60	15.6	51	10.6	41	5.0	50	7	010		29.97			30.17	FM-15	0.00	30.15
11	0954	7	FEW:02 100 BKN:07 120	10.00		64	17.8	51	10.6	38	3.3	38	6	010		29.98	3	-0.03	30.17	FM-15	0.00	30.16
11	1054	7	FEW:02 55 FEW:02 95 SCT:04 120	10.00		66	18.9	52	11.1	37	2.8	34	6	090		29.97			30.16	FM-15	0.00	30.15
11	1154	7	FEW:02 65 FEW:02 120 SCT:04 300	10.00		68	20.0	52	11.1	35	1.7	30	6	VRB		29.95			30.15	FM-15	0.00	30.13
11	1254	7	FEW:02 70 FEW:02 120 SCT:04 300	10.00		69	20.6	53	11.7	36	2.2	30	7	VRB		29.93	8	+0.05	30.12	FM-15	0.00	30.11
11	1300	4	74	9.94		69	20.6	53	11.7	36	2.2	30	7			29.93	8	+0.05	30.12	FM-12		
11	1354	7	SCT:04 75 SCT:04 120 BKN:07 300	10.00		70	21.1	54	12.2	38	3.3	31	11	210		29.92			30.11	FM-15	0.00	30.10
11	1454	7	SCT:04 70 BKN:07 300	10.00		69	20.6	53	11.7	38	3.3	32	0	000		29.90			30.09	FM-15	0.00	30.08
11	1554	7	SCT:04 75 SCT:04 300	10.00		72	22.2	55	12.8	38	3.3	29	8	260		29.89	8	+0.04	30.08	FM-15	0.00	30.07
11	1654	7	SCT:04 75 SCT:04 300	10.00		71	21.7	55	12.8	40	4.4	32	8	220		29.88			30.07	FM-15	0.00	30.06
11	1754	7	FEW:02 70 SCT:04 95 SCT:04 300	10.00		69	20.6	54	12.2	40	4.4	35	10	210		29.87			30.06	FM-15	0.00	30.05
11	1854	7	SCT:04 85 SCT:04 100	10.00		67	19.4	54	12.2	42	5.6	41	7	210		29.88	5	0.00	30.08	FM-15	0.00	30.06
11	1900	4		9.94		67	19.4	54	12.2	42	5.6	41	7	210		29.88	5	0.00	30.08	FM-12		
11	1954	7	BKN:07 80	10.00		63	17.2	54	12.2	46	7.8	54	7	200		29.89			30.09	FM-15	0.00	30.07
11	2054	7	OVC:08 70	10.00		65	18.3	54	12.2	44	6.7	47	3	270		29.91			30.11	FM-15	0.00	30.09

11	2154	7	OVC:08 60	10.00		63	17.2	53	11.7	43	6.1	48	8	360		29.97	3	-0.08	30.16	FM-15	T	30.15
11	2254	7	OVC:08 60	10.00		62	16.7	52	11.1	43	6.1	50	13	020		29.98			30.18	FM-15	0.00	30.16
11	2354	7	OVC:08 60	10.00		60	15.6	51	10.6	42	5.6	52	10	010		30.01			30.20	FM-15	0.00	30.19
12	0054	7	OVC:08 60	10.00		59	15.0	47	8.3	34	1.1	39	10	010		30.00	0	-0.04	30.20	FM-15	0.00	30.18
12	0100	4	57	9.94		59	15.0	47	8.3	34	1.1	39	10	010		30.00	9	+0.04	30.20	FM-12		
12	0154	7	OVC:08 70	10.00		57	13.9	46	7.8	32	0.0	39	16	360	23	30.00			30.19	FM-15	0.00	30.18
12	0254	7	OVC:08 100	10.00		55	12.8	44	6.7	29	-1.7	37	15	010		30.04			30.23	FM-15	0.00	30.22
12	0354	7	BKN:07 100	10.00		54	12.2	43	6.1	27	-2.8	35	13	360		30.04	2	-0.04	30.23	FM-15	0.00	30.22
12	0454	7	OVC:08 85	10.00		53	11.7	42	5.6	26	-3.3	35	16	360	20	30.06			30.25	FM-15	0.00	30.24
12	0554	7	SCT:04 85 OVC:08 110	10.00		52	11.1	41	5.0	25	-3.9	35	13	360		30.08			30.27	FM-15	0.00	30.26
12	0654	7	OVC:08 100	10.00		52	11.1	42	5.6	27	-2.8	38	13	010		30.09	1	-0.06	30.29	FM-15	0.00	30.27
12	0700	4		9.94		52	11.1	42	5.6	27	-2.8	38	13	010		30.09	1	-0.06	30.29	FM-12		
12	0754	7	OVC:08 100	10.00		51	10.6	42	5.6	29	-1.7	43	8	360		30.10			30.29	FM-15	0.00	30.28
12	0854	7	OVC:08 110	10.00		53	11.7	43	6.1	31	-0.6	43	7	010		30.12			30.32	FM-15	0.00	30.30
12	0954	7	OVC:08 100	10.00		53	11.7	43	6.1	31	-0.6	43	6	010		30.13	1	-0.03	30.32	FM-15	0.00	30.31
12	1054	7	BKN:07 110 OVC:08 130	10.00		53	11.7	43	6.1	31	-0.6	43	10	360		30.12			30.31	FM-15	0.00	30.30
12	1154	7	OVC:08 110	10.00		55	12.8	45	7.2	33	0.6	44	7	VRB		30.11			30.30	FM-15	0.00	30.29
12	1254	7	OVC:08 110	10.00		55	12.8	45	7.2	34	1.1	45	3	VRB		30.08	8	+0.04	30.27	FM-15	0.00	30.26
12	1300	4		9.94		55	12.8	45	7.2	34	1.1	45	3			30.08	8	+0.04	30.27	FM-12		
12	1354	7	BKN:07 120 BKN:07 150	10.00		55	12.8	45	7.2	34	1.1	45	7	320		30.08			30.27	FM-15	0.00	30.26
12	1454	7	FEW:02 120 BKN:07 150	10.00		58	14.4	47	8.3	35	1.7	42	6	360		30.05			30.24	FM-15	0.00	30.23
12	1554	7	FEW:02 120 BKN:07 150 BKN:07 300	10.00		60	15.6	49	9.4	36	2.2	41	5	VRB		30.03	8	+0.05	30.22	FM-15	0.00	30.21
12	1654	7	FEW:02 120 SCT:04 150 SCT:04 300	10.00		62	16.7	50	10.0	37	2.8	40	7	020		30.02			30.22	FM-15	0.00	30.20
12	1754	7	BKN:07 150 BKN:07 300	10.00		60	15.6	50	10.0	39	3.9	46	0	000		30.03			30.22	FM-15	0.00	30.21
12	1854	7	SCT:04 150	10.00		59	15.0	49	9.4	38	3.3	46	0	000		30.04	3	-0.01	30.23	FM-15	0.00	30.22
12	1900	4		9.94		59	15.0	49	9.4	38	3.3	46	0	000		30.04	3	-0.01	30.23	FM-12		
12	1954	7	SCT:04 150	10.00		52	11.1	48	8.9	44	6.7	75	3	150		30.05			30.24	FM-15	0.00	30.23
12	2054	7	FEW:02 150	10.00		49	9.4	46	7.8	43	6.1	80	0	000		30.05			30.25	FM-15	0.00	30.23
12	2154	7	FEW:02 150	10.00		46	7.8	44	6.7	42	5.6	86	0	000		30.05	0	-0.01	30.24	FM-15	0.00	30.23
12	2254	7	CLR:00	10.00		47	8.3	44	6.7	41	5.0	80	0	000		30.06			30.25	FM-15	0.00	30.24
12	2354	7	CLR:00	10.00		45	7.2	43	6.1	41	5.0	86	0	000		30.06			30.25	FM-15	0.00	30.24
13	0054	7	CLR:00	10.00		46	7.8	44	6.7	41	5.0	83	0	000		30.05	8	0.00	30.24	FM-15	0.00	30.23
13	0100	4		9.94		46	7.8	44	6.7	41	5.0	83	0	000		30.05	8	0.00	30.24	FM-12		
13	0154	7	CLR:00	10.00		47	8.3	44	6.7	41	5.0	80	0	000		30.04			30.23	FM-15	0.00	30.22
13	0254	7	CLR:00	10.00		47	8.3	44	6.7	41	5.0	80	5	320		30.04			30.23	FM-15	0.00	30.22
13	0354	7	CLR:00	10.00		44	6.7	42	5.6	39	3.9	83	5	330		30.04	5	+0.01	30.23	FM-15	0.00	30.22
13	0454	7	FEW:02 70	10.00		45	7.2	42	5.6	39	3.9	80	3	350		30.04			30.24	FM-15	0.00	30.22
13	0554	7	FEW:02 70	10.00		47	8.3	44	6.7	40	4.4	77	8	350		30.07			30.26	FM-15	0.00	30.25
13	0654	7	FEW:02 70 FEW:02 150	10.00		52	11.1	47	8.3	42	5.6	69	8	010		30.08	3	-0.04	30.28	FM-15	0.00	30.26
13	0700	4	74	9.94		52	11.1	47	8.3	42	5.6	69	8	010		30.08	3	-0.04	30.28	FM-12		
13	0754	7	FEW:02 250	10.00		60	15.6	51	10.6	42	5.6	52	10	030		30.09			30.28	FM-15	0.00	30.27
13	0854	7	CLR:00	10.00		64	17.8	52	11.1	39	3.9	40	10	050		30.09			30.28	FM-15	0.00	30.27
13	0954	7	CLR:00	10.00		68	20.0	53	11.7	38	3.3	33	14	010		30.10	3	-0.02	30.29	FM-15	0.00	30.28
13	1054	7	FEW:02 70	10.00		70	21.1	52	11.1	34	1.1	27	10	350		30.10			30.29	FM-15	0.00	30.28
13	1154	7	BKN:07 90	10.00		71	21.7	52	11.1	32	0.0	24	10	040		30.08			30.27	FM-15	0.00	30.26
13	1254	7	BKN:07 85	10.00		67	19.4	50	10.0	31	-0.6	26	13	020		30.06	8	+0.04	30.26	FM-15	0.00	30.24
13	1300	4		9.94		67	19.4	50	10.0	31	-0.6	26	13	020		30.06	8	+0.04	30.26	FM-12		
13	1354	7	BKN:07 90	10.00		69	20.6	51	10.6	30	-1.1	23	11	030		30.05			30.24	FM-15	0.00	30.23
13	1454	7	FEW:02 95	10.00		68	20.0	50	10.0	29	-1.7	23	10	360		30.04			30.23	FM-15	0.00	30.22

13	1554	7	CLR:00	10.00		69	20.6	50	10.0	28	-2.2	22	10	340		30.02	6	+0.04	30.22	FM-15	0.00	30.20
13	1654	7	SCT:04 100	10.00		70	21.1	51	10.6	28	-2.2	21	7	300		30.02			30.22	FM-15	0.00	30.20
13	1754	7	BKN:07 100	10.00		66	18.9	50	10.0	32	0.0	28	7	040		30.02			30.22	FM-15	0.00	30.20
13	1854	7	CLR:00	10.00		62	16.7	49	9.4	34	1.1	35	6	040		30.03	3	-0.01	30.22	FM-15	0.00	30.21
13	1900	4		9.94		62	16.7	49	9.4	34	1.1	35	6	040		30.03	3	-0.01	30.22	FM-12		
13	1954	7	CLR:00	10.00		56	13.3	47	8.3	38	3.3	51	0	000		30.04			30.23	FM-15	0.00	30.22
13	2054	7	CLR:00	10.00		53	11.7	46	7.8	39	3.9	59	0	000		30.06			30.25	FM-15	0.00	30.24
13	2154	7	CLR:00	10.00		52	11.1	46	7.8	39	3.9	61	0	000		30.07	3	-0.04	30.26	FM-15	0.00	30.25
13	2254	7	CLR:00	10.00		50	10.0	45	7.2	39	3.9	66	0	000		30.07			30.26	FM-15	0.00	30.25
13	2354	7	CLR:00	10.00		48	8.9	44	6.7	39	3.9	71	0	000		30.07			30.26	FM-15	0.00	30.25
14	0054	7	CLR:00	10.00		48	8.9	44	6.7	39	3.9	71	0	000		30.06	8	0.00	30.26	FM-15	0.00	30.24
14	0100	4		9.94		48	8.9	44	6.7	39	3.9	71	0	000		30.06			30.26	FM-12		
14	0154	7	CLR:00	10.00		46	7.8	43	6.1	39	3.9	77	0	000		30.06			30.25	FM-15	0.00	30.24
14	0254	7	CLR:00	10.00		45	7.2	42	5.6	39	3.9	80	0	000		30.06			30.25	FM-15	0.00	30.24
14	0354	7	CLR:00	10.00		43	6.1	41	5.0	39	3.9	86	0	000		30.06	5	0.00	30.26	FM-15	0.00	30.24
14	0454	7	FEW:02 120	10.00		42	5.6	40	4.4	38	3.3	85	0	000		30.06			30.26	FM-15	0.00	30.24
14	0554	7	FEW:02 120	10.00		45	7.2	43	6.1	41	5.0	86	0	000		30.08			30.27	FM-15	0.00	30.26
14	0654	7	CLR:00	10.00		56	13.3	49	9.4	41	5.0	57	5	300		30.09	3	-0.03	30.29	FM-15	0.00	30.27
14	0700	4		9.94		56	13.3	49	9.4	41	5.0	57	5	300		30.09	3	-0.03	30.29	FM-12		
14	0754	7	CLR:00	10.00		62	16.7	50	10.0	38	3.3	41	6	350		30.10			30.29	FM-15	0.00	30.28
14	0854	7	FEW:02 150	10.00		66	18.9	52	11.1	39	3.9	37	6	360		30.10			30.29	FM-15	0.00	30.28
14	0954	7	FEW:02 150	10.00		71	21.7	54	12.2	37	2.8	29	6	040		30.10	0	0.00	30.29	FM-15	0.00	30.28
14	1054	7	SCT:04 65 BKN:07 120	10.00		71	21.7	53	11.7	33	0.6	25	5	VRB		30.09			30.28	FM-15	0.00	30.27
14	1154	7	SCT:04 45 BKN:07 110 BKN:07 180	10.00		70	21.1	51	10.6	30	-1.1	23	6	330		30.08			30.27	FM-15	0.00	30.26
14	1254	7	SCT:04 60 BKN:07 120 BKN:07 180	10.00		72	22.2	53	11.7	33	0.6	24	9	060		30.07	6	+0.03	30.26	FM-15	0.00	30.25
14	1300	4	57	9.94		72	22.2	53	11.7	33	0.6	24	9	060		30.07	6	+0.03	30.26	FM-12		
14	1354	7	FEW:02 55 BKN:07 90 BKN:07 120	10.00		68	20.0	51	10.6	33	0.6	27	3	120		30.07			30.26	FM-15	0.00	30.25
14	1454	7	FEW:02 45 SCT:04 90 BKN:07 150	10.00		70	21.1	53	11.7	36	2.2	29	8	200		30.05			30.24	FM-15	0.00	30.23
14	1554	7	SCT:04 110 BKN:07 150	10.00		71	21.7	54	12.2	37	2.8	29	10	050	17	30.05	8	+0.02	30.24	FM-15	0.00	30.23
14	1654	7	SCT:04 90 BKN:07 150	10.00		68	20.0	52	11.1	35	1.7	30	9	050		30.05			30.24	FM-15	0.00	30.23
14	1754	7	SCT:04 100 BKN:07 150	10.00		67	19.4	53	11.7	39	3.9	36	0	000		30.04			30.24	FM-15	0.00	30.22
14	1854	7	SCT:04 90 BKN:07 150	10.00		65	18.3	51	10.6	37	2.8	36	0	000		30.05	1	0.00	30.24	FM-15	0.00	30.23
14	1900	4		9.94		65	18.3	51	10.6	37	2.8	36	0	000		30.05	1	0.00	30.24	FM-12		
14	1954	7	SCT:04 100	10.00		58	14.4	50	10.0	42	5.6	56	0	000		30.05			30.24	FM-15	0.00	30.23
14	2054	7	FEW:02 100	10.00		55	12.8	49	9.4	42	5.6	62	0	000		30.06			30.26	FM-15	0.00	30.24
14	2154	7	CLR:00	10.00		53	11.7	48	8.9	42	5.6	66	0	000		30.06	0	-0.01	30.26	FM-15	0.00	30.24
14	2254	7	CLR:00	10.00		50	10.0	46	7.8	42	5.6	74	0	000		30.06			30.25	FM-15	0.00	30.24
14	2354	7	CLR:00	10.00		49	9.4	46	7.8	42	5.6	77	0	000		30.06			30.26	FM-15	0.00	30.24
15	0054	7	CLR:00	10.00		48	8.9	45	7.2	41	5.0	77	0	000		30.06	8	0.00	30.25	FM-15	0.00	30.24
15	0100	4		9.94		48	8.9	45	7.2	41	5.0	77	0	000		30.06	8	0.00	30.25	FM-12		
15	0154	7	CLR:00	10.00		46	7.8	43	6.1	40	4.4	79	0	000		30.06			30.25	FM-15	0.00	30.24
15	0254	7	CLR:00	10.00		45	7.2	43	6.1	41	5.0	86	0	000		30.05			30.25	FM-15	0.00	30.23
15	0354	7	CLR:00	10.00		45	7.2	43	6.1	40	4.4	83	0	000		30.06	5	0.00	30.25	FM-15	0.00	30.24
15	0454	7	FEW:02 80	10.00		45	7.2	43	6.1	41	5.0	86	0	000		30.06			30.25	FM-15	0.00	30.24
15	0554	7	FEW:02 80	10.00		46	7.8	44	6.7	42	5.6	86	0	000		30.08			30.27	FM-15	0.00	30.26
15	0654	7	FEW:02 80	10.00		58	14.4	51	10.6	45	7.2	62	5	310		30.08	3	-0.02	30.27	FM-15	0.00	30.26
15	0700	4	74	9.94		58	14.4	51	10.6	45	7.2	62	5	310		30.08	3	-0.02	30.27	FM-12		

15	0754	7	FEW:02 40 FEW:02 100	10.00		65	18.3	54	12.2	45	7.2	49	6	300		30.09			30.28	FM-15	0.00	30.27
15	0854	7	FEW:02 100	10.00		70	21.1	55	12.8	41	5.0	35	6	270		30.09			30.28	FM-15	0.00	30.27
15	0954	7	FEW:02 100	10.00		73	22.8	55	12.8	37	2.8	27	6	VRB		30.09	0	-0.01	30.28	FM-15	0.00	30.27
15	1054	7	FEW:02 90 SCT:04 120	10.00		73	22.8	53	11.7	32	0.0	22	6	250		30.09			30.28	FM-15	0.00	30.27
15	1154	7	SCT:04 95 BKN:07 300	10.00		77	25.0	55	12.8	33	0.6	20	10	010		30.07			30.27	FM-15	0.00	30.25
15	1254	7	BKN:07 100	10.00		73	22.8	53	11.7	32	0.0	22	9	060		30.05	8	+0.04	30.24	FM-15	0.00	30.23
15	1300	4		9.94		73	22.8	53	11.7	32	0.0	22	9	060		30.05	8	+0.04	30.24	FM-12		
15	1354	7	SCT:04 95 BKN:07 300	10.00		75	23.9	54	12.2	32	0.0	21	9	050		30.03			30.23	FM-15	0.00	30.21
15	1454	7	SCT:04 95 BKN:07 300	10.00		74	23.3	54	12.2	33	0.6	22	10	030		30.02			30.21	FM-15	0.00	30.20
15	1554	7	SCT:04 100 SCT:04 250	10.00		79	26.1	56	13.3	34	1.1	20	3	VRB		30.01	6	+0.04	30.20	FM-15	0.00	30.19
15	1654	7	SCT:04 100 SCT:04 250	10.00		73	22.8	54	12.2	36	2.2	26	6	050		30.01			30.21	FM-15	0.00	30.19
15	1754	7	FEW:02 95 FEW:02 250	10.00		71	21.7	52	11.1	32	0.0	24	3	090		30.02			30.21	FM-15	0.00	30.20
15	1854	7	FEW:02 80 FEW:02 250	10.00		67	19.4	51	10.6	35	1.7	31	8	090		30.02	3	-0.01	30.21	FM-15	0.00	30.20
15	1900	4	74	9.94		67	19.4	51	10.6	35	1.7	31	8	090		30.02	3	-0.01	30.21	FM-12		
15	1954	7	FEW:02 80 FEW:02 250	10.00		63	17.2	52	11.1	41	5.0	45	6	150		30.04			30.23	FM-15	0.00	30.22
15	2054	7	FEW:02 80	10.00		61	16.1	51	10.6	42	5.6	50	5	140		30.05			30.24	FM-15	0.00	30.23
15	2154	7	FEW:02 80	10.00		57	13.9	50	10.0	42	5.6	58	9	120		30.06	1	-0.04	30.24	FM-15	0.00	30.24
15	2254	6	FEW:02 80	10.00		54	12.2	48	8.9	42	5.6	64	3	160		30.06			30.26	FM-15	0.00	30.24
15	2354	6	FEW:02 80	10.00		54	12.2	48	8.9	42	5.6	64	5	140		30.07			30.26	FM-15	0.00	30.25
16	0054	6	SCT:04 80	10.00		52	11.1	47	8.3	42	5.6	69	0	000		30.05	8	+0.01	30.24	FM-15	0.00	30.23
16	0154	6	FEW:02 80 SCT:04 250	10.00		51	10.6	47	8.3	42	5.6	71	0	000		30.05			30.24	FM-15	0.00	30.23
16	0254	7	SCT:04 250	10.00		49	9.4	46	7.8	42	5.6	77	0	000		30.05			30.24	FM-15	0.00	30.23
16	0354	7	FEW:02 250	10.00		47	8.3	44	6.7	41	5.0	80	5	120		30.07	3	-0.02	30.27	FM-15	0.00	30.25
16	0454	7	FEW:02 250 BKN:07 300	10.00		46	7.8	44	6.7	42	5.6	86	0	000		30.08			30.27	FM-15	0.00	30.26
16	0554	7	FEW:02 250 SCT:04 300	10.00		48	8.9	46	7.8	43	6.1	83	0	000		30.09			30.28	FM-15	0.00	30.27
16	0654	7	FEW:02 180	10.00		54	12.2	49	9.4	45	7.2	72	0	000		30.10	1	-0.03	30.29	FM-15	0.00	30.28
16	0700	4		9.94		54	12.2	49	9.4	45	7.2	72	0	000		30.10	1	-0.03	30.29	FM-12		
16	0754	7	FEW:02 180 BKN:07 250	10.00		61	16.1	52	11.1	44	6.7	54	0	000		30.10			30.30	FM-15	0.00	30.28
16	0854	7	BKN:07 180 OVC:08 250	10.00		63	17.2	54	12.2	46	7.8	54	5	130		30.12			30.31	FM-15	0.00	30.30
16	0954	7	BKN:07 180 OVC:08 250	10.00		65	18.3	55	12.8	47	8.3	52	3	130		30.12	3	-0.02	30.32	FM-15	0.00	30.30
16	1054	7	SCT:04 180 BKN:07 250	10.00		69	20.6	55	12.8	43	6.1	39	7	140		30.11			30.31	FM-15	0.00	30.29
16	1154	7	BKN:07 250	10.00		71	21.7	55	12.8	39	3.9	31	6	VRB		30.10			30.29	FM-15	0.00	30.28
16	1254	7	FEW:02 180 BKN:07 250	10.00		73	22.8	55	12.8	39	3.9	29	7	210		30.09	8	+0.03	30.28	FM-15	0.00	30.27
16	1300	4		9.94		73	22.8	55	12.8	39	3.9	29	7	210		30.09	8	+0.03	30.28	FM-12		
16	1354	7	FEW:02 55 BKN:07 150 OVC:08 250	10.00		72	22.2	55	12.8	39	3.9	30	9	240		30.08			30.27	FM-15	0.00	30.26
16	1454	7	FEW:02 55 BKN:07 100 OVC:08 200	10.00		71	21.7	56	13.3	42	5.6	35	5	VRB		30.06			30.25	FM-15	0.00	30.24
16	1554	7	FEW:02 60 OVC:08 95	10.00		69	20.6	55	12.8	43	6.1	39	9	280		30.05	6	+0.04	30.25	FM-15	0.00	30.23
16	1654	7	OVC:08 80	10.00		68	20.0	55	12.8	44	6.7	42	5	350		30.05			30.24	FM-15	0.00	30.23
16	1754	7	OVC:08 80	10.00		67	19.4	54	12.2	43	6.1	42	7	150		30.05			30.24	FM-15	0.00	30.23

16	1854	7	OVC:08 75	10.00		65	18.3	54	12.2	44	6.7	47	9	100		30.05	8	+0.01	30.24	FM-15	0.00	30.23
16	1900	4	74	9.94		65	18.3	54	12.2	44	6.7	47	9	100		30.05	8	+0.01	30.24	FM-12		
16	1954	7	BKN:07 70	10.00		64	17.8	55	12.8	47	8.3	54	5	360		30.05			30.25	FM-15	0.00	30.23
16	2054	7	BKN:07 70	10.00		63	17.2	55	12.8	49	9.4	60	6	070		30.06			30.26	FM-15	0.00	30.24
16	2154	7	BKN:07 70	10.00		61	16.1	55	12.8	50	10.0	67	6	040		30.07	3	-0.02	30.27	FM-15	0.00	30.25
16	2254	7	BKN:07 65	10.00		60	15.6	55	12.8	50	10.0	70	5	070		30.09			30.28	FM-15	0.00	30.27
16	2354	7	BKN:07 65	10.00		60	15.6	55	12.8	50	10.0	70	0	000		30.08			30.27	FM-15	0.00	30.26
17	0054	7	BKN:07 90	10.00		57	13.9	53	11.7	50	10.0	78	0	000		30.08	0	-0.01	30.27	FM-15	0.00	30.26
17	0100	4		9.94		57	13.9	53	11.7	50	10.0	78	0	000		30.08	9	+0.01	30.27	FM-12		
17	0154	7	FEW:02 90	10.00		54	12.2	51	10.6	49	9.4	83	0	000		30.08			30.27	FM-15	0.00	30.26
17	0254	7	FEW:02 50	10.00		53	11.7	51	10.6	49	9.4	86	0	000		30.08			30.27	FM-15	0.00	30.26
17	0354	7	FEW:02 50	10.00		51	10.6	49	9.4	48	8.9	89	0	000		30.08	8	0.00	30.27	FM-15	0.00	30.26
17	0454	7	FEW:02 50	10.00		51	10.6	49	9.4	48	8.9	89	3	020		30.08			30.27	FM-15	0.00	30.26
17	0554	7	FEW:02 85	10.00		53	11.7	51	10.6	50	10.0	89	3	340		30.11			30.30	FM-15	0.00	30.29
17	0654	7	FEW:02 90 SCT:04 300	10.00		59	15.0	55	12.8	51	10.6	75	3	040		30.12	3	-0.04	30.31	FM-15	0.00	30.30
17	0700	4		9.94		59	15.0	55	12.8	51	10.6	75	3	040		30.12	3	-0.04	30.31	FM-12		
17	0754	7	FEW:02 95 BKN:07 300	10.00		66	18.9	59	15.0	53	11.7	63	0	000		30.13			30.32	FM-15	0.00	30.31
17	0854	7	FEW:02 100 BKN:07 300	10.00		69	20.6	59	15.0	52	11.1	55	5	020		30.13			30.32	FM-15	0.00	30.31
17	0954	7	FEW:02 55 FEW:02 100 BKN:07 300	10.00		71	21.7	58	14.4	47	8.3	42	5	190		30.13	1	-0.01	30.32	FM-15	0.00	30.31
17	1054	7	BKN:07 55 BKN:07 100 BKN:07 300	10.00		73	22.8	59	15.0	47	8.3	40	5	VRB		30.13			30.32	FM-15	0.00	30.31
17	1154	7	BKN:07 60 BKN:07 300	10.00		73	22.8	59	15.0	47	8.3	40	0	000		30.12			30.31	FM-15	0.00	30.30
17	1254	7	BKN:07 160 BKN:07 190 BKN:07 300	10.00		76	24.4	60	15.6	47	8.3	36	3	VRB		30.10	8	+0.03	30.29	FM-15	0.00	30.28
17	1300	4		9.94		76	24.4	60	15.6	47	8.3	36	3			30.10	8	+0.03	30.29	FM-12		
17	1305	7	BKN:07 60 BKN:07 190 BKN:07 300	10.00		75	23.9	59	15.0	45	7.2	34	7	VRB		30.10				FM-16		30.28
17	1354	7	BKN:07 65 BKN:07 190 BKN:07 300	10.00		73	22.8	58	14.4	46	7.8	38	3	VRB		30.09			30.29	FM-15	0.00	30.27
17	1454	7	BKN:07 70 BKN:07 210	10.00		75	23.9	59	15.0	47	8.3	37	3	VRB		30.08			30.27	FM-15	0.00	30.26
17	1554	7	SCT:04 65 SCT:04 180 OVC:08 250	10.00		74	23.3	59	15.0	48	8.9	40	8	090		30.08	6	+0.03	30.27	FM-15	0.00	30.26
17	1654	7	SCT:04 70 OVC:08 150	10.00		73	22.8	59	15.0	48	8.9	41	8	100		30.08			30.27	FM-15	0.00	30.26
17	1754	7	BKN:07 65 BKN:07 150 OVC:08 300	10.00		71	21.7	59	15.0	49	9.4	46	10	140		30.09			30.28	FM-15	0.00	30.27
17	1854	7	SCT:04 60 BKN:07 180 OVC:08 300	10.00		67	19.4	57	13.9	48	8.9	51	11	130		30.11	3	-0.03	30.30	FM-15	0.00	30.29
17	1900	4	57	9.94		67	19.4	57	13.9	48	8.9	51	11	130		30.11	3	-0.03	30.30	FM-12		
17	1954	7	SCT:04 60 BKN:07 180 OVC:08 300	10.00		65	18.3	55	12.8	47	8.3	52	7	140		30.12			30.31	FM-15	0.00	30.30
17	2054	7	FEW:02 60 SCT:04 180 BKN:07 300	10.00		63	17.2	55	12.8	47	8.3	56	5	140		30.13			30.32	FM-15	0.00	30.31
17	2154	7	FEW:02 180 SCT:04 300	10.00		59	15.0	53	11.7	47	8.3	64	5	120		30.15	3	-0.04	30.34	FM-15	0.00	30.33
17	2254	7	SCT:04 300	10.00		57	13.9	52	11.1	47	8.3	69	0	000		30.14			30.33	FM-15	0.00	30.32

17	2354	7	SCT:04 300	10.00		55	12.8	51	10.6	47	8.3	74	0	000		30.15			30.34	FM-15	0.00	30.33
18	0054	7	SCT:04 300	10.00		52	11.1	49	9.4	47	8.3	83	0	000		30.14	8	+0.01	30.33	FM-15		30.32
18	0100	4		9.94		52	11.1	49	9.4	47	8.3	83	0	000		30.14	8	+0.01	30.33	FM-12		
18	0154	7	FEW:02 300	10.00		51	10.6	49	9.4	47	8.3	86	0	000		30.14			30.33	FM-15		30.32
18	0254	7	FEW:02 300	10.00		50	10.0	49	9.4	47	8.3	89	0	000		30.14			30.34	FM-15		30.32
18	0354	7	FEW:02 300	10.00		49	9.4	47	8.3	45	7.2	86	0	000		30.15	3	-0.01	30.34	FM-15		30.33
18	0454	7	SCT:04 250	10.00		49	9.4	47	8.3	45	7.2	86	0	000		30.16			30.35	FM-15		30.34
18	0554	7	BKN:07 300	10.00		50	10.0	48	8.9	46	7.8	86	0	000		30.18			30.37	FM-15		30.36
18	0654	7	BKN:07 300	10.00		60	15.6	55	12.8	51	10.6	72	0	000		30.19	3	-0.05	30.39	FM-15		30.37
18	0700	4		9.94		60	15.6	55	12.8	51	10.6	72	0	000		30.19	3	-0.05	30.39	FM-12		
18	0754	7	FEW:02 100 BKN:07 300	10.00		64	17.8	58	14.4	53	11.7	68	3	VRB		30.22			30.41	FM-15		30.40
18	0854	7	FEW:02 90 BKN:07 300	10.00		69	20.6	58	14.4	48	8.9	47	0	000		30.23			30.42	FM-15		30.41
18	0954	7	FEW:02 80 BKN:07 300	10.00		73	22.8	58	14.4	45	7.2	37	3	VRB		30.22	0	-0.03	30.41	FM-15		30.40
18	1054	7	FEW:02 65 SCT:04 300	10.00		75	23.9	59	15.0	45	7.2	34	10	090		30.22			30.41	FM-15	0.00	30.40
18	1154	6	FEW:02 65 FEW:02 90 SCT:04 300	10.00		77	25.0	59	15.0	45	7.2	32	6	060		30.20			30.39	FM-15	0.00	30.38
18	1254	7	FEW:02 65 BKN:07 300	10.00		77	25.0	60	15.6	46	7.8	33	5	030		30.19	8	+0.04	30.38	FM-15	0.00	30.37
18	1300	4	57	9.94		77	25.0	60	15.6	46	7.8	33	5	030		30.19	8	+0.04	30.38	FM-12		
18	1354	7	FEW:02 65 BKN:07 300	10.00		79	26.1	60	15.6	44	6.7	29	6	320		30.17			30.36	FM-15	0.00	30.35
18	1454	7	FEW:02 75 SCT:04 300	10.00		78	25.6	60	15.6	45	7.2	31	3	VRB		30.14			30.34	FM-15	0.00	30.32
18	1554	7	FEW:02 75 SCT:04 300	10.00		80	26.7	60	15.6	44	6.7	28	7	060		30.13	6	+0.06	30.32	FM-15	0.00	30.31
18	1654	7	FEW:02 75 SCT:04 300	10.00		78	25.6	59	15.0	44	6.7	30	6	080		30.12			30.32	FM-15	0.00	30.30
18	1754	7	FEW:02 75 SCT:04 300	10.00		76	24.4	59	15.0	44	6.7	32	6	100		30.12			30.31	FM-15	0.00	30.30
18	1854	7	SCT:04 300	10.00		69	20.6	58	14.4	48	8.9	47	7	120		30.12	5	0.00	30.32	FM-15	0.00	30.30
18	1900	4		9.94		69	20.6	58	14.4	48	8.9	47	7	120		30.12	5	0.00	30.32	FM-12		
18	1954	7	FEW:02 300	10.00		66	18.9	56	13.3	47	8.3	50	8	130		30.13			30.32	FM-15	0.00	30.31
18	2054	7	FEW:02 300	10.00		62	16.7	54	12.2	46	7.8	56	6	120		30.15			30.34	FM-15	0.00	30.33
18	2154	7	FEW:02 300	10.00		61	16.1	53	11.7	46	7.8	58	0	000		30.16	3	-0.04	30.35	FM-15	0.00	30.34
18	2254	7	FEW:02 300	10.00		59	15.0	52	11.1	45	7.2	60	3	130		30.17			30.36	FM-15	0.00	30.35
18	2354	7	CLR:00	10.00		57	13.9	51	10.6	45	7.2	64	0	000		30.17			30.36	FM-15	0.00	30.35
19	0054	7	CLR:00	10.00		54	12.2	50	10.0	45	7.2	72	3	200		30.16	8	0.00	30.35	FM-15	0.00	30.34
19	0100	4		9.94		54	12.2	50	10.0	45	7.2	72	3	200		30.16	8	0.00	30.35	FM-12		
19	0154	7	CLR:00	10.00		55	12.8	51	10.6	47	8.3	74	3	210		30.16			30.35	FM-15	0.00	30.34
19	0254	7	CLR:00	10.00		54	12.2	50	10.0	47	8.3	77	0	000		30.16			30.35	FM-15	0.00	30.34
19	0354	7	CLR:00	10.00		51	10.6	49	9.4	46	7.8	83	3	210		30.16	3	0.00	30.35	FM-15	0.00	30.34
19	0454	7	CLR:00	10.00		53	11.7	50	10.0	47	8.3	80	0	000		30.17			30.36	FM-15	0.00	30.35
19	0554	7	FEW:02 300	10.00		56	13.3	53	11.7	50	10.0	81	3	220		30.18			30.37	FM-15	0.00	30.36
19	0654	7	FEW:02 300	10.00		64	17.8	58	14.4	53	11.7	68	6	VRB		30.19	1	-0.03	30.38	FM-15	0.00	30.37
19	0700	4		9.94		64	17.8	58	14.4	53	11.7	68	6	VRB		30.19	1	-0.03	30.38	FM-12		
19	0754	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	7	260		30.20			30.39	FM-15	0.00	30.38
19	0854	7	CLR:00	10.00		75	23.9	63	17.2	55	12.8	50	6	VRB		30.21			30.40	FM-15	0.00	30.39
19	0954	7	CLR:00	10.00		77	25.0	63	17.2	54	12.2	45	3	220		30.21	1	-0.02	30.40	FM-15	0.00	30.39
19	1054	7	FEW:02 70	10.00		79	26.1	61	16.1	47	8.3	32	8	140		30.21			30.40	FM-15	0.00	30.39
19	1154	7	FEW:02 70	10.00		80	26.7	61	16.1	46	7.8	30	5	070		30.20			30.39	FM-15	0.00	30.38
19	1254	7	FEW:02 70	10.00		83	28.3	62	16.7	47	8.3	28	8	190		30.18	8	+0.04	30.37	FM-15	0.00	30.36
19	1300	4	74	9.94		83	28.3	62	16.7	47	8.3	28	8	190		30.18	8	+0.04	30.37	FM-12		
19	1354	7	FEW:02 70	10.00		83	28.3	62	16.7	46	7.8	27	5	VRB		30.17			30.35	FM-15	0.00	30.35
19	1454	7	FEW:02 70	10.00		83	28.3	62	16.7	46	7.8	27	7	170		30.16			30.35	FM-15	0.00	30.34

19	1554	7	FEW:02 70	10.00		84	28.9	62	16.7	46	7.8	27	6	140		30.15	6	+0.03	30.34	FM-15	0.00	30.33
19	1654	7	FEW:02 70 FEW:02 300	10.00		83	28.3	62	16.7	47	8.3	28	6	140		30.14			30.33	FM-15	0.00	30.32
19	1754	7	BKN:07 300	10.00		82	27.8	62	16.7	47	8.3	29	3	210		30.14			30.33	FM-15	0.00	30.32
19	1854	7	BKN:07 300	10.00		78	25.6	61	16.1	48	8.9	35	5	160		30.14	6	+0.01	30.33	FM-15	0.00	30.32
19	1900	4		9.94		78	25.6	61	16.1	48	8.9	35	5	160		30.14	6	+0.01	30.33	FM-12		
19	1954	7	BKN:07 300	10.00		72	22.2	60	15.6	51	10.6	48	3	140		30.15			30.34	FM-15	0.00	30.33
19	2054	7	SCT:04 300	10.00		68	20.0	59	15.0	51	10.6	55	3	130		30.16			30.35	FM-15	0.00	30.34
19	2154	7	FEW:02 300	10.00		66	18.9	58	14.4	51	10.6	59	0	000		30.17	3	-0.03	30.36	FM-15	0.00	30.35
19	2254	7	FEW:02 300	10.00		64	17.8	57	13.9	52	11.1	65	0	000		30.17			30.36	FM-15	0.00	30.35
19	2354	7	FEW:02 300	10.00		62	16.7	56	13.3	51	10.6	67	0	000		30.17			30.36	FM-15	0.00	30.35
20	0054	7	FEW:02 300	10.00		61	16.1	56	13.3	51	10.6	70	0	000		30.17	3	-0.01	30.36	FM-15	0.00	30.35
20	0100	4		9.94		61	16.1	56	13.3	51	10.6	70	0	000		30.17	3	-0.01	30.36	FM-12		
20	0154	7	CLR:00	10.00		59	15.0	55	12.8	51	10.6	75	0	000		30.17			30.36	FM-15	0.00	30.35
20	0254	7	CLR:00	10.00		57	13.9	54	12.2	51	10.6	81	0	000		30.17			30.36	FM-15	0.00	30.35
20	0354	7	CLR:00	10.00		57	13.9	54	12.2	51	10.6	81	0	000		30.17	6	+0.01	30.36	FM-15	0.00	30.35
20	0454	7	FEW:02 250	10.00		55	12.8	52	11.1	50	10.0	83	0	000		30.19			30.37	FM-15	0.00	30.37
20	0554	7	FEW:02 300	10.00		57	13.9	54	12.2	52	11.1	83	0	000		30.21			30.40	FM-15	0.00	30.39
20	0654	7	BKN:07 300	10.00		68	20.0	59	15.0	53	11.7	59	5	320		30.23	3	-0.06	30.42	FM-15	0.00	30.41
20	0700	4		9.94		68	20.0	59	15.0	53	11.7	59	5	320		30.23	3	-0.06	30.42	FM-12		
20	0754	7	BKN:07 300	10.00		74	23.3	62	16.7	53	11.7	48	3	330		30.24			30.42	FM-15	0.00	30.42
20	0854	7	BKN:07 300	10.00		80	26.7	64	17.8	53	11.7	39	3	VRB		30.23			30.42	FM-15	0.00	30.41
20	0954	7	BKN:07 300	10.00		84	28.9	64	17.8	49	9.4	30	5	360		30.23	1	-0.01	30.42	FM-15	0.00	30.41
20	1054	7	BKN:07 300	10.00		85	29.4	64	17.8	49	9.4	29	5	VRB		30.23			30.42	FM-15	0.00	30.41
20	1154	7	BKN:07 300	10.00		86	30.0	63	17.2	46	7.8	25	3	070		30.22			30.41	FM-15	0.00	30.40
20	1254	7	FEW:02 85 BKN:07 300	10.00		89	31.7	65	18.3	49	9.4	25	3	VRB		30.21	6	+0.02	30.40	FM-15	0.00	30.39
20	1300	4		9.94		89	31.7	65	18.3	49	9.4	25	3			30.21	6	+0.02	30.40	FM-12		
20	1354	7	SCT:04 80 BKN:07 300	10.00		88	31.1	66	18.9	51	10.6	28	9	050		30.20			30.39	FM-15	0.00	30.38
20	1454	7	SCT:04 85 BKN:07 300	10.00		90	32.2	66	18.9	50	10.0	25	7	020		30.18			30.37	FM-15	0.00	30.36
20	1554	7	SCT:04 85 SCT:04 300	10.00		88	31.1	66	18.9	52	11.1	29	6	060		30.18	6	+0.04	30.37	FM-15	0.00	30.36
20	1654	7	FEW:02 85 FEW:02 300	10.00		82	27.8	69	20.6	61	16.1	49	18	120		30.19			30.38	FM-15	0.00	30.37
20	1754	7	FEW:02 80 FEW:02 300	10.00		75	23.9	59	15.0	46	7.8	36	14	120		30.21			30.40	FM-15	0.00	30.39
20	1854	7	FEW:02 75 FEW:02 300	10.00		71	21.7	55	12.8	39s	39ss	31	9	100		30.23	2	-0.05	30.42	FM-15	0.00	30.41
20	1900	4	74	9.94		71	21.7	55	12.8	39s	39ss	31	9	100		30.23	2	-0.05	30.42	FM-12		
20	1954	7	FEW:02 250	10.00		66	18.9	53	11.7	40s	40ss	39	9	100		30.25			30.44	FM-15	0.00	30.43
20	2054	7	FEW:02 250	10.00		64	17.8	53	11.7	42	5.6	45	7	110		30.28			30.47	FM-15	0.00	30.46
20	2154	7	FEW:02 250	10.00		62	16.7	53	11.7	44	6.7	52	3	100		30.29	1	-0.06	30.47	FM-15	0.00	30.47
20	2254	7	FEW:02 250	10.00		59	15.0	52	11.1	45	7.2	60	0	000		30.30			30.49	FM-15	0.00	30.48
20	2354	7	FEW:02 300	10.00		59	15.0	53	11.7	47	8.3	64	0	000		30.30			30.49	FM-15	0.00	30.48
21	0054	7	CLR:00	10.00		57	13.9	52	11.1	47	8.3	69	0	000		30.29	0	-0.01	30.48	FM-15	0.00	30.47
21	0100	4		9.94		57	13.9	52	11.1	47	8.3	69	0	000		30.29	9	+0.01	30.48	FM-12		
21	0154	7	CLR:00	10.00		56	13.3	52	11.1	49	9.4	77	5	360		30.30			30.49	FM-15	0.00	30.48
21	0254	7	CLR:00	10.00		54	12.2	51	10.6	49	9.4	83	6	360		30.31			30.50	FM-15	0.00	30.49
21	0354	7	CLR:00	10.00		54	12.2	51	10.6	49	9.4	83	5	360		30.30	0	-0.01	30.50	FM-15	0.00	30.48
21	0454	7	CLR:00	10.00		53	11.7	50	10.0	48	8.9	83	3	030		30.31			30.50	FM-15	0.00	30.49
21	0554	7	CLR:00	10.00		56	13.3	53	11.7	51	10.6	84	0	000		30.33			30.52	FM-15	0.00	30.51
21	0654	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	5	VRB		30.35	3	-0.04	30.54	FM-15	0.00	30.53
21	0700	4		9.94		61	16.1	56	13.3	52	11.1	72	5			30.35	3	-0.04	30.54	FM-12		
21	0754	7	CLR:00	10.00		66	18.9	59	15.0	53	11.7	63	6	VRB		30.35			30.54	FM-15	0.00	30.53
21	0854	7	CLR:00	10.00		71	21.7	59	15.0	50	10.0	47	6	VRB		30.35			30.54	FM-15	0.00	30.53
21	0954	7	CLR:00	10.00		75	23.9	59	15.0	45	7.2	34	9	080		30.35	1	0.00	30.54	FM-15	0.00	30.53

21	1054	7	CLR:00	10.00		77	25.0	59	15.0	45	7.2	32	10	080		30.35			30.53	FM-15	0.00	30.53
21	1154	7	CLR:00	10.00		79	26.1	61	16.1	47	8.3	32	10	050		30.33			30.52	FM-15	0.00	30.51
21	1254	7	CLR:00	10.00		80	26.7	62	16.7	48	8.9	33	9	080	17	30.32	8	+0.04	30.50	FM-15	0.00	30.50
21	1300	4		9.94		80	26.7	62	16.7	48	8.9	33	9	080		30.32	8	+0.04	30.50	FM-12		
21	1354	7	FEW:02 300	10.00		82	27.8	63	17.2	49	9.4	32	6	030		30.30			30.49	FM-15	0.00	30.48
21	1454	7	SCT:04 300	10.00		81	27.2	63	17.2	49	9.4	33	7	100		30.28			30.47	FM-15	0.00	30.46
21	1554	7	SCT:04 300	10.00		81	27.2	62	16.7	48	8.9	32	7	070		30.26	8	+0.05	30.45	FM-15	0.00	30.44
21	1654	7	SCT:04 300	10.00		80	26.7	61	16.1	46	7.8	30	10	090		30.26			30.45	FM-15	0.00	30.44
21	1754	7	SCT:04 300	10.00		78	25.6	60	15.6	45	7.2	31	8	090		30.26			30.45	FM-15	0.00	30.44
21	1854	7	SCT:04 300	10.00		73	22.8	60	15.6	49	9.4	43	6	110		30.26	6	+0.01	30.45	FM-15	0.00	30.44
21	1900	4		9.94		73	22.8	60	15.6	49	9.4	43	6	110		30.26	6	+0.01	30.45	FM-12		
21	1954	7	FEW:02 300	10.00		69	20.6	58	14.4	50	10.0	51	5	160		30.26			30.45	FM-15	0.00	30.44
21	2054	7	CLR:00	10.00		66	18.9	57	13.9	49	9.4	54	5	140		30.27			30.45	FM-15	0.00	30.45
21	2154	7	CLR:00	10.00		64	17.8	56	13.3	49	9.4	58	0	000		30.26	0	0.00	30.45	FM-15	0.00	30.44
21	2254	7	FEW:02 300	10.00		63	17.2	55	12.8	49	9.4	60	0	000		30.25			30.44	FM-15	0.00	30.43
21	2354	7	FEW:02 300	10.00		60	15.6	54	12.2	49	9.4	67	3	190		30.24			30.42	FM-15	0.00	30.42
22	0054	7	FEW:02 300	10.00		60	15.6	54	12.2	49	9.4	67	5	200		30.22	8	+0.04	30.41	FM-15	0.00	30.40
22	0100	4		9.94		60	15.6	54	12.2	49	9.4	67	5	200		30.22	8	+0.04	30.41	FM-12		
22	0154	7	FEW:02 300	10.00		57	13.9	52	11.1	48	8.9	72	0	000		30.20			30.39	FM-15	0.00	30.38
22	0254	7	FEW:02 300	10.00		56	13.3	52	11.1	48	8.9	75	6	230		30.18			30.37	FM-15	0.00	30.36
22	0354	7	FEW:02 300	10.00		55	12.8	51	10.6	48	8.9	77	3	220		30.18	6	+0.04	30.37	FM-15	0.00	30.36
22	0454	7	SCT:04 300	10.00		56	13.3	51	10.6	46	7.8	70	3	230		30.18			30.37	FM-15	0.00	30.36
22	0554	7	BKN:07 300	10.00		59	15.0	53	11.7	48	8.9	67	3	190		30.18			30.37	FM-15	0.00	30.36
22	0654	7	OVC:08 300	10.00		64	17.8	56	13.3	49	9.4	58	6	210		30.18	0	-0.01	30.37	FM-15	0.00	30.36
22	0700	4		9.94		64	17.8	56	13.3	49	9.4	58	6	210		30.18	9	+0.01	30.37	FM-12		
22	0754	7	BKN:07 300	10.00		71	21.7	58	14.4	48	8.9	44	6	230		30.18			30.37	FM-15	0.00	30.36
22	0854	7	OVC:08 300	10.00		75	23.9	61	16.1	50	10.0	41	6	230		30.17			30.36	FM-15	0.00	30.35
22	0954	7	OVC:08 300	10.00		79	26.1	63	17.2	52	11.1	39	7	230		30.15	8	+0.03	30.34	FM-15	0.00	30.33
22	1054	7	OVC:08 300	10.00		81	27.2	64	17.8	53	11.7	38	7	230		30.14			30.33	FM-15	0.00	30.32
22	1154	7	SCT:04 180 BKN:07 300	10.00		86	30.0	65	18.3	50	10.0	29	8	270		30.11			30.30	FM-15	0.00	30.29
22	1254	7	FEW:02 180 BKN:07 300	10.00		88	31.1	65	18.3	50	10.0	27	10	240		30.09	8	+0.07	30.27	FM-15	0.00	30.27
22	1300	4		9.94		88	31.1	65	18.3	50	10.0	27	10	240		30.09	8	+0.07	30.27	FM-12		
22	1354	7	SCT:04 180 BKN:07 300	10.00		90	32.2	66	18.9	51	10.6	26	9	250		30.06			30.25	FM-15	0.00	30.24
22	1454	7	BKN:07 250	10.00		90	32.2	66	18.9	49	9.4	24	9	290		30.04			30.23	FM-15	0.00	30.22
22	1554	7	BKN:07 250 OVC:08 300	10.00		88	31.1	66	18.9	51	10.6	28	6	320		30.02	6	+0.06	30.21	FM-15	0.00	30.20
22	1654	7	BKN:07 250 BKN:07 300	10.00		89	31.7	67	19.4	54	12.2	30	7	010		30.01			30.19	FM-15	0.00	30.19
22	1754	7	SCT:04 250 BKN:07 300	10.00		86	30.0	66	18.9	54	12.2	33	5	320		29.99			30.18	FM-15	0.00	30.17
22	1854	7	SCT:04 200 BKN:07 250	10.00		84	28.9	67	19.4	56	13.3	38	0	000		29.99	6	+0.03	30.18	FM-15	0.00	30.17
22	1900	4		9.94		84	28.9	67	19.4	56	13.3	38	0	000		29.99	6	+0.03	30.18	FM-12		
22	1954	7	BKN:07 250	10.00		76	24.4	67	19.4	61	16.1	60	5	180		29.98			30.17	FM-15	0.00	30.16
22	2054	7	BKN:07 250	10.00		77	25.0	66	18.9	60	15.6	56	0	000		29.98			30.17	FM-15	0.00	30.16
22	2154	7	BKN:07 250	10.00		74	23.3	65	18.3	60	15.6	62	0	000		29.98	6	+0.01	30.17	FM-15	0.00	30.16
22	2254	7	BKN:07 250	10.00		74	23.3	65	18.3	60	15.6	62	0	000		29.97			30.16	FM-15	0.00	30.15
22	2354	7	OVC:08 170	10.00		74	23.3	65	18.3	60	15.6	62	6	350		29.96			30.15	FM-15	0.00	30.14
23	0054	7	OVC:08 130	10.00		74	23.3	65	18.3	60	15.6	62	0	000		29.95	8	+0.03	30.14	FM-15	0.00	30.13
23	0100	4		9.94		74	23.3	65	18.3	60	15.6	62	0	000		29.95	8	+0.03	30.14	FM-12		
23	0154	7	SCT:04 120 OVC:08 160	10.00		74	23.3	65	18.3	59	15.0	60	3	290		29.93			30.12	FM-15	0.00	30.11
23	0254	7	SCT:04 120 BKN:07 170	10.00		72	22.2	65	18.3	60	15.6	66	0	000		29.93			30.11	FM-15	0.00	30.11
23	0354	7	SCT:04 110 BKN:07 140	10.00		72	22.2	65	18.3	60	15.6	66	5	290		29.93	5	+0.02	30.11	FM-15	0.00	30.11

23	0454	7	BKN:07 120 BKN:07 150	10.00		73	22.8	64	17.8	59	15.0	62	5	290		29.93			30.12	FM-15	0.00	30.11
23	0554	7	SCT:04 110 BKN:07 150	10.00		74	23.3	64	17.8	58	14.4	57	7	280		29.94			30.13	FM-15	0.00	30.12
23	0654	7	SCT:04 70 BKN:07 95 BKN:07 150	10.00		75	23.9	64	17.8	57	13.9	54	8	300		29.95	3	-0.02	30.14	FM-15	0.00	30.13
23	0700	4	74	9.94		75	23.9	64	17.8	57	13.9	54	8	300		29.95	3	-0.02	30.14	FM-12		
23	0754	7	BKN:07 60 BKN:07 90 OVC:08 110	10.00		74	23.3	66	18.9	61	16.1	64	6	270		29.95			30.14	FM-15	T	30.13
23	0854	7	FEW:02 70 SCT:04 95 BKN:07 150	10.00		80	26.7	67	19.4	59	15.0	49	10	290		29.94			30.12	FM-15	0.00	30.12
23	0954	7	FEW:02 75 SCT:04 120	10.00		85	29.4	68	20.0	58	14.4	40	13	290		29.92	8	+0.03	30.11	FM-15	0.00	30.10
23	1054	7	FEW:02 70 BKN:07 100 BKN:07 150	10.00		85	29.4	68	20.0	57	13.9	39	13	310		29.91			30.10	FM-15	0.00	30.09
23	1154	7	FEW:02 80 SCT:04 120	10.00		88	31.1	69	20.6	58	14.4	36	11	VRB	18	29.89			30.07	FM-15	0.00	30.07
23	1254	7	FEW:02 70 FEW:02 150	10.00		91	32.8	70	21.1	59	15.0	34	13	340		29.87	8	+0.06	30.05	FM-15	0.00	30.05
23	1300	4	74	9.94		91	32.8	70	21.1	59	15.0	34	13	340		29.87	8	+0.06	30.05	FM-12		
23	1354	7	SCT:04 65 SCT:04 150	10.00		89	31.7	70	21.1	60	15.6	38	15	270		29.84			30.03	FM-15	0.00	30.02
23	1454	7	SCT:04 70	10.00		91	32.8	70	21.1	59	15.0	34	9	VRB		29.82			30.00	FM-15	0.00	30.00
23	1554	7	SCT:04 70	10.00		91	32.8	70	21.1	59	15.0	34	15	270	20	29.80	6	+0.06	29.99	FM-15	0.00	29.98
23	1654	7	FEW:02 75	10.00		91	32.8	70	21.1	59	15.0	34	14	280		29.80			29.99	FM-15	0.00	29.98
23	1754	7	SCT:04 80	10.00		89	31.7	70	21.1	60	15.6	38	11	280		29.80			29.99	FM-15	0.00	29.98
23	1854	7	SCT:04 75 BKN:07 90 BKN:07 110	10.00		88	31.1	70	21.1	60	15.6	39	8	280		29.82	3	-0.02	30.01	FM-15	0.00	30.00
23	1900	4	74	9.94		88	31.1	70	21.1	60	15.6	39	8	280		29.82	3	-0.02	30.01	FM-12		
23	1954	7	FEW:02 85	10.00		85	29.4	69	20.6	60	15.6	43	3	280		29.83			30.01	FM-15	0.00	30.01
23	2054	7	FEW:02 80	10.00		79	26.1	68	20.0	61	16.1	54	0	000		29.85			30.03	FM-15	0.00	30.03
23	2154	7	FEW:02 80	10.00		76	24.4	67	19.4	62	16.7	62	0	000		29.86	3	-0.04	30.05	FM-15	0.00	30.04
23	2254	7	FEW:02 80	10.00		75	23.9	67	19.4	62	16.7	64	0	000		29.86			30.05	FM-15	0.00	30.04
23	2354	7	SCT:04 300	10.00		72	22.2	66	18.9	62	16.7	71	0	000		29.86			30.05	FM-15	0.00	30.04
24	0054	7	SCT:04 300	10.00		74	23.3	67	19.4	63	17.2	69	3	310		29.86	0	0.00	30.05	FM-15	0.00	30.04
24	0100	4		9.94		74	23.3	67	19.4	63	17.2	69	3	310		29.86	9	0.00	30.05	FM-12		
24	0154	7	BKN:07 300	10.00		75	23.9	67	19.4	62	16.7	64	3	330		29.86			30.05	FM-15	0.00	30.04
24	0254	7	SCT:04 80 BKN:07 300	10.00		75	23.9	67	19.4	62	16.7	64	7	330		29.86			30.05	FM-15	0.00	30.04
24	0354	7	FEW:02 80 BKN:07 300	10.00		74	23.3	67	19.4	62	16.7	67	9	360		29.88	3	-0.01	30.06	FM-15	0.00	30.06
24	0454	7	FEW:02 80 SCT:04 300	10.00		75	23.9	67	19.4	62	16.7	64	9	030		29.90			30.09	FM-15	0.00	30.08
24	0554	7	FEW:02 75 BKN:07 300	10.00		75	23.9	68	20.0	64	17.8	69	6	040		29.94			30.12	FM-15	0.00	30.12
24	0654	7	SCT:04 20 SCT:04 90 BKN:07 300	10.00		75	23.9	68	20.0	64	17.8	69	11	060		29.97	3	-0.09	30.16	FM-15	0.00	30.15
24	0700	4	26	9.94		75	23.9	68	20.0	64	17.8	69	11	060		29.97	3	-0.09	30.16	FM-12		
24	0727	7	BKN:07 18 BKN:07 100 BKN:07 300	10.00		73	22.8	67	19.4	64	17.8	74	14	070	23	29.99				FM-16		30.17
24	0754	7	BKN:07 18 BKN:07 100 BKN:07 300	10.00		72	22.2	66	18.9	62	16.7	71	17	090	22	30.00			30.19	FM-15	0.00	30.18
24	0854	7	BKN:07 22 BKN:07 110 OVC:08 300	10.00		76	24.4	67	19.4	62	16.7	62	11	080		30.02			30.21	FM-15	0.00	30.20

24	0912	7	SCT:04 23 BKN:07 110 BKN:07 300	10.00		73	22.8	66	18.9	61	16.1	66	15	060		30.02				FM-16		30.20
24	0954	7	FEW:02 25 FEW:02 100 BKN:07 150	10.00		74	23.3	65	18.3	60	15.6	62	14	100		30.03	1	-0.06	30.22	FM-15	0.00	30.21
24	1001	7	FEW:02 25 FEW:02 100 BKN:07 150	10.00		75	23.9	66	18.9	61	16.1	62	11	100		30.03				FM-16		30.21
24	1054	7	FEW:02 28 FEW:02 100 BKN:07 150	10.00		76	24.4	67	19.4	61	16.1	60	9	100		30.03			30.22	FM-15	0.00	30.21
24	1154	7	FEW:02 30 SCT:04 130 BKN:07 160	10.00		78	25.6	67	19.4	61	16.1	56	14	100	18	30.02			30.21	FM-15	0.00	30.20
24	1254	7	SCT:04 31 BKN:07 130 BKN:07 160	10.00		78	25.6	67	19.4	61	16.1	56	11	120	18	30.02	8	+0.01	30.21	FM-15	0.00	30.20
24	1300	4	26	9.94		78	25.6	67	19.4	61	16.1	56	11	120		30.02	8	+0.01	30.21	FM-12		
24	1354	7	BKN:07 33 BKN:07 100 BKN:07 160	10.00		79	26.1	68	20.0	61	16.1	54	15	110		30.01			30.20	FM-15	0.00	30.19
24	1454	7	SCT:04 31 BKN:07 150 OVC:08 300	10.00		76	24.4	66	18.9	59	15.0	56	15	080	22	30.02			30.21	FM-15	0.00	30.20
24	1554	7	SCT:04 32 SCT:04 60 BKN:07 150	10.00		73	22.8	63	17.2	57	13.9	57	15	100		30.03	3	-0.01	30.22	FM-15	0.00	30.21
24	1654	7	FEW:02 50 SCT:04 75 BKN:07 150	10.00		71	21.7	62	16.7	56	13.3	59	14	120		30.02			30.21	FM-15	0.00	30.20
24	1754	7	FEW:02 90 BKN:07 120 OVC:08 300	10.00		69	20.6	60	15.6	54	12.2	59	13	120		30.02			30.21	FM-15	T	30.20
24	1854	7	BKN:07 110 OVC:08 300	10.00		66	18.9	57	13.9	50	10.0	56	11	100		30.05	3	-0.02	30.24	FM-15	0.00	30.23
24	1900	4		9.94		66	18.9	57	13.9	50	10.0	56	11	100		30.05	3	-0.02	30.24	FM-12		
24	1954	7	FEW:02 55 OVC:08 95	10.00		64	17.8	56	13.3	50	10.0	60	11	100		30.08			30.27	FM-15	T	30.26
24	2054	7	FEW:02 75 BKN:07 100 OVC:08 300	10.00		63	17.2	56	13.3	50	10.0	63	7	100		30.09			30.28	FM-15	T	30.27
24	2144	7	BKN:07 27 OVC:08 110	10.00		63	17.2	56	13.3	50	10.0	63	7	090		30.09				FM-16		30.27
24	2154	7	BKN:07 27 OVC:08 110	10.00		62	16.7	56	13.3	50	10.0	65	7	080		30.09	1	-0.04	30.28	FM-15	0.00	30.27
24	2254	7	OVC:08 28	10.00		62	16.7	56	13.3	50	10.0	65	6	070		30.10			30.29	FM-15	0.00	30.28
24	2354	7	OVC:08 25	10.00		62	16.7	56	13.3	51	10.6	67	8	060		30.09			30.28	FM-15	0.00	30.27
25	0054	7	OVC:08 24	10.00		62	16.7	56	13.3	51	10.6	67	6	030		30.09	1	0.00	30.28	FM-15	0.00	30.27
25	0100	4	26	9.94		62	16.7	56	13.3	51	10.6	67	6	030		30.09			30.28	FM-12		
25	0154	7	OVC:08 23	10.00		62	16.7	56	13.3	51	10.6	67	5	060		30.08			30.27	FM-15	0.00	30.26
25	0254	7	OVC:08 22	10.00		62	16.7	56	13.3	52	11.1	70	6	050		30.08			30.27	FM-15	0.00	30.26
25	0354	7	OVC:08 22	10.00		62	16.7	56	13.3	52	11.1	70	0	000		30.08	6	+0.01	30.27	FM-15	0.00	30.26
25	0454	7	OVC:08 21	10.00		62	16.7	57	13.9	53	11.7	73	0	000		30.08			30.27	FM-15	0.00	30.26
25	0554	7	OVC:08 20	10.00		62	16.7	57	13.9	53	11.7	73	5	050		30.10			30.29	FM-15	0.00	30.28
25	0654	7	OVC:08 22	10.00	-DZ:01 DZ DZ	62	16.7	58	14.4	54	12.2	75	5	050		30.11	3	-0.03	30.30	FM-15	T	30.29
25	0700	4	26	9.94	DZ	62	16.7	58	14.4	54	12.2	75	5	050		30.11	3	-0.03	30.30	FM-12		
25	0754	7	OVC:08 19	10.00		64	17.8	59	15.0	55	12.8	73	6	080		30.11			30.30	FM-15	T	30.29
25	0854	7	OVC:08 17	10.00		65	18.3	59	15.0	55	12.8	70	0	000		30.11			30.30	FM-15	0.00	30.29
25	0954	7	OVC:08 18	10.00		66	18.9	60	15.6	56	13.3	70	0	000		30.12	3	-0.01	30.31	FM-15	0.00	30.30
25	0956	7	OVC:08 17	10.00		66	18.9	60	15.6	56	13.3	70	5	120		30.12				FM-16		30.30
25	1054	7	OVC:08 18	10.00		69	20.6	62	16.7	58	14.4	68	6	140		30.11			30.30	FM-15	0.00	30.29
25	1154	7	OVC:08 22	10.00		70	21.1	64	17.8	60	15.6	71	7	150		30.10			30.29	FM-15	0.00	30.28

25	1224	7	SCT:04 25 BKN:07 140	10.00		72	22.2	65	18.3	61	16.1	68	8	150		30.09				FM-16		30.27
25	1254	7	FEW:02 23 FEW:02 32 SCT:04 130	10.00		75	23.9	67	19.4	62	16.7	64	8	170		30.07	8	+0.04	30.26	FM-15	0.00	30.25
25	1300	4	26	9.94		75	23.9	67	19.4	62	16.7	64	8	170		30.07	8	+0.04	30.26	FM-12		
25	1354	7	FEW:02 35 FEW:02 130 SCT:04 230	10.00		77	25.0	68	20.0	63	17.2	62	8	160		30.05			30.24	FM-15	0.00	30.23
25	1454	7	FEW:02 32 SCT:04 230	10.00		79	26.1	69	20.6	64	17.8	60	6	170		30.02			30.21	FM-15	0.00	30.20
25	1554	7	SCT:04 32 SCT:04 300	10.00		80	26.7	70	21.1	65	18.3	60	8	VRB		30.00	6	+0.07	30.19	FM-15	0.00	30.18
25	1654	7	FEW:02 32 FEW:02 300	10.00		81	27.2	71	21.7	66	18.9	61	10	160		29.98			30.17	FM-15	0.00	30.16
25	1754	7	FEW:02 32 SCT:04 300	10.00		79	26.1	71	21.7	66	18.9	65	10	150		29.98			30.16	FM-15	0.00	30.16
25	1854	7	SCT:04 34 BKN:07 300	10.00		76	24.4	70	21.1	67	19.4	74	7	130		29.99	5	+0.01	30.17	FM-15	0.00	30.17
25	1900	4	41	9.94		76	24.4	70	21.1	67	19.4	74	7	130		29.99	5	+0.01	30.17	FM-12		
25	1954	7	SCT:04 36 BKN:07 300	10.00		73	22.8	69	20.6	66	18.9	79	8	130		29.99			30.17	FM-15	0.00	30.17
25	2054	7	FEW:02 36 OVC:08 300	10.00		72	22.2	68	20.0	66	18.9	82	9	140		29.99			30.18	FM-15	0.00	30.17
25	2154	7	BKN:07 300	10.00		71	21.7	68	20.0	66	18.9	84	3	150		29.99	3	-0.01	30.18	FM-15	0.00	30.17
25	2254	7	BKN:07 300	10.00		70	21.1	67	19.4	66	18.9	87	5	160		29.99			30.18	FM-15	0.00	30.17
25	2354	7	OVC:08 300	10.00		70	21.1	68	20.0	67	19.4	90	6	160		29.98			30.17	FM-15	0.00	30.16
26	0054	7	BKN:07 300	9.00		69	20.6	68	20.0	67	19.4	93	5	190		29.97	8	+0.03	30.16	FM-15	0.00	30.15
26	0100	4		8.70		69	20.6	68	20.0	67	19.4	93	5	190		29.97	8	+0.03	30.16	FM-12		
26	0154	7	SCT:04 300	10.00		71	21.7	69	20.6	68	20.0	90	6	190		29.96			30.14	FM-15	0.00	30.14
26	0254	7	SCT:04 150 BKN:07 300	8.00		70	21.1	69	20.6	68	20.0	93	7	190		29.96			30.14	FM-15	0.00	30.14
26	0354	7	FEW:02 150 BKN:07 300	6.00	BR:1	69	20.6	68	20.0	68	20.0	96	6	190		29.95	6	+0.01	30.14	FM-15	0.00	30.13
26	0454	7	FEW:02 4 FEW:02 150 SCT:04 300	4.00	BR:1	69	20.6	68	20.0	67	19.4	93	3	180		29.95			30.14	FM-15	0.00	30.13
26	0554	7	FEW:02 4 FEW:02 300	4.00	BR:1	70	21.1	69	20.6	69	20.6	97	6	180		29.95			30.14	FM-15	0.00	30.13
26	0654	7	FEW:02 5 FEW:02 150 FEW:02 300	6.00	BR:1	73	22.8	70	21.1	69	20.6	87	10	190		29.95	6	+0.01	30.14	FM-15	0.00	30.13
26	0700	4	5	5.59		73	22.8	70	21.1	69	20.6	87	10	190		29.95	6	+0.01	30.14	FM-12		
26	0754	7	BKN:07 170	10.00		77	25.0	72	22.2	69	20.6	77	8	190		29.94			30.13	FM-15	0.00	30.12
26	0854	7	BKN:07 120 BKN:07 170	10.00		82	27.8	73	22.8	69	20.6	65	7	220		29.94			30.13	FM-15	0.00	30.12
26	0954	7	SCT:04 110	10.00		83	28.3	74	23.3	69	20.6	63	9	210		29.92	8	+0.03	30.11	FM-15	0.00	30.10
26	1054	7	SCT:04 110	10.00		89	31.7	75	23.9	68	20.0	50	14	210		29.90			30.08	FM-15	0.00	30.08
26	1154	7	FEW:02 55 FEW:02 110	10.00		91	32.8	74	23.3	66	18.9	44	15	230		29.87			30.06	FM-15	0.00	30.05
26	1254	7	FEW:02 55 FEW:02 160	10.00		92	33.3	74	23.3	65	18.3	41	10	210	18	29.85	8	+0.07	30.03	FM-15	0.00	30.03
26	1300	4	57	9.94		92	33.3	74	23.3	65	18.3	41	10	210		29.85	8	+0.07	30.03	FM-12		
26	1354	7	FEW:02 65 FEW:02 160	10.00		94	34.4	72	22.2	60	15.6	32	9	250		29.81			30.00	FM-15	0.00	29.99
26	1454	7	SCT:04 70 SCT:04 300	10.00		94	34.4	73	22.8	63	17.2	36	14	200	18	29.79			29.97	FM-15	0.00	29.97
26	1554	7	SCT:04 70 SCT:04 300	10.00		94	34.4	73	22.8	63	17.2	36	16	210	20	29.76	6	+0.09	29.95	FM-15	0.00	29.94
26	1654	7	SCT:04 80 BKN:07 300	10.00		93	33.9	73	22.8	63	17.2	37	13	210		29.75			29.93	FM-15	0.00	29.93

26	1754	7	FEW:02 80 FEW:02 190 BKN:07 300	10.00		90	32.2	72	22.2	63	17.2	41	14	240		29.76			29.94	FM-15	0.00	29.94
26	1854	7	FEW:02 80 FEW:02 190 SCT:04 300	10.00		87	30.6	71	21.7	63	17.2	45	11	230		29.76	3	0.00	29.95	FM-15	0.00	29.94
26	1900	4	74	9.94		87	30.6	71	21.7	63	17.2	45	11	230		29.76	3	0.00	29.95	FM-12		
26	1954	7	FEW:02 190 SCT:04 300	10.00		79	26.1	70	21.1	65	18.3	62	8	200		29.76			29.95	FM-15	0.00	29.94
26	2054	7	FEW:02 190 BKN:07 300	10.00		78	25.6	70	21.1	66	18.9	67	6	180		29.78			29.96	FM-15	0.00	29.96
26	2154	7	BKN:07 90 OVC:08 300	10.00		81	27.2	71	21.7	66	18.9	61	5	230		29.79	3	-0.02	29.97	FM-15	0.00	29.97
26	2254	7	SCT:04 80 SCT:04 110 BKN:07 190	10.00		81	27.2	71	21.7	66	18.9	61	9	250		29.78			29.96	FM-15	0.00	29.96
26	2354	7	SCT:04 90 BKN:07 120 BKN:07 300	10.00		79	26.1	71	21.7	67	19.4	67	6	290		29.79			29.98	FM-15	0.00	29.97
27	0054	7	FEW:02 95 BKN:07 120	10.00		79	26.1	70	21.1	65	18.3	62	8	330		29.80	3	-0.01	29.98	FM-15	0.00	29.98
27	0100	4		9.94		79	26.1	70	21.1	65	18.3	62	8	330		29.80	3	-0.01	29.98	FM-12		
27	0154	7	SCT:04 100	10.00		76	24.4	69	20.6	65	18.3	69	7	320		29.80			29.99	FM-15	0.00	29.98
27	0254	7	FEW:02 100	10.00		73	22.8	68	20.0	65	18.3	76	3	330		29.81			30.00	FM-15	0.00	29.99
27	0354	7	SCT:04 120	10.00		72	22.2	67	19.4	64	17.8	76	3	040		29.82	3	-0.02	30.01	FM-15	0.00	30.00
27	0454	7	SCT:04 110	10.00		70	21.1	66	18.9	63	17.2	79	5	030		29.82			30.01	FM-15	0.00	30.00
27	0554	7	FEW:02 95 SCT:04 300	10.00		72	22.2	66	18.9	63	17.2	73	3	020		29.84			30.03	FM-15	0.00	30.02
27	0654	7	FEW:02 95 FEW:02 300	10.00		75	23.9	67	19.4	62	16.7	64	5	020		29.85	3	-0.03	30.04	FM-15	0.00	30.03
27	0700	4		9.94		75	23.9	67	19.4	62	16.7	64	5	020		29.85	3	-0.03	30.04	FM-12		
27	0754	7	FEW:02 90 FEW:02 300	10.00		79	26.1	68	20.0	61	16.1	54	6	350		29.87			30.05	FM-15	0.00	30.05
27	0854	7	FEW:02 100 FEW:02 300	10.00		83	28.3	67	19.4	58	14.4	43	7	350	18	29.87			30.06	FM-15	0.00	30.05
27	0954	7	FEW:02 60 FEW:02 110	10.00		85	29.4	67	19.4	56	13.3	37	13	320	17	29.88	1	-0.02	30.06	FM-15	0.00	30.06
27	1054	7	FEW:02 70 FEW:02 110 SCT:04 300	10.00		85	29.4	66	18.9	54	12.2	35	5	300		29.87			30.05	FM-15	0.00	30.05
27	1154	7	FEW:02 75 SCT:04 120 SCT:04 300	10.00		87	30.6	66	18.9	53	11.7	31	3	VRB		29.85			30.04	FM-15	0.00	30.03
27	1254	7	SCT:04 70 BKN:07 300	10.00		88	31.1	67	19.4	54	12.2	31	8	040		29.83	8	+0.05	30.01	FM-15	0.00	30.01
27	1300	4	74	9.94		88	31.1	67	19.4	54	12.2	31	8	040		29.83	8	+0.05	30.01	FM-12		
27	1354	7	SCT:04 75 BKN:07 300	10.00		90	32.2	67	19.4	53	11.7	28	7	VRB		29.80			29.99	FM-15	0.00	29.98
27	1454	7	SCT:04 75 SCT:04 100 BKN:07 300	10.00		88	31.1	67	19.4	54	12.2	31	7	320		29.78			29.97	FM-15	0.00	29.96
27	1554	7	SCT:04 80 SCT:04 300	10.00		89	31.7	67	19.4	52	11.1	28	7	210	18	29.77	6	+0.06	29.95	FM-15	0.00	29.95
27	1654	7	FEW:02 80 SCT:04 300	10.00		88	31.1	66	18.9	52	11.1	29	8	200		29.76			29.94	FM-15	0.00	29.94
27	1754	7	FEW:02 80 SCT:04 300	10.00		88	31.1	66	18.9	52	11.1	29	3	220		29.75			29.94	FM-15	0.00	29.93
27	1854	7	FEW:02 80 FEW:02 300	10.00		85	29.4	65	18.3	52	11.1	32	6	250		29.76	5	+0.01	29.94	FM-15	0.00	29.94
27	1900	4	74	9.94		85	29.4	65	18.3	52	11.1	32	6	250		29.76	5	+0.01	29.94	FM-12		
27	1954	7	FEW:02 80 SCT:04 300	10.00		79	26.1	65	18.3	56	13.3	45	0	000		29.77			29.96	FM-15	0.00	29.95
27	2054	7	SCT:04 250	10.00		75	23.9	67	19.4	62	16.7	64	9	060		29.79			29.98	FM-15	0.00	29.97

27	2154	7	SCT:04 250	10.00		73	22.8	67	19.4	63	17.2	71	6	090		29.80	3	-0.05	29.99	FM-15	0.00	29.98
27	2254	7	SCT:04 250	10.00		72	22.2	66	18.9	62	16.7	71	5	120		29.80			29.98	FM-15	0.00	29.98
27	2354	7	SCT:04 250	10.00		70	21.1	65	18.3	62	16.7	76	6	130		29.79			29.98	FM-15	0.00	29.97
28	0054	7	SCT:04 110	10.00		69	20.6	65	18.3	63	17.2	81	6	120		29.78	8	+0.02	29.97	FM-15	0.00	29.96
28	0100	4		9.94		69	20.6	65	18.3	63	17.2	81	6	120		29.78	8	+0.02	29.97	FM-12		
28	0154	7	BKN:07 110	10.00		70	21.1	65	18.3	62	16.7	76	6	130		29.76			29.95	FM-15	0.00	29.94
28	0254	7	SCT:04 90 BKN:07 120	10.00		69	20.6	65	18.3	62	16.7	78	3	110		29.75			29.94	FM-15	0.00	29.93
28	0354	7	BKN:07 95	10.00		69	20.6	65	18.3	62	16.7	78	3	100		29.75	6	+0.03	29.94	FM-15	0.00	29.93
28	0454	7	SCT:04 75	10.00		67	19.4	65	18.3	63	17.2	87	5	030		29.76			29.95	FM-15	0.00	29.94
28	0554	7	BKN:07 75 BKN:07 300	10.00		68	20.0	65	18.3	63	17.2	84	7	050		29.75			29.94	FM-15	0.00	29.93
28	0654	7	SCT:04 90 SCT:04 250	10.00		71	21.7	67	19.4	64	17.8	79	5	100		29.74	8	+0.01	29.93	FM-15	0.00	29.92
28	0700	4		9.94		71	21.7	67	19.4	64	17.8	79	5	100		29.74	8	+0.01	29.93	FM-12		
28	0754	7	FEW:02 13 FEW:02 85 BKN:07 130	10.00		74	23.3	69	20.6	67	19.4	79	6	150		29.74			29.93	FM-15	0.00	29.92
28	0854	7	FEW:02 20 BKN:07 140	10.00		79	26.1	73	22.8	70	21.1	74	5	VRB		29.72			29.91	FM-15	0.00	29.90
28	0954	7	FEW:02 25 BKN:07 75 OVC:08 130	10.00		80	26.7	73	22.8	69	20.6	69	0	000		29.71	8	+0.03	29.90	FM-15	0.00	29.89
28	1054	7	FEW:02 35 SCT:04 70 BKN:07 130	10.00		84	28.9	73	22.8	68	20.0	59	8	VRB		29.69			29.88	FM-15	0.00	29.87
28	1154	7	FEW:02 43 SCT:04 80 SCT:04 130	10.00		88	31.1	74	23.3	67	19.4	50	7	160		29.66			29.84	FM-15	0.00	29.84
28	1254	7	SCT:04 50 BKN:07 100 BKN:07 140	10.00		89	31.7	73	22.8	65	18.3	45	10	200		29.62	8	+0.09	29.80	FM-15	0.00	29.80
28	1300	4	57	9.94		89	31.7	73	22.8	65	18.3	45	10	200		29.62	8	+0.09	29.80	FM-12		
28	1354	7	FEW:02 60 SCT:04 140 BKN:07 300	10.00		92	33.3	73	22.8	64	17.8	40	11	VRB	18	29.57			29.75	FM-15	0.00	29.75
28	1454	7	SCT:04 70 SCT:04 130 BKN:07 300	10.00		93	33.9	72	22.2	61	16.1	34	13	180		29.53			29.72	FM-15	0.00	29.71
28	1554	7	SCT:04 85 SCT:04 130 BKN:07 300	10.00		93	33.9	70	21.1	56	13.3	29	17	190	24	29.52	6	+0.11	29.69	FM-15	0.00	29.69
28	1654	7	SCT:04 90 BKN:07 110 BKN:07 300	10.00		90	32.2	69	20.6	57	13.9	33	14	210		29.50			29.68	FM-15	0.00	29.68
28	1754	7	BKN:07 80 BKN:07 100 BKN:07 300	10.00		78	25.6	71	21.7	68	20.0	71	17	300	28	29.52			29.71	FM-15	T	29.70
28	1820	7	FEW:02 14 BKN:07 75 OVC:08 120	1.75	RA:02 BR:1 RA RA	73	22.8	72	22.2	71	21.7	94	30	270	37	29.57				FM-16	0.04	29.75
28	1834	7	FEW:02 14 BKN:07 44 OVC:08 110	2.00	+RA:02 BR:1 RA RA	72	22.2	71	21.7	70	21.1	94	16	270	30	29.57				FM-16	0.15	29.75
28	1854	7	FEW:02 44 BKN:07 95 OVC:08 110	3.00	RA:02 BR:1 RA RA	72	22.2	71	21.7	70	21.1	94	9	290		29.56	3	-0.06	29.75	FM-15	0.24s	29.74
28	1900	4	41	2.98	RA	72	22.2	71	21.7	70	21.1	94	9	290		29.56	3	-0.06	29.75	FM-12		
28	1954	7	SCT:04 80 OVC:08 100	10.00		72	22.2	71	21.7	70	21.1	94	9	220		29.55			29.74	FM-15	0.03	29.73
28	2054	7	OVC:08 110	10.00	-RA:02 RA RA	72	22.2	71	21.7	70	21.1	94	10	210		29.56			29.75	FM-15	T	29.74
28	2154	7	FEW:02 90 OVC:08 110	10.00	-RA:02 RA RA	71	21.7	70	21.1	69	20.6	94	9	190		29.56	6	+0.01	29.75	FM-15	0.01	29.74

28	2254	7	BKN:07 95 BKN:07 110	10.00		70	21.1	69	20.6	69	20.6	97	6	200		29.55			29.73	FM-15	T	29.73
28	2354	7	BKN:07 110 OVC:08 180	10.00		70	21.1	69	20.6	69	20.6	97	5	180		29.55			29.73	FM-15	0.00	29.73
29	0054	7	FEW:02 14 BKN:07 65 OVC:08 110	6.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	11	210		29.57	3	-0.01	29.75	FM-15	0.06	29.75
29	0100	4	15	5.59	RA	70	21.1	70	21.1	70	21.1	100	11	210		29.57	3	-0.01	29.75	FM-12		
29	0151	7	FEW:02 7 BKN:07 45 OVC:08 65	2.50	+RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	11	190		29.55				FM-16	0.06	29.73
29	0154	7	FEW:02 7 BKN:07 31 OVC:08 50	1.75	+RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	9	190		29.54			29.72	FM-15	0.19	29.72
29	0204	7	BKN:07 37 BKN:07 60 OVC:08 95	3.00	RA:02 BR:1 RA RA	69	20.6	69	20.6	69	20.6	100	7	190		29.53				FM-16	0.14	29.71
29	0254	7	BKN:07 70 OVC:08 110	10.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	0	000		29.52			29.70	FM-15	0.08	29.69
29	0354	7	SCT:04 50 OVC:08 100	4.00	-RA:02 BR:1 RA RA	69	20.6	69	20.6	69	20.6	100	3	190		29.53	5	+0.04	29.71	FM-15	0.05	29.71
29	0454	7	BKN:07 75 OVC:08 120	8.00	-RA:02 RA RA	69	20.6	69	20.6	69	20.6	100	5	160		29.52			29.71	FM-15	0.04	29.70
29	0554	7	SCT:04 65 BKN:07 80 OVC:08 100	4.00	RA:02 BR:1 RA RA	69	20.6	69	20.6	69	20.6	100	5	150		29.54			29.73	FM-15	0.04	29.72
29	0635	7	FEW:02 4 SCT:04 90 OVC:08 110	5.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	7	170		29.56				FM-16	0.03	29.74
29	0654	7	SCT:04 4 BKN:07 60 OVC:08 110	5.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	6	170		29.56	3	-0.04	29.75	FM-15	0.04	29.74
29	0700	4	5	4.97	RA	70	21.1	70	21.1	70	21.1	100	6	170		29.56	3	-0.04	29.75	FM-12		
29	0754	7	FEW:02 4 OVC:08 31	5.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	3	210		29.59			29.78	FM-15	0.02	29.77
29	0804	7	SCT:04 5 OVC:08 31	2.50	RA:02 BR:1 RA RA	66	18.9	65	18.3	65	18.3	96	3	220		29.60				FM-16	0.02	29.78
29	0813	7	BKN:07 5 OVC:08 29	2.50	+RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	96	3	220		29.61				FM-16	0.04	29.79
29	0827	7	BKN:07 7 OVC:08 10	1.75	+RA:02 BR:1 RA RA	62	16.7	62	16.7	62	16.7	100	14	360		29.60				FM-16	0.14	29.78
29	0852	6	BKN:07 6 BKN:07 12 OVC:08 16	2.00	+RA:02 BR:1 RA RA	61	16.1	61	16.1	61	16.1	100	18	010	26	29.60				FM-16		29.78
29	0854	7	BKN:07 6 BKN:07 12 OVC:08 40	2.50	RA:02 BR:1 RA RA	60	15.6	60	15.6	60	15.6	100	18	020	26	29.61			29.80	FM-15	0.24	29.79
29	0919	7	SCT:04 8 OVC:08 19	10.00		60	15.6	59	15.0	59	15.0	96	14	360		29.63				FM-16	T	29.81
29	0952	6	BKN:07 8 OVC:08 19	10.00		61	16.1	59	15.0	57	13.9	88	16	020	23	29.64				FM-16		29.82
29	0954	7	BKN:07 8 OVC:08 19	10.00		60	15.6	59	15.0	58	14.4	93	16	020	23	29.64	3	-0.08	29.83	FM-15	T	29.82
29	1054	7	OVC:08 8	8.00	-RA:02 RA RA	58	14.4	57	13.9	57	13.9	97	15	350		29.67			29.86	FM-15	T	29.85
29	1154	7	BKN:07 8 OVC:08 15	10.00	-RA:02 RA RA	56	13.3	55	12.8	55	12.8	97	15	010	26	29.69			29.88	FM-15	0.03	29.87
29	1252	6	BKN:07 10 OVC:08 27	10.00	-RA:02 RA RA	55	12.8	55	12.8	55	12.8	100	20	010	26	29.69				FM-16		29.87
29	1254	7	BKN:07 10 OVC:08 27	10.00	-RA:02 RA RA	56	13.3	55	12.8	55	12.8	97	17	360	26	29.69	1	-0.05	29.88	FM-15	0.01	29.87
29	1300	4	15	9.94	RA	56	13.3	55	12.8	55	12.8	97	17	360		29.69	1	-0.05	29.88	FM-12		
29	1354	7	BKN:07 10 OVC:08 25	10.00		56	13.3	55	12.8	54	12.2	93	18	020	24	29.73			29.92	FM-15	T	29.91

29	1454	7	BKN:07 12 OVC:08 25	10.00		57	13.9	55	12.8	54	12.2	90	14	010		29.75			29.94	FM-15	0.00	29.93
29	1554	7	OVC:08 13	10.00		57	13.9	55	12.8	53	11.7	87	16	020	23	29.77	1	-0.08	29.96	FM-15	0.00	29.95
29	1654	7	SCT:04 10 OVC:08 14	10.00		56	13.3	54	12.2	53	11.7	90	15	010		29.79			29.98	FM-15	0.00	29.97
29	1754	7	OVC:08 12	5.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	15	020	20	29.80			29.99	FM-15	T	29.98
29	1854	7	OVC:08 8	4.00	BR:1	54	12.2	53	11.7	53	11.7	97	14	030	23	29.81	1	-0.04	30.00	FM-15	T	29.99
29	1900	4	8	3.73		54	12.2	53	11.7	53	11.7	97	14	030		29.81	1	-0.04	30.00	FM-12		
29	1954	7	OVC:08 9	10.00		54	12.2	53	11.7	52	11.1	93	15	020		29.80			30.00	FM-15	0.00	29.98
29	2054	7	OVC:08 12	10.00		54	12.2	53	11.7	52	11.1	93	14	030	20	29.84			30.03	FM-15	0.00	30.02
29	2154	7	OVC:08 11	10.00		54	12.2	53	11.7	52	11.1	93	10	030	21	29.85	3	-0.04	30.04	FM-15	T	30.03
29	2254	7	OVC:08 12	10.00		53	11.7	52	11.1	52	11.1	96	13	020		29.85			30.04	FM-15	0.01	30.03
29	2354	7	OVC:08 11	10.00	-RA:02 RA RA	53	11.7	52	11.1	52	11.1	96	13	020		29.86			30.06	FM-15	T	30.04
30	0028	7	SCT:04 9 OVC:08 14	3.00	-RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	10	010		29.88				FM-16	T	30.06
30	0031	7	BKN:07 9 OVC:08 16	2.50	-RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	11	360		29.88				FM-16	0.01	30.06
30	0045	7	SCT:04 6 BKN:07 11 OVC:08 19	3.00	-RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	11	010		29.87				FM-16	0.02	30.05
30	0054	7	SCT:04 6 BKN:07 13 OVC:08 19	3.00	-RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	14	010		29.87	3	-0.02	30.06	FM-15	0.02	30.05
30	0100	4	5	2.98	RA	52	11.1	52	11.1	52	11.1	100	14	010		29.87	3	-0.02	30.06	FM-12		
30	0101	7	BKN:07 6 BKN:07 13 OVC:08 18	3.00	-RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	17	010		29.85				FM-16	T	30.03
30	0154	7	BKN:07 9 BKN:07 32 OVC:08 55	2.50	+RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	13	020		29.85			30.04	FM-15	0.20	30.03
30	0205	7	SCT:04 9 BKN:07 35 OVC:08 50	3.00	+RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	8	350		29.87				FM-16	0.19	30.05
30	0214	7	SCT:04 9 BKN:07 35 OVC:08 50	1.75	+RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	11	010		29.85				FM-16	0.24	30.03
30	0225	7	SCT:04 9 BKN:07 35 OVC:08 50	3.00	+RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	13	010	17	29.86				FM-16	0.40	30.04
30	0234	7	SCT:04 8 BKN:07 15 OVC:08 60	5.00	+RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	11	020		29.86				FM-16	0.43	30.04
30	0249	7	BKN:07 7 BKN:07 13 OVC:08 19	5.00	+RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	10	350		29.86				FM-16	0.46	30.04
30	0254	7	SCT:04 9 BKN:07 15 OVC:08 23	5.00	RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	11	350		29.87			30.06	FM-15	0.34	30.05
30	0258	7	BKN:07 9 BKN:07 13 OVC:08 23	5.00	+RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	10	350		29.86				FM-16	0.01	30.04
30	0354	7	BKN:07 9 OVC:08 14	10.00	-RA:02 RA RA	51	10.6	51	10.6	51	10.6	100	10	340		29.88	3	-0.01	30.07	FM-15	0.06	30.06
30	0404	7	OVC:08 10	8.00	-RA:02 RA RA	51	10.6	51	10.6	51	10.6	100	10	360		29.87				FM-16	T	30.05
30	0452	6	BKN:07 8 BKN:07 43 OVC:08 65	9.00	-RA:02 RA RA	52	11.1	52	11.1	52	11.1	100	11	020		29.87				FM-16		30.05
30	0454	7	BKN:07 8 BKN:07 43 OVC:08 65	10.00	-RA:02 RA RA	51	10.6	51	10.6	51	10.6	100	10	020		29.87			30.06	FM-15	0.02	30.05
30	0552	6	OVC:08 11	10.00		52	11.1	51	10.6	50	10.0	94	11	010		29.88				FM-16		30.06
30	0554	7	OVC:08 11	10.00		52	11.1	51	10.6	50	10.0	93	10	020		29.88			30.08	FM-15	0.00	30.06
30	0654	7	BKN:07 7 OVC:08 13	10.00		52	11.1	51	10.6	50	10.0	93	11	350		29.90	3	-0.03	30.10	FM-15	0.00	30.08

30	0700	4	8	9.94		52	11.1	51	10.6	50	10.0	93	11	350		29.90	3	-0.03	30.10	FM-12		
30	0754	7	OVC:08 8	4.00	BR:1	52	11.1	51	10.6	51	10.6	97	11	350		29.92			30.11	FM-15	0.00	30.10
30	0835	7	BKN:07 7 OVC:08 12	1.75	-RA:02 BR:1 RA RA	51	10.6	51	10.6	51	10.6	100	13	360		29.94				FM-16	T	30.12
30	0854	7	OVC:08 8	1.75	-RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	10	360		29.94			30.14	FM-15	T	30.12
30	0905	7	BKN:07 6 OVC:08 11	2.50	-RA:02 BR:1 RA RA	52	11.1	52	11.1	52	11.1	100	13	360		29.94				FM-16	T	30.12
30	0913	7	OVC:08 9	5.00	-RA:02 BR:1 RA RA	53	11.7	52	11.1	52	11.1	96	15	360		29.94				FM-16	T	30.12
30	0954	7	OVC:08 8	5.00	BR:1	51	10.6	50	10.0	50	10.0	96	15	350		29.95	1	-0.05	30.14	FM-15	T	30.13
30	1052	6	OVC:08 13	10.00		54	12.2	53	11.7	52	11.1	94	15	360		29.94				FM-16		30.12
30	1054	7	OVC:08 13	10.00		54	12.2	52	11.1	51	10.6	90	15	360		29.95			30.14	FM-15	0.00	30.13
30	1152	6	OVC:08 15	10.00		57	13.9	53	11.7	50	10.0	77	16	360		29.95				FM-16		30.13
30	1154	7	OVC:08 15	10.00		57	13.9	53	11.7	50	10.0	78	14	010		29.95			30.14	FM-15	0.00	30.13
30	1254	7	BKN:07 13 BKN:07 18 OVC:08 22	10.00		58	14.4	54	12.2	51	10.6	78	13	360		29.94	6	+0.01	30.14	FM-15	0.00	30.12
30	1300	4	15	9.94		58	14.4	54	12.2	51	10.6	78	13	360		29.94	6	+0.01	30.14	FM-12		
30	1318	7	BKN:07 16 OVC:08 25	10.00		59	15.0	55	12.8	51	10.6	75	9	350		29.94				FM-16		30.12
30	1354	7	BKN:07 22 OVC:08 29	10.00		57	13.9	53	11.7	50	10.0	78	11	330		29.95			30.15	FM-15	0.00	30.13
30	1454	7	OVC:08 20	10.00		57	13.9	53	11.7	50	10.0	78	13	360		29.95			30.14	FM-15	0.00	30.13
30	1554	7	BKN:07 22 OVC:08 28	10.00		60	15.6	55	12.8	50	10.0	70	8	030		29.96	1	-0.01	30.15	FM-15	0.00	30.14
30	1654	7	OVC:08 25	10.00		58	14.4	54	12.2	50	10.0	75	7	330		29.97			30.16	FM-15	0.00	30.15
30	1754	7	FEW:02 23 OVC:08 28	10.00		57	13.9	53	11.7	50	10.0	78	7	360		29.99			30.19	FM-15	0.00	30.17
30	1819	7	OVC:08 31	10.00		57	13.9	53	11.7	50	10.0	78	7	360		30.00				FM-16		30.18
30	1854	7	FEW:02 23 OVC:08 32	10.00		57	13.9	53	11.7	50	10.0	78	6	020		30.01	1	-0.05	30.20	FM-15	0.00	30.19
30	1900	4	26	9.94		57	13.9	53	11.7	50	10.0	78	6	020		30.01	1	-0.05	30.20	FM-12		
30	1954	7	OVC:08 36	10.00		56	13.3	53	11.7	50	10.0	81	6	360		30.02			30.21	FM-15	0.00	30.20
30	2054	7	BKN:07 33	10.00		55	12.8	51	10.6	48	8.9	77	10	010		30.05			30.24	FM-15	0.00	30.23
30	2154	7	CLR:00	10.00		53	11.7	50	10.0	48	8.9	83	5	350		30.07	3	-0.06	30.26	FM-15	0.00	30.25
30	2254	7	BKN:07 35	10.00		54	12.2	51	10.6	49	9.4	83	5	340		30.08			30.27	FM-15	0.00	30.26
30	2354	7	BKN:07 38	10.00		54	12.2	51	10.6	49	9.4	83	6	340		30.08			30.27	FM-15	0.00	30.26
31	0054	7	OVC:08 37	10.00		54	12.2	51	10.6	48	8.9	80	5	320		30.08	0	-0.01	30.27	FM-15	0.00	30.26
31	0100	4	41	9.94		54	12.2	51	10.6	48	8.9	80	5	320		30.08	9	+0.01	30.27	FM-12		
31	0154	7	OVC:08 41	10.00		54	12.2	51	10.6	48	8.9	80	5	330		30.08			30.27	FM-15	0.00	30.26
31	0254	7	OVC:08 42	10.00		54	12.2	51	10.6	48	8.9	80	5	280		30.08			30.28	FM-15	0.00	30.26
31	0354	7	CLR:00	10.00		52	11.1	50	10.0	48	8.9	86	0	000		30.09	3	-0.01	30.28	FM-15	0.00	30.27
31	0454	7	FEW:02 40	10.00		50	10.0	49	9.4	48	8.9	93	5	320		30.10			30.29	FM-15	0.00	30.28
31	0554	7	CLR:00	10.00		54	12.2	52	11.1	50	10.0	87	5	280		30.12			30.31	FM-15	0.00	30.30
31	0654	7	FEW:02 250	10.00		58	14.4	54	12.2	51	10.6	78	7	270		30.14	3	-0.05	30.33	FM-15	0.00	30.32
31	0700	4		9.94		58	14.4	54	12.2	51	10.6	78	7	270		30.14	3	-0.05	30.33	FM-12		
31	0754	7	FEW:02 20 FEW:02 300	10.00		61	16.1	56	13.3	52	11.1	72	7	280		30.15			30.34	FM-15	0.00	30.33
31	0854	7	FEW:02 30 FEW:02 300	10.00		65	18.3	57	13.9	51	10.6	61	10	VRB		30.15			30.35	FM-15	0.00	30.33
31	0954	7	FEW:02 42 FEW:02 300	10.00		68	20.0	57	13.9	48	8.9	49	9	340		30.14	0	-0.01	30.34	FM-15	0.00	30.32
31	1054	7	SCT:04 43 BKN:07 300	10.00		71	21.7	59	15.0	49	9.4	46	7	010		30.13			30.32	FM-15	0.00	30.31
31	1154	7	SCT:04 46 BKN:07 300	10.00		70	21.1	58	14.4	49	9.4	47	6	340		30.12			30.31	FM-15	0.00	30.30
31	1254	7	BKN:07 48 OVC:08 300	10.00		71	21.7	59	15.0	49	9.4	46	7	VRB		30.12	6	+0.02	30.31	FM-15	0.00	30.30
31	1300	4	41	9.94		71	21.7	59	15.0	49	9.4	46	7			30.12	6	+0.02	30.31	FM-12		
31	1354	7	BKN:07 50 BKN:07 300	10.00		72	22.2	59	15.0	48	8.9	43	7	VRB		30.10			30.30	FM-15	0.00	30.28

31	1454	7	SCT:04 55 BKN:07 300	10.00		73	22.8	60	15.6	49	9.4	43	0	000		30.10			30.29	FM-15	0.00	30.28
31	1554	7	SCT:04 55 BKN:07 300	10.00		75	23.9	60	15.6	49	9.4	40	6	320		30.09	6	+0.03	30.29	FM-15	0.00	30.27
31	1654	7	SCT:04 55 SCT:04 300	10.00		72	22.2	59	15.0	49	9.4	44				30.09			30.28	FM-15	0.00	30.27
31	1657	7	SCT:04 55	10.00		72	22.2	59	15.0	49	9.4	44	6	150		30.09				FM-16		30.27
31	1754	7	FEW:02 55 FEW:02 300	10.00		72	22.2	60	15.6	50	10.0	46	8	220		30.09			30.29	FM-15	0.00	30.27
31	1854	7	FEW:02 50 SCT:04 300	10.00		71	21.7	59	15.0	50	10.0	47	6	250		30.10	3	-0.01	30.29	FM-15	0.00	30.28
31	1900	4	57	9.94		71	21.7	59	15.0	50	10.0	47	6	250		30.10	3	-0.01	30.29	FM-12		
31	1954	7	FEW:02 300	10.00		64	17.8	59	15.0	56	13.3	75	5	210		30.10			30.29	FM-15	0.00	30.28
31	2054	7	CLR:00	10.00		62	16.7	58	14.4	55	12.8	78	0	000		30.11			30.30	FM-15	0.00	30.29
31	2154	7	CLR:00	10.00		58	14.4	56	13.3	54	12.2	87	0	000		30.12	3	-0.02	30.31	FM-15	0.00	30.30
31	2254	7	CLR:00	10.00		57	13.9	55	12.8	54	12.2	90	3	130		30.12			30.31	FM-15	0.00	30.30
31	2354	7	CLR:00	10.00		56	13.3	55	12.8	54	12.2	93	5	140		30.11			30.30	FM-15	0.00	30.29

Local Climatological Data Hourly Precipitation May 2021

Generated on 07/25/2021

Date	For Hour (LST) Ending at																							Date	
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM		MID
01	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	01
02																									02
03		T	T	T				T	T	0.03s	0.15	T	T				T	T							03
04																		0.21							04
05							0.02														T				05
06																									06
07																T	0.08s	0.06	0.01	T					07
08																									08
09																									09
10								T	T	0.02	0.01	0.01													10
11																							T		11
12																									12
13																									13
14																									14
15																									15
16																									16
17																									17
18	M	M	M	M	M	M	M	M	M	M	M														18
19																									19
20																									20
21																									21
22																									22
23																									23
24																			T		T	T			24
25								T	T																25
26																									26
27																									27
28																			T	0.24s	0.03	T	0.01	T	28
29	0.06	0.19	0.08	0.05	0.04	0.04	0.04	0.02	0.24	T	T	0.03	0.01	T				T	T			T	0.01	T	29
30	0.02	0.20	0.34	0.06	0.02					T	T														30
31																									31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.15	0.19	0.21	0.26	0.40	0.45	0.48	0.52	0.54	0.57	0.59	0.61
Ending Date Time (yyyy-mm-dd hh:mi)	2021-05-30 02:00	2021-05-30 02:03	2021-05-30 02:08	2021-05-30 02:16	2021-05-30 02:24	2021-05-30 02:36	2021-05-30 02:52	2021-05-30 03:08	2021-05-30 03:24	2021-05-30 03:08	2021-05-30 03:24	2021-05-30 03:24

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing