

Local Climatological Data Daily Summary November 2021

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/12/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH								
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees							
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23					
01	69	43	56	0.8	72	46	50	9	0	0634	1711		0.00	0.0	0	29.93	30.15	3.7	21	020	14	030					
02	52	45	49	-5.9	91	46	48	16	0	0635	1710	RA BR	0.09	0.0	0	30.03	30.24	5.0	18	010	14	010					
03	55	38	47	-7.6	68	35	42	18	0	0636	1709	FG BR	0.00	0.0	0	30.13	30.34	5.5	19	030	15	030					
04	52	36	44	-10.3	69	35	40	21	0	0637	1708		0.00	0.0	0	30.11	30.31	5.5	14	030	12	030					
05	56	33	45	-9.0	64	30	38	20	0	0638	1707		0.00	0.0	0	30.15	30.36	7.7	28	030	20	020					
06	53	34	44	-9.7	73	37	42	21	0	0639	1706		T	0.0	0	30.12	30.31	10.3	24	020	18	020					
07	57	41	49	-4.5	67	37	43	16	0	0640	1705		0.00	0.0	0	29.96	30.15	11.2	27	010	21	010					
08	71	40	56	2.8	60	39	47	9	0	0641	1704		0.00	0.0	0	29.98	30.18	7.3	27	360	20	360					
09	76	40	58	5.1	65	43	50	7	0	0642	1703		0.00	0.0	0	29.98	30.17	3.6	16	180	13	210					
10	76	43	60	7.4	63	44	51	5	0	0643	1703		0.00	0.0	0	29.93	30.14	3.5	15	020	13	030					
11	70	43	57	4.7	78	51	54	8	0	0645	1702	BR	0.03	0.0	0	29.97	30.15	7.0	21	160	16	150					
12	71	43	57	5.0	71	49	55	8	0	0646	1701	RA BR	0.11	0.0	0	29.77	29.96	7.8	21	220	17	290					
13	64	34	49	-2.6	60	34	43	16	0	0647	1700		0.00	0.0	0	29.70	29.91	8.9	33	280	28	280					
14	55	29	42	-9.3	61	30	38	23	0	0648	1659		0.00	0.0	0	29.80	29.97	6.3	23	150	18	200					
15	53	37	45	-6.0	49	27	38	20	0	0649	1659		0.00	0.0	0	29.80	30.04	9.9	27	300	21	300					
16	59	36	48	-2.7	65	34	41	17	0	0650	1658		0.00	0.0	0	30.01	30.22	4.8	16	200	13	200					
17	73	38	56	5.6	71	45	49	9	0	0651	1657		0.00	0.0	0	30.04	30.23	6.1	24	200	21	200					
18	77*	48	63	13.0	66	50	56	2	0	0652	1657	RA BR	0.24	0.0	0	29.93	30.11	13.3	38	220	31	220					
19	53	34	44	-5.7	49	26	37	21	0	0653	1656		T	0.0	0	30.16	30.40	9.5	26	350	21	320					
20	51	29	40	-9.4	70	30	35	25	0	0654	1656		0.00	0.0	0	30.34	30.53	2.7	14	150	9	200					
21	60	34	47	-2.0	78	41	44	18	0	0655	1655		0.00	0.0	0	30.09	30.24	4.4	23	230	18	230					
22	55	38	47	-1.7	72	40	45	18	0	0656	1654	RA	0.04	0.0	0	29.75	29.94	6.9	31	010	23	360					
23	47	30	39	-9.3	44	16	30	26	0	0657	1654		0.00	0.0	0	29.96	30.18	10.4	27	340	22	340					
24	50	25*	38	-10.0	54	21	31	27	0	0658	1654		0.00	0.0	0	30.19	30.40	2.4	13	290	8	250					
25	63	30	47	-0.6	51	27	38	18	0	0659	1653	RA	T	0.0	0	29.95	30.09	8.1	17	200	15	230					
26	55	32	44	-3.3	57	30	40	21	0	0700	1653	RA	0.19	0.0	0	29.67	29.88	12.7	33	280	26	310					
27	47	27	37	-9.9	53	20	31	28	0	0701	1652		0.00	0.0	0	29.84	30.04	6.3	22	320	16	310					
28	62	36	49	2.4	51	29	40	16	0	0702	1652		0.00	0.0	0	29.68	29.87	6.9	23	360	17	360					
29	50	27	39	-7.2	47	22	34	26	0	0703	1652		0.00	0.0	0	29.80	30.03	9.0	29	330	23	330					
30	58	27	43	-2.9	54	26	36	22	0	0704	1652		0.00	0.0	0	29.86	30.06	8.5	29	210	23	220					
	59.7	35.7	47.7							Monthly Averages Totals			0.70			29.96	30.15	7.2									
	-1.7	-3.7	-2.7		Departure from Normal (1981-2010)								-2.54														
Degree Days										Number of days with...																	
Monthly					Season-to-date					Temperature				Precipitation		Snow		Weather									
Total		Departure			Total		Departure			Max		Min															
Heating		519			76		577			>=90°		<=32°		<=32°		<=0°		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog	
Cooling		0			-5		1727			0		0		9		0		6		3		0					
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure				Greatest...															
N/A								Maximum		30.60		Date		20		Time		1026		24-Hr... Precip		Snowfall		Snow Depth			
								Minimum		29.78		26		0454		0.24		0.0		0.0							
												Date															
												18-18															
Station Augmentation																											
Name: N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																											

Local Climatological Data
Hourly Observations
November 2021

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/12/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	0	000		29.82	1	-0.03	30.02	FM-15	0.00	30.00
01	0100	4		9.94		48	8.9	47	8.3	46	7.8	93	0	000		29.82	1	-0.03	30.02	FM-12		
01	0154	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	0	000		29.84			30.03	FM-15	0.00	30.02
01	0254	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	0	000		29.86			30.05	FM-15	0.00	30.04
01	0354	7	CLR:00	10.00		45	7.2	44	6.7	43	6.1	93	0	000		29.87	3	-0.05	30.06	FM-15	0.00	30.05
01	0454	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	3	190		29.89			30.08	FM-15	0.00	30.07
01	0554	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	5	210		29.91			30.10	FM-15	0.00	30.09
01	0654	7	FEW:02 40	10.00		45	7.2	45	7.2	44	6.7	97	0	000		29.94	3	-0.06	30.13	FM-15	0.00	30.12
01	0700	4	41	9.94		45	7.2	45	7.2	44	6.7	97	0	000		29.94	3	-0.06	30.13	FM-12		
01	0754	7	FEW:02 50	10.00		52	11.1	49	9.4	46	7.8	80	6	270		29.97			30.16	FM-15	0.00	30.15
01	0854	7	FEW:02 55	10.00		59	15.0	53	11.7	47	8.3	64	6	280		29.99			30.18	FM-15	0.00	30.17
01	0954	7	FEW:02 55	10.00		64	17.8	55	12.8	47	8.3	54	8	330		29.99	1	-0.05	30.18	FM-15	0.00	30.17
01	1054	7	FEW:02 55	10.00		66	18.9	54	12.2	44	6.7	45	9	020		30.00			30.19	FM-15	0.00	30.18
01	1154	7	FEW:02 50 FEW:02 60	10.00		65	18.3	54	12.2	44	6.7	47	7	VRB		29.99			30.19	FM-15	0.00	30.17
01	1254	7	SCT:04 50 SCT:04 60	10.00		65	18.3	54	12.2	44	6.7	47	3	VRB		29.98	8	+0.01	30.18	FM-15	0.00	30.16
01	1300	4	57	9.94		65	18.3	54	12.2	44	6.7	47	3			29.98	8	+0.01	30.18	FM-12		
01	1354	7	BKN:07 55	10.00		67	19.4	55	12.8	44	6.7	44	8	330		29.98			30.17	FM-15	0.00	30.16
01	1454	7	SCT:04 55	10.00		67	19.4	54	12.2	43	6.1	42	3	260		29.96			30.16	FM-15	0.00	30.14
01	1554	7	SCT:04 55	10.00		65	18.3	54	12.2	44	6.7	47	3	180		29.96	6	+0.03	30.15	FM-15	0.00	30.14
01	1654	7	SCT:04 55	10.00		61	16.1	54	12.2	47	8.3	60	3	140		29.97			30.16	FM-15	0.00	30.15
01	1754	7	BKN:07 60	10.00		58	14.4	54	12.2	50	10.0	75	3	130		29.98			30.17	FM-15	0.00	30.16
01	1854	7	BKN:07 60	10.00		57	13.9	53	11.7	50	10.0	78	3	100		30.00	3	-0.04	30.19	FM-15	0.00	30.18
01	1900	4	57	9.94		57	13.9	53	11.7	50	10.0	78	3	100		30.00	3	-0.04	30.19	FM-12		
01	1954	7	BKN:07 60	10.00		56	13.3	51	10.6	47	8.3	72	7	070		30.02			30.21	FM-15	0.00	30.20
01	2054	7	SCT:04 60	10.00		52	11.1	49	9.4	46	7.8	80	6	100		30.03			30.22	FM-15	0.00	30.21
01	2154	7	SCT:04 70 BKN:07 150	10.00		53	11.7	49	9.4	46	7.8	77	3	080		30.04	1	-0.05	30.24	FM-15	0.00	30.22
01	2254	7	BKN:07 65 BKN:07 150	10.00		53	11.7	49	9.4	46	7.8	77	0	000		30.04			30.24	FM-15	0.00	30.22
01	2354	7	FEW:02 65	10.00		51	10.6	49	9.4	47	8.3	86	0	000		30.04			30.23	FM-15	0.00	30.22
02	0054	7	CLR:00	10.00		48	8.9	47	8.3	45	7.2	89	5	060		30.03	8	+0.01	30.22	FM-15	0.00	30.21
02	0100	4		9.94		48	8.9	47	8.3	45	7.2	89	5	060		30.03	8	+0.01	30.22	FM-12		
02	0154	7	CLR:00	10.00		49	9.4	48	8.9	46	7.8	90	3	060		30.02			30.22	FM-15	0.00	30.20
02	0254	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	3	030		30.02			30.22	FM-15	0.00	30.20
02	0354	7	BKN:07 33	10.00		49	9.4	47	8.3	45	7.2	86	0	000		30.02	5	+0.01	30.22	FM-15	0.00	30.20
02	0454	7	BKN:07 33 BKN:07 70	10.00		48	8.9	47	8.3	45	7.2	89	3	120		30.02			30.21	FM-15	0.00	30.20
02	0544	7	OVC:08 28	10.00		51	10.6	48	8.9	45	7.2	80	0	000		30.02				FM-16		30.20
02	0554	7	BKN:07 28	10.00		50	10.0	48	8.9	45	7.2	83	0	000		30.02			30.21	FM-15	0.00	30.20
02	0654	7	OVC:08 23	10.00		51	10.6	49	9.4	46	7.8	83	0	000		30.02	5	0.00	30.22	FM-15	0.00	30.20
02	0700	4	26	9.94		51	10.6	49	9.4	46	7.8	83	0	000		30.02	5	0.00	30.22	FM-12		
02	0754	7	BKN:07 27 OVC:08 65	10.00		52	11.1	49	9.4	47	8.3	83	3	020		30.04			30.24	FM-15	0.00	30.22
02	0835	7	SCT:04 29 OVC:08 65	10.00		52	11.1	49	9.4	47	8.3	83	5	010		30.06				FM-16		30.24
02	0852	6	BKN:07 27 OVC:08 65	10.00		52	11.1	49	9.4	46	7.8	82	6	010		30.06				FM-16		30.24

02	0854	7	BKN:07 27 OVC:08 65	10.00		52	11.1	49	9.4	47	8.3	83	7	010		30.06			30.26	FM-15	0.00	30.24
02	0917	7	FEW:02 25 OVC:08 60	10.00	-RA:02 RA RA	52	11.1	49	9.4	47	8.3	83	6	360		30.06				FM-16	T	30.24
02	0941	7	BKN:07 24 OVC:08 60	10.00	-RA:02 RA RA	52	11.1	50	10.0	48	8.9	86	7	340		30.06				FM-16	T	30.24
02	0954	7	BKN:07 25 OVC:08 60	10.00	-RA:02 RA RA	52	11.1	50	10.0	48	8.9	86	6	010		30.06	0	-0.04	30.25	FM-15	0.01s	30.24
02	1054	7	BKN:07 26 OVC:08 55	10.00		51	10.6	49	9.4	48	8.9	89	10	360		30.07			30.26	FM-15	T	30.25
02	1112	7	FEW:02 15 SCT:04 28 OVC:08 60	10.00	-RA:02 RA RA	51	10.6	49	9.4	47	8.3	86	10	360		30.06				FM-16	T	30.24
02	1154	7	FEW:02 17 FEW:02 28 OVC:08 60	10.00	-RA:02 RA RA	50	10.0	48	8.9	46	7.8	86	8	360		30.05			30.24	FM-15	T	30.23
02	1254	7	FEW:02 20 OVC:08 55	10.00	-RA:02 RA RA	49	9.4	48	8.9	46	7.8	90	8	360		30.03	8	+0.03	30.22	FM-15	T	30.21
02	1300	4	26	9.94	RA	49	9.4	48	8.9	46	7.8	90	8	360		30.03	8	+0.03	30.22	FM-12		
02	1354	7	FEW:02 20 OVC:08 50	9.00	-RA:02 RA RA	49	9.4	48	8.9	47	8.3	93	6	350		30.03			30.22	FM-15	0.02	30.21
02	1418	7	FEW:02 9 OVC:08 55	9.00	-RA:02 RA RA	49	9.4	48	8.9	48	8.9	97	8	350		30.03				FM-16	0.01	30.21
02	1442	7	BKN:07 9 OVC:08 55	10.00	-RA:02 RA RA	49	9.4	48	8.9	48	8.9	97	7	340		30.03				FM-16	0.02	30.21
02	1454	7	BKN:07 9 OVC:08 55	10.00	-RA:02 RA RA	49	9.4	48	8.9	47	8.3	93	8	350		30.03			30.22	FM-15	0.03	30.21
02	1554	7	BKN:07 9 OVC:08 12	10.00	-RA:02 RA RA	49	9.4	48	8.9	47	8.3	93	9	340		30.04	3	-0.01	30.23	FM-15	0.01	30.22
02	1652	6	FEW:02 8 SCT:04 14 OVC:08 55	8.00	-RA:02 RA RA	48	8.9	47	8.3	46	7.8	94	7	020		30.04				FM-16		30.22
02	1654	7	FEW:02 8 SCT:04 14 OVC:08 55	9.00	-RA:02 RA RA	48	8.9	48	8.9	47	8.3	96	7	020		30.05			30.24	FM-15	0.01	30.23
02	1754	7	SCT:04 14 OVC:08 60	10.00		48	8.9	48	8.9	47	8.3	96	7	030		30.06			30.25	FM-15	0.01	30.24
02	1833	7	SCT:04 5 OVC:08 65	10.00		48	8.9	48	8.9	47	8.3	96	3	040		30.06				FM-16		30.24
02	1844	7	BKN:07 5 OVC:08 65	10.00		48	8.9	48	8.9	47	8.3	96	5	040		30.07				FM-16		30.25
02	1854	7	BKN:07 5 OVC:08 65	10.00		48	8.9	48	8.9	47	8.3	96	5	040		30.07	3	-0.03	30.26	FM-15	0.00	30.25
02	1900	4	5	9.94		48	8.9	48	8.9	47	8.3	96	5	040		30.07	3	-0.03	30.26	FM-12		
02	1954	7	SCT:04 7 OVC:08 75	10.00		48	8.9	47	8.3	46	7.8	93	3	030		30.08			30.27	FM-15	0.00	30.26
02	2054	7	SCT:04 6 BKN:07 80	10.00		47	8.3	47	8.3	46	7.8	97	6	340		30.09			30.29	FM-15	0.00	30.27
02	2140	7	BKN:07 6 OVC:08 80	10.00		47	8.3	47	8.3	46	7.8	97	6	010		30.10				FM-16		30.28
02	2154	7	BKN:07 6 OVC:08 80	10.00		47	8.3	47	8.3	46	7.8	97	5	010		30.10	1	-0.03	30.29	FM-15	0.00	30.28
02	2223	7	SCT:04 5 BKN:07 17 OVC:08 80	9.00		47	8.3	47	8.3	46	7.8	97	5	360		30.10				FM-16		30.28
02	2254	7	SCT:04 5 BKN:07 17 OVC:08 80	9.00		45	7.2	45	7.2	45	7.2	100	3	360		30.10			30.29	FM-15	0.00	30.28
02	2310	7	BKN:07 5 BKN:07 19	9.00		46	7.8	46	7.8	45	7.2	96	7	330		30.10				FM-16		30.28
02	2354	7	OVC:08 5	6.00	BR:1	46	7.8	46	7.8	45	7.2	96	5	350		30.09			30.28	FM-15	0.00	30.27
03	0002	7	OVC:08 4	5.00	BR:1	45	7.2	45	7.2	44	6.7	97	6	350		30.09				FM-16		30.27
03	0054	7	OVC:08 2	3.00	BR:1	45	7.2	45	7.2	45	7.2	100	6	350		30.10	5	+0.01	30.29	FM-15	0.00	30.28
03	0100	4	2	2.98		45	7.2	45	7.2	45	7.2	100	6	350		30.10	5	+0.01	30.29	FM-12		

03	0154	7	BKN:07 4	3.00	BR:1		44	6.7	44	6.7	43	6.1	96	6	340		30.10			30.30	FM-15	0.00	30.28
03	0222	7	SCT:04 4	3.00	BR:1		42	5.6	42	5.6	42	5.6	100	6	340		30.10				FM-16		30.28
03	0254	7	FEW:02 4	3.00	BR:1		42	5.6	42	5.6	42	5.6	100	5	300		30.11			30.31	FM-15	0.00	30.29
03	0354	7	FEW:02 3	3.00	BR:1		41	5.0	41	5.0	40	4.4	96	5	320		30.11	1	-0.02	30.31	FM-15	0.00	30.29
03	0414	7	SCT:04 2	2.00	BR:1		40	4.4	40	4.4	40	4.4	100	6	320		30.12				FM-16		30.30
03	0423	7	OVC:08 2	1.00	BR:1		40	4.4	40	4.4	40	4.4	100	6	310		30.12				FM-16		30.30
03	0452	6	OVC:08 2	0.50	FG:2 FG		39	3.9	39	3.9	39	3.9	100	5	320		30.13				FM-16		30.31
03	0454	7	OVC:08 2	0.50	FG:2 FG		40	4.4	40	4.4	40	4.4	100	5	320		30.13			30.32	FM-15	0.00	30.31
03	0531	7	OVC:08 2	0.75	BR:1		39	3.9	39	3.9	39	3.9	100	5	340		30.13				FM-16		30.31
03	0541	7	SCT:04 2	1.50	BR:1		38	3.3	38	3.3	38	3.3	100	5	340		30.13				FM-16		30.31
03	0554	7	FEW:02 2	3.00	BR:1		39	3.9	39	3.9	38	3.3	96	5	320		30.14			30.33	FM-15	0.00	30.32
03	0654	7	FEW:02 7 SCT:04 300	9.00			38	3.3	38	3.3	38	3.3	100	5	320		30.15	1	-0.04	30.34	FM-15	0.00	30.33
03	0700	4	8	8.70			38	3.3	38	3.3	38	3.3	100	5	320		30.15	1	-0.04	30.34	FM-12		
03	0754	7	SCT:04 250	10.00			42	5.6	41	5.0	39	3.9	89	6	340		30.16			30.36	FM-15	0.00	30.34
03	0854	7	FEW:02 200	10.00			46	7.8	42	5.6	38	3.3	73	8	340		30.18			30.37	FM-15	0.00	30.36
03	0954	7	SCT:04 200 SCT:04 250	10.00			50	10.0	43	6.1	34	1.1	54	9	340		30.19	1	-0.04	30.38	FM-15	0.00	30.37
03	1054	7	FEW:02 50 SCT:04 250	10.00			53	11.7	42	5.6	27	-2.8	37	13	360		30.18			30.38	FM-15	0.00	30.36
03	1154	7	FEW:02 50 SCT:04 250	10.00			54	12.2	43	6.1	29	-1.7	38	10	360		30.16			30.35	FM-15	0.00	30.34
03	1254	7	FEW:02 50 FEW:02 250	10.00			54	12.2	43	6.1	28	-2.2	37	10	350		30.13	8	+0.05	30.33	FM-15	0.00	30.31
03	1300	4	57	9.94			54	12.2	43	6.1	28	-2.2	37	10	350		30.13	8	+0.05	30.33	FM-12		
03	1354	7	FEW:02 50 FEW:02 250	10.00			54	12.2	42	5.6	26	-3.3	34				30.12			30.31	FM-15	0.00	30.30
03	1454	7	FEW:02 50 SCT:04 250	10.00			54	12.2	43	6.1	28	-2.2	37	6	020		30.11			30.31	FM-15	0.00	30.29
03	1554	7	FEW:02 50 SCT:04 300	10.00			52	11.1	42	5.6	28	-2.2	40	6	010		30.11	5	+0.02	30.31	FM-15	0.00	30.29
03	1654	7	FEW:02 50 BKN:07 190 BKN:07 300	10.00			49	9.4	41	5.0	30	-1.1	48	5	030		30.12			30.31	FM-15	0.00	30.30
03	1754	7	BKN:07 200	10.00			47	8.3	41	5.0	33	0.6	59	3	050		30.13			30.32	FM-15	0.00	30.31
03	1854	7	OVC:08 160	10.00			46	7.8	42	5.6	36	2.2	68	0	000		30.15	3	-0.04	30.35	FM-15	0.00	30.33
03	1900	4		9.94			46	7.8	42	5.6	36	2.2	68	0	000		30.15	3	-0.04	30.35	FM-12		
03	1954	7	OVC:08 160	10.00			45	7.2	41	5.0	37	2.8	74	5	040		30.15			30.35	FM-15	0.00	30.33
03	2054	7	OVC:08 140	10.00			45	7.2	41	5.0	36	2.2	71	3	020		30.16			30.36	FM-15	0.00	30.34
03	2154	7	FEW:02 120 OVC:08 140	10.00			45	7.2	41	5.0	37	2.8	74	3	030		30.16	0	0.00	30.35	FM-15	0.00	30.34
03	2254	7	OVC:08 100	10.00			46	7.8	42	5.6	36	2.2	68	0	000		30.17			30.36	FM-15	0.00	30.35
03	2354	7	OVC:08 110	10.00			45	7.2	41	5.0	37	2.8	74	5	010		30.16			30.35	FM-15	0.00	30.34
04	0054	7	OVC:08 90	10.00			45	7.2	41	5.0	36	2.2	71	0	000		30.16	0	0.00	30.35	FM-15	0.00	30.34
04	0100	4		9.94			45	7.2	41	5.0	36	2.2	71	0	000		30.16	9	0.00	30.35	FM-12		
04	0154	7	OVC:08 90	10.00			45	7.2	41	5.0	36	2.2	71	3	010		30.15			30.35	FM-15	0.00	30.33
04	0254	7	OVC:08 80	10.00			45	7.2	41	5.0	37	2.8	74	3	020		30.15			30.34	FM-15	0.00	30.33
04	0354	7	OVC:08 80	10.00			44	6.7	41	5.0	37	2.8	76	6	020		30.14	6	+0.02	30.34	FM-15	0.00	30.32
04	0454	7	BKN:07 70	10.00			43	6.1	40	4.4	37	2.8	80	6	020		30.13			30.33	FM-15	0.00	30.31
04	0554	7	BKN:07 180 OVC:08 250	10.00			42	5.6	40	4.4	37	2.8	82	5	020		30.14			30.34	FM-15	0.00	30.32
04	0654	7	BKN:07 180 OVC:08 300	10.00			41	5.0	39	3.9	36	2.2	82	7	010		30.14	6	0.00	30.33	FM-15	0.00	30.32
04	0700	4		9.94			41	5.0	39	3.9	36	2.2	82	7	010		30.14	6	0.00	30.33	FM-12		
04	0754	7	FEW:02 190 OVC:08 300	10.00			43	6.1	40	4.4	36	2.2	76	9	020		30.15			30.34	FM-15	0.00	30.33
04	0854	7	SCT:04 150 OVC:08 300	10.00			46	7.8	42	5.6	36	2.2	68	6	020		30.16			30.35	FM-15	0.00	30.34
04	0954	7	SCT:04 160 OVC:08 300	10.00			50	10.0	43	6.1	34	1.1	54	10	030		30.15	0	-0.01	30.34	FM-15	0.00	30.33

04	1054	7	BKN:07 150 OVC:08 300	10.00		51	10.6	43	6.1	33	0.6	50	9	030		30.14			30.33	FM-15	0.00	30.32
04	1154	7	BKN:07 140 OVC:08 300	10.00		51	10.6	43	6.1	32	0.0	48	5	010		30.12			30.32	FM-15	0.00	30.30
04	1254	7	BKN:07 140 OVC:08 300	10.00		52	11.1	43	6.1	32	0.0	47	7	020		30.10	8	+0.04	30.29	FM-15	0.00	30.28
04	1300	4		9.94		52	11.1	43	6.1	32	0.0	47	7	020		30.10	8	+0.04	30.29	FM-12		
04	1354	7	BKN:07 80	10.00		51	10.6	43	6.1	33	0.6	50	8	010		30.09			30.29	FM-15	0.00	30.27
04	1454	7	SCT:04 85 BKN:07 140 BKN:07 300	10.00		51	10.6	43	6.1	33	0.6	50	9	020		30.08			30.27	FM-15	0.00	30.26
04	1554	7	FEW:02 80 BKN:07 140 BKN:07 300	10.00		50	10.0	43	6.1	35	1.7	57	6	010		30.07	6	+0.04	30.27	FM-15	0.00	30.25
04	1654	7	FEW:02 80 SCT:04 140 BKN:07 300	10.00		49	9.4	42	5.6	34	1.1	56	7	010		30.07			30.26	FM-15	0.00	30.25
04	1754	7	FEW:02 140 SCT:04 300	10.00		44	6.7	40	4.4	35	1.7	71	6	010		30.06			30.26	FM-15	0.00	30.24
04	1854	7	FEW:02 300	10.00		43	6.1	40	4.4	35	1.7	74	5	360		30.07	3	0.00	30.27	FM-15	0.00	30.25
04	1900	4		9.94		43	6.1	40	4.4	35	1.7	74	5	360		30.07	3	0.00	30.27	FM-12		
04	1954	7	FEW:02 300	10.00		40	4.4	38	3.3	36	2.2	86	0	000		30.08			30.27	FM-15	0.00	30.26
04	2054	7	CLR:00	10.00		40	4.4	38	3.3	35	1.7	83	0	000		30.08			30.27	FM-15	0.00	30.26
04	2154	7	CLR:00	10.00		39	3.9	37	2.8	34	1.1	82	5	330		30.08	1	-0.01	30.28	FM-15	0.00	30.26
04	2254	7	CLR:00	10.00		36	2.2	35	1.7	33	0.6	89	6	340		30.08			30.27	FM-15	0.00	30.26
04	2354	7	CLR:00	10.00		37	2.8	35	1.7	33	0.6	86	6	330		30.08			30.27	FM-15	0.00	30.26
05	0054	7	CLR:00	10.00		35	1.7	34	1.1	32	0.0	89	6	350		30.07	6	+0.01	30.27	FM-15	0.00	30.25
05	0100	4		9.94		35	1.7	34	1.1	32	0.0	89	6	350		30.07	6	+0.01	30.27	FM-12		
05	0154	7	CLR:00	10.00		36	2.2	34	1.1	32	0.0	86	5	340		30.08			30.27	FM-15	0.00	30.26
05	0254	7	CLR:00	10.00		35	1.7	34	1.1	32	0.0	89	6	340		30.09			30.28	FM-15	0.00	30.27
05	0354	7	CLR:00	10.00		34	1.1	33	0.6	31	-0.6	89	6	350		30.10	3	-0.03	30.30	FM-15	0.00	30.28
05	0454	7	CLR:00	10.00		34	1.1	33	0.6	31	-0.6	89	9	350		30.12			30.32	FM-15	0.00	30.30
05	0554	7	CLR:00	10.00		34	1.1	33	0.6	31	-0.6	89	8	350		30.14			30.34	FM-15	0.00	30.32
05	0654	7	FEW:02 250	10.00		33	0.6	32	0.0	30	-1.1	89	6	340		30.16	1	-0.06	30.35	FM-15	0.00	30.34
05	0700	4		9.94		33	0.6	32	0.0	30	-1.1	89	6	340		30.16	1	-0.06	30.35	FM-12		
05	0754	7	FEW:02 300	10.00		39	3.9	37	2.8	33	0.6	79	8	350		30.17			30.37	FM-15	0.00	30.35
05	0854	7	CLR:00	10.00		45	7.2	40	4.4	33	0.6	63	8	350		30.20			30.40	FM-15	0.00	30.38
05	0954	7	SCT:04 300	10.00		49	9.4	41	5.0	29	-1.7	46	16	030	21	30.20	1	-0.05	30.40	FM-15	0.00	30.38
05	1054	7	FEW:02 50 BKN:07 300	10.00		52	11.1	42	5.6	29	-1.7	41	10	VRB		30.20			30.40	FM-15	0.00	30.38
05	1154	7	FEW:02 55 BKN:07 300	10.00		54	12.2	43	6.1	27	-2.8	35	16	040		30.18			30.38	FM-15	0.00	30.36
05	1254	7	FEW:02 60 BKN:07 300	10.00		54	12.2	42	5.6	26	-3.3	34	11	030	22	30.17	8	+0.04	30.37	FM-15	0.00	30.35
05	1300	4		9.94		54	12.2	42	5.6	26	-3.3	34	11	030		30.17	8	+0.04	30.37	FM-12		
05	1354	7	FEW:02 65 BKN:07 300	10.00		55	12.8	43	6.1	25	-3.9	31	9	040	20	30.17			30.37	FM-15	0.00	30.35
05	1454	7	FEW:02 60 BKN:07 300	10.00		55	12.8	43	6.1	26	-3.3	33	9	030		30.17			30.37	FM-15	0.00	30.35
05	1554	7	FEW:02 60 BKN:07 300	10.00		52	11.1	41	5.0	25	-3.9	35	10	050		30.19	3	-0.02	30.39	FM-15	0.00	30.37
05	1654	7	FEW:02 60 BKN:07 300	10.00		48	8.9	40	4.4	29	-1.7	48	6	040		30.18			30.38	FM-15	0.00	30.36
05	1754	7	BKN:07 300	10.00		45	7.2	39	3.9	31	-0.6	58	5	040		30.18			30.38	FM-15	0.00	30.36
05	1854	7	BKN:07 300	10.00		43	6.1	38	3.3	31	-0.6	63	5	050		30.20	3	-0.01	30.40	FM-15	0.00	30.38
05	1900	4		9.94		43	6.1	38	3.3	31	-0.6	63	5	050		30.20	3	-0.01	30.40	FM-12		
05	1954	7	SCT:04 300	10.00		42	5.6	37	2.8	31	-0.6	65	5	030		30.20			30.40	FM-15	0.00	30.38
05	2054	7	SCT:04 300	10.00		39	3.9	37	2.8	33	0.6	79	5	020		30.20			30.40	FM-15	0.00	30.38
05	2154	7	SCT:04 300	10.00		38	3.3	35	1.7	31	-0.6	76	7	010		30.19	8	+0.01	30.39	FM-15	0.00	30.37
05	2254	7	SCT:04 300	10.00		38	3.3	36	2.2	32	0.0	79	6	010		30.19			30.38	FM-15	0.00	30.37

05	2354	7	SCT:04 300	10.00		37	2.8	35	1.7	31	-0.6	79	3	360		30.21			30.40	FM-15	0.00	30.39
06	0054	7	SCT:04 300	10.00		35	1.7	33	0.6	31	-0.6	85	7	360		30.19	0	0.00	30.39	FM-15	0.00	30.37
06	0100	4		9.94		35	1.7	33	0.6	31	-0.6	85	7	360		30.19	9	0.00	30.39	FM-12		
06	0154	7	SCT:04 300	10.00		35	1.7	33	0.6	31	-0.6	85	7	360		30.18			30.38	FM-15	0.00	30.36
06	0254	7	SCT:04 300	10.00		35	1.7	33	0.6	31	-0.6	85	5	VRB		30.17			30.37	FM-15	0.00	30.35
06	0354	7	SCT:04 300	10.00		35	1.7	33	0.6	31	-0.6	85	7	360		30.18	6	+0.02	30.37	FM-15	0.00	30.36
06	0454	7	FEW:02 300	10.00		35	1.7	34	1.1	32	0.0	89	8	360		30.18			30.37	FM-15	0.00	30.36
06	0554	7	FEW:02 300	10.00		37	2.8	35	1.7	32	0.0	82	11	360		30.16			30.36	FM-15	0.00	30.34
06	0654	7	FEW:02 35 SCT:04 200 SCT:04 300	10.00		37	2.8	35	1.7	33	0.6	86	10	360		30.17	5	+0.01	30.36	FM-15	0.00	30.35
06	0700	4	41	9.94		37	2.8	35	1.7	33	0.6	86	10	360		30.17	5	+0.01	30.36	FM-12		
06	0754	7	SCT:04 200 SCT:04 300	10.00		39	3.9	37	2.8	33	0.6	79	9	360		30.18			30.38	FM-15	0.00	30.36
06	0854	7	BKN:07 40 BKN:07 300	10.00		44	6.7	40	4.4	34	1.1	68	11	010		30.18			30.37	FM-15	0.00	30.36
06	0954	7	BKN:07 36	10.00		48	8.9	42	5.6	34	1.1	58	15	020		30.15	8	+0.02	30.35	FM-15	0.00	30.33
06	1054	7	BKN:07 37	10.00		50	10.0	44	6.7	36	2.2	59	15	020		30.14			30.34	FM-15	0.00	30.32
06	1154	7	OVC:08 38	10.00		52	11.1	45	7.2	37	2.8	57	11	020		30.11			30.31	FM-15	0.00	30.29
06	1254	7	OVC:08 39	10.00		52	11.1	45	7.2	38	3.3	59	10	010		30.10	8	+0.05	30.30	FM-15	T	30.28
06	1300	4	41	9.94		52	11.1	45	7.2	38	3.3	59	10	010		30.10	8	+0.05	30.30	FM-12		
06	1354	7	OVC:08 35	10.00		52	11.1	47	8.3	41	5.0	66	13	030		30.09			30.28	FM-15	0.00	30.27
06	1452	6	BKN:07 26 OVC:08 35	10.00		52	11.1	48	8.9	43	6.1	72	14	020		30.07				FM-16		30.25
06	1454	7	BKN:07 26 OVC:08 35	10.00		52	11.1	47	8.3	42	5.6	69	16	020		30.07			30.27	FM-15	T	30.25
06	1554	7	BKN:07 26 OVC:08 35	10.00		52	11.1	47	8.3	42	5.6	69	9	010		30.06	6	+0.04	30.26	FM-15	0.00	30.24
06	1652	6	OVC:08 38	10.00		52	11.1	48	8.9	43	6.1	72	9	010		30.06				FM-16		30.24
06	1654	7	OVC:08 38	10.00		51	10.6	47	8.3	42	5.6	71	10	010		30.06			30.25	FM-15	0.00	30.24
06	1754	7	OVC:08 37	10.00		51	10.6	47	8.3	42	5.6	71	10	360		30.05			30.25	FM-15	0.00	30.23
06	1854	7	BKN:07 40 OVC:08 47	10.00		51	10.6	47	8.3	42	5.6	71	11	360		30.05	6	+0.01	30.25	FM-15	0.00	30.23
06	1900	4	41	9.94		51	10.6	47	8.3	42	5.6	71	11	360		30.05	6	+0.01	30.25	FM-12		
06	1954	7	OVC:08 40	10.00		51	10.6	47	8.3	42	5.6	71	9	010		30.04			30.24	FM-15	0.00	30.22
06	2054	7	OVC:08 60	10.00		51	10.6	47	8.3	42	5.6	71	11	010		30.04			30.24	FM-15	0.00	30.22
06	2154	7	OVC:08 60	10.00		51	10.6	47	8.3	42	5.6	71	9	010		30.05	5	0.00	30.24	FM-15	0.00	30.23
06	2254	7	BKN:07 55	10.00		50	10.0	46	7.8	42	5.6	74	9	010		30.03			30.22	FM-15	0.00	30.21
06	2354	7	SCT:04 55	10.00		48	8.9	45	7.2	42	5.6	80	10	360		30.00			30.19	FM-15	0.00	30.18
07	0054	7	SCT:04 55	10.00		46	7.8	44	6.7	42	5.6	86	8	350		29.99	6	+0.06	30.18	FM-15	0.00	30.17
07	0100	4	57	9.94		46	7.8	44	6.7	42	5.6	86	8	350		29.99	6	+0.06	30.18	FM-12		
07	0154	7	SCT:04 55	10.00		47	8.3	45	7.2	42	5.6	83	11	010		29.98			30.17	FM-15	0.00	30.16
07	0254	7	FEW:02 55 BKN:07 300	10.00		47	8.3	45	7.2	42	5.6	83	11	010		29.97			30.16	FM-15	0.00	30.15
07	0354	7	BKN:07 250	10.00		46	7.8	44	6.7	41	5.0	83	13	010		29.97	5	+0.02	30.16	FM-15	0.00	30.15
07	0454	7	FEW:02 250 OVC:08 300	10.00		46	7.8	44	6.7	41	5.0	83	11	010		29.98			30.17	FM-15	0.00	30.16
07	0554	7	SCT:04 31 BKN:07 300	10.00		46	7.8	44	6.7	41	5.0	83	13	010		29.96			30.16	FM-15	0.00	30.14
07	0654	7	SCT:04 31 BKN:07 220 BKN:07 300	10.00		45	7.2	43	6.1	40	4.4	83	11	010		29.99	3	-0.01	30.18	FM-15	0.00	30.17
07	0700	4	26	9.94		45	7.2	43	6.1	40	4.4	83	11	010		29.99	3	-0.01	30.18	FM-12		
07	0754	7	FEW:02 20 SCT:04 31 BKN:07 250	10.00		45	7.2	42	5.6	39	3.9	80	13	360		30.00			30.19	FM-15	0.00	30.18
07	0854	7	FEW:02 20 SCT:04 200 BKN:07 300	10.00		47	8.3	43	6.1	39	3.9	74	14	010		30.00			30.19	FM-15	0.00	30.18
07	0954	7	SCT:04 180 BKN:07 300	10.00		50	10.0	44	6.7	36	2.2	59	20	010	25	30.00	1	-0.01	30.20	FM-15	0.00	30.18

07	1054	7	SCT:04 180 BKN:07 300	10.00		52	11.1	45	7.2	37	2.8	57	15	010		29.98			30.18	FM-15	0.00	30.16
07	1154	7	FEW:02 180 BKN:07 300	10.00		54	12.2	46	7.8	37	2.8	53	14	010	23	29.96			30.15	FM-15	0.00	30.14
07	1254	7	FEW:02 200 BKN:07 300	10.00		55	12.8	47	8.3	38	3.3	53	14	010	24	29.94	6	+0.06	30.13	FM-15	0.00	30.12
07	1300	4		9.94		55	12.8	47	8.3	38	3.3	53	14	010		29.94	6	+0.06	30.13	FM-12		
07	1354	7	BKN:07 250	10.00		56	13.3	47	8.3	37	2.8	49	16	020		29.93			30.12	FM-15	0.00	30.11
07	1454	7	BKN:07 250	10.00		56	13.3	47	8.3	37	2.8	49	11	030		29.92			30.11	FM-15	0.00	30.10
07	1554	7	BKN:07 300	10.00		55	12.8	45	7.2	34	1.1	45	9	360		29.92	5	+0.02	30.11	FM-15	0.00	30.10
07	1654	7	BKN:07 250 BKN:07 300	10.00		52	11.1	43	6.1	32	0.0	47	9	360		29.91			30.11	FM-15	0.00	30.09
07	1754	7	SCT:04 250	10.00		47	8.3	41	5.0	34	1.1	61	7	360		29.92			30.11	FM-15	0.00	30.10
07	1854	7	SCT:04 250	10.00		46	7.8	41	5.0	35	1.7	66	7	360		29.91	8	+0.01	30.11	FM-15	0.00	30.09
07	1900	4		9.94		46	7.8	41	5.0	35	1.7	66	7	360		29.91	8	+0.01	30.11	FM-12		
07	1954	7	SCT:04 250	10.00		47	8.3	41	5.0	34	1.1	61	8	360		29.91			30.11	FM-15	0.00	30.09
07	2054	7	SCT:04 250	10.00		47	8.3	41	5.0	34	1.1	61	9	010		29.92			30.11	FM-15	0.00	30.10
07	2154	7	SCT:04 250	10.00		44	6.7	40	4.4	35	1.7	71	7	360		29.93	3	-0.02	30.13	FM-15	0.00	30.11
07	2254	7	SCT:04 250	10.00		43	6.1	40	4.4	35	1.7	74	8	330		29.93			30.12	FM-15	0.00	30.11
07	2354	7	SCT:04 250	10.00		41	5.0	38	3.3	35	1.7	79	9	340		29.93			30.12	FM-15	0.00	30.11
08	0054	7	CLR:00	10.00		42	5.6	39	3.9	35	1.7	76	9	340		29.92	8	+0.01	30.11	FM-15	0.00	30.10
08	0100	4		9.94		42	5.6	39	3.9	35	1.7	76	9	340		29.92	8	+0.01	30.11	FM-12		
08	0154	7	CLR:00	10.00		42	5.6	39	3.9	34	1.1	73	9	350		29.91			30.11	FM-15	0.00	30.09
08	0254	7	CLR:00	10.00		45	7.2	40	4.4	33	0.6	63	11	340		29.92			30.11	FM-15	0.00	30.10
08	0354	7	CLR:00	10.00		43	6.1	38	3.3	32	0.0	65	8	360		29.92	3	0.00	30.11	FM-15	0.00	30.10
08	0454	7	CLR:00	10.00		43	6.1	38	3.3	32	0.0	65	7	340		29.93			30.13	FM-15	0.00	30.11
08	0554	7	FEW:02 250	10.00		43	6.1	39	3.9	33	0.6	68	10	350		29.95			30.14	FM-15	0.00	30.13
08	0654	7	FEW:02 250	10.00		41	5.0	38	3.3	33	0.6	73	5	340		29.97	3	-0.04	30.16	FM-15	0.00	30.15
08	0700	4		9.94		41	5.0	38	3.3	33	0.6	73	5	340		29.97	3	-0.04	30.16	FM-12		
08	0754	7	CLR:00	10.00		50	10.0	43	6.1	35	1.7	57	8	360		30.00			30.19	FM-15	0.00	30.18
08	0854	7	CLR:00	10.00		56	13.3	46	7.8	35	1.7	46	13	360		30.02			30.21	FM-15	0.00	30.20
08	0954	7	CLR:00	10.00		60	15.6	49	9.4	37	2.8	42	20	360	25	30.03	1	-0.06	30.22	FM-15	0.00	30.21
08	1054	7	CLR:00	10.00		63	17.2	51	10.6	39	3.9	41	18	350	26	30.03			30.23	FM-15	0.00	30.21
08	1154	7	CLR:00	10.00		66	18.9	53	11.7	40	4.4	39	15	350		30.02			30.21	FM-15	0.00	30.20
08	1254	7	CLR:00	10.00		68	20.0	54	12.2	41	5.0	38	11	350		29.99	8	+0.04	30.19	FM-15	0.00	30.17
08	1300	4		9.94		68	20.0	54	12.2	41	5.0	38	11	350		29.99	8	+0.04	30.19	FM-12		
08	1354	7	CLR:00	10.00		70	21.1	55	12.8	41	5.0	35	9	350		29.99			30.18	FM-15	0.00	30.17
08	1454	7	CLR:00	10.00		70	21.1	55	12.8	40	4.4	34	8	330		29.98			30.17	FM-15	0.00	30.16
08	1554	7	CLR:00	10.00		69	20.6	55	12.8	41	5.0	36	7	350		29.98	5	+0.01	30.17	FM-15	0.00	30.16
08	1654	7	CLR:00	10.00		64	17.8	53	11.7	42	5.6	45	6	330		29.99			30.18	FM-15	0.00	30.17
08	1754	7	CLR:00	10.00		58	14.4	51	10.6	44	6.7	60	0	000		30.01			30.20	FM-15	0.00	30.19
08	1854	7	CLR:00	10.00		53	11.7	49	9.4	44	6.7	72	0	000		30.02	3	-0.05	30.22	FM-15	0.00	30.20
08	1900	4		9.94		53	11.7	49	9.4	44	6.7	72	0	000		30.02	3	-0.05	30.22	FM-12		
08	1954	7	CLR:00	10.00		51	10.6	48	8.9	45	7.2	80	0	000		30.03			30.22	FM-15	0.00	30.21
08	2054	7	CLR:00	10.00		50	10.0	47	8.3	44	6.7	80	0	000		30.04			30.23	FM-15	0.00	30.22
08	2154	7	CLR:00	10.00		48	8.9	46	7.8	43	6.1	83	0	000		30.04	1	-0.02	30.23	FM-15	0.00	30.22
08	2254	7	CLR:00	10.00		47	8.3	46	7.8	44	6.7	90	0	000		30.03			30.22	FM-15	0.00	30.21
08	2354	7	CLR:00	10.00		46	7.8	45	7.2	43	6.1	89	0	000		30.03			30.22	FM-15	0.00	30.21
09	0054	7	CLR:00	10.00		47	8.3	46	7.8	44	6.7	90	0	000		30.02	6	+0.02	30.22	FM-15	0.00	30.20
09	0100	4		9.94		47	8.3	46	7.8	44	6.7	90	0	000		30.02	6	+0.02	30.22	FM-12		
09	0154	7	CLR:00	10.00		46	7.8	45	7.2	43	6.1	89	0	000		30.02			30.22	FM-15	0.00	30.20
09	0254	7	CLR:00	10.00		47	8.3	45	7.2	43	6.1	86	0	000		30.02			30.21	FM-15	0.00	30.20
09	0354	7	CLR:00	10.00		45	7.2	44	6.7	42	5.6	90	0	000		30.02	5	0.00	30.22	FM-15	0.00	30.20
09	0454	7	CLR:00	10.00		43	6.1	42	5.6	41	5.0	93	0	000		30.03			30.22	FM-15	0.00	30.21
09	0554	7	CLR:00	10.00		41	5.0	40	4.4	39	3.9	93	0	000		30.02			30.22	FM-15	0.00	30.20
09	0654	7	FEW:02 200	10.00		42	5.6	41	5.0	39	3.9	89	0	000		30.03	2	-0.01	30.23	FM-15	0.00	30.21
09	0700	4		9.94		42	5.6	41	5.0	39	3.9	89	0	000		30.03	2	-0.01	30.23	FM-12		
09	0754	7	FEW:02 250	10.00		46	7.8	45	7.2	44	6.7	93	0	000		30.05			30.24	FM-15	0.00	30.23

09	0854	7	FEW:02 300	10.00		56	13.3	50	10.0	45	7.2	67	0	000		30.06			30.25	FM-15	0.00	30.24
09	0954	7	FEW:02 300	10.00		63	17.2	53	11.7	43	6.1	48	7	210		30.05	0	-0.01	30.24	FM-15	0.00	30.23
09	1054	7	CLR:00	10.00		69	20.6	55	12.8	41	5.0	36	9	210		30.03			30.23	FM-15	0.00	30.21
09	1154	7	CLR:00	10.00		72	22.2	56	13.3	42	5.6	34	9	200		29.99			30.18	FM-15	0.00	30.17
09	1254	7	CLR:00	10.00		74	23.3	57	13.9	43	6.1	33	9	190		29.96	8	+0.08	30.16	FM-15	0.00	30.14
09	1300	4		9.94		74	23.3	57	13.9	43	6.1	33	9	190		29.96	8	+0.08	30.16	FM-12		
09	1354	7	CLR:00	10.00		75	23.9	57	13.9	42	5.6	31	8	200		29.94			30.13	FM-15	0.00	30.12
09	1454	7	FEW:02 300	10.00		74	23.3	57	13.9	43	6.1	33	9	210		29.93			30.12	FM-15	0.00	30.11
09	1554	7	FEW:02 300	10.00		73	22.8	57	13.9	43	6.1	34	9	210		29.92	6	+0.04	30.12	FM-15	0.00	30.10
09	1654	7	SCT:04 300	10.00		65	18.3	55	12.8	46	7.8	51	6	180		29.92			30.11	FM-15	0.00	30.10
09	1754	7	FEW:02 300	10.00		59	15.0	52	11.1	46	7.8	62	0	000		29.92			30.11	FM-15	0.00	30.10
09	1854	7	FEW:02 300	10.00		59	15.0	52	11.1	46	7.8	62	0	000		29.92	5	0.00	30.11	FM-15	0.00	30.10
09	1900	4		9.94		59	15.0	52	11.1	46	7.8	62	0	000		29.92	5	0.00	30.11	FM-12		
09	1954	7	FEW:02 300	10.00		57	13.9	51	10.6	46	7.8	67	3	160		29.92			30.11	FM-15	0.00	30.10
09	2054	7	FEW:02 300	10.00		54	12.2	50	10.0	46	7.8	75	3	170		29.91			30.11	FM-15	0.00	30.09
09	2154	7	CLR:00	10.00		56	13.3	51	10.6	46	7.8	70	5	210		29.91	6	+0.01	30.10	FM-15	0.00	30.09
09	2254	7	CLR:00	10.00		52	11.1	49	9.4	45	7.2	77	5	190		29.90			30.09	FM-15	0.00	30.08
09	2354	7	CLR:00	10.00		53	11.7	49	9.4	45	7.2	74	5	190		29.89			30.08	FM-15	0.00	30.07
10	0054	7	CLR:00	10.00		51	10.6	48	8.9	45	7.2	80	5	180		29.88	6	+0.03	30.08	FM-15	0.00	30.06
10	0100	4		9.94		51	10.6	48	8.9	45	7.2	80	5	180		29.88	6	+0.03	30.08	FM-12		
10	0154	7	FEW:02 300	10.00		48	8.9	46	7.8	44	6.7	86	3	210		29.88			30.07	FM-15	0.00	30.06
10	0254	7	FEW:02 300	10.00		47	8.3	45	7.2	43	6.1	86	0	000		29.88			30.07	FM-15	0.00	30.06
10	0354	7	SCT:04 250	10.00		45	7.2	44	6.7	42	5.6	90	3	170		29.87	8	+0.01	30.06	FM-15	0.00	30.05
10	0454	7	BKN:07 200	10.00		48	8.9	46	7.8	43	6.1	83	0	000		29.89			30.08	FM-15	0.00	30.07
10	0554	7	SCT:04 200 BKN:07 300	10.00		44	6.7	43	6.1	41	5.0	89	3	160		29.88			30.08	FM-15	0.00	30.06
10	0654	7	BKN:07 160 OVC:08 300	10.00		51	10.6	48	8.9	44	6.7	77	5	320		29.93	3	-0.06	30.12	FM-15	0.00	30.11
10	0700	4		9.94		51	10.6	48	8.9	44	6.7	77	5	320		29.93	3	-0.06	30.12	FM-12		
10	0754	7	BKN:07 160 BKN:07 300	10.00		54	12.2	50	10.0	46	7.8	75	5	340		29.97			30.16	FM-15	0.00	30.15
10	0854	7	SCT:04 150 SCT:04 300	10.00		59	15.0	52	11.1	45	7.2	60	5	340		29.97			30.16	FM-15	0.00	30.15
10	0954	7	FEW:02 150 SCT:04 300	10.00		67	19.4	55	12.8	45	7.2	45	3	050		29.98	1	-0.05	30.17	FM-15	0.00	30.16
10	1054	7	SCT:04 130 BKN:07 300	10.00		72	22.2	57	13.9	44	6.7	37	9	010		29.96			30.16	FM-15	0.00	30.14
10	1154	7	SCT:04 140	10.00		73	22.8	58	14.4	46	7.8	38	8	020		29.95			30.14	FM-15	0.00	30.13
10	1254	7	FEW:02 130	10.00		74	23.3	56	13.3	40	4.4	29	8	010		29.94	8	+0.04	30.13	FM-15	0.00	30.12
10	1300	4		9.94		74	23.3	56	13.3	40	4.4	29	8	010		29.94	8	+0.04	30.13	FM-12		
10	1354	7	FEW:02 130	10.00		75	23.9	57	13.9	41	5.0	29	0	000		29.93			30.13	FM-15	0.00	30.11
10	1454	7	CLR:00	10.00		74	23.3	56	13.3	40	4.4	29	3	130		29.93			30.13	FM-15	0.00	30.11
10	1554	7	CLR:00	10.00		74	23.3	56	13.3	39	3.9	28	0	000		29.94	3	0.00	30.14	FM-15	0.00	30.12
10	1654	7	CLR:00	10.00		66	18.9	55	12.8	46	7.8	49	6	140		29.95			30.14	FM-15	0.00	30.13
10	1754	7	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	3	130		29.97			30.16	FM-15	0.00	30.15
10	1854	7	CLR:00	10.00		58	14.4	53	11.7	48	8.9	70	0	000		29.98	3	-0.04	30.17	FM-15	0.00	30.16
10	1900	4		9.94		58	14.4	53	11.7	48	8.9	70	0	000		29.98	3	-0.04	30.17	FM-12		
10	1954	7	CLR:00	10.00		54	12.2	50	10.0	47	8.3	77	6	060		30.00			30.19	FM-15	0.00	30.18
10	2054	7	CLR:00	10.00		56	13.3	51	10.6	47	8.3	72	5	100		30.01			30.20	FM-15	0.00	30.19
10	2154	7	CLR:00	10.00		54	12.2	50	10.0	47	8.3	77	3	160		30.03	3	-0.04	30.22	FM-15	0.00	30.21
10	2254	7	CLR:00	10.00		52	11.1	49	9.4	47	8.3	83	0	000		30.02			30.21	FM-15	0.00	30.20
10	2354	7	CLR:00	10.00		51	10.6	49	9.4	47	8.3	86	0	000		30.02			30.22	FM-15	0.00	30.20
11	0054	7	CLR:00	10.00		49	9.4	48	8.9	46	7.8	90	3	110		30.03	5	0.00	30.22	FM-15	0.00	30.21
11	0100	4		9.94		49	9.4	48	8.9	46	7.8	90	3	110		30.03	5	0.00	30.22	FM-12		
11	0154	7	CLR:00	10.00		48	8.9	47	8.3	45	7.2	89	0	000		30.02			30.21	FM-15	0.00	30.20
11	0254	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	0	000		30.03			30.22	FM-15	0.00	30.21
11	0354	7	CLR:00	9.00		46	7.8	45	7.2	44	6.7	93	0	000		30.02	6	+0.01	30.21	FM-15	0.00	30.20
11	0454	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	0	000		30.03			30.22	FM-15	0.00	30.21

11	0554	7	CLR:00	7.00		45	7.2	45	7.2	44	6.7	97	0	000		30.02			30.21	FM-15	0.00	30.20
11	0654	7	SCT:04 180 SCT:04 250	6.00	BR:1	44	6.7	44	6.7	43	6.1	96	5	110		30.02	8	0.00	30.21	FM-15	0.00	30.20
11	0700	4		5.59		44	6.7	44	6.7	43	6.1	96	5	110		30.02	8	0.00	30.21	FM-12		
11	0754	7	SCT:04 180 BKN:07 250	7.00		51	10.6	50	10.0	49	9.4	92	0	000		30.04			30.23	FM-15	0.00	30.22
11	0854	7	FEW:02 180 BKN:07 300	9.00		56	13.3	54	12.2	53	11.7	90	8	160		30.03			30.23	FM-15	0.00	30.21
11	0954	7	FEW:02 180 BKN:07 300	10.00		61	16.1	57	13.9	54	12.2	78	9	150		30.02	8	0.00	30.21	FM-15	0.00	30.20
11	1054	7	FEW:02 240 BKN:07 300	10.00		65	18.3	58	14.4	53	11.7	66	9	160		30.02			30.21	FM-15	0.00	30.20
11	1154	7	FEW:02 230 BKN:07 300	10.00		66	18.9	59	15.0	53	11.7	63	14	170		29.98			30.17	FM-15	0.00	30.16
11	1254	7	FEW:02 220 BKN:07 300	10.00		65	18.3	58	14.4	53	11.7	66	8	150		29.96	8	+0.06	30.15	FM-15	0.00	30.14
11	1300	4		9.94		65	18.3	58	14.4	53	11.7	66	8	150		29.96	8	+0.06	30.15	FM-12		
11	1354	7	FEW:02 220 BKN:07 300	10.00		68	20.0	58	14.4	51	10.6	55	11	160		29.95			30.14	FM-15	0.00	30.13
11	1454	7	FEW:02 200 BKN:07 300	10.00		70	21.1	59	15.0	50	10.0	49	10	180		29.92			30.11	FM-15	0.00	30.10
11	1554	7	FEW:02 45 SCT:04 200 BKN:07 300	10.00		69	20.6	59	15.0	51	10.6	53	6	170		29.92	6	+0.04	30.11	FM-15	0.00	30.10
11	1654	7	FEW:02 45 SCT:04 200 BKN:07 300	10.00		64	17.8	57	13.9	52	11.1	65	7	130		29.90			30.09	FM-15	0.00	30.08
11	1754	7	FEW:02 45 SCT:04 200 BKN:07 300	10.00		62	16.7	56	13.3	52	11.1	70	9	140		29.90			30.09	FM-15	0.00	30.08
11	1854	7	FEW:02 45 SCT:04 300	10.00		60	15.6	56	13.3	52	11.1	75	9	130		29.89	6	+0.02	30.09	FM-15	0.00	30.07
11	1900	4	41	9.94		60	15.6	56	13.3	52	11.1	75	9	130		29.89	6	+0.02	30.09	FM-12		
11	1954	7	FEW:02 45 SCT:04 300	10.00		63	17.2	58	14.4	54	12.2	73	13	150		29.88			30.07	FM-15	0.00	30.06
11	2054	7	SCT:04 300	10.00		62	16.7	59	15.0	56	13.3	80	10	150		29.88			30.07	FM-15	0.00	30.06
11	2154	7	SCT:04 300	10.00		61	16.1	59	15.0	57	13.9	87	11	140		29.86	6	+0.03	30.06	FM-15	0.00	30.04
11	2254	7	SCT:04 35 SCT:04 110	10.00		63	17.2	60	15.6	58	14.4	84	13	150		29.84			30.03	FM-15	0.00	30.02
11	2354	7	SCT:04 35 BKN:07 60 OVC:08 85	10.00		62	16.7	60	15.6	59	15.0	90	13	160		29.82			30.01	FM-15	0.03	30.00
12	0054	7	FEW:02 34 BKN:07 95 OVC:08 110	10.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	10	150		29.79	8	+0.07	29.98	FM-15	0.02	29.97
12	0100	4	41	9.94	RA	62	16.7	61	16.1	60	15.6	93	10	150		29.79	8	+0.07	29.98	FM-12		
12	0117	7	BKN:07 26 BKN:07 42 OVC:08 90	9.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	9	190		29.79				FM-16	0.01	29.97
12	0154	7	SCT:04 25 BKN:07 29 OVC:08 50	7.00	-RA:02 RA RA	62	16.7	61	16.1	61	16.1	96	8	160		29.78			29.96	FM-15	0.07	29.96
12	0206	7	FEW:02 23 BKN:07 47 OVC:08 55	6.00	-RA:02 BR:1 RA RA	62	16.7	61	16.1	61	16.1	96	10	150		29.77				FM-16	0.01	29.95
12	0250	7	FEW:02 9 BKN:07 16 OVC:08 44	10.00	-RA:02 RA RA	63	17.2	62	16.7	61	16.1	94	11	160	20	29.76				FM-16	0.02	29.94
12	0254	7	SCT:04 9 BKN:07 16 OVC:08 44	10.00	-RA:02 RA RA	62	16.7	61	16.1	61	16.1	96	14	170		29.76			29.95	FM-15	0.02	29.94
12	0354	7	SCT:04 9 BKN:07 15 OVC:08 47	10.00		63	17.2	62	16.7	62	16.7	97	14	170		29.74	8	+0.04	29.93	FM-15	T	29.92

12	0447	7	OVC:08 7	10.00	-RA:02 RA RA	63	17.2	62	16.7	62	16.7	97	14	180		29.74				FM-16	T	29.92
12	0454	7	OVC:08 7	10.00	-RA:02 RA RA	63	17.2	62	16.7	62	16.7	97	13	170		29.74			29.93	FM-15	T	29.92
12	0534	7	SCT:04 7 BKN:07 13 OVC:08 100	10.00		63	17.2	62	16.7	62	16.7	97	9	160		29.73				FM-16	T	29.91
12	0554	7	SCT:04 7 OVC:08 13	10.00	-RA:02 RA RA	63	17.2	62	16.7	62	16.7	97	10	170		29.73			29.92	FM-15	T	29.91
12	0654	7	FEW:02 8 BKN:07 30 OVC:08 37	10.00		64	17.8	63	17.2	63	17.2	96	10	180		29.74	5	+0.01	29.93	FM-15	T	29.92
12	0700	4	8	9.94		64	17.8	63	17.2	63	17.2	96	10	180		29.74	5	+0.01	29.93	FM-12		
12	0754	7	FEW:02 9 SCT:04 25 BKN:07 37	10.00		64	17.8	63	17.2	63	17.2	96	7	240		29.76			29.95	FM-15	T	29.94
12	0800	7	FEW:02 9 BKN:07 19 BKN:07 40	10.00	-RA:02 RA RA	64	17.8	63	17.2	63	17.2	96	6	230		29.76				FM-16	T	29.94
12	0838	7	FEW:02 8 SCT:04 18 BKN:07 33	10.00		64	17.8	61	16.1	59	15.0	84	10	270		29.78				FM-16	T	29.96
12	0854	7	FEW:02 11 SCT:04 33 BKN:07 50	10.00		64	17.8	60	15.6	58	14.4	81	11	260		29.79			29.98	FM-15	T	29.97
12	0954	7	FEW:02 12 FEW:02 40 SCT:04 80	10.00		64	17.8	60	15.6	57	13.9	78	9	250		29.79	1	-0.06	29.98	FM-15	0.00	29.97
12	1054	7	SCT:04 22 BKN:07 170 BKN:07 300	10.00		66	18.9	61	16.1	57	13.9	73	15	280		29.82			30.01	FM-15	0.00	30.00
12	1154	7	SCT:04 30 SCT:04 300	10.00		69	20.6	60	15.6	54	12.2	59	10	330		29.77			29.96	FM-15	0.00	29.95
12	1254	7	FEW:02 40 SCT:04 300	10.00		70	21.1	59	15.0	51	10.6	51	3	VRB		29.76	8	+0.04	29.94	FM-15	0.00	29.94
12	1300	4	41	9.94		70	21.1	59	15.0	51	10.6	51	3			29.76	8	+0.04	29.94	FM-12		
12	1354	7	FEW:02 45 FEW:02 300	10.00		71	21.7	53	11.7	36	2.2	28	11	260		29.76			29.95	FM-15	0.00	29.94
12	1454	7	FEW:02 45 FEW:02 300	10.00		70	21.1	53	11.7	36	2.2	29	10	280		29.76			29.95	FM-15	0.00	29.94
12	1554	7	FEW:02 50 FEW:02 300	10.00		69	20.6	51	10.6	32	0.0	25	13	270		29.78	3	-0.02	29.97	FM-15	0.00	29.96
12	1654	7	FEW:02 200	10.00		64	17.8	49	9.4	33	0.6	32	7	260		29.79			29.98	FM-15	0.00	29.97
12	1754	7	CLR:00	10.00		55	12.8	47	8.3	38	3.3	53	6	220		29.81			30.00	FM-15	0.00	29.99
12	1854	7	CLR:00	10.00		51	10.6	46	7.8	41	5.0	69	3	210		29.80	0	-0.03	30.00	FM-15	0.00	29.98
12	1900	4		9.94		51	10.6	46	7.8	41	5.0	69	3	210		29.80	9	+0.03	30.00	FM-12		
12	1954	7	CLR:00	10.00		50	10.0	46	7.8	41	5.0	71	0	000		29.79			29.98	FM-15	0.00	29.97
12	2054	7	CLR:00	10.00		48	8.9	45	7.2	41	5.0	77	0	000		29.79			29.98	FM-15	0.00	29.97
12	2154	7	CLR:00	10.00		47	8.3	44	6.7	40	4.4	77	0	000		29.78	6	+0.02	29.98	FM-15	0.00	29.96
12	2254	7	CLR:00	10.00		45	7.2	42	5.6	38	3.3	77	0	000		29.77			29.96	FM-15	0.00	29.95
12	2354	7	CLR:00	10.00		44	6.7	42	5.6	39	3.9	83	0	000		29.76			29.95	FM-15	0.00	29.94
13	0054	7	CLR:00	10.00		43	6.1	41	5.0	38	3.3	82	0	000		29.75	6	+0.04	29.94	FM-15	0.00	29.93
13	0100	4		9.94		43	6.1	41	5.0	38	3.3	82	0	000		29.75	6	+0.04	29.94	FM-12		
13	0154	7	CLR:00	10.00		42	5.6	40	4.4	38	3.3	85	3	130		29.73			29.92	FM-15	0.00	29.91
13	0254	7	CLR:00	10.00		42	5.6	41	5.0	39	3.9	89	3	120		29.71			29.90	FM-15	0.00	29.89
13	0354	7	CLR:00	10.00		43	6.1	42	5.6	40	4.4	89	5	120		29.67	8	+0.07	29.87	FM-15	0.00	29.85
13	0454	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	5	210		29.66			29.85	FM-15	0.00	29.84
13	0554	7	FEW:02 120 FEW:02 300	10.00		43	6.1	42	5.6	41	5.0	93	7	150		29.64			29.83	FM-15	0.00	29.82
13	0654	7	BKN:07 150	10.00		46	7.8	45	7.2	44	6.7	93	6	200		29.65	5	+0.02	29.84	FM-15	0.00	29.83
13	0700	4		9.94		46	7.8	45	7.2	44	6.7	93	6	200		29.65	5	+0.02	29.84	FM-12		
13	0754	7	BKN:07 160	10.00		47	8.3	46	7.8	44	6.7	90	6	210		29.66			29.85	FM-15	0.00	29.84
13	0854	7	SCT:04 100 BKN:07 160	10.00		53	11.7	49	9.4	44	6.7	72	9	200		29.64			29.83	FM-15	0.00	29.82

13	0954	7	FEW:02 100 BKN:07 180	10.00		58	14.4	51	10.6	44	6.7	60	10	210		29.63	8	+0.02	29.82	FM-15	0.00	29.81
13	1054	7	SCT:04 180	10.00		62	16.7	51	10.6	40	4.4	44	14	270		29.66			29.85	FM-15	0.00	29.84
13	1154	7	FEW:02 40	10.00		63	17.2	50	10.0	37	2.8	38	17	260	26	29.65			29.84	FM-15	0.00	29.83
13	1254	7	FEW:02 40	10.00		63	17.2	49	9.4	32	0.0	31	16	260	30	29.65	0	-0.01	29.84	FM-15	0.00	29.83
13	1300	4	41	9.94		63	17.2	49	9.4	32	0.0	31	16	260		29.65	9	+0.01	29.84	FM-12		
13	1354	7	FEW:02 45	10.00		62	16.7	47	8.3	30	-1.1	30	17	280	23	29.65			29.84	FM-15	0.00	29.83
13	1454	7	CLR:00	10.00		61	16.1	47	8.3	30	-1.1	31	15	280	22	29.67			29.86	FM-15	0.00	29.85
13	1554	7	CLR:00	10.00		58	14.4	45	7.2	27	-2.8	31	16	300		29.69	3	-0.05	29.89	FM-15	0.00	29.87
13	1654	7	CLR:00	10.00		54	12.2	43	6.1	29	-1.7	38	10	310		29.71			29.91	FM-15	0.00	29.89
13	1754	7	CLR:00	10.00		51	10.6	40	4.4	24	-4.4	35	14	310		29.76			29.95	FM-15	0.00	29.94
13	1854	7	CLR:00	10.00		48	8.9	39	3.9	26	-3.3	42	9	320		29.78	3	-0.09	29.98	FM-15	0.00	29.96
13	1900	4		9.94		48	8.9	39	3.9	26	-3.3	42	9	320		29.78	3	-0.09	29.98	FM-12		
13	1954	7	CLR:00	10.00		47	8.3	38	3.3	25	-3.9	42	14	330		29.82			30.01	FM-15	0.00	30.00
13	2054	7	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	7	350		29.84			30.03	FM-15	0.00	30.02
13	2154	7	CLR:00	10.00		39	3.9	34	1.1	27	-2.8	62	7	350		29.86	1	-0.08	30.06	FM-15	0.00	30.04
13	2254	7	CLR:00	10.00		39	3.9	34	1.1	27	-2.8	62	3	340		29.85			30.05	FM-15	0.00	30.03
13	2354	7	CLR:00	10.00		34	1.1	32	0.0	28	-2.2	79	0	000		29.86			30.05	FM-15	0.00	30.04
14	0054	7	CLR:00	10.00		34	1.1	32	0.0	28	-2.2	79	0	000		29.85	8	+0.01	30.04	FM-15	0.00	30.03
14	0100	4		9.94		34	1.1	32	0.0	28	-2.2	79	0	000		29.85	8	+0.01	30.04	FM-12		
14	0154	7	CLR:00	10.00		33	0.6	31	-0.6	28	-2.2	82	0	000		29.84			30.04	FM-15	0.00	30.02
14	0254	7	CLR:00	10.00		31	-0.6	30	-1.1	28	-2.2	89	5	190		29.87			30.06	FM-15	0.00	30.05
14	0354	7	CLR:00	10.00		31	-0.6	30	-1.1	28	-2.2	89	3	190		29.87	3	-0.02	30.06	FM-15	0.00	30.05
14	0454	7	CLR:00	10.00		32	0.0	31	-0.6	28	-2.2	85	3	230		29.88			30.07	FM-15	0.00	30.06
14	0554	7	FEW:02 300	10.00		31	-0.6	30	-1.1	27	-2.8	85	3	170		29.88			30.07	FM-15	0.00	30.06
14	0654	7	SCT:04 300	10.00		29	-1.7	28	-2.2	26	-3.3	89	5	210		29.89	3	-0.03	30.09	FM-15	0.00	30.07
14	0700	4		9.94		29	-1.7	28	-2.2	26	-3.3	89	5	210		29.89	3	-0.03	30.09	FM-12		
14	0754	7	FEW:02 150 BKN:07 200 BKN:07 300	10.00		35	1.7	33	0.6	31	-0.6	85	0	000		29.89			30.09	FM-15	0.00	30.07
14	0854	7	SCT:04 200 BKN:07 300	10.00		40	4.4	36	2.2	31	-0.6	70	0	000		29.89			30.09	FM-15	0.00	30.07
14	0954	7	BKN:07 200	10.00		45	7.2	38	3.3	28	-2.2	52	5	280		29.88	8	+0.01	30.07	FM-15	0.00	30.06
14	1054	7	FEW:02 80 BKN:07 200 BKN:07 300	10.00		48	8.9	39	3.9	27	-2.8	44	7	VRB		29.86			30.05	FM-15	0.00	30.04
14	1154	7	FEW:02 100 BKN:07 200	10.00		51	10.6	41	5.0	28	-2.2	41	10	200		29.80			30.00	FM-15	0.00	29.98
14	1254	7	FEW:02 80 BKN:07 200	10.00		50	10.0	40	4.4	27	-2.8	41	11	200		29.75	8	+0.12	29.95	FM-15	0.00	29.93
14	1300	4	74	9.94		50	10.0	40	4.4	27	-2.8	41	11	200		29.75	8	+0.12	29.95	FM-12		
14	1354	7	FEW:02 80 BKN:07 200	10.00		52	11.1	42	5.6	27	-2.8	38	10	180		29.74			29.93	FM-15	0.00	29.92
14	1454	7	SCT:04 110 SCT:04 200	10.00		54	12.2	43	6.1	27	-2.8	35	13	210		29.70			29.90	FM-15	0.00	29.88
14	1554	7	SCT:04 95 BKN:07 200	10.00		53	11.7	42	5.6	27	-2.8	37	14	210		29.69	6	+0.07	29.88	FM-15	0.00	29.87
14	1654	7	BKN:07 80	10.00		51	10.6	42	5.6	30	-1.1	44	9	210		29.69			29.88	FM-15	0.00	29.87
14	1754	7	BKN:07 75 BKN:07 150	10.00		48	8.9	41	5.0	32	0.0	54	6	200		29.69			29.88	FM-15	0.00	29.87
14	1854	7	BKN:07 120	10.00		48	8.9	41	5.0	33	0.6	56	5	190		29.69	1	0.00	29.88	FM-15	0.00	29.87
14	1900	4		9.94		48	8.9	41	5.0	33	0.6	56	5	190		29.69			29.88	FM-12		
14	1954	7	SCT:04 70 BKN:07 100 OVC:08 130	10.00		47	8.3	42	5.6	35	1.7	63	7	190		29.69			29.88	FM-15	0.00	29.87
14	2054	7	SCT:04 100 OVC:08 150	10.00		48	8.9	42	5.6	34	1.1	58	8	210		29.69			29.88	FM-15	0.00	29.87
14	2154	7	FEW:02 120 OVC:08 170	10.00		49	9.4	42	5.6	33	0.6	55	10	220		29.69	7	0.00	29.88	FM-15	0.00	29.87
14	2254	7	OVC:08 200	10.00		49	9.4	42	5.6	33	0.6	55	8	220		29.67			29.86	FM-15	0.00	29.85

14	2354	7	OVC:08 220	10.00		49	9.4	42	5.6	32	0.0	52	9	220		29.66			29.85	FM-15	0.00	29.84
15	0054	7	SCT:04 240	10.00		47	8.3	41	5.0	32	0.0	56	8	220		29.64	7	+0.04	29.84	FM-15	0.00	29.82
15	0100	4		9.94		47	8.3	41	5.0	32	0.0	56	8	220		29.64	7	+0.04	29.84	FM-12		
15	0154	7	FEW:02 230	10.00		48	8.9	41	5.0	32	0.0	54	13	240		29.65			29.84	FM-15	0.00	29.83
15	0254	7	CLR:00	10.00		48	8.9	41	5.0	31	-0.6	52	10	230		29.66			29.85	FM-15	0.00	29.84
15	0354	7	CLR:00	10.00		47	8.3	40	4.4	31	-0.6	54	9	260		29.67	3	-0.03	29.87	FM-15	0.00	29.85
15	0454	7	CLR:00	10.00		44	6.7	39	3.9	31	-0.6	60	8	260		29.71			29.90	FM-15	0.00	29.89
15	0554	7	CLR:00	10.00		44	6.7	38	3.3	28	-2.2	53	11	280		29.73			29.93	FM-15	0.00	29.91
15	0654	7	FEW:02 200	10.00		42	5.6	36	2.2	28	-2.2	58	8	270		29.77	3	-0.10	29.97	FM-15	0.00	29.95
15	0700	4		9.94		42	5.6	36	2.2	28	-2.2	58	8	270		29.77	3	-0.10	29.97	FM-12		
15	0754	7	FEW:02 180	10.00		43	6.1	36	2.2	25	-3.9	49	11	280		29.82			30.01	FM-15	0.00	30.00
15	0854	7	FEW:02 60 FEW:02 180	10.00		46	7.8	37	2.8	24	-4.4	42	16	260	22	29.86			30.05	FM-15	0.00	30.04
15	0954	7	FEW:02 60 FEW:02 200	10.00		48	8.9	38	3.3	24	-4.4	39	15	270	23	29.87	1	-0.10	30.06	FM-15	0.00	30.05
15	1054	7	FEW:02 60 FEW:02 200	10.00		50	10.0	40	4.4	25	-3.9	38	20	290	25	29.86			30.06	FM-15	0.00	30.04
15	1154	7	FEW:02 60	10.00		50	10.0	40	4.4	25	-3.9	38	13	270	23	29.88			30.07	FM-15	0.00	30.06
15	1254	7	FEW:02 60	10.00		52	11.1	41	5.0	25	-3.9	35	11	270		29.86	8	+0.01	30.06	FM-15	0.00	30.04
15	1300	4	57	9.94		52	11.1	41	5.0	25	-3.9	35	11	270		29.86	8	+0.01	30.06	FM-12		
15	1354	7	SCT:04 65	10.00		52	11.1	41	5.0	25	-3.9	35	11	260	23	29.86			30.06	FM-15	0.00	30.04
15	1454	7	SCT:04 65	10.00		53	11.7	41	5.0	25	-3.9	34	13	270		29.87			30.06	FM-15	0.00	30.05
15	1554	7	FEW:02 65	10.00		52	11.1	41	5.0	24	-4.4	34	17	240		29.89	3	-0.02	30.08	FM-15	0.00	30.07
15	1654	7	FEW:02 300	10.00		49	9.4	39	3.9	25	-3.9	39	9	250		29.89			30.08	FM-15	0.00	30.07
15	1754	7	CLR:00	10.00		42	5.6	36	2.2	28	-2.2	58	5	210		29.91			30.11	FM-15	0.00	30.09
15	1854	7	CLR:00	10.00		41	5.0	36	2.2	28	-2.2	60	7	240		29.93	3	-0.05	30.13	FM-15	0.00	30.11
15	1900	4		9.94		41	5.0	36	2.2	28	-2.2	60	7	240		29.93	3	-0.05	30.13	FM-12		
15	1954	7	CLR:00	10.00		45	7.2	38	3.3	27	-2.8	49	7	270		29.95			30.15	FM-15	0.00	30.13
15	2054	7	CLR:00	10.00		43	6.1	37	2.8	27	-2.8	53	6	290		29.98			30.17	FM-15	0.00	30.16
15	2154	7	CLR:00	10.00		40	4.4	35	1.7	27	-2.8	60	5	330		29.99	1	-0.06	30.19	FM-15	0.00	30.17
15	2254	7	SCT:04 160	10.00		39	3.9	35	1.7	28	-2.2	65	0	000		30.01			30.20	FM-15	0.00	30.19
15	2354	7	BKN:07 160	10.00		38	3.3	35	1.7	30	-1.1	73	3	360		29.99			30.19	FM-15	0.00	30.17
16	0054	7	BKN:07 110	10.00		38	3.3	36	2.2	32	0.0	79	0	000		29.99	1	0.00	30.19	FM-15	0.00	30.17
16	0100	4		9.94		38	3.3	36	2.2	32	0.0	79	0	000		29.99	1	0.00	30.19	FM-12		
16	0154	7	BKN:07 100	10.00		37	2.8	35	1.7	33	0.6	86	0	000		30.00			30.20	FM-15	0.00	30.18
16	0254	7	BKN:07 140	10.00		37	2.8	35	1.7	33	0.6	86	0	000		30.00			30.20	FM-15	0.00	30.18
16	0354	7	SCT:04 120	10.00		36	2.2	35	1.7	33	0.6	89	3	190		30.01	3	-0.02	30.21	FM-15	0.00	30.19
16	0454	7	OVC:08 100	10.00		38	3.3	36	2.2	33	0.6	83	5	170		30.01			30.21	FM-15	0.00	30.19
16	0554	7	BKN:07 100	10.00		38	3.3	37	2.8	35	1.7	89	3	190		30.03			30.22	FM-15	0.00	30.21
16	0654	7	BKN:07 100 BKN:07 200	10.00		39	3.9	37	2.8	33	0.6	79	5	170		30.03	3	-0.02	30.23	FM-15	0.00	30.21
16	0700	4		9.94		39	3.9	37	2.8	33	0.6	79	5	170		30.03	3	-0.02	30.23	FM-12		
16	0754	7	FEW:02 75 BKN:07 100 BKN:07 200	10.00		41	5.0	38	3.3	33	0.6	73	7	190		30.06			30.25	FM-15	0.00	30.24
16	0854	7	BKN:07 90	10.00		46	7.8	40	4.4	31	-0.6	56	7	170		30.06			30.26	FM-15	0.00	30.24
16	0954	7	BKN:07 90	10.00		48	8.9	40	4.4	29	-1.7	48	8	200		30.07	1	-0.04	30.27	FM-15	0.00	30.25
16	1054	7	BKN:07 90 BKN:07 300	10.00		50	10.0	41	5.0	30	-1.1	46	6	190		30.06			30.26	FM-15	0.00	30.24
16	1154	7	SCT:04 90 SCT:04 300	10.00		54	12.2	44	6.7	31	-0.6	42	9	200		30.03			30.22	FM-15	0.00	30.21
16	1254	7	BKN:07 80 BKN:07 300	10.00		56	13.3	45	7.2	32	0.0	40	8	180		30.01	8	+0.07	30.20	FM-15	0.00	30.19
16	1300	4	74	9.94		56	13.3	45	7.2	32	0.0	40	8	180		30.01	8	+0.07	30.20	FM-12		
16	1354	7	FEW:02 80 SCT:04 300	10.00		59	15.0	47	8.3	32	0.0	36	13	220		29.99			30.18	FM-15	0.00	30.17
16	1454	7	FEW:02 80 SCT:04 300	10.00		59	15.0	47	8.3	32	0.0	36	5	200		29.98			30.17	FM-15	0.00	30.16

16	1554	7	FEW:02 80 SCT:04 300	10.00		59	15.0	47	8.3	33	0.6	38	9	210		29.99	5	+0.02	30.18	FM-15	0.00	30.17
16	1654	7	FEW:02 80 SCT:04 300	10.00		55	12.8	46	7.8	35	1.7	47	5	160		30.00			30.20	FM-15	0.00	30.18
16	1754	7	FEW:02 300	10.00		49	9.4	44	6.7	38	3.3	66	3	110		30.03			30.22	FM-15	0.00	30.21
16	1854	7	FEW:02 300	10.00		47	8.3	42	5.6	36	2.2	66	6	130		30.04	1	-0.05	30.23	FM-15	0.00	30.22
16	1900	4		9.94		47	8.3	42	5.6	36	2.2	66	6	130		30.04	1	-0.05	30.23	FM-12		
16	1954	7	FEW:02 300	10.00		44	6.7	41	5.0	36	2.2	73	7	120		30.04			30.24	FM-15	0.00	30.22
16	2054	7	FEW:02 300	10.00		45	7.2	41	5.0	36	2.2	71	0	000		30.05			30.25	FM-15	0.00	30.23
16	2154	7	FEW:02 300	10.00		43	6.1	40	4.4	37	2.8	80	3	150		30.05	0	-0.01	30.25	FM-15	0.00	30.23
16	2254	7	FEW:02 300	10.00		44	6.7	41	5.0	38	3.3	79	0	000		30.06			30.25	FM-15	0.00	30.24
16	2354	7	FEW:02 300	10.00		44	6.7	41	5.0	37	2.8	76	3	130		30.06			30.25	FM-15	0.00	30.24
17	0054	7	CLR:00	10.00		42	5.6	40	4.4	37	2.8	82	3	130		30.05	8	0.00	30.24	FM-15	0.00	30.23
17	0100	4		9.94		42	5.6	40	4.4	37	2.8	82	3	130		30.05	8	0.00	30.24	FM-12		
17	0154	7	CLR:00	10.00		40	4.4	39	3.9	37	2.8	89	3	110		30.06			30.25	FM-15	0.00	30.24
17	0254	7	CLR:00	10.00		41	5.0	39	3.9	37	2.8	86	0	000		30.05			30.24	FM-15	0.00	30.23
17	0354	7	CLR:00	10.00		42	5.6	40	4.4	37	2.8	82	0	000		30.06	1	-0.01	30.25	FM-15	0.00	30.24
17	0454	7	CLR:00	10.00		39	3.9	38	3.3	36	2.2	89	0	000		30.07			30.26	FM-15	0.00	30.25
17	0554	7	FEW:02 60	10.00		40	4.4	39	3.9	37	2.8	89	5	160		30.06			30.26	FM-15	0.00	30.24
17	0654	7	FEW:02 70 SCT:04 250	10.00		41	5.0	39	3.9	37	2.8	86	0	000		30.08	3	-0.02	30.27	FM-15	0.00	30.26
17	0700	4	74	9.94		41	5.0	39	3.9	37	2.8	86	0	000		30.08	3	-0.02	30.27	FM-12		
17	0754	7	FEW:02 70 FEW:02 120 BKN:07 250	10.00		43	6.1	42	5.6	40	4.4	89	0	000		30.09			30.29	FM-15	0.00	30.27
17	0854	7	BKN:07 60 BKN:07 300	10.00		48	8.9	45	7.2	42	5.6	80	6	210		30.10			30.30	FM-15	0.00	30.28
17	0954	7	SCT:04 65 BKN:07 300	10.00		51	10.6	47	8.3	43	6.1	74	3	210		30.10	0	-0.02	30.29	FM-15	0.00	30.28
17	1054	7	FEW:02 65 BKN:07 300	10.00		57	13.9	50	10.0	43	6.1	60	0	000		30.09			30.28	FM-15	0.00	30.27
17	1154	7	SCT:04 300	10.00		63	17.2	54	12.2	46	7.8	54	5	200		30.06			30.25	FM-15	0.00	30.24
17	1254	7	FEW:02 300	10.00		67	19.4	57	13.9	49	9.4	53	9	200		30.02	8	+0.07	30.22	FM-15	0.00	30.20
17	1300	4		9.94		67	19.4	57	13.9	49	9.4	53	9	200		30.02	8	+0.07	30.22	FM-12		
17	1354	7	FEW:02 40 FEW:02 300	10.00		71	21.7	60	15.6	52	11.1	51	8	180		29.99			30.19	FM-15	0.00	30.17
17	1454	7	FEW:02 47 FEW:02 300	10.00		73	22.8	61	16.1	53	11.7	50	17	210		29.98			30.18	FM-15	0.00	30.16
17	1554	7	FEW:02 40 SCT:04 300	10.00		71	21.7	61	16.1	54	12.2	55	15	190		29.98	5	+0.04	30.18	FM-15	0.00	30.16
17	1654	7	FEW:02 250	10.00		65	18.3	58	14.4	53	11.7	66	9	190		29.99			30.18	FM-15	0.00	30.17
17	1754	7	FEW:02 250	10.00		59	15.0	55	12.8	52	11.1	78	9	190		29.99			30.19	FM-15	0.00	30.17
17	1854	7	FEW:02 250	10.00		61	16.1	56	13.3	52	11.1	72	10	180		30.01	3	-0.02	30.20	FM-15	0.00	30.19
17	1900	4		9.94		61	16.1	56	13.3	52	11.1	72	10	180		30.01	3	-0.02	30.20	FM-12		
17	1954	7	FEW:02 250	10.00		62	16.7	55	12.8	49	9.4	62	13	190		30.00			30.19	FM-15	0.00	30.18
17	2054	7	CLR:00	10.00		59	15.0	53	11.7	47	8.3	64	9	190		30.01			30.20	FM-15	0.00	30.19
17	2154	7	CLR:00	10.00		55	12.8	50	10.0	46	7.8	72	8	180		30.02	3	-0.01	30.21	FM-15	0.00	30.20
17	2254	7	CLR:00	10.00		55	12.8	50	10.0	45	7.2	69	6	190		30.02			30.21	FM-15	0.00	30.20
17	2354	7	CLR:00	10.00		55	12.8	50	10.0	45	7.2	69	8	200		30.01			30.21	FM-15	0.00	30.19
18	0054	7	CLR:00	10.00		53	11.7	49	9.4	45	7.2	74	11	200		30.00	8	+0.02	30.19	FM-15	0.00	30.18
18	0100	4		9.94		53	11.7	49	9.4	45	7.2	74	11	200		30.00	8	+0.02	30.19	FM-12		
18	0154	7	CLR:00	10.00		51	10.6	48	8.9	44	6.7	77	10	180		29.99			30.19	FM-15	0.00	30.17
18	0254	7	CLR:00	10.00		51	10.6	48	8.9	44	6.7	77	7	190		29.99			30.18	FM-15	0.00	30.17
18	0354	7	CLR:00	10.00		50	10.0	47	8.3	43	6.1	77	7	200		29.98	8	+0.02	30.17	FM-15	0.00	30.16
18	0454	7	CLR:00	10.00		51	10.6	48	8.9	44	6.7	77	3	190		29.98			30.18	FM-15	0.00	30.16
18	0554	7	FEW:02 250	10.00		49	9.4	47	8.3	44	6.7	83	7	190		29.98			30.18	FM-15	0.00	30.16
18	0654	7	FEW:02 250	10.00		50	10.0	47	8.3	44	6.7	80	5	180		29.99	3	-0.01	30.18	FM-15	0.00	30.17
18	0700	4		9.94		50	10.0	47	8.3	44	6.7	80	5	180		29.99	3	-0.01	30.18	FM-12		
18	0754	7	FEW:02 250	10.00		53	11.7	50	10.0	48	8.9	83	7	170		30.00			30.19	FM-15	0.00	30.18

18	0854	7	FEW:02 300	10.00		61	16.1	55	12.8	49	9.4	65	14	220		30.00			30.19	FM-15	0.00	30.18
18	0954	7	CLR:00	10.00		66	18.9	58	14.4	51	10.6	59	14	220		29.99	8	0.00	30.18	FM-15	0.00	30.17
18	1054	7	CLR:00	10.00		72	22.2	61	16.1	53	11.7	52	16	220	23	29.96			30.16	FM-15	0.00	30.14
18	1154	7	FEW:02 45	10.00		74	23.3	61	16.1	52	11.1	46	26	210	37	29.92			30.11	FM-15	0.00	30.10
18	1254	7	FEW:02 50	10.00		77	25.0	62	16.7	51	10.6	40	20	220	26	29.87	8	+0.11	30.06	FM-15	0.00	30.05
18	1300	4	57	9.94		77	25.0	62	16.7	51	10.6	40	20	220		29.87	8	+0.11	30.06	FM-12		
18	1354	7	FEW:02 55 FEW:02 300	10.00		77	25.0	62	16.7	52	11.1	42	23	210	32	29.85			30.04	FM-15	0.00	30.03
18	1454	7	FEW:02 50 FEW:02 300	10.00		76	24.4	62	16.7	52	11.1	43	25	210	34	29.83			30.02	FM-15	0.00	30.01
18	1554	7	FEW:02 60 SCT:04 300	10.00		75	23.9	62	16.7	52	11.1	45	20	210	28	29.83	5	+0.04	30.02	FM-15	0.00	30.01
18	1654	7	FEW:02 60 SCT:04 300	10.00		72	22.2	62	16.7	54	12.2	53	16	200		29.82			30.01	FM-15	0.00	30.00
18	1754	7	BKN:07 300	10.00		67	19.4	60	15.6	55	12.8	66	11	200		29.84			30.03	FM-15	0.00	30.02
18	1854	7	SCT:04 75 BKN:07 300	10.00		68	20.0	62	16.7	57	13.9	68	14	200		29.85	3	-0.01	30.04	FM-15	0.00	30.03
18	1900	4	74	9.94		68	20.0	62	16.7	57	13.9	68	14	200		29.85	3	-0.01	30.04	FM-12		
18	1954	7	SCT:04 65 OVC:08 100	10.00		69	20.6	61	16.1	56	13.3	63	15	210		29.85			30.04	FM-15	0.00	30.03
18	2054	7	SCT:04 55 OVC:08 95	10.00		68	20.0	60	15.6	54	12.2	61	13	250	24	29.86			30.05	FM-15	0.00	30.04
18	2154	7	BKN:07 45 OVC:08 65	8.00	-RA:02 RA RA	62	16.7	59	15.0	57	13.9	84	11	250		29.88	3	-0.04	30.08	FM-15	0.06	30.06
18	2254	7	FEW:02 35 BKN:07 45 OVC:08 60	8.00	-RA:02 RA RA	61	16.1	59	15.0	58	14.4	90	16	300	22	29.92			30.11	FM-15	0.04	30.10
18	2319	7	FEW:02 10 SCT:04 26 OVC:08 38	5.00	-RA:02 BR:1 RA RA	56	13.3	55	12.8	54	12.2	93	13	350		29.94				FM-16	0.01	30.12
18	2325	7	FEW:02 9 BKN:07 30 OVC:08 38	2.50	+RA:02 BR:1 RA RA	55	12.8	54	12.2	53	11.7	93	15	350		29.94				FM-16	0.06	30.12
18	2331	7	FEW:02 9 BKN:07 35 OVC:08 60	4.00	+RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	11	360		29.94				FM-16	0.11	30.12
18	2354	7	FEW:02 9 SCT:04 40 OVC:08 50	10.00	-RA:02 RA RA	53	11.7	52	11.1	52	11.1	96	8	010		29.95			30.14	FM-15	0.14	30.13
19	0054	7	FEW:02 9 FEW:02 23 BKN:07 65	10.00		52	11.1	50	10.0	49	9.4	89	8	360		29.98	1	-0.09	30.16	FM-15	T	30.16
19	0100	4	8	9.94		52	11.1	50	10.0	49	9.4	89	8	360		29.98	1	-0.09	30.16	FM-12		
19	0154	7	FEW:02 75 SCT:04 90 BKN:07 300	10.00		49	9.4	46	7.8	42	5.6	77	13	030		30.01			30.20	FM-15	0.00	30.19
19	0254	7	SCT:04 80 SCT:04 300	10.00		46	7.8	39	3.9	29	-1.7	51	10	330		30.04			30.24	FM-15	0.00	30.22
19	0354	7	FEW:02 80 FEW:02 300	10.00		44	6.7	37	2.8	27	-2.8	51	10	330		30.06	1	-0.08	30.25	FM-15	0.00	30.24
19	0454	7	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	6	320		30.09			30.28	FM-15	0.00	30.27
19	0554	7	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	5	280		30.10			30.29	FM-15	0.00	30.28
19	0654	7	CLR:00	10.00		41	5.0	36	2.2	27	-2.8	57	6	280		30.13	3	-0.07	30.33	FM-15	0.00	30.31
19	0700	4		9.94		41	5.0	36	2.2	27	-2.8	57	6	280		30.13	3	-0.07	30.33	FM-12		
19	0754	7	FEW:02 300	10.00		43	6.1	36	2.2	26	-3.3	51	8	320		30.16			30.35	FM-15	0.00	30.34
19	0854	7	FEW:02 50 FEW:02 300	10.00		46	7.8	38	3.3	25	-3.9	44	14	320	21	30.19			30.39	FM-15	0.00	30.37
19	0954	7	FEW:02 300	10.00		48	8.9	39	3.9	25	-3.9	41	17	340		30.21	1	-0.08	30.41	FM-15	0.00	30.39
19	1054	7	FEW:02 55 FEW:02 300	10.00		49	9.4	39	3.9	24	-4.4	38	20	360	24	30.24			30.43	FM-15	0.00	30.42
19	1154	7	CLR:00	10.00		51	10.6	40	4.4	23	-5.0	33	16	340	22	30.23			30.42	FM-15	0.00	30.41
19	1254	7	CLR:00	10.00		50	10.0	39	3.9	21	-6.1	32	8	310	17	30.22	0	-0.01	30.42	FM-15	0.00	30.40

19	1300	4		9.94		50	10.0	39	3.9	21	-6.1	32	8	310		30.22	9	+0.01	30.42	FM-12			
19	1354	7	CLR:00	10.00		51	10.6	39	3.9	21	-6.1	31	15	010		30.23			30.42	FM-15	0.00		30.41
19	1454	7	CLR:00	10.00		50	10.0	38	3.3	18	-7.8	28	14	330		30.23			30.42	FM-15	0.00		30.41
19	1554	7	CLR:00	10.00		49	9.4	37	2.8	18	-7.8	29	10	360		30.25	3	-0.02	30.44	FM-15	0.00		30.43
19	1654	7	CLR:00	10.00		45	7.2	36	2.2	20	-6.7	37	10	010		30.26			30.45	FM-15	0.00		30.44
19	1754	7	CLR:00	10.00		42	5.6	35	1.7	22	-5.6	45	6	020		30.27			30.47	FM-15	0.00		30.45
19	1854	7	CLR:00	10.00		40	4.4	34	1.1	23	-5.0	51	5	020		30.30	3	-0.06	30.50	FM-15	0.00		30.48
19	1900	4		9.94		40	4.4	34	1.1	23	-5.0	51	5	020		30.30	3	-0.06	30.50	FM-12			
19	1954	7	CLR:00	10.00		38	3.3	33	0.6	23	-5.0	55	7	360		30.31			30.51	FM-15	0.00		30.49
19	2054	7	CLR:00	10.00		36	2.2	32	0.0	24	-4.4	62	7	350		30.35			30.54	FM-15	0.00		30.53
19	2154	7	FEW:02 250	10.00		36	2.2	32	0.0	24	-4.4	62	5	040		30.36	3	-0.06	30.56	FM-15	0.00		30.54
19	2254	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	5	040		30.36			30.56	FM-15	0.00		30.54
19	2354	7	CLR:00	10.00		34	1.1	30	-1.1	24	-4.4	67	5	010		30.36			30.55	FM-15	0.00		30.54
20	0054	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	5	310		30.37	3	-0.01	30.57	FM-15	0.00		30.55
20	0100	4		9.94		33	0.6	30	-1.1	25	-3.9	72	5	310		30.37	3	-0.01	30.57	FM-12			
20	0154	7	CLR:00	10.00		32	0.0	30	-1.1	25	-3.9	75	0	000		30.36			30.56	FM-15	0.00		30.54
20	0254	7	CLR:00	10.00		31	-0.6	29	-1.7	25	-3.9	79	0	000		30.37			30.57	FM-15	0.00		30.55
20	0354	7	CLR:00	10.00		31	-0.6	29	-1.7	24	-4.4	76	5	360		30.38	3	0.00	30.57	FM-15	0.00		30.56
20	0454	7	CLR:00	10.00		30	-1.1	28	-2.2	24	-4.4	79	5	350		30.37			30.57	FM-15	0.00		30.55
20	0554	7	CLR:00	10.00		30	-1.1	28	-2.2	24	-4.4	79	5	320		30.39			30.59	FM-15	0.00		30.57
20	0654	7	FEW:02 300	10.00		30	-1.1	28	-2.2	24	-4.4	79	3	360		30.40	3	-0.02	30.60	FM-15	0.00		30.58
20	0700	4		9.94		30	-1.1	28	-2.2	24	-4.4	79	3	360		30.40	3	-0.02	30.60	FM-12			
20	0754	7	BKN:07 300	10.00		33	0.6	30	-1.1	26	-3.3	75	6	360		30.40			30.60	FM-15	0.00		30.58
20	0854	7	BKN:07 250	10.00		39	3.9	35	1.7	28	-2.2	65	6	010		30.40			30.60	FM-15	0.00		30.58
20	0954	7	FEW:02 180 BKN:07 250	10.00		42	5.6	37	2.8	29	-1.7	60	0	000		30.40	0	0.00	30.59	FM-15	0.00		30.58
20	1054	7	BKN:07 250	10.00		46	7.8	39	3.9	30	-1.1	54	5	080		30.39			30.58	FM-15	0.00		30.57
20	1154	7	BKN:07 250	10.00		48	8.9	41	5.0	31	-0.6	52	5	VRB		30.36			30.56	FM-15	0.00		30.54
20	1254	7	BKN:07 250	10.00		49	9.4	41	5.0	31	-0.6	50	5	VRB		30.33	8	+0.06	30.53	FM-15	0.00		30.51
20	1300	4		9.94		49	9.4	41	5.0	31	-0.6	50	5			30.33	8	+0.06	30.53	FM-12			
20	1354	7	BKN:07 250	10.00		50	10.0	42	5.6	31	-0.6	48	7	110		30.30			30.49	FM-15	0.00		30.48
20	1454	7	FEW:02 160 BKN:07 250	10.00		50	10.0	42	5.6	31	-0.6	48	0	000		30.29			30.48	FM-15	0.00		30.47
20	1554	7	FEW:02 160 BKN:07 250	10.00		48	8.9	42	5.6	33	0.6	56	6	180		30.29	6	+0.05	30.48	FM-15	0.00		30.47
20	1654	7	SCT:04 200 BKN:07 300	10.00		47	8.3	41	5.0	33	0.6	59	5	150		30.28			30.48	FM-15	0.00		30.46
20	1754	7	BKN:07 250	10.00		44	6.7	40	4.4	34	1.1	68	0	000		30.28			30.48	FM-15	0.00		30.46
20	1854	7	BKN:07 250	10.00		41	5.0	38	3.3	34	1.1	76	0	000		30.27	8	+0.01	30.47	FM-15	0.00		30.45
20	1900	4		9.94		41	5.0	38	3.3	34	1.1	76	0	000		30.27	8	+0.01	30.47	FM-12			
20	1954	7	BKN:07 240	10.00		39	3.9	37	2.8	34	1.1	82	0	000		30.27			30.47	FM-15	0.00		30.45
20	2054	7	SCT:04 240	10.00		38	3.3	36	2.2	34	1.1	86	0	000		30.25			30.45	FM-15	0.00		30.43
20	2154	7	FEW:02 240	10.00		36	2.2	35	1.7	33	0.6	89	0	000		30.26	5	+0.01	30.45	FM-15	0.00		30.44
20	2254	7	FEW:02 250	10.00		37	2.8	36	2.2	34	1.1	89	0	000		30.25			30.45	FM-15	0.00		30.43
20	2354	7	BKN:07 300	10.00		36	2.2	35	1.7	34	1.1	93	0	000		30.25			30.44	FM-15	0.00		30.43
21	0054	7	BKN:07 50 BKN:07 300	10.00		35	1.7	35	1.7	34	1.1	96	0	000		30.23	8	+0.03	30.42	FM-15	0.00		30.41
21	0100	4	57	9.94		35	1.7	35	1.7	34	1.1	96	0	000		30.23	8	+0.03	30.42	FM-12			
21	0154	7	FEW:02 49 BKN:07 300	10.00		34	1.1	34	1.1	33	0.6	97	6	130		30.20			30.40	FM-15	0.00		30.38
21	0254	7	BKN:07 41 BKN:07 300	10.00		37	2.8	36	2.2	35	1.7	93	0	000		30.19			30.39	FM-15	0.00		30.37
21	0354	7	FEW:02 37 BKN:07 300	10.00		37	2.8	36	2.2	35	1.7	93	0	000		30.18	6	+0.05	30.37	FM-15	0.00		30.36
21	0454	7	BKN:07 34	10.00		35	1.7	35	1.7	34	1.1	96	3	120		30.16			30.36	FM-15	0.00		30.34
21	0554	7	BKN:07 31 OVC:08 300	10.00		35	1.7	35	1.7	34	1.1	96	0	000		30.16			30.35	FM-15	0.00		30.34
21	0613	7	BKN:07 29 OVC:08 300	10.00		35	1.7	35	1.7	34	1.1	96	0	000		30.17				FM-16			30.35

21	0652	6	SCT:04 29 SCT:04 240 BKN:07 300	10.00		36	2.2	35	1.7	34	1.1	93	0	000		30.16				FM-16		30.34
21	0654	7	SCT:04 29 SCT:04 240 BKN:07 300	10.00		36	2.2	35	1.7	34	1.1	93	0	000		30.16	5	+0.01	30.36	FM-15	0.00	30.34
21	0700	4	26	9.94		36	2.2	35	1.7	34	1.1	93	0	000		30.16	5	+0.01	30.36	FM-12		
21	0754	7	BKN:07 180 OVC:08 300	10.00		40	4.4	39	3.9	37	2.8	89	0	000		30.17			30.37	FM-15	0.00	30.35
21	0854	7	BKN:07 180 OVC:08 300	10.00		44	6.7	40	4.4	34	1.1	68	5	220		30.16			30.35	FM-15	0.00	30.34
21	0954	7	FEW:02 30 SCT:04 180 BKN:07 250	10.00		49	9.4	44	6.7	38	3.3	66	7	210		30.14	8	+0.02	30.34	FM-15	0.00	30.32
21	1054	7	FEW:02 30 OVC:08 250	10.00		54	12.2	46	7.8	37	2.8	53	7	210		30.11			30.31	FM-15	0.00	30.29
21	1154	7	FEW:02 35 SCT:04 120 BKN:07 250	10.00		57	13.9	49	9.4	41	5.0	55	7	210		30.08			30.27	FM-15	0.00	30.26
21	1254	7	FEW:02 120 OVC:08 250	10.00		60	15.6	52	11.1	44	6.7	56	14	220		30.04	8	+0.10	30.24	FM-15	0.00	30.22
21	1300	4		9.94		60	15.6	52	11.1	44	6.7	56	14	220		30.04	8	+0.10	30.24	FM-12		
21	1354	7	SCT:04 120 OVC:08 250	10.00		59	15.0	51	10.6	44	6.7	58	9	220		30.02			30.21	FM-15	0.00	30.20
21	1454	7	SCT:04 120 OVC:08 250	10.00		58	14.4	51	10.6	45	7.2	62	7	220		29.99			30.19	FM-15	0.00	30.17
21	1554	7	SCT:04 120 OVC:08 250	10.00		57	13.9	51	10.6	46	7.8	67	3	180		29.97	6	+0.07	30.16	FM-15	0.00	30.15
21	1654	7	OVC:08 140	10.00		54	12.2	50	10.0	46	7.8	75	3	180		29.95			30.14	FM-15	0.00	30.13
21	1754	7	BKN:07 140 OVC:08 180	10.00		53	11.7	50	10.0	47	8.3	80	0	000		29.93			30.13	FM-15	0.00	30.11
21	1854	7	BKN:07 47 OVC:08 160	10.00		54	12.2	50	10.0	46	7.8	75	0	000		29.94	5	+0.03	30.13	FM-15	0.00	30.12
21	1900	4	41	9.94		54	12.2	50	10.0	46	7.8	75	0	000		29.94	5	+0.03	30.13	FM-12		
21	1954	7	FEW:02 47 OVC:08 180	10.00		50	10.0	48	8.9	46	7.8	86	6	180		29.90			30.10	FM-15	0.00	30.08
21	2054	7	BKN:07 48	10.00		51	10.6	49	9.4	46	7.8	83	6	220		29.89			30.08	FM-15	0.00	30.07
21	2154	7	BKN:07 47	10.00		51	10.6	48	8.9	45	7.2	80	6	190		29.87	6	+0.06	30.07	FM-15	0.00	30.05
21	2254	7	FEW:02 45 BKN:07 110 OVC:08 180	10.00		52	11.1	49	9.4	47	8.3	83	10	180		29.84			30.03	FM-15	0.00	30.02
21	2354	7	BKN:07 45 BKN:07 110 OVC:08 200	10.00		52	11.1	50	10.0	48	8.9	86	6	190		29.83			30.02	FM-15	0.00	30.01
22	0054	7	BKN:07 47 OVC:08 60	10.00		53	11.7	50	10.0	48	8.9	83	0	000		29.81	6	+0.07	30.00	FM-15	0.00	29.99
22	0100	4	41	9.94		53	11.7	50	10.0	48	8.9	83	0	000		29.81	6	+0.07	30.00	FM-12		
22	0154	7	SCT:04 45 BKN:07 120	10.00		52	11.1	50	10.0	48	8.9	86	5	200		29.78			29.98	FM-15	0.00	29.96
22	0254	7	FEW:02 46 BKN:07 90	10.00		52	11.1	50	10.0	48	8.9	86	7	200		29.76			29.96	FM-15	T	29.94
22	0354	7	FEW:02 46 BKN:07 60 OVC:08 70	10.00		53	11.7	51	10.6	49	9.4	86	9	210		29.73	8	+0.08	29.92	FM-15	T	29.91
22	0454	7	SCT:04 55 OVC:08 80	10.00		55	12.8	52	11.1	49	9.4	80	7	240		29.72			29.92	FM-15	0.00	29.90
22	0554	7	FEW:02 60 BKN:07 90 OVC:08 110	10.00		53	11.7	50	10.0	48	8.9	83	0	000		29.72			29.92	FM-15	0.00	29.90
22	0654	7	FEW:02 80 OVC:08 110	10.00	-RA:02 RA RA	53	11.7	50	10.0	48	8.9	83	3	260		29.72	8	+0.01	29.91	FM-15	T	29.90
22	0700	4	74	9.94	RA	53	11.7	50	10.0	48	8.9	83	3	260		29.72	8	+0.01	29.91	FM-12		
22	0754	7	BKN:07 80 OVC:08 90	9.00	-RA:02 RA RA	52	11.1	50	10.0	48	8.9	86	5	290		29.73			29.92	FM-15	0.01	29.91

22	0854	7	BKN:07 70 OVC:08 90	9.00	-RA:02 RA RA	51	10.6	49	9.4	47	8.3	86	6	360		29.74			29.93	FM-15	T	29.92
22	0954	7	SCT:04 29 BKN:07 65 OVC:08 80	9.00	-RA:02 RA RA	50	10.0	48	8.9	47	8.3	89	3	360		29.75	3	-0.04	29.95	FM-15	0.03	29.93
22	1054	7	BKN:07 31 OVC:08 50	10.00		50	10.0	48	8.9	47	8.3	89	0	000		29.74			29.93	FM-15	T	29.92
22	1154	7	BKN:07 34 OVC:08 70	10.00		51	10.6	49	9.4	47	8.3	86	0	000		29.72			29.91	FM-15	0.00	29.90
22	1254	7	BKN:07 38 OVC:08 75	10.00		51	10.6	48	8.9	46	7.8	83	0	000		29.70	8	+0.05	29.89	FM-15	0.00	29.88
22	1300	4	41	9.94		51	10.6	48	8.9	46	7.8	83	0	000		29.70	8	+0.05	29.89	FM-12		
22	1354	7	BKN:07 45 BKN:07 150	10.00		51	10.6	48	8.9	45	7.2	80	0	000		29.69			29.88	FM-15	0.00	29.87
22	1454	7	FEW:02 17 SCT:04 50 BKN:07 65	10.00		52	11.1	49	9.4	45	7.2	77	3	030		29.69			29.88	FM-15	0.00	29.87
22	1554	7	FEW:02 20 FEW:02 50 SCT:04 65	10.00		52	11.1	48	8.9	44	6.7	75	5	030		29.70	5	0.00	29.89	FM-15	0.00	29.88
22	1654	7	FEW:02 60 BKN:07 80 BKN:07 300	10.00		50	10.0	47	8.3	43	6.1	77	3	010		29.70			29.89	FM-15	0.00	29.88
22	1754	7	SCT:04 26 BKN:07 43 OVC:08 80	10.00		49	9.4	45	7.2	40	4.4	71	9	010		29.73			29.92	FM-15	0.00	29.91
22	1854	7	SCT:04 26 OVC:08 55	10.00		48	8.9	38	3.3	24	-4.4	39	14	010	24	29.76	3	-0.06	29.95	FM-15	0.00	29.94
22	1900	4	26	9.94		48	8.9	38	3.3	24	-4.4	39	14	010		29.76	3	-0.06	29.95	FM-12		
22	1954	7	OVC:08 70	10.00		46	7.8	37	2.8	21	-6.1	37	15	360		29.79			29.98	FM-15	0.00	29.97
22	2054	7	OVC:08 70	10.00		44	6.7	35	1.7	20	-6.7	38	24	350	30	29.81			30.00	FM-15	0.00	29.99
22	2154	7	BKN:07 80 BKN:07 300	10.00		41	5.0	33	0.6	19	-7.2	41	17	350	25	29.83	1	-0.07	30.02	FM-15	0.00	30.01
22	2254	7	BKN:07 80	10.00		39	3.9	32	0.0	20	-6.7	46	15	350		29.84			30.03	FM-15	0.00	30.02
22	2354	7	BKN:07 90	10.00		38	3.3	32	0.0	20	-6.7	48	15	360		29.86			30.05	FM-15	0.00	30.04
23	0054	7	FEW:02 90	10.00		37	2.8	31	-0.6	19	-7.2	48	16	360		29.86	1	-0.03	30.05	FM-15	0.00	30.04
23	0100	4		9.94		37	2.8	31	-0.6	19	-7.2	48	16	360		29.86	1	-0.03	30.05	FM-12		
23	0154	7	CLR:00	10.00		35	1.7	30	-1.1	19	-7.2	52	10	350		29.87			30.06	FM-15	0.00	30.05
23	0254	7	CLR:00	10.00		33	0.6	28	-2.2	19	-7.2	56	8	340		29.89			30.08	FM-15	0.00	30.07
23	0354	7	CLR:00	10.00		33	0.6	28	-2.2	19	-7.2	56	9	340		29.89	1	-0.03	30.08	FM-15	0.00	30.07
23	0454	7	CLR:00	10.00		32	0.0	28	-2.2	19	-7.2	59	9	330		29.89			30.09	FM-15	0.00	30.07
23	0554	7	CLR:00	10.00		32	0.0	27	-2.8	18	-7.8	56	8	330		29.91			30.11	FM-15	0.00	30.09
23	0654	7	CLR:00	10.00		31	-0.6	27	-2.8	18	-7.8	59	9	330		29.95	3	-0.06	30.14	FM-15	0.00	30.13
23	0700	4		9.94		31	-0.6	27	-2.8	18	-7.8	59	9	330		29.95	3	-0.06	30.14	FM-12		
23	0754	7	CLR:00	10.00		34	1.1	29	-1.7	18	-7.8	52	9	330		29.97			30.16	FM-15	0.00	30.15
23	0854	7	CLR:00	10.00		38	3.3	31	-0.6	18	-7.8	44	9	320		29.98			30.18	FM-15	0.00	30.16
23	0954	7	CLR:00	10.00		41	5.0	33	0.6	18	-7.8	39	14	340	22	29.99	1	-0.04	30.18	FM-15	0.00	30.17
23	1054	7	FEW:02 60	10.00		43	6.1	34	1.1	17	-8.3	35	17	330	26	29.99			30.18	FM-15	0.00	30.17
23	1154	7	FEW:02 60	10.00		44	6.7	34	1.1	16	-8.9	32	17	330	24	29.97			30.16	FM-15	0.00	30.15
23	1254	7	FEW:02 60	10.00		45	7.2	35	1.7	16	-8.9	31	11	300	21	29.96	8	+0.03	30.15	FM-15	0.00	30.14
23	1300	4	57	9.94		45	7.2	35	1.7	16	-8.9	31	11	300		29.96	8	+0.03	30.15	FM-12		
23	1354	7	FEW:02 65	10.00		46	7.8	35	1.7	15	-9.4	29	17	310	21	29.95			30.14	FM-15	0.00	30.13
23	1454	7	FEW:02 65	10.00		46	7.8	35	1.7	13	-10.6	26	13	300	20	29.95			30.14	FM-15	0.00	30.13
23	1554	7	FEW:02 70	10.00		45	7.2	34	1.1	13	-10.6	27	15	310	21	29.98	3	-0.02	30.17	FM-15	0.00	30.16
23	1654	7	FEW:02 70	10.00		42	5.6	32	0.0	12	-11.1	29	14	330		30.01			30.20	FM-15	0.00	30.19
23	1754	7	CLR:00	10.00		38	3.3	30	-1.1	14	-10.0	37	7	360		30.03			30.23	FM-15	0.00	30.21
23	1854	7	CLR:00	10.00		36	2.2	29	-1.7	15	-9.4	42	5	360		30.06	1	-0.08	30.25	FM-15	0.00	30.24
23	1900	4		9.94		36	2.2	29	-1.7	15	-9.4	42	5	360		30.06	1	-0.08	30.25	FM-12		
23	1954	7	CLR:00	10.00		36	2.2	29	-1.7	15	-9.4	42	7	360		30.08			30.28	FM-15	0.00	30.26
23	2054	7	CLR:00	10.00		34	1.1	28	-2.2	15	-9.4	46	5	350		30.10			30.30	FM-15	0.00	30.28

23	2154	7	CLR:00	10.00		34	1.1	28	-2.2	15	-9.4	46	6	330		30.10	1	-0.04	30.30	FM-15	0.00	30.28
23	2254	7	CLR:00	10.00		32	0.0	27	-2.8	16	-8.9	52	6	320		30.12			30.32	FM-15	0.00	30.30
23	2354	7	CLR:00	10.00		30	-1.1	26	-3.3	17	-8.3	58	8	340		30.13			30.32	FM-15	0.00	30.31
24	0054	7	CLR:00	10.00		30	-1.1	26	-3.3	17	-8.3	58	5	340		30.12	0	-0.02	30.32	FM-15	0.00	30.30
24	0100	4		9.94		30	-1.1	26	-3.3	17	-8.3	58	5	340		30.12	9	+0.02	30.32	FM-12		
24	0154	7	CLR:00	10.00		31	-0.6	26	-3.3	17	-8.3	56	3	330		30.14			30.34	FM-15	0.00	30.32
24	0254	7	CLR:00	10.00		31	-0.6	27	-2.8	18	-7.8	59	3	300		30.16			30.36	FM-15	0.00	30.34
24	0354	7	CLR:00	10.00		28	-2.2	25	-3.9	19	-7.2	69	0	000		30.17	1	-0.04	30.36	FM-15	0.00	30.35
24	0454	7	CLR:00	10.00		27	-2.8	24	-4.4	19	-7.2	72	0	000		30.19			30.39	FM-15	0.00	30.37
24	0554	7	CLR:00	10.00		27	-2.8	25	-3.9	20	-6.7	75	0	000		30.22			30.42	FM-15	0.00	30.40
24	0654	7	CLR:00	10.00		27	-2.8	25	-3.9	20	-6.7	75	0	000		30.23	1	-0.06	30.43	FM-15	0.00	30.41
24	0700	4		9.94		27	-2.8	25	-3.9	20	-6.7	75	0	000		30.23	1	-0.06	30.43	FM-12		
24	0754	7	CLR:00	10.00		30	-1.1	28	-2.2	24	-4.4	79	0	000		30.26			30.46	FM-15	0.00	30.44
24	0854	7	CLR:00	10.00		37	2.8	32	0.0	23	-5.0	57	3	260		30.28			30.48	FM-15	0.00	30.46
24	0954	7	CLR:00	10.00		42	5.6	35	1.7	22	-5.6	45	0	000		30.29	1	-0.06	30.48	FM-15	0.00	30.47
24	1054	7	CLR:00	10.00		44	6.7	35	1.7	20	-6.7	38	0	000		30.28			30.47	FM-15	0.00	30.46
24	1154	7	CLR:00	10.00		46	7.8	36	2.2	19	-7.2	34	3	180		30.25			30.44	FM-15	0.00	30.43
24	1254	7	FEW:02 300	10.00		48	8.9	37	2.8	17	-8.3	29	0	000		30.22	8	+0.07	30.42	FM-15	0.00	30.40
24	1300	4		9.94		48	8.9	37	2.8	17	-8.3	29	0	000		30.22	8	+0.07	30.42	FM-12		
24	1354	7	FEW:02 300	10.00		49	9.4	37	2.8	17	-8.3	28	3	300		30.22			30.41	FM-15	0.00	30.40
24	1454	7	SCT:04 300	10.00		50	10.0	38	3.3	16	-8.9	26	6	VRB		30.20			30.39	FM-15	0.00	30.38
24	1554	7	BKN:07 300	10.00		49	9.4	37	2.8	16	-8.9	27	6	220		30.20	5	+0.02	30.40	FM-15	0.00	30.38
24	1654	7	BKN:07 300	10.00		44	6.7	35	1.7	21	-6.1	40	6	180		30.19			30.39	FM-15	0.00	30.37
24	1754	7	FEW:02 300	10.00		40	4.4	34	1.1	24	-4.4	53	3	140		30.20			30.40	FM-15	0.00	30.38
24	1854	7	CLR:00	10.00		38	3.3	33	0.6	25	-3.9	60	5	130		30.19	7	0.00	30.39	FM-15	0.00	30.37
24	1900	4		9.94		38	3.3	33	0.6	25	-3.9	60	5	130		30.19	7	0.00	30.39	FM-12		
24	1954	7	SCT:04 250	10.00		37	2.8	32	0.0	24	-4.4	59	0	000		30.18			30.38	FM-15	0.00	30.36
24	2054	7	FEW:02 250	10.00		36	2.2	32	0.0	24	-4.4	62	0	000		30.19			30.38	FM-15	0.00	30.37
24	2154	7	FEW:02 250	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		30.18	6	+0.01	30.37	FM-15	0.00	30.36
24	2254	7	SCT:04 250	10.00		35	1.7	31	-0.6	24	-4.4	64	5	210		30.16			30.36	FM-15	0.00	30.34
24	2354	7	FEW:02 240 SCT:04 300	10.00		34	1.1	30	-1.1	23	-5.0	64	6	200		30.14			30.34	FM-15	0.00	30.32
25	0054	7	SCT:04 250	10.00		32	0.0	29	-1.7	24	-4.4	73	7	210		30.12	8	+0.06	30.32	FM-15	0.00	30.30
25	0100	4		9.94		32	0.0	29	-1.7	24	-4.4	73	7	210		30.12	8	+0.06	30.32	FM-12		
25	0154	7	SCT:04 250	10.00		32	0.0	29	-1.7	24	-4.4	73	7	200		30.11			30.31	FM-15	0.00	30.29
25	0254	7	SCT:04 250	10.00		31	-0.6	29	-1.7	24	-4.4	76	8	190		30.09			30.29	FM-15	0.00	30.27
25	0354	7	SCT:04 250	10.00		31	-0.6	29	-1.7	25	-3.9	79	8	200		30.07	8	+0.04	30.27	FM-15	0.00	30.25
25	0454	7	FEW:02 250	10.00		32	0.0	29	-1.7	24	-4.4	73	6	180		30.06			30.26	FM-15	0.00	30.24
25	0554	7	FEW:02 250	10.00		31	-0.6	29	-1.7	24	-4.4	76	7	190		30.03			30.23	FM-15	0.00	30.21
25	0654	7	FEW:02 180 SCT:04 250	10.00		31	-0.6	29	-1.7	24	-4.4	76	7	190		30.03	6	+0.04	30.23	FM-15	0.00	30.21
25	0700	4		9.94		31	-0.6	29	-1.7	24	-4.4	76	7	190		30.03	6	+0.04	30.23	FM-12		
25	0754	7	SCT:04 180 BKN:07 250	10.00		34	1.1	31	-0.6	27	-2.8	75	7	200		30.01			30.21	FM-15	0.00	30.19
25	0854	7	FEW:02 180 BKN:07 250	10.00		41	5.0	36	2.2	28	-2.2	60	7	210		30.00			30.19	FM-15	0.00	30.18
25	0954	7	BKN:07 250	10.00		47	8.3	39	3.9	27	-2.8	46	8	230		29.98	6	+0.05	30.18	FM-15	0.00	30.16
25	1054	7	BKN:07 250	10.00		51	10.6	41	5.0	26	-3.3	38	9	230		29.95			30.14	FM-15	0.00	30.13
25	1154	7	BKN:07 250	10.00		55	12.8	43	6.1	27	-2.8	34	6	250		29.92			30.11	FM-15	0.00	30.10
25	1254	7	BKN:07 250	10.00		59	15.0	45	7.2	26	-3.3	28	8	240		29.88	8	+0.10	30.07	FM-15	0.00	30.06
25	1300	4		9.94		59	15.0	45	7.2	26	-3.3	28	8	240		29.88	8	+0.10	30.07	FM-12		
25	1354	7	FEW:02 250	10.00		61	16.1	46	7.8	26	-3.3	26	9	VRB		29.83			30.03	FM-15	0.00	30.01
25	1454	7	FEW:02 250	10.00		62	16.7	47	8.3	28	-2.2	28	9	200		29.81			30.01	FM-15	0.00	29.99
25	1554	7	SCT:04 300	10.00		62	16.7	47	8.3	28	-2.2	28	10	220		29.81	6	+0.07	30.01	FM-15	0.00	29.99
25	1654	7	BKN:07 300	10.00		54	12.2	44	6.7	31	-0.6	42	7	210		29.80			29.99	FM-15	0.00	29.98
25	1754	7	BKN:07 300	10.00		48	8.9	41	5.0	32	0.0	54	10	180		29.78			29.97	FM-15	0.00	29.96
25	1854	7	SCT:04 300	10.00		49	9.4	42	5.6	32	0.0	52	8	190		29.76	8	+0.05	29.96	FM-15	0.00	29.94
25	1900	4		9.94		49	9.4	42	5.6	32	0.0	52	8	190		29.76	8	+0.05	29.96	FM-12		

25	1954	7	SCT:04 300	10.00		49	9.4	42	5.6	32	0.0	52	10	200		29.75			29.95	FM-15	0.00	29.93
25	2054	7	BKN:07 300	10.00		49	9.4	42	5.6	32	0.0	52	9	200		29.72			29.92	FM-15	0.00	29.90
25	2154	7	BKN:07 130 OVC:08 300	10.00		53	11.7	43	6.1	30	-1.1	41	9	220		29.71	8	+0.06	29.90	FM-15	0.00	29.89
25	2254	7	BKN:07 140 BKN:07 180 OVC:08 300	10.00		54	12.2	43	6.1	28	-2.2	37	8	230		29.68			29.87	FM-15	0.00	29.86
25	2354	7	OVC:08 100	10.00	-RA:02 RA RA	55	12.8	43	6.1	28	-2.2	35	10	230		29.66			29.85	FM-15	T	29.84
26	0054	7	BKN:07 60 OVC:08 75	9.00	-RA:02 RA RA	52	11.1	44	6.7	35	1.7	53	13	250		29.64	6	+0.06	29.84	FM-15	0.01	29.82
26	0100	4	57	8.70	RA	52	11.1	44	6.7	35	1.7	53	13	250		29.64	6	+0.06	29.84	FM-12		
26	0154	7	OVC:08 75	7.00	-RA:02 RA RA	48	8.9	45	7.2	41	5.0	77	7	250		29.65			29.84	FM-15	0.07	29.83
26	0254	7	OVC:08 70	9.00	-RA:02 RA RA	47	8.3	46	7.8	44	6.7	90	7	260		29.63			29.82	FM-15	0.09	29.81
26	0354	7	OVC:08 75	10.00	-RA:02 RA RA	46	7.8	46	7.8	45	7.2	96	6	170		29.59	8	+0.06	29.78	FM-15	0.02	29.77
26	0454	7	FEW:02 100 SCT:04 120	10.00	-RA:02 RA RA	47	8.3	47	8.3	46	7.8	97	6	210		29.59			29.78	FM-15	T	29.77
26	0554	7	BKN:07 90	10.00	-RA:02 RA RA	47	8.3	47	8.3	46	7.8	97	7	250		29.60			29.80	FM-15	T	29.78
26	0654	7	SCT:04 85	10.00		48	8.9	47	8.3	45	7.2	89	10	280		29.61	3	-0.03	29.80	FM-15	T	29.79
26	0700	4		9.94		48	8.9	47	8.3	45	7.2	89	10	280		29.61	3	-0.03	29.80	FM-12		
26	0754	7	SCT:04 65	10.00		49	9.4	47	8.3	44	6.7	83	9	290		29.64			29.83	FM-15	0.00	29.82
26	0854	7	FEW:02 60 SCT:04 85	10.00		52	11.1	48	8.9	43	6.1	72	8	300		29.65			29.85	FM-15	0.00	29.83
26	0954	7	FEW:02 50 FEW:02 85	10.00		53	11.7	44	6.7	33	0.6	47	18	310		29.67	1	-0.06	29.86	FM-15	0.00	29.85
26	1054	7	SCT:04 65	10.00		55	12.8	44	6.7	30	-1.1	38	21	320	29	29.67			29.86	FM-15	0.00	29.85
26	1154	7	SCT:04 60	10.00		53	11.7	42	5.6	28	-2.2	38	24	310	28	29.66			29.85	FM-15	0.00	29.84
26	1254	7	FEW:02 75	10.00		53	11.7	40	4.4	21	-6.1	28	17	280	28	29.66	8	+0.01	29.85	FM-15	0.00	29.84
26	1300	4	74	9.94		53	11.7	40	4.4	21	-6.1	28	17	280		29.66	8	+0.01	29.85	FM-12		
26	1354	7	FEW:02 75 FEW:02 300	10.00		52	11.1	39	3.9	19	-7.2	27	23	320	29	29.67			29.86	FM-15	0.00	29.85
26	1454	7	FEW:02 60 SCT:04 300	10.00		51	10.6	38	3.3	17	-8.3	26	21	290	26	29.69			29.88	FM-15	0.00	29.87
26	1554	7	FEW:02 60 BKN:07 300	10.00		49	9.4	37	2.8	18	-7.8	29	17	320	26	29.70	1	-0.05	29.90	FM-15	0.00	29.88
26	1654	7	BKN:07 230	10.00		46	7.8	36	2.2	19	-7.2	34	15	330		29.71			29.91	FM-15	0.00	29.89
26	1754	7	FEW:02 250	10.00		44	6.7	35	1.7	19	-7.2	37	18	320		29.74			29.93	FM-15	0.00	29.92
26	1854	7	CLR:00	10.00		42	5.6	34	1.1	20	-6.7	41	15	310	21	29.76	3	-0.06	29.96	FM-15	0.00	29.94
26	1900	4		9.94		42	5.6	34	1.1	20	-6.7	41	15	310		29.76	3	-0.06	29.96	FM-12		
26	1954	7	CLR:00	10.00		39	3.9	32	0.0	19	-7.2	45	13	310		29.78			29.98	FM-15	0.00	29.96
26	2054	7	CLR:00	10.00		38	3.3	32	0.0	20	-6.7	48	13	320		29.78			29.98	FM-15	0.00	29.96
26	2154	7	CLR:00	10.00		36	2.2	30	-1.1	20	-6.7	52	8	330		29.79	1	-0.03	29.99	FM-15	0.00	29.97
26	2254	7	CLR:00	10.00		32	0.0	28	-2.2	20	-6.7	61	6	340		29.79			29.99	FM-15	0.00	29.97
26	2354	7	FEW:02 250	10.00		32	0.0	28	-2.2	20	-6.7	61	3	330		29.80			30.00	FM-15	0.00	29.98
27	0054	7	FEW:02 250	10.00		32	0.0	28	-2.2	20	-6.7	61	3	290		29.81	3	-0.01	30.00	FM-15	0.00	29.99
27	0100	4		9.94		32	0.0	28	-2.2	20	-6.7	61	3	290		29.81	3	-0.01	30.00	FM-12		
27	0154	7	FEW:02 250	10.00		32	0.0	28	-2.2	20	-6.7	61	5	280		29.83			30.02	FM-15	0.00	30.01
27	0254	7	CLR:00	10.00		30	-1.1	27	-2.8	22	-5.6	72	0	000		29.83			30.03	FM-15	0.00	30.01
27	0354	7	CLR:00	10.00		29	-1.7	26	-3.3	21	-6.1	72	6	280		29.84	1	-0.03	30.03	FM-15	0.00	30.02
27	0454	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	7	280		29.85			30.05	FM-15	0.00	30.03
27	0554	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	5	300		29.86			30.06	FM-15	0.00	30.04
27	0654	7	FEW:02 300	10.00		28	-2.2	25	-3.9	20	-6.7	72	7	350		29.87	1	-0.03	30.06	FM-15	0.00	30.05
27	0700	4		9.94		28	-2.2	25	-3.9	20	-6.7	72	7	350		29.87	1	-0.03	30.06	FM-12		
27	0754	7	FEW:02 300	10.00		29	-1.7	27	-2.8	22	-5.6	75	5	190		29.90			30.09	FM-15	0.00	30.08
27	0854	7	FEW:02 120 SCT:04 300	10.00		36	2.2	30	-1.1	19	-7.2	50	11	300		29.91			30.10	FM-15	0.00	30.09
27	0954	7	FEW:02 120 SCT:04 300	10.00		39	3.9	32	0.0	18	-7.8	43	13	320		29.91	0	-0.04	30.10	FM-15	0.00	30.09
27	1054	7	SCT:04 300	10.00		40	4.4	32	0.0	18	-7.8	41	8	VRB		29.90			30.10	FM-15	0.00	30.08
27	1154	7	SCT:04 300	10.00		43	6.1	34	1.1	18	-7.8	37	14	270		29.88			30.08	FM-15	0.00	30.06

27	1254	7	FEW:02 300	10.00		44	6.7	35	1.7	18	-7.8	35	10	280		29.86	8	+0.05	30.05	FM-15	0.00	30.04
27	1300	4		9.94		44	6.7	35	1.7	18	-7.8	35	10	280		29.86	8	+0.05	30.05	FM-12		
27	1354	7	FEW:02 300	10.00		46	7.8	35	1.7	17	-8.3	31	10	270		29.83			30.03	FM-15	0.00	30.01
27	1454	7	FEW:02 300	10.00		47	8.3	36	2.2	17	-8.3	30	8	260		29.83			30.03	FM-15	0.00	30.01
27	1554	7	FEW:02 300	10.00		47	8.3	36	2.2	16	-8.9	29	3	260		29.83	6	+0.03	30.02	FM-15	0.00	30.01
27	1654	7	FEW:02 150 FEW:02 300	10.00		45	7.2	35	1.7	16	-8.9	31	3	260		29.83			30.03	FM-15	0.00	30.01
27	1754	7	FEW:02 150	10.00		36	2.2	31	-0.6	23	-5.0	59	3	140		29.83			30.03	FM-15	0.00	30.01
27	1854	7	FEW:02 65	10.00		34	1.1	30	-1.1	22	-5.6	61	3	120		29.83	0	0.00	30.02	FM-15	0.00	30.01
27	1900	4	57	9.94		34	1.1	30	-1.1	22	-5.6	61	3	120		29.83	9	0.00	30.02	FM-12		
27	1954	7	BKN:07 120	10.00		37	2.8	32	0.0	23	-5.0	57	0	000		29.84			30.04	FM-15	0.00	30.02
27	2054	7	BKN:07 110	10.00		39	3.9	34	1.1	25	-3.9	57	5	170		29.83			30.02	FM-15	0.00	30.01
27	2154	7	BKN:07 120 BKN:07 160	10.00		40	4.4	34	1.1	25	-3.9	55	7	190		29.81	8	+0.02	30.01	FM-15	0.00	29.99
27	2254	7	BKN:07 120 BKN:07 180	10.00		39	3.9	34	1.1	25	-3.9	57	8	190		29.79			29.98	FM-15	0.00	29.97
27	2354	7	SCT:04 120 OVC:08 180	10.00		40	4.4	34	1.1	25	-3.9	55	7	170		29.77			29.97	FM-15	0.00	29.95
28	0054	7	OVC:08 120	10.00		41	5.0	35	1.7	25	-3.9	53	7	170		29.75	8	+0.06	29.94	FM-15	0.00	29.93
28	0100	4		9.94		41	5.0	35	1.7	25	-3.9	53	7	170		29.75	8	+0.06	29.94	FM-12		
28	0154	7	SCT:04 120 OVC:08 170	10.00		41	5.0	35	1.7	25	-3.9	53	9	190		29.73			29.93	FM-15	0.00	29.91
28	0254	7	BKN:07 140 OVC:08 180	10.00		42	5.6	35	1.7	25	-3.9	51	8	200		29.72			29.92	FM-15	0.00	29.90
28	0354	7	BKN:07 140 BKN:07 180	10.00		39	3.9	34	1.1	25	-3.9	57	6	200		29.72	6	+0.03	29.91	FM-15	0.00	29.90
28	0454	7	BKN:07 130 OVC:08 160	10.00		39	3.9	34	1.1	26	-3.3	60	5	200		29.71			29.91	FM-15	0.00	29.89
28	0554	7	BKN:07 130	10.00		38	3.3	34	1.1	28	-2.2	68	6	200		29.71			29.91	FM-15	0.00	29.89
28	0654	7	SCT:04 100 SCT:04 160	10.00		37	2.8	33	0.6	26	-3.3	65	3	180		29.71	5	0.00	29.91	FM-15	0.00	29.89
28	0700	4		9.94		37	2.8	33	0.6	26	-3.3	65	3	180		29.71	5	0.00	29.91	FM-12		
28	0754	7	FEW:02 90	10.00		38	3.3	34	1.1	28	-2.2	68	3	180		29.71			29.91	FM-15	0.00	29.89
28	0854	7	CLR:00	10.00		45	7.2	38	3.3	28	-2.2	52	8	200		29.71			29.91	FM-15	0.00	29.89
28	0954	7	FEW:02 90	10.00		51	10.6	41	5.0	27	-2.8	39	6	240		29.72	3	-0.01	29.91	FM-15	0.00	29.90
28	1054	7	FEW:02 90 FEW:02 200	10.00		56	13.3	44	6.7	27	-2.8	33	7	220		29.70			29.89	FM-15	0.00	29.88
28	1154	7	BKN:07 180	10.00		59	15.0	45	7.2	27	-2.8	29	6	240		29.66			29.85	FM-15	0.00	29.84
28	1254	7	BKN:07 220	10.00		61	16.1	47	8.3	29	-1.7	30	10	290		29.64	6	+0.08	29.83	FM-15	0.00	29.82
28	1300	4		9.94		61	16.1	47	8.3	29	-1.7	30	10	290		29.64	6	+0.08	29.83	FM-12		
28	1354	7	BKN:07 220	10.00		59	15.0	46	7.8	29	-1.7	32	13	250		29.63			29.82	FM-15	0.00	29.81
28	1454	7	BKN:07 220 BKN:07 300	10.00		60	15.6	46	7.8	29	-1.7	31	9	250		29.61			29.80	FM-15	0.00	29.79
28	1554	7	BKN:07 220 BKN:07 300	10.00		58	14.4	45	7.2	28	-2.2	32	10	240		29.60	6	+0.04	29.79	FM-15	0.00	29.78
28	1654	7	SCT:04 200 BKN:07 300	10.00		53	11.7	43	6.1	30	-1.1	41	5	200		29.62			29.81	FM-15	0.00	29.80
28	1754	7	FEW:02 200 SCT:04 300	10.00		49	9.4	42	5.6	32	0.0	52	7	220		29.63			29.83	FM-15	0.00	29.81
28	1854	7	FEW:02 250	10.00		48	8.9	41	5.0	32	0.0	54	3	250		29.64	1	-0.04	29.84	FM-15	0.00	29.82
28	1900	4		9.94		48	8.9	41	5.0	32	0.0	54	3	250		29.64	1	-0.04	29.84	FM-12		
28	1954	7	BKN:07 220	10.00		42	5.6	38	3.3	33	0.6	71	5	220		29.64			29.84	FM-15	0.00	29.82
28	2054	7	BKN:07 230	10.00		44	6.7	39	3.9	33	0.6	65	0	000		29.63			29.83	FM-15	0.00	29.81
28	2154	7	BKN:07 230	10.00		47	8.3	41	5.0	33	0.6	59	6	260		29.63	8	+0.01	29.83	FM-15	0.00	29.81
28	2254	7	BKN:07 250	10.00		46	7.8	40	4.4	33	0.6	61	9	320		29.65			29.85	FM-15	0.00	29.83
28	2354	7	SCT:04 250	10.00		44	6.7	39	3.9	33	0.6	65	15	010		29.67			29.87	FM-15	0.00	29.85
29	0054	7	SCT:04 250	10.00		43	6.1	38	3.3	32	0.0	65	10	360		29.68	1	-0.04	29.87	FM-15	0.00	29.86
29	0100	4		9.94		43	6.1	38	3.3	32	0.0	65	10	360		29.68	1	-0.04	29.87	FM-12		
29	0154	7	SCT:04 250	10.00		42	5.6	38	3.3	32	0.0	68	7	350		29.69			29.88	FM-15	0.00	29.87
29	0254	7	BKN:07 60	10.00		44	6.7	38	3.3	29	-1.7	55	11	360	21	29.72			29.91	FM-15	0.00	29.90

29	0354	7	OVC:08 65	10.00		43	6.1	36	2.2	25	-3.9	49	14	350		29.73	1	-0.05	29.92	FM-15	0.00	29.91
29	0454	7	FEW:02 65 SCT:04 250	10.00		41	5.0	33	0.6	20	-6.7	43	11	350		29.75			29.95	FM-15	0.00	29.93
29	0554	7	SCT:04 250	10.00		37	2.8	31	-0.6	19	-7.2	48	8	340		29.79			29.99	FM-15	0.00	29.97
29	0654	7	FEW:02 250	10.00		36	2.2	30	-1.1	20	-6.7	52	8	320		29.82	2	-0.09	30.01	FM-15	0.00	30.00
29	0700	4		9.94		36	2.2	30	-1.1	20	-6.7	52	8	320		29.82	2	-0.09	30.01	FM-12		
29	0754	7	CLR:00	10.00		39	3.9	32	0.0	19	-7.2	45	10	320		29.84			30.03	FM-15	0.00	30.02
29	0854	7	FEW:02 50 FEW:02 80	10.00		42	5.6	33	0.6	18	-7.8	38	13	310	22	29.86			30.05	FM-15	0.00	30.04
29	0954	7	CLR:00	10.00		44	6.7	35	1.7	21	-6.1	40	13	330	24	29.87	1	-0.05	30.07	FM-15	0.00	30.05
29	1054	7	FEW:02 50	10.00		47	8.3	37	2.8	22	-5.6	37	18	350	24	29.87			30.07	FM-15	0.00	30.05
29	1154	7	SCT:04 55	10.00		48	8.9	38	3.3	22	-5.6	36	20	340	28	29.85			30.05	FM-15	0.00	30.03
29	1254	7	SCT:04 60	10.00		50	10.0	39	3.9	22	-5.6	33	17	320	22	29.84	8	+0.04	30.03	FM-15	0.00	30.02
29	1300	4	57	9.94		50	10.0	39	3.9	22	-5.6	33	17	320		29.84	8	+0.04	30.03	FM-12		
29	1354	7	SCT:04 60	10.00		48	8.9	38	3.3	21	-6.1	34	13	310	23	29.84			30.03	FM-15	0.00	30.02
29	1454	7	BKN:07 65	10.00		49	9.4	38	3.3	21	-6.1	33	15	330		29.84			30.04	FM-15	0.00	30.02
29	1554	7	FEW:02 65 FEW:02 300	10.00		47	8.3	37	2.8	20	-6.7	34	11	320		29.85	2	-0.01	30.04	FM-15	0.00	30.03
29	1654	7	CLR:00	10.00		44	6.7	35	1.7	20	-6.7	38	7	320		29.85			30.05	FM-15	0.00	30.03
29	1754	7	CLR:00	10.00		43	6.1	35	1.7	20	-6.7	40	5	300		29.87			30.06	FM-15	0.00	30.05
29	1854	7	CLR:00	10.00		42	5.6	34	1.1	20	-6.7	41	5	290		29.88	3	-0.03	30.07	FM-15	0.00	30.06
29	1900	4		9.94		42	5.6	34	1.1	20	-6.7	41	5	290		29.88	3	-0.03	30.07	FM-12		
29	1954	7	CLR:00	10.00		38	3.3	32	0.0	22	-5.6	52	0	000		29.90			30.09	FM-15	0.00	30.08
29	2054	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	0	000		29.91			30.10	FM-15	0.00	30.09
29	2154	7	CLR:00	10.00		31	-0.6	28	-2.2	23	-5.0	72	0	000		29.93	2	-0.05	30.12	FM-15	0.00	30.11
29	2254	7	CLR:00	10.00		29	-1.7	27	-2.8	22	-5.6	75	0	000		29.92			30.11	FM-15	0.00	30.10
29	2354	7	CLR:00	10.00		30	-1.1	27	-2.8	22	-5.6	72	0	000		29.94			30.13	FM-15	0.00	30.12
30	0054	7	FEW:02 250	10.00		29	-1.7	27	-2.8	23	-5.0	78	0	000		29.94	3	-0.01	30.13	FM-15	0.00	30.12
30	0100	4		9.94		29	-1.7	27	-2.8	23	-5.0	78	0	000		29.94	3	-0.01	30.13	FM-12		
30	0154	7	FEW:02 250	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		29.94			30.14	FM-15	0.00	30.12
30	0254	7	BKN:07 110	10.00		30	-1.1	28	-2.2	24	-4.4	79	0	000		29.94			30.13	FM-15	0.00	30.12
30	0354	7	BKN:07 90 BKN:07 110	10.00		30	-1.1	28	-2.2	25	-3.9	82	0	000		29.92	8	+0.01	30.11	FM-15	0.00	30.10
30	0454	7	BKN:07 80	10.00		32	0.0	30	-1.1	26	-3.3	79	5	200		29.93			30.13	FM-15	0.00	30.11
30	0554	7	SCT:04 100	10.00		31	-0.6	30	-1.1	27	-2.8	85	5	180		29.92			30.11	FM-15	0.00	30.10
30	0654	7	BKN:07 100	10.00		31	-0.6	30	-1.1	27	-2.8	85	7	190		29.92	8	0.00	30.11	FM-15	0.00	30.10
30	0700	4		9.94		31	-0.6	30	-1.1	27	-2.8	85	7	190		29.92	8	0.00	30.11	FM-12		
30	0754	7	SCT:04 130	10.00		32	0.0	31	-0.6	28	-2.2	85	3	180		29.91			30.11	FM-15	0.00	30.09
30	0854	7	BKN:07 110	10.00		38	3.3	34	1.1	27	-2.8	65	7	200		29.90			30.10	FM-15	0.00	30.08
30	0954	7	BKN:07 110	10.00		44	6.7	36	2.2	23	-5.0	43	10	210	18	29.89	8	+0.03	30.09	FM-15	0.00	30.07
30	1054	7	FEW:02 110	10.00		49	9.4	38	3.3	22	-5.6	35	17	220		29.87			30.06	FM-15	0.00	30.05
30	1154	7	FEW:02 110	10.00		52	11.1	40	4.4	22	-5.6	31	15	220	23	29.82			30.02	FM-15	0.00	30.00
30	1254	7	FEW:02 300	10.00		55	12.8	42	5.6	22	-5.6	28	16	230	24	29.79	8	+0.10	29.98	FM-15	0.00	29.97
30	1300	4		9.94		55	12.8	42	5.6	22	-5.6	28	16	230		29.79	8	+0.10	29.98	FM-12		
30	1354	7	FEW:02 300	10.00		57	13.9	43	6.1	24	-4.4	28	20	220	26	29.78			29.97	FM-15	0.00	29.96
30	1454	7	FEW:02 300	10.00		58	14.4	44	6.7	26	-3.3	29	11	230	21	29.78			29.98	FM-15	0.00	29.96
30	1554	7	FEW:02 300	10.00		57	13.9	44	6.7	27	-2.8	32	14	230		29.78	6	+0.01	29.97	FM-15	0.00	29.96
30	1654	7	SCT:04 300	10.00		55	12.8	43	6.1	27	-2.8	34	15	220		29.78			29.97	FM-15	0.00	29.96
30	1754	7	SCT:04 300	10.00		47	8.3	39	3.9	27	-2.8	46	8	200		29.81			30.00	FM-15	0.00	29.99
30	1854	7	SCT:04 300	10.00		44	6.7	38	3.3	28	-2.2	53	9	200		29.82	3	-0.04	30.02	FM-15	0.00	30.00
30	1900	4		9.94		44	6.7	38	3.3	28	-2.2	53	9	200		29.82	3	-0.04	30.02	FM-12		
30	1954	7	FEW:02 300	10.00		48	8.9	40	4.4	28	-2.2	46	11	210		29.84			30.04	FM-15	0.00	30.02
30	2054	7	CLR:00	10.00		49	9.4	40	4.4	27	-2.8	43	11	220		29.84			30.04	FM-15	0.00	30.02
30	2154	7	FEW:02 300	10.00		47	8.3	39	3.9	27	-2.8	46	8	220		29.85	1	-0.03	30.05	FM-15	0.00	30.03
30	2254	7	FEW:02 300	10.00		44	6.7	37	2.8	27	-2.8	51	7	230		29.87			30.06	FM-15	0.00	30.05
30	2354	7	FEW:02 300	10.00		41	5.0	36	2.2	27	-2.8	57	5	200		29.88			30.07	FM-15	0.00	30.06

Local Climatological Data
Hourly Precipitation
November 2021

Generated on 01/12/2022

Date	For Hour (LST) Ending at																						Date		
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID
01																									01
02										0.01s	T	T	T	0.02	0.03	0.01	0.01	0.01							02
03																									03
04																									04
05																									05
06													T		T										06
07																									07
08																									08
09																									09
10																									10
11																							0.03		11
12	0.02	0.07	0.02	T	T	T	T	T	T																12
13																									13
14																									14
15																									15
16																									16
17																									17
18																						0.06	0.04	0.14	18
19	T																								19
20																									20
21																									21
22			T	T			T	0.01	T	0.03	T														22
23																									23
24																									24
25																								T	25
26	0.01	0.07	0.09	0.02	T	T	T																		26
27																									27
28																									28
29																									29
30																									30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.08	0.11	0.13	0.13	0.14	0.14	0.16	0.16	0.18	0.24	0.24	0.24
Ending Date Time (yyyy-mm-dd hh:mi)	2021-11-18 23:27	2021-11-18 23:32	2021-11-18 23:37	2021-11-18 23:37	2021-11-18 23:37	2021-11-18 23:37	2021-11-18 23:37	2021-11-18 23:37	2021-11-18 23:37	2021-11-18 23:37	2021-11-18 23:37	2021-11-18 23:37

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 \$ = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing