

# Local Climatological Data Daily Summary December 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/08/2023

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH					
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees			
												Peak Speed						Peak Dir			Sust. Speed	Sust. Dir		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
01	50	30	40	-5.5				25	0	0705	1651		0.00	0.0	0	30.16		6.1	23	310	18	310		
02	54	26	40	-5.2				25	0	0706	1651		0.00	0.0	0	30.32		5.9	20	190	15	190		
03	61	48	55	10.1				10	0	0707	1651	RA BR	0.34	0.0	0	30.06		10.3	26	220	21	210		
04	50	30	40	-4.5				25	0	0708	1651		0.00	0.0	0	30.06		4.3	16	030	13	030		
05	52	26	39	-5.2				26	0	0709	1651	BR	0.00	0.0	0	30.05		1.7	14	130	10	120		
06	53	35	44	0.1				21	0	0710	1651	RA BR	0.15	0.0	0	30.04		2.7	9	300	8	310		
07	63	52	58	14.5				7	0	0710	1651	RA BR	0.08	0.0	0	30.01		7.3	17	200	14	200		
08	61	49	55	11.8				10	0	0711	1651	RA BR	T	0.0	0	30.04		6.5	17	020	14	020		
09	53	39	46	3.1				19	0	0712	1651	RA	0.01	0.0	0	30.07		7.2	18	010	14	360		
10	47	37	42	-0.6				23	0	0713	1651		0.00	0.0	0	30.11		5.9	15	040	10	040		
11	54	42	48	5.7				17	0	0714	1651	RA	T	0.0	0	29.99		3.1	11	030	9	020		
12	48	37	43	1.0				22	0	0714	1651		0.00	0.0	0	29.99		9.5	25	360	18	010		
13	46	26	36	-5.7				29	0	0715	1652		0.00	0.0	0	30.11		4.6	14	010	10	030		
14	44	25	35	-6.5				30	0	0716	1652	RA	0.04	0.0	0	30.01		1.4	10	050	7	060		
15	50	35	43	1.8				22	0	0717	1652	RA DZ BR	2.11	0.0	0	29.77		8.4	25	290	21	310		
16	55	34	45	4.1				20	0	0717	1653	BR	T	0.0	0	29.59		8.3	26	310	20	310		
17	51	32	42	1.3				23	0	0718	1653		0.00	0.0	0	29.67		7.7	27	270	21	260		
18	48	29	39	-1.5				26	0	0718	1653		0.00	0.0	0	29.82		7.2	23	260	18	270		
19	45	23	34	-6.2				31	0	0719	1654		0.00	0.0	0	30.15		5.7	18	310	15	310		
20	42	24	33	-7.0				32	0	0720	1654		0.00	0.0	0	30.28		3.9	15	020	12	030		
21	49	22	36	-3.8				29	0	0720	1655		0.00	0.0	0	30.27		4.3	13	040	9	060		
22	59	35	47	7.4				18	0	0721	1655	RA DZ BR	1.27	0.0	0	29.88		12.7	43	120	33	120		
23	49	14	32	-7.4				33	0	0721	1656	RA DZ BR	0.10	0.0	0	29.38		21.0	54	270	37	260		
24	24	8*	16	-23.2				49	0	0722	1656		0.00	0.0	0	29.80		14.6	32	260	24	260		
25	36	14	25	-14.1				40	0	0722	1657		0.00	0.0	0	29.85		8.7	20	250	16	250		
26	36	14	25	-13.9				40	0	0722	1657		0.00	0.0	0	30.06		2.7	13	140	9	200		
27	49	23	36	-2.7				29	0	0723	1658		0.00	0.0	0	30.11		2.3	10	310	7	140		
28	53	23	38	-0.6				27	0	0723	1659		0.00	0.0	0	30.14		4.6	15	190	13	190		
29	64	28	46	7.5				19	0	0723	1659		0.00	0.0	0	30.15		5.5	16	210	13	220		
30	69*	33	51	12.7				14	0	0724	1700	BR	0.00	0.0	0	30.10		5.6	19	160	16	180		
<b>Monthly Averages   Totals</b>																								
<b>Departure from Normal (1981-2010)</b>																								
<b>Degree Days</b>										<b>Number of days with...</b>														
<b>Monthly</b>					<b>Season-to-date</b>					<b>Temperature</b>				<b>Precipitation</b>		<b>Snow</b>		<b>Weather</b>						
<b>Total</b>		<b>Departure</b>			<b>Total</b>		<b>Departure</b>			<b>Max</b>		<b>Min</b>		<b>&gt;=0.01"</b>		<b>&gt;=0.1"</b>		<b>&gt;=1"</b>		<b>T-Storms</b>		<b>Heavy Fog</b>		
<b>Heating</b>										<b>&gt;=90°</b>		<b>&lt;=32°</b>		<b>&lt;=32°</b>		<b>&lt;=0°</b>								
<b>Cooling</b>																								
<b>Date of 5-sec to 3-sec wind equipment change</b>								<b>Sea Level Pressure</b>						<b>Greatest...</b>										
N/A								<b>Maximum</b>			<b>Date</b>			<b>Time</b>			<b>24-Hr...</b>				<b>Snow Depth</b>			
								<b>Minimum</b>									<b>Precip</b>		<b>Snowfall</b>					
													<b>Date</b>											
<b>Station Augmentation</b>																								
Name: N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																								

### Local Climatological Data Hourly Observations December 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 01/08/2023

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU   AW   MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		44	6.7	35	1.7	18	-7.8	35	9	280		29.95	1	-0.06	30.14	FM-15	0.00	30.13
01	0100	4		9.94		44	6.7	35	1.7	18	-7.8	35	9	280		29.95	1	-0.06	30.14	FM-12		
01	0154	7	CLR:00	10.00		41	5.0	33	0.6	18	-7.8	39	7	260		29.96			30.16	FM-15	0.00	30.14
01	0254	7	CLR:00	10.00		42	5.6	33	0.6	15	-9.4	33	15	290		30.00			30.19	FM-15	0.00	30.18
01	0354	7	CLR:00	10.00		41	5.0	32	0.0	15	-9.4	35	13	290		30.03	3	-0.09	30.23	FM-15	0.00	30.21
01	0454	7	CLR:00	10.00		40	4.4	32	0.0	16	-8.9	38	11	280		30.08			30.27	FM-15	0.00	30.26
01	0554	7	CLR:00	10.00		39	3.9	31	-0.6	16	-8.9	39	9	280		30.11			30.30	FM-15	0.00	30.29
01	0654	7	FEW:02 200	10.00		38	3.3	31	-0.6	16	-8.9	41	9	270		30.16	3	-0.12	30.35	FM-15	0.00	30.34
01	0700	4		9.94		38	3.3	31	-0.6	16	-8.9	41	9	270		30.16	3	-0.12	30.35	FM-12		
01	0754	7	FEW:02 250	10.00		38	3.3	31	-0.6	17	-8.3	43	7	260		30.19			30.39	FM-15	0.00	30.37
01	0854	7	FEW:02 250	10.00		42	5.6	33	0.6	18	-7.8	38	8	250		30.21			30.41	FM-15	0.00	30.39
01	0954	7	FEW:02 250	10.00		44	6.7	34	1.1	17	-8.3	34	9	250		30.25	3	-0.09	30.44	FM-15	0.00	30.43
01	1054	7	FEW:02 250	10.00		46	7.8	35	1.7	16	-8.9	30	11	320		30.26			30.46	FM-15	0.00	30.44
01	1154	7	FEW:02 250	10.00		47	8.3	36	2.2	16	-8.9	29	7	260		30.27			30.47	FM-15	0.00	30.45
01	1254	7	FEW:02 250	10.00		49	9.4	37	2.8	16	-8.9	27	3	VRB		30.26	0	-0.01	30.45	FM-15	0.00	30.44
01	1300	4		9.94		49	9.4	37	2.8	16	-8.9	27	3			30.26	9	+0.01	30.45	FM-12		
01	1354	7	FEW:02 300	10.00		49	9.4	37	2.8	16	-8.9	27	7	310		30.25			30.44	FM-15	0.00	30.43
01	1454	7	FEW:02 300	10.00		50	10.0	38	3.3	16	-8.9	26	6	330		30.25			30.44	FM-15	0.00	30.43
01	1554	7	BKN:07 300	10.00		49	9.4	37	2.8	16	-8.9	27	9	320		30.27	3	-0.01	30.47	FM-15	0.00	30.45
01	1654	6	SCT:04 240 BKN:07 300	10.00		45	7.2	35	1.7	16	-8.9	31	5	300		30.29			30.48	FM-15	0.00	30.47
01	1754	7	BKN:07 220 BKN:07 300	10.00		40	4.4	33	0.6	20	-6.7	45	0	000		30.30			30.49	FM-15	0.00	30.48
01	1854	7	OVC:08 20	10.00		36	2.2	31	-0.6	23	-5.0	59	0	000		30.30	1	-0.03	30.50	FM-15	0.00	30.48
01	1856	7	OVC:08 200	10.00		36	2.2	31	-0.6	23	-5.0	59	0	000		30.30				FM-16		30.48
01	1900	4	26	9.94		36	2.2	31	-0.6	23	-5.0	59	0	000		30.30	1	-0.03	30.50	FM-12		
01	1954	7	BKN:07 190	10.00		35	1.7	31	-0.6	23	-5.0	61	0	000		30.32			30.51	FM-15	0.00	30.50
01	2054	7	SCT:04 190	10.00		34	1.1	30	-1.1	23	-5.0	64	0	000		30.33			30.52	FM-15	0.00	30.51
01	2154	7	FEW:02 190	10.00		31	-0.6	28	-2.2	22	-5.6	69	0	000		30.32	0	-0.02	30.52	FM-15	0.00	30.50
01	2254	7	CLR:00	10.00		31	-0.6	28	-2.2	22	-5.6	69	3	080		30.33			30.53	FM-15	0.00	30.51
01	2354	7	CLR:00	10.00		30	-1.1	27	-2.8	22	-5.6	72	0	000		30.33			30.53	FM-15	0.00	30.51
02	0054	7	CLR:00	10.00		30	-1.1	27	-2.8	22	-5.6	72	3	130		30.33	1	-0.01	30.53	FM-15	0.00	30.51
02	0100	4		9.94		30	-1.1	27	-2.8	22	-5.6	72	3	130		30.33	1	-0.01	30.53	FM-12		
02	0154	7	CLR:00	10.00		30	-1.1	28	-2.2	23	-5.0	75	3	130		30.34			30.53	FM-15	0.00	30.52
02	0254	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	0	000		30.34			30.53	FM-15	0.00	30.52
02	0354	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	0	000		30.34	0	0.00	30.53	FM-15	0.00	30.52
02	0454	7	CLR:00	10.00		29	-1.7	27	-2.8	22	-5.6	75	0	000		30.34			30.54	FM-15	0.00	30.52
02	0554	7	CLR:00	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.36			30.56	FM-15	0.00	30.54
02	0654	7	FEW:02 200	10.00		26	-3.3	25	-3.9	22	-5.6	84	0	000		30.38	3	-0.04	30.58	FM-15	0.00	30.56
02	0700	4		9.94		26	-3.3	25	-3.9	22	-5.6	84	0	000		30.38	3	-0.04	30.58	FM-12		
02	0754	7	FEW:02 200 SCT:04 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.39			30.59	FM-15	0.00	30.57
02	0854	7	FEW:02 180 SCT:04 250	10.00		35	1.7	33	0.6	29	-1.7	78	0	000		30.40			30.60	FM-15	0.00	30.58
02	0954	7	FEW:02 250	10.00		42	5.6	36	2.2	26	-3.3	53	8	200		30.40	1	-0.02	30.59	FM-15	0.00	30.58
02	1054	7	FEW:02 250	10.00		47	8.3	38	3.3	24	-4.4	41	13	200		30.37			30.57	FM-15	0.00	30.55
02	1154	7	FEW:02 250	10.00		50	10.0	39	3.9	21	-6.1	32	13	190		30.33			30.53	FM-15	0.00	30.51
02	1254	7	FEW:02 250	10.00		52	11.1	40	4.4	22	-5.6	31	10	170		30.30	8	+0.10	30.50	FM-15	0.00	30.48

02	1300	4		9.94		52	11.1	40	4.4	22	-5.6	31	10	170		30.30	8	+0.10	30.50	FM-12		
02	1354	7	FEW:02 120 SCT:04 200	10.00		53	11.7	42	5.6	25	-3.9	34	14	180		30.28			30.48	FM-15	0.00	30.46
02	1454	7	FEW:02 120 SCT:04 200	10.00		54	12.2	42	5.6	26	-3.3	34	10	180		30.27			30.46	FM-15	0.00	30.45
02	1554	7	FEW:02 120 SCT:04 180 BKN:07 240	10.00		52	11.1	42	5.6	27	-2.8	38	8	170		30.27	6	+0.04	30.46	FM-15	0.00	30.45
02	1654	6	FEW:02 120 BKN:07 300	10.00		49	9.4	40	4.4	27	-2.8	43	5	160		30.27			30.46	FM-15	0.00	30.45
02	1754	7	FEW:02 120 BKN:07 300	10.00		47	8.3	40	4.4	29	-1.7	50	5	160		30.27			30.47	FM-15	0.00	30.45
02	1854	7	SCT:04 160 BKN:07 300	10.00		42	5.6	37	2.8	29	-1.7	60	5	180		30.26	8	0.00	30.46	FM-15	0.00	30.44
02	1900	4		9.94		42	5.6	37	2.8	29	-1.7	60	5	180		30.26	8	0.00	30.46	FM-12		
02	1954	7	BKN:07 150 BKN:07 300	10.00		43	6.1	38	3.3	32	0.0	65	6	180		30.25			30.45	FM-15	0.00	30.43
02	2054	7	FEW:02 47 OVC:08 160	10.00		49	9.4	43	6.1	35	1.7	59	10	180		30.24			30.44	FM-15	0.00	30.42
02	2154	7	BKN:07 43 BKN:07 170 BKN:07 300	10.00		49	9.4	44	6.7	38	3.3	66	10	180		30.22	8	+0.04	30.42	FM-15	0.00	30.40
02	2254	7	FEW:02 35 SCT:04 48 BKN:07 170	10.00		49	9.4	45	7.2	40	4.4	71	10	190		30.23			30.43	FM-15	0.00	30.41
02	2354	7	BKN:07 55 BKN:07 140 OVC:08 170	10.00		49	9.4	45	7.2	40	4.4	71	8	180		30.22			30.42	FM-15	0.00	30.40
03	0054	7	FEW:02 36 OVC:08 48	10.00		50	10.0	46	7.8	42	5.6	74	11	190		30.22	8	+0.01	30.41	FM-15	0.00	30.40
03	0100	4	41	9.94		50	10.0	46	7.8	42	5.6	74	11	190		30.22	8	+0.01	30.41	FM-12		
03	0135	7	BKN:07 13 BKN:07 47 OVC:08 55	10.00		50	10.0	47	8.3	43	6.1	77	9	190		30.19				FM-16		30.37
03	0154	7	BKN:07 13 BKN:07 45 BKN:07 55	10.00		50	10.0	47	8.3	44	6.7	80	8	210		30.19			30.38	FM-15	0.00	30.37
03	0249	7	FEW:02 13 BKN:07 43 OVC:08 110	10.00		50	10.0	48	8.9	45	7.2	82	11	210		30.18				FM-16	T	30.36
03	0254	7	FEW:02 13 BKN:07 43 OVC:08 110	10.00		50	10.0	48	8.9	45	7.2	83	9	220		30.18			30.37	FM-15	T	30.36
03	0354	7	SCT:04 46 OVC:08 120	10.00	-RA:02  RA  RA	50	10.0	48	8.9	46	7.8	86	9	180		30.14	8	+0.04	30.34	FM-15	T	30.32
03	0454	7	FEW:02 75 OVC:08 120	10.00	-RA:02  RA  RA	50	10.0	49	9.4	47	8.3	89	8	200		30.13			30.33	FM-15	0.02	30.31
03	0554	7	SCT:04 80 BKN:07 100 OVC:08 110	9.00	-RA:02  RA  RA	50	10.0	49	9.4	48	8.9	93	9	190		30.11			30.30	FM-15	0.01	30.29
03	0654	7	SCT:04 80 OVC:08 100	10.00		52	11.1	51	10.6	50	10.0	93	13	170		30.08	8	+0.07	30.27	FM-15	T	30.26
03	0700	4	74	9.94		52	11.1	51	10.6	50	10.0	93	13	170		30.08	8	+0.07	30.27	FM-12		
03	0754	7	OVC:08 100	10.00		54	12.2	52	11.1	51	10.6	90	11	190		30.07			30.27	FM-15	0.02	30.25
03	0854	7	OVC:08 90	10.00		55	12.8	53	11.7	51	10.6	87	8	230		30.09			30.29	FM-15	0.00	30.27
03	0954	7	FEW:02 55 OVC:08 75	4.00	-RA:02 BR:1  RA  RA	55	12.8	53	11.7	52	11.1	90	9	190		30.07	8	+0.01	30.26	FM-15	0.05	30.25
03	1054	7	SCT:04 55 OVC:08 80	5.00	-RA:02 BR:1  RA  RA	55	12.8	54	12.2	53	11.7	93	10	190		30.06			30.25	FM-15	0.09	30.24
03	1154	7	SCT:04 18 OVC:08 49	3.00	RA:02 BR:1  RA  RA	56	13.3	55	12.8	54	12.2	93	13	200		30.03			30.22	FM-15	0.08	30.21
03	1202	7	SCT:04 10 BKN:07 20 OVC:08 55	3.00	-RA:02 BR:1  RA  RA	56	13.3	55	12.8	54	12.2	93	14	200		30.03				FM-16	0.03	30.21

03	1231	7	FEW:02 7 BKN:07 10 OVC:08 50	4.00	RA:02 BR:1  RA  RA	57	13.9	56	13.3	55	12.8	93	15	200		30.01				FM-16	0.07	30.19
03	1252	6	BKN:07 7 OVC:08 15	8.00	-RA:02  RA  RA	57	13.9	56	13.3	55	12.8	94	14	190		29.99				FM-16		30.17
03	1254	7	BKN:07 7 OVC:08 15	9.00	-RA:02  RA  RA	57	13.9	56	13.3	55	12.8	93	14	190		29.99	8	+0.08	30.18	FM-15	0.07	30.17
03	1300	4	8	8.70	RA	57	13.9	56	13.3	55	12.8	93	14	190		29.99	8	+0.08	30.18	FM-12		
03	1352	6	SCT:04 8 BKN:07 14 OVC:08 20	10.00		59	15.0	57	13.9	55	12.8	88	16	220		29.97				FM-16		30.15
03	1354	7	SCT:04 8 BKN:07 14 OVC:08 20	10.00		59	15.0	57	13.9	56	13.3	90	14	220		29.97			30.16	FM-15	T	30.15
03	1443	7	BKN:07 17 OVC:08 24	10.00		61	16.1	58	14.4	56	13.3	84	18	220		29.95				FM-16		30.13
03	1454	7	BKN:07 19 OVC:08 24	10.00		60	15.6	58	14.4	56	13.3	86	20	210		29.94			30.14	FM-15	0.00	30.12
03	1531	7	FEW:02 17 SCT:04 22 BKN:07 30	10.00		61	16.1	58	14.4	56	13.3	84	14	220		29.94				FM-16		30.12
03	1554	7	FEW:02 17 SCT:04 22 BKN:07 30	10.00		61	16.1	58	14.4	56	13.3	84	15	220		29.94	6	+0.05	30.13	FM-15	0.00	30.12
03	1654	7	SCT:04 17 BKN:07 60	10.00		60	15.6	57	13.9	55	12.8	84	14	220		29.94			30.13	FM-15	0.00	30.12
03	1754	7	SCT:04 17	10.00		59	15.0	57	13.9	55	12.8	87	9	230		29.96			30.15	FM-15	0.00	30.14
03	1854	7	SCT:04 17	10.00		58	14.4	56	13.3	55	12.8	90	11	220		29.96	3	-0.02	30.16	FM-15	0.00	30.14
03	1900	4	15	9.94		58	14.4	56	13.3	55	12.8	90	11	220		29.96	3	-0.02	30.16	FM-12		
03	1954	7	FEW:02 30 SCT:04 200	10.00		57	13.9	55	12.8	54	12.2	90	7	240		29.98			30.17	FM-15	0.00	30.16
03	2054	7	CLR:00	10.00		57	13.9	55	12.8	54	12.2	90	7	260		30.00			30.19	FM-15	0.00	30.18
03	2154	7	CLR:00	10.00		55	12.8	53	11.7	52	11.1	90	5	280		30.01	1	-0.04	30.20	FM-15	0.00	30.19
03	2254	7	CLR:00	10.00		53	11.7	52	11.1	51	10.6	93	6	250		30.02			30.22	FM-15	0.00	30.20
03	2319	7	FEW:02 200	1.25V	BR:1	48	8.9	48	8.9	47	8.3	96	6	310		30.04				FM-16		30.22
03	2328	7	FEW:02 200	3.00	BR:1	49	9.4	48	8.9	48	8.9	97	7	330		30.03				FM-16		30.21
03	2354	7	FEW:02 200	10.00		50	10.0	49	9.4	48	8.9	93	7	340		30.04			30.24	FM-15	0.00	30.22
04	0054	7	FEW:02 200	10.00		46	7.8	42	5.6	38	3.3	73	8	010		30.04	0	-0.03	30.23	FM-15	0.00	30.22
04	0100	4		9.94		46	7.8	42	5.6	38	3.3	73	8	010		30.04	9	+0.03	30.23	FM-12		
04	0154	7	SCT:04 300	10.00		42	5.6	39	3.9	34	1.1	73	7	360		30.04			30.24	FM-15	0.00	30.22
04	0254	7	SCT:04 300	10.00		42	5.6	37	2.8	31	-0.6	65	8	010		30.04			30.24	FM-15	0.00	30.22
04	0354	7	SCT:04 300	10.00		40	4.4	36	2.2	29	-1.7	65	6	360		30.05	3	-0.01	30.25	FM-15	0.00	30.23
04	0454	7	SCT:04 300	10.00		39	3.9	35	1.7	28	-2.2	65	7	020		30.05			30.25	FM-15	0.00	30.23
04	0554	7	SCT:04 300	10.00		36	2.2	33	0.6	29	-1.7	76	6	010		30.08			30.27	FM-15	0.00	30.26
04	0654	7	FEW:02 300	10.00		36	2.2	33	0.6	28	-2.2	73	8	030		30.10	3	-0.04	30.29	FM-15	0.00	30.28
04	0700	4		9.94		36	2.2	33	0.6	28	-2.2	73	8	030		30.10	3	-0.04	30.29	FM-12		
04	0754	7	BKN:07 300	10.00		37	2.8	34	1.1	28	-2.2	70	8	050		30.11			30.31	FM-15	0.00	30.29
04	0854	7	BKN:07 300	10.00		41	5.0	36	2.2	29	-1.7	62	10	040		30.12			30.32	FM-15	0.00	30.30
04	0954	7	BKN:07 300	10.00		43	6.1	37	2.8	29	-1.7	58	9	050		30.12	0	-0.02	30.31	FM-15	0.00	30.30
04	1054	7	BKN:07 300	10.00		45	7.2	38	3.3	28	-2.2	52	5	060		30.10			30.30	FM-15	0.00	30.28
04	1154	7	BKN:07 300	10.00		48	8.9	39	3.9	27	-2.8	44	3	300		30.08			30.27	FM-15	0.00	30.26
04	1254	7	FEW:02 180 BKN:07 300	10.00		48	8.9	39	3.9	27	-2.8	44	5	200		30.05	8	+0.06	30.24	FM-15	0.00	30.23
04	1300	4		9.94		48	8.9	39	3.9	27	-2.8	44	5	200		30.05	8	+0.06	30.24	FM-12		
04	1354	7	BKN:07 180 BKN:07 300	10.00		49	9.4	40	4.4	26	-3.3	41	3	280		30.04			30.23	FM-15	0.00	30.22
04	1454	7	BKN:07 180 BKN:07 300	10.00		48	8.9	39	3.9	25	-3.9	41	3	270		30.04			30.24	FM-15	0.00	30.22
04	1554	7	SCT:04 180 SCT:04 300	10.00		48	8.9	39	3.9	24	-4.4	39	0	000		30.05	5	+0.01	30.24	FM-15	0.00	30.23

04	1654	7	FEW:02 180 FEW:02 300	10.00		41	5.0	36	2.2	29	-1.7	62	0	000		30.03			30.23	FM-15	0.00	30.21
04	1754	7	CLR:00	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		30.02			30.22	FM-15	0.00	30.20
04	1854	7	CLR:00	10.00		36	2.2	34	1.1	30	-1.1	79	6	050		30.04	5	0.00	30.24	FM-15	0.00	30.22
04	1900	4		9.94		36	2.2	34	1.1	30	-1.1	79	6	050		30.04	5	0.00	30.24	FM-12		
04	1954	7	CLR:00	10.00		36	2.2	33	0.6	29	-1.7	76	0	000		30.05			30.25	FM-15	0.00	30.23
04	2054	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	0	000		30.05			30.24	FM-15	0.00	30.23
04	2154	7	CLR:00	10.00		32	0.0	30	-1.1	27	-2.8	82	0	000		30.05	1	-0.01	30.25	FM-15	0.00	30.23
04	2254	7	CLR:00	10.00		30	-1.1	28	-2.2	25	-3.9	82	0	000		30.04			30.24	FM-15	0.00	30.22
04	2354	7	CLR:00	10.00		31	-0.6	29	-1.7	25	-3.9	79	0	000		30.03			30.23	FM-15	0.00	30.21
05	0054	7	CLR:00	10.00		31	-0.6	29	-1.7	26	-3.3	82	0	000		30.02	6	+0.03	30.22	FM-15	0.00	30.20
05	0100	4		9.94		31	-0.6	29	-1.7	26	-3.3	82	0	000		30.02	6	+0.03	30.22	FM-12		
05	0154	7	CLR:00	10.00		30	-1.1	29	-1.7	26	-3.3	85	0	000		30.03			30.22	FM-15	0.00	30.21
05	0254	7	CLR:00	5.00	BR:1	29	-1.7	28	-2.2	25	-3.9	85	0	000		30.04			30.23	FM-15	0.00	30.22
05	0354	7	FEW:02 300	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		30.04	1	-0.01	30.23	FM-15	0.00	30.22
05	0454	7	FEW:02 300	10.00		27	-2.8	26	-3.3	24	-4.4	89	0	000		30.04			30.24	FM-15	0.00	30.22
05	0554	7	FEW:02 300	10.00		27	-2.8	26	-3.3	24	-4.4	89	0	000		30.05			30.25	FM-15	0.00	30.23
05	0654	7	SCT:04 300	10.00		27	-2.8	26	-3.3	24	-4.4	89	3	040		30.06	3	-0.02	30.26	FM-15	0.00	30.24
05	0700	4		9.94		27	-2.8	26	-3.3	24	-4.4	89	3	040		30.06	3	-0.02	30.26	FM-12		
05	0754	7	BKN:07 300	9.00		29	-1.7	28	-2.2	26	-3.3	89	0	000		30.09			30.28	FM-15	0.00	30.27
05	0854	7	BKN:07 300	8.00		33	0.6	32	0.0	30	-1.1	89	0	000		30.10			30.29	FM-15	0.00	30.28
05	0954	7	BKN:07 300	10.00		40	4.4	38	3.3	35	1.7	83	0	000		30.11	1	-0.05	30.31	FM-15	0.00	30.29
05	1054	7	BKN:07 300	10.00		44	6.7	40	4.4	34	1.1	68	6	150		30.11			30.31	FM-15	0.00	30.29
05	1154	7	BKN:07 300	10.00		48	8.9	39	3.9	27	-2.8	44	9	130		30.08			30.27	FM-15	0.00	30.26
05	1254	7	BKN:07 300	10.00		50	10.0	40	4.4	24	-4.4	36	5	090		30.05	8	+0.06	30.25	FM-15	0.00	30.23
05	1300	4		9.94		50	10.0	40	4.4	24	-4.4	36	5	090		30.05	8	+0.06	30.25	FM-12		
05	1354	7	BKN:07 300	10.00		50	10.0	39	3.9	23	-5.0	35	6	110		30.05			30.24	FM-15	0.00	30.23
05	1454	7	BKN:07 200 BKN:07 250	10.00		52	11.1	41	5.0	25	-3.9	35	8	120		30.03			30.23	FM-15	0.00	30.21
05	1554	7	FEW:02 140 BKN:07 200 BKN:07 250	10.00		49	9.4	39	3.9	24	-4.4	38	5	160		30.04	5	+0.02	30.23	FM-15	0.00	30.22
05	1654	7	SCT:04 200 BKN:07 300	10.00		45	7.2	38	3.3	27	-2.8	49	0	000		30.04			30.24	FM-15	0.00	30.22
05	1754	6	FEW:02 200 BKN:07 300	10.00		41	5.0	36	2.2	29	-1.7	62	0	000		30.04			30.23	FM-15	0.00	30.22
05	1854	7	FEW:02 200 BKN:07 300	10.00		39	3.9	35	1.7	30	-1.1	70	0	000		30.06	3	-0.02	30.26	FM-15	0.00	30.24
05	1900	4		9.94		39	3.9	35	1.7	30	-1.1	70	0	000		30.06	3	-0.02	30.26	FM-12		
05	1954	7	OVC:08 300	10.00		38	3.3	34	1.1	29	-1.7	70	0	000		30.08			30.28	FM-15	0.00	30.26
05	2054	7	OVC:08 300	10.00		37	2.8	34	1.1	29	-1.7	73	0	000		30.07			30.27	FM-15	0.00	30.25
05	2154	7	OVC:08 300	10.00		38	3.3	35	1.7	31	-0.6	76	0	000		30.07	0	-0.01	30.26	FM-15	0.00	30.25
05	2254	7	FEW:02 80 BKN:07 300	10.00		36	2.2	34	1.1	30	-1.1	79	0	000		30.06			30.25	FM-15	0.00	30.24
05	2354	7	BKN:07 110 BKN:07 300	10.00		35	1.7	33	0.6	31	-0.6	85	0	000		30.04			30.24	FM-15	0.00	30.22
06	0054	7	BKN:07 65 BKN:07 75 OVC:08 95	10.00		38	3.3	36	2.2	34	1.1	86	5	030		30.03	8	+0.03	30.23	FM-15	0.00	30.21
06	0100	4	57	9.94		38	3.3	36	2.2	34	1.1	86	5	030		30.03	8	+0.03	30.23	FM-12		
06	0124	7	BKN:07 23 OVC:08 65	10.00		41	5.0	39	3.9	36	2.2	82	0	000		30.04				FM-16		30.22
06	0141	7	SCT:04 24 OVC:08 70	10.00		41	5.0	39	3.9	36	2.2	82	3	320		30.04				FM-16		30.22
06	0154	7	FEW:02 36 OVC:08 70	10.00		41	5.0	39	3.9	36	2.2	82	3	340		30.04			30.24	FM-15	0.00	30.22
06	0244	7	BKN:07 15 BKN:07 70 OVC:08 85	10.00		41	5.0	39	3.9	36	2.2	82	5	310		30.05				FM-16		30.23
06	0254	7	OVC:08 15	10.00		42	5.6	39	3.9	36	2.2	79	3	330		30.05			30.24	FM-15	0.00	30.23

06	0303	7	OVC:08 14	10.00		42	5.6	40	4.4	37	2.8	82	3	340		30.05				FM-16		30.23
06	0354	7	OVC:08 13	10.00		43	6.1	40	4.4	37	2.8	80	0	000		30.04	0	0.00	30.23	FM-15	T	30.22
06	0454	7	OVC:08 11	9.00	-RA:02  RA  RA	43	6.1	41	5.0	38	3.3	82	3	360		30.04			30.23	FM-15	T	30.22
06	0554	7	OVC:08 10	10.00	-RA:02  RA  RA	43	6.1	41	5.0	39	3.9	86	6	350		30.05			30.24	FM-15	T	30.23
06	0647	7	OVC:08 9	10.00		43	6.1	42	5.6	40	4.4	89	0	000		30.05				FM-16	T	30.23
06	0654	7	OVC:08 9	10.00		43	6.1	41	5.0	39	3.9	86	0	000		30.06	3	-0.02	30.25	FM-15	T	30.24
06	0700	4	8	9.94		43	6.1	41	5.0	39	3.9	86	0	000		30.06	3	-0.02	30.25	FM-12		
06	0754	7	OVC:08 7	10.00		43	6.1	41	5.0	39	3.9	86	5	310		30.07			30.27	FM-15	0.00	30.25
06	0854	7	BKN:07 7 OVC:08 42	10.00	BR:1	45	7.2	43	6.1	40	4.4	83	3	070		30.08			30.27	FM-15	T	30.26
06	0943	7	SCT:04 7 BKN:07 47 OVC:08 60	10.00		45	7.2	43	6.1	41	5.0	86	0	000		30.09				FM-16	0.01	30.27
06	0954	7	SCT:04 9 BKN:07 47 OVC:08 60	10.00		46	7.8	44	6.7	41	5.0	83	0	000		30.08	1	-0.02	30.28	FM-15	0.01	30.26
06	1054	7	FEW:02 9 OVC:08 60	8.00	-RA:02  RA  RA	47	8.3	45	7.2	43	6.1	86	0	000		30.06			30.26	FM-15	0.01	30.24
06	1117	7	BKN:07 7 OVC:08 55	10.00		48	8.9	47	8.3	45	7.2	89	0	000		30.06				FM-16	T	30.24
06	1154	7	OVC:08 7	10.00		49	9.4	48	8.9	46	7.8	90	0	000		30.05			30.25	FM-15	T	30.23
06	1234	7	SCT:04 8 SCT:04 38 OVC:08 50	9.00		51	10.6	49	9.4	47	8.3	86	3	250		30.05				FM-16		30.23
06	1254	7	FEW:02 9 BKN:07 36 OVC:08 49	10.00		51	10.6	49	9.4	47	8.3	86	8	300		30.04	6	+0.04	30.24	FM-15	0.00	30.22
06	1300	4	8	9.94		51	10.6	49	9.4	47	8.3	86	8	300		30.04	6	+0.04	30.24	FM-12		
06	1354	7	SCT:04 34 OVC:08 49	8.00		51	10.6	49	9.4	46	7.8	83	3	240		30.03			30.23	FM-15	0.00	30.21
06	1454	7	BKN:07 41 OVC:08 50	9.00		52	11.1	49	9.4	46	7.8	80	0	000		30.04			30.23	FM-15	0.00	30.22
06	1554	7	BKN:07 40 OVC:08 65	9.00		53	11.7	50	10.0	47	8.3	80	0	000		30.04	6	+0.01	30.23	FM-15	0.00	30.22
06	1654	6	SCT:04 48 BKN:07 65	10.00		52	11.1	49	9.4	47	8.3	83	3	140		30.04			30.24	FM-15	0.00	30.22
06	1754	7	BKN:07 42 OVC:08 65	10.00		52	11.1	50	10.0	48	8.9	86	5	190		30.04			30.24	FM-15	T	30.22
06	1854	7	BKN:07 60 OVC:08 75	10.00	-RA:02  RA  RA	52	11.1	50	10.0	49	9.4	89	0	000		30.06	3	-0.03	30.26	FM-15	0.01	30.24
06	1900	4	57	9.94	RA	52	11.1	50	10.0	49	9.4	89	0	000		30.06	3	-0.03	30.26	FM-12		
06	1954	7	FEW:02 46 BKN:07 60 OVC:08 85	8.00		51	10.6	50	10.0	49	9.4	92	0	000		30.05			30.25	FM-15	0.02	30.23
06	2054	7	FEW:02 39 SCT:04 95 OVC:08 140	6.00	-RA:02 BR:1  RA  RA	51	10.6	50	10.0	49	9.4	92	3	140		30.04			30.24	FM-15	0.06	30.22
06	2154	7	BKN:07 50 OVC:08 70	4.00	BR:1	51	10.6	50	10.0	49	9.4	92	5	210		30.04	5	+0.01	30.24	FM-15	T	30.22
06	2218	7	BKN:07 27 OVC:08 47	6.00	-RA:02 BR:1  RA  RA	51	10.6	50	10.0	50	10.0	96	3	220		30.05				FM-16	T	30.23
06	2236	7	SCT:04 25 BKN:07 44 OVC:08 110	4.00	-RA:02 BR:1  RA  RA	51	10.6	50	10.0	50	10.0	96	3	180		30.04				FM-16	0.01	30.22
06	2254	7	BKN:07 26 BKN:07 90 OVC:08 120	4.00	-RA:02 BR:1  RA  RA	51	10.6	50	10.0	50	10.0	96	5	210		30.05			30.24	FM-15	0.04	30.23
06	2347	7	BKN:07 12 BKN:07 24 OVC:08 32	5.00	-RA:02 BR:1  RA  RA	52	11.1	51	10.6	50	10.0	93	5	220		30.05				FM-16	0.01	30.23
06	2354	7	BKN:07 12 OVC:08 22	4.00	-RA:02 BR:1  RA  RA	52	11.1	51	10.6	50	10.0	93	5	230		30.05			30.24	FM-15	T	30.23

07	0052	6	FEW:02 7 OVC:08 10	4.00	BR:1	52	11.1	52	11.1	52	11.1	100	3	200		30.04				FM-16		30.22
07	0054	7	FEW:02 7 OVC:08 10	4.00	BR:1	52	11.1	51	10.6	51	10.6	97	5	200		30.04	8	0.00	30.24	FM-15	0.01	30.22
07	0100	4	8	3.73		52	11.1	51	10.6	51	10.6	97	5	200		30.04	8	0.00	30.24	FM-12		
07	0154	7	FEW:02 8 OVC:08 11	5.00	BR:1	53	11.7	52	11.1	51	10.6	93	6	280		30.05			30.24	FM-15	0.00	30.23
07	0239	7	OVC:08 8	6.00	BR:1	53	11.7	52	11.1	51	10.6	93	5	250		30.05				FM-16		30.23
07	0254	7	OVC:08 8	7.00		53	11.7	52	11.1	51	10.6	93	7	250		30.06			30.25	FM-15	0.00	30.24
07	0354	7	OVC:08 5	5.00	BR:1	52	11.1	51	10.6	51	10.6	97	5	190		30.04	8	+0.01	30.23	FM-15	0.00	30.22
07	0428	7	OVC:08 4	5.00	BR:1	53	11.7	52	11.1	51	10.6	93	6	190		30.03				FM-16		30.21
07	0454	7	OVC:08 4	5.00	BR:1	53	11.7	52	11.1	51	10.6	93	8	190		30.03			30.22	FM-15	0.00	30.21
07	0554	7	OVC:08 3	4.00	BR:1	54	12.2	53	11.7	52	11.1	93	6	200		30.03			30.22	FM-15	0.00	30.21
07	0643	7	BKN:07 5 OVC:08 9	6.00	BR:1	55	12.8	54	12.2	53	11.7	93	8	220		30.03				FM-16		30.21
07	0654	7	BKN:07 5 OVC:08 9	4.00	RA:02 BR:1  RA  RA	55	12.8	54	12.2	53	11.7	93	7	200		30.03	5	+0.01	30.22	FM-15	0.01	30.21
07	0700	4	5	3.73	RA	55	12.8	54	12.2	53	11.7	93	7	200		30.03	5	+0.01	30.22	FM-12		
07	0754	7	SCT:04 5 BKN:07 65 OVC:08 80	5.00	-RA:02 BR:1  RA  RA	55	12.8	54	12.2	53	11.7	93	5	190		30.03			30.23	FM-15	0.02	30.21
07	0808	7	FEW:02 5 OVC:08 60	2.00	RA:02 BR:1  RA  RA	55	12.8	54	12.2	54	12.2	96	6	200		30.04				FM-16	0.02	30.22
07	0814	7	FEW:02 7 OVC:08 65	4.00	-RA:02 BR:1  RA  RA	55	12.8	54	12.2	54	12.2	96	6	220		30.04				FM-16	0.03	30.22
07	0854	7	FEW:02 8 OVC:08 75	5.00	BR:1	56	13.3	55	12.8	54	12.2	93	5	190		30.05			30.24	FM-15	0.03	30.23
07	0912	7	BKN:07 9 BKN:07 14 OVC:08 75	7.00		57	13.9	56	13.3	55	12.8	93	5	210		30.05				FM-16		30.23
07	0954	7	BKN:07 9 OVC:08 18	7.00	-RA:02  RA  RA	57	13.9	56	13.3	55	12.8	93	8	200		30.05	3	-0.02	30.25	FM-15	T	30.23
07	1054	7	OVC:08 8	8.00	-RA:02  RA  RA	58	14.4	57	13.9	56	13.3	93	9	210		30.04			30.24	FM-15	T	30.22
07	1154	7	OVC:08 7	7.00	-RA:02  RA  RA	59	15.0	58	14.4	57	13.9	93	10	200		30.01			30.20	FM-15	0.01	30.19
07	1254	7	OVC:08 6	10.00		61	16.1	59	15.0	58	14.4	90	9	210		30.00	6	+0.05	30.19	FM-15	T	30.18
07	1300	4	5	9.94		61	16.1	59	15.0	58	14.4	90	9	210		30.00	6	+0.05	30.19	FM-12		
07	1354	7	OVC:08 6	10.00		61	16.1	60	15.6	59	15.0	93	8	200		29.97			30.16	FM-15	0.00	30.15
07	1454	7	OVC:08 7	10.00		62	16.7	60	15.6	59	15.0	90	13	200		29.96			30.16	FM-15	0.00	30.14
07	1554	7	OVC:08 11	10.00		63	17.2	61	16.1	59	15.0	87	7	230		29.97	5	+0.03	30.16	FM-15	0.00	30.15
07	1622	7	SCT:04 11 OVC:08 130	10.00		63	17.2	61	16.1	59	15.0	87	9	190		29.96				FM-16		30.14
07	1654	6	FEW:02 11 FEW:02 100 OVC:08 140	10.00		62	16.7	60	15.6	59	15.0	90	7	220		29.97			30.16	FM-15	0.00	30.15
07	1754	7	FEW:02 12 OVC:08 140	10.00		62	16.7	60	15.6	59	15.0	90	7	200		29.98			30.17	FM-15	0.00	30.16
07	1854	7	FEW:02 11 SCT:04 120 OVC:08 160	10.00		62	16.7	60	15.6	59	15.0	90	8	220		29.97	0	0.00	30.16	FM-15	0.00	30.15
07	1900	4	15	9.94		62	16.7	60	15.6	59	15.0	90	8	220		29.97	9	0.00	30.16	FM-12		
07	1954	7	FEW:02 9 SCT:04 75 BKN:07 110	10.00		62	16.7	60	15.6	59	15.0	90	9	210		29.98			30.17	FM-15	0.00	30.16
07	2002	7	BKN:07 8 BKN:07 75 OVC:08 220	10.00		61	16.1	60	15.6	59	15.0	93	8	210		29.98				FM-16		30.16
07	2054	7	BKN:07 8 OVC:08 220	10.00		62	16.7	60	15.6	59	15.0	90	7	220		29.98			30.18	FM-15	0.00	30.16
07	2154	7	OVC:08 8	10.00		62	16.7	60	15.6	59	15.0	90	7	230		29.99	1	-0.02	30.18	FM-15	0.00	30.17
07	2254	7	OVC:08 7	10.00		62	16.7	60	15.6	59	15.0	90	9	250		29.98			30.17	FM-15	0.00	30.16
07	2354	7	OVC:08 7	10.00		61	16.1	59	15.0	58	14.4	90	5	290		29.99			30.18	FM-15	0.00	30.17
08	0054	7	OVC:08 5	6.00	BR:1	60	15.6	59	15.0	58	14.4	93	11	360		30.00	3	-0.01	30.19	FM-15	0.00	30.18

08	0100	4	5	5.59		60	15.6	59	15.0	58	14.4	93	11	360		30.00	3	-0.01	30.19	FM-12		
08	0154	7	OVC:08 5	10.00		58	14.4	57	13.9	56	13.3	93	6	350		30.00			30.19	FM-15	0.00	30.18
08	0234	7	SCT:04 5 OVC:08 36	7.00		58	14.4	57	13.9	56	13.3	93	6	340		30.01				FM-16		30.19
08	0254	7	FEW:02 5 OVC:08 36	9.00		58	14.4	57	13.9	56	13.3	93	5	340		30.02			30.21	FM-15	0.00	30.20
08	0354	7	SCT:04 47	8.00		54	12.2	53	11.7	53	11.7	97	6	350		30.01	0	-0.01	30.20	FM-15	0.00	30.19
08	0454	7	FEW:02 50	7.00		53	11.7	52	11.1	51	10.6	93	7	010		30.02			30.21	FM-15	0.00	30.20
08	0506	7	BKN:07 7	8.00		54	12.2	53	11.7	52	11.1	93	7	030		30.03				FM-16		30.21
08	0551	7	FEW:02 6	7.00		54	12.2	53	11.7	52	11.1	94	7	020		30.04				FM-16		30.22
08	0554	7	FEW:02 6	7.00		53	11.7	52	11.1	51	10.6	93	7	020		30.04			30.23	FM-15	0.00	30.22
08	0654	7	FEW:02 6 FEW:02 40	5.00	BR:1	51	10.6	50	10.0	50	10.0	96	3	050		30.05	1	-0.03	30.24	FM-15	0.00	30.23
08	0700	4	5	4.97		51	10.6	50	10.0	50	10.0	96	3	050		30.05	1	-0.03	30.24	FM-12		
08	0754	7	BKN:07 230	6.00	BR:1	53	11.7	52	11.1	51	10.6	93	0	000		30.07			30.26	FM-15	0.00	30.25
08	0854	7	SCT:04 120 BKN:07 200	10.00		53	11.7	51	10.6	49	9.4	86	9	020		30.08			30.27	FM-15	0.00	30.26
08	0954	7	SCT:04 140	10.00		57	13.9	52	11.1	48	8.9	72	9	010		30.09	1	-0.04	30.28	FM-15	0.00	30.27
08	1054	7	FEW:02 30 SCT:04 160 SCT:04 240	10.00		60	15.6	53	11.7	46	7.8	60	9	VRB		30.10			30.29	FM-15	0.00	30.28
08	1154	7	FEW:02 30 BKN:07 140 BKN:07 240	10.00		59	15.0	51	10.6	44	6.7	58	9	020		30.08			30.27	FM-15	0.00	30.26
08	1254	7	FEW:02 30 BKN:07 140 OVC:08 240	10.00		59	15.0	51	10.6	44	6.7	58	10	030		30.06	8	+0.03	30.25	FM-15	0.00	30.24
08	1300	4	26	9.94		59	15.0	51	10.6	44	6.7	58	10	030		30.06	8	+0.03	30.25	FM-12		
08	1354	7	SCT:04 40 BKN:07 140 OVC:08 240	10.00		58	14.4	50	10.0	43	6.1	58	10	030		30.05			30.24	FM-15	0.00	30.23
08	1454	7	FEW:02 65 SCT:04 110 BKN:07 180	10.00		57	13.9	50	10.0	43	6.1	60	7	030		30.04			30.23	FM-15	0.00	30.22
08	1554	7	FEW:02 65 SCT:04 110 BKN:07 180	10.00		55	12.8	50	10.0	44	6.7	67	7	040		30.03	6	+0.03	30.22	FM-15	0.00	30.21
08	1654	6	FEW:02 65 SCT:04 110 BKN:07 180	10.00		54	12.2	49	9.4	44	6.7	69	5	040		30.04			30.24	FM-15	0.00	30.22
08	1754	6	OVC:08 110	10.00		52	11.1	48	8.9	44	6.7	75	6	080		30.06			30.25	FM-15	0.00	30.24
08	1854	7	OVC:08 100	10.00		52	11.1	47	8.3	42	5.6	69	5	060		30.06	1	-0.03	30.25	FM-15	0.00	30.24
08	1900	4		9.94		52	11.1	47	8.3	42	5.6	69	5	060		30.06	1	-0.03	30.25	FM-12		
08	1954	7	FEW:02 50 BKN:07 80 OVC:08 95	10.00		51	10.6	47	8.3	43	6.1	74	5	050		30.05			30.24	FM-15	0.00	30.23
08	2054	7	BKN:07 90	10.00		50	10.0	46	7.8	42	5.6	74	5	080		30.03			30.22	FM-15	T	30.21
08	2154	7	OVC:08 95	10.00		51	10.6	47	8.3	42	5.6	71	5	340		30.08	3	-0.02	30.27	FM-15	0.00	30.26
08	2254	7	OVC:08 100	10.00		50	10.0	47	8.3	43	6.1	77	5	020		30.07			30.26	FM-15	0.00	30.25
08	2354	7	OVC:08 90	10.00	-RA:02  RA  RA	50	10.0	46	7.8	42	5.6	74	6	070		30.07			30.27	FM-15	T	30.25
09	0054	7	OVC:08 75	10.00	-RA:02  RA  RA	48	8.9	45	7.2	41	5.0	77	5	030		30.07	6	+0.01	30.26	FM-15	T	30.25
09	0100	4	74	9.94	RA	48	8.9	45	7.2	41	5.0	77	5	030		30.07	6	+0.01	30.26	FM-12		
09	0154	7	BKN:07 65 OVC:08 90	10.00	-RA:02  RA  RA	47	8.3	44	6.7	40	4.4	77	5	020		30.07			30.26	FM-15	0.01	30.25
09	0254	7	OVC:08 85	10.00		47	8.3	44	6.7	40	4.4	77	5	020		30.07			30.27	FM-15	T	30.25
09	0354	7	SCT:04 80 OVC:08 100	10.00		46	7.8	43	6.1	39	3.9	77	7	020		30.07	8	0.00	30.26	FM-15	0.00	30.25
09	0454	7	SCT:04 75 BKN:07 110 OVC:08 150	10.00		45	7.2	42	5.6	38	3.3	77	6	360		30.08			30.27	FM-15	0.00	30.26
09	0554	7	FEW:02 70 OVC:08 140	10.00		44	6.7	41	5.0	37	2.8	76	7	010		30.08			30.27	FM-15	0.00	30.26



09	0654	7	SCT:04 70 BKN:07 140 BKN:07 300	10.00		44	6.7	39	3.9	32	0.0	63	11	030		30.09	1	-0.02	30.28	FM-15	0.00	30.27
09	0700	4	74	9.94		44	6.7	39	3.9	32	0.0	63	11	030		30.09	1	-0.02	30.28	FM-12		
09	0754	7	FEW:02 65 SCT:04 140 BKN:07 300	10.00		43	6.1	38	3.3	32	0.0	65	8	010		30.10			30.29	FM-15	0.00	30.28
09	0854	7	FEW:02 65 SCT:04 140 BKN:07 300	10.00		45	7.2	40	4.4	32	0.0	61	11	030		30.10			30.30	FM-15	0.00	30.28
09	0954	7	FEW:02 65 SCT:04 140 BKN:07 300	10.00		47	8.3	41	5.0	32	0.0	56	13	040		30.11	1	-0.02	30.30	FM-15	0.00	30.29
09	1054	7	FEW:02 140 SCT:04 250	10.00		48	8.9	41	5.0	32	0.0	54	8	040		30.10			30.29	FM-15	0.00	30.28
09	1154	7	FEW:02 140 SCT:04 250	10.00		50	10.0	42	5.6	32	0.0	50	10	040		30.08			30.27	FM-15	0.00	30.26
09	1254	7	FEW:02 140 FEW:02 250	10.00		52	11.1	43	6.1	32	0.0	47	11	020		30.07	8	+0.04	30.26	FM-15	0.00	30.25
09	1300	4		9.94		52	11.1	43	6.1	32	0.0	47	11	020		30.07	8	+0.04	30.26	FM-12		
09	1354	7	FEW:02 140	10.00		52	11.1	43	6.1	32	0.0	47	10	020		30.05			30.24	FM-15	0.00	30.23
09	1454	7	FEW:02 140	10.00		52	11.1	43	6.1	32	0.0	47	5	050		30.04			30.23	FM-15	0.00	30.22
09	1554	7	FEW:02 75	10.00		50	10.0	42	5.6	32	0.0	50	8	040		30.05	5	+0.02	30.24	FM-15	0.00	30.23
09	1654	7	FEW:02 75	10.00		46	7.8	40	4.4	32	0.0	58	6	060		30.05			30.25	FM-15	0.00	30.23
09	1754	7	FEW:02 75	10.00		44	6.7	39	3.9	31	-0.6	60	7	050		30.06			30.25	FM-15	0.00	30.24
09	1854	7	FEW:02 75	10.00		42	5.6	37	2.8	31	-0.6	65	5	VRB		30.06	3	-0.01	30.26	FM-15	0.00	30.24
09	1900	4	74	9.94		42	5.6	37	2.8	31	-0.6	65	5			30.06	3	-0.01	30.26	FM-12		
09	1954	7	FEW:02 75	10.00		41	5.0	37	2.8	32	0.0	70	3	030		30.09			30.29	FM-15	0.00	30.27
09	2054	7	BKN:07 70	10.00		40	4.4	36	2.2	31	-0.6	70	7	070		30.10			30.29	FM-15	0.00	30.28
09	2154	7	BKN:07 70	10.00		40	4.4	36	2.2	31	-0.6	70	6	050		30.09	0	-0.02	30.28	FM-15	0.00	30.27
09	2254	7	OVC:08 60	10.00		41	5.0	37	2.8	32	0.0	70	6	050		30.09			30.29	FM-15	0.00	30.27
09	2354	7	FEW:02 48 OVC:08 65	10.00		41	5.0	37	2.8	32	0.0	70	5	060		30.09			30.28	FM-15	0.00	30.27
10	0054	7	FEW:02 70 SCT:04 80	10.00		41	5.0	37	2.8	31	-0.6	67	3	350		30.09	8	0.00	30.28	FM-15	0.00	30.27
10	0100	4	74	9.94		41	5.0	37	2.8	31	-0.6	67	3	350		30.09			30.28	FM-12		
10	0154	7	OVC:08 44	10.00		40	4.4	37	2.8	33	0.6	77	3	040		30.09			30.29	FM-15	0.00	30.27
10	0254	7	OVC:08 41	10.00		41	5.0	37	2.8	32	0.0	70	6	020		30.10			30.29	FM-15	0.00	30.28
10	0354	7	FEW:02 37 OVC:08 49	10.00		41	5.0	37	2.8	32	0.0	70	3	010		30.10	1	-0.01	30.29	FM-15	0.00	30.28
10	0454	7	SCT:04 39 OVC:08 50	10.00		41	5.0	37	2.8	32	0.0	70	6	360		30.10			30.30	FM-15	0.00	30.28
10	0554	7	FEW:02 39 OVC:08 48	10.00		41	5.0	37	2.8	32	0.0	70	5	360		30.11			30.31	FM-15	0.00	30.29
10	0654	7	BKN:07 39	10.00		41	5.0	37	2.8	32	0.0	70	5	010		30.12	3	-0.02	30.32	FM-15	0.00	30.30
10	0700	4	41	9.94		41	5.0	37	2.8	32	0.0	70	5	010		30.12	3	-0.02	30.32	FM-12		
10	0754	7	BKN:07 44	10.00		41	5.0	37	2.8	31	-0.6	67	8	040		30.12			30.32	FM-15	0.00	30.30
10	0854	7	BKN:07 47	10.00		42	5.6	37	2.8	31	-0.6	65	8	040		30.15			30.34	FM-15	0.00	30.33
10	0954	7	BKN:07 46	10.00		42	5.6	37	2.8	31	-0.6	65	6	030		30.16	3	-0.04	30.35	FM-15	0.00	30.34
10	1054	7	BKN:07 45	10.00		44	6.7	38	3.3	29	-1.7	55	9	010		30.15			30.35	FM-15	0.00	30.33
10	1154	7	BKN:07 41	10.00		44	6.7	38	3.3	28	-2.2	53	8	350		30.14			30.33	FM-15	0.00	30.32
10	1254	7	BKN:07 41	10.00		45	7.2	38	3.3	29	-1.7	54	5	010		30.12	8	+0.04	30.32	FM-15	0.00	30.30
10	1300	4	41	9.94		45	7.2	38	3.3	29	-1.7	54	5	010		30.12	8	+0.04	30.32	FM-12		
10	1354	7	BKN:07 42	10.00		46	7.8	39	3.9	30	-1.1	54	5	020		30.11			30.31	FM-15	0.00	30.29
10	1454	7	OVC:08 45	10.00		47	8.3	40	4.4	30	-1.1	52	3	060		30.11			30.31	FM-15	0.00	30.29
10	1554	7	BKN:07 50	10.00		46	7.8	40	4.4	32	0.0	58	7	360		30.11	6	+0.01	30.30	FM-15	0.00	30.29
10	1654	7	OVC:08 46	10.00		45	7.2	40	4.4	33	0.6	63	6	040		30.11			30.30	FM-15	0.00	30.29
10	1754	7	OVC:08 46	10.00		45	7.2	40	4.4	33	0.6	63	6	020		30.11			30.30	FM-15	0.00	30.29
10	1854	7	OVC:08 48	10.00		44	6.7	39	3.9	33	0.6	65	10	040		30.11	6	0.00	30.30	FM-15	0.00	30.29
10	1900	4	41	9.94		44	6.7	39	3.9	33	0.6	65	10	040		30.11	6	0.00	30.30	FM-12		

10	1954	7	OVC:08 44	10.00		44	6.7	39	3.9	32	0.0	63	8	040		30.11			30.31	FM-15	0.00	30.29
10	2054	7	BKN:07 33 OVC:08 43	10.00		44	6.7	39	3.9	33	0.6	65	6	020		30.12			30.32	FM-15	0.00	30.30
10	2154	7	OVC:08 44	10.00		43	6.1	39	3.9	33	0.6	68	7	020		30.11	0	0.00	30.31	FM-15	0.00	30.29
10	2254	7	OVC:08 46	10.00		43	6.1	39	3.9	33	0.6	68	5	360		30.11			30.30	FM-15	0.00	30.29
10	2354	7	OVC:08 47	10.00		43	6.1	39	3.9	33	0.6	68	5	050		30.09			30.28	FM-15	0.00	30.27
11	0054	7	OVC:08 44	10.00		43	6.1	39	3.9	34	1.1	71	5	350		30.09	5	+0.02	30.29	FM-15	0.00	30.27
11	0100	4	41	9.94		43	6.1	39	3.9	34	1.1	71	5	350		30.09	5	+0.02	30.29	FM-12		
11	0154	7	SCT:04 45 OVC:08 55	10.00		43	6.1	40	4.4	35	1.7	74	0	000		30.09			30.28	FM-15	0.00	30.27
11	0254	7	OVC:08 40	10.00		43	6.1	40	4.4	35	1.7	74	3	100		30.06			30.25	FM-15	0.00	30.24
11	0354	7	OVC:08 39	10.00		43	6.1	40	4.4	36	2.2	76	6	330		30.07	5	+0.02	30.27	FM-15	0.00	30.25
11	0454	7	OVC:08 43	10.00		43	6.1	40	4.4	37	2.8	80	3	040		30.05			30.25	FM-15	0.00	30.23
11	0554	7	BKN:07 39 OVC:08 75	10.00		42	5.6	40	4.4	37	2.8	82	5	010		30.05			30.25	FM-15	0.00	30.23
11	0654	7	OVC:08 38	10.00		42	5.6	40	4.4	37	2.8	82	0	000		30.04	6	+0.04	30.23	FM-15	0.00	30.22
11	0700	4	41	9.94		42	5.6	40	4.4	37	2.8	82	0	000		30.04	6	+0.04	30.23	FM-12		
11	0754	7	OVC:08 39	10.00	-RA:02  RA  RA	43	6.1	41	5.0	38	3.3	82	3	340		30.04			30.23	FM-15	T	30.22
11	0854	7	OVC:08 39	10.00		44	6.7	41	5.0	38	3.3	79	3	320		30.05			30.24	FM-15	T	30.23
11	0954	7	OVC:08 38	10.00		46	7.8	43	6.1	39	3.9	77	0	000		30.03	8	0.00	30.23	FM-15	0.00	30.21
11	1054	7	SCT:04 35 BKN:07 60	10.00		48	8.9	44	6.7	40	4.4	74	0	000		30.00			30.20	FM-15	0.00	30.18
11	1154	7	FEW:02 35 BKN:07 50 OVC:08 80	10.00		50	10.0	46	7.8	41	5.0	71	3	290		29.96			30.16	FM-15	0.00	30.14
11	1254	7	SCT:04 20 OVC:08 55	10.00		51	10.6	46	7.8	41	5.0	69	3	VRB		29.94	6	+0.09	30.14	FM-15	0.00	30.12
11	1300	4	26	9.94		51	10.6	46	7.8	41	5.0	69	3			29.94	6	+0.09	30.14	FM-12		
11	1354	7	FEW:02 22 BKN:07 55 BKN:07 80	10.00		52	11.1	47	8.3	41	5.0	66	3	300		29.92			30.11	FM-15	0.00	30.10
11	1454	7	FEW:02 55 SCT:04 80 BKN:07 300	10.00		53	11.7	47	8.3	40	4.4	61	3	240		29.90			30.09	FM-15	0.00	30.08
11	1554	7	FEW:02 22 BKN:07 80 BKN:07 300	10.00		53	11.7	47	8.3	40	4.4	61	5	210		29.89	6	+0.05	30.08	FM-15	0.00	30.07
11	1654	7	BKN:07 85 BKN:07 300	10.00		51	10.6	46	7.8	40	4.4	66	5	270		29.89			30.08	FM-15	0.00	30.07
11	1754	7	BKN:07 85	10.00		50	10.0	45	7.2	39	3.9	66	3	260		29.89			30.09	FM-15	0.00	30.07
11	1854	7	BKN:07 85	10.00		47	8.3	43	6.1	39	3.9	74	0	000		29.90	3	-0.02	30.10	FM-15	0.00	30.08
11	1900	4		9.94		47	8.3	43	6.1	39	3.9	74	0	000		29.90	3	-0.02	30.10	FM-12		
11	1954	7	SCT:04 85	10.00		43	6.1	41	5.0	38	3.3	82	0	000		29.91			30.11	FM-15	0.00	30.09
11	2054	7	SCT:04 47 BKN:07 55	10.00		43	6.1	41	5.0	39	3.9	86	0	000		29.91			30.11	FM-15	0.00	30.09
11	2154	7	BKN:07 60	10.00		43	6.1	41	5.0	39	3.9	86	5	360		29.91	0	-0.01	30.11	FM-15	0.00	30.09
11	2254	7	BKN:07 55	10.00		45	7.2	43	6.1	40	4.4	83	7	360		29.92			30.11	FM-15	0.00	30.10
11	2354	7	BKN:07 55	10.00		44	6.7	42	5.6	39	3.9	83	8	020		29.92			30.12	FM-15	0.00	30.10
12	0054	7	SCT:04 50	10.00		42	5.6	40	4.4	38	3.3	85	5	030		29.92	1	-0.01	30.12	FM-15	0.00	30.10
12	0100	4	57	9.94		42	5.6	40	4.4	38	3.3	85	5	030		29.92	1	-0.01	30.12	FM-12		
12	0154	7	FEW:02 50	10.00		40	4.4	38	3.3	36	2.2	86	6	010		29.92			30.12	FM-15	0.00	30.10
12	0254	7	SCT:04 41	10.00		39	3.9	37	2.8	34	1.1	82	8	010		29.93			30.12	FM-15	0.00	30.11
12	0354	7	BKN:07 45	10.00		41	5.0	38	3.3	35	1.7	79	6	010		29.94	3	-0.01	30.13	FM-15	0.00	30.12
12	0454	7	FEW:02 45	10.00		38	3.3	36	2.2	33	0.6	83	7	010		29.94			30.14	FM-15	0.00	30.12
12	0554	7	FEW:02 45	10.00		37	2.8	35	1.7	33	0.6	86	7	020		29.96			30.16	FM-15	0.00	30.14
12	0654	7	FEW:02 45	10.00		37	2.8	35	1.7	32	0.0	82	8	360		29.97	3	-0.04	30.16	FM-15	0.00	30.15
12	0700	4	41	9.94		37	2.8	35	1.7	32	0.0	82	8	360		29.97	3	-0.04	30.16	FM-12		
12	0754	7	FEW:02 120	10.00		38	3.3	36	2.2	32	0.0	79	7	350		29.99			30.19	FM-15	0.00	30.17
12	0854	7	BKN:07 45	10.00		42	5.6	37	2.8	31	-0.6	65	9	010		30.02			30.21	FM-15	0.00	30.20
12	0954	7	BKN:07 46	10.00		45	7.2	39	3.9	30	-1.1	56	15	020	23	30.03	1	-0.06	30.23	FM-15	0.00	30.21

12	1054	7	BKN:07 46	10.00		47	8.3	40	4.4	29	-1.7	50	13	010		30.03			30.23	FM-15	0.00	30.21
12	1154	7	OVC:08 41	10.00		45	7.2	38	3.3	28	-2.2	52	16	010		30.02			30.22	FM-15	0.00	30.20
12	1254	7	OVC:08 43	10.00		45	7.2	38	3.3	27	-2.8	49	13	020	21	30.01	8	+0.02	30.20	FM-15	0.00	30.19
12	1300	4	41	9.94		45	7.2	38	3.3	27	-2.8	49	13	020		30.01	8	+0.02	30.20	FM-12		
12	1354	7	OVC:08 43	10.00		45	7.2	38	3.3	27	-2.8	49	11	020		30.00			30.20	FM-15	0.00	30.18
12	1454	7	OVC:08 43	10.00		44	6.7	37	2.8	27	-2.8	51	11	020		30.02			30.22	FM-15	0.00	30.20
12	1554	7	FEW:02 36 OVC:08 46	10.00		43	6.1	37	2.8	27	-2.8	53	13	360		30.04	3	-0.03	30.24	FM-15	0.00	30.22
12	1654	7	FEW:02 37 OVC:08 48	10.00		42	5.6	36	2.2	27	-2.8	55	11	010		30.05			30.25	FM-15	0.00	30.23
12	1754	6	OVC:08 48	10.00		41	5.0	36	2.2	27	-2.8	57	7	360		30.07			30.26	FM-15	0.00	30.25
12	1854	7	OVC:08 47	10.00		41	5.0	36	2.2	27	-2.8	57	8	010		30.07	1	-0.04	30.27	FM-15	0.00	30.25
12	1900	4	41	9.94		41	5.0	36	2.2	27	-2.8	57	8	010		30.07	1	-0.04	30.27	FM-12		
12	1954	7	OVC:08 47	10.00		41	5.0	35	1.7	26	-3.3	55	10	010		30.08			30.28	FM-15	0.00	30.26
12	2054	7	OVC:08 47	10.00		40	4.4	35	1.7	27	-2.8	60	11	360		30.09			30.28	FM-15	0.00	30.27
12	2154	7	OVC:08 46	10.00		40	4.4	35	1.7	26	-3.3	58	9	360		30.10	3	-0.02	30.29	FM-15	0.00	30.28
12	2254	7	OVC:08 47	10.00		40	4.4	35	1.7	26	-3.3	58	8	340		30.10			30.30	FM-15	0.00	30.28
12	2354	7	OVC:08 46	10.00		39	3.9	34	1.1	26	-3.3	60	8	350		30.10			30.29	FM-15	0.00	30.28
13	0054	7	OVC:08 44	10.00		39	3.9	34	1.1	26	-3.3	60	7	340		30.10	1	-0.01	30.30	FM-15	0.00	30.28
13	0100	4	41	9.94		39	3.9	34	1.1	26	-3.3	60	7	340		30.10	1	-0.01	30.30	FM-12		
13	0154	7	OVC:08 44	10.00		39	3.9	34	1.1	26	-3.3	60	9	340		30.11			30.31	FM-15	0.00	30.29
13	0254	7	OVC:08 41	10.00		39	3.9	34	1.1	27	-2.8	62	9	350		30.12			30.31	FM-15	0.00	30.30
13	0354	7	OVC:08 40	10.00		39	3.9	34	1.1	26	-3.3	60	7	350		30.12	1	-0.01	30.31	FM-15	0.00	30.30
13	0454	7	OVC:08 38	10.00		39	3.9	34	1.1	26	-3.3	60	7	360		30.12			30.31	FM-15	0.00	30.30
13	0554	7	OVC:08 35	10.00		39	3.9	34	1.1	26	-3.3	60	8	350		30.13			30.33	FM-15	0.00	30.31
13	0654	7	OVC:08 32	10.00		39	3.9	34	1.1	26	-3.3	60	5	020		30.14	3	-0.02	30.33	FM-15	0.00	30.32
13	0700	4	26	9.94		39	3.9	34	1.1	26	-3.3	60	5	020		30.14	3	-0.02	30.33	FM-12		
13	0754	7	OVC:08 31	10.00		39	3.9	34	1.1	27	-2.8	62	7	010		30.15			30.35	FM-15	0.00	30.33
13	0845	7	OVC:08 28	10.00		39	3.9	34	1.1	27	-2.8	62	8	020		30.16				FM-16		30.34
13	0854	7	OVC:08 28	10.00		39	3.9	34	1.1	27	-2.8	62	9	360		30.16			30.36	FM-15	0.00	30.34
13	0954	7	OVC:08 27	10.00		39	3.9	34	1.1	26	-3.3	60	8	030		30.18	3	-0.04	30.37	FM-15	0.00	30.36
13	1054	7	OVC:08 28	10.00		40	4.4	35	1.7	27	-2.8	60	7	020		30.18			30.37	FM-15	0.00	30.36
13	1139	6	OVC:08 30	10.00		40	4.4	35	1.7	26	-3.3	58	5	010		30.16				FM-16		30.34
13	1154	6	BKN:07 30	10.00		40	4.4	35	1.7	26	-3.3	58	6	350		30.15			30.35	FM-15	0.00	30.33
13	1254	7	SCT:04 30 BKN:07 200	10.00		43	6.1	36	2.2	26	-3.3	51	3	VRB		30.12	8	+0.05	30.32	FM-15	0.00	30.30
13	1300	4	26	9.94		43	6.1	36	2.2	26	-3.3	51	3			30.12	8	+0.05	30.32	FM-12		
13	1354	7	FEW:02 40 SCT:04 250	10.00		44	6.7	36	2.2	24	-4.4	45	6	320		30.12			30.31	FM-15	0.00	30.30
13	1454	7	FEW:02 40 SCT:04 250	10.00		45	7.2	37	2.8	24	-4.4	44	5	VRB		30.11			30.30	FM-15	0.00	30.29
13	1554	7	SCT:04 250	10.00		45	7.2	37	2.8	25	-3.9	46	5	310		30.11	6	+0.02	30.30	FM-15	0.00	30.29
13	1654	7	FEW:02 300	10.00		42	5.6	35	1.7	24	-4.4	49	3	350		30.10			30.30	FM-15	0.00	30.28
13	1754	7	FEW:02 300	10.00		38	3.3	33	0.6	25	-3.9	60	0	000		30.11			30.30	FM-15	0.00	30.29
13	1854	7	FEW:02 300	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		30.11	0	0.00	30.30	FM-15	0.00	30.29
13	1900	4		9.94		33	0.6	30	-1.1	25	-3.9	72	0	000		30.11	9	0.00	30.30	FM-12		
13	1954	7	FEW:02 300	10.00		31	-0.6	29	-1.7	24	-4.4	76	0	000		30.10			30.29	FM-15	0.00	30.28
13	2054	7	FEW:02 300	10.00		30	-1.1	28	-2.2	24	-4.4	79	0	000		30.08			30.28	FM-15	0.00	30.26
13	2154	7	FEW:02 300	10.00		30	-1.1	28	-2.2	23	-5.0	75	0	000		30.06	8	+0.04	30.26	FM-15	0.00	30.24
13	2254	7	SCT:04 300	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.06			30.26	FM-15	0.00	30.24
13	2354	7	SCT:04 300	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.06			30.26	FM-15	0.00	30.24
14	0054	7	FEW:02 300	10.00		26	-3.3	25	-3.9	22	-5.6	84	0	000		30.03	8	+0.03	30.23	FM-15	0.00	30.21
14	0100	4		9.94		26	-3.3	25	-3.9	22	-5.6	84	0	000		30.03	8	+0.03	30.23	FM-12		
14	0154	7	BKN:07 300	9.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.04			30.24	FM-15	0.00	30.22
14	0254	7	BKN:07 300	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.04			30.24	FM-15	0.00	30.22
14	0354	7	BKN:07 300	10.00		26	-3.3	25	-3.9	22	-5.6	84	0	000		30.04	0	-0.01	30.24	FM-15	0.00	30.22
14	0454	7	BKN:07 250	10.00		26	-3.3	25	-3.9	22	-5.6	84	0	000		30.02			30.22	FM-15	0.00	30.20
14	0554	7	BKN:07 250	10.00		27	-2.8	26	-3.3	23	-5.0	85	0	000		30.03			30.23	FM-15	0.00	30.21

14	0654	7	FEW:02 250 BKN:07 300	10.00		25	-3.9	24	-4.4	22	-5.6	88	0	000		30.04	3	0.00	30.24	FM-15	0.00	30.22
14	0700	4		9.94		25	-3.9	24	-4.4	22	-5.6	88	0	000		30.04	3	0.00	30.24	FM-12		
14	0754	7	FEW:02 180 BKN:07 300	8.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.05			30.25	FM-15	0.00	30.23
14	0854	7	FEW:02 180 BKN:07 300	8.00		31	-0.6	30	-1.1	27	-2.8	85	0	000		30.05			30.25	FM-15	0.00	30.23
14	0954	7	SCT:04 180 OVC:08 200	10.00		37	2.8	34	1.1	28	-2.2	70	3	040		30.07	3	-0.02	30.27	FM-15	0.00	30.25
14	1054	7	SCT:04 180 OVC:08 200	10.00		39	3.9	34	1.1	26	-3.3	60	0	000		30.06			30.26	FM-15	0.00	30.24
14	1154	7	SCT:04 180 OVC:08 200	10.00		42	5.6	36	2.2	26	-3.3	53	0	000		30.02			30.22	FM-15	0.00	30.20
14	1254	7	SCT:04 180 OVC:08 200	10.00		43	6.1	37	2.8	28	-2.2	56	0	000		29.99	8	+0.08	30.19	FM-15	0.00	30.17
14	1300	4		9.94		43	6.1	37	2.8	28	-2.2	56	0	000		29.99	8	+0.08	30.19	FM-12		
14	1354	7	SCT:04 140 OVC:08 200	10.00		43	6.1	37	2.8	28	-2.2	56	5	260		30.00			30.20	FM-15	0.00	30.18
14	1454	7	SCT:04 120 BKN:07 180 OVC:08 200	10.00		44	6.7	38	3.3	28	-2.2	53	0	000		29.99			30.19	FM-15	0.00	30.17
14	1554	7	SCT:04 120 BKN:07 180 OVC:08 200	10.00		44	6.7	38	3.3	29	-1.7	55	0	000		29.99	0	0.00	30.19	FM-15	0.00	30.17
14	1654	7	OVC:08 140	10.00		43	6.1	37	2.8	29	-1.7	58	3	020		29.98			30.18	FM-15	0.00	30.16
14	1754	6	BKN:07 120 OVC:08 300	10.00		40	4.4	36	2.2	29	-1.7	65	5	040		29.98			30.18	FM-15	0.00	30.16
14	1854	7	OVC:08 110	10.00		41	5.0	36	2.2	29	-1.7	62	0	000		29.98	6	+0.01	30.18	FM-15	0.00	30.16
14	1900	4		9.94		41	5.0	36	2.2	29	-1.7	62	0	000		29.98	6	+0.01	30.18	FM-12		
14	1954	7	OVC:08 49	10.00		42	5.6	37	2.8	30	-1.1	62	0	000		30.00			30.19	FM-15	0.00	30.18
14	2054	7	OVC:08 45	10.00		42	5.6	36	2.2	27	-2.8	55	7	040		29.99			30.18	FM-15	0.00	30.17
14	2154	7	OVC:08 43	10.00		41	5.0	35	1.7	26	-3.3	55	7	050		29.99	1	-0.01	30.18	FM-15	0.00	30.17
14	2254	7	OVC:08 43	10.00	-RA:02  RA  RA	39	3.9	35	1.7	30	-1.1	70	3	060		29.99			30.19	FM-15	0.01	30.17
14	2354	7	BKN:07 44 OVC:08 55	9.00	-RA:02  RA  RA	38	3.3	36	2.2	32	0.0	79	0	000		29.99			30.18	FM-15	0.03	30.17
15	0054	7	FEW:02 19 OVC:08 39	4.00	RA:02  RA  RA	37	2.8	35	1.7	32	0.0	82	5	050		29.98	8	+0.01	30.18	FM-15	0.04	30.16
15	0100	4	15	3.73	RA	37	2.8	35	1.7	32	0.0	82	5	050		29.98	8	+0.01	30.18	FM-12		
15	0154	7	BKN:07 34 OVC:08 70	6.00	-RA:02 BR:1  RA  RA	37	2.8	35	1.7	33	0.6	86	6	060		29.97			30.16	FM-15	0.05	30.15
15	0254	7	SCT:04 30 OVC:08 65	4.00	RA:02 BR:1  RA  RA	36	2.2	35	1.7	33	0.6	89	6	080		29.97			30.16	FM-15	0.09	30.15
15	0327	7	OVC:08 29	4.00	RA:02 BR:1  RA  RA	36	2.2	35	1.7	33	0.6	89	6	070		29.96				FM-16	0.07	30.14
15	0338	7	BKN:07 7 OVC:08 29	5.00	-RA:02 BR:1  RA  RA	36	2.2	35	1.7	33	0.6	89	5	070		29.96				FM-16	0.09	30.14
15	0354	7	SCT:04 5 OVC:08 30	4.00	-RA:02 BR:1  RA  RA	36	2.2	35	1.7	33	0.6	89	9	070		29.94	8	+0.04	30.14	FM-15	0.10	30.12
15	0439	7	FEW:02 5 OVC:08 26	3.00	+RA:02 BR:1  RA  RA	35	1.7	34	1.1	33	0.6	93	8	050		29.95				FM-16	0.10	30.13
15	0454	7	BKN:07 5 OVC:08 34	2.00	+RA:02 BR:1  RA  RA	35	1.7	34	1.1	33	0.6	93	8	050		29.93			30.13	FM-15	0.16	30.11
15	0554	7	BKN:07 5 OVC:08 30	3.00	RA:02 BR:1  RA  RA	35	1.7	34	1.1	33	0.6	93	5	070		29.95			30.14	FM-15	0.21	30.13
15	0654	7	SCT:04 4 OVC:08 29	2.50	+RA:02 BR:1  RA  RA	35	1.7	34	1.1	33	0.6	93	8	050		29.90	8	+0.04	30.09	FM-15	0.14	30.08
15	0700	4	5	2.49	RA	35	1.7	34	1.1	33	0.6	93	8	050		29.90	8	+0.04	30.09	FM-12		
15	0706	7	FEW:02 4 SCT:04 15 OVC:08 32	3.00	RA:02 BR:1  RA  RA	35	1.7	34	1.1	33	0.6	93	9	060		29.89				FM-16	0.03	30.07
15	0721	7	BKN:07 5 BKN:07 15 OVC:08 33	4.00	-RA:02 BR:1  RA  RA	35	1.7	34	1.1	33	0.6	93	9	050		29.88				FM-16	0.04	30.06

15	0752	6	OVC:08 4	2.50	RA:02 BR:1  RA  RA	36	2.2	35	1.7	34	1.1	93	10	060		29.86				FM-16		30.04
15	0754	7	OVC:08 4	2.50	RA:02 BR:1  RA  RA	36	2.2	35	1.7	34	1.1	93	9	050		29.86		30.05		FM-15	0.07	30.04
15	0834	7	OVC:08 4	3.00	-RA:02 BR:1  RA  RA	37	2.8	36	2.2	35	1.7	93	7	050		29.85				FM-16	0.06	30.03
15	0854	7	OVC:08 4	4.00	-RA:02 BR:1  RA  RA	38	3.3	37	2.8	36	2.2	93	8	060		29.84		30.04		FM-15	0.06	30.02
15	0935	7	OVC:08 4	1.25	RA:02 BR:1  RA  RA	39	3.9	38	3.3	37	2.8	93	8	060		29.82				FM-16	0.03	30.00
15	0954	7	OVC:08 4	1.25	RA:02 BR:1  RA  RA	40	4.4	39	3.9	38	3.3	93	8	040		29.82	6	+0.08	30.01	FM-15	0.07	30.00
15	1014	7	OVC:08 4	2.00	RA:02 BR:1  RA  RA	40	4.4	40	4.4	39	3.9	97	7	050		29.81				FM-16	0.06	29.99
15	1033	7	BKN:07 6 OVC:08 10	2.00	+RA:02 BR:1  RA  RA	41	5.0	40	4.4	39	3.9	93	9	060		29.79				FM-16	0.12	29.97
15	1039	7	BKN:07 6 OVC:08 10	3.00	-RA:02 BR:1  RA  RA	42	5.6	41	5.0	40	4.4	92	7	070		29.79				FM-16	0.14	29.97
15	1054	7	OVC:08 6	3.00	-RA:02 BR:1  RA  RA	42	5.6	41	5.0	40	4.4	92	5	060		29.79		29.98		FM-15	0.18	29.97
15	1131	7	OVC:08 7	2.50	RA:02 BR:1  RA  RA	43	6.1	43	6.1	42	5.6	97	6	010		29.77				FM-16	0.09	29.95
15	1154	7	OVC:08 9	2.50	-RA:02 BR:1  RA  RA	44	6.7	43	6.1	42	5.6	93	6	030		29.75		29.95		FM-15	0.14	29.93
15	1201	7	BKN:07 9 OVC:08 13	4.00	RA:02 BR:1  RA  RA	44	6.7	43	6.1	42	5.6	93	6	030		29.74				FM-16	0.01	29.92
15	1223	7	SCT:04 6 OVC:08 10	3.00	RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	9	050		29.71				FM-16	0.08	29.89
15	1252	6	BKN:07 5 OVC:08 12	3.00	RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	9	060		29.67				FM-16		29.85
15	1254	7	BKN:07 5 OVC:08 12	2.50	RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	9	060		29.67	8	+0.15	29.86	FM-15	0.13	29.85
15	1300	4	5	2.49	RA	45	7.2	44	6.7	43	6.1	93	9	060		29.67	8	+0.15	29.86	FM-12		
15	1316	7	OVC:08 5	9.00	-RA:02  RA  RA	46	7.8	45	7.2	44	6.7	93	9	080		29.63				FM-16	0.02	29.81
15	1354	7	OVC:08 6	3.00	+RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	8	090		29.59		29.79		FM-15	0.09	29.77
15	1403	7	OVC:08 6	2.50	-RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	0	000		29.60				FM-16	0.03	29.78
15	1413	7	OVC:08 5	1.25	RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	3	320		29.60				FM-16	0.07	29.78
15	1429	7	BKN:07 7 OVC:08 12	1.75	+RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	0	000		29.59				FM-16	0.13	29.77
15	1443	7	BKN:07 7 OVC:08 12	5.00	-RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	8	VRB		29.56				FM-16	0.16	29.74
15	1454	7	OVC:08 9	5.00	-RA:02 BR:1  RA  RA	48	8.9	47	8.3	46	7.8	93	7	050		29.55		29.74		FM-15	0.14	29.73
15	1508	7	OVC:08 10	2.50	RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	10	060		29.53				FM-16	T	29.71
15	1522	7	SCT:04 10 BKN:07 13 OVC:08 36	1.50V	+RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	9	070		29.52				FM-16	0.07	29.69
15	1527	7	FEW:02 8 BKN:07 13 OVC:08 36	2.50	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	47	8.3	93	8	070		29.50				FM-16	0.11	29.68
15	1540	7	BKN:07 4 BKN:07 11 OVC:08 17	2.50	-RA:02 BR:1  RA  RA	49	9.4	48	8.9	48	8.9	97	6	030		29.52				FM-16	0.15	29.69
15	1552	6	BKN:07 4 OVC:08 19	9.00	-RA:02  RA  RA	48	8.9	48	8.9	48	8.9	100	7	050		29.50				FM-16		29.68
15	1554	7	OVC:08 4	10.00	-RA:02  RA  RA	49	9.4	48	8.9	48	8.9	97	3	VRB		29.52	6	+0.16	29.70	FM-15	0.15	29.69
15	1601	7	OVC:08 3	2.00	-RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	6	350		29.50				FM-16	T	29.68
15	1642	7	BKN:07 4 BKN:07 14 OVC:08 24	1.25	+RA:02 BR:1  RA  RA	47	8.3	46	7.8	45	7.2	93	17	320		29.53				FM-16	0.14	29.71
15	1654	6	BKN:07 5 BKN:07 15 OVC:08 25	2.50	-RA:02 BR:1  RA  RA	46	7.8	45	7.2	44	6.7	93	18	310		29.55		29.74		FM-15	0.27	29.73
15	1702	6	SCT:04 5 BKN:07 17 OVC:08 46	5.00	-RA:02 BR:1  RA  RA	46	7.8	45	7.2	44	6.7	93	14	350		29.53				FM-16		29.71
15	1721	6	BKN:07 4 BKN:07 14 OVC:08 36	5.00	-RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	11	350		29.52				FM-16		29.69
15	1754	6	OVC:08 4	10.00	-RA:02  RA  RA	45	7.2	44	6.7	43	6.1	93	10	340		29.52		29.70		FM-15	0.02	29.69
15	1854	6	OVC:08 3	10.00		43	6.1	43	6.1	42	5.6	97	11	320		29.52	0	0.00	29.70	FM-15	T	29.69
15	1954	6	OVC:08 3	5.00	BR:1	42	5.6	41	5.0	40	4.4	92	8	310		29.52		29.71		FM-15	0.00	29.69
15	2030	6	OVC:08 3	1.50	BR:1	41	5.0	41	5.0	40	4.4	96	10	300		29.52				FM-16		29.70

15	2054	6	OVC:08 3	1.25	BR:1	41	5.0	41	5.0	40	4.4	96	11	310		29.52			29.71	FM-15	0.00	29.70
15	2110	6	OVC:08 3	1.75	BR:1	41	5.0	40	4.4	39	3.9	93	10	300		29.52				FM-16		29.70
15	2145	6	OVC:08 4	2.00	-DZ:01 BR:1  DZ  DZ	41	5.0	40	4.4	39	3.9	93	11	290		29.53				FM-16		29.71
15	2154	7	OVC:08 4	2.50	BR:1	41	5.0	40	4.4	39	3.9	93	10	300		29.52	1	-0.01	29.72	FM-15	T	29.70
15	2221	7	OVC:08 3	1.50	BR:1	41	5.0	40	4.4	39	3.9	93	10	290		29.53				FM-16		29.71
15	2254	7	OVC:08 4	1.50	BR:1	41	5.0	40	4.4	39	3.9	93	11	290		29.53			29.72	FM-15	0.00	29.71
15	2354	7	OVC:08 4	1.50	-DZ:01 BR:1  DZ  DZ	42	5.6	41	5.0	40	4.4	92	11	280		29.53			29.72	FM-15	T	29.71
16	0012	7	OVC:08 4	3.00	BR:1	42	5.6	41	5.0	40	4.4	92	13	280		29.53				FM-16	T	29.71
16	0045	7	OVC:08 4	2.00	BR:1	42	5.6	42	5.6	41	5.0	96	10	270		29.54				FM-16	T	29.72
16	0052	6	OVC:08 4	1.75	BR:1	43	6.1	42	5.6	41	5.0	93	11	270		29.53				FM-16		29.71
16	0054	7	OVC:08 4	1.50	BR:1	42	5.6	42	5.6	41	5.0	96	10	280		29.53	1	-0.01	29.73	FM-15	T	29.71
16	0100	4	5	1.49		42	5.6	42	5.6	41	5.0	96	10	280		29.53	1	-0.01	29.73	FM-12		
16	0108	7	OVC:08 4	3.00	BR:1	43	6.1	42	5.6	41	5.0	93	13	270		29.54				FM-16		29.72
16	0124	7	OVC:08 5	3.00	BR:1	43	6.1	42	5.6	41	5.0	93	10	280		29.54				FM-16		29.72
16	0154	7	OVC:08 7	10.00		43	6.1	42	5.6	41	5.0	93	11	290		29.55			29.74	FM-15	0.00	29.73
16	0252	6	SCT:04 9	10.00		43	6.1	40	4.4	37	2.8	81	10	280		29.56				FM-16		29.74
16	0254	7	SCT:04 9	10.00		42	5.6	40	4.4	38	3.3	85	11	280		29.56			29.76	FM-15	0.00	29.74
16	0354	7	FEW:02 9	10.00		40	4.4	39	3.9	37	2.8	89	7	270		29.56	1	-0.03	29.76	FM-15	0.00	29.74
16	0454	7	CLR:00	10.00		38	3.3	37	2.8	35	1.7	89	8	260		29.57			29.76	FM-15	0.00	29.75
16	0554	7	CLR:00	10.00		37	2.8	36	2.2	34	1.1	89	3	290		29.59			29.79	FM-15	0.00	29.77
16	0654	7	CLR:00	10.00		36	2.2	35	1.7	34	1.1	93	5	270		29.60	2	-0.04	29.79	FM-15	0.00	29.78
16	0700	4		9.94		36	2.2	35	1.7	34	1.1	93	5	270		29.60	2	-0.04	29.79	FM-12		
16	0754	7	CLR:00	10.00		37	2.8	36	2.2	34	1.1	89	0	000		29.61			29.81	FM-15	0.00	29.79
16	0854	7	CLR:00	10.00		41	5.0	39	3.9	37	2.8	86	6	320		29.63			29.83	FM-15	0.00	29.81
16	0954	7	CLR:00	10.00		45	7.2	41	5.0	37	2.8	74	10	270		29.64	1	-0.04	29.83	FM-15	0.00	29.82
16	1054	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	14	290	20	29.63			29.82	FM-15	0.00	29.81
16	1154	7	FEW:02 50 FEW:02 250	10.00		53	11.7	44	6.7	33	0.6	47	15	270	23	29.60			29.79	FM-15	0.00	29.78
16	1254	7	FEW:02 60	10.00		54	12.2	44	6.7	32	0.0	43	13	290	21	29.58	8	+0.06	29.77	FM-15	0.00	29.76
16	1300	4	57	9.94		54	12.2	44	6.7	32	0.0	43	13	290		29.58	8	+0.06	29.77	FM-12		
16	1354	7	SCT:04 55	10.00		53	11.7	43	6.1	31	-0.6	43	14	280		29.58			29.78	FM-15	0.00	29.76
16	1454	7	BKN:07 50	10.00		54	12.2	44	6.7	31	-0.6	42	13	260		29.58			29.77	FM-15	0.00	29.76
16	1554	7	BKN:07 55	10.00		51	10.6	43	6.1	32	0.0	48	10	290		29.59	3	-0.01	29.79	FM-15	0.00	29.77
16	1654	7	BKN:07 55	10.00		49	9.4	41	5.0	31	-0.6	50	9	280		29.60			29.80	FM-15	0.00	29.78
16	1754	7	BKN:07 60	10.00		49	9.4	41	5.0	31	-0.6	50	7	270		29.62			29.81	FM-15	0.00	29.80
16	1854	7	SCT:04 60	10.00		47	8.3	40	4.4	30	-1.1	52	7	280		29.63	3	-0.04	29.83	FM-15	0.00	29.81
16	1900	4	57	9.94		47	8.3	40	4.4	30	-1.1	52	7	280		29.63	3	-0.04	29.83	FM-12		
16	1954	7	FEW:02 60	10.00		45	7.2	39	3.9	30	-1.1	56	5	260		29.64			29.83	FM-15	0.00	29.82
16	2054	7	CLR:00	10.00		43	6.1	38	3.3	30	-1.1	60	6	250		29.63			29.83	FM-15	0.00	29.81
16	2154	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	6	230		29.64	3	-0.01	29.84	FM-15	0.00	29.82
16	2254	7	CLR:00	10.00		36	2.2	33	0.6	29	-1.7	76	5	230		29.64			29.84	FM-15	0.00	29.82
16	2354	7	CLR:00	10.00		35	1.7	33	0.6	29	-1.7	78	6	220		29.65			29.85	FM-15	0.00	29.83
17	0054	7	CLR:00	10.00		37	2.8	34	1.1	30	-1.1	76	7	240		29.65	0	-0.01	29.84	FM-15	0.00	29.83
17	0100	4		9.94		37	2.8	34	1.1	30	-1.1	76	7	240		29.65	9	+0.01	29.84	FM-12		
17	0154	7	CLR:00	10.00		38	3.3	34	1.1	29	-1.7	70	9	250		29.66			29.85	FM-15	0.00	29.84
17	0254	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	10	250		29.67			29.87	FM-15	0.00	29.85
17	0354	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	9	250		29.67	1	-0.02	29.87	FM-15	0.00	29.85
17	0454	7	CLR:00	10.00		34	1.1	31	-0.6	27	-2.8	75	6	230		29.68			29.88	FM-15	0.00	29.86
17	0554	7	FEW:02 80	10.00		34	1.1	31	-0.6	27	-2.8	75	6	240		29.69			29.88	FM-15	0.00	29.87
17	0654	7	FEW:02 80	10.00		35	1.7	32	0.0	27	-2.8	72	8	270		29.70	3	-0.03	29.90	FM-15	0.00	29.88
17	0700	4	74	9.94		35	1.7	32	0.0	27	-2.8	72	8	270		29.70	3	-0.03	29.90	FM-12		
17	0754	7	FEW:02 80 FEW:02 300	10.00		36	2.2	32	0.0	26	-3.3	67	7	270		29.72			29.91	FM-15	0.00	29.90
17	0854	7	FEW:02 80 FEW:02 250	10.00		43	6.1	36	2.2	25	-3.9	49	7	290		29.74			29.93	FM-15	0.00	29.92
17	0954	7	SCT:04 60 SCT:04 250	10.00		45	7.2	37	2.8	25	-3.9	46	9	280		29.75	1	-0.04	29.94	FM-15	0.00	29.93

17	1054	7	FEW:02 60 SCT:04 250	10.00		48	8.9	38	3.3	24	-4.4	39	11	270	21	29.73			29.92	FM-15	0.00	29.91
17	1154	7	FEW:02 60 SCT:04 250	10.00		49	9.4	38	3.3	22	-5.6	35	15	290		29.69			29.88	FM-15	0.00	29.87
17	1254	7	FEW:02 60 SCT:04 250	10.00		49	9.4	38	3.3	22	-5.6	35	16	270	20	29.66	8	+0.09	29.85	FM-15	0.00	29.84
17	1300	4	57	9.94		49	9.4	38	3.3	22	-5.6	35	16	270		29.66	8	+0.09	29.85	FM-12		
17	1354	7	BKN:07 60 BKN:07 250	10.00		49	9.4	38	3.3	22	-5.6	35	15	270	22	29.64			29.84	FM-15	0.00	29.82
17	1454	7	BKN:07 60 BKN:07 250	10.00		50	10.0	40	4.4	24	-4.4	36	13	280	18	29.64			29.84	FM-15	0.00	29.82
17	1554	7	FEW:02 60 SCT:04 250	10.00		49	9.4	38	3.3	22	-5.6	35	14	250		29.64	5	+0.01	29.84	FM-15	0.00	29.82
17	1654	7	FEW:02 60 SCT:04 250	10.00		47	8.3	38	3.3	23	-5.0	39	6	280		29.66			29.86	FM-15	0.00	29.84
17	1754	7	FEW:02 60 SCT:04 250	10.00		42	5.6	35	1.7	25	-3.9	51	0	000		29.66			29.85	FM-15	0.00	29.84
17	1854	7	SCT:04 250	10.00		36	2.2	33	0.6	27	-2.8	70	6	160		29.69	3	-0.04	29.88	FM-15	0.00	29.87
17	1900	4		9.94		36	2.2	33	0.6	27	-2.8	70	6	160		29.69	3	-0.04	29.88	FM-12		
17	1954	7	FEW:02 250	10.00		37	2.8	33	0.6	26	-3.3	65	3	140		29.70			29.89	FM-15	0.00	29.88
17	2054	7	FEW:02 250	10.00		33	0.6	30	-1.1	26	-3.3	75	3	150		29.70			29.90	FM-15	0.00	29.88
17	2154	7	FEW:02 250	10.00		32	0.0	30	-1.1	26	-3.3	79	0	000		29.71	1	-0.02	29.91	FM-15	0.00	29.89
17	2254	7	BKN:07 80	10.00		32	0.0	30	-1.1	27	-2.8	82	0	000		29.72			29.91	FM-15	0.00	29.90
17	2354	7	BKN:07 80	10.00		36	2.2	34	1.1	30	-1.1	79	3	160		29.69			29.89	FM-15	0.00	29.87
18	0054	7	BKN:07 80	10.00		38	3.3	35	1.7	30	-1.1	73	0	000		29.70	5	+0.01	29.90	FM-15	0.00	29.88
18	0100	4	74	9.94		38	3.3	35	1.7	30	-1.1	73	0	000		29.70	5	+0.01	29.90	FM-12		
18	0154	7	SCT:04 80	10.00		30	-1.1	29	-1.7	27	-2.8	88	3	200		29.71			29.90	FM-15	0.00	29.89
18	0254	7	BKN:07 80	10.00		31	-0.6	29	-1.7	26	-3.3	82	0	000		29.73			29.92	FM-15	0.00	29.91
18	0354	7	SCT:04 80	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.73	2	-0.03	29.93	FM-15	0.00	29.91
18	0454	7	FEW:02 80	10.00		33	0.6	31	-0.6	27	-2.8	78	5	290		29.74			29.93	FM-15	0.00	29.92
18	0554	7	FEW:02 80	10.00		31	-0.6	29	-1.7	26	-3.3	82	5	300		29.76			29.95	FM-15	0.00	29.94
18	0654	7	FEW:02 80	10.00		31	-0.6	29	-1.7	25	-3.9	79	6	300		29.78	3	-0.05	29.98	FM-15	0.00	29.96
18	0700	4	74	9.94		31	-0.6	29	-1.7	25	-3.9	79	6	300		29.78	3	-0.05	29.98	FM-12		
18	0754	7	FEW:02 70	10.00		32	0.0	29	-1.7	25	-3.9	75	3	290		29.80			29.99	FM-15	0.00	29.98
18	0854	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	6	320		29.82			30.02	FM-15	0.00	30.00
18	0954	7	CLR:00	10.00		43	6.1	36	2.2	26	-3.3	51	8	310		29.84	1	-0.06	30.03	FM-15	0.00	30.02
18	1054	7	FEW:02 30	10.00		46	7.8	37	2.8	22	-5.6	38	10	310		29.84			30.04	FM-15	0.00	30.02
18	1154	7	SCT:04 45	10.00		47	8.3	37	2.8	21	-6.1	36	15	280	20	29.83			30.03	FM-15	0.00	30.01
18	1254	7	BKN:07 55	10.00		45	7.2	35	1.7	19	-7.2	35	13	280		29.82	8	+0.01	30.02	FM-15	0.00	30.00
18	1300	4	57	9.94		45	7.2	35	1.7	19	-7.2	35	13	280		29.82	8	+0.01	30.02	FM-12		
18	1354	7	BKN:07 60	10.00		45	7.2	36	2.2	20	-6.7	37	10	310		29.83			30.03	FM-15	0.00	30.01
18	1454	7	BKN:07 60	10.00		44	6.7	35	1.7	20	-6.7	38	13	310		29.86			30.06	FM-15	0.00	30.04
18	1554	7	SCT:04 70	10.00		44	6.7	35	1.7	20	-6.7	38	10	300		29.89	3	-0.07	30.09	FM-15	0.00	30.07
18	1654	7	FEW:02 70	10.00		42	5.6	34	1.1	19	-7.2	40	10	280		29.92			30.12	FM-15	0.00	30.10
18	1754	7	SCT:04 65	10.00		41	5.0	33	0.6	20	-6.7	43	9	280		29.95			30.15	FM-15	0.00	30.13
18	1854	7	FEW:02 60	10.00		39	3.9	32	0.0	21	-6.1	48	8	280		29.98	1	-0.08	30.17	FM-15	0.00	30.16
18	1900	4	57	9.94		39	3.9	32	0.0	21	-6.1	48	8	280		29.98	1	-0.08	30.17	FM-12		
18	1954	7	CLR:00	10.00		37	2.8	31	-0.6	20	-6.7	50	9	300		30.00			30.20	FM-15	0.00	30.18
18	2054	7	CLR:00	10.00		35	1.7	29	-1.7	18	-7.8	50	8	320		30.03			30.23	FM-15	0.00	30.21
18	2154	7	CLR:00	10.00		34	1.1	29	-1.7	18	-7.8	52	9	320		30.06	1	-0.08	30.26	FM-15	0.00	30.24
18	2254	7	CLR:00	10.00		33	0.6	28	-2.2	17	-8.3	52	6	290		30.08			30.27	FM-15	0.00	30.26
18	2354	7	CLR:00	10.00		32	0.0	27	-2.8	18	-7.8	56	6	280		30.07			30.27	FM-15	0.00	30.25
19	0054	7	CLR:00	10.00		30	-1.1	26	-3.3	18	-7.8	61	5	240		30.08	1	-0.02	30.28	FM-15	0.00	30.26
19	0100	4		9.94		30	-1.1	26	-3.3	18	-7.8	61	5	240		30.08	1	-0.02	30.28	FM-12		
19	0154	7	CLR:00	10.00		30	-1.1	26	-3.3	17	-8.3	58	6	260		30.10			30.29	FM-15	0.00	30.28
19	0254	7	CLR:00	10.00		29	-1.7	25	-3.9	17	-8.3	61	5	260		30.12			30.32	FM-15	0.00	30.30
19	0354	7	CLR:00	10.00		25	-3.9	23	-5.0	17	-8.3	72	5	210		30.12	1	-0.04	30.32	FM-15	0.00	30.30
19	0454	7	CLR:00	10.00		27	-2.8	24	-4.4	18	-7.8	69	6	250		30.14			30.34	FM-15	0.00	30.32

19	0554	7	CLR:00	10.00		27	-2.8	24	-4.4	17	-8.3	66	5	290		30.15			30.35	FM-15	0.00	30.33
19	0654	7	CLR:00	10.00		27	-2.8	24	-4.4	17	-8.3	66	5	320		30.16	1	-0.04	30.36	FM-15	0.00	30.34
19	0700	4		9.94		27	-2.8	24	-4.4	17	-8.3	66	5	320		30.16	1	-0.04	30.36	FM-12		
19	0754	7	SCT:04 200	10.00		29	-1.7	26	-3.3	19	-7.2	66	6	270		30.19			30.39	FM-15	0.00	30.37
19	0854	7	SCT:04 200	10.00		32	0.0	28	-2.2	19	-7.2	59	6	250		30.20			30.40	FM-15	0.00	30.38
19	0954	7	BKN:07 200	10.00		35	1.7	30	-1.1	19	-7.2	52	6	240		30.23	3	-0.07	30.43	FM-15	0.00	30.41
19	1054	7	BKN:07 200	10.00		38	3.3	31	-0.6	19	-7.2	46	6	270		30.22			30.41	FM-15	0.00	30.40
19	1154	7	FEW:02 160 BKN:07 200	10.00		41	5.0	33	0.6	19	-7.2	41	7	280		30.19			30.39	FM-15	0.00	30.37
19	1254	7	FEW:02 80 BKN:07 200	10.00		43	6.1	34	1.1	19	-7.2	38	6	270		30.16	8	+0.07	30.36	FM-15	0.00	30.34
19	1300	4	74	9.94		43	6.1	34	1.1	19	-7.2	38	6	270		30.16	8	+0.07	30.36	FM-12		
19	1354	7	FEW:02 80 SCT:04 200	10.00		45	7.2	35	1.7	18	-7.8	34	11	310		30.16			30.35	FM-15	0.00	30.34
19	1454	7	FEW:02 80 SCT:04 200	10.00		44	6.7	35	1.7	18	-7.8	35	8	300		30.16			30.35	FM-15	0.00	30.34
19	1554	7	FEW:02 80 BKN:07 200	10.00		44	6.7	35	1.7	18	-7.8	35	10	320		30.16	5	0.00	30.36	FM-15	0.00	30.34
19	1654	7	FEW:02 150 BKN:07 300	10.00		42	5.6	33	0.6	18	-7.8	38	5	330		30.17			30.37	FM-15	0.00	30.35
19	1754	7	SCT:04 200 BKN:07 300	10.00		39	3.9	32	0.0	19	-7.2	45	6	300		30.20			30.40	FM-15	0.00	30.38
19	1854	7	SCT:04 190 BKN:07 300	10.00		37	2.8	30	-1.1	18	-7.8	46	0	000		30.20	1	-0.04	30.40	FM-15	0.00	30.38
19	1900	4		9.94		37	2.8	30	-1.1	18	-7.8	46	0	000		30.20	1	-0.04	30.40	FM-12		
19	1954	7	FEW:02 190 BKN:07 300	10.00		34	1.1	29	-1.7	20	-6.7	56	3	320		30.21			30.41	FM-15	0.00	30.39
19	2054	7	BKN:07 300	10.00		31	-0.6	28	-2.2	21	-6.1	67	0	000		30.23			30.43	FM-15	0.00	30.41
19	2154	7	SCT:04 300	10.00		30	-1.1	27	-2.8	20	-6.7	66	3	010		30.25	3	-0.04	30.45	FM-15	0.00	30.43
19	2254	7	SCT:04 300	10.00		31	-0.6	28	-2.2	21	-6.1	67	9	020		30.27			30.47	FM-15	0.00	30.45
19	2354	7	FEW:02 300	10.00		30	-1.1	27	-2.8	20	-6.7	66	9	020		30.28			30.47	FM-15	0.00	30.46
20	0054	7	FEW:02 300	10.00		29	-1.7	26	-3.3	20	-6.7	69	8	030		30.27	0	-0.02	30.47	FM-15	0.00	30.45
20	0100	4		9.94		29	-1.7	26	-3.3	20	-6.7	69	8	030		30.27	9	+0.02	30.47	FM-12		
20	0154	7	FEW:02 300	10.00		28	-2.2	25	-3.9	19	-7.2	69	6	020		30.29			30.49	FM-15	0.00	30.47
20	0254	7	FEW:02 300	10.00		27	-2.8	24	-4.4	18	-7.8	69	7	030		30.29			30.48	FM-15	0.00	30.47
20	0354	7	CLR:00	10.00		27	-2.8	24	-4.4	17	-8.3	66	3	010		30.29	1	-0.03	30.49	FM-15	0.00	30.47
20	0454	7	CLR:00	10.00		25	-3.9	23	-5.0	17	-8.3	72	5	340		30.30			30.50	FM-15	0.00	30.48
20	0554	7	CLR:00	10.00		24	-4.4	22	-5.6	17	-8.3	75	7	340		30.31			30.51	FM-15	0.00	30.49
20	0654	7	FEW:02 300	10.00		26	-3.3	23	-5.0	17	-8.3	69	3	330		30.31	3	-0.02	30.51	FM-15	0.00	30.49
20	0700	4		9.94		26	-3.3	23	-5.0	17	-8.3	69	3	330		30.31	3	-0.02	30.51	FM-12		
20	0754	7	FEW:02 300	10.00		26	-3.3	24	-4.4	18	-7.8	71	3	310		30.32			30.52	FM-15	0.00	30.50
20	0854	7	FEW:02 250	10.00		31	-0.6	28	-2.2	21	-6.1	67	6	330		30.34			30.54	FM-15	0.00	30.52
20	0954	7	SCT:04 250	10.00		34	1.1	30	-1.1	21	-6.1	59	7	010		30.35	3	-0.04	30.55	FM-15	0.00	30.53
20	1054	7	FEW:02 120 SCT:04 200	10.00		37	2.8	31	-0.6	20	-6.7	50	7	010		30.34			30.54	FM-15	0.00	30.52
20	1154	7	FEW:02 120 SCT:04 200	10.00		39	3.9	32	0.0	20	-6.7	46	5	050		30.30			30.50	FM-15	0.00	30.48
20	1254	7	FEW:02 120 BKN:07 200	10.00		39	3.9	32	0.0	20	-6.7	46	5	320		30.27	8	+0.09	30.47	FM-15	0.00	30.45
20	1300	4		9.94		39	3.9	32	0.0	20	-6.7	46	5	320		30.27	8	+0.09	30.47	FM-12		
20	1354	7	SCT:04 80 BKN:07 120 BKN:07 180	10.00		40	4.4	33	0.6	20	-6.7	45	6	360		30.25			30.45	FM-15	0.00	30.43
20	1454	7	FEW:02 120 BKN:07 200	10.00		42	5.6	34	1.1	20	-6.7	41	7	270		30.25			30.45	FM-15	0.00	30.43
20	1554	7	SCT:04 120 BKN:07 200	10.00		40	4.4	33	0.6	20	-6.7	45	0	000		30.26	5	+0.01	30.45	FM-15	0.00	30.44
20	1654	7	BKN:07 150 BKN:07 300	10.00		39	3.9	32	0.0	20	-6.7	46	3	280		30.26			30.46	FM-15	0.00	30.44



20	1754	7	SCT:04 130 BKN:07 150 BKN:07 300	10.00		38	3.3	32	0.0	20	-6.7	48	3	290		30.27			30.47	FM-15	0.00	30.45
20	1854	7	FEW:02 150 SCT:04 300	10.00		30	-1.1	27	-2.8	21	-6.1	69	0	000		30.28	3	-0.02	30.47	FM-15	0.00	30.46
20	1900	4		9.94		30	-1.1	27	-2.8	21	-6.1	69	0	000		30.28	3	-0.02	30.47	FM-12		
20	1954	7	SCT:04 300	10.00		30	-1.1	27	-2.8	21	-6.1	69	0	000		30.29			30.49	FM-15	0.00	30.47
20	2054	7	SCT:04 300	10.00		29	-1.7	26	-3.3	21	-6.1	72	0	000		30.27			30.47	FM-15	0.00	30.45
20	2154	7	SCT:04 300	10.00		28	-2.2	26	-3.3	21	-6.1	75	0	000		30.27	8	+0.01	30.47	FM-15	0.00	30.45
20	2254	7	SCT:04 300	10.00		27	-2.8	25	-3.9	21	-6.1	78	3	010		30.28			30.47	FM-15	0.00	30.46
20	2354	7	SCT:04 300	10.00		27	-2.8	25	-3.9	21	-6.1	78	0	000		30.28			30.48	FM-15	0.00	30.46
21	0054	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	0	000		30.27	0	0.00	30.47	FM-15	0.00	30.45
21	0100	4		9.94		26	-3.3	24	-4.4	20	-6.7	78	0	000		30.27	9	0.00	30.47	FM-12		
21	0154	7	SCT:04 300	10.00		26	-3.3	24	-4.4	21	-6.1	81	3	340		30.27			30.47	FM-15	0.00	30.45
21	0254	7	FEW:02 150 SCT:04 300	10.00		25	-3.9	23	-5.0	20	-6.7	81	3	020		30.27			30.47	FM-15	0.00	30.45
21	0354	7	OVC:08 110	10.00		27	-2.8	25	-3.9	22	-5.6	81	3	300		30.28	3	-0.01	30.48	FM-15	0.00	30.46
21	0454	7	OVC:08 110	10.00		28	-2.2	26	-3.3	22	-5.6	78	0	000		30.27			30.47	FM-15	0.00	30.45
21	0554	7	FEW:02 110 FEW:02 300	10.00		27	-2.8	25	-3.9	21	-6.1	78	0	000		30.28			30.47	FM-15	0.00	30.46
21	0654	7	FEW:02 110	10.00		25	-3.9	23	-5.0	20	-6.7	81	0	000		30.29	3	-0.01	30.49	FM-15	0.00	30.47
21	0700	4		9.94		25	-3.9	23	-5.0	20	-6.7	81	0	000		30.29	3	-0.01	30.49	FM-12		
21	0754	7	FEW:02 120	10.00		27	-2.8	25	-3.9	20	-6.7	75	3	010		30.30			30.50	FM-15	0.00	30.48
21	0854	7	FEW:02 120	10.00		32	0.0	29	-1.7	24	-4.4	73	6	010		30.32			30.52	FM-15	0.00	30.50
21	0954	7	FEW:02 120	10.00		37	2.8	33	0.6	27	-2.8	67	5	030		30.33	2	-0.04	30.53	FM-15	0.00	30.51
21	1054	7	FEW:02 120	10.00		41	5.0	35	1.7	25	-3.9	53	7	030		30.33			30.53	FM-15	0.00	30.51
21	1154	7	FEW:02 120 FEW:02 200	10.00		42	5.6	35	1.7	24	-4.4	49	6	070		30.30			30.50	FM-15	0.00	30.48
21	1254	7	FEW:02 120 FEW:02 200	10.00		45	7.2	37	2.8	24	-4.4	44	5	060		30.27	8	+0.06	30.47	FM-15	0.00	30.45
21	1300	4		9.94		45	7.2	37	2.8	24	-4.4	44	5	060		30.27	8	+0.06	30.47	FM-12		
21	1354	7	SCT:04 200	10.00		46	7.8	37	2.8	24	-4.4	42	8	050		30.25			30.45	FM-15	0.00	30.43
21	1454	7	BKN:07 200	10.00		48	8.9	39	3.9	24	-4.4	39	3	350		30.25			30.45	FM-15	0.00	30.43
21	1554	7	BKN:07 200	10.00		46	7.8	37	2.8	23	-5.0	40	8	070		30.25	6	+0.01	30.45	FM-15	0.00	30.43
21	1654	7	BKN:07 250 BKN:07 300	10.00		42	5.6	35	1.7	24	-4.4	49	5	050		30.24			30.44	FM-15	0.00	30.42
21	1754	7	BKN:07 240 BKN:07 300	10.00		41	5.0	35	1.7	24	-4.4	51	6	060		30.23			30.43	FM-15	0.00	30.41
21	1854	7	BKN:07 95 BKN:07 240	10.00		38	3.3	33	0.6	25	-3.9	60	5	080		30.25	5	0.00	30.45	FM-15	0.00	30.43
21	1900	4		9.94		38	3.3	33	0.6	25	-3.9	60	5	080		30.25	5	0.00	30.45	FM-12		
21	1954	7	FEW:02 95 BKN:07 300	10.00		35	1.7	32	0.0	26	-3.3	70	7	060		30.25			30.45	FM-15	0.00	30.43
21	2054	7	FEW:02 90 FEW:02 220 BKN:07 300	10.00		34	1.1	31	-0.6	26	-3.3	73	5	070		30.25			30.45	FM-15	0.00	30.43
21	2154	7	SCT:04 65 BKN:07 90 BKN:07 120	10.00		34	1.1	31	-0.6	26	-3.3	73	5	070		30.25	6	0.00	30.45	FM-15	0.00	30.43
21	2254	7	OVC:08 65	10.00		35	1.7	32	0.0	27	-2.8	72	7	060		30.25			30.44	FM-15	0.00	30.43
21	2354	7	FEW:02 60 OVC:08 95	10.00		36	2.2	33	0.6	27	-2.8	70	3	040		30.23			30.42	FM-15	0.00	30.41
22	0054	7	BKN:07 65 BKN:07 85 OVC:08 120	10.00		36	2.2	33	0.6	28	-2.2	73	6	030		30.20	8	+0.05	30.40	FM-15	0.00	30.38
22	0100	4	57	9.94		36	2.2	33	0.6	28	-2.2	73	6	030		30.20	8	+0.05	30.40	FM-12		
22	0154	7	OVC:08 55	10.00		36	2.2	33	0.6	29	-1.7	76	8	020		30.18			30.38	FM-15	0.00	30.36
22	0254	7	OVC:08 50	10.00	-RA:02  RA  RA	37	2.8	35	1.7	31	-0.6	79	7	030		30.18			30.37	FM-15	T	30.36
22	0354	7	FEW:02 44 BKN:07 70 OVC:08 90	10.00		37	2.8	35	1.7	32	0.0	82	8	040		30.13	8	+0.07	30.32	FM-15	T	30.31

22	0454	7	OVC:08 38	10.00		37	2.8	35	1.7	33	0.6	86	8	040		30.10			30.29	FM-15	0.00	30.28
22	0554	7	OVC:08 35	10.00	-RA:02  RA  RA	38	3.3	36	2.2	34	1.1	86	8	040		30.09			30.28	FM-15	0.01	30.27
22	0643	7	BKN:07 25 OVC:08 49	10.00	-RA:02  RA  RA	38	3.3	37	2.8	35	1.7	89	10	020		30.04				FM-16	T	30.22
22	0652	6	SCT:04 9 BKN:07 25 OVC:08 49	8.00	-RA:02  RA  RA	37	2.8	37	2.8	36	2.2	93	9	010		30.04				FM-16		30.22
22	0654	7	SCT:04 9 BKN:07 25 OVC:08 49	9.00	-RA:02  RA  RA	38	3.3	37	2.8	36	2.2	93	8	010		30.04	8	+0.09	30.23	FM-15	T	30.22
22	0700	4	8	8.70	RA	38	3.3	37	2.8	36	2.2	93	8	010		30.04	8	+0.09	30.23	FM-12		
22	0724	7	FEW:02 7 SCT:04 25 OVC:08 50	10.00		40	4.4	39	3.9	37	2.8	89	10	050		30.01				FM-16	T	30.19
22	0754	7	FEW:02 7 FEW:02 25 OVC:08 45	10.00	-RA:02  RA  RA	41	5.0	40	4.4	38	3.3	89	8	070		29.99			30.19	FM-15	T	30.17
22	0854	7	FEW:02 8 OVC:08 60	6.00	-RA:02 BR:1  RA  RA	41	5.0	40	4.4	39	3.9	93	9	050		29.97			30.17	FM-15	0.05	30.15
22	0922	7	BKN:07 17 OVC:08 41	3.00	RA:02 BR:1  RA  RA	41	5.0	40	4.4	39	3.9	93	7	030		29.98				FM-16	0.03	30.16
22	0945	7	FEW:02 5 OVC:08 16	10.00	-RA:02  RA  RA	42	5.6	41	5.0	40	4.4	92	8	030		29.96				FM-16	0.06	30.14
22	0954	7	SCT:04 5 OVC:08 16	10.00		42	5.6	41	5.0	40	4.4	92	8	020		29.96	6	+0.08	30.16	FM-15	0.06	30.14
22	1043	7	SCT:04 5 OVC:08 12	4.00	RA:02 BR:1  RA  RA	42	5.6	41	5.0	40	4.4	92	9	010		29.93				FM-16	0.07	30.11
22	1051	7	BKN:07 5 OVC:08 12	2.50	+RA:02 BR:1  RA  RA	43	6.1	41	5.0	39	3.9	87	8	360		29.94				FM-16	0.09	30.12
22	1054	7	BKN:07 5 OVC:08 12	2.50	+RA:02 BR:1  RA  RA	42	5.6	41	5.0	40	4.4	92	9	350		29.94			30.13	FM-15	0.13	30.12
22	1112	7	BKN:07 4 OVC:08 12	2.50	RA:02 BR:1  RA  RA	42	5.6	42	5.6	41	5.0	96	10	010		29.93				FM-16	0.08	30.11
22	1129	7	BKN:07 4 OVC:08 12	3.00	RA:02 BR:1  RA  RA	43	6.1	42	5.6	41	5.0	93	13	030		29.91				FM-16	0.13	30.09
22	1154	7	BKN:07 4 OVC:08 11	3.00	RA:02 BR:1  RA  RA	43	6.1	42	5.6	41	5.0	93	9	030		29.88			30.07	FM-15	0.21	30.06
22	1209	7	SCT:04 4 BKN:07 11 OVC:08 41	2.50	+RA:02 BR:1  RA  RA	44	6.7	43	6.1	42	5.6	93	9	070		29.85				FM-16	0.07	30.03
22	1242	7	BKN:07 4 OVC:08 50	3.00	RA:02 BR:1  RA  RA	44	6.7	44	6.7	43	6.1	96	9	050		29.80				FM-16	0.15	29.98
22	1254	7	BKN:07 3 BKN:07 27 OVC:08 50	3.00	+RA:02 BR:1  RA  RA	45	7.2	44	6.7	43	6.1	93	8	060		29.79	8	+0.17	29.98	FM-15	0.20	29.97
22	1300	4	2	2.98	RA	45	7.2	44	6.7	43	6.1	93	8	060		29.79	8	+0.17	29.98	FM-12		
22	1354	7	OVC:08 4	5.00	RA:02 BR:1  RA  RA	47	8.3	47	8.3	46	7.8	97	9	060		29.72			29.91	FM-15	0.16	29.90
22	1420	7	BKN:07 6 OVC:08 11	2.50	+RA:02 BR:1  RA  RA	50	10.0	49	9.4	48	8.9	93	17	110	25	29.66				FM-16	0.11	29.84
22	1454	7	BKN:07 6 BKN:07 42 OVC:08 75	2.00	+RA:02 BR:1  RA  RA	54	12.2	53	11.7	52	11.1	93	30	120	43	29.60			29.80	FM-15	0.31	29.78
22	1526	7	SCT:04 9 BKN:07 49 OVC:08 95	7.00	RA:02  RA  RA	56	13.3	55	12.8	54	12.2	93	22	130	32	29.61				FM-16	0.06	29.79
22	1534	7	BKN:07 9 BKN:07 49 OVC:08 90	10.00	-RA:02  RA  RA	56	13.3	55	12.8	54	12.2	93	24	130	34	29.61				FM-16	0.06	29.79
22	1554	7	BKN:07 9 BKN:07 45 BKN:07 110	10.00	-RA:02  RA  RA	57	13.9	55	12.8	54	12.2	90	24	130	32	29.60	6	+0.19	29.79	FM-15	0.05	29.78
22	1654	7	BKN:07 7 OVC:08 11	10.00		57	13.9	56	13.3	55	12.8	93	17	130		29.56			29.76	FM-15	0.00	29.74
22	1754	7	OVC:08 9	10.00		58	14.4	56	13.3	55	12.8	90	21	130	32	29.52			29.71	FM-15	0.00	29.70

22	1854	7	OVC:08 9	10.00		58	14.4	56	13.3	55	12.8	90	20	130	36	29.49	7	+0.11	29.68	FM-15	0.00	29.67
22	1900	4	8	9.94		58	14.4	56	13.3	55	12.8	90	20	130		29.49	7	+0.11	29.68	FM-12		
22	1923	7	OVC:08 10	10.00		59	15.0	57	13.9	55	12.8	87	24	130	33	29.47				FM-16		29.65
22	1954	7	OVC:08 10	10.00		59	15.0	57	13.9	55	12.8	87	22	140	29	29.47			29.65	FM-15	T	29.64
22	2001	7	OVC:08 9	10.00	-RA:02  RA  RA	59	15.0	57	13.9	55	12.8	87	18	140	32	29.47				FM-16	T	29.64
22	2054	7	OVC:08 6	4.00	-RA:02 BR:1  RA  RA	56	13.3	55	12.8	55	12.8	97	11	270		29.44			29.62	FM-15	0.05	29.61
22	2113	7	OVC:08 5	3.00	-RA:02 BR:1  RA  RA	46	7.8	45	7.2	44	6.7	93	11	280		29.42				FM-16	0.04	29.60
22	2154	7	OVC:08 4	2.50	-RA:02 BR:1  RA  RA	44	6.7	43	6.1	42	5.6	93	13	270	22	29.44	6	+0.06	29.62	FM-15	0.03	29.61
22	2208	7	BKN:07 4 OVC:08 17	4.00	-RA:02 BR:1  RA  RA	44	6.7	43	6.1	42	5.6	93	6	270		29.41				FM-16	0.01	29.59
22	2254	7	OVC:08 4	10.00		44	6.7	43	6.1	42	5.6	93	9	220		29.41			29.60	FM-15	0.01	29.58
22	2328	7	OVC:08 3	2.00	BR:1	44	6.7	44	6.7	43	6.1	96	13	230		29.41				FM-16		29.58
22	2354	7	OVC:08 3	2.00	-DZ:01 BR:1  DZ  DZ	44	6.7	44	6.7	43	6.1	96	15	210		29.41			29.60	FM-15	T	29.59
23	0014	7	OVC:08 3	3.00	-DZ:01 BR:1  DZ  DZ	44	6.7	43	6.1	42	5.6	93	15	220		29.41				FM-16	T	29.59
23	0025	7	OVC:08 4	2.00	-DZ:01 BR:1  DZ  DZ	44	6.7	44	6.7	43	6.1	96	13	210		29.41				FM-16	T	29.58
23	0052	6	OVC:08 5	6.00	BR:1	45	7.2	44	6.7	43	6.1	93	14	210		29.39				FM-16		29.57
23	0054	7	OVC:08 5	6.00	BR:1	44	6.7	43	6.1	42	5.6	93	13	210		29.39	6	+0.04	29.59	FM-15	T	29.57
23	0100	4	5	5.59		44	6.7	43	6.1	42	5.6	93	13	210		29.39	6	+0.04	29.59	FM-12		
23	0154	7	OVC:08 5	10.00		44	6.7	43	6.1	42	5.6	93	17	210	25	29.37			29.56	FM-15	0.00	29.55
23	0205	7	OVC:08 4	10.00		44	6.7	43	6.1	42	5.6	93	17	200		29.36				FM-16		29.53
23	0252	6	OVC:08 5	10.00		45	7.2	43	6.1	41	5.0	87	15	200		29.33				FM-16		29.50
23	0254	7	OVC:08 5	10.00		44	6.7	43	6.1	41	5.0	89	17	200		29.33			29.51	FM-15	0.00	29.50
23	0354	7	OVC:08 7	10.00		44	6.7	43	6.1	41	5.0	89	16	200	26	29.28	8	+0.11	29.47	FM-15	0.00	29.46
23	0454	7	OVC:08 7	10.00		45	7.2	44	6.7	42	5.6	90	18	200		29.25			29.44	FM-15	0.00	29.42
23	0552	6	BKN:07 10 OVC:08 16	10.00		46	7.8	45	7.2	43	6.1	87	16	200		29.21				FM-16		29.38
23	0554	7	BKN:07 10 OVC:08 16	10.00		46	7.8	44	6.7	42	5.6	86	17	200		29.20			29.38	FM-15	0.00	29.37
23	0642	7	OVC:08 16	10.00		47	8.3	45	7.2	43	6.1	86	21	200	26	29.17				FM-16		29.34
23	0643	7	OVC:08 16	9.00		47	8.3	45	7.2	43	6.1	86	20	200	26	29.17				FM-16		29.34
23	0644	7	OVC:08 16	9.00	-RA:02  RA  RA	47	8.3	45	7.2	43	6.1	86	16	200	26	29.17				FM-16	T	29.34
23	0654	7	OVC:08 16	8.00	-RA:02  RA  RA	47	8.3	45	7.2	43	6.1	86	20	200		29.17	6	+0.12	29.35	FM-15	T	29.34
23	0700	4	15	7.46	RA	47	8.3	45	7.2	43	6.1	86	20	200		29.16	6	+0.12	29.35	FM-12		
23	0754	7	BKN:07 20 BKN:07 60	10.00		48	8.9	46	7.8	43	6.1	83	18	200	28	29.12			29.30	FM-15	T	29.29
23	0813	7	SCT:04 25 BKN:07 30 OVC:08 60	10.00		49	9.4	46	7.8	43	6.1	80	21	210	30	29.12				FM-16		29.29
23	0825	7	FEW:02 16 SCT:04 21 OVC:08 28	1.50	+RA:02  RA  RA	43	6.1	41	5.0	38	3.3	82	24	250	39	29.15				FM-16	0.01	29.32
23	0833	7	FEW:02 16 BKN:07 25 OVC:08 31	3.00	-RA:02 BR:1  RA  RA	42	5.6	40	4.4	38	3.3	85	20	250	31	29.15				FM-16	0.08	29.32
23	0852	6	OVC:08 37	10.00	-RA:02  RA  RA	45	7.2	41	5.0	37	2.8	76	16	240	30	29.15				FM-16		29.33
23	0854	7	BKN:07 37 OVC:08 47	10.00	-RA:02  RA  RA	44	6.7	41	5.0	38	3.3	79	15	250	30	29.15			29.34	FM-15	0.10	29.33
23	0954	7	FEW:02 32 SCT:04 47 OVC:08 75	10.00		43	6.1	38	3.3	30	-1.1	60	23	250	36	29.21	3	-0.04	29.39	FM-15	T	29.38
23	1054	7	FEW:02 49	10.00		40	4.4	31	-0.6	15	-9.4	36	23	250	45	29.26			29.45	FM-15	0.00	29.44
23	1154	7	FEW:02 49	10.00		36	2.2	29	-1.7	15	-9.4	42	34	270	43	29.31			29.50	FM-15	0.00	29.49
23	1254	7	FEW:02 49	10.00		34	1.1	27	-2.8	10	-12.2	37	25	270	40	29.36	1	-0.15	29.54	FM-15	0.00	29.53
23	1300	4	41	9.94		34	1.1	27	-2.8	10	-12.2	37	25	270		29.35	1	-0.15	29.54	FM-12		
23	1354	7	FEW:02 50	10.00		31	-0.6	24	-4.4	7	-13.9	36	26	260	39	29.41			29.59	FM-15	0.00	29.58
23	1454	7	FEW:02 50	10.00		28	-2.2	21	-6.1	1	-17.2	31	20	260	41	29.45			29.65	FM-15	0.00	29.63
23	1554	7	FEW:02 70	10.00		25	-3.9	19	-7.2	0	-17.8	33	29	240	37	29.50	1	-0.14	29.70	FM-15	0.00	29.68
23	1654	7	FEW:02 70	10.00		23	-5.0	17	-8.3	-3	-19.4	32	26	250	38	29.54			29.73	FM-15	0.00	29.72
23	1754	7	CLR:00	10.00		21	-6.1	16	-8.9	-3	-19.4	34	23	270	31	29.58			29.78	FM-15	0.00	29.76
23	1854	7	CLR:00	10.00		20	-6.7	15	-9.4	-5	-20.6	32	28	260	37	29.61	1	-0.11	29.80	FM-15	0.00	29.79

23	1900	4		9.94		20	-6.7	15	-9.4	-5	-20.6	32	28	260		29.61	1	-0.11	29.80	FM-12		
23	1954	7	CLR:00	10.00		18	-7.8	13	-10.6	-6	-21.1	34	24	260	34	29.63			29.83	FM-15	0.00	29.81
23	2054	7	CLR:00	10.00		17	-8.3	12	-11.1	-6	-21.1	35	22	270	29	29.66			29.86	FM-15	0.00	29.84
23	2154	7	CLR:00	10.00		16	-8.9	12	-11.1	-6	-21.1	37	18	260	29	29.68	1	-0.07	29.88	FM-15	0.00	29.86
23	2254	7	CLR:00	10.00		15	-9.4	11	-11.7	-6	-21.1	38	17	250	30	29.70			29.90	FM-15	0.00	29.88
23	2354	7	CLR:00	10.00		14	-10.0	10	-12.2	-6	-21.1	40	13	250	26	29.72			29.92	FM-15	0.00	29.90
24	0054	7	CLR:00	10.00		13	-10.6	9	-12.8	-6	-21.1	42	20	260	26	29.74	1	-0.06	29.94	FM-15	0.00	29.92
24	0100	4		9.94		13	-10.6	9	-12.8	-6	-21.1	42	20	260		29.74	1	-0.06	29.94	FM-12		
24	0154	7	CLR:00	10.00		13	-10.6	9	-12.8	-7	-21.7	40	20	250	26	29.74			29.94	FM-15	0.00	29.92
24	0254	7	CLR:00	10.00		12	-11.1	9	-12.8	-6	-21.1	44	15	240		29.75			29.96	FM-15	0.00	29.93
24	0354	7	CLR:00	10.00		11	-11.7	8	-13.3	-7	-21.7	44	13	250		29.77	3	-0.03	29.97	FM-15	0.00	29.95
24	0454	7	CLR:00	10.00		10	-12.2	7	-13.9	-8	-22.2	43	23	260	28	29.78			29.98	FM-15	0.00	29.96
24	0554	7	CLR:00	10.00		9	-12.8	6	-14.4	-8	-22.2	46	17	250		29.80			30.00	FM-15	0.00	29.98
24	0654	7	CLR:00	10.00		8	-13.3	5	-15.0	-9	-22.8	45	18	260	28	29.82	3	-0.05	30.02	FM-15	0.00	30.00
24	0700	4		9.94		8	-13.3	5	-15.0	-9	-22.8	45	18	260		29.82	3	-0.05	30.02	FM-12		
24	0754	7	CLR:00	10.00		9	-12.8	6	-14.4	-9	-22.8	43	20	260	26	29.85			30.05	FM-15	0.00	30.03
24	0854	7	CLR:00	10.00		11	-11.7	8	-13.3	-8	-22.2	42	15	250	24	29.86			30.06	FM-15	0.00	30.04
24	0954	7	CLR:00	10.00		13	-10.6	9	-12.8	-8	-22.2	38	14	240	24	29.86	0	-0.03	30.06	FM-15	0.00	30.04
24	1054	7	CLR:00	10.00		16	-8.9	12	-11.1	-6	-21.1	37	20	250		29.85			30.05	FM-15	0.00	30.03
24	1154	7	CLR:00	10.00		18	-7.8	13	-10.6	-5	-20.6	35	16	230		29.83			30.03	FM-15	0.00	30.01
24	1254	7	FEW:02 250	10.00		21	-6.1	16	-8.9	-2	-18.9	36	18	240	28	29.82	8	+0.04	30.02	FM-15	0.00	30.00
24	1300	4		9.94		21	-6.1	16	-8.9	-2	-18.9	36	18	240		29.82	8	+0.04	30.02	FM-12		
24	1354	7	CLR:00	10.00		23	-5.0	17	-8.3	-1	-18.3	35	17	260	22	29.80			30.00	FM-15	0.00	29.98
24	1454	7	CLR:00	10.00		23	-5.0	17	-8.3	-1	-18.3	35	22	240	28	29.80			30.00	FM-15	0.00	29.98
24	1554	7	CLR:00	10.00		23	-5.0	18	-7.8	0	-17.8	36	13	240		29.80	6	+0.02	30.00	FM-15	0.00	29.98
24	1654	7	CLR:00	10.00		23	-5.0	18	-7.8	1	-17.2	38	13	240	21	29.80			30.00	FM-15	0.00	29.98
24	1754	7	CLR:00	10.00		21	-6.1	16	-8.9	2	-16.7	43	10	220		29.82			30.02	FM-15	0.00	30.00
24	1854	7	CLR:00	10.00		21	-6.1	17	-8.3	3	-16.1	45	9	200		29.82	3	-0.03	30.03	FM-15	0.00	30.00
24	1900	4		9.94		21	-6.1	17	-8.3	3	-16.1	45	9	200		29.82	3	-0.03	30.03	FM-12		
24	1954	7	CLR:00	10.00		19	-7.2	16	-8.9	5	-15.0	54	8	200		29.83			30.03	FM-15	0.00	30.01
24	2054	7	CLR:00	10.00		20	-6.7	16	-8.9	5	-15.0	52	7	210		29.83			30.03	FM-15	0.00	30.01
24	2154	7	CLR:00	10.00		20	-6.7	16	-8.9	6	-14.4	55	8	220		29.82	8	0.00	30.02	FM-15	0.00	30.00
24	2254	7	CLR:00	10.00		20	-6.7	17	-8.3	7	-13.9	57	7	220		29.83			30.03	FM-15	0.00	30.01
24	2354	7	CLR:00	10.00		21	-6.1	17	-8.3	7	-13.9	54	9	230		29.81			30.01	FM-15	0.00	29.99
25	0054	7	CLR:00	10.00		19	-7.2	16	-8.9	8	-13.3	62	6	210		29.81	8	+0.01	30.02	FM-15	0.00	29.99
25	0100	4		9.94		19	-7.2	16	-8.9	8	-13.3	62	6	210		29.81	8	+0.01	30.02	FM-12		
25	0154	7	SCT:04 250	10.00		20	-6.7	17	-8.3	8	-13.3	60	7	230		29.82			30.03	FM-15	0.00	30.00
25	0254	7	SCT:04 250	10.00		20	-6.7	17	-8.3	9	-12.8	62	10	240		29.83			30.03	FM-15	0.00	30.01
25	0354	7	CLR:00	10.00		17	-8.3	15	-9.4	9	-12.8	70	7	200		29.83	0	-0.01	30.03	FM-15	0.00	30.01
25	0454	7	CLR:00	10.00		19	-7.2	16	-8.9	9	-12.8	65	8	240		29.83			30.03	FM-15	0.00	30.01
25	0554	7	CLR:00	10.00		19	-7.2	16	-8.9	9	-12.8	65	11	220		29.83			30.03	FM-15	0.00	30.01
25	0654	7	CLR:00	10.00		15	-9.4	13	-10.6	8	-13.3	74	9	200		29.84	3	-0.01	30.04	FM-15	0.00	30.02
25	0700	4		9.94		15	-9.4	13	-10.6	8	-13.3	74	9	200		29.84	3	-0.01	30.04	FM-12		
25	0754	7	CLR:00	10.00		17	-8.3	15	-9.4	9	-12.8	70	7	220		29.86			30.06	FM-15	0.00	30.04
25	0854	7	CLR:00	10.00		21	-6.1	18	-7.8	8	-13.3	57	10	240		29.88			30.08	FM-15	0.00	30.06
25	0954	7	CLR:00	10.00		25	-3.9	20	-6.7	7	-13.9	46	11	290		29.89	1	-0.05	30.09	FM-15	0.00	30.07
25	1054	7	CLR:00	10.00		29	-1.7	23	-5.0	6	-14.4	38	13	260		29.88			30.08	FM-15	0.00	30.06
25	1154	7	CLR:00	10.00		31	-0.6	24	-4.4	6	-14.4	35	13	250		29.85			30.05	FM-15	0.00	30.03
25	1254	7	CLR:00	10.00		34	1.1	26	-3.3	4	-15.6	28	13	280		29.83	8	+0.06	30.03	FM-15	0.00	30.01
25	1300	4		9.94		34	1.1	26	-3.3	4	-15.6	28	13	280		29.83	8	+0.06	30.03	FM-12		
25	1354	7	CLR:00	10.00		35	1.7	26	-3.3	4	-15.6	27	9	250	20	29.83			30.02	FM-15	0.00	30.01
25	1454	7	FEW:02 250	10.00		35	1.7	26	-3.3	3	-16.1	26	11	270		29.83			30.03	FM-15	0.00	30.01
25	1554	7	FEW:02 300	10.00		35	1.7	26	-3.3	3	-16.1	26	11	260		29.84	3	-0.01	30.04	FM-15	0.00	30.02
25	1654	7	FEW:02 250	10.00		33	0.6	25	-3.9	2	-16.7	26	8	250		29.86			30.06	FM-15	0.00	30.04
25	1754	7	CLR:00	10.00		30	-1.1	23	-5.0	2	-16.7	30	6	220		29.88			30.08	FM-15	0.00	30.06
25	1854	7	CLR:00	10.00		27	-2.8	21	-6.1	4	-15.6	37	8	230		29.90	3	-0.05	30.10	FM-15	0.00	30.08
25	1900	4		9.94		27	-2.8	21	-6.1	4	-15.6	37	8	230		29.90	3	-0.05	30.10	FM-12		

25	1954	7	CLR:00	10.00		26	-3.3	20	-6.7	4	-15.6	38	5	220		29.92			30.12	FM-15	0.00	30.10
25	2054	7	CLR:00	10.00		29	-1.7	22	-5.6	2	-16.7	31	8	250		29.93			30.12	FM-15	0.00	30.11
25	2154	7	CLR:00	10.00		28	-2.2	21	-6.1	1	-17.2	31	3	270		29.94	1	-0.05	30.14	FM-15	0.00	30.12
25	2254	7	CLR:00	10.00		28	-2.2	21	-6.1	1	-17.2	31	8	280		29.96			30.16	FM-15	0.00	30.14
25	2354	7	CLR:00	10.00		26	-3.3	20	-6.7	1	-17.2	34	6	240		29.97			30.17	FM-15	0.00	30.15
26	0054	7	CLR:00	10.00		25	-3.9	19	-7.2	2	-16.7	37	5	300		29.98	3	-0.04	30.18	FM-15	0.00	30.16
26	0100	4		9.94		25	-3.9	19	-7.2	2	-16.7	37	5	300		29.98	3	-0.04	30.18	FM-12		
26	0154	7	CLR:00	10.00		23	-5.0	18	-7.8	2	-16.7	40	6	340		30.00			30.19	FM-15	0.00	30.18
26	0254	7	CLR:00	10.00		18	-7.8	15	-9.4	6	-14.4	59	0	000		30.02			30.22	FM-15	0.00	30.20
26	0354	7	CLR:00	10.00		17	-8.3	15	-9.4	8	-13.3	68	0	000		30.03	1	-0.05	30.23	FM-15	0.00	30.21
26	0454	7	CLR:00	10.00		16	-8.9	14	-10.0	7	-13.9	67	0	000		30.06			30.26	FM-15	0.00	30.24
26	0554	7	CLR:00	10.00		17	-8.3	15	-9.4	7	-13.9	64	0	000		30.07			30.27	FM-15	0.00	30.25
26	0654	7	CLR:00	10.00		14	-10.0	12	-11.1	6	-14.4	71	3	110		30.09	1	-0.06	30.29	FM-15	0.00	30.27
26	0700	4		9.94		14	-10.0	12	-11.1	6	-14.4	71	3	110		30.09	1	-0.06	30.29	FM-12		
26	0754	7	CLR:00	10.00		15	-9.4	14	-10.0	9	-12.8	77	0	000		30.12			30.32	FM-15	0.00	30.30
26	0854	7	FEW:02 120	10.00		24	-4.4	21	-6.1	13	-10.6	62	0	000		30.15			30.35	FM-15	0.00	30.33
26	0954	7	FEW:02 120 FEW:02 200	10.00		29	-1.7	24	-4.4	12	-11.1	49	3	140		30.15	1	-0.06	30.35	FM-15	0.00	30.33
26	1054	7	SCT:04 200	10.00		33	0.6	27	-2.8	16	-8.9	49	7	160		30.14			30.34	FM-15	0.00	30.32
26	1154	7	BKN:07 200	10.00		34	1.1	28	-2.2	16	-8.9	48	7	180		30.13			30.32	FM-15	0.00	30.31
26	1254	7	BKN:07 200	10.00		34	1.1	27	-2.8	13	-10.6	42	8	200		30.09	8	+0.06	30.29	FM-15	0.00	30.27
26	1300	4		9.94		34	1.1	27	-2.8	13	-10.6	42	8	200		30.09	8	+0.06	30.29	FM-12		
26	1354	7	FEW:02 80 BKN:07 200	10.00		35	1.7	28	-2.2	13	-10.6	40	5	160		30.07			30.27	FM-15	0.00	30.25
26	1454	7	FEW:02 180 OVC:08 200	10.00		36	2.2	29	-1.7	15	-9.4	42	5	170		30.06			30.26	FM-15	0.00	30.24
26	1554	7	FEW:02 180 OVC:08 200	10.00		35	1.7	29	-1.7	16	-8.9	46	3	170		30.08	5	+0.01	30.28	FM-15	0.00	30.26
26	1654	7	BKN:07 190 OVC:08 300	10.00		34	1.1	28	-2.2	16	-8.9	48	3	160		30.08			30.28	FM-15	0.00	30.26
26	1754	7	BKN:07 110 BKN:07 220 OVC:08 300	10.00		30	-1.1	26	-3.3	17	-8.3	58	3	150		30.08			30.28	FM-15	0.00	30.26
26	1854	7	BKN:07 110 OVC:08 300	10.00		28	-2.2	25	-3.9	17	-8.3	63	3	130		30.09	3	-0.01	30.29	FM-15	0.00	30.27
26	1900	4		9.94		28	-2.2	25	-3.9	17	-8.3	63	3	130		30.09	3	-0.01	30.29	FM-12		
26	1954	7	BKN:07 90 OVC:08 300	10.00		28	-2.2	25	-3.9	17	-8.3	63	0	000		30.10			30.30	FM-15	0.00	30.28
26	2054	7	OVC:08 80	10.00		29	-1.7	26	-3.3	19	-7.2	66	0	000		30.11			30.30	FM-15	0.00	30.29
26	2154	7	BKN:07 95 BKN:07 300	10.00		29	-1.7	25	-3.9	18	-7.8	63	0	000		30.10	0	-0.01	30.30	FM-15	0.00	30.28
26	2254	7	FEW:02 90 FEW:02 240	10.00		27	-2.8	24	-4.4	17	-8.3	66	0	000		30.10			30.29	FM-15	0.00	30.28
26	2354	7	SCT:04 95 SCT:04 240	10.00		24	-4.4	22	-5.6	17	-8.3	75	3	140		30.09			30.29	FM-15	0.00	30.27
27	0054	7	BKN:07 90	10.00		25	-3.9	23	-5.0	17	-8.3	72	3	150		30.09	6	+0.01	30.29	FM-15	0.00	30.27
27	0100	4		9.94		25	-3.9	23	-5.0	17	-8.3	72	3	150		30.09	6	+0.01	30.29	FM-12		
27	0154	7	BKN:07 80	10.00		28	-2.2	25	-3.9	18	-7.8	66	0	000		30.09			30.29	FM-15	0.00	30.27
27	0254	7	SCT:04 55 BKN:07 70	10.00		28	-2.2	25	-3.9	18	-7.8	66	0	000		30.11			30.31	FM-15	0.00	30.29
27	0354	7	BKN:07 60 OVC:08 80	10.00		28	-2.2	25	-3.9	20	-6.7	72	0	000		30.11	0	-0.02	30.31	FM-15	0.00	30.29
27	0454	7	OVC:08 60	10.00		29	-1.7	26	-3.3	19	-7.2	66	0	000		30.11			30.31	FM-15	0.00	30.29
27	0554	7	OVC:08 60	10.00		29	-1.7	26	-3.3	20	-6.7	69	3	200		30.11			30.31	FM-15	0.00	30.29
27	0654	7	FEW:02 60 SCT:04 100	10.00		28	-2.2	24	-4.4	14	-10.0	56	3	190		30.11	8	0.00	30.31	FM-15	0.00	30.29
27	0700	4	57	9.94		28	-2.2	24	-4.4	14	-10.0	56	3	190		30.11	8	0.00	30.31	FM-12		
27	0754	7	SCT:04 100 SCT:04 150	10.00		29	-1.7	24	-4.4	12	-11.1	49	0	000		30.13			30.33	FM-15	0.00	30.31

27	0854	7	FEW:02 100 SCT:04 150	10.00		28	-2.2	25	-3.9	19	-7.2	69	0	000		30.14			30.34	FM-15	0.00	30.32
27	0954	7	FEW:02 100 FEW:02 150	10.00		37	2.8	29	-1.7	12	-11.1	36	3	320		30.14	1	-0.04	30.34	FM-15	0.00	30.32
27	1054	7	FEW:02 100 FEW:02 150	10.00		41	5.0	31	-0.6	9	-12.8	27	3	330		30.15			30.35	FM-15	0.00	30.33
27	1154	7	FEW:02 100 FEW:02 150	10.00		44	6.7	33	0.6	10	-12.2	25	0	000		30.12			30.32	FM-15	0.00	30.30
27	1254	7	FEW:02 100 FEW:02 150	10.00		46	7.8	34	1.1	10	-12.2	23	0	000		30.10	8	+0.04	30.29	FM-15	0.00	30.28
27	1300	4		9.94		46	7.8	34	1.1	10	-12.2	23	0	000		30.10	8	+0.04	30.29	FM-12		
27	1354	7	FEW:02 150	10.00		46	7.8	34	1.1	11	-11.7	24	0	000		30.08			30.27	FM-15	0.00	30.26
27	1454	7	CLR:00	10.00		48	8.9	36	2.2	13	-10.6	24	3	260		30.08			30.27	FM-15	0.00	30.26
27	1554	7	CLR:00	10.00		46	7.8	35	1.7	14	-10.0	27	0	000		30.09	5	+0.01	30.28	FM-15	0.00	30.27
27	1654	7	FEW:02 150	10.00		44	6.7	34	1.1	14	-10.0	30	5	160		30.10			30.29	FM-15	0.00	30.28
27	1754	7	FEW:02 150	10.00		37	2.8	30	-1.1	16	-8.9	42	5	070		30.11			30.31	FM-15	0.00	30.29
27	1854	7	CLR:00	10.00		33	0.6	27	-2.8	16	-8.9	49	3	120		30.13	3	-0.04	30.33	FM-15	0.00	30.31
27	1900	4		9.94		33	0.6	27	-2.8	16	-8.9	49	3	120		30.13	3	-0.04	30.33	FM-12		
27	1954	7	CLR:00	10.00		31	-0.6	26	-3.3	15	-9.4	52	3	120		30.13			30.33	FM-15	0.00	30.31
27	2054	7	CLR:00	10.00		32	0.0	27	-2.8	15	-9.4	50	3	130		30.13			30.33	FM-15	0.00	30.31
27	2154	7	CLR:00	10.00		31	-0.6	26	-3.3	14	-10.0	49	3	140		30.13	1	-0.01	30.33	FM-15	0.00	30.31
27	2254	7	CLR:00	10.00		28	-2.2	25	-3.9	17	-8.3	63	5	130		30.12			30.32	FM-15	0.00	30.30
27	2354	7	CLR:00	10.00		29	-1.7	25	-3.9	17	-8.3	61	6	140		30.11			30.31	FM-15	0.00	30.29
28	0054	7	CLR:00	10.00		30	-1.1	26	-3.3	16	-8.9	56	0	000		30.12	5	+0.01	30.32	FM-15	0.00	30.30
28	0100	4		9.94		30	-1.1	26	-3.3	16	-8.9	56	0	000		30.12	5	+0.01	30.32	FM-12		
28	0154	7	CLR:00	10.00		27	-2.8	24	-4.4	17	-8.3	66	3	150		30.11			30.31	FM-15	0.00	30.29
28	0254	7	CLR:00	10.00		26	-3.3	23	-5.0	17	-8.3	69	5	140		30.11			30.31	FM-15	0.00	30.29
28	0354	7	CLR:00	10.00		25	-3.9	23	-5.0	18	-7.8	75	0	000		30.13	3	-0.01	30.32	FM-15	0.00	30.31
28	0454	7	CLR:00	10.00		24	-4.4	22	-5.6	17	-8.3	75	0	000		30.14			30.34	FM-15	0.00	30.32
28	0554	7	CLR:00	10.00		23	-5.0	21	-6.1	17	-8.3	78	5	130		30.15			30.35	FM-15	0.00	30.33
28	0654	7	FEW:02 250	10.00		25	-3.9	23	-5.0	18	-7.8	75	3	150		30.16	1	-0.03	30.36	FM-15	0.00	30.34
28	0700	4		9.94		25	-3.9	23	-5.0	18	-7.8	75	3	150		30.16	1	-0.03	30.36	FM-12		
28	0754	7	SCT:04 300	10.00		28	-2.2	25	-3.9	19	-7.2	69	3	220		30.18			30.38	FM-15	0.00	30.36
28	0854	7	SCT:04 300	10.00		33	0.6	29	-1.7	21	-6.1	61	6	190		30.19			30.40	FM-15	0.00	30.37
28	0954	7	FEW:02 300	10.00		39	3.9	32	0.0	19	-7.2	45	5	180		30.21	1	-0.05	30.40	FM-15	0.00	30.39
28	1054	7	FEW:02 300	10.00		44	6.7	35	1.7	19	-7.2	37	9	180		30.19			30.39	FM-15	0.00	30.37
28	1154	7	FEW:02 300	10.00		48	8.9	37	2.8	20	-6.7	33	8	200		30.18			30.37	FM-15	0.00	30.36
28	1254	7	SCT:04 300	10.00		51	10.6	39	3.9	21	-6.1	31	7	230		30.15	8	+0.06	30.35	FM-15	0.00	30.33
28	1300	4		9.94		51	10.6	39	3.9	21	-6.1	31	7	230		30.15	8	+0.06	30.35	FM-12		
28	1354	7	FEW:02 300	10.00		52	11.1	40	4.4	22	-5.6	31	5	VRB		30.13			30.33	FM-15	0.00	30.31
28	1454	7	SCT:04 300	10.00		53	11.7	41	5.0	24	-4.4	32	8	210		30.13			30.32	FM-15	0.00	30.31
28	1554	7	SCT:04 300	10.00		52	11.1	41	5.0	24	-4.4	34	6	190		30.13	5	+0.02	30.32	FM-15	0.00	30.31
28	1654	7	SCT:04 300	10.00		48	8.9	38	3.3	23	-5.0	37	5	200		30.14			30.34	FM-15	0.00	30.32
28	1754	7	FEW:02 200 SCT:04 300	10.00		39	3.9	34	1.1	25	-3.9	57	5	150		30.15			30.35	FM-15	0.00	30.33
28	1854	7	SCT:04 300	10.00		37	2.8	32	0.0	24	-4.4	59	3	140		30.17	3	-0.04	30.37	FM-15	0.00	30.35
28	1900	4		9.94		37	2.8	32	0.0	24	-4.4	59	3	140		30.17	3	-0.04	30.37	FM-12		
28	1954	7	FEW:02 300	10.00		35	1.7	31	-0.6	24	-4.4	64	3	150		30.17			30.37	FM-15	0.00	30.35
28	2054	7	FEW:02 300	10.00		35	1.7	31	-0.6	23	-5.0	61	5	180		30.18			30.38	FM-15	0.00	30.36
28	2154	7	FEW:02 300	10.00		35	1.7	30	-1.1	22	-5.6	59	7	200		30.18	1	-0.01	30.37	FM-15	0.00	30.36
28	2254	7	FEW:02 200	10.00		36	2.2	31	-0.6	22	-5.6	57	5	180		30.17			30.37	FM-15	0.00	30.35
28	2354	7	FEW:02 200	10.00		33	0.6	29	-1.7	22	-5.6	64	7	200		30.16			30.35	FM-15	0.00	30.34
29	0054	7	FEW:02 250	10.00		33	0.6	29	-1.7	22	-5.6	64	7	200		30.15	8	+0.03	30.35	FM-15	0.00	30.33
29	0100	4		9.94		33	0.6	29	-1.7	22	-5.6	64	7	200		30.15	8	+0.03	30.35	FM-12		
29	0154	7	FEW:02 300	10.00		31	-0.6	28	-2.2	22	-5.6	69	7	210		30.16			30.36	FM-15	0.00	30.34
29	0254	7	CLR:00	10.00		32	0.0	29	-1.7	22	-5.6	66	7	210		30.16			30.36	FM-15	0.00	30.34
29	0354	7	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	6	200		30.16	0	-0.01	30.36	FM-15	0.00	30.34
29	0454	7	CLR:00	10.00		28	-2.2	26	-3.3	22	-5.6	78	5	150		30.16			30.35	FM-15	0.00	30.34

29	0554	7	CLR:00	10.00		31	-0.6	28	-2.2	23	-5.0	72	6	190		30.17			30.37	FM-15	0.00	30.35
29	0654	7	FEW:02 300	10.00		33	0.6	30	-1.1	24	-4.4	70	7	190		30.18	3	-0.02	30.38	FM-15	0.00	30.36
29	0700	4		9.94		33	0.6	30	-1.1	24	-4.4	70	7	190		30.18	3	-0.02	30.38	FM-12		
29	0754	7	FEW:02 300	10.00		33	0.6	30	-1.1	25	-3.9	72	6	180		30.18			30.38	FM-15	0.00	30.36
29	0854	7	FEW:02 300	10.00		39	3.9	35	1.7	30	-1.1	70	8	190		30.19			30.38	FM-15	0.00	30.37
29	0954	7	CLR:00	10.00		46	7.8	39	3.9	30	-1.1	54	8	180		30.19	3	-0.01	30.39	FM-15	0.00	30.37
29	1054	7	CLR:00	10.00		52	11.1	43	6.1	30	-1.1	43	10	210		30.18			30.38	FM-15	0.00	30.36
29	1154	7	CLR:00	10.00		57	13.9	46	7.8	32	0.0	39	6	220		30.16			30.35	FM-15	0.00	30.34
29	1254	7	CLR:00	10.00		61	16.1	48	8.9	33	0.6	35	6	250		30.13	8	+0.06	30.33	FM-15	0.00	30.31
29	1300	4		9.94		61	16.1	48	8.9	33	0.6	35	6	250		30.13	8	+0.06	30.33	FM-12		
29	1354	7	CLR:00	10.00		62	16.7	48	8.9	33	0.6	34	7	VRB		30.12			30.31	FM-15	0.00	30.30
29	1454	7	CLR:00	10.00		63	17.2	49	9.4	34	1.1	34	6	200		30.11			30.31	FM-15	0.00	30.29
29	1554	7	CLR:00	10.00		62	16.7	49	9.4	34	1.1	35	6	190		30.11	5	+0.02	30.31	FM-15	0.00	30.29
29	1654	7	CLR:00	10.00		57	13.9	47	8.3	35	1.7	44	6	160		30.12			30.32	FM-15	0.00	30.30
29	1754	7	CLR:00	10.00		49	9.4	43	6.1	35	1.7	59	7	170		30.13			30.33	FM-15	0.00	30.31
29	1854	7	CLR:00	10.00		48	8.9	42	5.6	35	1.7	61	0	000		30.15	3	-0.04	30.35	FM-15	0.00	30.33
29	1900	4		9.94		48	8.9	42	5.6	35	1.7	61	0	000		30.15	3	-0.04	30.35	FM-12		
29	1954	7	CLR:00	10.00		45	7.2	40	4.4	34	1.1	66	6	180		30.16			30.36	FM-15	0.00	30.34
29	2054	7	CLR:00	10.00		45	7.2	41	5.0	35	1.7	68	0	000		30.16			30.36	FM-15	0.00	30.34
29	2154	7	CLR:00	10.00		42	5.6	39	3.9	34	1.1	73	3	170		30.17	1	-0.01	30.36	FM-15	0.00	30.35
29	2254	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	0	000		30.16			30.36	FM-15	0.00	30.34
29	2354	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	3	180		30.16			30.36	FM-15	0.00	30.34
30	0054	7	CLR:00	10.00		38	3.3	36	2.2	33	0.6	83	0	000		30.16	6	+0.01	30.35	FM-15	0.00	30.34
30	0100	4		9.94		38	3.3	36	2.2	33	0.6	83	0	000		30.16	6	+0.01	30.35	FM-12		
30	0154	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	0	000		30.16			30.35	FM-15	0.00	30.34
30	0254	7	CLR:00	10.00		35	1.7	33	0.6	31	-0.6	85	3	170		30.17			30.36	FM-15	0.00	30.35
30	0354	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	3	210		30.16	8	0.00	30.35	FM-15	0.00	30.34
30	0454	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	0	000		30.15			30.35	FM-15	0.00	30.33
30	0554	7	CLR:00	10.00		35	1.7	33	0.6	31	-0.6	85	0	000		30.16			30.35	FM-15	0.00	30.34
30	0654	7	FEW:02 50	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		30.16	3	0.00	30.36	FM-15	0.00	30.34
30	0700	4	57	9.94		35	1.7	33	0.6	30	-1.1	82	0	000		30.16	3	0.00	30.36	FM-12		
30	0754	7	FEW:02 50	10.00		36	2.2	34	1.1	32	0.0	86	0	000		30.17			30.37	FM-15	0.00	30.35
30	0854	7	CLR:00	10.00		45	7.2	42	5.6	39	3.9	80	5	180		30.17			30.37	FM-15	0.00	30.35
30	0954	7	CLR:00	10.00		54	12.2	48	8.9	41	5.0	62	6	220		30.17	1	-0.01	30.37	FM-15	0.00	30.35
30	1054	7	CLR:00	10.00		60	15.6	52	11.1	45	7.2	58	7	220		30.16			30.35	FM-15	0.00	30.34
30	1154	7	CLR:00	10.00		64	17.8	55	12.8	47	8.3	54	8	180		30.11			30.31	FM-15	0.00	30.29
30	1254	7	FEW:02 65	10.00		66	18.9	56	13.3	48	8.9	52	9	170		30.08	8	+0.10	30.27	FM-15	0.00	30.26
30	1300	4	57	9.94		66	18.9	56	13.3	48	8.9	52	9	170		30.08	8	+0.10	30.27	FM-12		
30	1354	7	FEW:02 65	10.00		68	20.0	58	14.4	49	9.4	51	14	160	20	30.05			30.24	FM-15	0.00	30.23
30	1454	7	FEW:02 50 SCT:04 250	10.00		68	20.0	58	14.4	49	9.4	51	15	170		30.04			30.23	FM-15	0.00	30.22
30	1554	7	SCT:04 250	10.00		68	20.0	57	13.9	47	8.3	47	15	170		30.04	5	+0.04	30.23	FM-15	0.00	30.22
30	1654	7	BKN:07 65 BKN:07 250	10.00		63	17.2	54	12.2	45	7.2	52	7	180		30.05			30.24	FM-15	0.00	30.23
30	1754	7	BKN:07 65	10.00		63	17.2	54	12.2	46	7.8	54	9	170		30.06			30.26	FM-15	0.00	30.24
30	1854	4		10.00		62	16.7			51	10.6	67	10	150			0	-0.01	30.24	FM-15		30.23
30	1900	4	74	9.94		62	16.7	56	13.3	51	10.6	67	10	150		30.05	9	+0.01	30.24	FM-12		
30	1954	7	SCT:04 70	10.00		59	15.0	55	12.8	52	11.1	78	6	150		30.05			30.24	FM-15	0.00	30.23
30	2054	7	FEW:02 70	10.00		53	11.7	51	10.6	50	10.0	89	7	130		30.03			30.22	FM-15	0.00	30.21
30	2154	7	FEW:02 60	10.00		55	12.8	53	11.7	51	10.6	87	6	150		30.02	8	+0.03	30.21	FM-15	0.00	30.20
30	2254	7	FEW:02 60	10.00		52	11.1	51	10.6	50	10.0	93	5	170		30.01			30.20	FM-15	0.00	30.19
30	2354	7	SCT:04 60	3.00	BR:1	51	10.6	50	10.0	50	10.0	96	0	000		29.99			30.19	FM-15	0.00	30.17
31	0006	7	SCT:04 60	2.00	BR:1	52	11.1	51	10.6	50	10.0	93	5	130		29.99				FM-16		30.17
31	0054	7	FEW:02 3 SCT:04 60	2.00	BR:1	49	9.4	48	8.9	47	8.3	93	0	000		29.98	8	+0.03	30.17	FM-15		30.16
31	0100	4	2	1.99		49	9.4	48	8.9	47	8.3	93	0	000		29.98	8	+0.03	30.17	FM-12		
31	0154	7	SCT:04 5 BKN:07 70	1.00	BR:1	52	11.1	51	10.6	51	10.6	97	0	000		29.96			30.16	FM-15		30.14

31	0201	7	FEW:02 5 BKN:07 70	0.50	FG:2  FG	51	10.6	50	10.0	50	10.0	96	0	000		29.96				FM-16		30.14
31	0208	7	FEW:02 5 OVC:08 70	0.25	FG:2  FG	51	10.6	50	10.0	50	10.0	96	0	000		29.95				FM-16		30.13
31	0254	7	SCT:04 3 BKN:07 21 OVC:08 60	0.25	FG:2  FG	51	10.6	50	10.0	50	10.0	96	6	140		29.94			30.13	FM-15		30.12
31	0308	7	FEW:02 3 OVC:08 21	1.00	BR:1	51	10.6	50	10.0	50	10.0	96	0	000		29.94				FM-16		30.12
31	0321	7	BKN:07 3 OVC:08 19	0.75	BR:1	52	11.1	51	10.6	51	10.6	97	3	110		29.93				FM-16		30.11
31	0354	7	OVC:08 3	1.25	BR:1	53	11.7	52	11.1	52	11.1	96	3	130		29.92	6	+0.05	30.11	FM-15		30.10
31	0412	7	OVC:08 2	0.50	FG:2  FG	53	11.7	52	11.1	51	10.6	93	5	120		29.91				FM-16		30.09
31	0427	7	VV:09 2	0.25	FG:2  FG	52	11.1	51	10.6	51	10.6	97	0	000		29.91				FM-16		30.09
31	0454	4	2	0.25	FG	52	11.1			51	10.6	97	0	000					30.10	FM-15		30.09
31	0554	4	2	0.25	FG	52	11.1			51	10.6	97	0	000					30.09	FM-15		30.08
31	0626	4	4	0.25	FG	53	11.7			52	11.1	96	0	000						FM-16	T	30.09
31	0637	4	4	0.50	FG	53	11.7			52	11.1	96	3	260						FM-16	T	30.09
31	0654	4		0.50	FG	53	11.7			52	11.1	96	3	270			4	0.00	30.11	FM-15	T	30.10
31	0700	4	5	0.50	FG	53	11.7	52	11.1	52	11.1	96	3	270		29.92			30.11	FM-12		
31	0711	4	3	0.25	FG	53	11.7			52	11.1	96	0	000						FM-16		30.09
31	0742	4	3	0.00	FG	53	11.7			52	11.1	96	0	000						FM-16		30.08
31	0754	4	3	0.12	FG	53	11.7			51	10.6	93	0	000					30.08	FM-15		30.07
31	0812	4	3	0.12	FG	53	11.7			52	11.1	96	3	170						FM-16		30.06
31	0854	4		0.25	FG	54	12.2			53	11.7	97	3	200					30.07	FM-15		30.06
31	0954	4		0.25	FG	55	12.8			54	12.2	96	7	240			5	+0.03	30.08	FM-15		30.07
31	1029	4		0.50	FG	55	12.8			54	12.2	96	5	160						FM-16		30.03
31	1054	4		0.50		56	13.3			54	12.2	93	6	190					30.03	FM-15		30.02
31	1154	4		0.50	FG	57	13.9			55	12.8	93	7	180					30.01	FM-15		30.00
31	1219	4		1.00		59	15.0			55	12.8	87	7	200						FM-16	T	29.99
31	1250	4		4.00		59	15.0			55	12.8	88	7	190						FM-16	T	29.97
31	1254	4		4.00		59	15.0			56	13.3	90	8	190			6	+0.10	29.98	FM-15	T	29.97
31	1300	4	5	3.73		59	15.0	57	13.9	56	13.3	90	8	190		29.79	6	+0.10	29.98	FM-12		
31	1329	4		7.00		60	15.6			56	13.3	86	6	180						FM-16		29.95
31	1354	4		10.00		60	15.6			56	13.3	86	5	180					29.96	FM-15		29.94
31	1423	4		10.00	RA	60	15.6			56	13.3	86	6	180						FM-16	T	29.94
31	1454	4		9.00	RA	59	15.0			56	13.3	90	6	140					29.93	FM-15	T	29.91
31	1554	4		8.00	RA	58	14.4			56	13.3	93	6	170			5	+0.05	29.93	FM-15	0.02	29.92
31	1620	4		4.00	RA	58	14.4			56	13.3	93	6	170						FM-16	T	29.92
31	1639	4		1.75	RA	58	14.4			56	13.3	93	3	210						FM-16	0.03	29.91
31	1654	4		2.50	RA	58	14.4			57	13.9	97	3	200					29.92	FM-15	0.07	29.91
31	1729	4		1.00	RA	57	13.9			56	13.3	96	0	000						FM-16	0.08	29.89
31	1739	4		1.50	RA	58	14.4			56	13.3	93	0	000						FM-16	0.10	29.88
31	1754	4		1.25	RA	58	14.4			56	13.3	93	3	150					29.89	FM-15	0.15	29.88
31	1806	4		1.00	RA	58	14.4			56	13.3	93	0	000						FM-16	0.01	29.87
31	1844	4		0.50	FG RA	57	13.9			56	13.3	96	6	210						FM-16	0.02	29.88
31	1854	4		1.75	RA	58	14.4			57	13.9	97	5	240			6	+0.04	29.89	FM-15	0.05	29.88



## Local Climatological Data Hourly Precipitation December 2022

Generated on 01/08/2023

Date	For Hour (LST) Ending at																						Date		
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID
01																								01	
02																								02	
03			T	T	0.02	0.01	T	0.02		0.05	0.09	0.08	0.07	T										03	
04																								04	
05																								05	
06				T	T	T	T		T	0.01	0.01	T						T	0.01	0.02	0.06	T	0.04	T	06
07	0.01						0.01	0.02	0.03	T	T	0.01	T											07	
08																					T			T	08
09	T	0.01	T																					09	
10																								10	
11								T	T															11	
12																								12	
13																								13	
14																						0.01	0.03	14	
15	0.04	0.05	0.09	0.10	0.16	0.21	0.14	0.07	0.06	0.07	0.18	0.14	0.13	0.09	0.14	0.15	0.27	0.02	T			T	T	15	
16	T																							16	
17																								17	
18																								18	
19																								19	
20																								20	
21																								21	
22			T	T		0.01	T	T	0.05	0.06	0.13	0.21	0.20	0.16	0.31	0.05				T	0.05	0.03	0.01	T	22
23	T						T	T	0.10	T														23	
24																								24	
25																								25	
26																								26	
27																								27	
28																								28	
29																								29	
30																								30	
31	M	M	M	M	M	M	T	M	M	M	M	M	T	M	T	0.02	0.07	0.15	0.05	M	M	M	M	M	31

**Maximum Short Duration Precipitation**

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)												
Ending Date Time (yyyy-mm-dd hh:mi)												

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace  
 s = Suspect  
 \* = Erroneous  
 blank = No precipitation observed  
 M = Missing