

Local Climatological Data
Daily Summary
February 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/21/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH								
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees						
																		Peak Speed			Peak Dir	Sust. Speed	Sust. Dir				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23					
01	48	24	36	-2.7	69	24	30	29	0	0713	1733		0.00	0.0	0	30.26	30.47	5.8	17	050	12	060					
02	55	25	40	1.2	77	32	37	25	0	0712	1734		0.00	0.0	0	30.21	30.40	2.7	15	130	12	130					
03	62	43	53	14.1	91	50	51	12	0	0711	1736	RA BR	0.11	0.0	0	30.02	30.19	7.2	26	180	20	180					
04	69	38	54	14.9	89	52	54	11	0	0710	1737	RA BR	0.53	0.0	0	29.75	29.95	15.5	39	200	28	360					
05	40	26	33	-6.2	56	19	29	32	0	0710	1738		0.00	0.0	0	30.11	30.36	10.2	37	320	26	340					
06	41	20	31	-8.3	56	17	26	34	0	0709	1739		0.00	0.0	0	30.31	30.52	5.4	15	060	12	050					
07	43	34	39	-0.5	83	32	36	26	0	0708	1740	RA BR	0.38	0.0	0	30.06	30.21	6.7	17	330	13	330					
08	51	29	40	0.4	75	30	35	25	0	0707	1741	BR	0.00	0.0	0	29.88	30.08	5.2	20	260	15	280					
09	59	26	43	3.2	62	28	36	22	0	0706	1742		0.00	0.0	0	29.85	30.03	5.8	22	160	17	170					
10	65	32	49	9.1	46	27	40	16	0	0705	1743		0.00	0.0	0	29.75	29.95	10.3	37	250	29	240					
11	70	30	50	9.9	47	29	41	15	0	0703	1744		0.00	0.0	0	29.80	29.99	10.2	33	210	26	200					
12	71	43	57	16.7	46	35	46	8	0	0702	1745		0.00	0.0	0	29.82	30.02	9.8	26	230	20	290					
13	50	31	41	0.6	77	30	34	24	0	0701	1746	RA SN BR	0.04	T	0	29.90	30.10	10.0	28	020	22	020					
14	37	23	30	-10.6	62	18	27	35	0	0700	1747		T	T	0	30.04	30.28	6.3	22	350	17	310					
15	44	17*	31	-9.8	55	15	26	34	0	0659	1749		0.00	0.0	0	30.42	30.65	4.3	15	160	13	130					
16	61	25	43	2.0	59	31	39	22	0	0658	1750		0.00	0.0	0	30.41	30.58	8.2	26	170	20	170					
17	74*	51	63	21.8	62	49	55	2	0	0657	1751		0.00	0.0	0	29.99	30.12	18.0	45	180	32	200					
18	68	33	51	9.6	57	39	48	14	0	0655	1752	RA BR	0.11	0.0	0	29.65	29.88	15.0	39	200	32	190					
19	56	24	40	-1.6	43	15	31	25	0	0654	1753		0.00	0.0	0	29.97	30.17	12.5	44	320	33	320					
20	48	21	35	-6.8	39	10	27	30	0	0653	1754		0.00	0.0	0	30.27	30.47	6.1	21	160	17	170					
21	68	30	49	6.9	56	32	42	16	0	0652	1755		0.00	0.0	0	30.16	30.35	7.3	22	260	16	210					
22	69	55	62	19.7	78	56	59	3	0	0650	1756	RA BR	0.10	0.0	0	30.05	30.23	12.5	28	190	23	200					
23	70	53	62	19.5	79	55	58	3	0	0649	1757	RA	0.11	0.0	0	29.93	30.14	11.5	26	010	20	010					
24	53	35	44	1.3	74	32	37	21	0	0648	1758	RA BR	0.11	0.0	0	30.15	30.35	8.3	25	040	17	030					
25	65	35	50	7.0	79	38	42	15	0	0646	1759	RA DZ BR	0.02	0.0	0	29.97	30.17	9.5	25	030	20	020					
26	43	35	39	-4.2	59	25	34	26	0	0645	1800		0.00	0.0	0	30.22	30.42	6.1	20	010	16	020					
27	52	36	44	0.5	65	31	38	21	0	0644	1801		0.00	0.0	0	29.98	30.15	5.3	16	180	12	220					
28	55	30	43	-0.7	55	26	35	22	0	0642	1802		0.00	0.0	0	30.01	30.23	6.9	22	360	17	010					
Monthly Averages Totals													1.51	T		30.03	30.23	8.7									
Departure from Normal (1981-2010)													-1.25														
Degree Days											Number of days with...																
Monthly						Season-to-date					Temperature				Precipitation		Snow	Weather									
Total		Departure				Total		Departure			Max		Min		>=0.01"		>=0.1"		>=1"		T-Storms	Heavy Fog					
Heating		573				-102				2527		>=90°		<=32°		<=32°		<=0°		9		7		0			
Cooling		0				0				0		0		0		16		0		0							
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure								Greatest...											
N/A								Maximum		30.71		Date		16		Time		0854		24-Hr...		Snowfall		Snow Depth			
								Minimum		29.57		Date		18		Time		0354		0.53		0.0		0.0			
												Date				04-04				14-14							
Station Augmentation																											
Name: N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																											

Local Climatological Data Hourly Observations February 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/21/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3- Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	6	360		30.21	3	-0.02	30.41	FM-15	0.00	30.39
01	0100	4		9.94		26	-3.3	25	-3.9	23	-5.0	88	6	360		30.21	3	-0.02	30.41	FM-12		
01	0154	7	CLR:00	10.00		26	-3.3	25	-3.9	22	-5.6	84	7	020		30.22			30.42	FM-15	0.00	30.40
01	0254	7	CLR:00	10.00		26	-3.3	25	-3.9	22	-5.6	84	7	010		30.22			30.41	FM-15	0.00	30.40
01	0354	7	CLR:00	10.00		25	-3.9	24	-4.4	22	-5.6	88	7	020		30.22	1	-0.01	30.42	FM-15	0.00	30.40
01	0454	7	CLR:00	10.00		25	-3.9	24	-4.4	21	-6.1	85	7	010		30.24			30.44	FM-15	0.00	30.42
01	0554	7	CLR:00	10.00		25	-3.9	24	-4.4	22	-5.6	88	9	010		30.26			30.46	FM-15	0.00	30.44
01	0654	7	CLR:00	10.00		24	-4.4	23	-5.0	21	-6.1	88	8	360		30.28	3	-0.06	30.48	FM-15	0.00	30.46
01	0700	4		9.94		24	-4.4	23	-5.0	21	-6.1	88	8	360		30.28	3	-0.06	30.48	FM-12		
01	0754	7	FEW:02 300	10.00		26	-3.3	25	-3.9	22	-5.6	84	7	020		30.30			30.50	FM-15	0.00	30.48
01	0854	7	FEW:02 300	10.00		30	-1.1	28	-2.2	25	-3.9	82	6	010		30.31			30.51	FM-15	0.00	30.49
01	0954	7	FEW:02 300	10.00		35	1.7	32	0.0	27	-2.8	72	7	020		30.32	1	-0.04	30.52	FM-15	0.00	30.50
01	1054	7	SCT:04 300	10.00		39	3.9	34	1.1	27	-2.8	62	6	050		30.33			30.53	FM-15	0.00	30.51
01	1154	7	BKN:07 300	10.00		42	5.6	36	2.2	26	-3.3	53	5	VRB		30.30			30.50	FM-15	0.00	30.48
01	1254	7	BKN:07 300	10.00		44	6.7	36	2.2	23	-5.0	43	7	110		30.28	8	+0.04	30.48	FM-15	0.00	30.46
01	1300	4		9.94		44	6.7	36	2.2	23	-5.0	43	7	110		30.28	8	+0.04	30.48	FM-12		
01	1354	7	BKN:07 300	10.00		46	7.8	37	2.8	24	-4.4	42	8	060	17	30.25			30.45	FM-15	0.00	30.43
01	1454	7	BKN:07 300	10.00		46	7.8	37	2.8	24	-4.4	42	3	VRB		30.24			30.44	FM-15	0.00	30.42
01	1554	7	BKN:07 300	10.00		47	8.3	38	3.3	24	-4.4	41	5	VRB		30.23	6	+0.05	30.43	FM-15	0.00	30.41
01	1654	7	BKN:07 300	10.00		44	6.7	37	2.8	25	-3.9	47	7	110		30.24			30.44	FM-15	0.00	30.42
01	1754	7	BKN:07 300	10.00		42	5.6	35	1.7	24	-4.4	49	5	070		30.26			30.46	FM-15	0.00	30.44
01	1854	7	SCT:04 300	10.00		36	2.2	32	0.0	25	-3.9	64	0	000		30.27	3	-0.04	30.47	FM-15	0.00	30.45
01	1900	4		9.94		36	2.2	32	0.0	25	-3.9	64	0	000		30.27	3	-0.04	30.47	FM-12		
01	1954	7	SCT:04 300	10.00		36	2.2	32	0.0	26	-3.3	67	7	080		30.29			30.48	FM-15	0.00	30.47
01	2054	7	SCT:04 300	10.00		34	1.1	31	-0.6	25	-3.9	70	7	100		30.28			30.48	FM-15	0.00	30.46
01	2154	7	SCT:04 300	10.00		32	0.0	29	-1.7	25	-3.9	75	6	100		30.29	1	-0.02	30.49	FM-15	0.00	30.47
01	2254	7	SCT:04 300	10.00		33	0.6	30	-1.1	24	-4.4	70	0	000		30.29			30.49	FM-15	0.00	30.47
01	2354	7	SCT:04 300	10.00		31	-0.6	29	-1.7	24	-4.4	76	3	010		30.28			30.48	FM-15	0.00	30.46
02	0054	7	FEW:02 300	10.00		30	-1.1	28	-2.2	25	-3.9	82	0	000		30.28	6	+0.01	30.47	FM-15	0.00	30.46
02	0100	4		9.94		30	-1.1	28	-2.2	25	-3.9	82	0	000		30.28	6	+0.01	30.47	FM-12		
02	0154	7	CLR:00	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.27			30.47	FM-15	0.00	30.45
02	0254	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		30.25			30.45	FM-15	0.00	30.43
02	0354	7	CLR:00	10.00		28	-2.2	27	-2.8	24	-4.4	85	0	000		30.24	6	+0.04	30.44	FM-15	0.00	30.42
02	0454	7	CLR:00	9.00		27	-2.8	26	-3.3	24	-4.4	89	0	000		30.24			30.44	FM-15	0.00	30.42
02	0554	7	CLR:00	10.00		25	-3.9	24	-4.4	23	-5.0	92	0	000		30.25			30.45	FM-15	0.00	30.43
02	0654	7	FEW:02 250	9.00		25	-3.9	24	-4.4	23	-5.0	92	0	000		30.24	8	0.00	30.44	FM-15	0.00	30.42
02	0700	4		8.70		25	-3.9	24	-4.4	23	-5.0	92	0	000		30.24	8	0.00	30.44	FM-12		
02	0754	7	SCT:04 150 BKN:07 250	9.00		28	-2.2	27	-2.8	25	-3.9	88	6	340		30.26			30.46	FM-15	0.00	30.44
02	0805	7	FEW:02 3 FEW:02 150 BKN:07 300	9.00		29	-1.7	28	-2.2	26	-3.3	89	3	350		30.26				FM-16		30.44
02	0839	7	BKN:07 3 BKN:07 300	8.00		31	-0.6	30	-1.1	28	-2.2	89	6	350		30.27				FM-16		30.45
02	0854	7	BKN:07 3 BKN:07 300	9.00		31	-0.6	30	-1.1	29	-1.7	92	6	340		30.27			30.47	FM-15	0.00	30.45
02	0924	7	SCT:04 4 OVC:08 300	9.00		34	1.1	33	0.6	31	-0.6	89	6	360		30.27				FM-16		30.45

02	0954	7	FEW:02 4 OVC:08 300	9.00		36	2.2	34	1.1	32	0.0	86	0	000		30.27	0	-0.02	30.47	FM-15	0.00	30.45
02	1054	7	OVC:08 300	10.00		43	6.1	39	3.9	33	0.6	68	0	000		30.27			30.46	FM-15	0.00	30.45
02	1154	7	FEW:02 26 BKN:07 300	10.00		47	8.3	41	5.0	34	1.1	61	0	000		30.26			30.46	FM-15	0.00	30.44
02	1254	7	BKN:07 300	10.00		50	10.0	43	6.1	35	1.7	57	3	VRB		30.21	8	+0.06	30.40	FM-15	0.00	30.39
02	1300	4		9.94		50	10.0	43	6.1	35	1.7	57	3			30.21	8	+0.06	30.40	FM-12		
02	1354	7	SCT:04 300	10.00		52	11.1	44	6.7	34	1.1	50	3	VRB		30.17			30.37	FM-15	0.00	30.35
02	1454	7	BKN:07 300	10.00		54	12.2	45	7.2	33	0.6	45	5	VRB		30.15			30.34	FM-15	0.00	30.33
02	1554	7	SCT:04 200 BKN:07 300	10.00		53	11.7	44	6.7	34	1.1	48	7	190		30.13	6	+0.08	30.33	FM-15	0.00	30.31
02	1654	7	FEW:02 150 SCT:04 220 BKN:07 300	10.00		53	11.7	45	7.2	35	1.7	51	5	170		30.13			30.33	FM-15	0.00	30.31
02	1754	7	BKN:07 190 BKN:07 250	10.00		50	10.0	44	6.7	36	2.2	59	5	150		30.13			30.32	FM-15	0.00	30.31
02	1854	7	BKN:07 180 BKN:07 240	10.00		46	7.8	43	6.1	39	3.9	77	9	130		30.13	2	0.00	30.33	FM-15	0.00	30.31
02	1900	4		9.94		46	7.8	43	6.1	39	3.9	77	9	130		30.13			30.33	FM-12		
02	1954	7	BKN:07 170 OVC:08 230	10.00		46	7.8	44	6.7	42	5.6	86	9	140		30.13			30.32	FM-15	0.00	30.31
02	2054	7	BKN:07 36 BKN:07 180	10.00		45	7.2	44	6.7	42	5.6	90	7	140		30.13			30.32	FM-15	0.00	30.31
02	2154	7	BKN:07 32 BKN:07 170	10.00		45	7.2	44	6.7	42	5.6	90	3	150		30.12	8	+0.01	30.32	FM-15	0.00	30.30
02	2254	7	BKN:07 34 OVC:08 170	10.00		44	6.7	43	6.1	42	5.6	93	0	000		30.13			30.32	FM-15	0.00	30.31
02	2354	7	BKN:07 37	10.00		45	7.2	44	6.7	43	6.1	93	0	000		30.13			30.33	FM-15	0.00	30.31
03	0054	7	SCT:04 32 BKN:07 43 OVC:08 70	10.00		44	6.7	43	6.1	42	5.6	93	5	140		30.11	8	+0.01	30.31	FM-15	0.00	30.29
03	0100	4	26	9.94		44	6.7	43	6.1	42	5.6	93	5	140		30.11	8	+0.01	30.31	FM-12		
03	0154	7	FEW:02 40 SCT:04 46 BKN:07 80	10.00		44	6.7	44	6.7	43	6.1	96	0	000		30.10			30.30	FM-15	0.00	30.28
03	0254	7	FEW:02 29 BKN:07 35 OVC:08 47	10.00		45	7.2	44	6.7	42	5.6	90	0	000		30.10			30.29	FM-15	0.00	30.28
03	0354	7	SCT:04 35 BKN:07 44 OVC:08 55	7.00	-RA:02 RA RA	45	7.2	44	6.7	43	6.1	93	0	000		30.09	6	+0.02	30.29	FM-15	T	30.27
03	0454	7	FEW:02 75 SCT:04 90 OVC:08 110	10.00		44	6.7	44	6.7	43	6.1	96	0	000		30.08			30.27	FM-15	0.01	30.26
03	0554	7	SCT:04 75 BKN:07 95 OVC:08 110	8.00		44	6.7	44	6.7	43	6.1	96	3	140		30.08			30.28	FM-15	T	30.26
03	0654	7	BKN:07 70 BKN:07 90 OVC:08 110	8.00		44	6.7	44	6.7	43	6.1	96	5	150		30.08	6	+0.01	30.27	FM-15	T	30.26
03	0700	4	74	7.46		44	6.7	44	6.7	43	6.1	96	5	150		30.08	6	+0.01	30.27	FM-12		
03	0754	7	FEW:02 34 SCT:04 65 BKN:07 100	7.00		45	7.2	44	6.7	43	6.1	93	0	000		30.09			30.28	FM-15	T	30.27
03	0854	7	FEW:02 36 BKN:07 48 OVC:08 75	6.00	BR:1	46	7.8	46	7.8	45	7.2	96	6	140		30.09			30.28	FM-15	T	30.27
03	0954	7	FEW:02 36 BKN:07 50 OVC:08 85	5.00	-RA:02 BR:1 RA RA	49	9.4	48	8.9	48	8.9	97	6	190		30.09	1	-0.01	30.29	FM-15	T	30.27
03	1054	7	SCT:04 25 BKN:07 65 OVC:08 85	5.00	BR:1	50	10.0	49	9.4	49	9.4	96	9	190		30.08			30.27	FM-15	T	30.26

03	1104	7	BKN:07 26 BKN:07 48 OVC:08 75	4.00	-RA:02 BR:1 RA RA	51	10.6	50	10.0	49	9.4	92	9	180		30.07				FM-16	T	30.25
03	1123	7	BKN:07 26 BKN:07 44 OVC:08 55	1.50	RA:02 BR:1 RA RA	51	10.6	50	10.0	50	10.0	96	7	170		30.07				FM-16	0.01	30.25
03	1135	7	SCT:04 25 BKN:07 42 OVC:08 60	4.00	-RA:02 BR:1 RA RA	51	10.6	50	10.0	50	10.0	96	5	210		30.06				FM-16	0.02	30.24
03	1154	7	SCT:04 25 BKN:07 48 OVC:08 60	4.00	-RA:02 BR:1 RA RA	52	11.1	51	10.6	51	10.6	97	5	170		30.05		30.24		FM-15	0.02	30.23
03	1254	7	FEW:02 10 SCT:04 55 OVC:08 95	6.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	8	170		30.01	8	+0.08	30.21	FM-15	0.06	30.19
03	1300	4	15	5.59	RA	54	12.2	53	11.7	53	11.7	97	8	170		30.01	8	+0.08	30.21	FM-12		
03	1354	7	FEW:02 60 BKN:07 80 OVC:08 140	10.00	-RA:02 RA RA	57	13.9	56	13.3	55	12.8	93	9	170		29.97			30.16	FM-15	T	30.15
03	1454	7	FEW:02 10 FEW:02 45 BKN:07 90	10.00		58	14.4	57	13.9	56	13.3	93	8	150		29.94			30.14	FM-15	0.01	30.12
03	1554	7	FEW:02 46 BKN:07 80 OVC:08 120	10.00		60	15.6	58	14.4	56	13.3	86	8	150		29.93	6	+0.08	30.12	FM-15	0.00	30.11
03	1654	7	FEW:02 50 SCT:04 75 BKN:07 120	10.00		59	15.0	57	13.9	56	13.3	90	8	140		29.91			30.10	FM-15	T	30.09
03	1754	7	BKN:07 85 OVC:08 200	10.00		60	15.6	57	13.9	55	12.8	84	9	160		29.90			30.09	FM-15	T	30.08
03	1854	7	FEW:02 85 OVC:08 140	10.00		61	16.1	58	14.4	55	12.8	81	9	170		29.89	6	+0.04	30.09	FM-15	0.00	30.07
03	1900	4		9.94		61	16.1	58	14.4	55	12.8	81	9	170		29.89	6	+0.04	30.09	FM-12		
03	1954	7	FEW:02 40 BKN:07 80 OVC:08 110	10.00		61	16.1	58	14.4	55	12.8	81	14	160		29.89			30.08	FM-15	T	30.07
03	2054	7	FEW:02 60 OVC:08 120	10.00	-RA:02 RA RA	60	15.6	57	13.9	55	12.8	84	13	170	24	29.88			30.07	FM-15	0.01	30.06
03	2154	7	FEW:02 30 BKN:07 55 BKN:07 110	10.00		60	15.6	57	13.9	55	12.8	84	16	170		29.87	6	+0.03	30.06	FM-15	T	30.05
03	2209	7	BKN:07 29 OVC:08 90	10.00		61	16.1	58	14.4	55	12.8	81	14	180		29.86				FM-16		30.04
03	2252	6	SCT:04 27 BKN:07 110 OVC:08 150	10.00		61	16.1	58	14.4	55	12.8	83	17	180	25	29.85				FM-16		30.03
03	2254	7	SCT:04 27 BKN:07 110 OVC:08 150	10.00		61	16.1	58	14.4	56	13.3	84	16	180	25	29.85			30.04	FM-15	0.00	30.03
03	2321	7	BKN:07 23 OVC:08 85	10.00		62	16.7	59	15.0	56	13.3	80	17	190		29.85				FM-16		30.03
03	2354	7	BKN:07 24 OVC:08 80	10.00		62	16.7	59	15.0	56	13.3	80	17	190		29.84			30.03	FM-15	T	30.02
04	0052	6	SCT:04 24 OVC:08 70	10.00	-RA:02 RA RA	63	17.2	60	15.6	57	13.9	83	14	180		29.81				FM-16		29.99
04	0054	7	SCT:04 24 OVC:08 70	10.00		62	16.7	59	15.0	57	13.9	84	16	180		29.81	8	+0.06	30.00	FM-15	T	29.99
04	0100	4	26	9.94		62	16.7	59	15.0	57	13.9	84	16	180		29.81	8	+0.06	30.00	FM-12		
04	0154	7	FEW:02 24 OVC:08 65	10.00		62	16.7	59	15.0	57	13.9	84	15	180		29.78			29.97	FM-15	T	29.96
04	0236	7	BKN:07 24 BKN:07 29 OVC:08 60	10.00		63	17.2	60	15.6	58	14.4	84	18	190	25	29.75				FM-16		29.93
04	0254	7	BKN:07 24 OVC:08 55	10.00		63	17.2	60	15.6	58	14.4	84	17	190		29.75			29.94	FM-15	0.00	29.93

04	0354	7	OVC:08 23	10.00		63	17.2	61	16.1	59	15.0	87	18	200	29	29.70	8	+0.11	29.90	FM-15	0.00	29.88
04	0454	7	OVC:08 23	10.00		66	18.9	62	16.7	60	15.6	81	22	210	31	29.71			29.90	FM-15	0.00	29.89
04	0554	7	OVC:08 27	10.00		66	18.9	62	16.7	60	15.6	81	22	200	26	29.70			29.89	FM-15	0.00	29.88
04	0654	7	SCT:04 26 OVC:08 36	10.00	-RA:02 RA RA	65	18.3	63	17.2	61	16.1	87	17	200		29.71	3	-0.01	29.91	FM-15	0.01	29.89
04	0700	4	26	9.94	RA	65	18.3	63	17.2	61	16.1	87	17	200		29.71	3	-0.01	29.91	FM-12		
04	0754	7	FEW:02 26 FEW:02 36 OVC:08 110	10.00	-RA:02 RA RA	64	17.8	63	17.2	62	16.7	93	16	210		29.73			29.92	FM-15	0.02	29.91
04	0854	7	FEW:02 25 FEW:02 75 OVC:08 110	8.00	-RA:02 RA RA	65	18.3	63	17.2	62	16.7	90	20	210	25	29.75			29.94	FM-15	0.02	29.93
04	0954	7	BKN:07 19 BKN:07 41 OVC:08 75	8.00	-RA:02 RA RA	65	18.3	63	17.2	62	16.7	90	16	200		29.74	0	-0.02	29.93	FM-15	0.04	29.92
04	1054	7	BKN:07 15 OVC:08 21	10.00	-RA:02 RA RA	65	18.3	64	17.8	63	17.2	93	20	200	26	29.71			29.90	FM-15	0.02	29.89
04	1154	7	BKN:07 15 OVC:08 22	10.00		66	18.9	64	17.8	63	17.2	90	15	210		29.70			29.89	FM-15	T	29.88
04	1254	7	BKN:07 19 OVC:08 32	10.00		67	19.4	64	17.8	62	16.7	84	21	210	26	29.66	8	+0.07	29.85	FM-15	0.00	29.84
04	1300	4	15	9.94		67	19.4	64	17.8	62	16.7	84	21	210		29.66	8	+0.07	29.85	FM-12		
04	1324	7	SCT:04 23 BKN:07 35 OVC:08 130	10.00		68	20.0	64	17.8	62	16.7	81	16	210	28	29.64				FM-16		29.82
04	1354	7	FEW:02 24 BKN:07 32 OVC:08 140	10.00		68	20.0	64	17.8	62	16.7	81	16	210	30	29.64			29.83	FM-15	T	29.82
04	1407	7	BKN:07 26 OVC:08 37	10.00		68	20.0	64	17.8	61	16.1	78	17	220	26	29.64				FM-16	T	29.82
04	1454	7	BKN:07 28 BKN:07 37 OVC:08 55	10.00		68	20.0	64	17.8	61	16.1	78	14	240		29.66			29.85	FM-15	T	29.84
04	1547	7	FEW:02 9 FEW:02 14 OVC:08 27	10.00	+RA:02 RA RA	54	12.2	52	11.1	51	10.6	90	21	010	36	29.70				FM-16	T	29.88
04	1554	7	FEW:02 8 SCT:04 15 OVC:08 26	10.00	-RA:02 RA RA	50	10.0	49	9.4	48	8.9	93	24	360		29.71	3	-0.05	29.91	FM-15	0.02	29.89
04	1559	7	BKN:07 6 OVC:08 20	10.00	-RA:02 RA RA	48	8.9	47	8.3	46	7.8	93	16	360	30	29.72				FM-16	T	29.90
04	1654	7	BKN:07 8 OVC:08 24	10.00	-RA:02 RA RA	43	6.1	42	5.6	41	5.0	93	15	010		29.77			29.96	FM-15	0.12	29.95
04	1752	6	SCT:04 9 BKN:07 17 OVC:08 30	6.00	RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	14	360	23	29.81				FM-16		29.99
04	1754	7	SCT:04 9 BKN:07 17 OVC:08 30	6.00	RA:02 BR:1 RA RA	41	5.0	40	4.4	39	3.9	93	13	010	23	29.81			30.00	FM-15	0.06	29.99
04	1802	7	SCT:04 9 BKN:07 13 OVC:08 36	7.00	RA:02 RA RA	41	5.0	40	4.4	39	3.9	93	10	040		29.79				FM-16	0.01	29.97
04	1852	6	BKN:07 7 OVC:08 11	10.00	-RA:02 RA RA	41	5.0	40	4.4	39	3.9	93	11	360		29.84				FM-16		30.02
04	1854	7	BKN:07 7 OVC:08 11	9.00	-RA:02 RA RA	41	5.0	40	4.4	39	3.9	93	9	010		29.84	1	-0.13	30.03	FM-15	0.05	30.02
04	1900	4	8	8.70	RA	41	5.0	40	4.4	39	3.9	93	9	010		29.84	1	-0.13	30.03	FM-12		
04	1940	7	FEW:02 8 BKN:07 11 OVC:08 47	6.00	RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	10	350	21	29.86				FM-16	0.04	30.04
04	1954	7	SCT:04 7 BKN:07 14 OVC:08 31	4.00	+RA:02 BR:1 RA RA	39	3.9	39	3.9	38	3.3	96	10	010		29.87			30.06	FM-15	0.13	30.05

04	2015	7	BKN:07 9 OVC:08 55	6.00	-RA:02 BR:1 RA RA	39	3.9	39	3.9	38	3.3	96	9	020		29.85				FM-16	0.04	30.03
04	2054	7	BKN:07 8 OVC:08 40	10.00	-RA:02 RA RA	39	3.9	38	3.3	37	2.8	93	13	030		29.85			30.04	FM-15	0.02	30.03
04	2137	7	SCT:04 9 BKN:07 41 OVC:08 50	7.00	-RA:02 RA RA	39	3.9	38	3.3	37	2.8	93	10	010		29.87				FM-16	0.01	30.05
04	2154	7	FEW:02 8 BKN:07 11 OVC:08 30	10.00	-RA:02 RA RA	39	3.9	38	3.3	37	2.8	93	7	360		29.89	3	-0.05	30.08	FM-15	0.01	30.07
04	2254	7	BKN:07 13 OVC:08 60	10.00		38	3.3	37	2.8	36	2.2	93	7	010		29.87			30.06	FM-15	0.01	30.05
04	2352	6	SCT:04 14 BKN:07 33 OVC:08 60	10.00		37	2.8	36	2.2	34	1.1	87	15	350		29.89				FM-16		30.07
04	2354	7	SCT:04 14 BKN:07 33 OVC:08 60	10.00		38	3.3	36	2.2	34	1.1	86	10	350		29.89			30.08	FM-15	0.00	30.07
05	0034	7	BKN:07 17 OVC:08 35	10.00		37	2.8	35	1.7	32	0.0	82	11	350		29.90				FM-16		30.08
05	0043	7	SCT:04 17 OVC:08 35	10.00		36	2.2	34	1.1	31	-0.6	82	17	350	23	29.90				FM-16		30.08
05	0054	7	FEW:02 17 OVC:08 33	10.00		36	2.2	33	0.6	29	-1.7	76	14	360		29.90	3	-0.01	30.09	FM-15	0.00	30.08
05	0100	4	15	9.94		36	2.2	33	0.6	29	-1.7	76	14	360		29.90	3	-0.01	30.09	FM-12		
05	0154	7	OVC:08 39	10.00		35	1.7	32	0.0	28	-2.2	76	11	010		29.91			30.10	FM-15	0.00	30.09
05	0254	7	OVC:08 55	10.00		34	1.1	31	-0.6	26	-3.3	73	14	360	21	29.93			30.12	FM-15	0.00	30.11
05	0354	7	OVC:08 50	10.00		34	1.1	31	-0.6	26	-3.3	73	11	350		29.94	1	-0.04	30.13	FM-15	0.00	30.12
05	0454	7	OVC:08 65	10.00		34	1.1	31	-0.6	27	-2.8	75	8	350		29.98			30.17	FM-15	0.00	30.16
05	0554	7	SCT:04 55 BKN:07 90	10.00		32	0.0	30	-1.1	26	-3.3	79	3	340		30.02			30.22	FM-15	0.00	30.20
05	0654	7	FEW:02 90	10.00		31	-0.6	29	-1.7	25	-3.9	79	6	320		30.06	3	-0.13	30.26	FM-15	0.00	30.24
05	0700	4		9.94		31	-0.6	29	-1.7	25	-3.9	79	6	320		30.06	3	-0.13	30.26	FM-12		
05	0754	7	FEW:02 90	10.00		32	0.0	29	-1.7	25	-3.9	75	7	320		30.11			30.30	FM-15	0.00	30.29
05	0854	7	FEW:02 60	10.00		35	1.7	32	0.0	26	-3.3	70	9	320		30.15			30.34	FM-15	0.00	30.33
05	0954	7	SCT:04 60	10.00		37	2.8	31	-0.6	21	-6.1	52	16	300	22	30.17	1	-0.11	30.36	FM-15	0.00	30.35
05	1054	7	SCT:04 50	10.00		38	3.3	31	-0.6	18	-7.8	44	15	300	23	30.20			30.40	FM-15	0.00	30.38
05	1154	7	SCT:04 50	10.00		38	3.3	30	-1.1	14	-10.0	37	23	330	29	30.20			30.40	FM-15	0.00	30.38
05	1254	7	FEW:02 50	10.00		38	3.3	30	-1.1	12	-11.1	34	15	320	25	30.19	0	-0.02	30.39	FM-15	0.00	30.37
05	1300	4	57	9.94		38	3.3	30	-1.1	12	-11.1	34	15	320		30.19	9	+0.02	30.39	FM-12		
05	1354	7	FEW:02 50	10.00		39	3.9	30	-1.1	13	-10.6	34	13	310		30.19			30.39	FM-15	0.00	30.37
05	1454	7	FEW:02 60	10.00		39	3.9	30	-1.1	12	-11.1	33	10	360	20	30.20			30.40	FM-15	0.00	30.38
05	1554	7	FEW:02 60	10.00		38	3.3	30	-1.1	12	-11.1	34	15	330	20	30.22	3	-0.03	30.42	FM-15	0.00	30.40
05	1654	7	CLR:00	10.00		36	2.2	28	-2.2	12	-11.1	37	14	040		30.25			30.45	FM-15	0.00	30.43
05	1754	7	CLR:00	10.00		32	0.0	26	-3.3	12	-11.1	43	10	020		30.28			30.48	FM-15	0.00	30.46
05	1854	7	CLR:00	10.00		30	-1.1	25	-3.9	13	-10.6	49	8	010		30.31	2	-0.09	30.51	FM-15	0.00	30.49
05	1900	4		9.94		30	-1.1	25	-3.9	13	-10.6	49	8	010		30.31	2	-0.09	30.51	FM-12		
05	1954	7	CLR:00	10.00		28	-2.2	24	-4.4	13	-10.6	53	6	030		30.33			30.53	FM-15	0.00	30.51
05	2054	7	CLR:00	10.00		29	-1.7	24	-4.4	13	-10.6	51	3	040		30.34			30.54	FM-15	0.00	30.52
05	2154	7	CLR:00	10.00		27	-2.8	23	-5.0	15	-9.4	61	3	030		30.35	1	-0.04	30.55	FM-15	0.00	30.53
05	2254	7	CLR:00	10.00		26	-3.3	22	-5.6	14	-10.0	60	5	040		30.35			30.55	FM-15	0.00	30.53
05	2354	7	CLR:00	10.00		26	-3.3	22	-5.6	14	-10.0	60	5	030		30.36			30.55	FM-15	0.00	30.54
06	0054	7	CLR:00	10.00		25	-3.9	22	-5.6	14	-10.0	63	5	030		30.35	0	0.00	30.55	FM-15	0.00	30.53
06	0100	4		9.94		25	-3.9	22	-5.6	14	-10.0	63	5	030		30.35	9	0.00	30.55	FM-12		
06	0154	7	CLR:00	10.00		24	-4.4	21	-6.1	14	-10.0	65	6	040		30.35			30.55	FM-15	0.00	30.53
06	0254	7	CLR:00	10.00		24	-4.4	21	-6.1	14	-10.0	65	5	090		30.36			30.56	FM-15	0.00	30.54
06	0354	7	CLR:00	10.00		24	-4.4	21	-6.1	14	-10.0	65	0	000		30.37	3	-0.02	30.57	FM-15	0.00	30.55
06	0454	7	CLR:00	10.00		22	-5.6	20	-6.7	16	-8.9	78	0	000		30.39			30.58	FM-15	0.00	30.57
06	0554	7	CLR:00	10.00		22	-5.6	20	-6.7	16	-8.9	78	5	020		30.39			30.59	FM-15	0.00	30.57
06	0654	7	CLR:00	10.00		20	-6.7	19	-7.2	15	-9.4	81	6	030		30.40	1	-0.03	30.60	FM-15	0.00	30.58

06	0700	4		9.94		20	-6.7	19	-7.2	15	-9.4	81	6	030		30.40	1	-0.03	30.60	FM-12			
06	0754	6	CLR:00	10.00		24	-4.4	22	-5.6	17	-8.3	75	6	030		30.41			30.60	FM-15	0.00		30.59
06	0854	7	CLR:00	10.00		28	-2.2	25	-3.9	18	-7.8	66	9	050		30.40			30.60	FM-15	0.00		30.58
06	0954	7	CLR:00	10.00		31	-0.6	26	-3.3	16	-8.9	54	9	VRB		30.39	8	+0.01	30.59	FM-15	0.00		30.57
06	1054	7	FEW:02 80	10.00		33	0.6	27	-2.8	13	-10.6	43	6	VRB		30.40			30.60	FM-15	0.00		30.58
06	1154	7	FEW:02 80	10.00		35	1.7	28	-2.2	14	-10.0	42	6	090		30.37			30.57	FM-15	0.00		30.55
06	1254	7	SCT:04 55	10.00		37	2.8	29	-1.7	13	-10.6	37	7	120		30.33	8	+0.06	30.53	FM-15	0.00		30.51
06	1300	4	57	9.94		37	2.8	29	-1.7	13	-10.6	37	7	120		30.33	8	+0.06	30.53	FM-12			
06	1354	7	BKN:07 50	10.00		39	3.9	31	-0.6	14	-10.0	36	7	090		30.31			30.51	FM-15	0.00		30.49
06	1454	7	SCT:04 50	10.00		40	4.4	31	-0.6	14	-10.0	35	3	010		30.28			30.48	FM-15	0.00		30.46
06	1554	7	BKN:07 40	10.00		39	3.9	31	-0.6	17	-8.3	41	7	070		30.27	6	+0.06	30.47	FM-15	0.00		30.45
06	1654	7	BKN:07 35	10.00		38	3.3	31	-0.6	18	-7.8	44	8	080		30.27			30.46	FM-15	0.00		30.45
06	1754	7	OVC:08 32	10.00		36	2.2	30	-1.1	18	-7.8	48	8	090		30.26			30.46	FM-15	0.00		30.44
06	1854	7	SCT:04 30 OVC:08 42	10.00		35	1.7	28	-2.2	14	-10.0	42	6	100		30.27	5	0.00	30.47	FM-15	0.00		30.45
06	1900	4	26	9.94		35	1.7	28	-2.2	14	-10.0	42	6	100		30.27	5	0.00	30.47	FM-12			
06	1907	7	BKN:07 32 OVC:08 43	10.00		34	1.1	28	-2.2	15	-9.4	46	6	090		30.26				FM-16			30.44
06	1954	7	SCT:04 29 OVC:08 44	10.00		34	1.1	29	-1.7	18	-7.8	52	5	080		30.26			30.46	FM-15	0.00		30.44
06	2052	6	BKN:07 28 OVC:08 44	10.00		34	1.1	29	-1.7	21	-6.1	60	3	030		30.26				FM-16			30.44
06	2054	7	BKN:07 28 OVC:08 44	10.00		34	1.1	30	-1.1	22	-5.6	61	3	030		30.26			30.46	FM-15	0.00		30.44
06	2152	7	SCT:04 29 OVC:08 44	10.00		34	1.1	30	-1.1	23	-5.0	65	6	360		30.26				FM-16			30.44
06	2154	7	FEW:02 29 OVC:08 44	10.00		34	1.1	30	-1.1	23	-5.0	64	5	350		30.26	5	0.00	30.46	FM-15	0.00		30.44
06	2242	7	BKN:07 29	10.00		34	1.1	30	-1.1	23	-5.0	64	6	350		30.25				FM-16			30.43
06	2254	7	BKN:07 29	10.00		34	1.1	30	-1.1	24	-4.4	67	6	350		30.25			30.45	FM-15	0.00		30.43
06	2321	7	OVC:08 30	10.00		34	1.1	30	-1.1	23	-5.0	64	6	010		30.23				FM-16			30.41
06	2352	6	BKN:07 27 OVC:08 32	10.00		34	1.1	29	-1.7	21	-6.1	60	6	010		30.22				FM-16			30.40
06	2354	7	OVC:08 29	10.00		34	1.1	29	-1.7	21	-6.1	59	5	010		30.22			30.42	FM-15	0.00		30.40
07	0054	7	OVC:08 27	10.00		34	1.1	30	-1.1	22	-5.6	61	6	350		30.21	6	+0.05	30.41	FM-15	0.00		30.39
07	0100	4	26	9.94		34	1.1	30	-1.1	22	-5.6	61	6	350		30.21	6	+0.05	30.41	FM-12			
07	0154	7	OVC:08 25	10.00		34	1.1	30	-1.1	22	-5.6	61	5	340		30.20			30.39	FM-15	0.00		30.38
07	0254	7	OVC:08 27	10.00		34	1.1	30	-1.1	23	-5.0	64	6	010		30.18			30.37	FM-15	0.00		30.36
07	0354	7	SCT:04 12 OVC:08 24	10.00		34	1.1	31	-0.6	25	-3.9	70	3	040		30.14	8	+0.07	30.34	FM-15	0.00		30.32
07	0446	7	BKN:07 12	10.00		35	1.7	31	-0.6	25	-3.9	67	6	350		30.15				FM-16			30.33
07	0454	7	OVC:08 12	10.00		35	1.7	32	0.0	26	-3.3	70	6	350		30.15			30.35	FM-15	0.00		30.33
07	0554	7	OVC:08 10	10.00		35	1.7	32	0.0	27	-2.8	72	5	360		30.14			30.34	FM-15	0.00		30.32
07	0627	7	BKN:07 8 OVC:08 19	10.00		35	1.7	32	0.0	27	-2.8	72	5	010		30.13				FM-16			30.31
07	0654	7	OVC:08 8	10.00		35	1.7	32	0.0	28	-2.2	76	5	010		30.12	8	+0.02	30.32	FM-15	0.00		30.30
07	0700	4	8	9.94		35	1.7	32	0.0	28	-2.2	76	5	010		30.12	8	+0.02	30.32	FM-12			
07	0754	7	OVC:08 7	10.00		36	2.2	33	0.6	28	-2.2	73	5	360		30.12			30.32	FM-15	0.00		30.30
07	0854	7	OVC:08 7	10.00		37	2.8	34	1.1	29	-1.7	73	7	010		30.11			30.31	FM-15	0.00		30.29
07	0935	7	SCT:04 9 BKN:07 34 OVC:08 110	10.00		38	3.3	36	2.2	32	0.0	79	5	010		30.09				FM-16	T		30.27
07	0954	7	FEW:02 9 SCT:04 35 OVC:08 70	10.00		38	3.3	36	2.2	32	0.0	79	6	360		30.09	8	+0.03	30.29	FM-15	T		30.27
07	1054	7	BKN:07 50 BKN:07 80 OVC:08 300	10.00		41	5.0	38	3.3	33	0.6	73	7	020		30.08			30.27	FM-15	0.00		30.26
07	1154	7	BKN:07 44 OVC:08 55	10.00	-RA:02 RA RA	43	6.1	39	3.9	34	1.1	71	6	350		30.04			30.24	FM-15	T		30.22

07	1254	7	OVC:08 43	8.00	-RA:02 RA RA	41	5.0	39	3.9	36	2.2	82	9	350		30.00			30.20	FM-15	0.01	30.18
07	1300	4	41	7.46	RA	41	5.0	39	3.9	36	2.2	82	9	350		30.00			30.20	FM-12		
07	1354	7	BKN:07 38 OVC:08 65	7.00	-RA:02 RA RA	39	3.9	38	3.3	36	2.2	89	6	340		29.98			30.17	FM-15	0.07	30.16
07	1436	7	BKN:07 39 OVC:08 55	2.50	RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	7	330		29.97				FM-16	0.05	30.15
07	1454	7	BKN:07 36 OVC:08 55	2.50	-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	5	340		29.97			30.16	FM-15	0.08	30.15
07	1527	7	FEW:02 35 BKN:07 55 OVC:08 75	3.00	-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	8	010		29.94				FM-16	0.07	30.12
07	1539	7	SCT:04 6 BKN:07 38 OVC:08 70	3.00	-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	10	360		29.93				FM-16	0.09	30.11
07	1554	7	FEW:02 6 SCT:04 19 OVC:08 42	5.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	10	010		29.92	8	+0.08	30.12	FM-15	0.10	30.10
07	1640	7	BKN:07 7 OVC:08 36	4.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	6	010		29.91				FM-16	0.04	30.09
07	1651	7	SCT:04 6 BKN:07 16 OVC:08 34	4.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	37	2.8	100	10	010		29.91				FM-16	0.04	30.09
07	1654	7	SCT:04 6 BKN:07 16 OVC:08 34	4.00	RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	11	010		29.91			30.11	FM-15	0.05	30.09
07	1712	7	SCT:04 7 SCT:04 15 OVC:08 34	3.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	8	350		29.92				FM-16	0.02	30.10
07	1720	7	BKN:07 7 BKN:07 15 OVC:08 34	4.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	7	350		29.92				FM-16	0.02	30.10
07	1732	7	BKN:07 7 BKN:07 27 OVC:08 34	2.00	RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	9	360		29.91				FM-16	0.03	30.09
07	1743	7	BKN:07 7 BKN:07 29 OVC:08 34	4.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	6	360		29.92				FM-16	0.04	30.10
07	1754	7	BKN:07 7 OVC:08 33	6.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	7	010		29.92			30.11	FM-15	0.04	30.10
07	1854	7	BKN:07 6 OVC:08 42	9.00	-RA:02 RA RA	38	3.3	38	3.3	37	2.8	97	7	030		29.89	8	+0.04	30.09	FM-15	0.02	30.07
07	1900	4	5	8.70	RA	38	3.3	38	3.3	37	2.8	97	7	030		29.89	8	+0.04	30.09	FM-12		
07	1954	7	BKN:07 6 OVC:08 43	8.00		38	3.3	38	3.3	37	2.8	97	9	010		29.87			30.06	FM-15	T	30.05
07	2054	7	OVC:08 5	4.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	8	330		29.87			30.06	FM-15	T	30.05
07	2129	7	OVC:08 4	6.00	-RA:02 BR:1 RA RA	38	3.3	38	3.3	37	2.8	97	6	330		29.85				FM-16	0.01	30.03
07	2152	6	OVC:08 5	7.00		37	2.8	37	2.8	37	2.8	100	7	310		29.85				FM-16		30.03
07	2154	7	OVC:08 5	7.00		38	3.3	38	3.3	37	2.8	97	8	320		29.85	6	+0.04	30.05	FM-15	0.01	30.03
07	2254	7	OVC:08 5	7.00		37	2.8	37	2.8	36	2.2	96	7	330		29.83			30.03	FM-15	T	30.01
07	2354	7	OVC:08 7	9.00		37	2.8	37	2.8	36	2.2	96	8	310		29.85			30.04	FM-15	T	30.03
08	0054	7	OVC:08 6	6.00	BR:1	37	2.8	37	2.8	36	2.2	96	9	320		29.84	6	+0.01	30.03	FM-15	0.00	30.02
08	0100	4	5	5.59		37	2.8	37	2.8	36	2.2	96	9	320		29.84	6	+0.01	30.03	FM-12		
08	0154	7	BKN:07 6	7.00		35	1.7	35	1.7	34	1.1	96	6	300		29.84			30.04	FM-15	0.00	30.02
08	0205	7	SCT:04 5	7.00		35	1.7	35	1.7	34	1.1	96	7	300		29.84				FM-16		30.02
08	0254	7	FEW:02 5 SCT:04 100	6.00	BR:1	34	1.1	34	1.1	33	0.6	97	3	250		29.84			30.04	FM-15	0.00	30.02
08	0354	7	FEW:02 100	9.00		33	0.6	33	0.6	32	0.0	96	6	260		29.84	1	-0.01	30.04	FM-15	0.00	30.02
08	0454	7	CLR:00	7.00		32	0.0	32	0.0	31	-0.6	96	6	240		29.85			30.05	FM-15	0.00	30.03
08	0554	7	CLR:00	10.00		32	0.0	31	-0.6	30	-1.1	92	5	240		29.86			30.06	FM-15	0.00	30.04
08	0654	7	SCT:04 150 BKN:07 300	6.00	BR:1	31	-0.6	31	-0.6	30	-1.1	96	3	180		29.88	3	-0.04	30.08	FM-15	0.00	30.06
08	0700	4		5.59		31	-0.6	31	-0.6	30	-1.1	96	3	180		29.88	3	-0.04	30.08	FM-12		

08	0754	7	FEW:02 150 BKN:07 250	4.00	BR:1	31	-0.6	31	-0.6	30	-1.1	96	5	200		29.89			30.09	FM-15	0.00	30.07
08	0854	7	FEW:02 250 OVC:08 300	6.00	BR:1	34	1.1	33	0.6	32	0.0	92	6	240		29.91			30.11	FM-15	0.00	30.09
08	0954	7	BKN:07 300	10.00		39	3.9	37	2.8	34	1.1	82	3	260		29.91	1	-0.03	30.11	FM-15	0.00	30.09
08	1054	7	BKN:07 300	10.00		42	5.6	38	3.3	33	0.6	71	9	280		29.92			30.11	FM-15	0.00	30.10
08	1154	7	BKN:07 300	10.00		45	7.2	41	5.0	35	1.7	68	6	250		29.91			30.10	FM-15	0.00	30.09
08	1254	7	BKN:07 300	10.00		46	7.8	40	4.4	31	-0.6	56	8	240		29.87	8	+0.04	30.07	FM-15	0.00	30.05
08	1300	4		9.94		46	7.8	40	4.4	31	-0.6	56	8	240		29.87	8	+0.04	30.07	FM-12		
08	1354	7	FEW:02 40 BKN:07 300	10.00		47	8.3	40	4.4	29	-1.7	50	6	280		29.86			30.05	FM-15	0.00	30.04
08	1454	7	SCT:04 300	10.00		50	10.0	41	5.0	29	-1.7	44	9	290		29.85			30.05	FM-15	0.00	30.03
08	1554	7	SCT:04 300	10.00		51	10.6	40	4.4	25	-3.9	36	11	270		29.86	5	+0.02	30.05	FM-15	0.00	30.04
08	1654	7	SCT:04 300	10.00		50	10.0	40	4.4	25	-3.9	38	10	280		29.86			30.06	FM-15	0.00	30.04
08	1754	7	FEW:02 300	10.00		48	8.9	38	3.3	24	-4.4	39	0	000		29.88			30.08	FM-15	0.00	30.06
08	1854	7	FEW:02 300	10.00		40	4.4	36	2.2	29	-1.7	65	5	160		29.91	3	-0.06	30.11	FM-15	0.00	30.09
08	1900	4		9.94		40	4.4	36	2.2	29	-1.7	65	5	160		29.91	3	-0.06	30.11	FM-12		
08	1954	7	FEW:02 300	10.00		34	1.1	32	0.0	30	-1.1	85	3	200		29.93			30.13	FM-15	0.00	30.11
08	2054	7	CLR:00	10.00		34	1.1	32	0.0	28	-2.2	79	5	140		29.94			30.13	FM-15	0.00	30.12
08	2154	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		29.93	1	-0.02	30.13	FM-15	0.00	30.11
08	2254	7	CLR:00	10.00		33	0.6	31	-0.6	29	-1.7	85	0	000		29.93			30.13	FM-15	0.00	30.11
08	2354	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	0	000		29.93			30.12	FM-15	0.00	30.11
09	0054	7	CLR:00	10.00		32	0.0	31	-0.6	28	-2.2	85	0	000		29.91	8	+0.02	30.11	FM-15	0.00	30.09
09	0100	4		9.94		32	0.0	31	-0.6	28	-2.2	85	0	000		29.91	8	+0.02	30.11	FM-12		
09	0154	7	CLR:00	10.00		28	-2.2	27	-2.8	26	-3.3	92	0	000		29.92			30.11	FM-15	0.00	30.10
09	0254	7	CLR:00	10.00		29	-1.7	28	-2.2	27	-2.8	92	5	150		29.91			30.10	FM-15	0.00	30.09
09	0354	7	CLR:00	10.00		27	-2.8	26	-3.3	24	-4.4	89	0	000		29.90	8	+0.01	30.09	FM-15	0.00	30.08
09	0454	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		29.90			30.10	FM-15	0.00	30.08
09	0554	7	CLR:00	10.00		27	-2.8	26	-3.3	25	-3.9	92	3	140		29.90			30.10	FM-15	0.00	30.08
09	0654	7	CLR:00	10.00		28	-2.2	27	-2.8	26	-3.3	92	3	150		29.91	3	-0.01	30.11	FM-15	0.00	30.09
09	0700	4		9.94		28	-2.2	27	-2.8	26	-3.3	92	3	150		29.91	3	-0.01	30.11	FM-12		
09	0754	7	CLR:00	10.00		29	-1.7	28	-2.2	27	-2.8	92	5	150		29.92			30.12	FM-15	0.00	30.10
09	0854	7	CLR:00	10.00		37	2.8	35	1.7	33	0.6	86	5	180		29.93			30.13	FM-15	0.00	30.11
09	0954	7	CLR:00	10.00		42	5.6	38	3.3	32	0.0	68	0	000		29.93	0	-0.02	30.12	FM-15	0.00	30.11
09	1054	7	CLR:00	10.00		49	9.4	42	5.6	33	0.6	55	5	VRB		29.90			30.10	FM-15	0.00	30.08
09	1154	7	FEW:02 300	10.00		54	12.2	44	6.7	31	-0.6	42	10	180		29.88			30.08	FM-15	0.00	30.06
09	1254	7	FEW:02 300	10.00		56	13.3	45	7.2	31	-0.6	39	10	180		29.83	8	+0.09	30.03	FM-15	0.00	30.01
09	1300	4		9.94		56	13.3	45	7.2	31	-0.6	39	10	180		29.83	8	+0.09	30.03	FM-12		
09	1354	7	FEW:02 300	10.00		58	14.4	46	7.8	30	-1.1	35	9	190		29.79			29.98	FM-15	0.00	29.97
09	1454	7	FEW:02 300	10.00		58	14.4	45	7.2	28	-2.2	32	14	160	22	29.76			29.96	FM-15	0.00	29.94
09	1554	7	CLR:00	10.00		58	14.4	45	7.2	28	-2.2	32	13	170		29.76	6	+0.07	29.95	FM-15	0.00	29.94
09	1654	7	CLR:00	10.00		55	12.8	43	6.1	28	-2.2	35	14	160		29.74			29.93	FM-15	0.00	29.92
09	1754	7	FEW:02 180	10.00		49	9.4	40	4.4	28	-2.2	44	8	170		29.74			29.94	FM-15	0.00	29.92
09	1854	7	CLR:00	10.00		48	8.9	39	3.9	27	-2.8	44	8	160		29.76	3	-0.01	29.96	FM-15	0.00	29.94
09	1900	4		9.94		48	8.9	39	3.9	27	-2.8	44	8	160		29.76	3	-0.01	29.96	FM-12		
09	1954	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	7	160		29.77			29.97	FM-15	0.00	29.95
09	2054	7	CLR:00	10.00		41	5.0	36	2.2	27	-2.8	57	7	170		29.77			29.97	FM-15	0.00	29.95
09	2154	7	CLR:00	10.00		41	5.0	36	2.2	27	-2.8	57	5	180		29.77	0	-0.01	29.96	FM-15	0.00	29.95
09	2254	7	CLR:00	10.00		40	4.4	35	1.7	26	-3.3	58	6	180		29.76			29.96	FM-15	0.00	29.94
09	2354	7	CLR:00	10.00		38	3.3	33	0.6	26	-3.3	62	5	170		29.76			29.95	FM-15	0.00	29.94
10	0054	7	CLR:00	10.00		38	3.3	33	0.6	26	-3.3	62	7	190		29.75	8	+0.02	29.94	FM-15	0.00	29.93
10	0100	4		9.94		38	3.3	33	0.6	26	-3.3	62	7	190		29.75	8	+0.02	29.94	FM-12		
10	0154	7	CLR:00	10.00		35	1.7	32	0.0	26	-3.3	70	9	200		29.73			29.92	FM-15	0.00	29.91
10	0254	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	7	210		29.72			29.92	FM-15	0.00	29.90
10	0354	7	CLR:00	10.00		36	2.2	33	0.6	27	-2.8	70	6	210		29.73	5	+0.02	29.93	FM-15	0.00	29.91
10	0454	7	CLR:00	10.00		42	5.6	37	2.8	29	-1.7	60	7	250		29.76			29.95	FM-15	0.00	29.94
10	0554	7	CLR:00	10.00		41	5.0	36	2.2	29	-1.7	62	6	240		29.77			29.97	FM-15	0.00	29.95

10	0654	7	CLR:00	10.00					38	3.3	34	1.1	29	-1.7	70	6	250		29.80	3	-0.07	30.00	FM-15	0.00	29.98
10	0700	4		9.94					38	3.3	34	1.1	29	-1.7	70	6	250		29.80	3	-0.07	30.00	FM-12		
10	0754	7	CLR:00	10.00					39	3.9	35	1.7	30	-1.1	70	3	190		29.81			30.01	FM-15	0.00	29.99
10	0854	7	CLR:00	10.00					47	8.3	40	4.4	31	-0.6	54	7	230		29.82			30.02	FM-15	0.00	30.00
10	0954	7	CLR:00	10.00					54	12.2	44	6.7	31	-0.6	42	8	240		29.82	1	-0.02	30.02	FM-15	0.00	30.00
10	1054	7	CLR:00	10.00					58	14.4	45	7.2	27	-2.8	31	20	250	25	29.81			30.01	FM-15	0.00	29.99
10	1154	7	FEW:02 70 FEW:02 300	10.00					61	16.1	46	7.8	28	-2.2	29	15	VRB	21	29.78			29.97	FM-15	0.00	29.96
10	1254	7	FEW:02 75 FEW:02 250	10.00					63	17.2	47	8.3	26	-3.3	25	21	250	32	29.74	8	+0.09	29.93	FM-15	0.00	29.92
10	1300	4	74	9.94					63	17.2	47	8.3	26	-3.3	25	21	250		29.74	8	+0.09	29.93	FM-12		
10	1354	7	FEW:02 80 FEW:02 250	10.00					64	17.8	47	8.3	25	-3.9	23	21	240	28	29.71			29.90	FM-15	0.00	29.89
10	1454	7	FEW:02 90 FEW:02 250	10.00					64	17.8	47	8.3	25	-3.9	23	18	270	26	29.70			29.89	FM-15	0.00	29.88
10	1554	7	FEW:02 90 SCT:04 300	10.00					64	17.8	47	8.3	25	-3.9	23	18	230	25	29.70	5	+0.04	29.90	FM-15	0.00	29.88
10	1654	7	FEW:02 90 FEW:02 250	10.00					63	17.2	46	7.8	24	-4.4	23	15	250	24	29.71			29.90	FM-15	0.00	29.89
10	1727	7	FEW:02 90 FEW:02 250	10.00					63	17.2	46	7.8	24	-4.4	23	14	240	21	29.72			29.90	FM-16		29.90
10	1754	7	FEW:02 90 FEW:02 250	10.00					60	15.6	45	7.2	24	-4.4	25	11	230		29.73			29.92	FM-15	0.00	29.91
10	1854	7	FEW:02 90	10.00					49	9.4	40	4.4	27	-2.8	43	6	190		29.74	3	-0.04	29.93	FM-15	0.00	29.92
10	1900	4		9.94					49	9.4	40	4.4	27	-2.8	43	6	190		29.74	3	-0.04	29.93	FM-12		
10	1954	7	CLR:00	10.00					47	8.3	39	3.9	27	-2.8	46	6	190		29.75			29.94	FM-15	0.00	29.93
10	2054	7	FEW:02 90	10.00					46	7.8	39	3.9	28	-2.2	50	7	200		29.76			29.95	FM-15	0.00	29.94
10	2154	7	CLR:00	10.00					42	5.6	36	2.2	28	-2.2	58	8	210		29.77	3	-0.03	29.96	FM-15	0.00	29.95
10	2254	7	CLR:00	10.00					44	6.7	38	3.3	28	-2.2	53	9	200		29.76			29.95	FM-15	0.00	29.94
10	2354	7	CLR:00	10.00					46	7.8	38	3.3	27	-2.8	47	7	230		29.77			29.96	FM-15	0.00	29.95
11	0054	7	CLR:00	10.00					42	5.6	36	2.2	28	-2.2	58	6	180		29.78	3	-0.01	29.97	FM-15	0.00	29.96
11	0100	4		9.94					42	5.6	36	2.2	28	-2.2	58	6	180		29.78	3	-0.01	29.97	FM-12		
11	0154	7	CLR:00	10.00					40	4.4	35	1.7	27	-2.8	60	0	000		29.80			30.00	FM-15	0.00	29.98
11	0254	7	CLR:00	10.00					36	2.2	33	0.6	28	-2.2	73	3	190		29.81			30.00	FM-15	0.00	29.99
11	0354	7	CLR:00	10.00					34	1.1	31	-0.6	27	-2.8	75	3	180		29.82	1	-0.04	30.01	FM-15	0.00	30.00
11	0454	7	CLR:00	10.00					35	1.7	32	0.0	27	-2.8	72	0	000		29.84			30.03	FM-15	0.00	30.02
11	0554	7	CLR:00	10.00					33	0.6	31	-0.6	27	-2.8	78	0	000		29.85			30.05	FM-15	0.00	30.03
11	0654	7	FEW:02 100	10.00					30	-1.1	28	-2.2	25	-3.9	82	3	130		29.86	1	-0.04	30.05	FM-15	0.00	30.04
11	0700	4		9.94					30	-1.1	28	-2.2	25	-3.9	82	3	130		29.86	1	-0.04	30.05	FM-12		
11	0754	7	FEW:02 150	10.00					34	1.1	32	0.0	29	-1.7	82	5	130		29.88			30.07	FM-15	0.00	30.06
11	0854	7	CLR:00	10.00					45	7.2	39	3.9	32	0.0	61	5	180		29.88			30.07	FM-15	0.00	30.06
11	0954	7	CLR:00	10.00					54	12.2	44	6.7	32	0.0	43	5	170		29.87	0	-0.02	30.07	FM-15	0.00	30.05
11	1054	7	CLR:00	10.00					57	13.9	46	7.8	32	0.0	39	13	170		29.87			30.06	FM-15	0.00	30.05
11	1154	7	CLR:00	10.00					62	16.7	48	8.9	31	-0.6	31	13	190		29.84			30.03	FM-15	0.00	30.02
11	1254	7	CLR:00	10.00					66	18.9	49	9.4	29	-1.7	25	15	190		29.79	8	+0.08	29.99	FM-15	0.00	29.97
11	1300	4		9.94					66	18.9	49	9.4	29	-1.7	25	15	190		29.79	8	+0.08	29.99	FM-12		
11	1354	7	CLR:00	10.00					68	20.0	49	9.4	27	-2.8	21	23	210	28	29.75			29.95	FM-15	0.00	29.93
11	1454	7	CLR:00	10.00					69	20.6	50	10.0	28	-2.2	22	21	200	26	29.73			29.92	FM-15	0.00	29.91
11	1554	7	FEW:02 70	10.00					68	20.0	50	10.0	28	-2.2	22	21	190	32	29.72	6	+0.07	29.92	FM-15	0.00	29.90
11	1654	7	FEW:02 90	10.00					65	18.3	49	9.4	29	-1.7	26	17	200	26	29.73			29.92	FM-15	0.00	29.91
11	1754	7	FEW:02 90	10.00					61	16.1	47	8.3	29	-1.7	30	14	190		29.74			29.93	FM-15	0.00	29.92
11	1854	7	FEW:02 90	10.00					57	13.9	45	7.2	31	-0.6	37	11	180		29.76	3	-0.03	29.95	FM-15	0.00	29.94
11	1900	4		9.94					57	13.9	45	7.2	31	-0.6	37	11	180		29.76	3	-0.03	29.95	FM-12		
11	1954	7	CLR:00	10.00					57	13.9	45	7.2	31	-0.6	37	14	180		29.76			29.96	FM-15	0.00	29.94
11	2054	7	CLR:00	10.00					56	13.3	45	7.2	31	-0.6	39	11	180		29.77			29.96	FM-15	0.00	29.95
11	2154	7	CLR:00	10.00					54	12.2	44	6.7	31	-0.6	42	14	180		29.78	3	-0.02	29.97	FM-15	0.00	29.96
11	2254	7	CLR:00	10.00					53	11.7	43	6.1	31	-0.6	43	15	190		29.78			29.97	FM-15	0.00	29.96
11	2354	7	CLR:00	10.00					52	11.1	43	6.1	32	0.0	47	14	200		29.79			29.98	FM-15	0.00	29.97

12	0054	7	CLR:00	10.00		51	10.6	43	6.1	32	0.0	48	14	190		29.79	3	-0.01	29.98	FM-15	0.00	29.97
12	0100	4		9.94		51	10.6	43	6.1	32	0.0	48	14	190		29.79	3	-0.01	29.98	FM-12		
12	0154	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	11	190		29.79			29.98	FM-15	0.00	29.97
12	0254	7	CLR:00	10.00		48	8.9	41	5.0	33	0.6	56	10	190		29.78			29.98	FM-15	0.00	29.96
12	0354	7	CLR:00	10.00		46	7.8	40	4.4	33	0.6	61	10	190		29.78	8	+0.01	29.97	FM-15	0.00	29.96
12	0454	7	CLR:00	10.00		46	7.8	40	4.4	33	0.6	61	7	190		29.79			29.98	FM-15	0.00	29.97
12	0554	7	CLR:00	10.00		45	7.2	40	4.4	33	0.6	63	8	200		29.79			29.99	FM-15	0.00	29.97
12	0654	7	FEW:02 300	10.00		46	7.8	41	5.0	34	1.1	63	6	180		29.81	3	-0.03	30.00	FM-15	0.00	29.99
12	0700	4		9.94		46	7.8	41	5.0	34	1.1	63	6	180		29.81	3	-0.03	30.00	FM-12		
12	0754	7	FEW:02 300	10.00		46	7.8	42	5.6	36	2.2	68	7	200		29.83			30.02	FM-15	0.00	30.01
12	0854	7	FEW:02 300	10.00		54	12.2	45	7.2	35	1.7	49	10	210		29.84			30.03	FM-15	0.00	30.02
12	0954	7	SCT:04 300	10.00		61	16.1	48	8.9	34	1.1	36	10	250		29.85	1	-0.04	30.04	FM-15	0.00	30.03
12	1054	7	FEW:02 250	10.00		66	18.9	51	10.6	34	1.1	30	14	270	21	29.85			30.04	FM-15	0.00	30.03
12	1154	7	FEW:02 250	10.00		68	20.0	52	11.1	35	1.7	30	11	260		29.83			30.03	FM-15	0.00	30.01
12	1254	7	FEW:02 250	10.00		71	21.7	53	11.7	35	1.7	27	11	290		29.82	8	+0.03	30.01	FM-15	0.00	30.00
12	1300	4		9.94		71	21.7	53	11.7	35	1.7	27	11	290		29.82	8	+0.03	30.01	FM-12		
12	1354	7	FEW:02 50	10.00		70	21.1	52	11.1	34	1.1	27	15	270	22	29.79			29.98	FM-15	0.00	29.97
12	1454	7	FEW:02 40	10.00		71	21.7	53	11.7	35	1.7	27	10	320		29.79			29.98	FM-15	0.00	29.97
12	1554	7	SCT:04 200	10.00		69	20.6	52	11.1	34	1.1	27	18	270	23	29.79	5	+0.03	29.99	FM-15	0.00	29.97
12	1654	7	FEW:02 80 SCT:04 200	10.00		68	20.0	52	11.1	35	1.7	30	8	280		29.81			30.00	FM-15	0.00	29.99
12	1754	7	FEW:02 80 SCT:04 200	10.00		64	17.8	50	10.0	35	1.7	34	5	300		29.83			30.03	FM-15	0.00	30.01
12	1854	7	SCT:04 50 SCT:04 140	10.00		57	13.9	47	8.3	35	1.7	44	6	010		29.85	3	-0.06	30.04	FM-15	0.00	30.03
12	1900	4	57	9.94		57	13.9	47	8.3	35	1.7	44	6	010		29.85	3	-0.06	30.04	FM-12		
12	1954	7	BKN:07 100	10.00		58	14.4	48	8.9	38	3.3	48	13	040		29.86			30.05	FM-15	0.00	30.04
12	2054	7	BKN:07 100	10.00		55	12.8	47	8.3	38	3.3	53	7	050		29.87			30.06	FM-15	0.00	30.05
12	2154	7	BKN:07 110	10.00		53	11.7	46	7.8	37	2.8	55	10	040		29.88	3	-0.03	30.08	FM-15	0.00	30.06
12	2254	7	SCT:04 110	10.00		50	10.0	44	6.7	36	2.2	59	7	030		29.87			30.06	FM-15	0.00	30.05
12	2354	7	SCT:04 110	10.00		48	8.9	42	5.6	35	1.7	61	6	050		29.88			30.07	FM-15	0.00	30.06
13	0054	7	SCT:04 110	10.00		47	8.3	41	5.0	34	1.1	61	8	020		29.87	6	+0.01	30.06	FM-15	0.00	30.05
13	0100	4		9.94		47	8.3	41	5.0	34	1.1	61	8	020		29.87	6	+0.01	30.06	FM-12		
13	0154	7	SCT:04 110	10.00		47	8.3	41	5.0	34	1.1	61	10	020		29.86			30.05	FM-15	0.00	30.04
13	0254	7	FEW:02 110 SCT:04 300	10.00		46	7.8	40	4.4	31	-0.6	56	14	030		29.86			30.05	FM-15	0.00	30.04
13	0354	7	SCT:04 90 BKN:07 300	10.00		43	6.1	38	3.3	32	0.0	65	18	360	26	29.89	3	-0.02	30.09	FM-15	0.00	30.07
13	0454	7	OVC:08 90	10.00		41	5.0	37	2.8	32	0.0	70	11	010	25	29.91			30.10	FM-15	0.00	30.09
13	0554	7	SCT:04 90 BKN:07 300	10.00		39	3.9	36	2.2	32	0.0	76	16	020	25	29.91			30.11	FM-15	0.00	30.09
13	0654	7	FEW:02 60 SCT:04 90 BKN:07 300	10.00		38	3.3	35	1.7	31	-0.6	76	13	010		29.94	3	-0.04	30.13	FM-15	0.00	30.12
13	0700	4	57	9.94		38	3.3	35	1.7	31	-0.6	76	13	010		29.94	3	-0.04	30.13	FM-12		
13	0754	7	SCT:04 31 SCT:04 90 BKN:07 300	10.00		38	3.3	35	1.7	31	-0.6	76	9	020		29.95			30.14	FM-15	0.00	30.13
13	0854	7	FEW:02 19 BKN:07 50 OVC:08 90	10.00		39	3.9	36	2.2	31	-0.6	73	9	030		29.96			30.16	FM-15	0.00	30.14
13	0952	6	BKN:07 23 OVC:08 50	10.00		39	3.9	35	1.7	30	-1.1	70	13	050		29.95				FM-16		30.13
13	0954	7	BKN:07 23 OVC:08 50	10.00		40	4.4	36	2.2	31	-0.6	70	11	040		29.95	0	-0.01	30.15	FM-15	0.00	30.13
13	1054	7	BKN:07 23 OVC:08 50	10.00		40	4.4	36	2.2	30	-1.1	68	13	020		29.95			30.15	FM-15	0.00	30.13
13	1154	7	BKN:07 22 OVC:08 45	10.00		40	4.4	36	2.2	30	-1.1	68	13	030		29.92			30.11	FM-15	0.00	30.10

13	1254	7	BKN:07 22 OVC:08 40	10.00		38	3.3	35	1.7	31	-0.6	76	10	050		29.89	8	+0.06	30.09	FM-15	0.00	30.07
13	1300	4	26	9.94		38	3.3	35	1.7	31	-0.6	76	10	050		29.89	8	+0.06	30.09	FM-12		
13	1354	7	OVC:08 20	5.00	-RA:02 SN:03 BR:1 RA RA RA	36	2.2	34	1.1	31	-0.6	82	11	030		29.88			30.08	FM-15	T	30.06
13	1432	7	SCT:04 11 OVC:08 17	2.50	-SN:03 BR:1 SN	35	1.7	34	1.1	33	0.6	93	9	010		29.87				FM-16	0.02	30.05
13	1452	6	SCT:04 11 OVC:08 17	1.50	-SN:03 BR:1 SN	36	2.2	35	1.7	34	1.1	93	9	010		29.86				FM-16		30.04
13	1454	7	SCT:04 9 BKN:07 17 OVC:08 35	1.50	-SN:03 BR:1 SN	35	1.7	34	1.1	33	0.6	93	10	010		29.86			30.06	FM-15	0.03	30.04
13	1518	7	SCT:04 6 BKN:07 12 OVC:08 23	1.00	-SN:03 BR:1 SN	33	0.6	32	0.0	31	-0.6	92	13	010		29.87				FM-16	T	30.05
13	1548	7	SCT:04 9 BKN:07 32 OVC:08 60	3.00	-SN:03 BR:1 SN	34	1.1	32	0.0	30	-1.1	87	10	360	20	29.85				FM-16	0.01	30.03
13	1552	6	FEW:02 9 BKN:07 14 OVC:08 60	3.00	-SN:03 BR:1 SN	34	1.1	33	0.6	32	0.0	93	13	350		29.86				FM-16		30.04
13	1554	7	FEW:02 9 BKN:07 14 OVC:08 60	4.00	-SN:03 BR:1 SN	34	1.1	33	0.6	32	0.0	92	15	350		29.86	6	+0.03	30.06	FM-15	0.01	30.04
13	1620	7	SCT:04 11 BKN:07 19 OVC:08 60	6.00	-SN:03 BR:1 SN	33	0.6	32	0.0	30	-1.1	89	9	360		29.86				FM-16	T	30.04
13	1634	7	FEW:02 9 BKN:07 13 OVC:08 18	4.00	-SN:03 BR:1 SN	33	0.6	32	0.0	30	-1.1	89	13	360		29.87				FM-16	T	30.05
13	1654	7	SCT:04 11 BKN:07 14 OVC:08 60	3.00	-SN:03 BR:1 SN	32	0.0	31	-0.6	29	-1.7	88	14	360		29.88			30.08	FM-15	T	30.06
13	1722	7	FEW:02 8 BKN:07 14 OVC:08 60	9.00		32	0.0	31	-0.6	28	-2.2	85	9	360		29.88				FM-16	T	30.06
13	1739	7	FEW:02 14 BKN:07 39 OVC:08 65	8.00	-SN:03 SN	32	0.0	31	-0.6	28	-2.2	85	9	360		29.88				FM-16	T	30.06
13	1754	7	FEW:02 14 BKN:07 39 OVC:08 65	9.00		32	0.0	31	-0.6	28	-2.2	85	8	010		29.88			30.08	FM-15	T	30.06
13	1819	7	BKN:07 40 OVC:08 65	10.00	-SN:03 SN	32	0.0	31	-0.6	28	-2.2	85	9	360		29.88				FM-16	T	30.06
13	1854	7	BKN:07 40 OVC:08 65	9.00	-SN:03 SN	32	0.0	31	-0.6	28	-2.2	85	6	350		29.90	3	-0.04	30.10	FM-15	T	30.08
13	1900	4	41	8.70		32	0.0	31	-0.6	28	-2.2	85	6	350		29.90	3	-0.04	30.10	FM-12		
13	1954	7	FEW:02 55 OVC:08 70	9.00	-SN:03 SN	32	0.0	31	-0.6	28	-2.2	85	6	350		29.90			30.10	FM-15	T	30.08
13	2054	7	BKN:07 40	9.00		32	0.0	31	-0.6	28	-2.2	85	3	350		29.91			30.11	FM-15	T	30.09
13	2154	7	BKN:07 46 BKN:07 60	10.00		31	-0.6	30	-1.1	27	-2.8	85	5	320		29.93	3	-0.03	30.13	FM-15	0.00	30.11
13	2254	7	OVC:08 49	10.00		32	0.0	30	-1.1	27	-2.8	82	6	310		29.93			30.13	FM-15	0.00	30.11
13	2354	7	SCT:04 55	10.00		31	-0.6	29	-1.7	25	-3.9	79	0	000		29.91			30.11	FM-15	0.00	30.09
14	0054	7	CLR:00	10.00		29	-1.7	28	-2.2	25	-3.9	85	7	290		29.93	5	0.00	30.13	FM-15	0.00	30.11
14	0100	4		9.94		29	-1.7	28	-2.2	25	-3.9	85	7	290		29.93	5	0.00	30.13	FM-12		
14	0154	7	SCT:04 42 BKN:07 55 OVC:08 70	10.00		31	-0.6	30	-1.1	27	-2.8	85	5	270		29.92			30.12	FM-15	0.00	30.10
14	0254	7	BKN:07 40 OVC:08 65	10.00		31	-0.6	30	-1.1	27	-2.8	85	3	300		29.92			30.12	FM-15	T	30.10
14	0354	7	BKN:07 41 BKN:07 47	10.00		30	-1.1	29	-1.7	26	-3.3	85	3	340		29.92	5	+0.01	30.12	FM-15	0.00	30.10
14	0454	7	SCT:04 29 BKN:07 34	9.00		27	-2.8	26	-3.3	25	-3.9	92	0	000		29.93			30.13	FM-15	0.00	30.11

14	0504	7	BKN:07 18 BKN:07 27 BKN:07 35	10.00		28	-2.2	27	-2.8	26	-3.3	92	0	000		29.94				FM-16		30.12
14	0552	7	SCT:04 16	8.00		27	-2.8	26	-3.3	25	-3.9	93	0	000		29.96				FM-16		30.14
14	0554	7	SCT:04 16	8.00		27	-2.8	26	-3.3	25	-3.9	92	0	000		29.96			30.16	FM-15	0.00	30.14
14	0654	7	FEW:02 30	10.00		28	-2.2	27	-2.8	25	-3.9	88	8	310		29.99	3	-0.06	30.19	FM-15	0.00	30.17
14	0700	4	26	9.94		28	-2.2	27	-2.8	25	-3.9	88	8	310		29.99	3	-0.06	30.19	FM-12		
14	0754	7	SCT:04 10	10.00		29	-1.7	27	-2.8	24	-4.4	82	8	350		30.02			30.22	FM-15	0.00	30.20
14	0854	7	SCT:04 18 BKN:07 70	10.00		31	-0.6	29	-1.7	24	-4.4	76	8	010		30.06			30.25	FM-15	0.00	30.24
14	0954	7	SCT:04 31 BKN:07 70	10.00		32	0.0	29	-1.7	22	-5.6	66	15	360	22	30.08	1	-0.09	30.28	FM-15	0.00	30.26
14	1054	7	BKN:07 40 BKN:07 60 BKN:07 120	10.00		32	0.0	27	-2.8	18	-7.8	56	10	360		30.10			30.30	FM-15	0.00	30.28
14	1154	7	FEW:02 42 BKN:07 55 BKN:07 120	10.00		33	0.6	27	-2.8	15	-9.4	47	11	330		30.09			30.29	FM-15	0.00	30.27
14	1254	7	BKN:07 48 BKN:07 110	10.00		33	0.6	27	-2.8	13	-10.6	43	10	280	21	30.08	8	+0.01	30.28	FM-15	0.00	30.26
14	1300	4	41	9.94		33	0.6	27	-2.8	13	-10.6	43	10	280		30.08	8	+0.01	30.28	FM-12		
14	1354	7	BKN:07 50	10.00		35	1.7	28	-2.2	12	-11.1	38	10	VRB		30.06			30.26	FM-15	0.00	30.24
14	1454	7	SCT:04 55	10.00		37	2.8	29	-1.7	12	-11.1	36	10	340		30.06			30.26	FM-15	0.00	30.24
14	1554	7	SCT:04 60 BKN:07 120	10.00		36	2.2	28	-2.2	10	-12.2	34	6	330		30.08	3	0.00	30.28	FM-15	0.00	30.26
14	1654	7	SCT:04 60 BKN:07 90	10.00		35	1.7	28	-2.2	11	-11.7	37	8	340		30.10			30.30	FM-15	0.00	30.28
14	1754	7	BKN:07 85	10.00		33	0.6	26	-3.3	11	-11.7	40	7	350		30.13			30.33	FM-15	0.00	30.31
14	1854	7	SCT:04 85	10.00		30	-1.1	25	-3.9	13	-10.6	49	3	020		30.17	3	-0.09	30.37	FM-15	0.00	30.35
14	1900	4		9.94		30	-1.1	25	-3.9	13	-10.6	49	3	020		30.17	3	-0.09	30.37	FM-12		
14	1954	7	FEW:02 85	10.00		29	-1.7	24	-4.4	14	-10.0	54	3	050		30.19			30.39	FM-15	0.00	30.37
14	2054	7	CLR:00	10.00		28	-2.2	24	-4.4	13	-10.6	53	6	020		30.23			30.42	FM-15	0.00	30.41
14	2154	7	CLR:00	10.00		27	-2.8	23	-5.0	12	-11.1	53	5	030		30.26	3	-0.09	30.46	FM-15	0.00	30.44
14	2254	7	CLR:00	10.00		25	-3.9	22	-5.6	13	-10.6	60	0	000		30.28			30.48	FM-15	0.00	30.46
14	2354	7	CLR:00	10.00		23	-5.0	20	-6.7	14	-10.0	68	3	020		30.30			30.50	FM-15	0.00	30.48
15	0054	7	CLR:00	10.00		24	-4.4	21	-6.1	14	-10.0	65	0	000		30.32	3	-0.06	30.53	FM-15	0.00	30.50
15	0100	4		9.94		24	-4.4	21	-6.1	14	-10.0	65	0	000		30.32	3	-0.06	30.53	FM-12		
15	0154	7	CLR:00	10.00		22	-5.6	19	-7.2	10	-12.2	60	6	360		30.34			30.54	FM-15	0.00	30.52
15	0254	7	CLR:00	10.00		22	-5.6	19	-7.2	12	-11.1	66	0	000		30.35			30.55	FM-15	0.00	30.53
15	0354	7	CLR:00	10.00		19	-7.2	17	-8.3	11	-11.7	71	3	180		30.36	1	-0.03	30.55	FM-15	0.00	30.54
15	0454	7	CLR:00	10.00		19	-7.2	17	-8.3	13	-10.6	77	0	000		30.39			30.59	FM-15	0.00	30.57
15	0554	7	CLR:00	10.00		18	-7.8	17	-8.3	13	-10.6	81	3	070		30.39			30.58	FM-15	0.00	30.57
15	0654	7	FEW:02 150	10.00		18	-7.8	16	-8.9	11	-11.7	74	0	000		30.43	3	-0.07	30.63	FM-15	0.00	30.61
15	0700	4		9.94		18	-7.8	16	-8.9	11	-11.7	74	0	000		30.43	3	-0.07	30.63	FM-12		
15	0754	7	FEW:02 250	10.00		22	-5.6	20	-6.7	15	-9.4	75	0	000		30.45			30.65	FM-15	0.00	30.63
15	0854	7	FEW:02 250	10.00		28	-2.2	24	-4.4	15	-9.4	58	0	000		30.49			30.69	FM-15	0.00	30.67
15	0954	7	FEW:02 250	10.00		32	0.0	26	-3.3	11	-11.7	41	7	100		30.51	1	-0.08	30.71	FM-15	0.00	30.69
15	1054	7	FEW:02 300	10.00		35	1.7	28	-2.2	11	-11.7	37	3	150		30.51			30.71	FM-15	0.00	30.69
15	1154	7	FEW:02 300	10.00		38	3.3	30	-1.1	11	-11.7	33	0	000		30.51			30.71	FM-15	0.00	30.69
15	1254	7	CLR:00	10.00		39	3.9	30	-1.1	12	-11.1	33	0	000		30.47	8	+0.04	30.67	FM-15	0.00	30.65
15	1300	4		9.94		39	3.9	30	-1.1	12	-11.1	33	0	000		30.47	8	+0.04	30.67	FM-12		
15	1354	7	CLR:00	10.00		41	5.0	32	0.0	14	-10.0	33	6	VRB		30.45			30.65	FM-15	0.00	30.63
15	1454	7	FEW:02 300	10.00		42	5.6	33	0.6	14	-10.0	32	5	VRB		30.44			30.63	FM-15	0.00	30.62
15	1554	7	FEW:02 300	10.00		43	6.1	33	0.6	15	-9.4	32	7	170		30.44	5	+0.04	30.64	FM-15	0.00	30.62
15	1654	7	FEW:02 300	10.00		42	5.6	33	0.6	16	-8.9	35	7	130		30.44			30.64	FM-15	0.00	30.62
15	1754	7	FEW:02 300	10.00		37	2.8	30	-1.1	17	-8.3	44	7	120		30.45			30.65	FM-15	0.00	30.63
15	1854	7	FEW:02 300	10.00		36	2.2	30	-1.1	19	-7.2	50	8	140		30.46	3	-0.02	30.66	FM-15	0.00	30.64
15	1900	4		9.94		36	2.2	30	-1.1	19	-7.2	50	8	140		30.46	3	-0.02	30.66	FM-12		
15	1954	7	FEW:02 300	10.00		34	1.1	30	-1.1	22	-5.6	61	10	120		30.49			30.68	FM-15	0.00	30.67

15	2054	7	FEW:02 300	10.00		31	-0.6	28	-2.2	21	-6.1	67	7	120		30.49			30.69	FM-15	0.00	30.67
15	2154	7	CLR:00	10.00		29	-1.7	26	-3.3	21	-6.1	72	7	130		30.51	1	-0.04	30.71	FM-15	0.00	30.69
15	2254	7	CLR:00	10.00		31	-0.6	28	-2.2	22	-5.6	69	9	150		30.51			30.71	FM-15	0.00	30.69
15	2354	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	8	150		30.51			30.71	FM-15	0.00	30.69
16	0054	7	CLR:00	10.00		29	-1.7	27	-2.8	22	-5.6	75	7	150		30.50	8	+0.01	30.70	FM-15	0.00	30.68
16	0100	4		9.94		29	-1.7	27	-2.8	22	-5.6	75	7	150		30.50	8	+0.01	30.70	FM-12		
16	0154	7	CLR:00	10.00		29	-1.7	27	-2.8	22	-5.6	75	6	150		30.50			30.70	FM-15	0.00	30.68
16	0254	7	CLR:00	10.00		27	-2.8	25	-3.9	22	-5.6	81	6	140		30.48			30.68	FM-15	0.00	30.66
16	0354	7	CLR:00	10.00		27	-2.8	25	-3.9	22	-5.6	81	5	120		30.46	8	+0.04	30.66	FM-15	0.00	30.64
16	0454	7	CLR:00	10.00		28	-2.2	26	-3.3	23	-5.0	81	3	150		30.47			30.66	FM-15	0.00	30.65
16	0554	7	CLR:00	10.00		28	-2.2	26	-3.3	23	-5.0	81	3	130		30.47			30.67	FM-15	0.00	30.65
16	0654	7	BKN:07 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.48	3	-0.03	30.68	FM-15	0.00	30.66
16	0700	4		9.94		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.48	3	-0.03	30.68	FM-12		
16	0754	7	BKN:07 300	10.00		30	-1.1	29	-1.7	26	-3.3	85	0	000		30.49			30.69	FM-15	0.00	30.67
16	0854	7	BKN:07 300	10.00		34	1.1	32	0.0	28	-2.2	79	3	200		30.51			30.71	FM-15	0.00	30.69
16	0954	7	BKN:07 300	10.00		41	5.0	37	2.8	30	-1.1	65	7	180		30.50	0	-0.02	30.70	FM-15	0.00	30.68
16	1054	7	BKN:07 300	10.00		47	8.3	40	4.4	30	-1.1	52	10	180		30.48			30.68	FM-15	0.00	30.66
16	1154	7	BKN:07 300	10.00		51	10.6	42	5.6	30	-1.1	44	9	180		30.45			30.65	FM-15	0.00	30.63
16	1254	7	BKN:07 300	10.00		55	12.8	44	6.7	29	-1.7	37	10	160		30.40	8	+0.10	30.60	FM-15	0.00	30.58
16	1300	4		9.94		55	12.8	44	6.7	29	-1.7	37	10	160		30.40	8	+0.10	30.60	FM-12		
16	1354	7	BKN:07 300	10.00		59	15.0	46	7.8	31	-0.6	35	17	180		30.36			30.55	FM-15	0.00	30.54
16	1454	7	BKN:07 300	10.00		60	15.6	47	8.3	31	-0.6	33	16	210	23	30.32			30.52	FM-15	0.00	30.50
16	1554	7	BKN:07 300	10.00		61	16.1	48	8.9	33	0.6	35	14	200		30.30	6	+0.10	30.49	FM-15	0.00	30.48
16	1654	7	FEW:02 200 BKN:07 300	10.00		60	15.6	48	8.9	34	1.1	38	11	170		30.28			30.47	FM-15	0.00	30.46
16	1754	7	SCT:04 65 SCT:04 200 BKN:07 300	10.00		57	13.9	46	7.8	34	1.1	42	8	170		30.27			30.47	FM-15	0.00	30.45
16	1854	7	BKN:07 65 OVC:08 300	10.00		57	13.9	47	8.3	36	2.2	45	7	150		30.27	5	+0.02	30.47	FM-15	0.00	30.45
16	1900	4	57	9.94		57	13.9	47	8.3	36	2.2	45	7	150		30.27	5	+0.02	30.47	FM-12		
16	1954	7	FEW:02 65 BKN:07 300	10.00		55	12.8	47	8.3	37	2.8	51	9	160		30.26			30.45	FM-15	0.00	30.44
16	2054	7	OVC:08 300	10.00		54	12.2	47	8.3	38	3.3	55	13	160		30.25			30.45	FM-15	0.00	30.43
16	2154	7	OVC:08 75	10.00		55	12.8	48	8.9	40	4.4	57	10	170		30.25	6	+0.03	30.44	FM-15	0.00	30.43
16	2254	7	OVC:08 70	10.00		56	13.3	49	9.4	42	5.6	60	10	190		30.25			30.45	FM-15	0.00	30.43
16	2354	7	OVC:08 60	10.00		56	13.3	50	10.0	44	6.7	65	10	190		30.25			30.44	FM-15	0.00	30.43
17	0054	7	BKN:07 60	10.00		54	12.2	49	9.4	44	6.7	69	7	200		30.24	8	0.00	30.44	FM-15	0.00	30.42
17	0100	4	57	9.94		54	12.2	49	9.4	44	6.7	69	7	200		30.24	8	0.00	30.44	FM-12		
17	0154	7	OVC:08 70	10.00		54	12.2	50	10.0	45	7.2	72	10	180		30.22			30.41	FM-15	0.00	30.40
17	0254	7	FEW:02 60 OVC:08 70	10.00		54	12.2	50	10.0	45	7.2	72	9	170		30.19			30.38	FM-15	0.00	30.37
17	0354	7	OVC:08 65	10.00		53	11.7	49	9.4	45	7.2	74	8	190		30.17	6	+0.07	30.36	FM-15	0.00	30.35
17	0454	7	BKN:07 65 BKN:07 250	10.00		51	10.6	48	8.9	45	7.2	80	7	170		30.16			30.35	FM-15	0.00	30.34
17	0554	7	OVC:08 60	10.00		52	11.1	49	9.4	47	8.3	83	6	190		30.15			30.34	FM-15	0.00	30.33
17	0654	7	BKN:07 70 BKN:07 250	10.00		53	11.7	50	10.0	47	8.3	80	9	180		30.12	8	+0.05	30.32	FM-15	0.00	30.30
17	0700	4	74	9.94		53	11.7	50	10.0	47	8.3	80	9	180		30.12	8	+0.05	30.32	FM-12		
17	0754	7	FEW:02 70 BKN:07 230 OVC:08 300	10.00		54	12.2	51	10.6	48	8.9	80	11	180		30.12			30.32	FM-15	0.00	30.30
17	0854	7	FEW:02 48 SCT:04 60 BKN:07 230	10.00		57	13.9	53	11.7	49	9.4	74	16	190		30.12			30.31	FM-15	0.00	30.30
17	0954	7	FEW:02 46 SCT:04 70 BKN:07 230	10.00		61	16.1	56	13.3	51	10.6	70	16	200	23	30.09	8	+0.04	30.28	FM-15	0.00	30.27

17	1054	7	FEW:02 35 FEW:02 70 BKN:07 240	10.00		67	19.4	59	15.0	52	11.1	59	24	200	32	30.06			30.25	FM-15	0.00	30.24
17	1154	7	SCT:04 36 SCT:04 250 BKN:07 300	10.00		70	21.1	60	15.6	53	11.7	55	23	190	34	29.99			30.18	FM-15	0.00	30.17
17	1254	7	SCT:04 43 SCT:04 200 BKN:07 300	10.00		72	22.2	60	15.6	51	10.6	48	26	210	38	29.93	8	+0.16	30.12	FM-15	0.00	30.11
17	1300	4	41	9.94		72	22.2	60	15.6	51	10.6	48	26	210		29.93	8	+0.16	30.12	FM-12		
17	1354	7	SCT:04 50 SCT:04 200 BKN:07 300	10.00		74	23.3	60	15.6	50	10.0	43	31	200	40	29.87			30.06	FM-15	0.00	30.05
17	1454	7	BKN:07 55 BKN:07 300	10.00		72	22.2	59	15.0	49	9.4	44	22	210	34	29.84			30.03	FM-15	0.00	30.02
17	1554	7	BKN:07 60 BKN:07 300	10.00		72	22.2	59	15.0	48	8.9	43	29	190	39	29.81	6	+0.13	30.00	FM-15	0.00	29.99
17	1654	7	BKN:07 60 BKN:07 300	10.00		71	21.7	58	14.4	48	8.9	44	23	200	31	29.77			29.96	FM-15	0.00	29.95
17	1754	7	SCT:04 65 BKN:07 100 BKN:07 300	10.00		69	20.6	57	13.9	48	8.9	47	16	180	24	29.73			29.93	FM-15	0.00	29.91
17	1854	7	FEW:02 60 SCT:04 100 SCT:04 250	10.00		67	19.4	58	14.4	50	10.0	55	18	180	24	29.69	8	+0.11	29.88	FM-15	0.00	29.87
17	1900	4	57	9.94		67	19.4	58	14.4	50	10.0	55	18	180		29.69	8	+0.11	29.88	FM-12		
17	1954	7	SCT:04 60 BKN:07 100 BKN:07 250	10.00		66	18.9	57	13.9	50	10.0	56	16	180		29.65			29.85	FM-15	0.00	29.83
17	2054	7	BKN:07 150 OVC:08 210	10.00		66	18.9	58	14.4	51	10.6	59	21	190	26	29.64			29.83	FM-15	0.00	29.82
17	2154	7	BKN:07 120 OVC:08 200	10.00		67	19.4	58	14.4	51	10.6	57	23	200	30	29.63	6	+0.07	29.82	FM-15	0.00	29.81
17	2254	7	BKN:07 100 OVC:08 200	10.00		67	19.4	59	15.0	53	11.7	61	34	190	45	29.60			29.79	FM-15	0.00	29.78
17	2354	7	BKN:07 100 OVC:08 150	10.00		68	20.0	62	16.7	58	14.4	70	25	190	36	29.56			29.75	FM-15	0.00	29.74
18	0002	7	BKN:07 27 OVC:08 90	10.00		68	20.0	62	16.7	58	14.4	70	28	190	39	29.54				FM-16		29.72
18	0054	7	BKN:07 24 OVC:08 31	10.00	-RA:02 RA RA	67	19.4	63	17.2	60	15.6	79	23	190	34	29.52	8	+0.11	29.70	FM-15	T	29.70
18	0100	4	26	9.94	RA	67	19.4	63	17.2	60	15.6	79	23	190		29.52	8	+0.11	29.70	FM-12		
18	0152	6	SCT:04 25 BKN:07 32 OVC:08 100	6.00	RA:02 BR:1 RA RA	64	17.8	63	17.2	63	17.2	94	18	180	28	29.47				FM-16		29.64
18	0154	7	SCT:04 27 BKN:07 31 OVC:08 95	7.00	RA:02 RA RA	65	18.3	63	17.2	62	16.7	90	17	180	28	29.47			29.65	FM-15	0.04	29.64
18	0252	6	BKN:07 19 OVC:08 43	10.00	-RA:02 RA RA	64	17.8	63	17.2	63	17.2	94	23	190	32	29.41				FM-16		29.59
18	0254	7	BKN:07 19 OVC:08 43	10.00		66	18.9	64	17.8	63	17.2	90	22	190	32	29.41			29.60	FM-15	0.05	29.59
18	0354	7	SCT:04 15 BKN:07 32 BKN:07 70	10.00	-RA:02 RA RA	66	18.9	65	18.3	64	17.8	93	24	190	33	29.39	6	+0.14	29.57	FM-15	0.01	29.56
18	0418	7	BKN:07 19 BKN:07 32	10.00		67	19.4	65	18.3	64	17.8	91	23	220	33	29.41				FM-16	T	29.59
18	0454	7	BKN:07 17 BKN:07 30 OVC:08 80	10.00		66	18.9	65	18.3	64	17.8	93	16	210	28	29.39			29.58	FM-15	0.01	29.57
18	0554	7	BKN:07 20 BKN:07 34	10.00		67	19.4	65	18.3	63	17.2	87	17	230		29.44			29.63	FM-15	0.00	29.62
18	0624	7	SCT:04 21 BKN:07 240	10.00		67	19.4	65	18.3	63	17.2	87	15	240		29.45				FM-16		29.63

18	0654	7	FEW:02 20 BKN:07 190 OVC:08 300	10.00		67	19.4	64	17.8	62	16.7	84	16	240		29.47	3	-0.10	29.66	FM-15	0.00	29.65
18	0700	4	26	9.94		67	19.4	64	17.8	62	16.7	84	16	240		29.47	3	-0.10	29.66	FM-12		
18	0754	7	SCT:04 27 BKN:07 50 OVC:08 300	10.00		66	18.9	59	15.0	54	12.2	65	21	280	30	29.52			29.71	FM-15	0.00	29.70
18	0854	7	SCT:04 55 OVC:08 300	10.00		62	16.7	54	12.2	46	7.8	56	25	330	34	29.61			29.80	FM-15	0.00	29.79
18	0954	7	BKN:07 50 OVC:08 200	10.00		58	14.4	49	9.4	39	3.9	50	18	320	31	29.67	3	-0.19	29.86	FM-15	0.00	29.85
18	1054	7	SCT:04 70 BKN:07 300	10.00		57	13.9	46	7.8	34	1.1	42	17	320	30	29.71			29.90	FM-15	0.00	29.89
18	1154	7	BKN:07 80 BKN:07 300	10.00		58	14.4	46	7.8	32	0.0	38	14	320	22	29.73			29.92	FM-15	0.00	29.91
18	1254	7	BKN:07 75 OVC:08 300	10.00		57	13.9	45	7.2	30	-1.1	36	16	330	24	29.73	1	-0.06	29.92	FM-15	0.00	29.91
18	1300	4	74	9.94		57	13.9	45	7.2	30	-1.1	36	16	330		29.73	1	-0.06	29.92	FM-12		
18	1354	7	FEW:02 80	10.00		57	13.9	45	7.2	30	-1.1	36	14	310	23	29.73			29.92	FM-15	0.00	29.91
18	1454	7	FEW:02 80 SCT:04 200	10.00		56	13.3	44	6.7	29	-1.7	36	11	330	22	29.75			29.94	FM-15	0.00	29.93
18	1554	7	SCT:04 200	10.00		55	12.8	43	6.1	26	-3.3	33	17	330		29.76	3	-0.04	29.96	FM-15	0.00	29.94
18	1654	7	FEW:02 140 SCT:04 200	10.00		53	11.7	41	5.0	23	-5.0	31	15	310		29.80			29.99	FM-15	0.00	29.98
18	1754	7	FEW:02 140 FEW:02 200	10.00		46	7.8	38	3.3	25	-3.9	44	11	010		29.84			30.03	FM-15	0.00	30.02
18	1854	7	FEW:02 200	10.00		44	6.7	36	2.2	23	-5.0	43	10	020		29.88	3	-0.12	30.07	FM-15	0.00	30.06
18	1900	4		9.94		44	6.7	36	2.2	23	-5.0	43	10	020		29.88	3	-0.12	30.07	FM-12		
18	1954	7	CLR:00	10.00		40	4.4	34	1.1	23	-5.0	51	13	040		29.91			30.11	FM-15	0.00	30.09
18	2054	7	CLR:00	10.00		37	2.8	31	-0.6	21	-6.1	52	7	020		29.94			30.14	FM-15	0.00	30.12
18	2154	7	CLR:00	10.00		36	2.2	30	-1.1	19	-7.2	50	9	360		29.97	1	-0.09	30.16	FM-15	0.00	30.15
18	2254	7	CLR:00	10.00		35	1.7	30	-1.1	19	-7.2	52	5	360		29.98			30.18	FM-15	0.00	30.16
18	2354	7	CLR:00	10.00		34	1.1	29	-1.7	19	-7.2	54	0	000		29.98			30.17	FM-15	0.00	30.16
19	0054	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	0	000		29.97	0	0.00	30.16	FM-15	0.00	30.15
19	0100	4		9.94		30	-1.1	27	-2.8	21	-6.1	69	0	000		29.97	9	0.00	30.16	FM-12		
19	0154	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	3	140		29.96			30.15	FM-15	0.00	30.14
19	0254	7	CLR:00	10.00		28	-2.2	26	-3.3	21	-6.1	75	0	000		29.95			30.14	FM-15	0.00	30.13
19	0354	7	CLR:00	10.00		27	-2.8	25	-3.9	20	-6.7	75	0	000		29.94	6	+0.03	30.13	FM-15	0.00	30.12
19	0454	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	0	000		29.94			30.14	FM-15	0.00	30.12
19	0554	7	CLR:00	10.00		24	-4.4	22	-5.6	19	-7.2	81	5	200		29.95			30.15	FM-15	0.00	30.13
19	0654	7	CLR:00	10.00		25	-3.9	23	-5.0	19	-7.2	78	7	200		29.95	0	-0.01	30.14	FM-15	0.00	30.13
19	0700	4		9.94		25	-3.9	23	-5.0	19	-7.2	78	7	200		29.95	9	+0.01	30.14	FM-12		
19	0754	7	CLR:00	10.00		31	-0.6	28	-2.2	23	-5.0	72	7	230		29.96			30.16	FM-15	0.00	30.14
19	0854	7	CLR:00	10.00		37	2.8	32	0.0	23	-5.0	57	10	230		29.95			30.15	FM-15	0.00	30.13
19	0954	7	CLR:00	10.00		42	5.6	35	1.7	22	-5.6	45	13	220		29.93	8	+0.02	30.12	FM-15	0.00	30.11
19	1054	7	FEW:02 220	10.00		47	8.3	37	2.8	21	-6.1	36	18	220		29.87			30.07	FM-15	0.00	30.05
19	1154	7	FEW:02 220	10.00		50	10.0	37	2.8	16	-8.9	26	18	230	26	29.84			30.03	FM-15	0.00	30.02
19	1254	7	FEW:02 220	10.00		53	11.7	40	4.4	18	-7.8	25	21	260	31	29.80	6	+0.12	30.00	FM-15	0.00	29.98
19	1300	4		9.94		53	11.7	40	4.4	18	-7.8	25	21	260		29.80	6	+0.12	30.00	FM-12		
19	1354	7	FEW:02 70	10.00		55	12.8	41	5.0	20	-6.7	25	23	250	29	29.80			30.00	FM-15	0.00	29.98
19	1454	7	FEW:02 70	10.00		55	12.8	40	4.4	15	-9.4	20	25	270	36	29.81			30.01	FM-15	0.00	29.99
19	1554	7	FEW:02 70	10.00		54	12.2	39	3.9	12	-11.1	19	23	310	31	29.85	3	-0.05	30.05	FM-15	0.00	30.03
19	1654	7	CLR:00	10.00		50	10.0	36	2.2	6	-14.4	17	29	310	39	29.91			30.10	FM-15	0.00	30.09
19	1754	7	CLR:00	10.00		46	7.8	34	1.1	8	-13.3	21	17	320	31	29.97			30.17	FM-15	0.00	30.15
19	1854	7	CLR:00	10.00		43	6.1	32	0.0	9	-12.8	25	16	330	26	30.04	3	-0.19	30.24	FM-15	0.00	30.22
19	1900	4		9.94		43	6.1	32	0.0	9	-12.8	25	16	330		30.04	3	-0.19	30.24	FM-12		
19	1954	7	CLR:00	10.00		39	3.9	29	-1.7	5	-15.0	24	15	350	23	30.10			30.30	FM-15	0.00	30.28
19	2054	7	CLR:00	10.00		37	2.8	28	-2.2	4	-15.6	25	15	010	24	30.16			30.35	FM-15	0.00	30.34
19	2154	7	CLR:00	10.00		34	1.1	26	-3.3	4	-15.6	28	14	010	23	30.20	1	-0.16	30.40	FM-15	0.00	30.38

19	2254	7	CLR:00	10.00		31	-0.6	24	-4.4	6	-14.4	35	13	360		30.23			30.42	FM-15	0.00	30.41
19	2354	7	CLR:00	10.00		29	-1.7	23	-5.0	7	-13.9	39	7	050		30.26			30.45	FM-15	0.00	30.44
20	0054	7	CLR:00	10.00		27	-2.8	21	-6.1	6	-14.4	41	7	020		30.27	1	-0.06	30.46	FM-15	0.00	30.45
20	0100	4		9.94		27	-2.8	21	-6.1	6	-14.4	41	7	020		30.27	1	-0.06	30.46	FM-12		
20	0154	7	CLR:00	10.00		26	-3.3	21	-6.1	8	-13.3	46	3	020		30.28			30.47	FM-15	0.00	30.46
20	0254	7	CLR:00	10.00		25	-3.9	20	-6.7	7	-13.9	46	3	060		30.28			30.48	FM-15	0.00	30.46
20	0354	7	CLR:00	10.00		24	-4.4	20	-6.7	8	-13.3	50	0	000		30.30	3	-0.03	30.50	FM-15	0.00	30.48
20	0454	7	CLR:00	10.00		24	-4.4	19	-7.2	6	-14.4	46	0	000		30.30			30.49	FM-15	0.00	30.48
20	0554	7	CLR:00	10.00		24	-4.4	20	-6.7	7	-13.9	48	0	000		30.32			30.52	FM-15	0.00	30.50
20	0654	7	CLR:00	10.00		21	-6.1	18	-7.8	11	-11.7	65	5	040		30.32	3	-0.02	30.52	FM-15	0.00	30.50
20	0700	4		9.94		21	-6.1	18	-7.8	11	-11.7	65	5	040		30.32	3	-0.02	30.52	FM-12		
20	0754	7	FEW:02 250	10.00		26	-3.3	22	-5.6	12	-11.1	55	0	000		30.34			30.54	FM-15	0.00	30.52
20	0854	7	FEW:02 250	10.00		29	-1.7	23	-5.0	9	-12.8	43	7	VRB		30.37			30.57	FM-15	0.00	30.55
20	0954	7	CLR:00	10.00		31	-0.6	24	-4.4	7	-13.9	36	6	170		30.37	0	-0.05	30.57	FM-15	0.00	30.55
20	1054	7	CLR:00	10.00		36	2.2	28	-2.2	8	-13.3	31	5	170		30.36			30.56	FM-15	0.00	30.54
20	1154	7	CLR:00	10.00		39	3.9	30	-1.1	9	-12.8	29				30.34			30.54	FM-15	0.00	30.52
20	1159	7	CLR:00	10.00		39	3.9	30	-1.1	9	-12.8	29	5	240		30.34				FM-16		30.52
20	1254	7	CLR:00	10.00		41	5.0	31	-0.6	9	-12.8	27	6	VRB		30.31	8	+0.06	30.50	FM-15	0.00	30.49
20	1300	4		9.94		41	5.0	31	-0.6	9	-12.8	27	6			30.31	8	+0.06	30.50	FM-12		
20	1354	7	CLR:00	10.00		44	6.7	33	0.6	9	-12.8	24	10	160		30.26			30.46	FM-15	0.00	30.44
20	1454	7	CLR:00	10.00		47	8.3	34	1.1	8	-13.3	20	16	190		30.23			30.43	FM-15	0.00	30.41
20	1554	7	CLR:00	10.00		48	8.9	35	1.7	8	-13.3	19	15	170	21	30.21	6	+0.09	30.41	FM-15	0.00	30.39
20	1654	7	CLR:00	10.00		47	8.3	34	1.1	8	-13.3	20	14	190	21	30.19			30.39	FM-15	0.00	30.37
20	1754	7	CLR:00	10.00		43	6.1	32	0.0	11	-11.7	27	9	190		30.19			30.39	FM-15	0.00	30.37
20	1854	7	CLR:00	10.00		40	4.4	31	-0.6	13	-10.6	33	7	180		30.21	5	0.00	30.41	FM-15	0.00	30.39
20	1900	4		9.94		40	4.4	31	-0.6	13	-10.6	33	7	180		30.21	5	0.00	30.41	FM-12		
20	1954	7	CLR:00	10.00		39	3.9	30	-1.1	13	-10.6	34	5	160		30.21			30.41	FM-15	0.00	30.39
20	2054	7	CLR:00	10.00		36	2.2	29	-1.7	16	-8.9	44	7	180		30.21			30.41	FM-15	0.00	30.39
20	2154	7	CLR:00	10.00		38	3.3	30	-1.1	15	-9.4	39	7	150		30.21	6	0.00	30.41	FM-15	0.00	30.39
20	2254	7	CLR:00	10.00		33	0.6	28	-2.2	19	-7.2	56	8	190		30.21			30.41	FM-15	0.00	30.39
20	2354	7	CLR:00	10.00		33	0.6	28	-2.2	19	-7.2	56	7	180		30.20			30.40	FM-15	0.00	30.38
21	0054	7	CLR:00	10.00		31	-0.6	27	-2.8	20	-6.7	64	7	190		30.20	8	+0.01	30.40	FM-15	0.00	30.38
21	0100	4		9.94		31	-0.6	27	-2.8	20	-6.7	64	7	190		30.20	8	+0.01	30.40	FM-12		
21	0154	7	CLR:00	10.00		32	0.0	28	-2.2	20	-6.7	61	5	200		30.18			30.38	FM-15	0.00	30.36
21	0254	7	CLR:00	10.00		32	0.0	29	-1.7	22	-5.6	66	7	180		30.17			30.37	FM-15	0.00	30.35
21	0354	7	CLR:00	10.00		32	0.0	29	-1.7	22	-5.6	66	5	190		30.16	6	+0.03	30.36	FM-15	0.00	30.34
21	0454	7	CLR:00	10.00		32	0.0	29	-1.7	23	-5.0	69	0	000		30.17			30.37	FM-15	0.00	30.35
21	0554	7	CLR:00	10.00		32	0.0	29	-1.7	24	-4.4	73	5	180		30.19			30.38	FM-15	0.00	30.37
21	0654	7	FEW:02 250	10.00		31	-0.6	29	-1.7	24	-4.4	76	3	180		30.20	3	-0.03	30.40	FM-15	0.00	30.38
21	0700	4		9.94		31	-0.6	29	-1.7	24	-4.4	76	3	180		30.20	3	-0.03	30.40	FM-12		
21	0754	7	FEW:02 300	10.00		34	1.1	32	0.0	28	-2.2	79	3	190		30.21			30.40	FM-15	0.00	30.39
21	0854	7	FEW:02 300	10.00		43	6.1	37	2.8	29	-1.7	58	7	210		30.21			30.41	FM-15	0.00	30.39
21	0954	7	FEW:02 300	10.00		50	10.0	42	5.6	32	0.0	50	7	230		30.21	0	-0.01	30.40	FM-15	0.00	30.39
21	1054	7	FEW:02 300	10.00		58	14.4	46	7.8	32	0.0	38	11	230		30.19			30.39	FM-15	0.00	30.37
21	1154	7	FEW:02 300	10.00		61	16.1	47	8.3	31	-0.6	32	10	220		30.17			30.36	FM-15	0.00	30.35
21	1254	7	FEW:02 300	10.00		64	17.8	49	9.4	31	-0.6	29	6	230		30.13	8	+0.08	30.32	FM-15	0.00	30.31
21	1300	4		9.94		64	17.8	49	9.4	31	-0.6	29	6	230		30.13	8	+0.08	30.32	FM-12		
21	1354	7	FEW:02 300	10.00		66	18.9	49	9.4	30	-1.1	26	6	220		30.10			30.29	FM-15	0.00	30.28
21	1454	7	CLR:00	10.00		67	19.4	50	10.0	30	-1.1	25	8	220		30.09			30.28	FM-15	0.00	30.27
21	1554	7	FEW:02 60 SCT:04 220	10.00		67	19.4	50	10.0	29	-1.7	24	15	210		30.08	6	+0.05	30.28	FM-15	0.00	30.26
21	1654	7	FEW:02 60 BKN:07 300	10.00		65	18.3	50	10.0	33	0.6	31	11	210		30.09			30.29	FM-15	0.00	30.27
21	1754	7	FEW:02 60 BKN:07 300	10.00		59	15.0	48	8.9	36	2.2	42	6	180		30.10			30.29	FM-15	0.00	30.28
21	1854	7	FEW:02 60 BKN:07 300	10.00		56	13.3	48	8.9	39	3.9	53	7	170		30.12	3	-0.03	30.31	FM-15	0.00	30.30
21	1900	4	57	9.94		56	13.3	48	8.9	39	3.9	53	7	170		30.12	3	-0.03	30.31	FM-12		

21	1954	7	FEW:02 60 OVC:08 300	10.00		53	11.7	47	8.3	40	4.4	61	6	170		30.12			30.32	FM-15	0.00	30.30
21	2054	7	OVC:08 300	10.00		57	13.9	53	11.7	49	9.4	74	10	160		30.13			30.32	FM-15	0.00	30.31
21	2154	7	BKN:07 100 OVC:08 300	10.00		56	13.3	53	11.7	50	10.0	81	9	170		30.14	3	-0.03	30.34	FM-15	0.00	30.32
21	2254	7	SCT:04 100 BKN:07 300	10.00		56	13.3	54	12.2	52	11.1	87	10	160		30.13			30.32	FM-15	0.00	30.31
21	2354	7	SCT:04 65 SCT:04 100 OVC:08 300	10.00		56	13.3	54	12.2	52	11.1	87	10	170		30.12			30.32	FM-15	0.00	30.30
22	0054	7	BKN:07 75	10.00		56	13.3	54	12.2	52	11.1	87	9	180		30.11	6	+0.03	30.30	FM-15	0.00	30.29
22	0100	4	74	9.94		56	13.3	54	12.2	52	11.1	87	9	180		30.11	6	+0.03	30.30	FM-12		
22	0154	7	OVC:08 70	10.00		56	13.3	54	12.2	53	11.7	90	9	170		30.10			30.30	FM-15	0.00	30.28
22	0254	7	SCT:04 65 OVC:08 90	10.00		56	13.3	54	12.2	53	11.7	90	8	180		30.10			30.29	FM-15	0.00	30.28
22	0354	7	BKN:07 50 OVC:08 70	10.00		58	14.4	55	12.8	53	11.7	84	10	180		30.09	7	+0.02	30.28	FM-15	0.00	30.27
22	0454	7	SCT:04 50 OVC:08 60	10.00		59	15.0	56	13.3	53	11.7	81	11	190		30.09			30.29	FM-15	0.00	30.27
22	0554	7	BKN:07 44 OVC:08 65	10.00		59	15.0	56	13.3	53	11.7	81	10	180		30.09			30.28	FM-15	0.00	30.27
22	0654	7	BKN:07 44 OVC:08 60	10.00		59	15.0	56	13.3	54	12.2	83	13	180		30.10	3	-0.01	30.29	FM-15	0.00	30.28
22	0700	4	41	9.94		59	15.0	56	13.3	54	12.2	83	13	180		30.10	3	-0.01	30.29	FM-12		
22	0754	7	BKN:07 50 OVC:08 60	10.00		60	15.6	57	13.9	54	12.2	80	14	190		30.11			30.30	FM-15	0.00	30.29
22	0854	7	FEW:02 40 OVC:08 70	10.00		61	16.1	58	14.4	55	12.8	81	13	170		30.10			30.29	FM-15	0.00	30.28
22	0954	7	FEW:02 15 FEW:02 50 OVC:08 65	10.00		63	17.2	58	14.4	54	12.2	73	17	190		30.09	8	+0.01	30.28	FM-15	0.00	30.27
22	1054	7	FEW:02 20 BKN:07 55 OVC:08 70	10.00		64	17.8	59	15.0	55	12.8	73	13	190	24	30.08			30.28	FM-15	0.00	30.26
22	1124	7	BKN:07 26 OVC:08 55	10.00		64	17.8	59	15.0	55	12.8	73	15	190		30.08				FM-16		30.26
22	1154	7	BKN:07 25 OVC:08 55	10.00	-RA:02 RA RA	64	17.8	59	15.0	56	13.3	75	15	190	25	30.06			30.25	FM-15	T	30.24
22	1216	7	SCT:04 25 OVC:08 50	10.00		65	18.3	60	15.6	56	13.3	73	20	200	28	30.05				FM-16	T	30.23
22	1254	7	FEW:02 24 OVC:08 50	10.00		66	18.9	60	15.6	56	13.3	70	15	190	24	30.03	8	+0.06	30.22	FM-15	T	30.21
22	1300	4	26	9.94		66	18.9	60	15.6	56	13.3	70	15	190		30.03	8	+0.06	30.22	FM-12		
22	1354	7	BKN:07 32 OVC:08 55	10.00		67	19.4	60	15.6	55	12.8	66	18	200	28	30.00			30.19	FM-15	0.00	30.18
22	1454	7	FEW:02 41 SCT:04 55 BKN:07 110	10.00	RA RA	66	18.9	61	16.1	57	13.9	73	22	200	28	29.97			30.16	FM-15	T	30.15
22	1554	7	SCT:04 37 BKN:07 50 OVC:08 110	10.00	-RA:02 RA RA	66	18.9	61	16.1	58	14.4	75	10	210		29.99	5	+0.04	30.18	FM-15	0.01	30.17
22	1654	7	FEW:02 37 BKN:07 85 BKN:07 200	10.00		67	19.4	61	16.1	57	13.9	71	15	170		29.94			30.13	FM-15	0.01	30.12
22	1754	7	FEW:02 37 SCT:04 100 BKN:07 190	10.00		66	18.9	60	15.6	56	13.3	70	15	190		29.95			30.14	FM-15	0.00	30.13
22	1854	7	FEW:02 41 BKN:07 55 OVC:08 190	10.00		66	18.9	61	16.1	57	13.9	73	10	190		29.97	5	+0.02	30.16	FM-15	0.00	30.15
22	1900	4	41	9.94		66	18.9	61	16.1	57	13.9	73	10	190		29.97	5	+0.02	30.16	FM-12		
22	1954	7	BKN:07 41 OVC:08 49	10.00		66	18.9	61	16.1	57	13.9	73	9	210		29.98			30.17	FM-15	0.00	30.16

22	2054	7	BKN:07 45 OVC:08 55	10.00		66	18.9	61	16.1	57	13.9	73	11	200		29.98			30.17	FM-15	0.00	30.16
22	2154	7	FEW:02 26 BKN:07 34 OVC:08 55	6.00	-RA:02 RA RA	64	17.8	61	16.1	58	14.4	81	5	250		29.97	0	-0.01	30.16	FM-15	T	30.15
22	2252	6	BKN:07 26 BKN:07 32 OVC:08 40	3.00	RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	94	11	230		29.98				FM-16		30.16
22	2254	7	BKN:07 26 BKN:07 37 OVC:08 60	3.00	+RA:02 BR:1 RA RA	62	16.7	61	16.1	61	16.1	96	10	230		29.98			30.17	FM-15	0.07	30.16
22	2304	7	SCT:04 26 OVC:08 65	7.00	-RA:02 RA RA	62	16.7	61	16.1	61	16.1	96	16	200		29.97				FM-16	0.02	30.15
22	2354	7	OVC:08 65	10.00	-RA:02 RA RA	62	16.7	61	16.1	60	15.6	93	16	210		29.96			30.15	FM-15	0.01	30.14
23	0054	7	OVC:08 70	10.00		61	16.1	60	15.6	59	15.0	93	15	200		29.94	8	+0.04	30.14	FM-15	T	30.12
23	0100	4	74	9.94		61	16.1	60	15.6	59	15.0	93	15	200		29.94	8	+0.04	30.14	FM-12		
23	0154	7	OVC:08 75	10.00	-RA:02 RA RA	61	16.1	60	15.6	59	15.0	93	13	200		29.95			30.14	FM-15	0.01	30.13
23	0254	7	OVC:08 80	10.00		61	16.1	59	15.0	58	14.4	90	16	200		29.91			30.10	FM-15	T	30.09
23	0354	7	BKN:07 90 OVC:08 180	10.00		60	15.6	58	14.4	57	13.9	90	14	220		29.91	8	+0.03	30.11	FM-15	0.00	30.09
23	0454	7	BKN:07 80 OVC:08 170	10.00		60	15.6	58	14.4	57	13.9	90	14	220		29.92			30.12	FM-15	0.00	30.10
23	0554	7	OVC:08 80	10.00		61	16.1	59	15.0	58	14.4	90	16	220		29.94			30.13	FM-15	0.00	30.12
23	0654	7	OVC:08 80	10.00	-RA:02 RA RA	61	16.1	59	15.0	58	14.4	90	13	220		29.95	3	-0.04	30.14	FM-15	T	30.13
23	0700	4	74	9.94	RA	61	16.1	59	15.0	58	14.4	90	13	220		29.95	3	-0.04	30.14	FM-12		
23	0754	7	FEW:02 80 OVC:08 100	10.00	-RA:02 RA RA	60	15.6	59	15.0	58	14.4	93	13	200		29.95			30.14	FM-15	0.02	30.13
23	0854	7	FEW:02 10 SCT:04 80 OVC:08 100	9.00	-RA:02 RA RA	60	15.6	59	15.0	58	14.4	93	13	180		29.96			30.15	FM-15	0.05	30.14
23	0943	7	SCT:04 8 SCT:04 48 OVC:08 100	10.00	-RA:02 RA RA	60	15.6	59	15.0	58	14.4	93	9	250		29.96				FM-16	0.03	30.14
23	0954	7	BKN:07 12 BKN:07 37 BKN:07 90	10.00		60	15.6	59	15.0	59	15.0	96	7	220		29.95	0	0.00	30.15	FM-15	0.03	30.13
23	1004	7	SCT:04 12 SCT:04 38 BKN:07 90	10.00		60	15.6	59	15.0	58	14.4	93	10	220		29.95				FM-16		30.13
23	1054	7	FEW:02 15 BKN:07 150 OVC:08 300	10.00		61	16.1	60	15.6	59	15.0	93	9	230		29.96			30.15	FM-15	0.00	30.14
23	1126	7	BKN:07 12 BKN:07 170 OVC:08 300	10.00		63	17.2	61	16.1	59	15.0	87	13	210		29.95				FM-16		30.13
23	1152	6	BKN:07 16 BKN:07 190 OVC:08 300	10.00		64	17.8	61	16.1	59	15.0	83	14	240		29.95				FM-16		30.13
23	1154	7	BKN:07 16 BKN:07 190 OVC:08 300	10.00		64	17.8	61	16.1	59	15.0	84	11	230		29.95			30.14	FM-15	0.00	30.13
23	1240	7	SCT:04 20 BKN:07 200 OVC:08 300	10.00		65	18.3	61	16.1	58	14.4	78	16	240		29.93				FM-16		30.11
23	1254	7	SCT:04 19 BKN:07 190 OVC:08 300	10.00		65	18.3	61	16.1	58	14.4	78	13	230		29.93	8	+0.03	30.12	FM-15	0.00	30.11
23	1300	4	15	9.94		65	18.3	61	16.1	58	14.4	78	13	230		29.93	8	+0.03	30.12	FM-12		
23	1354	7	FEW:02 24 SCT:04 210 BKN:07 300	10.00		67	19.4	62	16.7	58	14.4	73	14	230		29.90			30.09	FM-15	0.00	30.08
23	1454	7	FEW:02 25 SCT:04 200 BKN:07 300	10.00		68	20.0	62	16.7	57	13.9	68	15	220		29.88			30.07	FM-15	0.00	30.06

23	1554	7	FEW:02 28 FEW:02 200 BKN:07 300	10.00		70	21.1	62	16.7	57	13.9	64	11	240		29.89	5	+0.03	30.08	FM-15	0.00	30.07
23	1654	7	FEW:02 200 BKN:07 300	10.00		70	21.1	61	16.1	55	12.8	59	8	240		29.89			30.08	FM-15	0.00	30.07
23	1754	7	FEW:02 200 FEW:02 300	10.00		67	19.4	60	15.6	55	12.8	66	8	240		29.90			30.09	FM-15	0.00	30.08
23	1854	7	FEW:02 200 FEW:02 300	10.00		60	15.6	57	13.9	54	12.2	80	9	220		29.93	3	-0.03	30.12	FM-15	0.00	30.11
23	1900	4		9.94		60	15.6	57	13.9	54	12.2	80	9	220		29.93	3	-0.03	30.12	FM-12		
23	1954	7	FEW:02 300	10.00		59	15.0	56	13.3	54	12.2	83	5	200		29.95			30.14	FM-15	0.00	30.13
23	2054	7	SCT:04 300	10.00		59	15.0	56	13.3	54	12.2	83	0	000		29.97			30.16	FM-15	0.00	30.15
23	2154	7	SCT:04 49 SCT:04 300	10.00		60	15.6	55	12.8	50	10.0	70	14	020		30.01	3	-0.08	30.20	FM-15	0.00	30.19
23	2254	7	SCT:04 40 SCT:04 300	10.00		56	13.3	47	8.3	38	3.3	51	13	020		30.03			30.23	FM-15	0.00	30.21
23	2354	7	BKN:07 50 BKN:07 300	10.00		53	11.7	45	7.2	35	1.7	51	14	010		30.08			30.27	FM-15	0.00	30.26
24	0054	7	SCT:04 55 BKN:07 220	10.00		50	10.0	43	6.1	34	1.1	54	16	020		30.08	1	-0.07	30.27	FM-15	0.00	30.26
24	0100	4	57	9.94		50	10.0	43	6.1	34	1.1	54	16	020		30.08	1	-0.07	30.27	FM-12		
24	0154	7	SCT:04 50 BKN:07 200	10.00		46	7.8	40	4.4	32	0.0	58	15	030	25	30.09			30.28	FM-15	0.00	30.27
24	0254	7	CLR:00	10.00		44	6.7	39	3.9	32	0.0	63	8	360		30.10			30.29	FM-15	0.00	30.28
24	0354	7	SCT:04 220	10.00		43	6.1	38	3.3	32	0.0	65	10	020		30.10	0	-0.02	30.29	FM-15	0.00	30.28
24	0454	7	BKN:07 180	10.00		42	5.6	37	2.8	30	-1.1	62	10	040		30.11			30.30	FM-15	0.00	30.29
24	0554	7	BKN:07 37 OVC:08 210	10.00		42	5.6	36	2.2	28	-2.2	58	8	020		30.15			30.34	FM-15	0.00	30.33
24	0654	7	OVC:08 36	10.00		42	5.6	37	2.8	29	-1.7	60	9	020		30.18	3	-0.09	30.37	FM-15	0.00	30.36
24	0700	4	41	9.94		42	5.6	37	2.8	29	-1.7	60	9	020		30.18	3	-0.09	30.37	FM-12		
24	0754	7	OVC:08 37	10.00		41	5.0	36	2.2	28	-2.2	60	13	050		30.20			30.39	FM-15	0.00	30.38
24	0854	7	OVC:08 38	10.00		41	5.0	36	2.2	27	-2.8	57	13	070		30.20			30.39	FM-15	0.00	30.38
24	0954	7	OVC:08 39	10.00		41	5.0	36	2.2	29	-1.7	62	9	070		30.20	1	-0.01	30.39	FM-15	0.00	30.38
24	1054	7	BKN:07 28 OVC:08 39	10.00	-RA:02 RA RA	40	4.4	37	2.8	34	1.1	79	8	020		30.22			30.41	FM-15	0.02	30.40
24	1154	7	OVC:08 27	9.00	-RA:02 RA RA	40	4.4	37	2.8	34	1.1	79	9	030		30.21			30.40	FM-15	0.01	30.39
24	1254	7	FEW:02 13 OVC:08 27	9.00	-RA:02 RA RA	40	4.4	38	3.3	35	1.7	83	5	030		30.20	0	0.00	30.40	FM-15	0.03	30.38
24	1300	4	15	8.70	RA	40	4.4	38	3.3	35	1.7	83	5	030		30.20	9	0.00	30.40	FM-12		
24	1354	7	FEW:02 15 OVC:08 27	10.00	-RA:02 RA RA	40	4.4	38	3.3	35	1.7	83	6	060		30.18			30.37	FM-15	0.03	30.36
24	1454	7	FEW:02 16 OVC:08 27	10.00	-RA:02 RA RA	39	3.9	37	2.8	35	1.7	86	8	020		30.18			30.37	FM-15	0.02	30.36
24	1554	7	FEW:02 16 OVC:08 26	10.00		39	3.9	37	2.8	34	1.1	82	3	040		30.16	8	+0.04	30.35	FM-15	T	30.34
24	1654	7	OVC:08 27	10.00		38	3.3	36	2.2	33	0.6	83	7	060		30.15			30.34	FM-15	T	30.33
24	1754	7	OVC:08 26	10.00	-RA:02 RA RA	38	3.3	36	2.2	32	0.0	79	3	090		30.16			30.36	FM-15	T	30.34
24	1854	7	OVC:08 23	10.00		38	3.3	35	1.7	31	-0.6	76	9	080		30.14	8	+0.01	30.34	FM-15	T	30.32
24	1900	4	26	9.94		38	3.3	35	1.7	31	-0.6	76	9	080		30.14	8	+0.01	30.34	FM-12		
24	1954	7	OVC:08 22	10.00		37	2.8	34	1.1	30	-1.1	76	6	050		30.18			30.38	FM-15	0.00	30.36
24	2054	7	OVC:08 19	10.00		37	2.8	35	1.7	32	0.0	82	10	070		30.15			30.35	FM-15	0.00	30.33
24	2152	7	OVC:08 14	9.00		37	2.8	36	2.2	34	1.1	87	7	010		30.16				FM-16		30.34
24	2154	7	OVC:08 14	9.00		37	2.8	35	1.7	33	0.6	86	7	020		30.16	5	+0.02	30.36	FM-15	0.00	30.34
24	2254	7	BKN:07 8 OVC:08 13	5.00	BR:1	36	2.2	35	1.7	34	1.1	93	7	010		30.13			30.33	FM-15	0.00	30.31
24	2354	7	OVC:08 9	4.00	BR:1	36	2.2	36	2.2	35	1.7	97	0	000		30.14			30.34	FM-15	0.00	30.32
25	0054	7	OVC:08 5	3.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	34	1.1	96	5	030		30.10	8	+0.07	30.29	FM-15	T	30.28
25	0100	4	5	2.98	DZ	35	1.7	35	1.7	34	1.1	96	5	030		30.10	8	+0.07	30.29	FM-12		
25	0119	7	OVC:08 4	3.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	34	1.1	96	7	330		30.11				FM-16	T	30.29
25	0144	7	OVC:08 4	2.50	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	35	1.7	100	6	340		30.09				FM-16	T	30.27

25	0154	7	OVC:08 4	2.50	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	35	1.7	100	5	020		30.08			30.27	FM-15	T	30.26
25	0230	7	FEW:02 3 BKN:07 5 OVC:08 12	2.50	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	34	1.1	96	3	020		30.05				FM-16	0.01	30.23
25	0254	7	BKN:07 5 OVC:08 14	3.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	35	1.7	100	0	000		30.03			30.23	FM-15	0.01	30.21
25	0326	7	BKN:07 5 OVC:08 8	2.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	34	1.1	96	5	320		30.02				FM-16	T	30.20
25	0352	6	BKN:07 5 OVC:08 14	3.00	-DZ:01 BR:1 DZ DZ	36	2.2	36	2.2	36	2.2	100	0	000		30.00				FM-16		30.18
25	0354	7	BKN:07 5 OVC:08 12	3.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	35	1.7	100	0	000		30.00	8	+0.10	30.19	FM-15	T	30.18
25	0451	7	OVC:08 3	3.00	-DZ:01 BR:1 DZ DZ	36	2.2	35	1.7	34	1.1	93	6	140		29.94				FM-16	T	30.12
25	0454	7	OVC:08 3	3.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	34	1.1	96	7	140		29.93			30.13	FM-15	T	30.11
25	0543	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	35	1.7	100	7	230		29.95				FM-16	T	30.13
25	0554	7	OVC:08 3	2.00	-DZ:01 BR:1 DZ DZ	35	1.7	35	1.7	35	1.7	100	7	230		29.94			30.14	FM-15	T	30.12
25	0609	7	OVC:08 3	1.50	-DZ:01 BR:1 DZ DZ	36	2.2	36	2.2	35	1.7	97	8	200		29.93				FM-16	T	30.11
25	0633	7	OVC:08 3	2.50	-DZ:01 BR:1 DZ DZ	36	2.2	36	2.2	36	2.2	100	9	220		29.92				FM-16	T	30.10
25	0638	7	OVC:08 3	3.00	-DZ:01 BR:1 DZ DZ	36	2.2	36	2.2	36	2.2	100	7	220		29.92				FM-16	T	30.10
25	0652	6	OVC:08 3	2.50	-DZ:01 BR:1 DZ DZ	36	2.2	36	2.2	36	2.2	100	8	220		29.91				FM-16		30.09
25	0654	7	OVC:08 3	2.50	-DZ:01 BR:1 DZ DZ	36	2.2	36	2.2	36	2.2	100	8	220		29.92	8	+0.02	30.11	FM-15	T	30.10
25	0700	4	2	2.49	DZ	36	2.2	36	2.2	36	2.2	100	8	220		29.92	8	+0.02	30.11	FM-12		
25	0719	7	OVC:08 3	1.25	-DZ:01 BR:1 DZ DZ	36	2.2	36	2.2	36	2.2	100	10	200		29.90				FM-16	T	30.08
25	0752	6	OVC:08 3	2.00	BR:1	37	2.8	37	2.8	37	2.8	100	13	200		29.90				FM-16		30.08
25	0754	7	OVC:08 3	2.00	BR:1	37	2.8	37	2.8	37	2.8	100	13	210		29.90			30.10	FM-15	T	30.08
25	0803	7	OVC:08 4	1.50	BR:1	37	2.8	37	2.8	37	2.8	100	10	220		29.91				FM-16		30.09
25	0827	7	OVC:08 3	1.00	BR:1	38	3.3	38	3.3	38	3.3	100	13	200		29.89				FM-16		30.07
25	0854	7	OVC:08 3	1.00	BR:1	39	3.9	39	3.9	38	3.3	96	11	220		29.90			30.10	FM-15	0.00	30.08
25	0946	7	OVC:08 3	2.50	-RA:02 BR:1 RA RA	40	4.4	40	4.4	39	3.9	97	9	260		29.93				FM-16	0.01	30.11
25	0954	7	OVC:08 4	3.00	-RA:02 BR:1 RA RA	40	4.4	40	4.4	39	3.9	97	11	280		29.94	3	-0.03	30.14	FM-15	0.01	30.12
25	1040	7	BKN:07 5 OVC:08 13	3.00	-RA:02 BR:1 RA RA	41	5.0	41	5.0	40	4.4	96	13	210		29.91				FM-16	T	30.09
25	1054	7	OVC:08 5	7.00		42	5.6	42	5.6	42	5.6	100	10	220		29.91			30.10	FM-15	T	30.09
25	1154	7	OVC:08 7	10.00		46	7.8	45	7.2	44	6.7	93	13	220		29.89			30.09	FM-15	0.00	30.07
25	1237	7	BKN:07 10 BKN:07 300	10.00		49	9.4	48	8.9	46	7.8	90	11	240		29.89				FM-16		30.07
25	1252	6	SCT:04 10 BKN:07 300	10.00		50	10.0	48	8.9	46	7.8	88	15	240		29.87				FM-16		30.05
25	1254	7	SCT:04 10 BKN:07 300	10.00		50	10.0	48	8.9	46	7.8	86	15	240		29.87	6	+0.07	30.07	FM-15	0.00	30.05
25	1300	4	15	9.94		50	10.0	48	8.9	46	7.8	86	15	240		29.87	6	+0.07	30.07	FM-12		
25	1354	7	FEW:02 23 BKN:07 300	10.00		57	13.9	52	11.1	47	8.3	69	14	250		29.87			30.06	FM-15	0.00	30.05
25	1454	7	FEW:02 31 FEW:02 75 BKN:07 300	10.00		61	16.1	54	12.2	47	8.3	60	11	250		29.87			30.07	FM-15	0.00	30.05
25	1554	7	FEW:02 45 BKN:07 300	10.00		64	17.8	54	12.2	44	6.7	48	10	230		29.89	3	-0.01	30.08	FM-15	0.00	30.07
25	1654	7	FEW:02 45 SCT:04 300	10.00		64	17.8	54	12.2	44	6.7	48	10	240		29.91			30.10	FM-15	0.00	30.09
25	1754	7	FEW:02 45 FEW:02 300	10.00		61	16.1	52	11.1	44	6.7	54	7	250		29.95			30.14	FM-15	0.00	30.13
25	1854	7	SCT:04 300	10.00		57	13.9	49	9.4	41	5.0	55	15	010		30.00	3	-0.11	30.19	FM-15	0.00	30.18
25	1900	4		9.94		57	13.9	49	9.4	41	5.0	55	15	010		30.00	3	-0.11	30.19	FM-12		
25	1905	7	SCT:04 300	10.00		56	13.3	50	10.0	45	7.2	67	13	020		30.00				FM-16		30.18
25	1954	7	SCT:04 300	10.00		51	10.6	48	8.9	45	7.2	80	10	020		30.04			30.24	FM-15	0.00	30.22
25	2054	7	SCT:04 300	10.00		48	8.9	41	5.0	33	0.6	56	13	010	24	30.09			30.29	FM-15	0.00	30.27
25	2154	7	FEW:02 300	10.00		46	7.8	39	3.9	30	-1.1	54	14	010	23	30.13	1	-0.13	30.32	FM-15	0.00	30.31
25	2254	7	FEW:02 300	10.00		44	6.7	38	3.3	29	-1.7	55	11	010		30.15			30.35	FM-15	0.00	30.33
25	2354	7	FEW:02 300	10.00		41	5.0	36	2.2	29	-1.7	62	8	020		30.16			30.36	FM-15	0.00	30.34

26	0054	7	OVC:08 240	10.00		40	4.4	35	1.7	28	-2.2	63	13	010		30.18	1	-0.05	30.37	FM-15	0.00	30.36
26	0100	4		9.94		40	4.4	35	1.7	28	-2.2	63	13	010		30.18	1	-0.05	30.37	FM-12		
26	0154	7	BKN:07 230	10.00		39	3.9	34	1.1	27	-2.8	62	13	010		30.19			30.39	FM-15	0.00	30.37
26	0254	7	BKN:07 240	10.00		37	2.8	33	0.6	27	-2.8	67	10	030		30.21			30.40	FM-15	0.00	30.39
26	0354	7	BKN:07 240	10.00		36	2.2	32	0.0	26	-3.3	67	6	030		30.22	1	-0.04	30.42	FM-15	0.00	30.40
26	0454	7	OVC:08 210	10.00		35	1.7	31	-0.6	24	-4.4	64	8	030		30.27			30.46	FM-15	0.00	30.45
26	0554	7	OVC:08 160	10.00		35	1.7	31	-0.6	23	-5.0	61	9	030		30.27			30.47	FM-15	0.00	30.45
26	0654	7	OVC:08 170	10.00		35	1.7	31	-0.6	23	-5.0	61	7	020		30.30	1	-0.08	30.50	FM-15	0.00	30.48
26	0700	4		9.94		35	1.7	31	-0.6	23	-5.0	61	7	020		30.30	1	-0.08	30.50	FM-12		
26	0754	7	FEW:02 100 BKN:07 130 OVC:08 300	10.00		35	1.7	31	-0.6	24	-4.4	64	7	080		30.30			30.50	FM-15	0.00	30.48
26	0854	7	FEW:02 100 BKN:07 130 OVC:08 250	10.00		36	2.2	31	-0.6	23	-5.0	59	8	030		30.34			30.53	FM-15	0.00	30.52
26	0954	7	FEW:02 100 SCT:04 160 BKN:07 250	10.00		37	2.8	32	0.0	22	-5.6	54	6	360		30.34	3	-0.04	30.53	FM-15	0.00	30.52
26	1054	7	FEW:02 120 SCT:04 170 BKN:07 250	10.00		38	3.3	32	0.0	22	-5.6	52	10	010		30.33			30.53	FM-15	0.00	30.51
26	1154	7	FEW:02 36 BKN:07 180 BKN:07 250	10.00		40	4.4	34	1.1	23	-5.0	51	3	260		30.30			30.50	FM-15	0.00	30.48
26	1254	7	FEW:02 36 SCT:04 200 OVC:08 250	10.00		41	5.0	34	1.1	23	-5.0	49	3	050		30.25	8	+0.09	30.45	FM-15	0.00	30.43
26	1300	4	41	9.94		41	5.0	34	1.1	23	-5.0	49	3	050		30.25	8	+0.09	30.45	FM-12		
26	1354	7	SCT:04 200 OVC:08 250	10.00		42	5.6	35	1.7	24	-4.4	49	6	280		30.23			30.43	FM-15	0.00	30.41
26	1454	7	SCT:04 180 OVC:08 250	10.00		42	5.6	35	1.7	24	-4.4	49	5	100		30.20			30.40	FM-15	0.00	30.38
26	1554	7	BKN:07 130 OVC:08 220	10.00		42	5.6	35	1.7	24	-4.4	49	5	190		30.19	6	+0.06	30.39	FM-15	0.00	30.37
26	1654	7	BKN:07 130 OVC:08 220	10.00		43	6.1	36	2.2	24	-4.4	47	0	000		30.19			30.39	FM-15	0.00	30.37
26	1754	7	BKN:07 140 OVC:08 220	10.00		42	5.6	35	1.7	25	-3.9	51	3	VRB		30.19			30.39	FM-15	0.00	30.37
26	1854	7	BKN:07 180 OVC:08 220	10.00		39	3.9	35	1.7	28	-2.2	65	6	130		30.18	8	+0.01	30.38	FM-15	0.00	30.36
26	1900	4		9.94		39	3.9	35	1.7	28	-2.2	65	6	130		30.18	8	+0.01	30.38	FM-12		
26	1954	7	BKN:07 180 OVC:08 220	10.00		39	3.9	35	1.7	28	-2.2	65	0	000		30.19			30.38	FM-15	0.00	30.37
26	2054	7	BKN:07 180 OVC:08 220	10.00		39	3.9	35	1.7	28	-2.2	65	5	160		30.18			30.37	FM-15	0.00	30.36
26	2154	7	BKN:07 180 OVC:08 220	10.00		39	3.9	34	1.1	27	-2.8	62	5	150		30.16	8	+0.03	30.35	FM-15	0.00	30.34
26	2254	7	BKN:07 180 OVC:08 220	10.00		38	3.3	34	1.1	29	-1.7	70	5	180		30.14			30.33	FM-15	0.00	30.32
26	2354	7	BKN:07 180 OVC:08 220	10.00		38	3.3	35	1.7	30	-1.1	73	6	190		30.11			30.31	FM-15	0.00	30.29
27	0054	7	OVC:08 180	10.00		37	2.8	34	1.1	30	-1.1	76	5	190		30.10	6	+0.05	30.30	FM-15	0.00	30.28
27	0100	4		9.94		37	2.8	34	1.1	30	-1.1	76	5	190		30.10	6	+0.05	30.30	FM-12		
27	0154	7	OVC:08 180	10.00		38	3.3	36	2.2	32	0.0	79	6	200		30.09			30.28	FM-15	0.00	30.27
27	0254	7	OVC:08 170	10.00		38	3.3	36	2.2	32	0.0	79	5	210		30.06			30.25	FM-15	0.00	30.24
27	0354	7	OVC:08 170	10.00		38	3.3	36	2.2	32	0.0	79	3	180		30.04	8	+0.06	30.24	FM-15	0.00	30.22
27	0454	7	OVC:08 150	10.00		37	2.8	35	1.7	33	0.6	86	3	180		30.03			30.23	FM-15	0.00	30.21
27	0554	7	OVC:08 150	10.00		38	3.3	36	2.2	33	0.6	83	3	240		30.04			30.23	FM-15	0.00	30.22
27	0654	7	BKN:07 130 OVC:08 300	10.00		38	3.3	36	2.2	34	1.1	86	3	170		30.03	6	+0.01	30.23	FM-15	0.00	30.21
27	0700	4		9.94		38	3.3	36	2.2	34	1.1	86	3	170		30.03	6	+0.01	30.23	FM-12		

27	0754	7	BKN:07 110 OVC:08 250	10.00		38	3.3	37	2.8	35	1.7	89	3	180		30.04			30.24	FM-15	0.00	30.22
27	0829	7	FEW:02 2 SCT:04 110 OVC:08 250	10.00		39	3.9	37	2.8	35	1.7	86	0	000		30.04				FM-16		30.22
27	0854	7	FEW:02 90 SCT:04 100 OVC:08 250	10.00		41	5.0	38	3.3	35	1.7	79	0	000		30.04			30.24	FM-15	0.00	30.22
27	0954	7	BKN:07 100 OVC:08 250	10.00		42	5.6	39	3.9	35	1.7	76	6	210		30.02	8	+0.01	30.22	FM-15	0.00	30.20
27	1054	7	BKN:07 100 OVC:08 250	10.00		44	6.7	39	3.9	33	0.6	65	3	290		30.01			30.20	FM-15	0.00	30.19
27	1154	7	BKN:07 100 OVC:08 250	10.00		46	7.8	40	4.4	33	0.6	61	7	210		29.98			30.17	FM-15	0.00	30.16
27	1254	7	BKN:07 100 BKN:07 250	10.00		48	8.9	40	4.4	28	-2.2	46	5	240		29.94	8	+0.07	30.14	FM-15	0.00	30.12
27	1300	4		9.94		48	8.9	40	4.4	28	-2.2	46	5	240		29.94	8	+0.07	30.14	FM-12		
27	1354	7	BKN:07 100 BKN:07 250	10.00		48	8.9	39	3.9	27	-2.8	44	6	210		29.90			30.10	FM-15	0.00	30.08
27	1454	7	BKN:07 100 BKN:07 250	10.00		50	10.0	41	5.0	29	-1.7	44	9	190		29.86			30.06	FM-15	0.00	30.04
27	1554	7	BKN:07 100 BKN:07 250	10.00		52	11.1	42	5.6	27	-2.8	38	10	220		29.84	6	+0.10	30.03	FM-15	0.00	30.02
27	1654	7	SCT:04 100 SCT:04 250	10.00		51	10.6	41	5.0	26	-3.3	38	8	210		29.83			30.02	FM-15	0.00	30.01
27	1754	7	BKN:07 150	10.00		47	8.3	39	3.9	28	-2.2	48	6	160		29.83			30.02	FM-15	0.00	30.01
27	1854	7	BKN:07 150	10.00		41	5.0	36	2.2	28	-2.2	60	9	210		29.83	5	+0.01	30.03	FM-15	0.00	30.01
27	1900	4		9.94		41	5.0	36	2.2	28	-2.2	60	9	210		29.83	5	+0.01	30.03	FM-12		
27	1954	7	SCT:04 150	10.00		42	5.6	36	2.2	28	-2.2	58	7	220		29.85			30.04	FM-15	0.00	30.03
27	2054	7	CLR:00	10.00		43	6.1	38	3.3	30	-1.1	60	6	230		29.86			30.06	FM-15	0.00	30.04
27	2154	7	CLR:00	10.00		39	3.9	35	1.7	30	-1.1	70	5	240		29.88	1	-0.05	30.07	FM-15	0.00	30.06
27	2254	7	CLR:00	10.00		41	5.0	37	2.8	30	-1.1	65	5	250		29.89			30.09	FM-15	0.00	30.07
27	2354	7	CLR:00	10.00		40	4.4	35	1.7	28	-2.2	63	3	290		29.90			30.09	FM-15	0.00	30.08
28	0054	7	CLR:00	10.00		36	2.2	32	0.0	26	-3.3	67	3	270		29.91	1	-0.03	30.10	FM-15	0.00	30.09
28	0100	4		9.94		36	2.2	32	0.0	26	-3.3	67	3	270		29.91	1	-0.03	30.10	FM-12		
28	0154	7	CLR:00	10.00		32	0.0	30	-1.1	27	-2.8	82	0	000		29.92			30.12	FM-15	0.00	30.10
28	0254	7	CLR:00	10.00		34	1.1	31	-0.6	27	-2.8	75	5	330		29.92			30.11	FM-15	0.00	30.10
28	0354	7	CLR:00	10.00		36	2.2	31	-0.6	23	-5.0	59	5	320		29.93	1	-0.02	30.13	FM-15	0.00	30.11
28	0454	7	CLR:00	10.00		37	2.8	31	-0.6	21	-6.1	52	5	340		29.96			30.16	FM-15	0.00	30.14
28	0554	7	CLR:00	10.00		35	1.7	30	-1.1	21	-6.1	57	6	030		29.99			30.19	FM-15	0.00	30.17
28	0654	7	CLR:00	10.00		32	0.0	29	-1.7	22	-5.6	66	6	360		30.02	1	-0.09	30.22	FM-15	0.00	30.20
28	0700	4		9.94		32	0.0	29	-1.7	22	-5.6	66	6	360		30.02	1	-0.09	30.22	FM-12		
28	0754	7	CLR:00	10.00		36	2.2	33	0.6	28	-2.2	73	0	000		30.05			30.25	FM-15	0.00	30.23
28	0854	7	CLR:00	10.00		45	7.2	37	2.8	24	-4.4	44	8	010		30.07			30.27	FM-15	0.00	30.25
28	0954	7	CLR:00	10.00		47	8.3	38	3.3	24	-4.4	41	13	010		30.09	1	-0.06	30.28	FM-15	0.00	30.27
28	1054	7	FEW:02 55	10.00		49	9.4	39	3.9	24	-4.4	38	0	000		30.10			30.29	FM-15	0.00	30.28
28	1154	7	FEW:02 60	10.00		51	10.6	40	4.4	24	-4.4	35	9	020		30.09			30.29	FM-15	0.00	30.27
28	1254	7	SCT:04 55	10.00		51	10.6	40	4.4	24	-4.4	35	8	300		30.07	8	+0.02	30.27	FM-15	0.00	30.25
28	1300	4	57	9.94		51	10.6	40	4.4	24	-4.4	35	8	300		30.07	8	+0.02	30.27	FM-12		
28	1354	7	SCT:04 60	10.00		54	12.2	42	5.6	25	-3.9	33	7	330		30.05			30.24	FM-15	0.00	30.23
28	1454	7	FEW:02 60	10.00		52	11.1	41	5.0	24	-4.4	34	3	230		30.04			30.23	FM-15	0.00	30.22
28	1554	7	FEW:02 60	10.00		53	11.7	41	5.0	25	-3.9	34	3	130		30.03	6	+0.04	30.23	FM-15	0.00	30.21
28	1654	7	FEW:02 60	10.00		51	10.6	42	5.6	29	-1.7	43	14	100		30.03			30.23	FM-15	0.00	30.21
28	1754	7	CLR:00	10.00		46	7.8	39	3.9	29	-1.7	51	14	130		30.04			30.24	FM-15	0.00	30.22
28	1854	7	CLR:00	10.00		42	5.6	36	2.2	28	-2.2	58	14	120		30.06	3	-0.03	30.25	FM-15	0.00	30.24
28	1900	4		9.94		42	5.6	36	2.2	28	-2.2	58	14	120		30.06	3	-0.03	30.25	FM-12		
28	1954	7	CLR:00	10.00		39	3.9	34	1.1	27	-2.8	62	10	130		30.05			30.25	FM-15	0.00	30.23
28	2054	7	CLR:00	10.00		37	2.8	33	0.6	26	-3.3	65	9	130		30.07			30.26	FM-15	0.00	30.25
28	2154	7	CLR:00	10.00		35	1.7	32	0.0	28	-2.2	76	9	140		30.06	3	-0.01	30.26	FM-15	0.00	30.24
28	2254	7	FEW:02 300	10.00		36	2.2	33	0.6	29	-1.7	76	8	160		30.07			30.27	FM-15	0.00	30.25

28	2354	7	BKN:07 300	10.00		36	2.2	33	0.6	29	-1.7	76	6	150		30.07			30.26	FM-15	0.00	30.25
----	------	---	------------	-------	--	----	-----	----	-----	----	------	----	---	-----	--	-------	--	--	-------	-------	------	-------

Local Climatological Data
Hourly Precipitation
February 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/21/2022

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																					Date			
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID
01																									01
02																									02
03				T	0.01	T	T	T	T	T	T	0.02	0.06	T	0.01		T	T		T	0.01	T		T	03
04	T	T					0.01	0.02	0.02	0.04	0.02	T		T	T	0.02	0.12	0.06	0.05	0.13	0.02	0.01	0.01		04
05																									05
06																									06
07										T		T	0.01	0.07	0.08	0.10	0.05	0.04	0.02	T	T	0.01	T	T	07
08																									08
09																									09
10																									10
11																									11
12																									12
13														T	0.03	0.01	T	T	T	T	T				13
14			T																						14
15																									15
16																									16
17																									17
18	T	0.04	0.05	0.01	0.01																				18
19																									19
20																									20
21																									21
22												T	T		T	0.01	0.01					T	0.07	0.01	22
23	T	0.01	T				T	0.02	0.05	0.03															23
24											0.02	0.01	0.03	0.03	0.02	T	T	T	T						24
25	T	T	0.01	T	T	T	T	T		0.01	T														25
26																									26
27																									27
28																									28

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.11	0.12	0.12	0.12	0.14	0.14	0.14	0.16	0.18	0.21	0.25	0.27
Ending Date Time (yyyy-mm-dd hh:mi)	2022-02-04 16:13	2022-02-04 16:14	2022-02-04 16:14	2022-02-04 16:14	2022-02-04 16:14	2022-02-04 16:14	2022-02-04 16:14	2022-02-04 20:13	2022-02-07 15:35	2022-02-07 15:35	2022-02-07 15:45	2022-02-07 16:17

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing