

Local Climatological Data Daily Summary June 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 07/26/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH												
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees											
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23									
01	96	70	83	12.3				0	18	0450	1925		0.00	0.0	0	29.75		4.6	16	290	13	270									
02	95	70	83	11.9				0	18	0449	1925	TS RA	0.24	0.0	0	29.59		7.1	40	280	29	300									
03	81	61	71	-0.4				0	6	0449	1926	BR	0.00	0.0	0	29.65		7.2	27	350	21	350									
04	86	60	73	1.3				0	8	0449	1927		0.00	0.0	0	29.73		5.3	21	020	14	030									
05	83	58	71	-1.0				0	6	0449	1927		0.00	0.0	0	29.77		6.1	22	020	18	060									
06	83	55*	69	-3.3				0	4	0448	1928		0.00	0.0	0	29.85		6.1	20	100	16	120									
07	86	61	74	1.3				0	9	0448	1928		T	0.0	0	29.81		10.3	25	180	18	190									
08	93	70	82	9.0				0	17	0448	1929	TS RA	T	0.0	0	29.70		8.4	30	180	23	190									
09	89	68	79	5.7				0	14	0448	1929		0.00	0.0	0	29.58		11.6	26	320	21	320									
10	83	60	72	-1.6				0	7	0448	1930		0.00	0.0	0	29.74		3.8	17	020	10	260									
11	82	62	72	-1.9				0	7	0448	1930		T	0.0	0	29.75		4.7	18	310	14	070									
12	84	66	75	0.8				0	10	0448	1931	TS RA FG BR	1.03	0.0	0	29.75		4.6	38	330	30	330									
13	96	71	84	9.5				0	19	0448	1931		0.00	0.0	0	29.76		5.4	15	230	12	230									
14	90	72	81	6.2				0	16	0448	1932	RA	T	0.0	0	29.72		7.6	36	290	26	300									
15	89	67	78	2.9				0	13	0448	1932	BR	0.00	0.0	0	29.88		4.0	15	140	12	150									
16	86	70	78	2.6				0	13	0448	1932	TS RA	0.04	0.0	0	29.91		10.5	21	260	17	180									
17	97*	71	84	8.3				0	19	0448	1933		0.00	0.0	0	29.65		9.4	38	350	30	350									
18	83	62	73	-3.0				0	8	0448	1933		0.00	0.0	0	29.65		11.4	34	340	25	330									
19	80	58	69	-7.2				0	4	0448	1933		0.00	0.0	0	29.90		10.9	31	320	24	320									
20	81	57	69	-7.5				0	4	0448	1934		0.00	0.0	0	30.01		5.8	20	260	15	310									
21	86	59	73	-3.7				0	8	0448	1934		0.00	0.0	0	29.98		5.1	17	210	13	210									
22	96	65	81	4.0				0	16	0449	1934	TS RA BR	2.03	0.0	0	29.75		6.0	60	350	41	350									
23	72	67	70	-7.2				0	5	0449	1934	RA BR	0.24	0.0	0	29.71		5.1	19	120	15	130									
24	82	62	72	-5.4				0	7	0449	1934	MIFG FG	0.00	0.0	0	29.86		4.1	13	160	9	100									
25	87	64	76	-1.6				0	11	0449	1934		0.00	0.0	0	29.95		4.1	14	170	12	130									
26	90	66	78	0.2				0	13	0450	1934		0.00	0.0	0	29.93		7.5	20	180	16	170									
27	87	67	77	-1.0				0	12	0450	1934	TS RA FG MIFG BR	1.64	0.0	0	29.83		8.1	41	040	29	040									
28	82	60	71	-7.2				0	6	0450	1934		0.00	0.0	0	29.99		6.5	20	020	16	050									
29	86	62	74	-4.4				0	9	0451	1934		0.00	0.0	0	30.05		7.0	20	140	16	190									
30	88	68	78	-0.5				0	13	0451	1934	TS RA BR	1.36	0.0	0	30.02		5.3	37	290	23	110									
Monthly Averages Totals													6.58			29.80	29.99	6.9													
Departure from Normal (1981-2010)													2.65s																		
Degree Days											Number of days with...																				
Monthly					Season-to-date					Temperature				Precipitation		Snow		Weather													
Total		Departure		Total		Departure		Max		Min		Precipitation		Snow		Weather															
Heating		0		-7		3215		>=90°		<=32°		<=32°		<=0°		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog							
Cooling		314		-1		538		8		0		0		0		5s		4s		0		6		1							
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure								Greatest...															
N/A								Maximum				30.29				Date				29				Time				1039			
								Minimum				29.67				Date				02				Time				1647			
								24-Hr...								Precip				2.27				Snowfall							
								Date								22-23															
Station Augmentation																															
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																															

Local Climatological Data Hourly Observations June 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 07/26/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						AU AW MW	(F)	(C)	(F)	(C)	(F)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	FEW:02 120	10.00		74	23.3	71	21.7	69	20.6	85	0	000		29.80	6	+0.02	29.98	FM-15	0.00	29.98
01	0100	4		9.94		74	23.3	71	21.7	69	20.6	85	0	000		29.80	6	+0.02	29.98	FM-12		
01	0154	7	SCT:04 100	10.00		71	21.7	70	21.1	69	20.6	94	0	000		29.79			29.97	FM-15	0.00	29.97
01	0254	7	FEW:02 100	10.00		72	22.2	69	20.6	68	20.0	87	0	000		29.78			29.96	FM-15	0.00	29.96
01	0354	7	FEW:02 100	10.00		71	21.7	69	20.6	68	20.0	90	0	000		29.77	7	+0.02	29.96	FM-15	0.00	29.95
01	0454	7	FEW:02 100 FEW:02 300	10.00		73	22.8	70	21.1	68	20.0	84	0	000		29.78			29.97	FM-15	0.00	29.96
01	0554	7	FEW:02 100 FEW:02 300	10.00		75	23.9	70	21.1	68	20.0	79	3	320		29.79			29.98	FM-15	0.00	29.97
01	0654	7	FEW:02 100 FEW:02 300	10.00		80	26.7	73	22.8	69	20.6	69	5	350		29.79	0	-0.02	29.98	FM-15	0.00	29.97
01	0700	4		9.94		80	26.7	73	22.8	69	20.6	69	5	350		29.79	9	+0.02	29.98	FM-12		
01	0754	7	FEW:02 100 FEW:02 300	10.00		85	29.4	74	23.3	68	20.0	57	8	360		29.79			29.98	FM-15	0.00	29.97
01	0854	7	BKN:07 110	10.00		87	30.6	74	23.3	68	20.0	53	8	340		29.79			29.98	FM-15	0.00	29.97
01	0954	7	BKN:07 100 BKN:07 300	10.00		90	32.2	74	23.3	66	18.9	45	10	340		29.78	8	+0.01	29.97	FM-15	0.00	29.96
01	1054	7	FEW:02 120 SCT:04 300	10.00		92	33.3	74	23.3	65	18.3	41	6	010		29.78			29.96	FM-15	0.00	29.96
01	1154	7	SCT:04 120 SCT:04 300	10.00		92	33.3	72	22.2	62	16.7	37	3	090		29.76			29.95	FM-15	0.00	29.94
01	1254	7	FEW:02 120 SCT:04 300	10.00		94	34.4	73	22.8	63	17.2	36	5	260		29.74	8	+0.04	29.92	FM-15	0.00	29.92
01	1300	4		9.94		94	34.4	73	22.8	63	17.2	36	5	260		29.74	8	+0.04	29.92	FM-12		
01	1354	7	FEW:02 75 SCT:04 120 BKN:07 300	10.00		95	35.0	72	22.2	60	15.6	31	7	VRB		29.72			29.90	FM-15	0.00	29.90
01	1454	7	FEW:02 15 BKN:07 300	10.00		93	33.9	73	22.8	63	17.2	37	9	190		29.69			29.88	FM-15	0.00	29.87
01	1554	7	FEW:02 50 FEW:02 100 BKN:07 300	10.00		92	33.3	72	22.2	62	16.7	37	0	000		29.68	6	+0.05	29.87	FM-15	0.00	29.86
01	1654	7	FEW:02 70 SCT:04 120 BKN:07 300	10.00		94	34.4	72	22.2	61	16.1	33	6	260		29.67			29.86	FM-15	0.00	29.85
01	1754	7	FEW:02 120 SCT:04 300	10.00		90	32.2	74	23.3	66	18.9	45	7	200		29.66			29.84	FM-15	0.00	29.84
01	1854	7	SCT:04 110	10.00		85	29.4	75	23.9	70	21.1	61	7	220		29.66	6	+0.02	29.84	FM-15	0.00	29.84
01	1900	4		9.94		85	29.4	75	23.9	70	21.1	61	7	220		29.66	6	+0.02	29.84	FM-12		
01	1954	7	BKN:07 120	10.00		84	28.9	74	23.3	69	20.6	61	6	270		29.66			29.85	FM-15	0.00	29.84
01	2054	7	SCT:04 110	10.00		81	27.2	74	23.3	70	21.1	69	3	200		29.66			29.85	FM-15	0.00	29.84
01	2154	7	SCT:04 110	10.00		79	26.1	73	22.8	70	21.1	74	6	220		29.66	0	0.00	29.85	FM-15	0.00	29.84
01	2254	7	SCT:04 110	10.00		76	24.4	72	22.2	70	21.1	82	6	210		29.65			29.84	FM-15	0.00	29.83
01	2354	7	FEW:02 110	10.00		81	27.2	72	22.2	68	20.0	65	7	250		29.64			29.82	FM-15	0.00	29.82
02	0054	7	FEW:02 110	10.00		78	25.6	71	21.7	68	20.0	71	6	240		29.62	8	+0.04	29.81	FM-15	0.00	29.80
02	0100	4		9.94		78	25.6	71	21.7	68	20.0	71	6	240		29.62	8	+0.04	29.81	FM-12		
02	0154	7	FEW:02 100	10.00		78	25.6	71	21.7	68	20.0	71	5	280		29.62			29.80	FM-15	0.00	29.80
02	0254	7	FEW:02 300	10.00		77	25.0	70	21.1	67	19.4	71	6	270		29.61			29.80	FM-15	0.00	29.79
02	0354	7	FEW:02 300	10.00		72	22.2	69	20.6	67	19.4	84	6	180		29.61	5	+0.01	29.80	FM-15	0.00	29.79
02	0454	7	FEW:02 110 FEW:02 300	10.00		71	21.7	69	20.6	68	20.0	90	3	190		29.63			29.81	FM-15	0.00	29.81

02	0554	7	FEW:02 120 SCT:04 300	10.00		72	22.2	70	21.1	69	20.6	91	3	180		29.63			29.81	FM-15	0.00	29.81
02	0654	7	SCT:04 300	10.00		79	26.1	72	22.2	68	20.0	69	6	270		29.63	1	-0.01	29.82	FM-15	0.00	29.81
02	0700	4		9.94		79	26.1	72	22.2	68	20.0	69	6	270		29.63	1	-0.01	29.82	FM-12		
02	0754	7	FEW:02 120 FEW:02 300	10.00		84	28.9	73	22.8	68	20.0	59	6	330		29.62			29.80	FM-15	0.00	29.80
02	0854	7	FEW:02 120 FEW:02 300	10.00		89	31.7	74	23.3	67	19.4	48	8	290		29.61			29.79	FM-15	0.00	29.79
02	0954	7	FEW:02 300	10.00		91	32.8	74	23.3	66	18.9	44	7	VRB		29.60	6	+0.03	29.79	FM-15	0.00	29.78
02	1054	7	FEW:02 15	10.00		92	33.3	73	22.8	64	17.8	40	10	260	16	29.59			29.77	FM-15	0.00	29.77
02	1154	7	FEW:02 15	10.00		93	33.9	74	23.3	64	17.8	38	10	280		29.58			29.76	FM-15	0.00	29.76
02	1254	7	SCT:04 15 SCT:04 160	10.00		94	34.4	74	23.3	65	18.3	38	14	230	20	29.56	8	+0.05	29.74	FM-15	0.00	29.74
02	1300	4	15	9.94		94	34.4	74	23.3	65	18.3	38	14	230		29.56	8	+0.05	29.74	FM-12		
02	1354	7	FEW:02 15 SCT:04 75 BKN:07 160	10.00		94	34.4	74	23.3	65	18.3	38	10	230		29.54			29.72	FM-15	0.00	29.72
02	1454	7	FEW:02 15 SCT:04 75 BKN:07 120	10.00		92	33.3	74	23.3	65	18.3	41	15	230	22	29.52			29.70	FM-15	0.00	29.69
02	1554	7	FEW:02 50 SCT:04 80 BKN:07 150	10.00		93	33.9	74	23.3	64	17.8	38	16	240		29.50	6	+0.05	29.69	FM-15	0.00	29.68
02	1654	7	SCT:04 40 BKN:07 80 BKN:07 120	10.00		91	32.8	73	22.8	65	18.3	42	10	250		29.49			29.68	FM-15	0.00	29.67
02	1720	7	SCT:04 40 BKN:07 80 BKN:07 120	10.00		83	28.3	69	20.6	61	16.1	48	26	310	38	29.55				FM-16		29.73
02	1730	7	BKN:07 40 OVC:08 80	10.00	-RA:02 RA RA	77	25.0	70	21.1	66	18.9	69	25	300	40	29.56				FM-16	T	29.74
02	1752	7	FEW:02 37 BKN:07 60 OVC:08 90	7.00	TS:7 RA:02 RA TS TS RA	72	22.2	71	21.7	70	21.1	94	18	320	26	29.56				FM-16	0.05	29.74
02	1754	7	FEW:02 37 BKN:07 60 OVC:08 90	7.00	TS:7 RA:02 RA TS TS RA	72	22.2	70	21.1	69	20.6	91	20	300	31	29.56			29.75	FM-15	0.06	29.74
02	1800	7	FEW:02 42 BKN:07 85 OVC:08 110	1.75	TS:7 +RA:02 RA TS TS RA	72	22.2	70	21.1	69	20.6	91	22	310	31	29.55				FM-16	0.01	29.73
02	1820	7	FEW:02 49 SCT:04 85 BKN:07 120	10.00	TS:7 -RA:02 RA TS TS RA	72	22.2	70	21.1	69	20.6	91	9	320		29.55				FM-16	0.16	29.73
02	1836	7	FEW:02 47 OVC:08 120	10.00		72	22.2	70	21.1	69	20.6	91	7	320		29.54				FM-16	0.16	29.72
02	1854	7	FEW:02 60 OVC:08 120	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.54	0	-0.05	29.73	FM-15	0.16	29.72
02	1900	4	57	9.94		73	22.8	71	21.7	70	21.1	90	0	000		29.54	9	+0.05	29.73	FM-12		
02	1954	7	SCT:04 40 BKN:07 120	10.00		72	22.2	71	21.7	70	21.1	94	0	000		29.55			29.74	FM-15	0.00	29.73
02	2052	6	SCT:04 70 BKN:07 90	10.00	TS:7 -RA:02 RA TS RA	72	22.2	71	21.7	70	21.1	94	3	360		29.60				FM-16		29.78
02	2054	7	SCT:04 70 BKN:07 90	10.00	TS:7 -RA:02 RA TS TS RA	71	21.7	70	21.1	69	20.6	94	0	000		29.60			29.79	FM-15	T	29.78
02	2127	7	FEW:02 47 SCT:04 95 OVC:08 110	10.00	-RA:02 RA RA	70	21.1	69	20.6	69	20.6	97	6	090		29.59				FM-16	0.02	29.77
02	2154	7	FEW:02 90 BKN:07 110	10.00		70	21.1	69	20.6	69	20.6	97	3	170		29.59	0	-0.05	29.78	FM-15	0.02	29.77
02	2254	7	BKN:07 90	10.00		72	22.2	71	21.7	70	21.1	94	0	000		29.58			29.77	FM-15	T	29.76
02	2354	7	BKN:07 90	10.00		72	22.2	71	21.7	70	21.1	94	6	190		29.58			29.77	FM-15	0.00	29.76
03	0054	7	FEW:02 85 SCT:04 120 BKN:07 250	7.00		71	21.7	70	21.1	70	21.1	96	3	330		29.57	6	+0.02	29.76	FM-15	0.00	29.75

03	0100	4		6.84		71	21.7	70	21.1	70	21.1	96	3	330		29.57	6	+0.02	29.76	FM-12		
03	0154	7	SCT:04 120 BKN:07 250	6.00	BR:1	71	21.7	70	21.1	70	21.1	96	3	030		29.55			29.74	FM-15	0.00	29.73
03	0254	7	BKN:07 100 OVC:08 150	6.00	BR:1	71	21.7	70	21.1	69	20.6	94	0	000		29.57			29.75	FM-15	0.00	29.75
03	0354	7	BKN:07 120	10.00		71	21.7	70	21.1	69	20.6	94	0	000		29.57	6	+0.01	29.75	FM-15	0.00	29.75
03	0454	7	SCT:04 55 BKN:07 140 BKN:07 300	10.00		70	21.1	69	20.6	69	20.6	97	3	310		29.60			29.78	FM-15	0.00	29.78
03	0554	7	FEW:02 55 FEW:02 90 BKN:07 300	10.00		71	21.7	69	20.6	68	20.0	90	8	350		29.61			29.80	FM-15	0.00	29.79
03	0654	7	FEW:02 10 SCT:04 55 BKN:07 100	10.00		71	21.7	68	20.0	67	19.4	87	11	360		29.64	1	-0.07	29.83	FM-15	0.00	29.82
03	0700	4	15	9.94		71	21.7	68	20.0	67	19.4	87	11	360		29.64	1	-0.07	29.83	FM-12		
03	0754	7	FEW:02 10 SCT:04 55 BKN:07 100	10.00		73	22.8	64	17.8	58	14.4	59	17	360		29.65			29.84	FM-15	0.00	29.83
03	0854	7	SCT:04 45 BKN:07 100 BKN:07 200	10.00		73	22.8	63	17.2	56	13.3	55	13	350		29.67			29.85	FM-15	0.00	29.85
03	0954	7	SCT:04 50 BKN:07 100 BKN:07 200	10.00		76	24.4	62	16.7	53	11.7	45	10	350		29.67	1	-0.03	29.86	FM-15	0.00	29.85
03	1054	7	SCT:04 55 BKN:07 120 OVC:08 250	10.00		77	25.0	63	17.2	53	11.7	43	11	330		29.67			29.86	FM-15	0.00	29.85
03	1154	7	FEW:02 55 SCT:04 140 OVC:08 250	10.00		79	26.1	63	17.2	52	11.1	39	13	340		29.68			29.87	FM-15	0.00	29.86
03	1254	7	FEW:02 55 SCT:04 80 BKN:07 140	10.00		79	26.1	64	17.8	53	11.7	41	11	360	16	29.68	1	-0.01	29.87	FM-15	0.00	29.86
03	1300	4	57	9.94		79	26.1	64	17.8	53	11.7	41	11	360		29.68	1	-0.01	29.87	FM-12		
03	1354	7	FEW:02 80 SCT:04 140 BKN:07 250	10.00		80	26.7	63	17.2	52	11.1	38	9	310		29.67			29.86	FM-15	0.00	29.85
03	1454	7	FEW:02 80 SCT:04 140 BKN:07 250	10.00		79	26.1	61	16.1	47	8.3	32	14	340		29.66			29.85	FM-15	0.00	29.84
03	1554	7	FEW:02 80 SCT:04 140 BKN:07 250	10.00		80	26.7	62	16.7	48	8.9	33	15	340		29.67	5	+0.01	29.85	FM-15	0.00	29.85
03	1654	7	FEW:02 80 SCT:04 140 BKN:07 250	10.00		76	24.4	62	16.7	51	10.6	42	9	350		29.66			29.85	FM-15	0.00	29.84
03	1754	7	SCT:04 80 SCT:04 140 BKN:07 250	10.00		77	25.0	62	16.7	52	11.1	42	10	360		29.68			29.87	FM-15	0.00	29.86
03	1854	7	FEW:02 80 BKN:07 140 BKN:07 250	10.00		75	23.9	61	16.1	51	10.6	43	9	350		29.69	3	-0.02	29.88	FM-15	0.00	29.87
03	1900	4	74	9.94		75	23.9	61	16.1	51	10.6	43	9	350		29.69	3	-0.02	29.88	FM-12		
03	1954	7	FEW:02 80 SCT:04 150 BKN:07 200	10.00		72	22.2	61	16.1	52	11.1	50	0	000		29.69			29.88	FM-15	0.00	29.87
03	2054	7	SCT:04 80 BKN:07 150	10.00		69	20.6	61	16.1	55	12.8	61	0	000		29.71			29.90	FM-15	0.00	29.89
03	2154	7	FEW:02 80 SCT:04 150	10.00		64	17.8	59	15.0	55	12.8	73	0	000		29.72	3	-0.03	29.91	FM-15	0.00	29.90
03	2254	7	BKN:07 150	10.00		64	17.8	59	15.0	56	13.3	75	0	000		29.72			29.91	FM-15	0.00	29.90
03	2354	7	SCT:04 150	10.00		62	16.7	59	15.0	56	13.3	80	0	000		29.72			29.91	FM-15	0.00	29.90
04	0054	7	BKN:07 150	10.00		62	16.7	59	15.0	56	13.3	80	0	000		29.72	1	0.00	29.91	FM-15	0.00	29.90

04	0100	4		9.94		62	16.7	59	15.0	56	13.3	80	0	000		29.72	1	0.00	29.91	FM-12		
04	0154	7	OVC:08 180	10.00		63	17.2	59	15.0	56	13.3	78	3	340		29.72			29.91	FM-15	0.00	29.90
04	0254	7	OVC:08 200	10.00		63	17.2	58	14.4	55	12.8	75	6	320		29.72			29.91	FM-15	0.00	29.90
04	0354	7	SCT:04 250	10.00		62	16.7	58	14.4	55	12.8	78	6	330		29.71	6	+0.01	29.90	FM-15	0.00	29.89
04	0454	7	SCT:04 250	10.00		62	16.7	58	14.4	55	12.8	78	3	350		29.72			29.91	FM-15	0.00	29.90
04	0554	7	SCT:04 250 SCT:04 300	10.00		63	17.2	60	15.6	57	13.9	81	5	360		29.73			29.92	FM-15	0.00	29.91
04	0654	7	FEW:02 300	10.00		69	20.6	62	16.7	57	13.9	66	6	350		29.74	3	-0.03	29.93	FM-15	0.00	29.92
04	0700	4		9.94		69	20.6	62	16.7	57	13.9	66	6	350		29.74	3	-0.03	29.93	FM-12		
04	0754	7	FEW:02 250	10.00		74	23.3	63	17.2	56	13.3	54	8	360		29.75			29.94	FM-15	0.00	29.93
04	0854	7	FEW:02 250	10.00		77	25.0	64	17.8	55	12.8	47	7	010		29.75			29.94	FM-15	0.00	29.93
04	0954	7	FEW:02 250	10.00		80	26.7	65	18.3	55	12.8	42	7	VRB		29.75	0	-0.01	29.93	FM-15	0.00	29.93
04	1054	7	FEW:02 30	10.00		83	28.3	64	17.8	51	10.6	33	8	VRB	21	29.76			29.95	FM-15	0.00	29.94
04	1154	7	SCT:04 50	10.00		83	28.3	64	17.8	51	10.6	33	9	020		29.75			29.94	FM-15	0.00	29.93
04	1254	7	SCT:04 75	10.00		84	28.9	64	17.8	49	9.4	30	8	060		29.75	8	0.00	29.93	FM-15	0.00	29.93
04	1300	4	74	9.94		84	28.9	64	17.8	49	9.4	30	8	060		29.75	8	0.00	29.93	FM-12		
04	1354	7	SCT:04 85	10.00		84	28.9	63	17.2	48	8.9	29	7	VRB		29.74			29.92	FM-15	0.00	29.92
04	1454	7	SCT:04 85	10.00		85	29.4	63	17.2	47	8.3	27	7	VRB		29.73			29.91	FM-15	0.00	29.91
04	1554	7	SCT:04 90	10.00		83	28.3	62	16.7	45	7.2	26	6	VRB		29.71	8	+0.03	29.90	FM-15	0.00	29.89
04	1654	7	FEW:02 85 SCT:04 250	10.00		84	28.9	62	16.7	45	7.2	25	5	360		29.71			29.90	FM-15	0.00	29.89
04	1754	7	FEW:02 85 BKN:07 250	10.00		81	27.2	61	16.1	45	7.2	28	8	040		29.71			29.90	FM-15	0.00	29.89
04	1854	7	FEW:02 80 BKN:07 250	10.00		78	25.6	62	16.7	50	10.0	37	5	060		29.71	3	0.00	29.90	FM-15	0.00	29.89
04	1900	4	74	9.94		78	25.6	62	16.7	50	10.0	37	5	060		29.71			29.90	FM-12		
04	1954	7	FEW:02 80 SCT:04 200	10.00		73	22.8	62	16.7	54	12.2	51	5	140		29.72			29.91	FM-15	0.00	29.90
04	2054	7	SCT:04 220	10.00		70	21.1	61	16.1	55	12.8	59	6	140		29.73			29.92	FM-15	0.00	29.91
04	2154	6	SCT:04 220	10.00		68	20.0	60	15.6	55	12.8	63	5	150		29.74	3	-0.02	29.93	FM-15	0.00	29.92
04	2254	7	SCT:04 250	10.00		67	19.4	60	15.6	54	12.2	63	0	000		29.74			29.93	FM-15	0.00	29.92
04	2354	7	SCT:04 250	10.00		66	18.9	59	15.0	54	12.2	65	0	000		29.73			29.92	FM-15	0.00	29.91
05	0054	7	SCT:04 300	10.00		62	16.7	59	15.0	56	13.3	80	3	200		29.73	8	+0.01	29.92	FM-15	0.00	29.91
05	0100	4		9.94		62	16.7	59	15.0	56	13.3	80	3	200		29.73	8	+0.01	29.92	FM-12		
05	0154	7	SCT:04 250	10.00		62	16.7	58	14.4	55	12.8	78	0	000		29.71			29.90	FM-15	0.00	29.89
05	0254	7	FEW:02 300	10.00		60	15.6	57	13.9	54	12.2	80	0	000		29.71			29.91	FM-15	0.00	29.89
05	0354	7	FEW:02 300	10.00		58	14.4	56	13.3	55	12.8	90	7	360		29.73	3	-0.01	29.92	FM-15	0.00	29.91
05	0454	7	SCT:04 300	10.00		59	15.0	56	13.3	54	12.2	83	0	000		29.75			29.94	FM-15	0.00	29.93
05	0554	7	FEW:02 300	10.00		62	16.7	59	15.0	56	13.3	80	0	000		29.75			29.94	FM-15	0.00	29.93
05	0654	7	FEW:02 300	10.00		70	21.1	62	16.7	57	13.9	64	5	330		29.77	1	-0.03	29.96	FM-15	0.00	29.95
05	0700	4		9.94		70	21.1	62	16.7	57	13.9	64	5	330		29.77	1	-0.03	29.96	FM-12		
05	0754	7	CLR:00	10.00		72	22.2	63	17.2	56	13.3	57	6	010		29.77			29.96	FM-15	0.00	29.95
05	0854	7	CLR:00	10.00		75	23.9	65	18.3	58	14.4	55	7	VRB		29.77			29.96	FM-15	0.00	29.95
05	0954	7	CLR:00	10.00		78	25.6	66	18.9	58	14.4	50	8	360		29.78	1	-0.01	29.97	FM-15	0.00	29.96
05	1054	7	CLR:00	10.00		81	27.2	67	19.4	59	15.0	47	10	030		29.78			29.97	FM-15	0.00	29.96
05	1154	7	CLR:00	10.00		82	27.8	68	20.0	59	15.0	46	10	040		29.77			29.96	FM-15	0.00	29.95
05	1254	7	SCT:04 60	10.00		82	27.8	66	18.9	56	13.3	41	9	040		29.77	5	+0.01	29.96	FM-15	0.00	29.95
05	1300	4	57	9.94		82	27.8	66	18.9	56	13.3	41	9	040		29.77	5	+0.01	29.96	FM-12		
05	1354	7	SCT:04 60	10.00		82	27.8	67	19.4	58	14.4	44	14	040	18	29.77			29.96	FM-15	0.00	29.95
05	1454	7	SCT:04 60 BKN:07 300	10.00		82	27.8	68	20.0	59	15.0	46	13	050		29.76			29.94	FM-15	0.00	29.94
05	1554	7	SCT:04 48 SCT:04 55 BKN:07 300	10.00		77	25.0	66	18.9	60	15.6	56	11	070		29.75	6	+0.02	29.94	FM-15	0.00	29.93
05	1654	7	FEW:02 60 OVC:08 300	10.00		76	24.4	65	18.3	58	14.4	54	16	100		29.75			29.94	FM-15	0.00	29.93
05	1754	7	FEW:02 85 BKN:07 300	10.00		73	22.8	63	17.2	56	13.3	55	8	100		29.77			29.96	FM-15	0.00	29.95
05	1854	7	BKN:07 300	10.00		70	21.1	62	16.7	56	13.3	61	8	090		29.79	3	-0.03	29.98	FM-15	0.00	29.97

05	1900	4		9.94		70	21.1	62	16.7	56	13.3	61	8	090		29.79	3	-0.03	29.98	FM-12		
05	1954	7	BKN:07 300	10.00		68	20.0	60	15.6	55	12.8	63	6	080		29.80			29.99	FM-15	0.00	29.98
05	2054	7	BKN:07 300	10.00		65	18.3	59	15.0	55	12.8	70	5	070		29.81			30.00	FM-15	0.00	29.99
05	2154	7	BKN:07 300	10.00		63	17.2	58	14.4	55	12.8	75	0	000		29.82	1	-0.03	30.01	FM-15	0.00	30.00
05	2254	7	CLR:00	10.00		63	17.2	58	14.4	55	12.8	75	0	000		29.82			30.01	FM-15	0.00	30.00
05	2354	7	CLR:00	10.00		61	16.1	58	14.4	55	12.8	81	0	000		29.83			30.02	FM-15	0.00	30.01
06	0054	7	CLR:00	10.00		60	15.6	57	13.9	55	12.8	84	0	000		29.83	1	-0.01	30.02	FM-15	0.00	30.01
06	0100	4		9.94		60	15.6	57	13.9	55	12.8	84	0	000		29.83	1	-0.01	30.02	FM-12		
06	0154	7	CLR:00	10.00		59	15.0	57	13.9	55	12.8	87	0	000		29.82			30.01	FM-15	0.00	30.00
06	0254	7	CLR:00	10.00		57	13.9	55	12.8	54	12.2	90	0	000		29.83			30.01	FM-15	0.00	30.01
06	0354	7	CLR:00	10.00		56	13.3	54	12.2	53	11.7	90	0	000		29.83	3	0.00	30.02	FM-15	0.00	30.01
06	0454	7	CLR:00	10.00		56	13.3	54	12.2	53	11.7	90	3	320		29.85			30.04	FM-15	0.00	30.03
06	0554	7	CLR:00	10.00		60	15.6	57	13.9	55	12.8	84	0	000		29.86			30.05	FM-15	0.00	30.04
06	0654	7	CLR:00	10.00		64	17.8	59	15.0	55	12.8	73	6	350		29.88	1	-0.05	30.07	FM-15	0.00	30.06
06	0700	4		9.94		64	17.8	59	15.0	55	12.8	73	6	350		29.88	1	-0.05	30.07	FM-12		
06	0754	7	CLR:00	10.00		69	20.6	60	15.6	54	12.2	59	3	VRB		29.89			30.08	FM-15	0.00	30.07
06	0854	7	CLR:00	10.00		73	22.8	57	13.9	44	6.7	35	5	090		29.89			30.08	FM-15	0.00	30.07
06	0954	7	CLR:00	10.00		75	23.9	59	15.0	45	7.2	34	3	VRB		29.90	1	-0.01	30.09	FM-15	0.00	30.08
06	1054	7	CLR:00	10.00		78	25.6	60	15.6	46	7.8	32	9	100		29.90			30.09	FM-15	0.00	30.08
06	1154	7	FEW:02 120	10.00		80	26.7	61	16.1	46	7.8	30	5	VRB		29.89			30.08	FM-15	0.00	30.07
06	1254	7	FEW:02 120	10.00		80	26.7	60	15.6	45	7.2	29	8	180		29.88	8	+0.01	30.07	FM-15	0.00	30.06
06	1300	4		9.94		80	26.7	60	15.6	45	7.2	29	8	180		29.88	8	+0.01	30.07	FM-12		
06	1354	7	FEW:02 120	10.00		82	27.8	62	16.7	47	8.3	29	10	140		29.87			30.06	FM-15	0.00	30.05
06	1454	7	FEW:02 250	10.00		81	27.2	61	16.1	45	7.2	28	13	120		29.85			30.03	FM-15	0.00	30.03
06	1554	7	FEW:02 250	10.00		81	27.2	63	17.2	49	9.4	33	11	100	17	29.83	8	+0.05	30.02	FM-15	0.00	30.01
06	1654	7	FEW:02 250	10.00		80	26.7	62	16.7	49	9.4	34	13	110		29.82			30.01	FM-15	0.00	30.00
06	1754	7	BKN:07 250	10.00		77	25.0	61	16.1	48	8.9	36	15	110		29.83			30.01	FM-15	0.00	30.01
06	1854	7	BKN:07 250	10.00		73	22.8	59	15.0	48	8.9	41	13	120		29.82	6	+0.01	30.01	FM-15	0.00	30.00
06	1900	4		9.94		73	22.8	59	15.0	48	8.9	41	13	120		29.82	6	+0.01	30.01	FM-12		
06	1954	7	SCT:04 250	10.00		68	20.0	58	14.4	51	10.6	55	7	110		29.85			30.04	FM-15	0.00	30.03
06	2054	7	CLR:00	10.00		66	18.9	59	15.0	54	12.2	65	5	090		29.88			30.07	FM-15	0.00	30.06
06	2154	7	CLR:00	10.00		64	17.8	60	15.6	57	13.9	78	7	130		29.89	1	-0.07	30.08	FM-15	0.00	30.07
06	2254	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	6	140		29.88			30.07	FM-15	0.00	30.06
06	2354	7	FEW:02 300	10.00		62	16.7	60	15.6	58	14.4	86	5	150		29.86			30.05	FM-15	0.00	30.04
07	0054	7	SCT:04 300	10.00		62	16.7	60	15.6	59	15.0	90	7	140		29.85	8	+0.04	30.03	FM-15	0.00	30.03
07	0100	4		9.94		62	16.7	60	15.6	59	15.0	90	7	140		29.85	8	+0.04	30.03	FM-12		
07	0154	7	SCT:04 300	10.00		63	17.2	61	16.1	60	15.6	90	8	140		29.83			30.02	FM-15	0.00	30.01
07	0254	7	SCT:04 300	10.00		63	17.2	61	16.1	60	15.6	90	6	160		29.83			30.02	FM-15	0.00	30.01
07	0354	7	FEW:02 300	10.00		63	17.2	62	16.7	61	16.1	93	5	160		29.84	5	+0.01	30.03	FM-15	0.00	30.02
07	0454	7	SCT:04 300	10.00		62	16.7	61	16.1	60	15.6	93	5	140		29.84			30.03	FM-15	0.00	30.02
07	0554	7	FEW:02 200 SCT:04 300	10.00		64	17.8	63	17.2	62	16.7	93	5	140		29.85			30.04	FM-15	0.00	30.03
07	0654	7	BKN:07 300	10.00		70	21.1	67	19.4	65	18.3	84	9	170		29.86	1	-0.02	30.05	FM-15	0.00	30.04
07	0700	4		9.94		70	21.1	67	19.4	65	18.3	84	9	170		29.86	1	-0.02	30.05	FM-12		
07	0754	7	BKN:07 300	10.00		74	23.3	68	20.0	64	17.8	71	14	180		29.86			30.05	FM-15	0.00	30.04
07	0854	7	FEW:02 10 SCT:04 120 BKN:07 300	10.00		77	25.0	69	20.6	64	17.8	64	14	190		29.85			30.04	FM-15	0.00	30.03
07	0954	7	FEW:02 15 SCT:04 120 BKN:07 300	10.00		79	26.1	70	21.1	65	18.3	62	18	200		29.85	8	+0.01	30.03	FM-15	0.00	30.03
07	1054	7	FEW:02 15 SCT:04 120 BKN:07 200	10.00		82	27.8	70	21.1	64	17.8	55	16	170	23	29.84			30.03	FM-15	0.00	30.02
07	1154	7	SCT:04 40 SCT:04 120 BKN:07 200	10.00		83	28.3	70	21.1	62	16.7	49	17	210	22	29.83			30.01	FM-15	0.00	30.01

07	1254	7	SCT:04 47 SCT:04 60 BKN:07 120	10.00		83	28.3	70	21.1	62	16.7	49	14	190		29.80	8	+0.04	29.99	FM-15	0.00	29.98
07	1300	4	41	9.94		83	28.3	70	21.1	62	16.7	49	14	190		29.80	8	+0.04	29.99	FM-12		
07	1354	7	SCT:04 40 SCT:04 60 BKN:07 120	10.00		85	29.4	70	21.1	62	16.7	46	10	180		29.78			29.97	FM-15	0.00	29.96
07	1454	7	FEW:02 40 SCT:04 60 BKN:07 120	10.00		85	29.4	70	21.1	61	16.1	45	15	180		29.76			29.95	FM-15	0.00	29.94
07	1554	7	SCT:04 60 BKN:07 100 BKN:07 250	10.00		84	28.9	68	20.0	59	15.0	43	15	200		29.75	6	+0.06	29.94	FM-15	0.00	29.93
07	1654	7	SCT:04 60 BKN:07 85 BKN:07 250	10.00		84	28.9	69	20.6	61	16.1	46	11	190		29.74			29.93	FM-15	0.00	29.92
07	1754	7	FEW:02 55 SCT:04 80 BKN:07 110	10.00		82	27.8	69	20.6	61	16.1	49	9	190		29.73			29.92	FM-15	0.00	29.91
07	1854	7	BKN:07 70 BKN:07 120	10.00		80	26.7	68	20.0	61	16.1	52	8	190		29.73	5	+0.01	29.92	FM-15	0.00	29.91
07	1900	4	74	9.94		80	26.7	68	20.0	61	16.1	52	8	190		29.73	5	+0.01	29.92	FM-12		
07	1954	7	BKN:07 80 BKN:07 250	10.00		78	25.6	68	20.0	62	16.7	58	7	170		29.73			29.92	FM-15	0.00	29.91
07	2054	7	BKN:07 65 OVC:08 80	10.00		79	26.1	68	20.0	62	16.7	56	7	160		29.75			29.94	FM-15	0.00	29.93
07	2154	7	BKN:07 60 OVC:08 80	10.00		78	25.6	69	20.6	64	17.8	62	8	180		29.76	3	-0.03	29.95	FM-15	0.00	29.94
07	2254	7	BKN:07 60 OVC:08 85	10.00		76	24.4	70	21.1	67	19.4	74	10	190		29.76			29.95	FM-15	T	29.94
07	2354	7	SCT:04 60	10.00		75	23.9	70	21.1	67	19.4	76	9	190		29.75			29.93	FM-15	0.00	29.93
08	0054	7	FEW:02 55 BKN:07 300	10.00		74	23.3	70	21.1	68	20.0	82	8	180		29.73	8	+0.03	29.92	FM-15	0.00	29.91
08	0100	4	57	9.94		74	23.3	70	21.1	68	20.0	82	8	180		29.73	8	+0.03	29.92	FM-12		
08	0154	7	BKN:07 50	10.00		75	23.9	70	21.1	68	20.0	79	13	200		29.73			29.92	FM-15	0.00	29.91
08	0254	7	FEW:02 55 BKN:07 300	10.00		73	22.8	70	21.1	68	20.0	84	8	200		29.73			29.92	FM-15	0.00	29.91
08	0354	7	FEW:02 55 BKN:07 250	10.00		72	22.2	69	20.6	68	20.0	87	6	180		29.72	8	+0.01	29.91	FM-15	0.00	29.90
08	0454	7	SCT:04 240 BKN:07 300	10.00		70	21.1	68	20.0	67	19.4	90	7	190		29.74			29.93	FM-15	0.00	29.92
08	0554	7	SCT:04 230 BKN:07 300	10.00		72	22.2	70	21.1	69	20.6	91	8	200		29.74			29.93	FM-15	0.00	29.92
08	0654	7	SCT:04 210 BKN:07 300	10.00		76	24.4	71	21.7	69	20.6	79	9	240		29.76	3	-0.04	29.95	FM-15	0.00	29.94
08	0700	4		9.94		76	24.4	71	21.7	69	20.6	79	9	240		29.76	3	-0.04	29.95	FM-12		
08	0754	7	SCT:04 200 BKN:07 300	10.00		79	26.1	72	22.2	69	20.6	72	9	220		29.76			29.94	FM-15	0.00	29.94
08	0854	7	SCT:04 200 BKN:07 300	10.00		82	27.8	73	22.8	69	20.6	65	8	220		29.75			29.94	FM-15	0.00	29.93
08	0954	7	FEW:02 15 SCT:04 200 SCT:04 300	10.00		85	29.4	74	23.3	69	20.6	59	6	300		29.75	8	+0.01	29.93	FM-15	0.00	29.93
08	1054	7	SCT:04 38 SCT:04 200 BKN:07 300	10.00		87	30.6	74	23.3	68	20.0	53	5	VRB		29.75			29.93	FM-15	0.00	29.93
08	1154	7	SCT:04 40 SCT:04 200 BKN:07 300	10.00		87	30.6	74	23.3	68	20.0	53	7	180		29.72			29.91	FM-15	0.00	29.90
08	1254	7	SCT:04 40 SCT:04 200 BKN:07 300	10.00		90	32.2	73	22.8	65	18.3	44	7	190		29.70	8	+0.05	29.88	FM-15	0.00	29.88
08	1300	4	41	9.94		90	32.2	73	22.8	65	18.3	44	7	190		29.70	8	+0.05	29.88	FM-12		

08	1354	7	SCT:04 35 SCT:04 200 BKN:07 300	10.00		91	32.8	72	22.2	63	17.2	39	7	190		29.67			29.86	FM-15	0.00	29.85
08	1454	7	SCT:04 35 SCT:04 65 BKN:07 140	10.00		93	33.9	74	23.3	65	18.3	40	9	220		29.65			29.84	FM-15	0.00	29.83
08	1554	7	SCT:04 35 SCT:04 65 BKN:07 180	10.00		89	31.7	74	23.3	67	19.4	48	11	150		29.64	6	+0.06	29.82	FM-15	0.00	29.82
08	1654	7	SCT:04 35 SCT:04 65 BKN:07 160	10.00		90	32.2	74	23.3	67	19.4	47	9	150		29.62			29.81	FM-15	0.00	29.80
08	1754	7	FEW:02 50 FEW:02 80 BKN:07 220	10.00		86	30.0	74	23.3	68	20.0	55	7	170		29.61			29.80	FM-15	0.00	29.79
08	1854	7	FEW:02 35 FEW:02 90 SCT:04 220	10.00		84	28.9	73	22.8	68	20.0	59	8	130		29.60	6	+0.04	29.79	FM-15	0.00	29.78
08	1900	4	41	9.94		84	28.9	73	22.8	68	20.0	59	8	130		29.60	6	+0.04	29.79	FM-12		
08	1954	7	FEW:02 35 BKN:07 130 BKN:07 190	10.00		82	27.8	73	22.8	69	20.6	65	20	190	25	29.61			29.79	FM-15	T	29.79
08	2025	7	FEW:02 35 SCT:04 110 OVC:08 140	10.00	TS:7 -RA:02 RA TS TS RA	80	26.7	73	22.8	69	20.6	69	18	210	26	29.62				FM-16	T	29.80
08	2054	7	FEW:02 40 OVC:08 130	10.00	TS:7 -RA:02 RA TS TS RA	78	25.6	73	22.8	70	21.1	76	10	240		29.62			29.81	FM-15	T	29.80
08	2105	7	FEW:02 40 OVC:08 130	9.00	-RA:02 RA RA	78	25.6	73	22.8	70	21.1	76	8	230		29.62				FM-16		29.80
08	2154	7	FEW:02 25 FEW:02 55 BKN:07 150	10.00		75	23.9	72	22.2	71	21.7	88	3	170		29.61	0	-0.01	29.80	FM-15	T	29.79
08	2254	7	BKN:07 150 BKN:07 190 OVC:08 300	10.00		73	22.8	72	22.2	71	21.7	94	6	180		29.60			29.79	FM-15		29.78
08	2354	7	SCT:04 20 OVC:08 150	10.00		74	23.3	72	22.2	71	21.7	91	11	170		29.59			29.78	FM-15		29.77
09	0054	7	BKN:07 15 OVC:08 140	10.00		75	23.9	72	22.2	71	21.7	88	11	190		29.58	6	+0.03	29.77	FM-15		29.76
09	0100	4	15	9.94		75	23.9	72	22.2	71	21.7	88	11	190		29.58	6	+0.03	29.77	FM-12		
09	0146	7	BKN:07 13 OVC:08 140	10.00		74	23.3	71	21.7	70	21.1	88	11	200		29.57				FM-16		29.75
09	0152	6	BKN:07 15 OVC:08 120	10.00		73	22.8	71	21.7	70	21.1	89	11	190		29.57				FM-16		29.75
09	0154	7	BKN:07 15 OVC:08 120	10.00		74	23.3	71	21.7	70	21.1	88	13	190		29.57			29.75	FM-15		29.75
09	0233	7	SCT:04 15 BKN:07 90 OVC:08 120	10.00		74	23.3	71	21.7	70	21.1	88	10	200		29.56				FM-16		29.74
09	0254	7	FEW:02 17 BKN:07 90 BKN:07 120	10.00		73	22.8	71	21.7	70	21.1	90	11	200		29.55			29.73	FM-15		29.73
09	0354	7	SCT:04 18 BKN:07 70 BKN:07 180	10.00		73	22.8	71	21.7	70	21.1	90	9	190		29.54	6	+0.04	29.72	FM-15		29.72
09	0454	7	FEW:02 15 SCT:04 140 SCT:04 300	10.00		73	22.8	71	21.7	70	21.1	90	14	180		29.52			29.70	FM-15		29.69
09	0552	6	BKN:07 14 BKN:07 130 BKN:07 300	10.00		73	22.8	71	21.7	70	21.1	89	10	210		29.54				FM-16		29.72
09	0554	7	SCT:04 14 BKN:07 150 BKN:07 300	10.00		74	23.3	71	21.7	70	21.1	88	13	210		29.54			29.72	FM-15		29.72

09	0613	7	BKN:07 14 BKN:07 150	10.00		75	23.9	72	22.2	70	21.1	84	13	220		29.55				FM-16		29.73
09	0654	7	BKN:07 12 BKN:07 300	10.00		76	24.4	73	22.8	71	21.7	85	9	230		29.54	3	-0.01	29.73	FM-15		29.72
09	0700	4	15	9.94		76	24.4	73	22.8	71	21.7	85	9	230		29.54	3	-0.01	29.73	FM-12		
09	0752	6	SCT:04 12 BKN:07 70 BKN:07 180	10.00		77	25.0	74	23.3	72	22.2	83	9	240		29.56				FM-16		29.74
09	0754	7	SCT:04 12 BKN:07 70 BKN:07 180	10.00		77	25.0	73	22.8	71	21.7	82	7	250		29.56			29.74	FM-15	0.00	29.74
09	0854	7	FEW:02 12 SCT:04 70 BKN:07 180	10.00		80	26.7	73	22.8	69	20.6	69	13	290		29.57			29.75	FM-15	0.00	29.75
09	0954	7	BKN:07 30 BKN:07 180	10.00		83	28.3	73	22.8	68	20.0	61	13	260		29.58	1	-0.03	29.76	FM-15	0.00	29.76
09	1054	7	FEW:02 37 BKN:07 47 BKN:07 180	10.00		85	29.4	72	22.2	66	18.9	53	13	300		29.58			29.76	FM-15	0.00	29.76
09	1154	7	BKN:07 45 BKN:07 55 BKN:07 200	10.00		86	30.0	72	22.2	65	18.3	49	9	320		29.57			29.76	FM-15	0.00	29.75
09	1254	7	BKN:07 60 BKN:07 200	10.00		87	30.6	70	21.1	60	15.6	40	14	310		29.57	8	+0.01	29.75	FM-15	0.00	29.75
09	1300	4	57	9.94		87	30.6	70	21.1	60	15.6	40	14	310		29.57	8	+0.01	29.75	FM-12		
09	1354	7	SCT:04 60 BKN:07 200	10.00		86	30.0	68	20.0	57	13.9	37	18	310	23	29.57			29.75	FM-15	0.00	29.75
09	1454	7	SCT:04 50 BKN:07 200	10.00		86	30.0	66	18.9	54	12.2	33	16	320		29.57			29.75	FM-15	0.00	29.75
09	1554	7	SCT:04 65 BKN:07 300	10.00		85	29.4	68	20.0	58	14.4	40	11	330	22	29.57	3	-0.01	29.76	FM-15	0.00	29.75
09	1654	7	SCT:04 65 SCT:04 85 BKN:07 300	10.00		84	28.9	67	19.4	56	13.3	38	15	340		29.58			29.76	FM-15	0.00	29.76
09	1754	7	FEW:02 60 SCT:04 80 SCT:04 300	10.00		83	28.3	66	18.9	56	13.3	40	15	340		29.60			29.78	FM-15	0.00	29.78
09	1854	7	SCT:04 75 SCT:04 300	10.00		79	26.1	65	18.3	56	13.3	45	13	360		29.63	3	-0.06	29.82	FM-15	0.00	29.81
09	1900	4	74	9.94		79	26.1	65	18.3	56	13.3	45	13	360		29.63	3	-0.06	29.82	FM-12		
09	1954	7	SCT:04 80 SCT:04 300	10.00		75	23.9	64	17.8	56	13.3	52	9	360		29.66			29.85	FM-15	0.00	29.84
09	2054	7	BKN:07 80	10.00		73	22.8	63	17.2	57	13.9	57	6	350		29.68			29.87	FM-15	0.00	29.86
09	2154	7	BKN:07 80	10.00		72	22.2	63	17.2	57	13.9	59	7	350		29.69	1	-0.06	29.88	FM-15	0.00	29.87
09	2254	7	SCT:04 80	10.00		71	21.7	62	16.7	55	12.8	57	13	010		29.70			29.89	FM-15	0.00	29.88
09	2354	7	SCT:04 80	10.00		68	20.0	59	15.0	53	11.7	59	8	010		29.71			29.90	FM-15	0.00	29.89
10	0054	7	SCT:04 75	10.00		66	18.9	59	15.0	53	11.7	63	7	360		29.70	0	-0.01	29.89	FM-15	0.00	29.88
10	0100	4	74	9.94		66	18.9	59	15.0	53	11.7	63	7	360		29.70	9	+0.01	29.89	FM-12		
10	0154	7	SCT:04 80	10.00		64	17.8	58	14.4	53	11.7	68	7	020		29.71			29.89	FM-15	0.00	29.89
10	0254	7	FEW:02 80	10.00		64	17.8	58	14.4	53	11.7	68	3	360		29.72			29.91	FM-15	0.00	29.90
10	0354	7	FEW:02 80	10.00		62	16.7	57	13.9	53	11.7	73	5	340		29.72	2	-0.01	29.91	FM-15	0.00	29.90
10	0454	7	FEW:02 80	10.00		61	16.1	57	13.9	53	11.7	75	3	350		29.73			29.92	FM-15	0.00	29.91
10	0554	7	FEW:02 80	10.00		63	17.2	58	14.4	55	12.8	75	0	000		29.75			29.94	FM-15	0.00	29.93
10	0654	7	FEW:02 80	10.00		68	20.0	60	15.6	54	12.2	61	8	360		29.76	1	-0.04	29.95	FM-15	0.00	29.94
10	0700	4	74	9.94		68	20.0	60	15.6	54	12.2	61	8	360		29.76	1	-0.04	29.95	FM-12		
10	0754	7	FEW:02 80	10.00		73	22.8	62	16.7	54	12.2	51	5	010		29.77			29.96	FM-15	0.00	29.95
10	0854	7	FEW:02 80	10.00		75	23.9	62	16.7	53	11.7	46	9	360		29.78			29.96	FM-15	0.00	29.96
10	0954	7	FEW:02 15 SCT:04 80	10.00		77	25.0	61	16.1	49	9.4	37	3	VRB		29.77	0	-0.01	29.96	FM-15	0.00	29.95
10	1054	7	SCT:04 55 SCT:04 80 BKN:07 200	10.00		78	25.6	62	16.7	50	10.0	37	3	VRB		29.76			29.95	FM-15	0.00	29.94

10	1154	7	FEW:02 65 SCT:04 80 BKN:07 200	10.00		80	26.7	62	16.7	49	9.4	34	5	030		29.75			29.94	FM-15	0.00	29.93
10	1254	7	SCT:04 70 BKN:07 200	10.00		81	27.2	62	16.7	47	8.3	30	0	000		29.74	6	+0.03	29.93	FM-15	0.00	29.92
10	1300	4	74	9.94		81	27.2	62	16.7	47	8.3	30	0	000		29.74	6	+0.03	29.93	FM-12		
10	1354	7	SCT:04 70 BKN:07 200	10.00		81	27.2	62	16.7	47	8.3	30	8	340		29.72			29.91	FM-15	0.00	29.90
10	1454	7	BKN:07 70 BKN:07 200	10.00		82	27.8	62	16.7	48	8.9	31	8	200		29.71			29.90	FM-15	0.00	29.89
10	1554	7	BKN:07 70 OVC:08 300	10.00		82	27.8	62	16.7	47	8.3	29	0	000		29.71	5	+0.03	29.90	FM-15	0.00	29.89
10	1654	7	FEW:02 70 SCT:04 90 OVC:08 300	10.00		81	27.2	62	16.7	48	8.9	32	3	270		29.71			29.90	FM-15	0.00	29.89
10	1754	7	FEW:02 70 FEW:02 90 BKN:07 300	10.00		80	26.7	63	17.2	50	10.0	35	3	050		29.71			29.90	FM-15	0.00	29.89
10	1854	7	FEW:02 70 FEW:02 200 BKN:07 300	10.00		76	24.4	62	16.7	51	10.6	42	5	140		29.71	0	0.00	29.90	FM-15	0.00	29.89
10	1900	4	74	9.94		76	24.4	62	16.7	51	10.6	42	5	140		29.71	9	0.00	29.90	FM-12		
10	1954	7	FEW:02 200 BKN:07 300	10.00		72	22.2	61	16.1	54	12.2	53	0	000		29.72			29.91	FM-15	0.00	29.90
10	2054	7	FEW:02 200 BKN:07 300	10.00		69	20.6	61	16.1	56	13.3	63	0	000		29.75			29.94	FM-15	0.00	29.93
10	2154	7	BKN:07 230	10.00		67	19.4	62	16.7	58	14.4	73	5	140		29.76	1	-0.05	29.95	FM-15	0.00	29.94
10	2254	7	BKN:07 210	10.00		67	19.4	62	16.7	58	14.4	73	0	000		29.76			29.95	FM-15	0.00	29.94
10	2354	7	BKN:07 170	10.00		68	20.0	63	17.2	59	15.0	73	0	000		29.76			29.95	FM-15	0.00	29.94
11	0054	7	OVC:08 150	10.00		67	19.4	62	16.7	59	15.0	76	3	170		29.75	6	+0.01	29.94	FM-15	0.00	29.93
11	0100	4		9.94		67	19.4	62	16.7	59	15.0	76	3	170		29.75	6	+0.01	29.94	FM-12		
11	0154	7	BKN:07 150	10.00		66	18.9	61	16.1	58	14.4	75	0	000		29.74			29.93	FM-15	0.00	29.92
11	0254	7	SCT:04 150	10.00		66	18.9	61	16.1	57	13.9	73	0	000		29.73			29.92	FM-15	0.00	29.91
11	0354	7	SCT:04 150	10.00		64	17.8	59	15.0	56	13.3	75	0	000		29.73	5	+0.02	29.92	FM-15	0.00	29.91
11	0454	7	SCT:04 150 SCT:04 300	10.00		63	17.2	59	15.0	56	13.3	78	0	000		29.74			29.93	FM-15	0.00	29.92
11	0554	7	BKN:07 130 BKN:07 300	10.00		66	18.9	61	16.1	58	14.4	75	0	000		29.75			29.94	FM-15	0.00	29.93
11	0654	7	SCT:04 100 BKN:07 140	10.00		68	20.0	63	17.2	59	15.0	73	3	170		29.77	3	-0.04	29.96	FM-15	0.00	29.95
11	0700	4		9.94		68	20.0	63	17.2	59	15.0	73	3	170		29.77	3	-0.04	29.96	FM-12		
11	0754	7	BKN:07 110 BKN:07 180	10.00		71	21.7	62	16.7	56	13.3	59	3	180		29.78			29.97	FM-15	0.00	29.96
11	0854	7	BKN:07 120 BKN:07 180	10.00		74	23.3	65	18.3	59	15.0	60	3	260		29.78			29.97	FM-15	T	29.96
11	0954	7	SCT:04 70 BKN:07 90 BKN:07 110	10.00		76	24.4	66	18.9	60	15.6	58	7	230		29.79	1	-0.01	29.98	FM-15	0.00	29.97
11	1054	7	FEW:02 50 BKN:07 90 BKN:07 110	10.00		78	25.6	67	19.4	61	16.1	56	9	350		29.78			29.97	FM-15	0.00	29.96
11	1154	7	FEW:02 50 SCT:04 80 BKN:07 110	10.00		80	26.7	68	20.0	61	16.1	52	3	VRB		29.76			29.95	FM-15	0.00	29.94
11	1254	7	FEW:02 20 BKN:07 43 BKN:07 55	10.00		78	25.6	67	19.4	61	16.1	56	5	010		29.73	8	+0.05	29.92	FM-15	0.00	29.91
11	1300	4	26	9.94		78	25.6	67	19.4	61	16.1	56	5	010		29.73	8	+0.05	29.92	FM-12		
11	1354	7	SCT:04 33 BKN:07 55 BKN:07 70	10.00		73	22.8	69	20.6	66	18.9	79	10	040		29.72			29.91	FM-15	T	29.90

11	1454	7	BKN:07 60 BKN:07 70 BKN:07 95	10.00		75	23.9	70	21.1	67	19.4	76	13	010		29.72			29.91	FM-15	0.00	29.90
11	1554	7	FEW:02 50 SCT:04 100 BKN:07 180	10.00		78	25.6	68	20.0	62	16.7	58	11	070		29.71	6	+0.02	29.91	FM-15	0.00	29.89
11	1654	7	SCT:04 50 BKN:07 120	10.00		77	25.0	68	20.0	62	16.7	60	8	080		29.72			29.91	FM-15	0.00	29.90
11	1754	7	FEW:02 40 SCT:04 70 SCT:04 120	10.00		76	24.4	70	21.1	66	18.9	72	8	100		29.73			29.91	FM-15	T	29.91
11	1854	7	FEW:02 70 SCT:04 120 SCT:04 200	10.00		73	22.8	68	20.0	65	18.3	76	5	110		29.73	1	-0.01	29.92	FM-15	0.00	29.91
11	1900	4	74	9.94		73	22.8	68	20.0	65	18.3	76	5	110		29.73	1	-0.01	29.92	FM-12		
11	1954	7	FEW:02 120 SCT:04 220	10.00		70	21.1	65	18.3	62	16.7	76	5	090		29.73			29.92	FM-15	0.00	29.91
11	2054	7	SCT:04 120 SCT:04 250	10.00		69	20.6	65	18.3	62	16.7	78	3	110		29.75			29.93	FM-15	0.00	29.93
11	2154	7	FEW:02 45 SCT:04 65 BKN:07 90	10.00		73	22.8	66	18.9	62	16.7	69	3	200		29.76	3	-0.03	29.95	FM-15	0.00	29.94
11	2254	7	SCT:04 60 BKN:07 110	10.00		70	21.1	66	18.9	63	17.2	79	3	090		29.77			29.96	FM-15	0.00	29.95
11	2354	7	OVC:08 140	10.00		68	20.0	66	18.9	64	17.8	87	6	140		29.76			29.95	FM-15	0.00	29.94
12	0054	7	SCT:04 110 BKN:07 230	10.00		69	20.6	66	18.9	64	17.8	84	0	000		29.75	8	+0.01	29.94	FM-15	0.00	29.93
12	0100	4		9.94		69	20.6	66	18.9	64	17.8	84	0	000		29.75	8	+0.01	29.94	FM-12		
12	0154	7	SCT:04 120 OVC:08 230	10.00		69	20.6	66	18.9	64	17.8	84	0	000		29.75			29.94	FM-15	0.00	29.93
12	0254	7	FEW:02 120 SCT:04 150 OVC:08 230	10.00		69	20.6	66	18.9	64	17.8	84	0	000		29.75			29.94	FM-15	0.00	29.93
12	0354	7	FEW:02 35 SCT:04 120 BKN:07 150	10.00		69	20.6	66	18.9	64	17.8	84	0	000		29.77	3	-0.02	29.96	FM-15	0.00	29.95
12	0435	7	BKN:07 26 BKN:07 120 OVC:08 150	10.00		69	20.6	66	18.9	64	17.8	84	0	000		29.78				FM-16		29.96
12	0454	7	BKN:07 26 BKN:07 120 OVC:08 150	10.00	-RA:02 RA RA	69	20.6	66	18.9	65	18.3	87	0	000		29.78			29.97	FM-15	T	29.96
12	0518	7	SCT:04 26 BKN:07 50 OVC:08 90	6.00	RA:02 BR:1 RA RA	68	20.0	67	19.4	66	18.9	93	5	140		29.78				FM-16	0.01	29.96
12	0554	7	FEW:02 24 SCT:04 75 SCT:04 100	10.00		69	20.6	68	20.0	67	19.4	93	3	130		29.77			29.96	FM-15	0.03	29.95
12	0618	7	BKN:07 22 BKN:07 100 OVC:08 180	10.00		69	20.6	68	20.0	67	19.4	93	3	050		29.77				FM-16		29.95
12	0654	7	BKN:07 22 OVC:08 80	9.00	-RA:02 RA RA	69	20.6	68	20.0	67	19.4	93	6	350		29.78	1	-0.01	29.97	FM-15	T	29.96
12	0700	4	26	8.70	RA	69	20.6	68	20.0	67	19.4	93	6	350		29.78	1	-0.01	29.97	FM-12		
12	0754	7	BKN:07 15 OVC:08 22	10.00		69	20.6	68	20.0	67	19.4	93	6	120		29.78			29.96	FM-15	T	29.96
12	0852	6	BKN:07 12 OVC:08 20	10.00		72	22.2	69	20.6	68	20.0	88	5	120		29.77				FM-16		29.95
12	0854	7	BKN:07 12 OVC:08 18	10.00		71	21.7	69	20.6	68	20.0	90	5	120		29.77			29.96	FM-15	0.00	29.95
12	0943	7	SCT:04 12 BKN:07 30 OVC:08 100	10.00		72	22.2	70	21.1	69	20.6	91	5	060		29.77				FM-16	T	29.95

12	0954	7	SCT:04 12 BKN:07 30 OVC:08 100	10.00		72	22.2	70	21.1	69	20.6	91	5	050		29.78	5	0.00	29.96	FM-15	T	29.96
12	1014	7	SCT:04 12 BKN:07 30 OVC:08 70	3.00	TS:7 RA:02 BR:1 RA TS RA	71	21.7	69	20.6	68	20.0	90	11	050	17	29.82				FM-16	T	30.00
12	1016	7	SCT:04 12 BKN:07 30 OVC:08 70	1.25	TS:7 RA:02 BR:1 RA TS RA	69	20.6	68	20.0	67	19.4	93	30	330	37	29.81				FM-16	T	29.99
12	1024	7	FEW:02 5 SCT:04 10 OVC:08 30	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	66	18.9	65	18.3	65	18.3	96	5	VRB	37	29.80				FM-16	0.56	29.98
12	1034	7	FEW:02 7 BKN:07 15 OVC:08 30	0.75	TS:7 +RA:02 BR:1 RA TS RA	66	18.9	65	18.3	65	18.3	96	0	000		29.78				FM-16	0.97	29.96
12	1045	7	FEW:02 7 BKN:07 30 OVC:08 70	10.00	TS:7 -RA:02 RA TS TS RA	67	19.4	66	18.9	65	18.3	93	6	160		29.78				FM-16	0.98	29.96
12	1054	7	FEW:02 8 BKN:07 30 OVC:08 70	8.00	-RA:02 RA RA	67	19.4	66	18.9	66	18.9	97	6	170		29.78			29.97	FM-15	1.00	29.96
12	1154	7	FEW:02 12 FEW:02 30 BKN:07 140	10.00		73	22.8	70	21.1	68	20.0	84	5	210		29.76			29.95	FM-15	T	29.94
12	1254	7	FEW:02 18 SCT:04 40 BKN:07 140	10.00		79	26.1	73	22.8	70	21.1	74	5	220		29.74	8	+0.03	29.93	FM-15	0.00	29.92
12	1300	4	15	9.94		79	26.1	73	22.8	70	21.1	74	5	220		29.74	8	+0.03	29.93	FM-12		
12	1354	7	SCT:04 22 BKN:07 30	10.00		81	27.2	74	23.3	71	21.7	72	7	100		29.74			29.93	FM-15	0.00	29.92
12	1401	7	BKN:07 22	10.00		80	26.7	73	22.8	70	21.1	71	7	090		29.73				FM-16		29.91
12	1440	7	SCT:04 24 SCT:04 36 BKN:07 140	10.00		83	28.3	74	23.3	70	21.1	65	5	VRB		29.73				FM-16		29.91
12	1454	7	SCT:04 24 SCT:04 36 BKN:07 140	10.00		83	28.3	74	23.3	69	20.6	63	3	VRB		29.73			29.92	FM-15	0.00	29.91
12	1554	7	FEW:02 50 SCT:04 110 BKN:07 150	10.00		82	27.8	74	23.3	71	21.7	69	6	090		29.73	6	+0.01	29.92	FM-15	0.00	29.91
12	1654	7	FEW:02 25 BKN:07 100	10.00		82	27.8	75	23.9	72	22.2	72	7	130		29.72			29.91	FM-15	0.00	29.90
12	1754	7	FEW:02 100 SCT:04 250	10.00		81	27.2	74	23.3	70	21.1	69	13	140		29.72			29.91	FM-15	0.00	29.90
12	1854	7	FEW:02 60 FEW:02 100 SCT:04 250	10.00		77	25.0	72	22.2	70	21.1	79	8	170		29.73	5	0.00	29.92	FM-15	0.00	29.91
12	1900	4	57	9.94		77	25.0	72	22.2	70	21.1	79	8	170		29.73	5	0.00	29.92	FM-12		
12	1954	7	FEW:02 60 SCT:04 100 BKN:07 250	10.00		75	23.9	72	22.2	71	21.7	88	5	160		29.73			29.92	FM-15	0.00	29.91
12	2054	7	FEW:02 60 SCT:04 100 BKN:07 250	10.00		75	23.9	72	22.2	71	21.7	88	7	180		29.74			29.93	FM-15	0.00	29.92
12	2154	7	FEW:02 120 SCT:04 250	10.00		74	23.3	72	22.2	71	21.7	91	6	200		29.77	3	-0.04	29.96	FM-15	0.00	29.95
12	2254	7	SCT:04 100 SCT:04 250	10.00		74	23.3	71	21.7	70	21.1	88	5	190		29.77			29.96	FM-15	0.00	29.95
12	2354	7	FEW:02 50 SCT:04 75 BKN:07 120	10.00		74	23.3	71	21.7	70	21.1	88	5	220		29.77			29.96	FM-15	0.00	29.95
13	0054	7	SCT:04 130 BKN:07 170	10.00		75	23.9	72	22.2	70	21.1	84	6	250		29.77	5	+0.01	29.96	FM-15	0.00	29.95
13	0100	4		9.94		75	23.9	72	22.2	70	21.1	84	6	250		29.77	5	+0.01	29.96	FM-12		

13	0154	7	SCT:04 120 BKN:07 160	10.00		75	23.9	72	22.2	70	21.1	84	7	250		29.75			29.94	FM-15	0.00	29.93
13	0254	7	FEW:02 160	10.00		75	23.9	72	22.2	70	21.1	84	7	280		29.74			29.93	FM-15	0.00	29.92
13	0354	7	FEW:02 160	10.00		74	23.3	71	21.7	70	21.1	88	6	220		29.74	5	+0.02	29.93	FM-15	0.00	29.92
13	0454	7	FEW:02 150	10.00		71	21.7	70	21.1	70	21.1	96	5	190		29.76			29.95	FM-15	0.00	29.94
13	0554	7	FEW:02 130 SCT:04 250	10.00		73	22.8	72	22.2	71	21.7	94	6	180		29.77			29.96	FM-15	0.00	29.95
13	0654	7	FEW:02 130 SCT:04 300	10.00		76	24.4	73	22.8	71	21.7	85	7	230		29.79	3	-0.05	29.98	FM-15	0.00	29.97
13	0700	4		9.94		76	24.4	73	22.8	71	21.7	85	7	230		29.79	3	-0.05	29.98	FM-12		
13	0754	7	SCT:04 120 BKN:07 300	10.00		79	26.1	74	23.3	72	22.2	79	6	210		29.79			29.98	FM-15	0.00	29.97
13	0854	7	BKN:07 120	10.00		81	27.2	75	23.9	73	22.8	77	6	210		29.78			29.97	FM-15	0.00	29.96
13	0954	7	SCT:04 120 BKN:07 300	10.00		86	30.0	77	25.0	73	22.8	65	6	200		29.79	3	0.00	29.98	FM-15	0.00	29.97
13	1054	7	FEW:02 15 SCT:04 120 BKN:07 300	10.00		88	31.1	77	25.0	72	22.2	59	6	260		29.80			29.98	FM-15	0.00	29.98
13	1154	7	FEW:02 15 SCT:04 120 BKN:07 300	10.00		92	33.3	77	25.0	71	21.7	51	3	VRB		29.78			29.96	FM-15	0.00	29.96
13	1254	7	BKN:07 48 BKN:07 60	10.00		93	33.9	77	25.0	70	21.1	47	3	040		29.76	8	+0.03	29.95	FM-15	0.00	29.94
13	1300	4	41	9.94		93	33.9	77	25.0	70	21.1	47	3	040		29.76	8	+0.03	29.95	FM-12		
13	1354	7	SCT:04 60 BKN:07 70 BKN:07 200	10.00		93	33.9	77	25.0	70	21.1	47	5	060		29.74			29.93	FM-15	0.00	29.92
13	1454	7	SCT:04 60 BKN:07 70 BKN:07 200	10.00		94	34.4	77	25.0	70	21.1	46	9	210		29.74			29.92	FM-15	0.00	29.92
13	1554	7	FEW:02 60 SCT:04 300	10.00		95	35.0	76	24.4	68	20.0	41	6	270		29.73	6	+0.03	29.92	FM-15	0.00	29.91
13	1654	7	FEW:02 55 BKN:07 300	10.00		95	35.0	77	25.0	70	21.1	44	9	280		29.72			29.91	FM-15	0.00	29.90
13	1754	7	FEW:02 55 BKN:07 300	10.00		92	33.3	77	25.0	70	21.1	49	7	250		29.72			29.91	FM-15	0.00	29.90
13	1854	7	FEW:02 50 FEW:02 150 OVC:08 300	10.00		90	32.2	77	25.0	72	22.2	56	5	230		29.73	5	0.00	29.91	FM-15	0.00	29.91
13	1900	4	57	9.94		90	32.2	77	25.0	72	22.2	56	5	230		29.73	5	0.00	29.91	FM-12		
13	1954	7	FEW:02 45 FEW:02 110 OVC:08 300	10.00		85	29.4	78	25.6	75	23.9	72	3	150		29.73			29.92	FM-15	0.00	29.91
13	2054	7	FEW:02 50 SCT:04 95 OVC:08 300	10.00		84	28.9	78	25.6	75	23.9	74	0	000		29.76			29.94	FM-15	0.00	29.94
13	2154	7	FEW:02 95 OVC:08 300	10.00		81	27.2	76	24.4	74	23.3	79	5	180		29.75	0	-0.03	29.94	FM-15	0.00	29.93
13	2254	7	OVC:08 300	10.00		81	27.2	76	24.4	74	23.3	79	6	210		29.75			29.93	FM-15	0.00	29.93
13	2354	7	OVC:08 300	10.00		80	26.7	76	24.4	74	23.3	82	3	160		29.73			29.92	FM-15	0.00	29.91
14	0054	7	OVC:08 300	10.00		79	26.1	76	24.4	74	23.3	85	6	190		29.71	8	+0.04	29.89	FM-15	0.00	29.89
14	0100	4		9.94		79	26.1	76	24.4	74	23.3	85	6	190		29.71	8	+0.04	29.89	FM-12		
14	0154	7	OVC:08 300	10.00		78	25.6	75	23.9	74	23.3	87	3	200		29.71			29.89	FM-15	0.00	29.89
14	0254	7	OVC:08 300	10.00		75	23.9	74	23.3	73	22.8	94	7	210		29.68			29.87	FM-15	0.00	29.86
14	0354	7	FEW:02 150 BKN:07 300	10.00		77	25.0	75	23.9	74	23.3	90	3	180		29.69	5	+0.02	29.87	FM-15	0.00	29.87
14	0454	7	SCT:04 180 OVC:08 250	10.00		77	25.0	75	23.9	74	23.3	90	0	000		29.68			29.87	FM-15	T	29.86
14	0554	7	FEW:02 70 BKN:07 200 BKN:07 300	10.00		80	26.7	77	25.0	75	23.9	85	8	250		29.71			29.89	FM-15	0.00	29.89

14	0654	7	FEW:02 80 SCT:04 100 OVC:08 110	10.00		80	26.7	77	25.0	75	23.9	85	5	030		29.69	0	-0.01	29.88	FM-15	0.00	29.87
14	0700	4	74	9.94		80	26.7	77	25.0	75	23.9	85	5	030		29.69	9	+0.01	29.88	FM-12		
14	0754	7	FEW:02 32 SCT:04 65 BKN:07 90	7.00	-RA:02 RA RA	79	26.1	77	25.0	76	24.4	90	9	210		29.71			29.90	FM-15	T	29.89
14	0854	7	FEW:02 32 BKN:07 65 OVC:08 120	10.00		81	27.2	75	23.9	73	22.8	77	11	270	21	29.72			29.91	FM-15	T	29.90
14	0954	7	FEW:02 65 SCT:04 85 BKN:07 110	10.00		83	28.3	75	23.9	71	21.7	67	0	000		29.69	8	+0.01	29.87	FM-15	0.00	29.87
14	1054	7	FEW:02 65 SCT:04 85 BKN:07 110	10.00		88	31.1	76	24.4	71	21.7	57	15	320		29.72			29.91	FM-15	0.00	29.90
14	1154	7	SCT:04 35 SCT:04 85 BKN:07 130	10.00		81	27.2	73	22.8	69	20.6	67	23	280	28	29.75			29.94	FM-15	0.00	29.93
14	1254	7	FEW:02 40 BKN:07 95 OVC:08 120	10.00		77	25.0	71	21.7	68	20.0	74	14	280	23	29.75	0	-0.06	29.93	FM-15	0.00	29.93
14	1300	4	41	9.94		77	25.0	71	21.7	68	20.0	74	14	280		29.75	9	+0.06	29.93	FM-12		
14	1354	7	FEW:02 40 BKN:07 95 OVC:08 130	10.00		79	26.1	72	22.2	69	20.6	72	17	310	22	29.75			29.93	FM-15	0.00	29.93
14	1454	7	FEW:02 50 BKN:07 90 OVC:08 130	10.00		81	27.2	72	22.2	68	20.0	65	13	300		29.74			29.93	FM-15	0.00	29.92
14	1554	7	FEW:02 35 FEW:02 120 SCT:04 230	10.00		83	28.3	74	23.3	69	20.6	63	11	310		29.73	8	+0.01	29.92	FM-15	0.00	29.91
14	1654	7	FEW:02 35 FEW:02 95 BKN:07 300	10.00		82	27.8	73	22.8	69	20.6	65	9	330		29.72			29.91	FM-15	0.00	29.90
14	1754	7	FEW:02 33 FEW:02 75 BKN:07 300	10.00		83	28.3	74	23.3	70	21.1	65	11	310		29.73			29.91	FM-15	0.00	29.91
14	1854	7	FEW:02 30 FEW:02 150 BKN:07 300	10.00		81	27.2	74	23.3	71	21.7	72	6	330		29.74	3	-0.01	29.93	FM-15	0.00	29.92
14	1900	4	26	9.94		81	27.2	74	23.3	71	21.7	72	6	330		29.74	3	-0.01	29.93	FM-12		
14	1954	7	FEW:02 25 SCT:04 200 BKN:07 300	10.00		79	26.1	74	23.3	71	21.7	77	5	310		29.75			29.94	FM-15	0.00	29.93
14	2054	7	FEW:02 200 BKN:07 300	10.00		78	25.6	74	23.3	72	22.2	82	5	280		29.78			29.96	FM-15	0.00	29.96
14	2154	7	FEW:02 200 BKN:07 300	10.00		75	23.9	72	22.2	71	21.7	88	0	000		29.80	3	-0.06	29.98	FM-15	0.00	29.98
14	2254	7	FEW:02 40 BKN:07 300	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.80			29.99	FM-15	0.00	29.98
14	2354	7	FEW:02 42 BKN:07 300	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.81			30.00	FM-15	0.00	29.99
15	0054	7	FEW:02 35 BKN:07 300	10.00		72	22.2	71	21.7	70	21.1	94	0	000		29.82	3	-0.02	30.01	FM-15	0.00	30.00
15	0100	4	41	9.94		72	22.2	71	21.7	70	21.1	94	0	000		29.82	3	-0.02	30.01	FM-12		
15	0130	7	BKN:07 17 BKN:07 300	10.00		73	22.8	72	22.2	71	21.7	94	0	000		29.82				FM-16		30.00
15	0154	7	FEW:02 17 SCT:04 29 SCT:04 300	10.00		71	21.7	70	21.1	70	21.1	96	0	000		29.81			30.00	FM-15	0.00	29.99
15	0254	7	SCT:04 25 SCT:04 300	10.00		71	21.7	70	21.1	70	21.1	96	0	000		29.81			30.00	FM-15	0.00	29.99
15	0354	7	FEW:02 25	6.00	BR:1	69	20.6	68	20.0	68	20.0	96	0	000		29.83	3	-0.01	30.01	FM-15	0.00	30.01
15	0454	7	FEW:02 20	6.00	BR:1	68	20.0	68	20.0	68	20.0	100	0	000		29.84			30.02	FM-15	0.00	30.02

15	0554	7	FEW:02 4	8.00		71	21.7	70	21.1	70	21.1	96	0	000		29.86			30.05	FM-15	0.00	30.04
15	0654	7	CLR:00	10.00		77	25.0	72	22.2	69	20.6	77	0	000		29.87	3	-0.04	30.06	FM-15	0.00	30.05
15	0700	4		9.94		77	25.0	72	22.2	69	20.6	77	0	000		29.87	3	-0.04	30.06	FM-12		
15	0754	7	FEW:02 30	10.00		80	26.7	71	21.7	66	18.9	62	0	000		29.89			30.08	FM-15	0.00	30.07
15	0854	7	FEW:02 30 FEW:02 120	10.00		81	27.2	71	21.7	66	18.9	61	0	000		29.90			30.08	FM-15	0.00	30.08
15	0954	7	FEW:02 30 SCT:04 120 SCT:04 200	10.00		83	28.3	71	21.7	65	18.3	55	3	180		29.91	1	-0.04	30.10	FM-15	0.00	30.09
15	1054	7	FEW:02 30 SCT:04 120 BKN:07 200	10.00		85	29.4	71	21.7	64	17.8	50	6	160		29.92			30.11	FM-15	0.00	30.10
15	1154	7	FEW:02 30 BKN:07 60	10.00		85	29.4	71	21.7	64	17.8	50	0	000		29.93			30.11	FM-15	0.00	30.11
15	1254	7	FEW:02 30 SCT:04 60 SCT:04 200	10.00		87	30.6	72	22.2	65	18.3	48	0	000		29.91	8	0.00	30.10	FM-15	0.00	30.09
15	1300	4	26	9.94		87	30.6	72	22.2	65	18.3	48	0	000		29.91	8	0.00	30.10	FM-12		
15	1354	7	FEW:02 30 SCT:04 60 SCT:04 200	10.00		87	30.6	73	22.8	66	18.9	50	5	VRB		29.90			30.09	FM-15	0.00	30.08
15	1454	7	SCT:04 30 BKN:07 65	10.00		88	31.1	73	22.8	65	18.3	46	7	140		29.90			30.09	FM-15	0.00	30.08
15	1554	7	FEW:02 55 SCT:04 200	10.00		89	31.7	74	23.3	66	18.9	47	6	150		29.88	8	+0.03	30.07	FM-15	0.00	30.06
15	1654	7	FEW:02 40 SCT:04 55	10.00		87	30.6	73	22.8	66	18.9	50	7	170		29.89			30.08	FM-15	0.00	30.07
15	1754	7	FEW:02 55	10.00		87	30.6	73	22.8	66	18.9	50	8	150		29.88			30.06	FM-15	0.00	30.06
15	1854	7	FEW:02 50	10.00		83	28.3	72	22.2	67	19.4	59	7	170		29.90	3	-0.01	30.08	FM-15	0.00	30.08
15	1900	4	57	9.94		83	28.3	72	22.2	67	19.4	59	7	170		29.90	3	-0.01	30.08	FM-12		
15	1954	7	FEW:02 50 FEW:02 300	10.00		81	27.2	71	21.7	66	18.9	61	10	150		29.90			30.09	FM-15	0.00	30.08
15	2054	7	FEW:02 300	10.00		79	26.1	70	21.1	65	18.3	62	9	150		29.91			30.09	FM-15	0.00	30.09
15	2154	7	FEW:02 300	10.00		76	24.4	68	20.0	64	17.8	67	10	140		29.91	3	-0.02	30.10	FM-15	0.00	30.09
15	2254	7	BKN:07 60	10.00		76	24.4	68	20.0	63	17.2	64	8	160		29.92			30.11	FM-15	0.00	30.10
15	2354	7	OVC:08 50	10.00		76	24.4	67	19.4	61	16.1	60	10	140		29.93			30.12	FM-15	0.00	30.11
16	0054	7	BKN:07 45 OVC:08 60	10.00		75	23.9	65	18.3	58	14.4	55	9	150		29.93	1	-0.02	30.12	FM-15	0.00	30.11
16	0100	4	41	9.94		75	23.9	65	18.3	58	14.4	55	9	150		29.93	1	-0.02	30.12	FM-12		
16	0154	7	BKN:07 45 OVC:08 55	10.00		74	23.3	65	18.3	59	15.0	60	8	160		29.94			30.13	FM-15	0.00	30.12
16	0254	7	OVC:08 45	10.00		74	23.3	65	18.3	60	15.6	62	6	170		29.95			30.13	FM-15	0.00	30.13
16	0354	7	OVC:08 43	10.00		74	23.3	64	17.8	58	14.4	57	8	170		29.95	1	-0.02	30.14	FM-15	0.00	30.13
16	0454	7	BKN:07 44	10.00		73	22.8	65	18.3	60	15.6	64	9	180		29.95			30.13	FM-15	0.00	30.13
16	0554	7	BKN:07 42 BKN:07 300	10.00	-RA:02 RA RA	73	22.8	66	18.9	62	16.7	69	9	160		29.96			30.15	FM-15	T	30.14
16	0654	7	FEW:02 25 BKN:07 42 OVC:08 80	10.00		71	21.7	67	19.4	64	17.8	79	8	110		29.97	3	-0.02	30.16	FM-15	T	30.15
16	0700	4	26	9.94		71	21.7	67	19.4	64	17.8	79	8	110		29.97	3	-0.02	30.16	FM-12		
16	0725	7	SCT:04 34 BKN:07 42 OVC:08 65	10.00	TS:7 -RA:02 RA TS TS RA	70	21.1	67	19.4	65	18.3	84	9	150		29.98				FM-16	0.04	30.16
16	0752	6	SCT:04 33 BKN:07 42 BKN:07 200	10.00		70	21.1	66	18.9	64	17.8	83	11	170		29.98				FM-16		30.16
16	0754	7	SCT:04 33 BKN:07 42 BKN:07 200	10.00		70	21.1	67	19.4	66	18.9	87	11	170		29.98			30.17	FM-15	0.04	30.16
16	0854	7	BKN:07 34 OVC:08 80	10.00		71	21.7	68	20.0	66	18.9	84	8	140		29.98			30.17	FM-15	0.00	30.16

16	0954	7	BKN:07 30 OVC:08 120	10.00		75	23.9	70	21.1	67	19.4	76	10	180		29.95	8	+0.02	30.14	FM-15	0.00	30.13
16	1054	7	BKN:07 30 OVC:08 120	10.00		76	24.4	71	21.7	68	20.0	77	9	170		29.96			30.15	FM-15	0.00	30.14
16	1154	7	BKN:07 30 OVC:08 120	10.00		79	26.1	72	22.2	69	20.6	72	13	170		29.96			30.14	FM-15	0.00	30.14
16	1254	7	SCT:04 26 SCT:04 120 BKN:07 300	10.00		83	28.3	74	23.3	69	20.6	63	11	170		29.93	8	+0.02	30.11	FM-15	0.00	30.11
16	1300	4	26	9.94		83	28.3	74	23.3	69	20.6	63	11	170		29.93	8	+0.02	30.11	FM-12		
16	1354	7	FEW:02 35 FEW:02 80 BKN:07 300	10.00		85	29.4	76	24.4	72	22.2	65	10	160		29.89			30.08	FM-15	0.00	30.07
16	1454	7	FEW:02 33 SCT:04 300	10.00		86	30.0	77	25.0	73	22.8	65	13	140	16	29.85			30.04	FM-15	0.00	30.03
16	1554	7	FEW:02 30 SCT:04 300	10.00		85	29.4	77	25.0	73	22.8	68	14	160		29.84	6	+0.09	30.02	FM-15	0.00	30.02
16	1654	7	BKN:07 300	10.00		83	28.3	76	24.4	73	22.8	72	14	180		29.82			30.01	FM-15	0.00	30.00
16	1754	7	FEW:02 120 OVC:08 300	10.00		82	27.8	76	24.4	73	22.8	74	9	180		29.82			30.01	FM-15	0.00	30.00
16	1854	7	FEW:02 23 SCT:04 120 SCT:04 240	10.00		81	27.2	75	23.9	72	22.2	74	9	230		29.83	5	+0.01	30.02	FM-15	0.00	30.01
16	1900	4	26	9.94		81	27.2	75	23.9	72	22.2	74	9	230		29.83	5	+0.01	30.02	FM-12		
16	1913	7	FEW:02 20 SCT:04 120	10.00	ITS RA	81	27.2	75	23.9	72	22.2	74	10	310		29.87				FM-16		30.05
16	1954	7	FEW:02 27 BKN:07 120	10.00	ITS RA	81	27.2	75	23.9	73	22.8	77	14	220		29.82			30.01	FM-15	T	30.00
16	2028	7	FEW:02 25 FEW:02 75 BKN:07 130	10.00	RA RA	80	26.7	75	23.9	73	22.8	79	10	170		29.78				FM-16	T	29.96
16	2054	7	FEW:02 20 FEW:02 75 BKN:07 140	10.00		81	27.2	73	22.8	69	20.6	67	10	200	21	29.79			29.98	FM-15	T	29.97
16	2154	7	FEW:02 140 SCT:04 240 OVC:08 300	10.00		78	25.6	71	21.7	68	20.0	71	13	230		29.78	8	+0.05	29.97	FM-15	0.00	29.96
16	2254	7	FEW:02 180 OVC:08 300	10.00		80	26.7	71	21.7	67	19.4	64	14	260		29.80			29.98	FM-15	0.00	29.98
16	2354	7	OVC:08 300	10.00		78	25.6	71	21.7	67	19.4	69	11	260		29.78			29.96	FM-15	0.00	29.96
17	0054	7	OVC:08 300	10.00		77	25.0	70	21.1	67	19.4	71	8	220		29.72	8	+0.06	29.90	FM-15	0.00	29.90
17	0100	4		9.94		77	25.0	70	21.1	67	19.4	71	8	220		29.72	8	+0.06	29.90	FM-12		
17	0154	7	OVC:08 300	10.00		77	25.0	70	21.1	67	19.4	71	0	000		29.72			29.91	FM-15	0.00	29.90
17	0254	7	OVC:08 250	10.00		73	22.8	69	20.6	67	19.4	81	3	200		29.71			29.89	FM-15	0.00	29.89
17	0354	7	OVC:08 300	10.00		72	22.2	69	20.6	68	20.0	87	3	220		29.72	3	0.00	29.91	FM-15	0.00	29.90
17	0454	7	OVC:08 300	10.00		73	22.8	70	21.1	68	20.0	84	3	140		29.71			29.90	FM-15	0.00	29.89
17	0554	7	BKN:07 300	10.00		73	22.8	70	21.1	69	20.6	87	3	180		29.71			29.90	FM-15	0.00	29.89
17	0654	7	BKN:07 300	10.00		78	25.6	73	22.8	70	21.1	76	3	190		29.71	6	+0.01	29.90	FM-15	0.00	29.89
17	0700	4		9.94		78	25.6	73	22.8	70	21.1	76	3	190		29.71	6	+0.01	29.90	FM-12		
17	0754	7	BKN:07 300	10.00		83	28.3	75	23.9	71	21.7	67	8	240		29.71			29.90	FM-15	0.00	29.89
17	0854	7	BKN:07 300	10.00		88	31.1	74	23.3	68	20.0	52	11	250		29.70			29.89	FM-15	0.00	29.88
17	0954	7	FEW:02 300	10.00		91	32.8	75	23.9	68	20.0	47	10	250		29.70	8	+0.01	29.88	FM-15	0.00	29.88
17	1054	7	FEW:02 300	10.00		93	33.9	76	24.4	68	20.0	44	13	VRB	18	29.68			29.87	FM-15	0.00	29.86
17	1154	7	FEW:02 300	10.00		95	35.0	75	23.9	66	18.9	39	14	270	21	29.66			29.85	FM-15	0.00	29.84
17	1254	7	FEW:02 45 BKN:07 300	10.00		96	35.6	77	25.0	69	20.6	41	16	230		29.63	8	+0.07	29.82	FM-15	0.00	29.81
17	1300	4	41	9.94		96	35.6	77	25.0	69	20.6	41	16	230		29.63	8	+0.07	29.82	FM-12		
17	1354	7	FEW:02 65 BKN:07 300	10.00		96	35.6	77	25.0	69	20.6	41	16	260		29.61			29.79	FM-15	0.00	29.79
17	1454	7	SCT:04 70 BKN:07 300	10.00		95	35.0	77	25.0	69	20.6	43	13	230		29.59			29.78	FM-15	0.00	29.77

17	1554	7	FEW:02 60 SCT:04 80 OVC:08 300	10.00		95	35.0	78	25.6	71	21.7	46	13	240		29.58	6	+0.05	29.76	FM-15	0.00	29.76
17	1654	7	FEW:02 60 SCT:04 80 BKN:07 140	10.00		94	34.4	77	25.0	69	20.6	44	18	250	23	29.55			29.74	FM-15	0.00	29.73
17	1743	7	SCT:04 65 BKN:07 95 BKN:07 130	10.00		84	28.9	73	22.8	67	19.4	57	18	340	38	29.58				FM-16		29.76
17	1754	7	SCT:04 60 BKN:07 90 OVC:08 130	10.00		83	28.3	71	21.7	65	18.3	55	15	360		29.58			29.77	FM-15	0.00	29.76
17	1854	7	FEW:02 60 FEW:02 95 BKN:07 200	10.00		84	28.9	73	22.8	67	19.4	57	6	250		29.55	8	+0.02	29.74	FM-15	0.00	29.73
17	1900	4	57	9.94		84	28.9	73	22.8	67	19.4	57	6	250		29.55	8	+0.02	29.74	FM-12		
17	1954	7	FEW:02 95 FEW:02 210 BKN:07 300	10.00		82	27.8	70	21.1	64	17.8	55	14	260		29.56			29.74	FM-15	0.00	29.74
17	2054	7	FEW:02 210 BKN:07 300	10.00		79	26.1	69	20.6	64	17.8	60	8	260		29.54			29.73	FM-15	0.00	29.72
17	2154	7	SCT:04 300	10.00		77	25.0	68	20.0	63	17.2	62	10	250		29.56	3	-0.01	29.75	FM-15	0.00	29.74
17	2254	7	FEW:02 300	10.00		76	24.4	68	20.0	63	17.2	64	8	290		29.58			29.77	FM-15	0.00	29.76
17	2354	7	FEW:02 300	10.00		76	24.4	68	20.0	64	17.8	67	8	290		29.59			29.78	FM-15	0.00	29.77
18	0054	7	FEW:02 300	10.00		73	22.8	67	19.4	64	17.8	74	7	320		29.60	1	-0.03	29.78	FM-15	0.00	29.78
18	0100	4		9.94		73	22.8	67	19.4	64	17.8	74	7	320		29.60	1	-0.03	29.78	FM-12		
18	0154	7	FEW:02 300	10.00		72	22.2	67	19.4	64	17.8	76	5	300		29.59			29.78	FM-15	0.00	29.77
18	0254	7	FEW:02 300	10.00		72	22.2	67	19.4	64	17.8	76	7	290		29.59			29.78	FM-15	0.00	29.77
18	0354	7	FEW:02 80 FEW:02 300	10.00		72	22.2	67	19.4	64	17.8	76	11	270		29.59	6	+0.01	29.78	FM-15	0.00	29.77
18	0454	7	FEW:02 80	10.00		71	21.7	67	19.4	64	17.8	79	7	290		29.60			29.78	FM-15	0.00	29.78
18	0554	7	FEW:02 80	10.00		73	22.8	67	19.4	64	17.8	74	8	300		29.60			29.79	FM-15	0.00	29.78
18	0654	7	FEW:02 80	10.00		77	25.0	68	20.0	63	17.2	62	10	280		29.60	0	0.00	29.78	FM-15	0.00	29.78
18	0700	4	74	9.94		77	25.0	68	20.0	63	17.2	62	10	280		29.60	9	0.00	29.78	FM-12		
18	0754	7	CLR:00	10.00		80	26.7	68	20.0	61	16.1	52	13	310		29.60			29.78	FM-15	0.00	29.78
18	0854	7	CLR:00	10.00		80	26.7	66	18.9	58	14.4	47	14	350		29.61			29.79	FM-15	0.00	29.79
18	0954	7	FEW:02 40	10.00		82	27.8	67	19.4	58	14.4	44	20	340	26	29.62	3	-0.03	29.81	FM-15	0.00	29.80
18	1054	7	BKN:07 70	10.00		81	27.2	64	17.8	53	11.7	38	21	350	30	29.64			29.82	FM-15	0.00	29.82
18	1154	7	BKN:07 70	10.00		82	27.8	65	18.3	54	12.2	38	13	VRB		29.66			29.84	FM-15	0.00	29.84
18	1254	7	FEW:02 60	10.00		82	27.8	66	18.9	55	12.8	40	17	330	25	29.66	1	-0.04	29.85	FM-15	0.00	29.84
18	1300	4	57	9.94		82	27.8	66	18.9	55	12.8	40	17	330		29.66	1	-0.04	29.85	FM-12		
18	1354	7	SCT:04 60	10.00		81	27.2	65	18.3	54	12.2	39	20	340	29	29.68			29.87	FM-15	0.00	29.86
18	1454	7	FEW:02 60	10.00		80	26.7	63	17.2	50	10.0	35	20	340	31	29.70			29.88	FM-15	0.00	29.88
18	1554	7	FEW:02 60	10.00		80	26.7	62	16.7	49	9.4	34	20	330	26	29.70	1	-0.04	29.89	FM-15	0.00	29.88
18	1654	7	FEW:02 60	10.00		79	26.1	61	16.1	47	8.3	32	15	360	25	29.71			29.90	FM-15	0.00	29.89
18	1754	7	CLR:00	10.00		78	25.6	59	15.0	44	6.7	30	13	340		29.72			29.91	FM-15	0.00	29.90
18	1854	7	CLR:00	10.00		75	23.9	58	14.4	44	6.7	33	9	350		29.73	1	-0.02	29.91	FM-15	0.00	29.91
18	1900	4		9.94		75	23.9	58	14.4	44	6.7	33	9	350		29.73	1	-0.02	29.91	FM-12		
18	1954	7	CLR:00	10.00		72	22.2	57	13.9	44	6.7	37	5	360		29.74			29.93	FM-15	0.00	29.92
18	2054	7	CLR:00	10.00		70	21.1	56	13.3	44	6.7	39	5	340		29.77			29.96	FM-15	0.00	29.95
18	2154	7	CLR:00	10.00		66	18.9	55	12.8	46	7.8	49	7	330		29.78	1	-0.06	29.97	FM-15	0.00	29.96
18	2254	7	CLR:00	10.00		64	17.8	55	12.8	47	8.3	54	6	330		29.81			30.00	FM-15	0.00	29.99
18	2354	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	5	350		29.83			30.02	FM-15	0.00	30.01
19	0054	7	CLR:00	10.00		62	16.7	52	11.1	43	6.1	50	10	350		29.85	3	-0.07	30.04	FM-15	0.00	30.03
19	0100	4		9.94		62	16.7	52	11.1	43	6.1	50	10	350		29.85	3	-0.07	30.04	FM-12		
19	0154	7	CLR:00	10.00		63	17.2	52	11.1	41	5.0	45	15	360		29.86			30.05	FM-15	0.00	30.04
19	0254	7	CLR:00	10.00		62	16.7	51	10.6	41	5.0	46	11	350		29.87			30.06	FM-15	0.00	30.05
19	0354	7	CLR:00	10.00		60	15.6	51	10.6	41	5.0	50	9	350		29.90	3	-0.04	30.09	FM-15	0.00	30.08
19	0454	7	FEW:02 50	10.00		59	15.0	51	10.6	42	5.6	54	9	320		29.91			30.10	FM-15	0.00	30.09
19	0554	7	FEW:02 200	10.00		61	16.1	52	11.1	43	6.1	52	10	320		29.93			30.11	FM-15	0.00	30.11

19	0654	7	FEW:02 200	10.00		63	17.2	53	11.7	44	6.7	50	10	330	20	29.94	1	-0.04	30.13	FM-15	0.00	30.12
19	0700	4		9.94		63	17.2	53	11.7	44	6.7	50	10	330		29.94	1	-0.04	30.13	FM-12		
19	0754	7	CLR:00	10.00		67	19.4	54	12.2	43	6.1	42	20	340	25	29.95			30.14	FM-15	0.00	30.13
19	0854	7	CLR:00	10.00		69	20.6	55	12.8	42	5.6	38	15	320		29.95			30.14	FM-15	0.00	30.13
19	0954	7	CLR:00	10.00		71	21.7	55	12.8	39	3.9	31	16	310	25	29.95	0	-0.01	30.14	FM-15	0.00	30.13
19	1054	7	CLR:00	10.00		73	22.8	55	12.8	39	3.9	29	20	320	25	29.94			30.12	FM-15	0.00	30.12
19	1154	7	FEW:02 250	10.00		75	23.9	57	13.9	40	4.4	28	16	310	26	29.92			30.11	FM-15	0.00	30.10
19	1254	7	FEW:02 180 FEW:02 250	10.00		77	25.0	57	13.9	40	4.4	26	16	330	24	29.90	8	+0.05	30.09	FM-15	0.00	30.08
19	1300	4		9.94		77	25.0	57	13.9	40	4.4	26	16	330		29.90	8	+0.05	30.09	FM-12		
19	1354	7	FEW:02 250	10.00		78	25.6	57	13.9	38	3.3	24	14	330	25	29.89			30.08	FM-15	0.00	30.07
19	1454	7	SCT:04 250	10.00		79	26.1	57	13.9	38	3.3	23	17	300	26	29.89			30.08	FM-15	0.00	30.07
19	1554	7	FEW:02 250	10.00		79	26.1	57	13.9	37	2.8	22	14	350	20	29.88	6	+0.02	30.07	FM-15	0.00	30.06
19	1654	7	SCT:04 250	10.00		79	26.1	57	13.9	38	3.3	23	15	310		29.87			30.06	FM-15	0.00	30.05
19	1754	7	CLR:00	10.00		77	25.0	56	13.3	37	2.8	24	13	320		29.88			30.07	FM-15	0.00	30.06
19	1854	7	SCT:04 250	10.00		73	22.8	56	13.3	41	5.0	32	6	320		29.89	3	-0.01	30.08	FM-15	0.00	30.07
19	1900	4		9.94		73	22.8	56	13.3	41	5.0	32	6	320		29.89	3	-0.01	30.08	FM-12		
19	1954	7	SCT:04 250	10.00		71	21.7	57	13.9	44	6.7	38	5	330		29.90			30.09	FM-15	0.00	30.08
19	2054	7	SCT:04 250	10.00		68	20.0	56	13.3	46	7.8	45	0	000		29.93			30.11	FM-15	0.00	30.11
19	2154	7	SCT:04 250	10.00		62	16.7	55	12.8	48	8.9	60	0	000		29.94	2	-0.04	30.13	FM-15	0.00	30.12
19	2254	7	SCT:04 250	10.00		62	16.7	54	12.2	47	8.3	58	0	000		29.95			30.14	FM-15	0.00	30.13
19	2354	7	FEW:02 250	10.00		59	15.0	53	11.7	47	8.3	64	0	000		29.96			30.15	FM-15	0.00	30.14
20	0054	7	BKN:07 170	10.00		59	15.0	54	12.2	49	9.4	69	0	000		29.97	1	-0.04	30.16	FM-15	0.00	30.15
20	0100	4		9.94		59	15.0	54	12.2	49	9.4	69	0	000		29.97	1	-0.04	30.16	FM-12		
20	0154	7	FEW:02 170	10.00		60	15.6	55	12.8	50	10.0	70	5	320		29.97			30.16	FM-15	0.00	30.15
20	0254	7	FEW:02 300	10.00		61	16.1	53	11.7	46	7.8	58	7	330		29.98			30.17	FM-15	0.00	30.16
20	0354	7	FEW:02 150 FEW:02 300	10.00		60	15.6	52	11.1	45	7.2	58	7	340		29.99	3	-0.02	30.18	FM-15	0.00	30.17
20	0454	7	SCT:04 150 SCT:04 300	10.00		57	13.9	51	10.6	45	7.2	64	8	350		30.01			30.20	FM-15	0.00	30.19
20	0554	7	BKN:07 190	10.00		62	16.7	54	12.2	46	7.8	56	7	360		30.04			30.23	FM-15	0.00	30.22
20	0654	7	SCT:04 190	10.00		66	18.9	55	12.8	45	7.2	47	8	020		30.05	1	-0.06	30.24	FM-15	0.00	30.23
20	0700	4		9.94		66	18.9	55	12.8	45	7.2	47	8	020		30.05	1	-0.06	30.24	FM-12		
20	0754	7	SCT:04 140 BKN:07 190	10.00		67	19.4	56	13.3	47	8.3	49	7	010		30.07			30.26	FM-15	0.00	30.25
20	0854	7	SCT:04 140 SCT:04 200	10.00		70	21.1	56	13.3	44	6.7	39	3	110		30.07			30.26	FM-15	0.00	30.25
20	0954	7	SCT:04 90 SCT:04 200	10.00		73	22.8	57	13.9	44	6.7	35	0	000		30.06	0	-0.01	30.25	FM-15	0.00	30.24
20	1054	7	FEW:02 65 BKN:07 110	10.00		74	23.3	57	13.9	41	5.0	31	0	000		30.06			30.25	FM-15	0.00	30.24
20	1154	7	FEW:02 65 SCT:04 100 BKN:07 190	10.00		76	24.4	56	13.3	38	3.3	25	7	320		30.05			30.24	FM-15	0.00	30.23
20	1254	7	SCT:04 90 BKN:07 100 BKN:07 190	10.00		75	23.9	56	13.3	37	2.8	25	7	260		30.05	8	+0.01	30.24	FM-15	0.00	30.23
20	1300	4		9.94		75	23.9	56	13.3	37	2.8	25	7	260		30.05	8	+0.01	30.24	FM-12		
20	1354	7	BKN:07 90 BKN:07 140	10.00		78	25.6	58	14.4	41	5.0	27	10	280	16	30.04			30.22	FM-15	0.00	30.22
20	1454	7	SCT:04 95 BKN:07 140	10.00		80	26.7	60	15.6	43	6.1	27	13	280		30.01			30.20	FM-15	0.00	30.19
20	1554	6	FEW:02 90 BKN:07 150 BKN:07 300	10.00		80	26.7	60	15.6	43	6.1	27	11	290	17	30.01	6	+0.04	30.20	FM-15	0.00	30.19
20	1654	7	FEW:02 100 BKN:07 300	10.00		80	26.7	59	15.0	41	5.0	25	13	350		30.00			30.19	FM-15	0.00	30.18
20	1754	7	FEW:02 100 BKN:07 300	10.00		78	25.6	59	15.0	44	6.7	30	7	310		29.99			30.18	FM-15	0.00	30.17
20	1854	7	FEW:02 100 BKN:07 300	10.00		76	24.4	59	15.0	45	7.2	33	6	310		29.99	5	+0.02	30.18	FM-15	0.00	30.17

20	1900	4		9.94		76	24.4	59	15.0	45	7.2	33	6	310		29.99	5	+0.02	30.18	FM-12		
20	1954	7	FEW:02 110 BKN:07 300	10.00		68	20.0	58	14.4	51	10.6	55	6	200		30.00			30.19	FM-15	0.00	30.18
20	2054	7	FEW:02 110 BKN:07 300	10.00		66	18.9	58	14.4	51	10.6	59	3	200		29.98			30.17	FM-15	0.00	30.16
20	2154	7	BKN:07 300	10.00		66	18.9	58	14.4	52	11.1	61	3	160		29.99	5	0.00	30.18	FM-15	0.00	30.17
20	2254	7	FEW:02 100 BKN:07 300	10.00		66	18.9	58	14.4	51	10.6	59	0	000		30.00			30.19	FM-15	0.00	30.18
20	2354	7	SCT:04 300	10.00		64	17.8	57	13.9	52	11.1	65	0	000		30.00			30.19	FM-15	0.00	30.18
21	0054	7	BKN:07 250	10.00		63	17.2	57	13.9	52	11.1	68	0	000		30.00	0	-0.01	30.19	FM-15	0.00	30.18
21	0100	4		9.94		63	17.2	57	13.9	52	11.1	68	0	000		30.00	9	+0.01	30.19	FM-12		
21	0154	7	BKN:07 150	10.00		62	16.7	56	13.3	52	11.1	70	0	000		29.98			30.17	FM-15	0.00	30.16
21	0254	7	BKN:07 120	10.00		67	19.4	58	14.4	51	10.6	57	7	240		29.98			30.17	FM-15	0.00	30.16
21	0354	7	BKN:07 75 OVC:08 120	10.00		63	17.2	57	13.9	53	11.7	70	3	190		29.99	5	+0.01	30.18	FM-15	0.00	30.17
21	0454	7	OVC:08 70	10.00		64	17.8	58	14.4	54	12.2	70	3	190		30.00			30.19	FM-15	0.00	30.18
21	0554	7	OVC:08 70	10.00		68	20.0	58	14.4	51	10.6	55	3	300		30.02			30.21	FM-15	0.00	30.20
21	0654	7	OVC:08 70	10.00		70	21.1	59	15.0	51	10.6	51	5	290		30.03	1	-0.04	30.22	FM-15	0.00	30.21
21	0700	4	74	9.94		70	21.1	59	15.0	51	10.6	51	5	290		30.03	1	-0.04	30.22	FM-12		
21	0754	7	BKN:07 80 OVC:08 100	10.00		71	21.7	60	15.6	52	11.1	51	5	210		30.03			30.22	FM-15	0.00	30.21
21	0854	7	BKN:07 75 BKN:07 100	10.00		74	23.3	62	16.7	54	12.2	50	5	210		30.03			30.22	FM-15	0.00	30.21
21	0954	7	SCT:04 75 BKN:07 100 BKN:07 200	10.00		79	26.1	63	17.2	51	10.6	38	0	000		30.03	8	0.00	30.22	FM-15	0.00	30.21
21	1054	7	BKN:07 75 OVC:08 100	10.00		79	26.1	63	17.2	51	10.6	38	5	210		30.02			30.21	FM-15	0.00	30.20
21	1154	7	BKN:07 75 OVC:08 100	10.00		83	28.3	63	17.2	48	8.9	30	6	260		30.01			30.19	FM-15	0.00	30.19
21	1254	7	BKN:07 85 BKN:07 100	10.00		85	29.4	64	17.8	50	10.0	30	7	VRB		29.98	8	+0.05	30.16	FM-15	0.00	30.16
21	1300	4		9.94		85	29.4	64	17.8	50	10.0	30	7			29.98	8	+0.05	30.16	FM-12		
21	1354	7	BKN:07 85 OVC:08 100	10.00		83	28.3	64	17.8	51	10.6	33	7	250		29.96			30.15	FM-15	0.00	30.14
21	1454	7	BKN:07 70 OVC:08 100	10.00		83	28.3	65	18.3	52	11.1	34	8	200		29.95			30.14	FM-15	0.00	30.13
21	1554	7	SCT:04 70 BKN:07 140 OVC:08 300	10.00		84	28.9	66	18.9	54	12.2	36	10	230		29.93	8	+0.05	30.12	FM-15	0.00	30.11
21	1654	7	FEW:02 70 BKN:07 130 BKN:07 300	10.00		83	28.3	66	18.9	56	13.3	40	6	210		29.91			30.10	FM-15	0.00	30.09
21	1754	7	SCT:04 130 BKN:07 300	10.00		83	28.3	67	19.4	57	13.9	41	6	200		29.90			30.09	FM-15	0.00	30.08
21	1854	7	FEW:02 130 BKN:07 300	10.00		81	27.2	67	19.4	59	15.0	47	6	160		29.90	6	+0.03	30.09	FM-15	0.00	30.08
21	1900	4		9.94		81	27.2	67	19.4	59	15.0	47	6	160		29.90	6	+0.03	30.09	FM-12		
21	1954	7	FEW:02 110 BKN:07 300	10.00		74	23.3	65	18.3	60	15.6	62	8	140		29.89			30.08	FM-15	0.00	30.07
21	2054	7	BKN:07 300	10.00		74	23.3	65	18.3	59	15.0	60	9	150		29.89			30.08	FM-15	0.00	30.07
21	2154	7	BKN:07 300	10.00		71	21.7	64	17.8	59	15.0	66	5	170		29.89	6	+0.01	30.08	FM-15	0.00	30.07
21	2254	7	CLR:00	10.00		70	21.1	63	17.2	58	14.4	66	3	170		29.88			30.07	FM-15	0.00	30.06
21	2354	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	6	180		29.88			30.07	FM-15	0.00	30.06
22	0054	7	CLR:00	10.00		68	20.0	63	17.2	59	15.0	73	6	190		29.86	8	+0.03	30.05	FM-15	0.00	30.04
22	0100	4		9.94		68	20.0	63	17.2	59	15.0	73	6	190		29.86	8	+0.03	30.05	FM-12		
22	0154	7	CLR:00	10.00		67	19.4	62	16.7	59	15.0	76	7	210		29.84			30.03	FM-15	0.00	30.02
22	0254	7	FEW:02 300	10.00		67	19.4	63	17.2	60	15.6	79	5	170		29.82			30.01	FM-15	0.00	30.00
22	0354	7	FEW:02 250 SCT:04 300	10.00		66	18.9	62	16.7	60	15.6	81	7	200		29.81	6	+0.05	30.00	FM-15	0.00	29.99

22	0454	7	FEW:02 250 SCT:04 300	10.00		65	18.3	62	16.7	60	15.6	84	6	210		29.80			29.99	FM-15	0.00	29.98
22	0554	7	BKN:07 250 BKN:07 300	10.00		67	19.4	63	17.2	61	16.1	81	5	200		29.80			29.99	FM-15	0.00	29.98
22	0654	7	FEW:02 90 BKN:07 250 OVC:08 300	10.00		70	21.1	64	17.8	61	16.1	73	7	230		29.79	6	+0.02	29.98	FM-15	0.00	29.97
22	0700	4		9.94		70	21.1	64	17.8	61	16.1	73	7	230		29.79	6	+0.02	29.98	FM-12		
22	0754	7	FEW:02 90 BKN:07 250 BKN:07 300	10.00		75	23.9	67	19.4	62	16.7	64	3	220		29.78			29.97	FM-15	0.00	29.96
22	0854	7	FEW:02 90 BKN:07 250 BKN:07 300	10.00		82	27.8	70	21.1	63	17.2	53	6	240		29.77			29.96	FM-15	0.00	29.95
22	0954	7	BKN:07 100 BKN:07 250 BKN:07 300	10.00		88	31.1	72	22.2	63	17.2	43	5	280		29.75	8	+0.04	29.94	FM-15	0.00	29.93
22	1054	7	SCT:04 100 BKN:07 250 BKN:07 300	10.00		89	31.7	71	21.7	62	16.7	41	9	290		29.73			29.92	FM-15	0.00	29.91
22	1154	7	SCT:04 100 BKN:07 250	10.00		91	32.8	72	22.2	63	17.2	39	7	290		29.72			29.91	FM-15	0.00	29.90
22	1254	7	BKN:07 100 BKN:07 250	10.00		93	33.9	74	23.3	64	17.8	38	6	VRB		29.69	8	+0.06	29.88	FM-15	0.00	29.87
22	1300	4		9.94		93	33.9	74	23.3	64	17.8	38	6			29.69	8	+0.06	29.88	FM-12		
22	1354	7	SCT:04 85 BKN:07 200	10.00		93	33.9	72	22.2	62	16.7	36	6	VRB	17	29.68			29.86	FM-15	0.00	29.86
22	1435	7	SCT:04 55 BKN:07 75 OVC:08 120	3.00	TS:7 RA:02 RA TS TS RA	76	24.4	68	20.0	64	17.8	67	29	350	60	29.75				FM-16	T	29.93
22	1438	7	FEW:02 32 SCT:04 55 BKN:07 70	1.25	TS:7 RA:02 RA TS TS RA	71	21.7	68	20.0	66	18.9	84	34	340	60	29.76				FM-16	T	29.94
22	1442	6	SCT:04 34 BKN:07 55 BKN:07 75	0.75	TS:7 +RA:02 BR:1 RA TS RA	70	21.1	68	20.0	67	19.4	90	21	320	46	29.74				FM-16		29.92
22	1448	7	BKN:07 41 BKN:07 55 OVC:08 70	1.00	TS:7 +RA:02 BR:1 RA TS RA	70	21.1	67	19.4	66	18.9	88	14	290	36	29.70				FM-16	0.19	29.88
22	1454	7	BKN:07 44 BKN:07 55 OVC:08 100	1.50	TS:7 +RA:02 BR:1 RA TS RA	69	20.6	68	20.0	67	19.4	93	5	VRB	24	29.71			29.90	FM-15	0.31	29.89
22	1502	7	FEW:02 28 SCT:04 44	6.00	TS RA	70	21.1	68	20.0	67	19.4	90	6	200		29.69				FM-16	0.04	29.87
22	1546	7	FEW:02 44 BKN:07 100 OVC:08 140	6.00	RA:02 BR:1 RA RA	72	22.2	69	20.6	68	20.0	87	6	340		29.67				FM-16	0.06	29.85
22	1554	7	FEW:02 28 BKN:07 95 OVC:08 130	10.00		72	22.2	70	21.1	69	20.6	91	6	350		29.67	8	+0.02	29.86	FM-15	0.04	29.85
22	1654	7	FEW:02 41 BKN:07 90 BKN:07 140	10.00		73	22.8	70	21.1	69	20.6	87	8	040		29.67			29.85	FM-15	0.00	29.85
22	1754	7	FEW:02 16 SCT:04 65 OVC:08 110	5.00	RA:02 BR:1 RA RA	72	22.2	71	21.7	70	21.1	94	7	340		29.70			29.89	FM-15	0.02	29.88
22	1830	7	FEW:02 7 SCT:04 110	6.00	RA:02 BR:1 RA RA	72	22.2	71	21.7	71	21.7	97	0	000		29.68				FM-16	0.06	29.86
22	1852	6	BKN:07 9 BKN:07 31 BKN:07 90	10.00	-RA:02 RA RA	73	22.8	72	22.2	72	22.2	94	7	250		29.68				FM-16		29.86
22	1854	7	BKN:07 8 BKN:07 20 BKN:07 70	7.00	RA RA	73	22.8	72	22.2	71	21.7	94	7	270		29.68	0	-0.01	29.87	FM-15	0.07	29.86
22	1900	4	8	6.84	RA	73	22.8	72	22.2	71	21.7	94	7	270		29.68	9	+0.01	29.87	FM-12		

22	1947	7	OVC:08 8	10.00	TS:7 TS TS	73	22.8	72	22.2	71	21.7	94	0	000		29.69				FM-16	T	29.87
22	1954	7	OVC:08 8	10.00	TS:7 TS TS	73	22.8	72	22.2	71	21.7	94	0	000		29.68		29.87		FM-15	T	29.86
22	2027	7	FEW:02 6 BKN:07 14 OVC:08 70	8.00	TS:7 -RA:02 RA TS TS RA	72	22.2	71	21.7	71	21.7	97	7	050		29.73				FM-16	0.03	29.91
22	2037	7	FEW:02 4 BKN:07 18 OVC:08 38	1.50	TS:7 -RA:02 BR:1 RA TS RA	72	22.2	71	21.7	71	21.7	97	3	170		29.71				FM-16	0.14	29.89
22	2054	7	SCT:04 6 BKN:07 26 BKN:07 60	2.00	TS:7 -RA:02 BR:1 RA TS RA	72	22.2	71	21.7	71	21.7	97	5	150		29.71		29.90		FM-15	0.30	29.89
22	2104	7	BKN:07 6 OVC:08 12	5.00	TS:7 -RA:02 BR:1 RA TS RA	72	22.2	71	21.7	71	21.7	97	3	170		29.72				FM-16	0.02	29.90
22	2118	7	FEW:02 4 SCT:04 11 BKN:07 60	9.00	TS:7 -RA:02 RA TS TS RA	72	22.2	71	21.7	70	21.1	94	0	000		29.72				FM-16	0.02	29.90
22	2134	7	FEW:02 6 SCT:04 13 BKN:07 22	1.00	TS:7 -RA:02 BR:1 RA TS RA	71	21.7	71	21.7	71	21.7	100	5	060		29.75				FM-16	0.12	29.93
22	2152	6	FEW:02 9 SCT:04 20 BKN:07 43	1.00	TS:7 RA:02 BR:1 RA TS RA	72	22.2	72	22.2	72	22.2	100	13	270		29.72				FM-16		29.90
22	2154	7	FEW:02 9 SCT:04 19 BKN:07 43	1.00	TS:7 RA:02 BR:1 RA TS RA	71	21.7	71	21.7	71	21.7	100	9	290		29.72	3	-0.04	29.91	FM-15	0.81	29.90
22	2215	7	SCT:04 4 SCT:04 19 BKN:07 31	1.50	+RA:02 BR:1 RA RA	71	21.7	70	21.1	70	21.1	96	7	310		29.74				FM-16	0.13	29.92
22	2243	7	FEW:02 5 SCT:04 26 BKN:07 55	2.50	RA:02 BR:1 RA RA	72	22.2	71	21.7	71	21.7	97	9	270		29.72				FM-16	0.32	29.90
22	2254	7	FEW:02 5 BKN:07 70 OVC:08 90	2.50	+RA:02 BR:1 RA RA	71	21.7	70	21.1	70	21.1	96	10	280		29.71		29.90		FM-15	0.33	29.89
22	2320	7	FEW:02 5 BKN:07 80 OVC:08 95	4.00	RA:02 BR:1 RA RA	71	21.7	70	21.1	70	21.1	96	7	300		29.70				FM-16	0.08	29.88
22	2354	7	SCT:04 80 BKN:07 110 OVC:08 130	5.00	RA:02 BR:1 RA RA	71	21.7	70	21.1	70	21.1	96	5	310		29.69		29.88		FM-15	0.15	29.87
23	0054	7	SCT:04 120 OVC:08 150	5.00	-RA:02 BR:1 RA RA	71	21.7	70	21.1	70	21.1	96	0	000		29.68	8	+0.05	29.86	FM-15	0.06	29.86
23	0100	4		4.97	RA	71	21.7	70	21.1	70	21.1	96	0	000		29.68	8	+0.05	29.86	FM-12		
23	0130	7	FEW:02 4 FEW:02 70 SCT:04 120	5.00	RA RA	71	21.7	70	21.1	70	21.1	96	5	100		29.66				FM-16	0.02	29.84
23	0149	7	BKN:07 6 BKN:07 120 OVC:08 150	4.00	-RA:02 BR:1 RA RA	72	22.2	71	21.7	70	21.1	94	3	110		29.65				FM-16	0.03	29.83
23	0154	7	BKN:07 6 BKN:07 120 OVC:08 150	4.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	3	070		29.65		29.83		FM-15	0.02	29.83
23	0216	7	FEW:02 7 BKN:07 10 OVC:08 110	5.00	-RA:02 BR:1 RA RA	70	21.1	70	21.1	70	21.1	100	6	080		29.65				FM-16	0.01	29.83
23	0254	7	BKN:07 10 OVC:08 16	8.00	-RA:02 RA RA	71	21.7	70	21.1	70	21.1	96	0	000		29.65		29.84		FM-15	0.01	29.83
23	0315	7	SCT:04 10 OVC:08 15	3.00	-RA:02 BR:1 RA RA	71	21.7	70	21.1	70	21.1	96	3	350		29.65				FM-16	T	29.83
23	0352	6	BKN:07 6 BKN:07 13 OVC:08 20	7.00		72	22.2	71	21.7	70	21.1	94	5	040		29.64				FM-16		29.82
23	0354	7	BKN:07 6 BKN:07 13 OVC:08 20	7.00		71	21.7	70	21.1	70	21.1	96	6	050		29.64	8	+0.01	29.83	FM-15	0.01	29.82

23	0403	7	BKN:07 4 BKN:07 8 OVC:08 20	5.00	BR:1	71	21.7	70	21.1	70	21.1	96	6	050		29.64				FM-16		29.82
23	0439	7	OVC:08 5	4.00	BR:1	71	21.7	70	21.1	70	21.1	96	6	060		29.65				FM-16		29.83
23	0454	7	BKN:07 6 OVC:08 14	6.00	BR:1	71	21.7	70	21.1	70	21.1	96	7	060		29.65		29.84		FM-15	0.00	29.83
23	0529	7	SCT:04 6 OVC:08 16	9.00		71	21.7	70	21.1	69	20.6	94	5	020		29.66				FM-16		29.84
23	0554	7	SCT:04 6 OVC:08 15	8.00		71	21.7	70	21.1	69	20.6	94	3	050		29.66		29.85		FM-15	0.00	29.84
23	0622	7	BKN:07 6 OVC:08 150	9.00		71	21.7	70	21.1	69	20.6	94	3	060		29.67				FM-16		29.85
23	0654	7	OVC:08 7	6.00	BR:1	71	21.7	70	21.1	69	20.6	94	7	110		29.67	3	-0.03	29.86	FM-15	0.00	29.85
23	0700	4	8	5.59		71	21.7	70	21.1	69	20.6	94	7	110		29.67	3	-0.03	29.86	FM-12		
23	0728	7	SCT:04 6 OVC:08 15	3.00	BR:1	69	20.6	68	20.0	68	20.0	96	11	120		29.68				FM-16	T	29.86
23	0754	7	FEW:02 8 OVC:08 17	9.00		69	20.6	68	20.0	67	19.4	93	11	120		29.69		29.88		FM-15	T	29.87
23	0828	7	FEW:02 8 SCT:04 13 OVC:08 17	1.75	-RA:02 BR:1 RA RA	69	20.6	68	20.0	67	19.4	93	7	100		29.70				FM-16	T	29.88
23	0834	7	OVC:08 8	1.75	-RA:02 BR:1 RA RA	69	20.6	68	20.0	67	19.4	93	9	110		29.70				FM-16	T	29.88
23	0840	7	BKN:07 8 OVC:08 15	3.00	BR:1	68	20.0	67	19.4	67	19.4	96	10	130		29.70				FM-16	T	29.88
23	0854	7	BKN:07 9 BKN:07 16 OVC:08 25	6.00	BR:1	68	20.0	67	19.4	67	19.4	96	8	120		29.70		29.89		FM-15	T	29.88
23	0926	7	FEW:02 9 BKN:07 14 OVC:08 22	6.00	-RA:02 BR:1 RA RA	69	20.6	68	20.0	67	19.4	93	7	140		29.70				FM-16	0.01	29.88
23	0952	6	FEW:02 8 OVC:08 16	10.00		70	21.1	67	19.4	66	18.9	88	6	160		29.69				FM-16		29.87
23	0954	7	FEW:02 8 OVC:08 16	10.00		70	21.1	69	20.6	68	20.0	93	8	160		29.69	0	-0.02	29.88	FM-15	0.01	29.87
23	1019	7	SCT:04 8 OVC:08 13	10.00		70	21.1	69	20.6	68	20.0	93	9	120		29.70				FM-16		29.88
23	1054	7	OVC:08 8	10.00		70	21.1	69	20.6	68	20.0	93	5	170		29.70		29.89		FM-15	0.00	29.88
23	1131	7	BKN:07 6 BKN:07 10 OVC:08 15	1.75	-RA:02 BR:1 RA RA	70	21.1	69	20.6	68	20.0	93	5	170		29.71				FM-16	T	29.89
23	1142	7	OVC:08 6	1.25	RA:02 BR:1 RA RA	70	21.1	69	20.6	68	20.0	93	3	150		29.72				FM-16	0.02	29.90
23	1154	7	BKN:07 5 OVC:08 11	1.00	+RA:02 BR:1 RA RA	70	21.1	69	20.6	69	20.6	97	7	130		29.72		29.91		FM-15	0.08	29.90
23	1209	7	SCT:04 6 BKN:07 10 OVC:08 17	1.75	-RA:02 BR:1 RA RA	69	20.6	68	20.0	68	20.0	96	7	130		29.72				FM-16	0.04	29.90
23	1245	7	SCT:04 20 OVC:08 26	5.00	-RA:02 BR:1 RA RA	69	20.6	68	20.0	67	19.4	93	6	170		29.73				FM-16	0.06	29.91
23	1254	7	BKN:07 23 OVC:08 27	5.00	-RA:02 BR:1 RA RA	69	20.6	68	20.0	67	19.4	93	0	000		29.73	2	-0.04	29.92	FM-15	0.03	29.91
23	1300	4	26	4.97	RA	69	20.6	68	20.0	67	19.4	93	0	000		29.73	2	-0.04	29.92	FM-12		
23	1354	7	SCT:04 13 BKN:07 19 OVC:08 24	10.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	7	050		29.74		29.93		FM-15	0.02	29.92
23	1426	7	SCT:04 7 BKN:07 15 OVC:08 21	6.00	-RA:02 BR:1 RA RA	69	20.6	68	20.0	67	19.4	93	10	050		29.75				FM-16	T	29.93
23	1454	7	FEW:02 7 OVC:08 24	7.00	-RA:02 RA RA	70	21.1	68	20.0	67	19.4	90	9	060		29.75		29.94		FM-15	T	29.93
23	1520	7	BKN:07 10 OVC:08 28	10.00		72	22.2	69	20.6	68	20.0	87	9	060		29.75				FM-16	T	29.93
23	1554	7	BKN:07 12 OVC:08 28	10.00		71	21.7	68	20.0	66	18.9	84	9	060		29.74	0	-0.01	29.93	FM-15	T	29.92

23	1654	7	BKN:07 13 OVC:08 42	10.00		70	21.1	67	19.4	65	18.3	84	7	070		29.75			29.93	FM-15	0.00	29.93
23	1737	7	BKN:07 15 BKN:07 38	10.00		71	21.7	68	20.0	66	18.9	84	7	050		29.75				FM-16		29.93
23	1754	7	BKN:07 18 BKN:07 38	10.00		70	21.1	67	19.4	65	18.3	84	5	050		29.75			29.94	FM-15	0.00	29.93
23	1854	7	OVC:08 20	10.00		71	21.7	67	19.4	65	18.3	81	5	010		29.77	3	-0.02	29.96	FM-15	0.00	29.95
23	1900	4	26	9.94		71	21.7	67	19.4	65	18.3	81	5	010		29.77	3	-0.02	29.96	FM-12		
23	1954	7	OVC:08 23	10.00		69	20.6	66	18.9	65	18.3	87	6	050		29.78			29.96	FM-15	0.00	29.96
23	2054	7	OVC:08 25	10.00		69	20.6	66	18.9	65	18.3	87	3	050		29.80			29.99	FM-15	0.00	29.98
23	2146	7	OVC:08 30	10.00		69	20.6	66	18.9	65	18.3	87	0	000		29.80				FM-16		29.98
23	2154	7	OVC:08 30	10.00		69	20.6	67	19.4	66	18.9	90	0	000		29.80	1	-0.04	29.99	FM-15	0.00	29.98
23	2254	7	BKN:07 30	10.00		69	20.6	67	19.4	66	18.9	90	0	000		29.80			29.99	FM-15	0.00	29.98
23	2354	7	SCT:04 31	10.00		67	19.4	66	18.9	65	18.3	93	6	320		29.81			30.00	FM-15	0.00	29.99
24	0054	7	FEW:02 31	10.00		66	18.9	65	18.3	64	17.8	93	0	000		29.82	3	-0.01	30.01	FM-15	0.00	30.00
24	0100	4	26	9.94		66	18.9	65	18.3	64	17.8	93	0	000		29.82	3	-0.01	30.01	FM-12		
24	0154	7	FEW:02 31	10.00		65	18.3	64	17.8	63	17.2	93	3	010		29.82			30.01	FM-15	0.00	30.00
24	0254	7	FEW:02 31	9.00		64	17.8	63	17.2	63	17.2	96	3	010		29.82			30.01	FM-15	0.00	30.00
24	0354	7	FEW:02 31	8.00	MI:1 FG:2 FG	64	17.8	63	17.2	63	17.2	96	0	000		29.83	3	-0.01	30.01	FM-15	0.00	30.01
24	0454	7	FEW:02 30	4.00	MI:1 FG:2 FG	63	17.2	62	16.7	62	16.7	97	0	000		29.84			30.03	FM-15	0.00	30.02
24	0554	7	FEW:02 250	10.00		64	17.8	63	17.2	63	17.2	96	0	000		29.86			30.05	FM-15	0.00	30.04
24	0654	7	FEW:02 300	10.00		69	20.6	66	18.9	65	18.3	87	3	080		29.87	1	-0.04	30.06	FM-15	0.00	30.05
24	0700	4		9.94		69	20.6	66	18.9	65	18.3	87	3	080		29.87	1	-0.04	30.06	FM-12		
24	0754	7	SCT:04 22 BKN:07 80 BKN:07 250	10.00		72	22.2	68	20.0	65	18.3	79	5	070		29.89			30.08	FM-15	0.00	30.07
24	0826	7	BKN:07 18	10.00		72	22.2	67	19.4	64	17.8	76	0	000		29.89				FM-16		30.07
24	0854	7	BKN:07 20	10.00		74	23.3	68	20.0	64	17.8	71	6	060		29.88			30.07	FM-15	0.00	30.06
24	0954	7	BKN:07 26 BKN:07 200	10.00		77	25.0	69	20.6	64	17.8	64	5	050		29.88	1	-0.01	30.07	FM-15	0.00	30.06
24	1054	7	BKN:07 29 BKN:07 34 BKN:07 200	10.00		78	25.6	69	20.6	64	17.8	62	3	260		29.88			30.07	FM-15	0.00	30.06
24	1102	7	BKN:07 31	10.00		80	26.7	70	21.1	65	18.3	60	3	010		29.89				FM-16		30.07
24	1154	7	BKN:07 35	10.00		78	25.6	69	20.6	64	17.8	62	3	040		29.90			30.09	FM-15	0.00	30.08
24	1254	7	SCT:04 35 BKN:07 42 BKN:07 180	10.00		79	26.1	69	20.6	64	17.8	60	3	280		29.89	0	0.00	30.08	FM-15	0.00	30.07
24	1300	4	41	9.94		79	26.1	69	20.6	64	17.8	60	3	280		29.89	9	0.00	30.08	FM-12		
24	1354	7	BKN:07 35	10.00		79	26.1	69	20.6	64	17.8	60	7	VRB		29.88			30.07	FM-15	0.00	30.06
24	1454	7	BKN:07 38 BKN:07 180	10.00		79	26.1	70	21.1	65	18.3	62	6	100		29.87			30.06	FM-15	0.00	30.05
24	1554	7	SCT:04 38 SCT:04 300	10.00		82	27.8	71	21.7	65	18.3	56	7	140		29.86	6	+0.03	30.05	FM-15	0.00	30.04
24	1654	7	SCT:04 39	10.00		81	27.2	70	21.1	64	17.8	57	6	190		29.86			30.05	FM-15	0.00	30.04
24	1754	7	FEW:02 38	10.00		81	27.2	71	21.7	65	18.3	58	7	100		29.86			30.05	FM-15	0.00	30.04
24	1854	7	FEW:02 33	10.00		79	26.1	70	21.1	65	18.3	62	5	140		29.87	3	-0.01	30.06	FM-15	0.00	30.05
24	1900	4	26	9.94		79	26.1	70	21.1	65	18.3	62	5	140		29.87	3	-0.01	30.06	FM-12		
24	1954	7	FEW:02 25 FEW:02 300	10.00		76	24.4	70	21.1	66	18.9	72	5	100		29.88			30.07	FM-15	0.00	30.06
24	2054	7	FEW:02 300	10.00		71	21.7	68	20.0	66	18.9	84	6	120		29.90			30.09	FM-15	0.00	30.08
24	2154	7	FEW:02 300	10.00		69	20.6	67	19.4	66	18.9	90	6	120		29.92	3	-0.05	30.11	FM-15	0.00	30.10
24	2254	7	CLR:00	10.00		69	20.6	66	18.9	65	18.3	87	5	160		29.93			30.12	FM-15	0.00	30.11
24	2354	7	CLR:00	10.00		67	19.4	65	18.3	64	17.8	91	5	170		29.93			30.11	FM-15	0.00	30.11
25	0054	7	CLR:00	10.00		67	19.4	65	18.3	64	17.8	91	3	180		29.94	3	-0.02	30.13	FM-15	0.00	30.12
25	0100	4		9.94		67	19.4	65	18.3	64	17.8	91	3	180		29.94	3	-0.02	30.13	FM-12		
25	0154	7	CLR:00	10.00		66	18.9	64	17.8	63	17.2	90	0	000		29.93			30.12	FM-15	0.00	30.11
25	0254	7	CLR:00	10.00		65	18.3	64	17.8	63	17.2	93	3	170		29.93			30.12	FM-15	0.00	30.11
25	0354	7	FEW:02 300	10.00		65	18.3	64	17.8	63	17.2	93	0	000		29.94	5	0.00	30.13	FM-15	0.00	30.12
25	0454	7	SCT:04 300	10.00		65	18.3	64	17.8	63	17.2	93	0	000		29.95			30.14	FM-15	0.00	30.13

25	0554	7	SCT:04 300	10.00		66	18.9	65	18.3	64	17.8	93	0	000		29.96			30.15	FM-15	0.00	30.14
25	0654	7	FEW:02 300	10.00		71	21.7	67	19.4	64	17.8	79	5	230		29.98	3	-0.04	30.17	FM-15	0.00	30.16
25	0700	4		9.94		71	21.7	67	19.4	64	17.8	79	5	230		29.98	3	-0.04	30.17	FM-12		
25	0754	7	FEW:02 300	10.00		75	23.9	67	19.4	62	16.7	64	7	230		30.00			30.19	FM-15	0.00	30.18
25	0854	7	CLR:00	10.00		78	25.6	70	21.1	66	18.9	67	5	210		30.00			30.19	FM-15	0.00	30.18
25	0954	7	FEW:02 60	10.00		81	27.2	71	21.7	66	18.9	61	3	VRB		29.99	0	-0.01	30.18	FM-15	0.00	30.17
25	1054	7	FEW:02 31	10.00		83	28.3	71	21.7	65	18.3	55	3	VRB		29.99			30.18	FM-15	0.00	30.17
25	1154	7	FEW:02 31	10.00		83	28.3	71	21.7	64	17.8	53	3	VRB		29.97			30.16	FM-15	0.00	30.15
25	1254	7	FEW:02 31	10.00		85	29.4	71	21.7	64	17.8	50	3	VRB		29.96	8	+0.03	30.15	FM-15	0.00	30.14
25	1300	4	26	9.94		85	29.4	71	21.7	64	17.8	50	3			29.96	8	+0.03	30.15	FM-12		
25	1354	7	FEW:02 31	10.00		87	30.6	72	22.2	65	18.3	48	7	160		29.95			30.14	FM-15	0.00	30.13
25	1454	7	FEW:02 70	10.00		85	29.4	71	21.7	63	17.2	48	0	000		29.94			30.13	FM-15	0.00	30.12
25	1554	7	SCT:04 60	10.00		86	30.0	71	21.7	63	17.2	46	6	170		29.92	8	+0.04	30.11	FM-15	0.00	30.10
25	1654	7	FEW:02 60	10.00		87	30.6	70	21.1	61	16.1	42	6	110		29.91			30.10	FM-15	0.00	30.09
25	1754	7	FEW:02 60	10.00		86	30.0	69	20.6	60	15.6	42	6	140		29.91			30.10	FM-15	0.00	30.09
25	1854	7	FEW:02 60	10.00		82	27.8	70	21.1	64	17.8	55	10	130		29.92	3	-0.01	30.11	FM-15	0.00	30.10
25	1900	4	57	9.94		82	27.8	70	21.1	64	17.8	55	10	130		29.92	3	-0.01	30.11	FM-12		
25	1954	7	FEW:02 65	10.00		77	25.0	68	20.0	62	16.7	60	8	140		29.93			30.12	FM-15	0.00	30.11
25	2054	7	CLR:00	10.00		75	23.9	67	19.4	63	17.2	66	8	150		29.95			30.14	FM-15	0.00	30.13
25	2154	7	CLR:00	10.00		72	22.2	66	18.9	63	17.2	73	7	130		29.96	3	-0.04	30.15	FM-15	0.00	30.14
25	2254	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	5	160		29.97			30.16	FM-15	0.00	30.15
25	2354	7	CLR:00	10.00		69	20.6	65	18.3	63	17.2	81	0	000		29.98			30.17	FM-15	0.00	30.16
26	0054	7	FEW:02 70	10.00		69	20.6	65	18.3	62	16.7	78	5	180		29.97	0	-0.01	30.16	FM-15	0.00	30.15
26	0100	4	74	9.94		69	20.6	65	18.3	62	16.7	78	5	180		29.97	9	+0.01	30.16	FM-12		
26	0154	7	FEW:02 70	10.00		69	20.6	65	18.3	62	16.7	78	5	150		29.96			30.15	FM-15	0.00	30.14
26	0254	7	FEW:02 65	10.00		67	19.4	64	17.8	62	16.7	84	3	150		29.96			30.15	FM-15	0.00	30.14
26	0354	7	FEW:02 65	10.00		67	19.4	65	18.3	63	17.2	87	0	000		29.96	5	+0.01	30.15	FM-15	0.00	30.14
26	0454	7	FEW:02 65 FEW:02 300	10.00		67	19.4	65	18.3	63	17.2	87	0	000		29.97			30.16	FM-15	0.00	30.15
26	0554	7	SCT:04 70 SCT:04 300	10.00		68	20.0	66	18.9	64	17.8	87	0	000		29.98			30.17	FM-15	0.00	30.16
26	0654	7	BKN:07 65	10.00		72	22.2	68	20.0	65	18.3	79	6	200		29.98	1	-0.02	30.17	FM-15	0.00	30.16
26	0700	4	57	9.94		72	22.2	68	20.0	65	18.3	79	6	200		29.98	1	-0.02	30.17	FM-12		
26	0754	7	BKN:07 70	10.00		76	24.4	70	21.1	67	19.4	74	9	230		29.97			30.16	FM-15	0.00	30.15
26	0854	7	SCT:04 70 SCT:04 250	10.00		79	26.1	71	21.7	66	18.9	65	7	210		29.96			30.15	FM-15	0.00	30.14
26	0954	7	FEW:02 70 SCT:04 250	10.00		83	28.3	72	22.2	67	19.4	59	9	190		29.95	6	+0.03	30.14	FM-15	0.00	30.13
26	1054	7	FEW:02 250	10.00		85	29.4	72	22.2	66	18.9	53	11	190		29.95			30.14	FM-15	0.00	30.13
26	1154	7	FEW:02 55 SCT:04 250	10.00		88	31.1	72	22.2	64	17.8	45	13	180	20	29.93			30.11	FM-15	0.00	30.11
26	1254	7	FEW:02 55 FEW:02 250	10.00		88	31.1	72	22.2	63	17.2	43	11	220	20	29.91	8	+0.04	30.10	FM-15	0.00	30.09
26	1300	4	57	9.94		88	31.1	72	22.2	63	17.2	43	11	220		29.91	8	+0.04	30.10	FM-12		
26	1354	7	SCT:04 55 SCT:04 250	10.00		89	31.7	73	22.8	65	18.3	45	13	170	18	29.90			30.08	FM-15	0.00	30.08
26	1454	7	SCT:04 55 BKN:07 250	10.00		89	31.7	72	22.2	64	17.8	43	11	170		29.88			30.07	FM-15	0.00	30.06
26	1554	7	FEW:02 55	10.00		90	32.2	73	22.8	65	18.3	44	13	180		29.86	8	+0.05	30.05	FM-15	0.00	30.04
26	1654	7	SCT:04 60	10.00		88	31.1	72	22.2	64	17.8	45	13	190		29.86			30.05	FM-15	0.00	30.04
26	1754	7	SCT:04 60	10.00		86	30.0	73	22.8	66	18.9	51	7	160		29.85			30.04	FM-15	0.00	30.03
26	1854	7	SCT:04 200	10.00		83	28.3	72	22.2	66	18.9	57	7	160		29.84	8	+0.02	30.03	FM-15	0.00	30.02
26	1900	4		9.94		83	28.3	72	22.2	66	18.9	57	7	160		29.84	8	+0.02	30.03	FM-12		
26	1954	7	CLR:00	10.00		80	26.7	71	21.7	66	18.9	62	7	170		29.85			30.04	FM-15	0.00	30.03
26	2054	7	CLR:00	10.00		78	25.6	70	21.1	66	18.9	67	6	190		29.86			30.05	FM-15	0.00	30.04
26	2154	7	FEW:02 60	10.00		76	24.4	70	21.1	67	19.4	74	5	190		29.88	3	-0.04	30.06	FM-15	0.00	30.06
26	2254	7	FEW:02 200	10.00		76	24.4	68	20.0	64	17.8	67	8	160		29.88			30.06	FM-15	0.00	30.06
26	2354	7	CLR:00	10.00		75	23.9	69	20.6	65	18.3	71	13	180		29.87			30.06	FM-15	0.00	30.05

27	0054	7	BKN:07 140	10.00		74	23.3	69	20.6	66	18.9	76	10	170		29.86	8	+0.01	30.05	FM-15	0.00	30.04
27	0100	4		9.94		74	23.3	69	20.6	66	18.9	76	10	170		29.86	8	+0.01	30.05	FM-12		
27	0154	7	BKN:07 130	10.00		74	23.3	69	20.6	67	19.4	79	11	180		29.85			30.03	FM-15	0.00	30.03
27	0254	7	OVC:08 140	10.00		74	23.3	69	20.6	67	19.4	79	11	190		29.84			30.03	FM-15	0.00	30.02
27	0354	7	OVC:08 140	10.00		74	23.3	69	20.6	67	19.4	79	11	200		29.83	6	+0.04	30.01	FM-15	0.00	30.01
27	0454	7	FEW:02 110 OVC:08 160	10.00		73	22.8	69	20.6	67	19.4	81	10	190		29.83			30.02	FM-15	0.00	30.01
27	0554	7	SCT:04 120 BKN:07 180	10.00		74	23.3	69	20.6	67	19.4	79	10	190		29.83			30.01	FM-15	0.00	30.01
27	0654	7	BKN:07 100 BKN:07 180	10.00		75	23.9	70	21.1	68	20.0	79	9	190		29.83	3	0.00	30.02	FM-15	0.00	30.01
27	0700	4		9.94		75	23.9	70	21.1	68	20.0	79	9	190		29.83	3	0.00	30.02	FM-12		
27	0754	7	BKN:07 110 BKN:07 180	10.00		78	25.6	72	22.2	69	20.6	74	11	210		29.83			30.02	FM-15	0.00	30.01
27	0854	7	OVC:08 100	10.00		79	26.1	72	22.2	69	20.6	72	10	220		29.83			30.02	FM-15	0.00	30.01
27	0954	7	OVC:08 110	10.00		81	27.2	74	23.3	71	21.7	72	10	220		29.83	8	+0.01	30.01	FM-15	0.00	30.01
27	1054	7	OVC:08 110	10.00		82	27.8	74	23.3	71	21.7	69	14	220		29.83			30.02	FM-15	0.00	30.01
27	1154	7	FEW:02 15 BKN:07 85 OVC:08 110	10.00		84	28.9	75	23.9	71	21.7	65	9	230		29.82			30.01	FM-15	0.00	30.00
27	1254	7	FEW:02 31 SCT:04 75 BKN:07 100	10.00		86	30.0	76	24.4	72	22.2	63	6	130		29.78	8	+0.04	29.97	FM-15	0.00	29.96
27	1300	4	26	9.94		86	30.0	76	24.4	72	22.2	63	6	130		29.78	8	+0.04	29.97	FM-12		
27	1317	7	SCT:04 31 BKN:07 90 BKN:07 110	10.00	TS:7 TS TS	85	29.4	75	23.9	71	21.7	63	0	000		29.77				FM-16		29.95
27	1337	7	BKN:07 34 BKN:07 90 BKN:07 110	2.00	TS:7 RA:02 RA TS TS RA	76	24.4	71	21.7	69	20.6	79	0	000		29.79				FM-16	T	29.97
27	1341	7	FEW:02 25 BKN:07 34 OVC:08 90	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	72	22.2	71	21.7	70	21.1	94	0	000		29.79				FM-16		29.97
27	1346	7	FEW:02 25 BKN:07 34 OVC:08 90	0.25	TS:7 +RA:02 FG:2 FG RA TS RA	71	21.7	70	21.1	69	20.6	94	26	040	43	29.79				FM-16	0.16	29.97
27	1352	6	FEW:02 25 BKN:07 34 OVC:08 90	0.50	TS:7 -RA:02 FG:2 FG RA TS RA	72	22.2	71	21.7	70	21.1	94	24	010	41	29.79				FM-16		29.97
27	1354	7	SCT:04 11 BKN:07 34 OVC:08 50	1.00	TS:7 RA:02 BR:1 RA TS RA	71	21.7	69	20.6	68	20.0	90	17	010	34	29.78			29.97	FM-15	0.50	29.96
27	1356	7	SCT:04 13 BKN:07 30 OVC:08 50	2.50	TS:7 RA:02 BR:1 RA TS RA	71	21.7	70	21.1	69	20.6	94	13	VRB	18	29.79				FM-16	0.01	29.97
27	1418	7	SCT:04 13 BKN:07 30 OVC:08 50	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	72	22.2	70	21.1	69	20.6	91	10	280	20	29.81				FM-16	0.49	29.99
27	1431	7	SCT:04 13 BKN:07 25 OVC:08 50	0.50	TS:7 +RA:02 FG:2 FG RA TS RA	73	22.8	72	22.2	72	22.2	96	0	000		29.79				FM-16	0.85	29.97
27	1438	7	SCT:04 13 BKN:07 25 OVC:08 50	1.75	TS:7 +RA:02 BR:1 RA TS RA	73	22.8	72	22.2	72	22.2	96	0	000		29.79				FM-16	0.95	29.97
27	1441	7	SCT:04 13 BKN:07 25 OVC:08 50	3.00	TS:7 RA:02 BR:1 RA TS RA	73	22.8	72	22.2	72	22.2	96	3	360		29.79				FM-16	0.96	29.97
27	1454	7	BKN:07 25 BKN:07 90 OVC:08 110	4.00	TS:7 -RA:02 BR:1 RA TS RA	74	23.3	73	22.8	72	22.2	94	7	340		29.80			29.98	FM-15	0.97	29.98
27	1506	7	FEW:02 14 SCT:04 33 BKN:07 75	5.00	RA RA	74	23.3	73	22.8	72	22.2	94	9	310		29.80				FM-16	0.01	29.98

27	1531	7	FEW:02 7 SCT:04 31 BKN:07 70	6.00	RA RA	74	23.3	73	22.8	72	22.2	94	3	280		29.80				FM-16	0.04	29.98
27	1554	7	FEW:02 7 BKN:07 60 OVC:08 110	5.00	-RA:02 BR:1 RA RA	73	22.8	72	22.2	72	22.2	96	0	000		29.80	3	-0.02	29.99	FM-15	0.09	29.98
27	1623	7	FEW:02 8 BKN:07 13 OVC:08 45	5.00	RA:02 BR:1 RA RA	74	23.3	73	22.8	72	22.2	94	0	000		29.82				FM-16	0.02	30.00
27	1652	6	BKN:07 6 BKN:07 13 BKN:07 41	9.00	-RA:02 RA RA	73	22.8	72	22.2	72	22.2	94	7	020		29.81				FM-16		29.99
27	1654	7	BKN:07 6 BKN:07 13 BKN:07 41	9.00	-RA:02 RA RA	74	23.3	73	22.8	72	22.2	94	6	020		29.81			30.00	FM-15	0.06	29.99
27	1709	7	SCT:04 6 BKN:07 15 BKN:07 21	10.00		74	23.3	73	22.8	72	22.2	94	3	050		29.82				FM-16	T	30.00
27	1734	7	SCT:04 11 BKN:07 33 BKN:07 55	10.00		74	23.3	73	22.8	72	22.2	94	3	070		29.83				FM-16	T	30.01
27	1754	7	SCT:04 7 BKN:07 31 BKN:07 55	10.00		75	23.9	73	22.8	72	22.2	90	3	030		29.84			30.02	FM-15	T	30.02
27	1848	7	FEW:02 8 BKN:07 39 BKN:07 60	1.75	RA RA	73	22.8	72	22.2	72	22.2	94	5	VRB		29.85				FM-16	T	30.03
27	1852	6	FEW:02 7 SCT:04 20 BKN:07 39	10.00		73	22.8	70	21.1	68	20.0	83	9	050		29.85				FM-16		30.03
27	1854	7	FEW:02 7 SCT:04 20 BKN:07 44	10.00		73	22.8	69	20.6	66	18.9	79	9	030		29.85	3	-0.04	30.04	FM-15	0.02	30.03
27	1900	4	8	9.94		73	22.8	69	20.6	66	18.9	79	9	030		29.85	3	-0.04	30.04	FM-12		
27	1954	7	FEW:02 20 BKN:07 50 BKN:07 85	10.00		71	21.7	70	21.1	69	20.6	94	3	170		29.85			30.04	FM-15	0.00	30.03
27	2054	7	BKN:07 55 BKN:07 90 BKN:07 300	10.00		72	22.2	70	21.1	69	20.6	91	3	320		29.87			30.06	FM-15	0.00	30.05
27	2152	6	FEW:02 3 FEW:02 50 SCT:04 300	9.00	MI:1 FG:2	68	20.0	67	19.4	66	18.9	94	0	000		29.88				FM-16		30.06
27	2154	7	FEW:02 3 FEW:02 50 SCT:04 300	9.00	MI:1 FG:2 FG	68	20.0	67	19.4	67	19.4	96	0	000		29.88	1	-0.02	30.06	FM-15	0.00	30.06
27	2254	7	FEW:02 3 FEW:02 60 SCT:04 300	10.00	MI:1 FG:2 FG	70	21.1	69	20.6	69	20.6	97	3	300		29.89			30.08	FM-15	0.00	30.07
27	2354	7	FEW:02 3 FEW:02 60 SCT:04 300	10.00	MI:1 FG:2 FG	69	20.6	68	20.0	67	19.4	93	7	330		29.90			30.09	FM-15	0.00	30.08
28	0054	7	FEW:02 300	10.00		69	20.6	65	18.3	63	17.2	81	9	340		29.90	1	-0.03	30.09	FM-15	0.00	30.08
28	0100	4		9.94		69	20.6	65	18.3	63	17.2	81	9	340		29.90	1	-0.03	30.09	FM-12		
28	0154	7	FEW:02 300	10.00		66	18.9	64	17.8	62	16.7	87	9	350		29.91			30.10	FM-15	0.00	30.09
28	0254	7	FEW:02 300	10.00		64	17.8	62	16.7	60	15.6	87	9	350		29.93			30.11	FM-15	0.00	30.11
28	0354	7	FEW:02 300	10.00		63	17.2	60	15.6	58	14.4	84	8	340		29.95	3	-0.04	30.14	FM-15	0.00	30.13
28	0454	7	FEW:02 200 SCT:04 300	10.00		61	16.1	59	15.0	57	13.9	87	6	350		29.96			30.15	FM-15	0.00	30.14
28	0554	7	FEW:02 250 SCT:04 300	10.00		63	17.2	60	15.6	57	13.9	81	7	350		29.99			30.18	FM-15	0.00	30.17
28	0654	7	FEW:02 250 SCT:04 300	10.00		66	18.9	61	16.1	57	13.9	73	8	360		30.01	3	-0.06	30.19	FM-15	0.00	30.19
28	0700	4		9.94		66	18.9	61	16.1	57	13.9	73	8	360		30.01	3	-0.06	30.19	FM-12		

28	0754	7	FEW:02 250 SCT:04 300	10.00		70	21.1	61	16.1	55	12.8	59	10	010		30.02			30.21	FM-15	0.00	30.20
28	0854	7	CLR:00	10.00		72	22.2	62	16.7	55	12.8	55	9	360		30.03			30.22	FM-15	0.00	30.21
28	0954	7	SCT:04 250	10.00		75	23.9	62	16.7	52	11.1	45	14	040		30.04	2	-0.04	30.23	FM-15	0.00	30.22
28	1054	7	SCT:04 250	10.00		77	25.0	62	16.7	52	11.1	42	11	050		30.05			30.24	FM-15	0.00	30.23
28	1154	7	BKN:07 250	10.00		78	25.6	62	16.7	50	10.0	37	10	360		30.04			30.23	FM-15	0.00	30.22
28	1254	7	BKN:07 250	10.00		80	26.7	64	17.8	52	11.1	38	6	330		30.04	8	0.00	30.23	FM-15	0.00	30.22
28	1300	4		9.94		80	26.7	64	17.8	52	11.1	38	6	330		30.04	8	0.00	30.23	FM-12		
28	1354	7	BKN:07 250	10.00		79	26.1	63	17.2	52	11.1	39	3	VRB		30.03			30.22	FM-15	0.00	30.21
28	1454	7	BKN:07 250	10.00		81	27.2	63	17.2	51	10.6	35	0	000		30.02			30.21	FM-15	0.00	30.20
28	1554	7	SCT:04 250	10.00		81	27.2	63	17.2	51	10.6	35	5	350		30.01	8	+0.03	30.19	FM-15	0.00	30.19
28	1654	6	CLR:00	10.00		79	26.1	64	17.8	53	11.7	41	6	110		30.00			30.19	FM-15	0.00	30.18
28	1754	7	SCT:04 250	10.00		78	25.6	64	17.8	54	12.2	43	7	120		30.01			30.19	FM-15	0.00	30.19
28	1854	7	SCT:04 250	10.00		76	24.4	65	18.3	57	13.9	52	5	160		30.02	3	-0.01	30.21	FM-15	0.00	30.20
28	1900	4		9.94		76	24.4	65	18.3	57	13.9	52	5	160		30.02	3	-0.01	30.21	FM-12		
28	1954	7	BKN:07 250	10.00		71	21.7	63	17.2	58	14.4	63	5	140		30.03			30.22	FM-15	0.00	30.21
28	2054	7	SCT:04 250	10.00		69	20.6	64	17.8	60	15.6	73	0	000		30.04			30.23	FM-15	0.00	30.22
28	2154	7	SCT:04 250	10.00		69	20.6	62	16.7	57	13.9	66	3	130		30.05	1	-0.03	30.24	FM-15	0.00	30.23
28	2254	7	SCT:04 250	10.00		65	18.3	60	15.6	57	13.9	76	6	140		30.05			30.24	FM-15	0.00	30.23
28	2354	7	FEW:02 300	10.00		66	18.9	61	16.1	57	13.9	73	0	000		30.06			30.24	FM-15	0.00	30.24
29	0054	7	SCT:04 300	10.00		64	17.8	61	16.1	58	14.4	81	3	180		30.06	3	-0.01	30.25	FM-15	0.00	30.24
29	0100	4		9.94		64	17.8	61	16.1	58	14.4	81	3	180		30.06	3	-0.01	30.25	FM-12		
29	0154	7	BKN:07 250	10.00		63	17.2	61	16.1	59	15.0	87	5	190		30.07			30.26	FM-15	0.00	30.25
29	0254	7	BKN:07 250	10.00		64	17.8	61	16.1	59	15.0	84	5	160		30.06			30.25	FM-15	0.00	30.24
29	0354	7	BKN:07 230	10.00		63	17.2	61	16.1	59	15.0	87	0	000		30.06	0	0.00	30.25	FM-15	0.00	30.24
29	0454	7	SCT:04 230 SCT:04 300	10.00		62	16.7	60	15.6	59	15.0	90	3	170		30.07			30.26	FM-15	0.00	30.25
29	0554	7	SCT:04 200 BKN:07 300	10.00		63	17.2	61	16.1	60	15.6	90	3	160		30.08			30.27	FM-15	0.00	30.26
29	0654	7	FEW:02 200 SCT:04 300	10.00		69	20.6	64	17.8	61	16.1	76	6	170		30.08	1	-0.02	30.27	FM-15	0.00	30.26
29	0700	4		9.94		69	20.6	64	17.8	61	16.1	76	6	170		30.08	1	-0.02	30.27	FM-12		
29	0754	7	FEW:02 200 SCT:04 300	10.00		73	22.8	66	18.9	62	16.7	69	7	180		30.10			30.29	FM-15	0.00	30.28
29	0854	7	FEW:02 200 SCT:04 300	10.00		77	25.0	69	20.6	64	17.8	64	7	190		30.09			30.28	FM-15	0.00	30.27
29	0954	7	FEW:02 200 SCT:04 300	10.00		80	26.7	69	20.6	63	17.2	56	10	190		30.09	1	-0.01	30.28	FM-15	0.00	30.27
29	1054	7	FEW:02 30 SCT:04 300	10.00		82	27.8	68	20.0	60	15.6	47	9	160		30.09			30.28	FM-15	0.00	30.27
29	1154	7	FEW:02 30 SCT:04 300	10.00		82	27.8	67	19.4	57	13.9	42	10	160	17	30.08			30.27	FM-15	0.00	30.26
29	1254	7	FEW:02 30 FEW:02 300	10.00		84	28.9	68	20.0	59	15.0	43	10	180		30.06	8	+0.03	30.25	FM-15	0.00	30.24
29	1300	4	26	9.94		84	28.9	68	20.0	59	15.0	43	10	180		30.06	8	+0.03	30.25	FM-12		
29	1354	7	FEW:02 30 FEW:02 300	10.00		84	28.9	70	21.1	62	16.7	48	8	220		30.04			30.23	FM-15	0.00	30.22
29	1454	7	SCT:04 46 SCT:04 300	10.00		84	28.9	72	22.2	66	18.9	55	10	180		30.03			30.22	FM-15	0.00	30.21
29	1554	7	SCT:04 48 BKN:07 300	10.00		84	28.9	73	22.8	67	19.4	57	11	170		30.02	6	+0.04	30.21	FM-15	0.00	30.20
29	1654	7	SCT:04 49 SCT:04 300	10.00		83	28.3	72	22.2	67	19.4	59	10	190		30.01			30.20	FM-15	0.00	30.19
29	1754	7	FEW:02 50 SCT:04 300	10.00		83	28.3	72	22.2	67	19.4	59	11	180		30.01			30.20	FM-15	0.00	30.19
29	1854	7	FEW:02 42 FEW:02 300	10.00		80	26.7	71	21.7	67	19.4	64	8	180		30.01	5	+0.01	30.20	FM-15	0.00	30.19
29	1900	4	41	9.94		80	26.7	71	21.7	67	19.4	64	8	180		30.01	5	+0.01	30.20	FM-12		
29	1954	7	FEW:02 28 FEW:02 300	10.00		77	25.0	70	21.1	67	19.4	71	8	180		30.02			30.21	FM-15	0.00	30.20

29	2054	7	FEW:02 100 FEW:02 300	10.00		74	23.3	69	20.6	67	19.4	79	8	180		30.04			30.23	FM-15	0.00	30.22
29	2154	7	FEW:02 300	10.00		72	22.2	68	20.0	66	18.9	82	6	190		30.05	2	-0.04	30.24	FM-15	0.00	30.23
29	2254	7	CLR:00	10.00		72	22.2	68	20.0	66	18.9	82	3	170		30.06			30.25	FM-15	0.00	30.24
29	2354	7	CLR:00	10.00		71	21.7	68	20.0	67	19.4	87	5	180		30.06			30.25	FM-15	0.00	30.24
30	0054	7	FEW:02 150	10.00		71	21.7	68	20.0	67	19.4	87	3	160		30.05	0	-0.01	30.24	FM-15	0.00	30.23
30	0100	4		9.94		71	21.7	68	20.0	67	19.4	87	3	160		30.05	9	+0.01	30.24	FM-12		
30	0154	7	FEW:02 80 FEW:02 150	10.00		70	21.1	68	20.0	67	19.4	90	3	190		30.05			30.24	FM-15	0.00	30.23
30	0254	7	SCT:04 85	10.00		70	21.1	68	20.0	67	19.4	90	3	190		30.04			30.23	FM-15	0.00	30.22
30	0354	6	FEW:02 85	10.00		68	20.0	67	19.4	66	18.9	93	3	190		30.05	5	+0.01	30.24	FM-15	0.00	30.23
30	0454	7	FEW:02 85 SCT:04 250	7.00		69	20.6	68	20.0	67	19.4	93	0	000		30.05			30.24	FM-15	0.00	30.23
30	0554	7	FEW:02 55 FEW:02 85	6.00	BR:1	70	21.1	69	20.6	69	20.6	97	6	180		30.05			30.24	FM-15	0.00	30.23
30	0654	7	FEW:02 10 FEW:02 55	10.00		74	23.3	71	21.7	70	21.1	88	3	VRB		30.05	1	-0.01	30.24	FM-15	0.00	30.23
30	0700	4	15	9.94		74	23.3	71	21.7	70	21.1	88	3			30.05	1	-0.01	30.24	FM-12		
30	0754	7	CLR:00	10.00		79	26.1	73	22.8	70	21.1	74	3	280		30.06			30.25	FM-15	0.00	30.24
30	0854	7	FEW:02 10	10.00		82	27.8	75	23.9	71	21.7	69	6	220		30.06			30.25	FM-15	0.00	30.24
30	0954	7	FEW:02 10	10.00		83	28.3	74	23.3	70	21.1	65	3	200		30.05	8	0.00	30.24	FM-15	0.00	30.23
30	1054	7	BKN:07 31	10.00		85	29.4	76	24.4	72	22.2	65	6	160		30.04			30.23	FM-15	0.00	30.22
30	1154	7	SCT:04 38 BKN:07 47	10.00		88	31.1	76	24.4	70	21.1	55	0	000		30.03			30.22	FM-15	0.00	30.21
30	1254	7	BKN:07 41	10.00		84	28.9	75	23.9	71	21.7	65	7	070		30.01	8	+0.05	30.19	FM-15	0.00	30.19
30	1300	4	41	9.94		84	28.9	75	23.9	71	21.7	65	7	070		30.01	8	+0.05	30.19	FM-12		
30	1329	7	BKN:07 41 BKN:07 80	10.00	TS:7 -RA:02 RA TS TS RA	80	26.7	73	22.8	69	20.6	69	14	040		30.00				FM-16	T	30.18
30	1354	7	BKN:07 41 BKN:07 80	3.00	TS:7 -RA:02 RA TS TS RA	78	25.6	73	22.8	70	21.1	76	11	360	24	30.00			30.19	FM-15	0.05	30.18
30	1409	7	BKN:07 41 OVC:08 65	2.00	TS:7 RA:02 RA TS TS RA	76	24.4	72	22.2	70	21.1	82	17	VRB	36	30.01				FM-16	0.20	30.19
30	1416	7	SCT:04 35 BKN:07 43 OVC:08 60	1.00	TS:7 +RA:02 RA TS TS RA	76	24.4	70	21.1	67	19.4	74	18	340	37	30.01				FM-16	0.23	30.19
30	1425	7	BKN:07 30 BKN:07 43 OVC:08 60	0.75	TS:7 +RA:02 RA TS TS RA	75	23.9	70	21.1	68	20.0	79	8	VRB	23	30.00				FM-16	0.59	30.18
30	1440	6	BKN:07 24 BKN:07 55 OVC:08 80	1.00	TS:7 +RA:02 RA TS RA	74	23.3	71	21.7	69	20.6	85	21	100		29.99				FM-16		30.17
30	1443	7	SCT:04 19 OVC:08 80	1.50	TS:7 RA:02 RA TS TS RA	75	23.9	72	22.2	70	21.1	84	21	110		29.98				FM-16	1.35	30.16
30	1447	7	SCT:04 17 OVC:08 80	3.00	TS:7 -RA:02 RA TS TS RA	75	23.9	71	21.7	69	20.6	82	18	110	26	29.99				FM-16	1.36	30.17
30	1454	7	SCT:04 19 BKN:07 40 BKN:07 80	10.00	TS:7 -RA:02 RA TS TS RA	75	23.9	70	21.1	68	20.0	79	17	120	24	29.99			30.18	FM-15	1.31	30.17
30	1507	7	FEW:02 16 SCT:04 50 BKN:07 90	10.00		76	24.4	71	21.7	69	20.6	79	14	090		29.98				FM-16	T	30.16
30	1554	7	FEW:02 50 FEW:02 70 BKN:07 110	10.00		81	27.2	74	23.3	71	21.7	72	7	080		29.97	8	+0.04	30.16	FM-15	T	30.15
30	1654	7	FEW:02 40 SCT:04 60 BKN:07 130	10.00		82	27.8	75	23.9	72	22.2	72	5	110		29.96			30.14	FM-15	0.00	30.14
30	1754	7	FEW:02 65 SCT:04 90 BKN:07 120	10.00		81	27.2	75	23.9	72	22.2	74	5	010		29.96			30.15	FM-15	0.00	30.14
30	1854	7	SCT:04 65 SCT:04 90 BKN:07 110	10.00		79	26.1	75	23.9	73	22.8	82	3	360		29.96	5	+0.01	30.15	FM-15	0.00	30.14

30	1900	4	57	9.94		79	26.1	75	23.9	73	22.8	82	3	360		29.96	5	+0.01	30.15	FM-12		
30	1954	7	FEW:02 60 BKN:07 80 BKN:07 120	10.00		79	26.1	75	23.9	73	22.8	82	0	000		29.96			30.15	FM-15	0.00	30.14
30	2054	7	SCT:04 80 BKN:07 110 BKN:07 300	10.00		76	24.4	74	23.3	73	22.8	91	5	120		29.99			30.17	FM-15	0.00	30.17
30	2154	7	FEW:02 80 BKN:07 300	10.00		77	25.0	72	22.2	70	21.1	79	8	180		29.99	3	-0.02	30.17	FM-15	0.00	30.17
30	2254	7	BKN:07 300	10.00		76	24.4	71	21.7	69	20.6	79	9	180		29.98			30.17	FM-15	0.00	30.16
30	2354	7	BKN:07 300	10.00		75	23.9	72	22.2	70	21.1	84	8	180		29.98			30.16	FM-15	0.00	30.16

Local Climatological Data
Hourly Precipitation
June 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 07/26/2022

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																					Date						
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM		10 PM	11 PM	MID			
01																									01			
02																			0.06	0.16			T	0.02	T	02		
03																										03		
04																										04		
05																										05		
06																										06		
07																									T	07		
08																					T	T	T	M	M	08		
09	M	M	M	M	M	M	M																			09		
10																										10		
11										T					T											11		
12					T	0.03	T	T		T	1.00	T							T							12		
13																										13		
14					T			T	T																	14		
15																										15		
16							T	T	0.04													T	T			16		
17																										17		
18																										18		
19																										19		
20																										20		
21																										21		
22																										22		
23	0.06	0.02	0.01	0.01						T	T	0.01		0.08	0.03	0.02		0.31	0.04		0.02	0.07	T	0.30	0.81	0.33	0.15	23
24																											24	
25																											25	
26																											26	
27																0.50	0.97	0.09	0.06	T	0.02						27	
28																											28	
29																											29	
30																0.05	1.31	T									30	

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.50	0.72	0.96	1.05	1.16	1.33	1.47	1.49	1.50	1.54	1.59	1.63
Ending Date Time (yyyy-mm-dd hh:mi)	2022-06-12 10:23	2022-06-12 10:28	2022-06-12 10:33	2022-06-30 14:38	2022-06-30 14:44	2022-06-30 14:42	2022-06-27 14:40	2022-06-27 14:57	2022-06-27 15:18	2022-06-27 15:38	2022-06-27 16:00	2022-06-27 16:40

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 \$ = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing