

Local Climatological Data Daily Summary October 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 12/03/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH							
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL		Avg Speed	Direction = Degrees						
																		Peak Speed		Peak Dir	Sust. Speed	Sust. Dir				
1	2	3	4	5	6	7	8	9	10	11	12	13				14	15	16	17	18	19	20	21	22	23	
01	72	59	66	0.8				0	1	0605	1753	RA BR	0.10	0.0	0	29.62		9.3	34	030	25	020				
02	68	53	61	-3.8				4	0	0605	1751	RA BR	0.39	0.0	0	29.73		9.1	32	030	22	360				
03	55	48	52	-12.4				13	0	0606	1750	RA BR	0.11	0.0	0	29.95		15.7	32	020	24	360				
04	57	48	53	-11.0				12	0	0607	1748	RA BR DZ	T	0.0	0	29.84		13.3	30	340	23	360				
05	69	52	61	-2.6				4	0	0608	1747		T	0.0	0	29.77		9.1	26	330	20	350				
06	80	51	66	2.8				0	1	0609	1745		0.00	0.0	0	29.84		2.6	16	280	14	260				
07	82*	52	67	4.1				0	2	0610	1744		0.00	0.0	0	29.85		4.9	33	010	24	010				
08	66	43	55	-7.5				10	0	0611	1742		0.00	0.0	0	30.04		8.3	26	020	18	360				
09	67	38	53	-9.1				12	0	0612	1741		0.00	0.0	0	30.06		2.1	17	240	14	240				
10	71	42	57	-4.8				8	0	0613	1740		0.00	0.0	0	30.06		2.5	18	240	10	320				
11	74	43	59	-2.4				6	0	0614	1738		0.00	0.0	0	30.14		3.0	15	180	13	170				
12	74	45	60	-1.1				5	0	0614	1737		T	0.0	0	30.02		5.6	20	200	15	160				
13	73	59	66	5.2				0	1	0615	1735	RA FG BR	0.05	0.0	0	29.65		8.2	30	360	23	360				
14	73	48	61	0.6				4	0	0616	1734	RA	0.02	0.0	0	29.74		4.3	21	010	16	020				
15	79	43	61	0.9				4	0	0617	1732		0.00	0.0	0	29.84		8.2	27	230	21	220				
16	76	53	65	5.2				0	0	0618	1731	RA BR	0.59	0.0	0	29.78		5.1	36	310	29	320				
17	73	53	63	3.5				2	0	0619	1730	RA FG BR TS	0.49	0.0	0	29.55		8.7	38	310	25	310				
18	58	40	49	-10.1				16	0	0620	1728		0.00	0.0	0	29.58		7.8	22	330	17	330				
19	59	38	49	-9.8				16	0	0621	1727		0.00	0.0	0	29.75		9.4	27	240	21	250				
20	64	34*	49	-9.5				16	0	0622	1726		0.00	0.0	0	29.86		5.4	26	220	21	210				
21	68	37	53	-5.2				12	0	0623	1724		0.00	0.0	0	29.95		3.4	13	170	10	180				
22	73	40	57	-1.0				8	0	0624	1723	BR	0.00	0.0	0	30.03		1.8	15	110	13	130				
23	60	46	53	-4.7				12	0	0625	1722	RA BR	0.02	0.0	0	30.00		9.8	21	010	16	350				
24	73	52	63	5.6				2	0	0626	1721	FG BR	0.00	0.0	0	29.96		5.8	19	340	14	350				
25	64	50	57	-0.1				8	0	0627	1719	RA FG BR	T	0.0	0	29.88		2.0	9	120	8	130				
26	67	55	61	4.2				4	0	0628	1718	MIFG BR FG	0.00	0.0	0	29.69		4.9	13	240	12	240				
27	67	47	57	0.5				8	0	0629	1717		0.00	0.0	0	29.94		9.1	29	360	22	360				
28	62	45	54	-2.3				11	0	0630	1716		0.00	0.0	0	30.21		9.0	22	040	17	040				
29	64	43	54	-2.0				11	0	0631	1715		0.00	0.0	0	30.21		7.0	22	040	15	010				
30	67	40	54	-1.7				11	0	0632	1713		0.00	0.0	0	30.04		3.0	11	040	8	360				
31	72	55	64	8.6				1	0	0633	1712	RA BR	0.14	0.0	0	29.88		6.1	19	190	15	180				
Monthly Averages Totals													1.91			29.88	30.08	6.7								
Departure from Normal (1981-2010)													-1.07													
Degree Days											Number of days with...															
Monthly					Season-to-date					Temperature				Precipitation		Snow		Weather								
Total		Departure			Total		Departure			Max		Min		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog				
Heating		229			25			248		>=90°		<=32°		<=32°		<=0°		7s		4s		0		1		
Cooling		4			-35			1702		0		0		0		0										
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure					Greatest...													
N/A								Maximum		30.45			Date		29		Time		1054		24-Hr...		Snowfall		Snow Depth	
								Minimum		29.59					17				1606		1.07					
													Date													
													16-17													
Station Augmentation																										
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																										

Local Climatological Data Hourly Observations October 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 12/03/2022

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3- Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	OVC:08 7	8.00	-RA:02 RA RA	60	15.6	59	15.0	59	15.0	96	18	040	29	29.60	8	+0.04	29.79	FM-15	0.02	29.78
01	0100	4	8	7.46	RA	60	15.6	59	15.0	59	15.0	96	18	040		29.60	8	+0.04	29.79	FM-12		
01	0154	7	OVC:08 8	10.00	-RA:02 RA RA	61	16.1	60	15.6	59	15.0	93	20	030	28	29.59			29.78	FM-15	0.01	29.77
01	0254	7	OVC:08 7	10.00		61	16.1	60	15.6	59	15.0	93	17	030	25	29.57			29.76	FM-15	0.01	29.75
01	0354	7	OVC:08 7	10.00	-RA:02 RA RA	61	16.1	60	15.6	60	15.6	97	13	050	24	29.58	5	+0.02	29.77	FM-15	0.01	29.76
01	0426	7	OVC:08 5	10.00		62	16.7	61	16.1	60	15.6	93	15	040		29.57				FM-16	T	29.75
01	0454	7	OVC:08 5	10.00	-RA:02 RA RA	62	16.7	61	16.1	61	16.1	96	16	040		29.60			29.79	FM-15	T	29.78
01	0519	7	SCT:04 6 BKN:07 28 OVC:08 42	6.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	93	10	020		29.58				FM-16	0.04	29.76
01	0527	7	SCT:04 6 BKN:07 33 OVC:08 44	10.00	-RA:02 RA RA	63	17.2	62	16.7	61	16.1	93	8	030		29.58				FM-16	0.04	29.76
01	0554	7	FEW:02 6 SCT:04 47 BKN:07 60	10.00		63	17.2	62	16.7	61	16.1	93	13	030		29.58			29.78	FM-15	0.04	29.76
01	0654	7	FEW:02 8 SCT:04 22 OVC:08 35	5.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	62	16.7	97	16	060		29.60	3	-0.02	29.79	FM-15	T	29.78
01	0700	4	8	4.97	RA	63	17.2	62	16.7	62	16.7	97	16	060		29.60	3	-0.02	29.79	FM-12		
01	0729	7	SCT:04 7 BKN:07 16 OVC:08 33	9.00	-RA:02 RA RA	64	17.8	63	17.2	62	16.7	93	9	040		29.61				FM-16	T	29.79
01	0754	7	FEW:02 7 BKN:07 22 BKN:07 60	10.00	-RA:02 RA RA	64	17.8	63	17.2	62	16.7	93	11	050		29.61			29.80	FM-15	T	29.79
01	0854	7	FEW:02 7 BKN:07 22 OVC:08 38	10.00	-RA:02 RA RA	65	18.3	64	17.8	64	17.8	97	5	160		29.62			29.81	FM-15	T	29.80
01	0954	7	FEW:02 7 BKN:07 22 OVC:08 28	10.00		67	19.4	66	18.9	65	18.3	93	3	060		29.62	1	-0.02	29.81	FM-15	0.01	29.80
01	1054	7	FEW:02 7 BKN:07 22 BKN:07 28	10.00		68	20.0	64	17.8	62	16.7	81	10	150		29.62			29.81	FM-15	0.00	29.80
01	1127	7	SCT:04 22 BKN:07 31 BKN:07 44	10.00		71	21.7	65	18.3	62	16.7	73	11	130		29.61				FM-16		29.79
01	1154	7	SCT:04 22 SCT:04 26 BKN:07 33	10.00		71	21.7	65	18.3	62	16.7	73	13	180		29.62			29.81	FM-15	0.00	29.80
01	1254	7	SCT:04 24 BKN:07 44	10.00		71	21.7	64	17.8	59	15.0	66	9	180		29.62	8	0.00	29.80	FM-15	0.00	29.80
01	1300	4	26	9.94		71	21.7	64	17.8	59	15.0	66	9	180		29.62	8	0.00	29.80	FM-12		
01	1354	7	SCT:04 24 BKN:07 41	10.00		71	21.7	63	17.2	57	13.9	61	14	210		29.62			29.80	FM-15	0.00	29.80
01	1454	7	SCT:04 25 BKN:07 37	10.00		70	21.1	61	16.1	55	12.8	59	14	210		29.62			29.81	FM-15	0.00	29.80
01	1554	7	SCT:04 25 BKN:07 39	10.00		67	19.4	60	15.6	55	12.8	66	9	180		29.63	3	-0.02	29.83	FM-15	0.00	29.81
01	1654	7	SCT:04 25 BKN:07 39	10.00		66	18.9	60	15.6	56	13.3	70	7	190		29.65			29.84	FM-15	0.00	29.83

01	1754	7	SCT:04 25 OVC:08 36	10.00		65	18.3	60	15.6	56	13.3	73	5	180		29.65			29.84	FM-15	0.00	29.83
01	1854	7	OVC:08 38	10.00		64	17.8	60	15.6	57	13.9	78	3	190		29.66	1	-0.03	29.85	FM-15	0.00	29.84
01	1900	4	41	9.94		64	17.8	60	15.6	57	13.9	78	3	190		29.66	1	-0.03	29.85	FM-12		
01	1954	4		10.00		63	17.2			57	13.9	81	3	170					29.86	FM-15		29.85
01	2054	4		10.00		63	17.2			57	13.9	81	0	000					29.87	FM-15		29.85
01	2154	4		10.00		63	17.2			58	14.4	84	0	000			1	-0.01	29.87	FM-15		29.86
01	2254	4		10.00		60	15.6			57	13.9	90	3	060					29.87	FM-15		29.86
01	2354	4		10.00		60	15.6			58	14.4	93	0	000					29.86	FM-15		29.85
02	0052	6	BKN:07 23 OVC:08 42	10.00		59	15.0	58	14.4	57	13.9	94	0	000		29.67				FM-16		29.85
02	0054	7	BKN:07 23 OVC:08 42	10.00		59	15.0	58	14.4	58	14.4	96	0	000		29.67	8	+0.01	29.85	FM-15	0.00	29.85
02	0100	4	26	9.94		59	15.0	58	14.4	58	14.4	96	0	000		29.67	8	+0.01	29.85	FM-12		
02	0152	6	FEW:02 23 SCT:04 42 OVC:08 85	10.00		61	16.1	59	15.0	57	13.9	88	0	000		29.67				FM-16		29.85
02	0154	7	FEW:02 23 SCT:04 42 OVC:08 85	10.00		60	15.6	58	14.4	57	13.9	90	0	000		29.67			29.85	FM-15	0.00	29.85
02	0254	7	OVC:08 85	10.00		60	15.6	58	14.4	57	13.9	90	0	000		29.66			29.85	FM-15	0.00	29.84
02	0354	7	OVC:08 85	10.00		60	15.6	58	14.4	57	13.9	90	3	360		29.66	5	+0.01	29.85	FM-15	0.00	29.84
02	0422	7	SCT:04 24 BKN:07 29 OVC:08 85	10.00		60	15.6	58	14.4	57	13.9	90	0	000		29.66				FM-16		29.84
02	0454	7	BKN:07 29 OVC:08 85	10.00		60	15.6	59	15.0	58	14.4	93	0	000		29.67			29.86	FM-15	0.00	29.85
02	0541	7	BKN:07 30 OVC:08 85	10.00		60	15.6	59	15.0	58	14.4	93	3	030		29.68				FM-16		29.86
02	0554	7	BKN:07 32 OVC:08 85	10.00		60	15.6	59	15.0	58	14.4	93	3	340		29.68			29.87	FM-15	0.00	29.86
02	0654	7	BKN:07 32 OVC:08 90	10.00		60	15.6	59	15.0	58	14.4	93	6	360		29.69	2	-0.04	29.88	FM-15	0.00	29.87
02	0700	4	26	9.94		60	15.6	59	15.0	58	14.4	93	6	360		29.69	2	-0.04	29.88	FM-12		
02	0754	7	SCT:04 32 OVC:08 85	10.00		61	16.1	60	15.6	59	15.0	93	5	010		29.70			29.89	FM-15	0.00	29.88
02	0815	7	FEW:02 6 BKN:07 50 OVC:08 85	10.00		62	16.7	60	15.6	59	15.0	90	6	350		29.71				FM-16		29.89
02	0838	7	BKN:07 6 OVC:08 50	10.00		62	16.7	60	15.6	59	15.0	90	6	350		29.72				FM-16		29.90
02	0854	7	BKN:07 6 OVC:08 32	10.00		63	17.2	61	16.1	60	15.6	90	7	350		29.72			29.91	FM-15	0.00	29.90
02	0954	7	BKN:07 7 OVC:08 55	10.00		64	17.8	62	16.7	60	15.6	87	6	340		29.73	3	-0.04	29.92	FM-15	0.00	29.91
02	1020	7	SCT:04 9 BKN:07 18 OVC:08 85	10.00		65	18.3	62	16.7	60	15.6	84	5	340		29.73				FM-16		29.91
02	1054	7	SCT:04 9 BKN:07 15 OVC:08 32	10.00		67	19.4	63	17.2	60	15.6	79	3	VRB		29.73			29.93	FM-15	0.00	29.91
02	1154	7	SCT:04 9 BKN:07 15 OVC:08 21	10.00		63	17.2	62	16.7	61	16.1	93	13	020		29.74			29.93	FM-15	0.06	29.92
02	1222	7	BKN:07 8 OVC:08 18	10.00		63	17.2	62	16.7	61	16.1	93	16	010		29.74				FM-16		29.92
02	1240	7	BKN:07 8 OVC:08 11	1.50	RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	11	020		29.75				FM-16	T	29.93
02	1251	7	SCT:04 8 OVC:08 14	2.00	-RA:02 BR:1 RA RA	63	17.2	62	16.7	61	16.1	94	13	020	21	29.74				FM-16	0.01	29.92
02	1254	7	SCT:04 8 OVC:08 14	2.00	RA:02 BR:1 RA RA	62	16.7	61	16.1	60	15.6	93	11	020		29.74	3	-0.01	29.94	FM-15	0.02	29.92
02	1300	4	8	1.99	RA	62	16.7	61	16.1	60	15.6	93	11	020		29.74	3	-0.01	29.94	FM-12		

02	1305	7	BKN:07 8 BKN:07 14 OVC:08 20	3.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	60	15.6	97	16	020	22	29.75				FM-16	0.01	29.93
02	1317	7	BKN:07 8 BKN:07 15 OVC:08 20	2.50	-RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	93	17	020		29.75				FM-16	0.01	29.93
02	1352	6	BKN:07 8 BKN:07 33 OVC:08 41	5.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	94	14	010		29.76				FM-16		29.94
02	1354	7	BKN:07 8 BKN:07 33 OVC:08 41	5.00	-RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	93	16	360		29.76		29.95		FM-15	0.03	29.94
02	1419	7	BKN:07 7 BKN:07 14 OVC:08 41	2.50	RA:02 BR:1 RA RA	61	16.1	60	15.6	59	15.0	93	11	360		29.76				FM-16	T	29.94
02	1445	7	SCT:04 7 BKN:07 14 OVC:08 25	4.00	-RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	14	010		29.76				FM-16	0.02	29.94
02	1454	7	SCT:04 7 BKN:07 14 OVC:08 25	5.00	-RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	14	360		29.77		29.96		FM-15	0.03	29.95
02	1522	7	SCT:04 7 BKN:07 13 OVC:08 20	1.75	RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	14	360		29.78				FM-16	0.02	29.96
02	1554	7	BKN:07 8 OVC:08 13	2.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	13	360		29.79	3	-0.04	29.98	FM-15	0.06	29.97
02	1606	7	SCT:04 8 OVC:08 13	2.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	14	360		29.79				FM-16	0.01	29.97
02	1623	7	BKN:07 8 OVC:08 12	2.50	-RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	15	360		29.80				FM-16	0.03	29.98
02	1637	7	SCT:04 8 OVC:08 12	3.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	13	360		29.80				FM-16	0.04	29.98
02	1654	7	BKN:07 8 OVC:08 14	3.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	11	360		29.80		29.99		FM-15	0.05	29.98
02	1754	7	OVC:08 9	4.00	-RA:02 BR:1 RA RA	57	13.9	56	13.3	56	13.3	96	13	360		29.83		30.02		FM-15	0.01	30.01
02	1817	7	OVC:08 12	5.00	-RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	93	14	010	30	29.84				FM-16	T	30.02
02	1854	7	BKN:07 14 OVC:08 21	5.00	-RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	93	15	010	24	29.85	3	-0.06	30.04	FM-15	T	30.03
02	1900	4	15	4.97	RA	57	13.9	56	13.3	55	12.8	93	15	010		29.85	3	-0.06	30.04	FM-12		
02	1954	4		4.00	RA	56	13.3			54	12.2	93	14	010				30.05		FM-15	0.06	30.04
02	2013	7	BKN:07 9 OVC:08 14	3.00	-RA:02 BR:1 RA RA	55	12.8	54	12.2	54	12.2	96	17	010	24	29.87				FM-16	0.01	30.05
02	2054	4		5.00	RA	55	12.8			53	11.7	93	15	360	25			30.07		FM-15	0.01	30.06
02	2154	4		3.00	RA	54	12.2			53	11.7	97	15	010			1	-0.04	30.08	FM-15	0.03	30.07
02	2254	4		4.00		54	12.2			52	11.1	93	15	010				30.08		FM-15	0.01	30.07
02	2354	4		4.00	RA	53	11.7			51	10.6	93	21	020	28			30.09		FM-15	0.02	30.08
03	0052	6	SCT:04 9 BKN:07 13 OVC:08 18	10.00	-RA:02 RA RA	52	11.1	51	10.6	50	10.0	94	16	010		29.89				FM-16		30.07
03	0054	7	SCT:04 9 BKN:07 13 OVC:08 18	10.00	-RA:02 RA RA	52	11.1	51	10.6	50	10.0	93	14	010		29.89	0	-0.01	30.09	FM-15	0.02	30.07
03	0100	4	8	9.94	RA	52	11.1	51	10.6	50	10.0	93	14	010		29.89	9	+0.01	30.09	FM-12		
03	0140	7	OVC:08 8	4.00	-RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	11	350		29.89				FM-16	0.01	30.07
03	0154	7	BKN:07 9 OVC:08 15	4.00	-RA:02 BR:1 RA RA	52	11.1	51	10.6	50	10.0	93	16	360	22	29.89			30.09	FM-15	0.02	30.07
03	0254	7	OVC:08 9	9.00	-RA:02 RA RA	52	11.1	51	10.6	50	10.0	93	14	360		29.88		30.07		FM-15	0.03	30.06
03	0354	7	BKN:07 9 BKN:07 13 OVC:08 21	3.00	-RA:02 BR:1 RA RA	51	10.6	50	10.0	49	9.4	92	16	360		29.90	3	0.00	30.09	FM-15	0.01	30.08
03	0454	7	BKN:07 8 BKN:07 11 OVC:08 19	3.00	-RA:02 BR:1 RA RA	50	10.0	49	9.4	48	8.9	93	17	360	26	29.91		30.11		FM-15	0.01	30.09
03	0554	7	OVC:08 9	9.00	-RA:02 RA RA	48	8.9	47	8.3	46	7.8	93	18	360	25	29.94		30.13		FM-15	0.02	30.12

03	0630	7	OVC:08 13	10.00		48	8.9	47	8.3	45	7.2	89	17	360	24	29.94				FM-16	T	30.12	
03	0654	7	OVC:08 14	10.00		48	8.9	47	8.3	45	7.2	89	15	360	22	29.95	1	-0.05	30.14	FM-15	0.00	30.13	
03	0700	4	15	9.94		48	8.9	47	8.3	45	7.2	89	15	360		29.95	1	-0.05	30.14	FM-12			
03	0708	7	OVC:08 16	10.00		48	8.9	47	8.3	45	7.2	89	15	360	25	29.95				FM-16		30.13	
03	0754	7	FEW:02 10 OVC:08 20	10.00	-RA:02 RA RA	49	9.4	47	8.3	45	7.2	86	15	360		29.95				30.15	FM-15	T	30.13
03	0854	7	FEW:02 20 OVC:08 25	10.00		50	10.0	48	8.9	45	7.2	83	15	360		29.96				30.16	FM-15	T	30.14
03	0954	7	OVC:08 23	10.00		53	11.7	49	9.4	45	7.2	74	14	360	25	29.96	1	-0.02	30.16	FM-15	0.00	30.14	
03	1054	7	BKN:07 21 OVC:08 28	10.00	-RA:02 RA RA	53	11.7	49	9.4	46	7.8	77	17	010		29.97				30.16	FM-15	T	30.15
03	1154	7	SCT:04 14 BKN:07 22 OVC:08 29	5.00	-RA:02 BR:1 RA RA	53	11.7	51	10.6	49	9.4	86	15	360		29.97				30.16	FM-15	T	30.15
03	1254	7	FEW:02 11 BKN:07 17 OVC:08 45	6.00	-RA:02 BR:1 RA RA	53	11.7	51	10.6	49	9.4	86	15	350	23	29.96	8	0.00	30.15	FM-15	T	30.14	
03	1300	4	15	5.59	RA	53	11.7	51	10.6	49	9.4	86	15	350		29.96	8	0.00	30.15	FM-12			
03	1354	7	OVC:08 27	10.00		54	12.2	49	9.4	44	6.7	69	20	360	26	29.95				30.14	FM-15	T	30.13
03	1454	4		10.00		54	12.2			44	6.7	69	15	350						30.14	FM-15		30.13
03	1542	7	FEW:02 14 SCT:04 25 OVC:08 48	10.00	-RA:02 RA RA	51	10.6	49	9.4	47	8.3	86	11	350		29.96					FM-16	T	30.14
03	1554	4		10.00	RA	52	11.1			46	7.8	80	16	360			3	0.00	30.16	FM-15	T	30.14	
03	1630	7	SCT:04 24 BKN:07 47 OVC:08 60	10.00		52	11.1	48	8.9	44	6.7	75	22	010	28	29.97					FM-16	T	30.15
03	1654	4		10.00	RA	51	10.6			45	7.2	80	20	010	29					30.16	FM-15	T	30.15
03	1754	4		10.00		50	10.0			45	7.2	83	20	010	25					30.17	FM-15	T	30.15
03	1812	7	BKN:07 18 BKN:07 38 OVC:08 60	6.00	-RA:02 RA RA	50	10.0	48	8.9	45	7.2	83	20	010	24	29.98					FM-16	T	30.16
03	1852	7	SCT:04 18 BKN:07 33 OVC:08 75	10.00		48	8.9	47	8.3	45	7.2	87	17	010		29.98	2	-0.01	30.17	FM-16	T	30.16	
03	1900	4	15	9.94		49	9.4	47	8.3	45	7.2	86	17	010		29.98	2	-0.01	30.17	FM-12			
03	1954	4		10.00		49	9.4			44	6.7	83	11	360	26					30.17	FM-15	T	30.16
03	2054	4		10.00		49	9.4			44	6.7	83	16	360	23					30.16	FM-15		30.15
03	2154	4		10.00		49	9.4			44	6.7	83	17	360			8	+0.02	30.15	FM-15		30.14	
03	2239	7	BKN:07 14 BKN:07 43 OVC:08 90	10.00		48	8.9	46	7.8	44	6.7	86	13	350		29.95					FM-16		30.13
03	2254	4		10.00		48	8.9			44	6.7	86	13	350						30.14	FM-15		30.12
03	2354	4		10.00		48	8.9			44	6.7	86	11	350						30.12	FM-15		30.10
04	0028	7	SCT:04 12 OVC:08 30	10.00		48	8.9	46	7.8	44	6.7	86	11	350		29.91					FM-16		30.09
04	0047	7	FEW:02 12 OVC:08 27	10.00		48	8.9	46	7.8	44	6.7	86	15	350		29.91					FM-16		30.09
04	0054	7	FEW:02 12 BKN:07 27 OVC:08 36	10.00		48	8.9	46	7.8	43	6.1	83	16	360	23	29.91	8	+0.05	30.10	FM-15	0.00	30.09	
04	0100	4	15	9.94		48	8.9	46	7.8	43	6.1	83	16	360		29.91	8	+0.05	30.10	FM-12			
04	0127	7	SCT:04 27 BKN:07 38 OVC:08 46	10.00		49	9.4	47	8.3	44	6.7	83	13	350		29.90					FM-16		30.08
04	0154	7	BKN:07 35 OVC:08 47	10.00		49	9.4	47	8.3	44	6.7	83	13	350	21	29.89				30.08	FM-15	0.00	30.07
04	0226	7	BKN:07 23 OVC:08 49	10.00		49	9.4	46	7.8	43	6.1	80	15	350		29.88					FM-16		30.06
04	0254	4		10.00		49	9.4			44	6.7	83	15	350						30.07	FM-15		30.06
04	0347	7	SCT:04 29 OVC:08 50	10.00		49	9.4	47	8.3	44	6.7	83	14	340	22	29.87					FM-16		30.05

04	0354	4		10.00		49	9.4			45	7.2	86	14	340	22		6	+0.04	30.06	FM-15		30.05	
04	0454	4		10.00		49	9.4			44	6.7	83	13	340					30.06	FM-15		30.05	
04	0554	4		10.00		49	9.4			44	6.7	83	15	340					30.06	FM-15		30.05	
04	0633	7	BKN:07 27 OVC:08 55	10.00		50	10.0	47	8.3	44	6.7	80	14	350		29.87					FM-16		30.05
04	0654	4		10.00		50	10.0			43	6.1	77	15	010	23		4	0.00	30.06	FM-15		30.05	
04	0700	4	15	9.94		50	10.0	47	8.3	43	6.1	77	15	010		29.87			30.06	FM-12			
04	0727	7	BKN:07 36	10.00		52	11.1	48	8.9	43	6.1	72	14	350	21	29.86					FM-16		30.04
04	0754	4		10.00		52	11.1			42	5.6	69	15	350	24				30.04	FM-15		30.03	
04	0854	4		10.00		54	12.2			43	6.1	67	17	360	23				30.04	FM-15		30.03	
04	0954	4		10.00		55	12.8			44	6.7	67	13	350	24		6	+0.04	30.03	FM-15		30.01	
04	1054	4		10.00		56	13.3			44	6.7	65	16	350					30.02	FM-15		30.00	
04	1154	4		10.00		55	12.8			45	7.2	69	15	340					30.01	FM-15		30.00	
04	1254	4		10.00		56	13.3			46	7.8	70	10	320			8	+0.03	29.99	FM-15		29.98	
04	1300	4	26	9.94		56	13.3	51	10.6	46	7.8	70	10	320		29.80	8	+0.03	29.99	FM-12			
04	1354	4		10.00		56	13.3			45	7.2	67	13	330					29.98	FM-15		29.96	
04	1454	4		10.00		54	12.2			47	8.3	77	13	340					29.98	FM-15		29.97	
04	1535	7	FEW:02 9 SCT:04 16 OVC:08 29	6.00	-RA:02 BR:1 RA RA	53	11.7	51	10.6	50	10.0	89	10	330		29.79					FM-16	T	29.97
04	1554	4		6.00	RA	53	11.7			50	10.0	89	8	310			6	+0.01	29.98	FM-15	T	29.97	
04	1654	4		10.00	DZ	53	11.7			48	8.9	83	13	320					29.98	FM-15	T	29.97	
04	1754	4		10.00		53	11.7			47	8.3	80	13	320					29.98	FM-15	T	29.96	
04	1854	4		10.00		54	12.2			47	8.3	77	13	330			5	0.00	29.98	FM-15		29.97	
04	1900	4	26	9.94		54	12.2	50	10.0	47	8.3	77	13	330		29.79	5	0.00	29.98	FM-12			
04	1954	4		10.00		54	12.2			47	8.3	77	13	330					29.98	FM-15		29.97	
04	2054	4		10.00		54	12.2			48	8.9	80	13	340	21				29.98	FM-15		29.97	
04	2154	4		10.00		54	12.2			47	8.3	77	13	330			8	+0.01	29.97	FM-15		29.96	
04	2254	4		10.00		53	11.7			47	8.3	80	13	330					29.96	FM-15		29.94	
04	2354	4		10.00		52	11.1			48	8.9	86	10	320					29.95	FM-15		29.94	
05	0054	7	OVC:08 16	10.00		53	11.7	50	10.0	48	8.9	83	13	320		29.75	6	+0.03	29.94	FM-15	0.00	29.93	
05	0100	4	15	9.94		53	11.7	50	10.0	48	8.9	83	13	320		29.75	6	+0.03	29.94	FM-12			
05	0154	7	BKN:07 20 OVC:08 35	10.00		53	11.7	49	9.4	46	7.8	77	13	320		29.73			29.93	FM-15	0.00	29.91	
05	0254	7	OVC:08 21	10.00		53	11.7	50	10.0	47	8.3	80	9	320		29.73			29.92	FM-15	0.00	29.91	
05	0354	7	OVC:08 19	10.00		53	11.7	50	10.0	47	8.3	80	11	330		29.72	6	+0.03	29.91	FM-15	0.00	29.90	
05	0454	7	OVC:08 15	10.00		53	11.7	50	10.0	48	8.9	83	11	330	22	29.73			29.92	FM-15	0.00	29.91	
05	0511	7	OVC:08 14	10.00		53	11.7	50	10.0	48	8.9	83	14	340		29.73				FM-16		29.91	
05	0524	7	OVC:08 15	10.00		53	11.7	50	10.0	48	8.9	83	11	340		29.73				FM-16		29.91	
05	0554	7	OVC:08 15	10.00		53	11.7	50	10.0	48	8.9	83	11	320		29.73			29.92	FM-15	0.00	29.91	
05	0654	7	OVC:08 16	10.00		53	11.7	51	10.6	49	9.4	86	10	330		29.74	3	-0.02	29.94	FM-15	T	29.92	
05	0700	4	15	9.94		53	11.7	51	10.6	49	9.4	86	10	330		29.74	3	-0.02	29.94	FM-12			
05	0754	7	BKN:07 18 OVC:08 24	10.00		55	12.8	51	10.6	48	8.9	77	13	330		29.76			29.95	FM-15	0.00	29.94	
05	0854	7	BKN:07 17 OVC:08 27	10.00		57	13.9	53	11.7	50	10.0	78	11	330	22	29.77			29.96	FM-15	0.00	29.95	
05	0954	7	BKN:07 19 OVC:08 25	10.00		60	15.6	55	12.8	50	10.0	70	16	330		29.77	0	-0.03	29.96	FM-15	0.00	29.95	
05	1054	7	BKN:07 20 OVC:08 25	10.00		60	15.6	55	12.8	51	10.6	72	21	340		29.78			29.97	FM-15	0.00	29.96	
05	1154	7	BKN:07 20 OVC:08 25	10.00		62	16.7	56	13.3	51	10.6	67	11	340		29.79			29.98	FM-15	0.00	29.97	
05	1254	7	BKN:07 25 OVC:08 40	10.00		64	17.8	58	14.4	53	11.7	68	14	340		29.78	0	-0.01	29.97	FM-15	0.00	29.96	
05	1300	4	26	9.94		64	17.8	58	14.4	53	11.7	68	14	340		29.78	9	+0.01	29.97	FM-12			
05	1354	7	BKN:07 25 OVC:08 40	10.00		65	18.3	58	14.4	53	11.7	66	13	330		29.77			29.96	FM-15	0.00	29.95	
05	1454	7	OVC:08 27	10.00		66	18.9	59	15.0	54	12.2	65	10	360		29.77			29.96	FM-15	0.00	29.95	

05	1533	7	BKN:07 32 BKN:07 80	10.00		67	19.4	60	15.6	55	12.8	66	8	350		29.77				FM-16		29.95
05	1554	7	BKN:07 30 BKN:07 100	10.00		68	20.0	60	15.6	54	12.2	61	13	350		29.77	5	+0.01	29.96	FM-15	0.00	29.95
05	1654	7	FEW:02 27 BKN:07 38 BKN:07 85	10.00		68	20.0	60	15.6	54	12.2	61	10	350		29.78			29.97	FM-15	0.00	29.96
05	1754	7	FEW:02 40	10.00		63	17.2	58	14.4	54	12.2	73	6	010		29.79			29.99	FM-15	0.00	29.97
05	1854	7	FEW:02 42	10.00		61	16.1	58	14.4	55	12.8	81	0	000		29.81	3	-0.04	30.00	FM-15	0.00	29.99
05	1900	4	41	9.94		61	16.1	58	14.4	55	12.8	81	0	000		29.81	3	-0.04	30.00	FM-12		
05	1954	7	BKN:07 55	10.00		58	14.4	56	13.3	55	12.8	90	0	000		29.82			30.02	FM-15	0.00	30.00
05	2054	7	BKN:07 32 BKN:07 55	10.00		58	14.4	56	13.3	55	12.8	90	0	000		29.83			30.03	FM-15	0.00	30.01
05	2154	7	FEW:02 31	10.00		56	13.3	54	12.2	53	11.7	90	0	000		29.84	1	-0.03	30.03	FM-15	0.00	30.02
05	2254	7	FEW:02 40	10.00		56	13.3	54	12.2	53	11.7	90	0	000		29.83			30.03	FM-15	0.00	30.01
05	2354	7	SCT:04 40	10.00		55	12.8	54	12.2	53	11.7	93	0	000		29.83			30.02	FM-15	0.00	30.01
06	0054	7	FEW:02 40	10.00		57	13.9	55	12.8	54	12.2	90	0	000		29.83	5	+0.01	30.02	FM-15	0.00	30.01
06	0100	4	41	9.94		57	13.9	55	12.8	54	12.2	90	0	000		29.83	5	+0.01	30.02	FM-12		
06	0154	7	CLR:00	10.00		54	12.2	53	11.7	52	11.1	93	0	000		29.82			30.02	FM-15	0.00	30.00
06	0254	7	CLR:00	10.00		53	11.7	52	11.1	51	10.6	93	0	000		29.82			30.02	FM-15	0.00	30.00
06	0354	7	CLR:00	10.00		54	12.2	52	11.1	51	10.6	90	0	000		29.83	5	0.00	30.02	FM-15	0.00	30.01
06	0454	7	CLR:00	10.00		53	11.7	52	11.1	51	10.6	93	0	000		29.84			30.03	FM-15	0.00	30.02
06	0554	7	FEW:02 300	10.00		53	11.7	52	11.1	51	10.6	93	0	000		29.85			30.04	FM-15	0.00	30.03
06	0654	7	FEW:02 300	10.00		56	13.3	54	12.2	52	11.1	87	5	270		29.86	3	-0.03	30.06	FM-15	0.00	30.04
06	0700	4		9.94		56	13.3	54	12.2	52	11.1	87	5	270		29.86	3	-0.03	30.06	FM-12		
06	0754	7	SCT:04 300	10.00		61	16.1	56	13.3	52	11.1	72	5	260		29.88			30.07	FM-15	0.00	30.06
06	0854	7	SCT:04 300	10.00		66	18.9	57	13.9	50	10.0	56	5	320		29.88			30.07	FM-15	0.00	30.06
06	0954	7	FEW:02 300	10.00		71	21.7	58	14.4	48	8.9	44	3	310		29.88	1	-0.02	30.07	FM-15	0.00	30.06
06	1054	7	FEW:02 300	10.00		74	23.3	59	15.0	47	8.3	38	0	000		29.87			30.06	FM-15	0.00	30.05
06	1154	7	FEW:02 300	10.00		76	24.4	59	15.0	46	7.8	35	7	VRB		29.86			30.04	FM-15	0.00	30.04
06	1254	7	FEW:02 300	10.00		77	25.0	60	15.6	47	8.3	35	8	270		29.83	8	+0.05	30.02	FM-15	0.00	30.01
06	1300	4		9.94		77	25.0	60	15.6	47	8.3	35	8	270		29.83	8	+0.05	30.02	FM-12		
06	1354	7	FEW:02 200	10.00		78	25.6	61	16.1	47	8.3	33	9	290		29.82			30.01	FM-15	0.00	30.00
06	1454	7	FEW:02 200	10.00		79	26.1	60	15.6	45	7.2	30	7	280		29.81			30.00	FM-15	0.00	29.99
06	1554	7	FEW:02 200 SCT:04 300	10.00		79	26.1	60	15.6	44	6.7	29	7	270		29.81	6	+0.03	30.00	FM-15	0.00	29.99
06	1654	7	FEW:02 200 FEW:02 300	10.00		77	25.0	59	15.0	44	6.7	31	5	300		29.81			30.00	FM-15	0.00	29.99
06	1754	7	FEW:02 150	10.00		68	20.0	58	14.4	49	9.4	51	0	000		29.81			30.01	FM-15	0.00	29.99
06	1854	7	FEW:02 150	10.00		64	17.8	56	13.3	50	10.0	60	0	000		29.83	3	-0.02	30.02	FM-15	0.00	30.01
06	1900	4		9.94		64	17.8	56	13.3	50	10.0	60	0	000		29.83	3	-0.02	30.02	FM-12		
06	1954	7	FEW:02 150	10.00		61	16.1	56	13.3	51	10.6	70	0	000		29.84			30.03	FM-15	0.00	30.02
06	2054	7	CLR:00	10.00		59	15.0	55	12.8	52	11.1	78	0	000		29.85			30.04	FM-15	0.00	30.03
06	2154	7	CLR:00	10.00		58	14.4	54	12.2	51	10.6	78	0	000		29.85	1	-0.02	30.04	FM-15	0.00	30.03
06	2254	7	CLR:00	10.00		58	14.4	54	12.2	51	10.6	78	0	000		29.85			30.04	FM-15	0.00	30.03
06	2354	7	CLR:00	10.00		55	12.8	53	11.7	51	10.6	87	3	150		29.86			30.04	FM-15	0.00	30.04
07	0054	7	CLR:00	10.00		55	12.8	53	11.7	51	10.6	87	0	000		29.85	8	+0.01	30.04	FM-15	0.00	30.03
07	0100	4		9.94		55	12.8	53	11.7	51	10.6	87	0	000		29.85	8	+0.01	30.04	FM-12		
07	0154	7	CLR:00	10.00		55	12.8	53	11.7	51	10.6	87	0	000		29.85			30.03	FM-15	0.00	30.03
07	0254	7	CLR:00	10.00		52	11.1	51	10.6	50	10.0	93	0	000		29.84			30.03	FM-15	0.00	30.02
07	0354	7	CLR:00	10.00		54	12.2	52	11.1	51	10.6	90	0	000		29.84	5	0.00	30.03	FM-15	0.00	30.02
07	0454	7	CLR:00	10.00		53	11.7	51	10.6	50	10.0	89	0	000		29.85			30.04	FM-15	0.00	30.03
07	0552	6	FEW:02 2	10.00		55	12.8	54	12.2	54	12.2	94	0	000		29.87				FM-16		30.05
07	0554	7	FEW:02 2	10.00		54	12.2	53	11.7	53	11.7	97	0	000		29.87			30.06	FM-15	0.00	30.05
07	0654	7	CLR:00	8.00		52	11.1	51	10.6	51	10.6	97	0	000		29.88	3	-0.04	30.08	FM-15	0.00	30.06
07	0700	4		7.46		52	11.1	51	10.6	51	10.6	97	0	000		29.88	3	-0.04	30.08	FM-12		
07	0754	7	CLR:00	10.00		60	15.6	57	13.9	55	12.8	84	5	310		29.90			30.09	FM-15	0.00	30.08
07	0854	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	3	300		29.90			30.10	FM-15	0.00	30.08

07	0954	7	CLR:00	10.00		73	22.8	60	15.6	50	10.0	44	0	000		29.90	0	-0.02	30.09	FM-15	0.00	30.08
07	1054	7	CLR:00	10.00		76	24.4	60	15.6	47	8.3	36	0	000		29.89			30.08	FM-15	0.00	30.07
07	1154	7	CLR:00	10.00		79	26.1	61	16.1	47	8.3	32	0	000		29.88			30.06	FM-15	0.00	30.06
07	1254	7	CLR:00	10.00		80	26.7	60	15.6	45	7.2	29	6	230		29.85	8	+0.05	30.04	FM-15	0.00	30.03
07	1300	4		9.94		80	26.7	60	15.6	45	7.2	29	6	230		29.85	8	+0.05	30.04	FM-12		
07	1354	7	CLR:00	10.00		81	27.2	62	16.7	47	8.3	30	9	VRB		29.83			30.02	FM-15	0.00	30.01
07	1454	7	FEW:02 75	10.00		81	27.2	61	16.1	46	7.8	29	8	230		29.81			30.00	FM-15	0.00	29.99
07	1554	7	FEW:02 80 SCT:04 300	10.00		81	27.2	62	16.7	47	8.3	30	10	230		29.81	6	+0.04	30.00	FM-15	0.00	29.99
07	1654	7	SCT:04 80 BKN:07 300	10.00		79	26.1	61	16.1	47	8.3	32	9	240		29.82			30.01	FM-15	0.00	30.00
07	1754	7	SCT:04 85 SCT:04 100 BKN:07 300	10.00		70	21.1	59	15.0	50	10.0	49	7	210		29.83			30.02	FM-15	0.00	30.01
07	1854	7	FEW:02 80 FEW:02 100 BKN:07 300	10.00		67	19.4	58	14.4	51	10.6	57	6	200		29.83	3	-0.02	30.03	FM-15	0.00	30.01
07	1900	4	74	9.94		67	19.4	58	14.4	51	10.6	57	6	200		29.83	3	-0.02	30.03	FM-12		
07	1954	7	FEW:02 85 OVC:08 300	10.00		65	18.3	57	13.9	51	10.6	61	8	210		29.85			30.04	FM-15	0.00	30.03
07	2054	7	BKN:07 260	10.00		64	17.8	56	13.3	50	10.0	60	6	210		29.86			30.05	FM-15	0.00	30.04
07	2154	7	BKN:07 90 BKN:07 230	10.00		64	17.8	56	13.3	50	10.0	60	3	190		29.87	1	-0.04	30.06	FM-15	0.00	30.05
07	2254	7	BKN:07 100	10.00		65	18.3	59	15.0	54	12.2	68	15	010		29.91			30.09	FM-15	0.00	30.09
07	2354	7	BKN:07 100	10.00		62	16.7	55	12.8	49	9.4	62	22	360	32	29.93			30.12	FM-15	0.00	30.11
08	0054	7	BKN:07 100	10.00		60	15.6	54	12.2	48	8.9	65	11	360		29.96	1	-0.09	30.15	FM-15	0.00	30.14
08	0100	4		9.94		60	15.6	54	12.2	48	8.9	65	11	360		29.96	1	-0.09	30.15	FM-12		
08	0154	7	SCT:04 80 BKN:07 100	10.00		59	15.0	53	11.7	47	8.3	64	15	010	22	29.97			30.16	FM-15	0.00	30.15
08	0254	7	BKN:07 100	10.00		57	13.9	51	10.6	45	7.2	64	11	010		29.98			30.17	FM-15	0.00	30.16
08	0354	7	BKN:07 90	10.00		56	13.3	50	10.0	43	6.1	62	11	020		30.00	1	-0.04	30.19	FM-15	0.00	30.18
08	0454	7	SCT:04 80 OVC:08 100	10.00		55	12.8	49	9.4	42	5.6	62	11	010		30.02			30.21	FM-15	0.00	30.20
08	0554	7	BKN:07 75 BKN:07 100	10.00		55	12.8	48	8.9	41	5.0	59	13	360		30.04			30.23	FM-15	0.00	30.22
08	0654	7	BKN:07 70 BKN:07 95	10.00		54	12.2	47	8.3	40	4.4	59	13	360		30.06	1	-0.06	30.25	FM-15	0.00	30.24
08	0700	4	74	9.94		54	12.2	47	8.3	40	4.4	59	13	360		30.06	1	-0.06	30.25	FM-12		
08	0754	7	SCT:04 90 BKN:07 150	10.00		55	12.8	48	8.9	41	5.0	59	13	360	21	30.08			30.27	FM-15	0.00	30.26
08	0854	7	SCT:04 90 BKN:07 150	10.00		58	14.4	49	9.4	40	4.4	51	13	360		30.09			30.28	FM-15	0.00	30.27
08	0954	7	BKN:07 100	10.00		60	15.6	49	9.4	38	3.3	44	14	350	20	30.09	1	-0.04	30.28	FM-15	0.00	30.27
08	1054	7	BKN:07 100	10.00		60	15.6	49	9.4	38	3.3	44	13	020		30.08			30.28	FM-15	0.00	30.26
08	1154	7	FEW:02 60 BKN:07 110	10.00		61	16.1	50	10.0	39	3.9	44	5	VRB		30.06			30.26	FM-15	0.00	30.24
08	1254	7	SCT:04 49 BKN:07 110	10.00		64	17.8	51	10.6	37	2.8	37	3	300		30.04	8	+0.05	30.23	FM-15	0.00	30.22
08	1300	4	41	9.94		64	17.8	51	10.6	37	2.8	37	3	300		30.04	8	+0.05	30.23	FM-12		
08	1354	7	SCT:04 50	10.00		64	17.8	51	10.6	38	3.3	38	10	360		30.03			30.22	FM-15	0.00	30.21
08	1454	7	SCT:04 55	10.00		65	18.3	52	11.1	38	3.3	37	8	010		30.02			30.21	FM-15	0.00	30.20
08	1554	7	SCT:04 60	10.00		64	17.8	51	10.6	38	3.3	38	13	020		30.02	5	+0.02	30.21	FM-15	0.00	30.20
08	1654	7	FEW:02 60	10.00		59	15.0	49	9.4	38	3.3	46	7	020		30.02			30.21	FM-15	0.00	30.20
08	1754	7	FEW:02 60	10.00		55	12.8	47	8.3	39	3.9	55	7	020		30.03			30.22	FM-15	0.00	30.21
08	1854	7	CLR:00	10.00		52	11.1	46	7.8	40	4.4	64	5	040		30.04	3	-0.02	30.23	FM-15	0.00	30.22
08	1900	4		9.94		52	11.1	46	7.8	40	4.4	64	5	040		30.04	3	-0.02	30.23	FM-12		
08	1954	7	CLR:00	10.00		51	10.6	46	7.8	41	5.0	69	3	070		30.05			30.25	FM-15	0.00	30.23
08	2054	7	CLR:00	10.00		48	8.9	45	7.2	41	5.0	77	0	000		30.06			30.25	FM-15	0.00	30.24
08	2154	7	CLR:00	10.00		48	8.9	44	6.7	40	4.4	74	0	000		30.07	1	-0.03	30.26	FM-15	0.00	30.25
08	2254	7	CLR:00	10.00		46	7.8	43	6.1	40	4.4	79	0	000		30.08			30.28	FM-15	0.00	30.26

08	2354	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	0	000		30.08			30.27	FM-15	0.00	30.26
09	0054	7	CLR:00	10.00		42	5.6	40	4.4	38	3.3	85	0	000		30.09	1	-0.02	30.28	FM-15	0.00	30.27
09	0100	4		9.94		42	5.6	40	4.4	38	3.3	85	0	000		30.09	1	-0.02	30.28	FM-12		
09	0154	7	CLR:00	10.00		41	5.0	39	3.9	37	2.8	86	0	000		30.09			30.28	FM-15	0.00	30.27
09	0254	7	CLR:00	10.00		40	4.4	39	3.9	37	2.8	89	0	000		30.09			30.28	FM-15	0.00	30.27
09	0354	7	CLR:00	10.00		41	5.0	39	3.9	37	2.8	86	0	000		30.08	8	+0.01	30.28	FM-15	0.00	30.26
09	0454	7	CLR:00	10.00		40	4.4	39	3.9	37	2.8	89	0	000		30.09			30.28	FM-15	0.00	30.27
09	0554	7	FEW:02 50	10.00		39	3.9	38	3.3	37	2.8	93	0	000		30.08			30.28	FM-15	0.00	30.26
09	0654	7	FEW:02 80 FEW:02 300	10.00		42	5.6	40	4.4	38	3.3	85	0	000		30.09	3	-0.01	30.29	FM-15	0.00	30.27
09	0700	4	74	9.94		42	5.6	40	4.4	38	3.3	85	0	000		30.09	3	-0.01	30.29	FM-12		
09	0754	7	FEW:02 60 SCT:04 300	10.00		49	9.4	46	7.8	43	6.1	80	3	330		30.11			30.30	FM-15	0.00	30.29
09	0854	7	SCT:04 46	10.00		53	11.7	48	8.9	42	5.6	66	3	230		30.12			30.31	FM-15	0.00	30.30
09	0954	7	SCT:04 45	10.00		57	13.9	48	8.9	39	3.9	51	5	280		30.12	0	-0.02	30.31	FM-15	0.00	30.30
09	1054	7	SCT:04 40	10.00		60	15.6	49	9.4	37	2.8	42	3	VRB		30.11			30.30	FM-15	0.00	30.29
09	1154	7	SCT:04 45	10.00		62	16.7	51	10.6	41	5.0	46	5	VRB		30.09			30.28	FM-15	0.00	30.27
09	1254	7	FEW:02 50	10.00		64	17.8	51	10.6	38	3.3	38	7	250		30.06	8	+0.06	30.25	FM-15	0.00	30.24
09	1300	4	57	9.94		64	17.8	51	10.6	38	3.3	38	7	250		30.06	8	+0.06	30.25	FM-12		
09	1354	7	CLR:00	10.00		65	18.3	51	10.6	37	2.8	36	5	VRB		30.02			30.21	FM-15	0.00	30.20
09	1454	7	CLR:00	10.00		66	18.9	51	10.6	35	1.7	32	6	200		30.00			30.19	FM-15	0.00	30.18
09	1554	7	CLR:00	10.00		66	18.9	52	11.1	37	2.8	34	10	260		29.99	6	+0.06	30.19	FM-15	0.00	30.17
09	1654	7	FEW:02 200	10.00		65	18.3	51	10.6	36	2.2	34	8	260		29.99			30.18	FM-15	0.00	30.17
09	1754	7	FEW:02 200	10.00		62	16.7	50	10.0	37	2.8	40	5	270		30.00			30.19	FM-15	0.00	30.18
09	1854	7	FEW:02 200	10.00		53	11.7	47	8.3	41	5.0	64	3	110		30.01	3	-0.02	30.21	FM-15	0.00	30.19
09	1900	4		9.94		53	11.7	47	8.3	41	5.0	64	3	110		30.01	3	-0.02	30.21	FM-12		
09	1954	7	FEW:02 200	10.00		51	10.6	46	7.8	41	5.0	69	0	000		30.02			30.22	FM-15	0.00	30.20
09	2054	7	CLR:00	10.00		48	8.9	45	7.2	41	5.0	77	0	000		30.03			30.22	FM-15	0.00	30.21
09	2154	7	CLR:00	10.00		47	8.3	45	7.2	42	5.6	83	0	000		30.04	1	-0.02	30.23	FM-15	0.00	30.22
09	2254	7	CLR:00	10.00		45	7.2	43	6.1	40	4.4	83	0	000		30.04			30.23	FM-15	0.00	30.22
09	2354	7	CLR:00	10.00		45	7.2	44	6.7	42	5.6	90	0	000		30.03			30.23	FM-15	0.00	30.21
10	0054	7	CLR:00	10.00		43	6.1	41	5.0	39	3.9	86	0	000		30.04	5	0.00	30.23	FM-15	0.00	30.22
10	0100	4		9.94		43	6.1	41	5.0	39	3.9	86	0	000		30.04	5	0.00	30.23	FM-12		
10	0154	7	CLR:00	10.00		43	6.1	42	5.6	41	5.0	93	0	000		30.04			30.23	FM-15	0.00	30.22
10	0254	7	SCT:04 250	10.00		43	6.1	42	5.6	40	4.4	89	3	310		30.04			30.23	FM-15	0.00	30.22
10	0354	7	SCT:04 60 SCT:04 250	10.00		46	7.8	45	7.2	43	6.1	89	0	000		30.04	4	0.00	30.23	FM-15	0.00	30.22
10	0454	7	SCT:04 55	10.00		43	6.1	42	5.6	41	5.0	93	6	140		30.05			30.25	FM-15	0.00	30.23
10	0554	7	BKN:07 50 BKN:07 70	10.00		45	7.2	44	6.7	42	5.6	90	0	000		30.06			30.26	FM-15	0.00	30.24
10	0654	7	FEW:02 50 SCT:04 70	10.00		46	7.8	45	7.2	43	6.1	89	0	000		30.07	1	-0.03	30.26	FM-15	0.00	30.25
10	0700	4	57	9.94		46	7.8	45	7.2	43	6.1	89	0	000		30.07	1	-0.03	30.26	FM-12		
10	0754	7	BKN:07 45 OVC:08 70	10.00		53	11.7	49	9.4	46	7.8	77	5	330		30.09			30.28	FM-15	0.00	30.27
10	0854	7	SCT:04 45 BKN:07 70	10.00		57	13.9	51	10.6	45	7.2	64	0	000		30.09			30.29	FM-15	0.00	30.27
10	0954	7	FEW:02 45 SCT:04 70	10.00		63	17.2	54	12.2	45	7.2	52	7	VRB		30.10	1	-0.04	30.30	FM-15	0.00	30.28
10	1054	7	FEW:02 45 FEW:02 70	10.00		65	18.3	54	12.2	44	6.7	47	6	VRB		30.11			30.30	FM-15	0.00	30.29
10	1154	7	FEW:02 40 FEW:02 70	10.00		67	19.4	53	11.7	40	4.4	37	5	320		30.09			30.29	FM-15	0.00	30.27
10	1254	7	FEW:02 45 SCT:04 70	10.00		69	20.6	54	12.2	39	3.9	33	0	000		30.07	8	+0.04	30.26	FM-15	0.00	30.25
10	1300	4	41	9.94		69	20.6	54	12.2	39	3.9	33	0	000		30.07	8	+0.04	30.26	FM-12		
10	1354	7	FEW:02 70	10.00		70	21.1	54	12.2	39	3.9	32	5	300		30.05			30.24	FM-15	0.00	30.23
10	1454	7	FEW:02 45	10.00		70	21.1	54	12.2	38	3.3	31	8	300		30.05			30.24	FM-15	0.00	30.23
10	1554	7	FEW:02 50	10.00		70	21.1	53	11.7	37	2.8	30	5	020		30.05	6	+0.01	30.24	FM-15	0.00	30.23

10	1654	7	FEW:02 50	10.00		67	19.4	53	11.7	38	3.3	35	7	340		30.06			30.25	FM-15	0.00	30.24
10	1754	7	CLR:00	10.00		62	16.7	51	10.6	39	3.9	43	6	340		30.06			30.26	FM-15	0.00	30.24
10	1854	7	CLR:00	10.00		58	14.4	50	10.0	41	5.0	53	0	000		30.08	3	-0.03	30.27	FM-15	0.00	30.26
10	1900	4		9.94		58	14.4	50	10.0	41	5.0	53	0	000		30.08	3	-0.03	30.27	FM-12		
10	1954	7	CLR:00	10.00		52	11.1	48	8.9	43	6.1	72	0	000		30.10			30.29	FM-15	0.00	30.28
10	2054	7	CLR:00	10.00		50	10.0	47	8.3	43	6.1	77	0	000		30.12			30.31	FM-15	0.00	30.30
10	2154	7	CLR:00	10.00		49	9.4	45	7.2	41	5.0	74	0	000		30.13	1	-0.05	30.32	FM-15	0.00	30.31
10	2254	7	CLR:00	10.00		49	9.4	46	7.8	42	5.6	77	0	000		30.13			30.32	FM-15	0.00	30.31
10	2354	7	CLR:00	10.00		47	8.3	45	7.2	43	6.1	86	0	000		30.13			30.33	FM-15	0.00	30.31
11	0054	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	0	000		30.13	8	0.00	30.32	FM-15	0.00	30.31
11	0100	4		9.94		46	7.8	44	6.7	42	5.6	86	0	000		30.13	8	0.00	30.32	FM-12		
11	0154	7	CLR:00	10.00		46	7.8	45	7.2	43	6.1	89	0	000		30.14			30.33	FM-15	0.00	30.32
11	0254	7	CLR:00	10.00		45	7.2	44	6.7	42	5.6	90	0	000		30.13			30.32	FM-15	0.00	30.31
11	0354	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	0	000		30.14	3	-0.01	30.33	FM-15	0.00	30.32
11	0454	7	CLR:00	10.00		44	6.7	43	6.1	41	5.0	89	0	000		30.16			30.35	FM-15	0.00	30.34
11	0554	7	CLR:00	10.00		43	6.1	42	5.6	41	5.0	93	3	350		30.17			30.36	FM-15	0.00	30.35
11	0654	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	0	000		30.18	1	-0.04	30.37	FM-15	0.00	30.36
11	0700	4		9.94		46	7.8	44	6.7	42	5.6	86	0	000		30.18	1	-0.04	30.37	FM-12		
11	0754	7	CLR:00	10.00		53	11.7	49	9.4	46	7.8	77	3	360		30.19			30.38	FM-15	0.00	30.37
11	0854	7	CLR:00	10.00		62	16.7	55	12.8	48	8.9	60	3	VRB		30.20			30.40	FM-15	0.00	30.38
11	0954	7	CLR:00	10.00		66	18.9	55	12.8	44	6.7	45	3	VRB		30.21	1	-0.03	30.40	FM-15	0.00	30.39
11	1054	7	CLR:00	10.00		68	20.0	54	12.2	41	5.0	38	3	VRB		30.20			30.40	FM-15	0.00	30.38
11	1154	7	FEW:02 200	10.00		71	21.7	55	12.8	40	4.4	32	8	VRB		30.18			30.37	FM-15	0.00	30.36
11	1254	7	SCT:04 200	10.00		72	22.2	56	13.3	41	5.0	33	5	130		30.16	8	+0.05	30.35	FM-15	0.00	30.34
11	1300	4		9.94		72	22.2	56	13.3	41	5.0	33	5	130		30.16	8	+0.05	30.35	FM-12		
11	1354	7	SCT:04 200	10.00		72	22.2	56	13.3	42	5.6	34	0	000		30.14			30.34	FM-15	0.00	30.32
11	1454	7	BKN:07 200	10.00		73	22.8	56	13.3	40	4.4	30	9	180		30.13			30.32	FM-15	0.00	30.31
11	1554	7	BKN:07 300	10.00		71	21.7	55	12.8	41	5.0	34	6	160		30.12	6	+0.04	30.31	FM-15	0.00	30.30
11	1654	7	BKN:07 300	10.00		67	19.4	56	13.3	47	8.3	49	8	130		30.11			30.30	FM-15	0.00	30.29
11	1754	7	BKN:07 300	10.00		62	16.7	54	12.2	47	8.3	58	6	130		30.11			30.30	FM-15	0.00	30.29
11	1854	7	BKN:07 300	10.00		59	15.0	53	11.7	48	8.9	67	7	130		30.12	3	-0.01	30.32	FM-15	0.00	30.30
11	1900	4		9.94		59	15.0	53	11.7	48	8.9	67	7	130		30.12	3	-0.01	30.32	FM-12		
11	1954	7	BKN:07 300	10.00		57	13.9	52	11.1	48	8.9	72	3	120		30.13			30.32	FM-15	0.00	30.31
11	2054	7	SCT:04 300	10.00		55	12.8	51	10.6	48	8.9	77	0	000		30.12			30.32	FM-15	0.00	30.30
11	2154	7	BKN:07 300	10.00		53	11.7	50	10.0	48	8.9	83	0	000		30.13	3	-0.01	30.32	FM-15	0.00	30.31
11	2254	7	BKN:07 300	10.00		53	11.7	51	10.6	49	9.4	86	3	130		30.12			30.32	FM-15	0.00	30.30
11	2354	7	BKN:07 300	10.00		54	12.2	52	11.1	50	10.0	87	0	000		30.12			30.31	FM-15	0.00	30.30
12	0054	7	SCT:04 300	10.00		51	10.6	49	9.4	48	8.9	89	0	000		30.11	6	+0.02	30.30	FM-15	0.00	30.29
12	0100	4		9.94		51	10.6	49	9.4	48	8.9	89	0	000		30.11	6	+0.02	30.30	FM-12		
12	0154	7	SCT:04 300	10.00		50	10.0	49	9.4	48	8.9	93	0	000		30.10			30.29	FM-15	0.00	30.28
12	0254	7	FEW:02 300	10.00		48	8.9	47	8.3	46	7.8	93	0	000		30.09			30.28	FM-15	0.00	30.27
12	0354	7	CLR:00	10.00		47	8.3	47	8.3	46	7.8	97	0	000		30.09	6	+0.02	30.28	FM-15	0.00	30.27
12	0454	7	FEW:02 300	10.00		46	7.8	45	7.2	43	6.1	89	0	000		30.10			30.29	FM-15	0.00	30.28
12	0554	7	FEW:02 300	10.00		46	7.8	46	7.8	45	7.2	96	0	000		30.09			30.28	FM-15	0.00	30.27
12	0654	7	SCT:04 300	10.00		47	8.3	46	7.8	45	7.2	93	3	120		30.08	8	0.00	30.28	FM-15	0.00	30.26
12	0700	4		9.94		47	8.3	46	7.8	45	7.2	93	3	120		30.08	8	0.00	30.28	FM-12		
12	0754	7	BKN:07 300	10.00		56	13.3	54	12.2	53	11.7	90	3	170		30.08			30.28	FM-15	0.00	30.26
12	0854	7	BKN:07 250	10.00		61	16.1	57	13.9	54	12.2	78	6	180		30.08			30.27	FM-15	0.00	30.26
12	0954	7	SCT:04 180 BKN:07 250	10.00		66	18.9	58	14.4	52	11.1	61	9	200		30.08	8	0.00	30.27	FM-15	0.00	30.26
12	1054	7	SCT:04 50 SCT:04 180 BKN:07 250	10.00		69	20.6	59	15.0	52	11.1	55	10	190		30.07			30.26	FM-15	0.00	30.25
12	1154	7	FEW:02 50 SCT:04 180 BKN:07 250	10.00		71	21.7	59	15.0	50	10.0	47	14	210		30.04			30.23	FM-15	0.00	30.22

12	1254	7	SCT:04 65 SCT:04 120 BKN:07 180	10.00		72	22.2	60	15.6	50	10.0	46	6	210		30.00	8	+0.08	30.19	FM-15	0.00	30.18
12	1300	4	57	9.94		72	22.2	60	15.6	50	10.0	46	6	210		30.00	8	+0.08	30.19	FM-12		
12	1354	7	FEW:02 50 SCT:04 65 BKN:07 180	10.00		74	23.3	61	16.1	51	10.6	45	10	150		29.95			30.14	FM-15	0.00	30.13
12	1454	7	SCT:04 50 SCT:04 65 BKN:07 180	10.00		72	22.2	60	15.6	51	10.6	48	9	190		29.93			30.12	FM-15	0.00	30.11
12	1554	7	FEW:02 49 BKN:07 60 BKN:07 190	10.00		71	21.7	61	16.1	53	11.7	53	8	170		29.91	6	+0.09	30.10	FM-15	0.00	30.09
12	1654	7	FEW:02 42 BKN:07 55 OVC:08 130	10.00		70	21.1	61	16.1	54	12.2	57	6	170		29.90			30.09	FM-15	T	30.08
12	1754	7	BKN:07 49 BKN:07 130 OVC:08 300	10.00		68	20.0	60	15.6	54	12.2	61	3	150		29.90			30.10	FM-15	0.00	30.08
12	1854	7	SCT:04 60 BKN:07 120 BKN:07 300	10.00		65	18.3	59	15.0	54	12.2	68	3	110		29.90	8	+0.01	30.09	FM-15	0.00	30.08
12	1900	4	57	9.94		65	18.3	59	15.0	54	12.2	68	3	110		29.90	8	+0.01	30.09	FM-12		
12	1954	7	OVC:08 60	10.00		64	17.8	59	15.0	55	12.8	73	6	110		29.88			30.07	FM-15	0.00	30.06
12	2054	7	BKN:07 55 OVC:08 85	10.00		65	18.3	60	15.6	56	13.3	73	8	130		29.87			30.06	FM-15	0.00	30.05
12	2154	7	SCT:04 50 OVC:08 85	10.00		66	18.9	61	16.1	57	13.9	73	9	160		29.87	6	+0.03	30.06	FM-15	0.00	30.05
12	2254	7	FEW:02 55 SCT:04 75 OVC:08 90	10.00		65	18.3	61	16.1	58	14.4	78	7	150		29.85			30.04	FM-15	0.00	30.03
12	2354	7	FEW:02 75 SCT:04 95 OVC:08 300	10.00		65	18.3	60	15.6	57	13.9	76	11	170		29.83			30.02	FM-15	0.00	30.01
13	0054	7	SCT:04 70 BKN:07 150 OVC:08 300	10.00		65	18.3	60	15.6	57	13.9	76	10	170		29.80	8	+0.07	29.99	FM-15	0.00	29.98
13	0100	4	74	9.94		65	18.3	60	15.6	57	13.9	76	10	170		29.80	8	+0.07	29.99	FM-12		
13	0154	7	FEW:02 70 OVC:08 150	10.00		64	17.8	60	15.6	58	14.4	81	8	170		29.76			29.95	FM-15	0.00	29.94
13	0254	7	FEW:02 70 BKN:07 110 OVC:08 150	10.00	-RA:02 RA RA	63	17.2	60	15.6	58	14.4	84	8	170		29.75			29.94	FM-15	0.01	29.93
13	0354	7	BKN:07 55 BKN:07 80 OVC:08 100	10.00		63	17.2	60	15.6	58	14.4	84	7	160		29.72	6	+0.08	29.91	FM-15	T	29.90
13	0454	7	FEW:02 45 BKN:07 60 OVC:08 90	6.00	-RA:02 BR:1 RA RA	62	16.7	60	15.6	59	15.0	90	10	140		29.71			29.90	FM-15	0.01	29.89
13	0554	7	SCT:04 80 BKN:07 110 OVC:08 150	10.00		62	16.7	61	16.1	60	15.6	93	10	150		29.69			29.88	FM-15	0.03	29.87
13	0654	7	FEW:02 65 BKN:07 80 OVC:08 100	10.00		62	16.7	61	16.1	60	15.6	93	8	150		29.67	6	+0.05	29.87	FM-15	0.00	29.85
13	0700	4	57	9.94		62	16.7	61	16.1	60	15.6	93	8	150		29.67	6	+0.05	29.87	FM-12		
13	0754	7	BKN:07 60 OVC:08 100	10.00		63	17.2	62	16.7	61	16.1	93	7	170		29.67			29.86	FM-15	T	29.85
13	0854	7	SCT:04 70 OVC:08 95	10.00		65	18.3	64	17.8	63	17.2	93	7	170		29.66			29.85	FM-15	T	29.84
13	0954	7	FEW:02 15 SCT:04 38 BKN:07 120	10.00		68	20.0	66	18.9	64	17.8	87	10	180	20	29.64	8	+0.04	29.83	FM-15	0.00	29.82

13	1054	7	SCT:04 15 BKN:07 35 OVC:08 50	10.00		72	22.2	67	19.4	64	17.8	76	14	190		29.61			29.80	FM-15	0.00	29.79
13	1152	6	BKN:07 15 OVC:08 35	10.00		70	21.1	66	18.9	63	17.2	78	10	210		29.60				FM-16		29.78
13	1154	7	BKN:07 15 OVC:08 35	10.00		70	21.1	66	18.9	63	17.2	79	11	210		29.60			29.79	FM-15	0.00	29.78
13	1254	7	BKN:07 15 OVC:08 35	10.00		71	21.7	67	19.4	64	17.8	79	9	190		29.57	8	+0.07	29.76	FM-15	0.00	29.75
13	1300	4	15	9.94		71	21.7	67	19.4	64	17.8	79	9	190		29.57	8	+0.07	29.76	FM-12		
13	1354	7	BKN:07 15 OVC:08 35	10.00		71	21.7	67	19.4	64	17.8	79	10	180		29.56			29.75	FM-15	0.00	29.74
13	1454	7	FEW:02 15 SCT:04 23 BKN:07 55	10.00		71	21.7	67	19.4	65	18.3	81	8	190		29.55			29.74	FM-15	0.00	29.73
13	1554	7	FEW:02 15 BKN:07 50 BKN:07 75	10.00		72	22.2	67	19.4	64	17.8	76	9	190		29.54	8	+0.04	29.72	FM-15	0.00	29.72
13	1654	6	FEW:02 60 BKN:07 110 BKN:07 300	10.00		72	22.2	68	20.0	65	18.3	79	5	140		29.52			29.70	FM-15	0.00	29.70
13	1754	6	FEW:02 55 FEW:02 110 BKN:07 300	10.00		69	20.6	66	18.9	65	18.3	87	6	150		29.52			29.71	FM-15	0.00	29.70
13	1854	6	SCT:04 90 BKN:07 300	10.00		68	20.0	66	18.9	64	17.8	87	0	000		29.54	3	0.00	29.73	FM-15	0.00	29.72
13	1954	6	FEW:02 90 BKN:07 300	10.00		65	18.3	64	17.8	63	17.2	93	0	000		29.55			29.74	FM-15	0.00	29.73
13	2054	7	SCT:04 95 SCT:04 300	10.00	BC:3 FG:2 FG	63	17.2	62	16.7	62	16.7	97	0	000		29.57			29.76	FM-15	0.00	29.75
13	2154	7	FEW:02 55 BKN:07 75 BKN:07 95	10.00	BC:3 FG:2 FG	63	17.2	62	16.7	62	16.7	97	0	000		29.57	1	-0.04	29.76	FM-15	0.00	29.75
13	2239	7	FEW:02 3 SCT:04 65 BKN:07 100	10.00	BC:3 FG:2 FG	62	16.7	61	16.1	61	16.1	96	0	000		29.59				FM-16		29.77
13	2242	7	BKN:07 7 BKN:07 65 OVC:08 110	10.00	BC:3 FG:2 FG	63	17.2	62	16.7	61	16.1	93	21	010		29.60				FM-16		29.78
13	2248	7	FEW:02 4 BKN:07 12 OVC:08 65	10.00		63	17.2	61	16.1	59	15.0	88	23	360	30	29.60				FM-16		29.78
13	2254	7	FEW:02 7 BKN:07 16 OVC:08 65	10.00		61	16.1	59	15.0	57	13.9	87	23	020	30	29.60			29.79	FM-15	0.00	29.78
13	2354	7	OVC:08 27	10.00		60	15.6	56	13.3	53	11.7	78	16	340		29.65			29.84	FM-15	T	29.83
14	0035	7	OVC:08 31	10.00		57	13.9	55	12.8	54	12.2	90	13	020		29.65				FM-16	0.02	29.83
14	0054	7	FEW:02 32 OVC:08 42	10.00		57	13.9	55	12.8	53	11.7	87	11	020		29.66	1	-0.08	29.85	FM-15	0.02	29.84
14	0100	4	26	9.94		57	13.9	55	12.8	53	11.7	87	11	020		29.66	1	-0.08	29.85	FM-12		
14	0154	7	OVC:08 50	10.00		56	13.3	53	11.7	51	10.6	84	10	010		29.67			29.86	FM-15	0.00	29.85
14	0254	7	OVC:08 55	10.00		56	13.3	54	12.2	52	11.1	87	10	020		29.67			29.86	FM-15	0.00	29.85
14	0354	7	OVC:08 60	10.00	-RA:02 RA RA	56	13.3	53	11.7	51	10.6	84	5	020		29.69	3	-0.03	29.88	FM-15	T	29.87
14	0454	7	OVC:08 60	10.00		55	12.8	53	11.7	51	10.6	87	5	010		29.70			29.89	FM-15	0.00	29.88
14	0554	7	BKN:07 65	10.00		55	12.8	53	11.7	51	10.6	87	3	040		29.72			29.91	FM-15	0.00	29.90
14	0654	7	BKN:07 70	10.00		55	12.8	53	11.7	52	11.1	90	0	000		29.74	3	-0.05	29.93	FM-15	0.00	29.92
14	0700	4	74	9.94		55	12.8	53	11.7	52	11.1	90	0	000		29.74	3	-0.05	29.93	FM-12		
14	0754	7	BKN:07 65 BKN:07 100	10.00		57	13.9	54	12.2	52	11.1	83	0	000		29.77			29.96	FM-15	0.00	29.95
14	0854	7	BKN:07 70	10.00		60	15.6	54	12.2	48	8.9	65	5	040		29.80			29.99	FM-15	0.00	29.98
14	0954	7	BKN:07 80	10.00		64	17.8	53	11.7	43	6.1	46	6	050		29.80	1	-0.06	29.99	FM-15	0.00	29.98
14	1054	7	SCT:04 75	10.00		68	20.0	53	11.7	39	3.9	35	6	340		29.81			30.00	FM-15	0.00	29.99
14	1154	7	FEW:02 75	10.00		69	20.6	52	11.1	33	0.6	26	7	020		29.79			29.98	FM-15	0.00	29.97

14	1254	7	FEW:02 75	10.00		70	21.1	52	11.1	33	0.6	26	7	290		29.77	8	+0.03	29.96	FM-15	0.00	29.95
14	1300	4	74	9.94		70	21.1	52	11.1	33	0.6	26	7	290		29.77	8	+0.03	29.96	FM-12		
14	1354	7	FEW:02 75	10.00		70	21.1	52	11.1	34	1.1	27	6	200		29.76			29.95	FM-15	0.00	29.94
14	1454	7	CLR:00	10.00		73	22.8	53	11.7	33	0.6	23	0	000		29.75			29.94	FM-15	0.00	29.93
14	1554	7	FEW:02 75	10.00		70	21.1	53	11.7	35	1.7	28	6	150		29.75	5	+0.02	29.94	FM-15	0.00	29.93
14	1654	7	CLR:00	10.00		67	19.4	52	11.1	38	3.3	35	6	160		29.76			29.96	FM-15	0.00	29.94
14	1754	7	CLR:00	10.00		62	16.7	51	10.6	39	3.9	43	3	140		29.78			29.97	FM-15	0.00	29.96
14	1854	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	3	120		29.80	3	-0.05	29.99	FM-15	0.00	29.98
14	1900	4		9.94		58	14.4	50	10.0	42	5.6	56	3	120		29.80	3	-0.05	29.99	FM-12		
14	1954	7	CLR:00	10.00		56	13.3	50	10.0	43	6.1	62	3	130		29.81			30.00	FM-15	0.00	29.99
14	2054	7	CLR:00	10.00		54	12.2	49	9.4	43	6.1	67	0	000		29.83			30.02	FM-15	0.00	30.01
14	2154	7	CLR:00	10.00		52	11.1	48	8.9	43	6.1	72	0	000		29.84	3	-0.04	30.03	FM-15	0.00	30.02
14	2254	7	CLR:00	10.00		52	11.1	47	8.3	42	5.6	69	0	000		29.86			30.05	FM-15	0.00	30.04
14	2354	7	CLR:00	10.00		49	9.4	46	7.8	42	5.6	77	0	000		29.86			30.05	FM-15	0.00	30.04
15	0054	7	CLR:00	10.00		48	8.9	45	7.2	42	5.6	80	0	000		29.87	1	-0.03	30.06	FM-15	0.00	30.05
15	0100	4		9.94		48	8.9	45	7.2	42	5.6	80	0	000		29.87	1	-0.03	30.06	FM-12		
15	0154	7	CLR:00	10.00		45	7.2	43	6.1	41	5.0	86	0	000		29.87			30.06	FM-15	0.00	30.05
15	0254	7	CLR:00	10.00		49	9.4	46	7.8	42	5.6	77	0	000		29.87			30.06	FM-15	0.00	30.05
15	0354	7	CLR:00	10.00		48	8.9	45	7.2	41	5.0	77	3	170		29.88	3	-0.01	30.07	FM-15	0.00	30.06
15	0454	7	CLR:00	10.00		47	8.3	44	6.7	41	5.0	80	0	000		29.88			30.07	FM-15	0.00	30.06
15	0554	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	3	150		29.89			30.08	FM-15	0.00	30.07
15	0654	7	CLR:00	10.00		48	8.9	45	7.2	42	5.6	80	0	000		29.89	1	-0.01	30.08	FM-15	0.00	30.07
15	0754	7	CLR:00	10.00		54	12.2	50	10.0	46	7.8	75	5	170		29.89			30.09	FM-15	0.00	30.07
15	0854	7	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	7	210		29.90			30.09	FM-15	0.00	30.08
15	0954	7	FEW:02 200	10.00		68	20.0	55	12.8	43	6.1	40	14	200		29.88	8	+0.01	30.07	FM-15	0.00	30.06
15	1054	7	FEW:02 200	10.00		73	22.8	57	13.9	43	6.1	34	14	200		29.86			30.06	FM-15	0.00	30.04
15	1154	7	FEW:02 200 FEW:02 280	10.00		76	24.4	58	14.4	42	5.6	30	15	190	24	29.84			30.03	FM-15	0.00	30.02
15	1254	7	FEW:02 200 FEW:02 280	10.00		77	25.0	58	14.4	42	5.6	29	18	200	25	29.80	8	+0.08	30.00	FM-15	0.00	29.98
15	1300	4		9.94		77	25.0	58	14.4	42	5.6	29	18	200		29.80	8	+0.08	30.00	FM-12		
15	1354	7	FEW:02 280	10.00		79	26.1	59	15.0	42	5.6	27	16	210		29.79			29.98	FM-15	0.00	29.97
15	1454	7	FEW:02 280	10.00		79	26.1	59	15.0	41	5.0	26	17	210		29.78			29.98	FM-15	0.00	29.96
15	1554	7	CLR:00	10.00		78	25.6	59	15.0	43	6.1	29	16	220		29.78	6	+0.02	29.98	FM-15	0.00	29.96
15	1654	7	FEW:02 300	10.00		74	23.3	59	15.0	46	7.8	37	10	200		29.79			29.98	FM-15	0.00	29.97
15	1754	7	CLR:00	10.00		67	19.4	56	13.3	47	8.3	49	9	190		29.80			29.99	FM-15	0.00	29.98
15	1854	7	CLR:00	10.00		63	17.2	55	12.8	48	8.9	58	9	190		29.81	3	-0.03	30.00	FM-15	0.00	29.99
15	1900	4		9.94		63	17.2	55	12.8	48	8.9	58	9	190		29.81	3	-0.03	30.00	FM-12		
15	1954	7	CLR:00	10.00		63	17.2	55	12.8	48	8.9	58	9	170		29.81			30.00	FM-15	0.00	29.99
15	2054	7	CLR:00	10.00		64	17.8	55	12.8	48	8.9	56	9	190		29.82			30.01	FM-15	0.00	30.00
15	2154	7	CLR:00	10.00		62	16.7	55	12.8	48	8.9	60	8	200		29.82	3	-0.01	30.01	FM-15	0.00	30.00
15	2254	7	CLR:00	10.00		59	15.0	53	11.7	48	8.9	67	8	200		29.82			30.01	FM-15	0.00	30.00
15	2354	7	CLR:00	10.00		60	15.6	54	12.2	49	9.4	67	5	170		29.81			30.00	FM-15	0.00	29.99
16	0054	7	SCT:04 300	10.00		56	13.3	52	11.1	48	8.9	75	6	190		29.81	8	+0.01	30.00	FM-15	0.00	29.99
16	0100	4		9.94		56	13.3	52	11.1	48	8.9	75	6	190		29.81	8	+0.01	30.00	FM-12		
16	0154	7	BKN:07 300	10.00		58	14.4	53	11.7	49	9.4	72	3	190		29.80			29.99	FM-15	0.00	29.98
16	0254	7	BKN:07 300	10.00		57	13.9	53	11.7	49	9.4	74	3	210		29.80			29.99	FM-15	0.00	29.98
16	0354	7	BKN:07 230	10.00		57	13.9	53	11.7	49	9.4	74	0	000		29.81	5	0.00	30.00	FM-15	0.00	29.99
16	0454	7	BKN:07 110 OVC:08 200	10.00		56	13.3	53	11.7	51	10.6	84	5	180		29.82			30.01	FM-15	0.00	30.00
16	0554	7	FEW:02 110 SCT:04 150	10.00		54	12.2	52	11.1	50	10.0	87	6	220		29.83			30.03	FM-15	0.00	30.01
16	0654	7	FEW:02 110 BKN:07 150 BKN:07 250	10.00		57	13.9	54	12.2	51	10.6	81	0	000		29.83	0	-0.02	30.02	FM-15	0.00	30.01
16	0700	4		9.94		57	13.9	54	12.2	51	10.6	81	0	000		29.83	9	+0.02	30.02	FM-12		

16	0754	7	FEW:02 70 BKN:07 110 BKN:07 300	10.00		60	15.6	56	13.3	52	11.1	75	3	320		29.84			30.04	FM-15	0.00	30.02
16	0854	7	FEW:02 70 SCT:04 110 BKN:07 300	10.00		66	18.9	57	13.9	49	9.4	54	3	VRB		29.85			30.04	FM-15	0.00	30.03
16	0954	7	SCT:04 150 BKN:07 300	10.00		70	21.1	56	13.3	44	6.7	39	8	060		29.85	1	-0.02	30.04	FM-15	0.00	30.03
16	1054	7	FEW:02 150 BKN:07 300	10.00		72	22.2	57	13.9	45	7.2	38	0	000		29.83			30.02	FM-15	0.00	30.01
16	1154	7	SCT:04 150 BKN:07 300	10.00		75	23.9	59	15.0	46	7.8	36	5	140		29.81			30.00	FM-15	0.00	29.99
16	1254	7	SCT:04 150 BKN:07 300	10.00		75	23.9	60	15.6	48	8.9	39	10	200		29.78	8	+0.07	29.97	FM-15	0.00	29.96
16	1300	4		9.94		75	23.9	60	15.6	48	8.9	39	10	200		29.78	8	+0.07	29.97	FM-12		
16	1354	7	FEW:02 150 BKN:07 300	10.00		73	22.8	60	15.6	49	9.4	43	8	200		29.77			29.96	FM-15	0.00	29.95
16	1454	7	SCT:04 65 SCT:04 100	10.00		74	23.3	61	16.1	51	10.6	45	5	270		29.76			29.95	FM-15	0.00	29.94
16	1554	7	FEW:02 47 BKN:07 95 OVC:08 110	7.00	-RA:02 RA RA	70	21.1	61	16.1	55	12.8	59	0	000		29.76	6	+0.02	29.95	FM-15	T	29.94
16	1654	6	FEW:02 27 SCT:04 95 OVC:08 200	10.00		65	18.3	63	17.2	61	16.1	87	3	140		29.74			29.93	FM-15	T	29.92
16	1754	6	SCT:04 75 OVC:08 90	10.00		64	17.8	61	16.1	59	15.0	84	7	190		29.73			29.93	FM-15	0.00	29.91
16	1854	6	OVC:08 70	10.00		65	18.3	61	16.1	58	14.4	78	3	130		29.71	8	+0.05	29.91	FM-15	0.00	29.89
16	1954	6	FEW:02 14 BKN:07 46 OVC:08 70	2.00	+RA:02 BR:1 RA RA	62	16.7	60	15.6	59	15.0	90	18	310	36	29.77			29.96	FM-15	0.12	29.95
16	1957	6	SCT:04 12 BKN:07 42 OVC:08 65	2.00	+RA:02 BR:1 RA RA	62	16.7	60	15.6	59	15.0	90	16	300	36	29.77				FM-16		29.95
16	2020	6	FEW:02 10 BKN:07 50 OVC:08 80	4.00	RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	10	310		29.76				FM-16		29.94
16	2054	6	FEW:02 31 BKN:07 48 OVC:08 65	3.00	+RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	6	330		29.76			29.95	FM-15	0.28	29.94
16	2154	6	FEW:02 55 BKN:07 80 OVC:08 90	10.00		59	15.0	58	14.4	57	13.9	93	5	120		29.72	0	0.00	29.91	FM-15	0.03	29.90
16	2226	6	BKN:07 55 BKN:07 70 OVC:08 90	2.50	+RA:02 BR:1 RA RA	59	15.0	58	14.4	57	13.9	93	0	000		29.73				FM-16		29.91
16	2244	6	SCT:04 50 BKN:07 70 OVC:08 95	3.00	BR:1	59	15.0	58	14.4	58	14.4	96	7	190		29.73				FM-16		29.91
16	2254	7	BKN:07 47 OVC:08 95	7.00	-RA:02 RA RA	59	15.0	58	14.4	58	14.4	96	7	190		29.73			29.92	FM-15	0.04	29.91
16	2309	7	FEW:02 5 BKN:07 40 OVC:08 60	4.00	RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	0	000		29.72				FM-16	0.05	29.90
16	2354	7	BKN:07 6 OVC:08 50	4.00	RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	7	230		29.73			29.92	FM-15	0.12	29.91
17	0001	7	SCT:04 5 OVC:08 60	4.00	RA:02 BR:1 RA RA	59	15.0	58	14.4	58	14.4	96	3	280		29.72				FM-16	0.01	29.90
17	0054	7	BKN:07 5 OVC:08 90	6.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	9	160		29.68	8	+0.04	29.87	FM-15	0.06	29.86
17	0100	4	5	5.59	RA	58	14.4	57	13.9	57	13.9	97	9	160		29.68	8	+0.04	29.87	FM-12		
17	0154	7	SCT:04 5 BKN:07 60 OVC:08 90	6.00	RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	10	150		29.66			29.85	FM-15	0.10	29.84

17	0254	7	BKN:07 4 BKN:07 75 OVC:08 90	4.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	6	160		29.63			29.82	FM-15	0.03	29.81
17	0354	7	SCT:04 4 OVC:08 90	6.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	57	13.9	97	14	180		29.62	6	+0.06	29.81	FM-15	0.01	29.80
17	0415	7	BKN:07 5 BKN:07 90 OVC:08 110	10.00	-RA:02 RA RA	57	13.9	56	13.3	56	13.3	96	13	190		29.62				FM-16	T	29.80
17	0454	7	BKN:07 5 OVC:08 70	10.00	-RA:02 RA RA	57	13.9	56	13.3	56	13.3	96	13	160		29.60			29.80	FM-15	T	29.78
17	0554	7	BKN:07 6 OVC:08 15	10.00		59	15.0	58	14.4	57	13.9	93	13	220		29.62			29.82	FM-15	0.03	29.80
17	0609	7	SCT:04 7 BKN:07 14 OVC:08 40	10.00		59	15.0	58	14.4	57	13.9	93	10	210		29.62				FM-16		29.80
17	0635	7	FEW:02 7 SCT:04 14 OVC:08 80	10.00		58	14.4	57	13.9	57	13.9	97	8	200		29.61				FM-16		29.79
17	0644	7	FEW:02 7 BKN:07 15 OVC:08 70	10.00		58	14.4	57	13.9	57	13.9	97	8	190		29.61				FM-16		29.79
17	0654	7	FEW:02 7 BKN:07 15 OVC:08 70	10.00		59	15.0	58	14.4	57	13.9	93	9	200		29.61	6	0.00	29.80	FM-15	0.00	29.79
17	0700	4	8	9.94		59	15.0	58	14.4	57	13.9	93	9	200		29.61	6	0.00	29.80	FM-12		
17	0710	7	OVC:08 14	10.00		59	15.0	58	14.4	57	13.9	93	8	200		29.61				FM-16		29.79
17	0754	7	OVC:08 10	10.00		60	15.6	59	15.0	58	14.4	93	9	190		29.60			29.80	FM-15	0.00	29.78
17	0812	7	OVC:08 9	10.00		60	15.6	59	15.0	59	15.0	96	8	190		29.60				FM-16		29.78
17	0854	7	OVC:08 7	10.00		61	16.1	60	15.6	59	15.0	93	8	220		29.60			29.79	FM-15	0.00	29.78
17	0933	7	OVC:08 11	10.00		62	16.7	60	15.6	59	15.0	90	10	210		29.58				FM-16		29.76
17	0954	7	BKN:07 12 OVC:08 19	10.00		63	17.2	61	16.1	60	15.6	90	10	220		29.57	8	+0.04	29.77	FM-15	0.00	29.75
17	1013	7	OVC:08 15	10.00		64	17.8	61	16.1	59	15.0	84	10	230		29.57				FM-16		29.75
17	1027	7	BKN:07 13 BKN:07 30	10.00		64	17.8	61	16.1	59	15.0	84	9	230		29.56				FM-16		29.74
17	1054	7	OVC:08 17	10.00		65	18.3	61	16.1	59	15.0	81	13	230		29.56			29.75	FM-15	0.00	29.74
17	1154	7	SCT:04 18 BKN:07 30	10.00		69	20.6	63	17.2	59	15.0	70	7	250		29.53			29.72	FM-15	0.00	29.71
17	1254	7	BKN:07 30 BKN:07 40 BKN:07 95	10.00		71	21.7	63	17.2	58	14.4	63	10	230		29.50	8	+0.08	29.68	FM-15	0.00	29.68
17	1300	4	26	9.94		71	21.7	63	17.2	58	14.4	63	10	230		29.50	8	+0.08	29.68	FM-12		
17	1354	7	FEW:02 30 BKN:07 34 BKN:07 50	10.00		70	21.1	63	17.2	59	15.0	68	7	210		29.47			29.65	FM-15	0.00	29.64
17	1454	7	OVC:08 90	10.00		72	22.2	63	17.2	57	13.9	59	11	190		29.45			29.63	FM-15	0.00	29.63
17	1554	7	FEW:02 35 SCT:04 90 BKN:07 230	10.00		70	21.1	63	17.2	58	14.4	66	14	180		29.41	6	+0.09	29.60	FM-15	0.00	29.59
17	1605	7	FEW:02 35 BKN:07 90	10.00	ITS RA	70	21.1	63	17.2	58	14.4	66	11	170		29.41				FM-16		29.58
17	1613	7	SCT:04 35 BKN:07 90	1.00	ITS HAIL RA	69	20.6	63	17.2	59	15.0	70				29.45				FM-16	T	29.63
17	1616	7	BKN:07 34 BKN:07 90	1.00	ITS HAIL RA	64	17.8	61	16.1	59	15.0	84	25	310	38	29.44				FM-16	T	29.61
17	1619	7	FEW:02s 8s BKN:07s 32s	7.00	ITS RA	61	16.1	59	15.0	58	14.4	90	18	310	38	29.44				FM-16	0.13	29.62
17	1638	7	FEW:02 7 BKN:07 34 BKN:07 55	10.00		61	16.1	59	15.0	58	14.4	90	9	330		29.44				FM-16	0.25	29.62
17	1654	6	FEW:02 7 SCT:04 34 BKN:07 110	10.00		61	16.1	60	15.6	59	15.0	93	5	010		29.44			29.62	FM-15	0.25	29.61

17	1754	6	SCT:04 33 BKN:07 70 BKN:07 95	10.00		61	16.1	60	15.6	59	15.0	93	0	000		29.44			29.63	FM-15	T	29.62
17	1854	7	FEW:02 42 SCT:04 60 SCT:04 90	10.00	BC:3 FG:2 FG	60	15.6	59	15.0	59	15.0	96	0	000		29.44	0	-0.02	29.62	FM-15	0.00	29.61
17	1954	7	BKN:07 55 BKN:07 80 OVC:08 120	9.00	BC:3 FG:2 FG	61	16.1	60	15.6	60	15.6	97	9	330		29.44			29.62	FM-15	0.00	29.61
17	2054	7	BKN:07 70 OVC:08 90	10.00		61	16.1	59	15.0	57	13.9	87	3	360		29.47			29.65	FM-15	0.01	29.64
17	2154	7	OVC:08 75	10.00		59	15.0	54	12.2	49	9.4	69	9	310		29.48	3	-0.05	29.67	FM-15	0.00	29.66
17	2254	7	BKN:07 80 OVC:08 120	10.00		57	13.9	53	11.7	50	10.0	78	10	350		29.50			29.70	FM-15	T	29.68
17	2354	7	SCT:04 90 BKN:07 110	10.00		53	11.7	49	9.4	44	6.7	72	8	010		29.52			29.70	FM-15	0.00	29.69
18	0054	7	BKN:07 85 OVC:08 100	10.00		53	11.7	49	9.4	45	7.2	74	5	010		29.53	1	-0.05	29.72	FM-15	0.00	29.71
18	0100	4		9.94		53	11.7	49	9.4	45	7.2	74	5	010		29.53	1	-0.05	29.72	FM-12		
18	0154	7	OVC:08 70	10.00		52	11.1	48	8.9	43	6.1	72	6	350		29.53			29.72	FM-15	0.00	29.71
18	0254	7	SCT:04 70 OVC:08 90	10.00		51	10.6	45	7.2	39	3.9	64	6	350		29.53			29.72	FM-15	0.00	29.71
18	0354	7	BKN:07 90	10.00		50	10.0	45	7.2	39	3.9	66	5	330		29.52	8	0.00	29.72	FM-15	0.00	29.70
18	0454	7	BKN:07 90	10.00		49	9.4	43	6.1	35	1.7	59	7	310		29.54			29.73	FM-15	0.00	29.72
18	0554	7	BKN:07 85	10.00		48	8.9	41	5.0	31	-0.6	52	15	320		29.56			29.75	FM-15	0.00	29.74
18	0654	7	BKN:07 85	10.00		47	8.3	39	3.9	29	-1.7	50	7	300		29.57	1	-0.04	29.76	FM-15	0.00	29.75
18	0700	4		9.94		47	8.3	39	3.9	29	-1.7	50	7	300		29.57	1	-0.04	29.76	FM-12		
18	0754	7	BKN:07 85	10.00		47	8.3	39	3.9	28	-2.2	48	9	270		29.59			29.78	FM-15	0.00	29.77
18	0854	7	FEW:02 85	10.00		50	10.0	41	5.0	28	-2.2	43	9	290		29.60			29.79	FM-15	0.00	29.78
18	0954	7	FEW:02 85	10.00		51	10.6	41	5.0	27	-2.8	39	9	VRB		29.60	0	-0.03	29.79	FM-15	0.00	29.78
18	1054	7	FEW:02 85	10.00		54	12.2	43	6.1	28	-2.2	37	5	VRB		29.60			29.79	FM-15	0.00	29.78
18	1154	7	FEW:02 35 FEW:02 85	10.00		55	12.8	43	6.1	27	-2.8	34	9	VRB		29.60			29.79	FM-15	0.00	29.78
18	1254	7	FEW:02 35 FEW:02 85	10.00		56	13.3	44	6.7	28	-2.2	34	14	320		29.57	8	+0.03	29.76	FM-15	0.00	29.75
18	1300	4	41	9.94		56	13.3	44	6.7	28	-2.2	34	14	320		29.57	8	+0.03	29.76	FM-12		
18	1354	7	FEW:02 35 FEW:02 85	10.00		57	13.9	44	6.7	27	-2.8	32	9	300	20	29.57			29.76	FM-15	0.00	29.75
18	1454	7	FEW:02 35	10.00		57	13.9	44	6.7	27	-2.8	32	8	290		29.58			29.77	FM-15	0.00	29.76
18	1554	7	BKN:07 65	10.00		57	13.9	44	6.7	28	-2.2	33	10	290		29.58	3	-0.01	29.78	FM-15	0.00	29.76
18	1654	7	BKN:07 70	10.00		54	12.2	43	6.1	29	-1.7	38	8	300		29.60			29.79	FM-15	0.00	29.78
18	1754	7	BKN:07 70	10.00		52	11.1	42	5.6	30	-1.1	43	8	330		29.62			29.81	FM-15	0.00	29.80
18	1854	7	BKN:07 70	10.00		50	10.0	42	5.6	33	0.6	52	3	310		29.64	3	-0.06	29.84	FM-15	0.00	29.82
18	1900	4	74	9.94		50	10.0	42	5.6	33	0.6	52	3	310		29.64	3	-0.06	29.84	FM-12		
18	1954	7	BKN:07 70	10.00		50	10.0	43	6.1	33	0.6	52	5	300		29.65			29.85	FM-15	0.00	29.83
18	2054	7	BKN:07 70	10.00		50	10.0	43	6.1	35	1.7	57	11	300		29.67			29.86	FM-15	0.00	29.85
18	2154	7	FEW:02 70	10.00		46	7.8	39	3.9	30	-1.1	54	9	320		29.70	3	-0.06	29.89	FM-15	0.00	29.88
18	2254	7	FEW:02 70	10.00		44	6.7	39	3.9	31	-0.6	60	5	300		29.71			29.90	FM-15	0.00	29.89
18	2354	7	BKN:07 70	10.00		40	4.4	37	2.8	33	0.6	77	5	220		29.71			29.91	FM-15	0.00	29.89
19	0054	7	BKN:07 70	10.00		40	4.4	37	2.8	34	1.1	79	5	230		29.71	1	-0.01	29.91	FM-15	0.00	29.89
19	0100	4	74	9.94		40	4.4	37	2.8	34	1.1	79	5	230		29.71	1	-0.01	29.91	FM-12		
19	0154	7	BKN:07 70	10.00		42	5.6	38	3.3	32	0.0	68	7	250		29.72			29.91	FM-15	0.00	29.90
19	0254	7	FEW:02 70	10.00		41	5.0	37	2.8	32	0.0	70	7	250		29.71			29.90	FM-15	0.00	29.89
19	0354	7	CLR:00	10.00		39	3.9	36	2.2	32	0.0	76	7	270		29.71	8	+0.01	29.90	FM-15	0.00	29.89
19	0454	7	FEW:02 60	10.00		38	3.3	35	1.7	31	-0.6	76	5	240		29.72			29.91	FM-15	0.00	29.90
19	0554	7	FEW:02 60	10.00		38	3.3	35	1.7	31	-0.6	76	8	250		29.73			29.93	FM-15	0.00	29.91
19	0654	7	CLR:00	10.00		39	3.9	36	2.2	31	-0.6	73	10	250		29.74	1	-0.04	29.93	FM-15	0.00	29.92
19	0700	4		9.94		39	3.9	36	2.2	31	-0.6	73	10	250		29.74	1	-0.04	29.93	FM-12		
19	0754	7	CLR:00	10.00		43	6.1	38	3.3	31	-0.6	63	10	260		29.76			29.96	FM-15	0.00	29.94
19	0854	7	CLR:00	10.00		48	8.9	41	5.0	32	0.0	54	9	250		29.77			29.96	FM-15	0.00	29.95

19	0954	7	CLR:00	10.00		52	11.1	42	5.6	30	-1.1	43	14	260		29.78	1	-0.04	29.97	FM-15	0.00	29.96
19	1054	7	FEW:02 20	10.00		54	12.2	43	6.1	29	-1.7	38	13	270		29.78			29.97	FM-15	0.00	29.96
19	1154	7	FEW:02 20	10.00		55	12.8	44	6.7	29	-1.7	37	10	240	22	29.76			29.96	FM-15	0.00	29.94
19	1254	7	SCT:04 55	10.00		58	14.4	46	7.8	31	-0.6	36	18	250	24	29.75	8	+0.03	29.94	FM-15	0.00	29.93
19	1300	4	57	9.94		58	14.4	46	7.8	31	-0.6	36	18	250		29.75	8	+0.03	29.94	FM-12		
19	1354	7	BKN:07 55	10.00		56	13.3	45	7.2	31	-0.6	39	11	260	23	29.75			29.94	FM-15	0.00	29.93
19	1454	7	BKN:07 60	10.00		57	13.9	45	7.2	30	-1.1	36	14	270	26	29.74			29.93	FM-15	0.00	29.92
19	1554	7	BKN:07 70 BKN:07 300	10.00		55	12.8	44	6.7	29	-1.7	37	16	280		29.75	3	-0.01	29.95	FM-15	0.00	29.93
19	1654	7	FEW:02 70 SCT:04 300	10.00		55	12.8	44	6.7	30	-1.1	38	17	280		29.76			29.96	FM-15	0.00	29.94
19	1754	7	FEW:02 65 FEW:02 300	10.00		52	11.1	42	5.6	30	-1.1	43	9	280		29.80			29.99	FM-15	0.00	29.98
19	1854	7	FEW:02 300	10.00		51	10.6	42	5.6	31	-0.6	46	8	260		29.83	3	-0.07	30.02	FM-15	0.00	30.01
19	1900	4		9.94		51	10.6	42	5.6	31	-0.6	46	8	260		29.83	3	-0.07	30.02	FM-12		
19	1954	7	CLR:00	10.00		49	9.4	42	5.6	32	0.0	52	6	250		29.84			30.04	FM-15	0.00	30.02
19	2054	7	CLR:00	10.00		46	7.8	40	4.4	33	0.6	61	6	240		29.86			30.06	FM-15	0.00	30.04
19	2154	7	CLR:00	10.00		46	7.8	40	4.4	33	0.6	61	7	250		29.88	1	-0.05	30.07	FM-15	0.00	30.06
19	2254	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	5	180		29.89			30.09	FM-15	0.00	30.07
19	2354	7	CLR:00	10.00		39	3.9	37	2.8	33	0.6	79	3	170		29.88			30.08	FM-15	0.00	30.06
20	0054	7	CLR:00	10.00		37	2.8	35	1.7	33	0.6	86	0	000		29.88	0	0.00	30.07	FM-15	0.00	30.06
20	0100	4		9.94		37	2.8	35	1.7	33	0.6	86	0	000		29.88	9	0.00	30.07	FM-12		
20	0154	7	CLR:00	10.00		36	2.2	34	1.1	32	0.0	86	3	170		29.88			30.08	FM-15	0.00	30.06
20	0254	7	CLR:00	10.00		36	2.2	34	1.1	32	0.0	86	3	160		29.87			30.07	FM-15	0.00	30.05
20	0354	7	CLR:00	10.00		37	2.8	35	1.7	32	0.0	82	0	000		29.87	8	0.00	30.07	FM-15	0.00	30.05
20	0454	7	CLR:00	10.00		34	1.1	33	0.6	31	-0.6	89	0	000		29.89			30.09	FM-15	0.00	30.07
20	0554	7	CLR:00	10.00		34	1.1	33	0.6	31	-0.6	89	3	180		29.90			30.10	FM-15	0.00	30.08
20	0654	7	CLR:00	10.00		36	2.2	35	1.7	33	0.6	89	0	000		29.90	1	-0.03	30.10	FM-15	0.00	30.08
20	0700	4		9.94		36	2.2	35	1.7	33	0.6	89	0	000		29.90	1	-0.03	30.10	FM-12		
20	0754	7	FEW:02 200	10.00		43	6.1	40	4.4	37	2.8	80	0	000		29.91			30.11	FM-15	0.00	30.09
20	0854	7	FEW:02 200	10.00		50	10.0	44	6.7	36	2.2	59	3	230		29.92			30.11	FM-15	0.00	30.10
20	0954	7	FEW:02 200	10.00		57	13.9	45	7.2	30	-1.1	36	10	230		29.91	0	-0.01	30.10	FM-15	0.00	30.09
20	1054	7	FEW:02 200	10.00		59	15.0	45	7.2	28	-2.2	31	11	240		29.90			30.09	FM-15	0.00	30.08
20	1154	7	FEW:02 200	10.00		61	16.1	46	7.8	26	-3.3	26	14	VRB	18	29.88			30.07	FM-15	0.00	30.06
20	1254	7	FEW:02 200	10.00		62	16.7	46	7.8	26	-3.3	25	17	210		29.85	8	+0.06	30.04	FM-15	0.00	30.03
20	1300	4		9.94		62	16.7	46	7.8	26	-3.3	25	17	210		29.85	8	+0.06	30.04	FM-12		
20	1354	7	FEW:02 200	10.00		63	17.2	48	8.9	29	-1.7	28	14	200		29.82			30.01	FM-15	0.00	30.00
20	1454	7	FEW:02 200	10.00		63	17.2	48	8.9	31	-0.6	30	11	210	23	29.80			29.99	FM-15	0.00	29.98
20	1554	7	FEW:02 300	10.00		62	16.7	48	8.9	32	0.0	32	16	210		29.79	6	+0.06	29.98	FM-15	0.00	29.97
20	1654	7	FEW:02 200 SCT:04 300	10.00		59	15.0	47	8.3	34	1.1	39	10	200		29.79			29.98	FM-15	0.00	29.97
20	1754	7	FEW:02 200 SCT:04 300	10.00		52	11.1	44	6.7	35	1.7	53	7	190		29.80			29.99	FM-15	0.00	29.98
20	1854	7	FEW:02 200 FEW:02 300	10.00		51	10.6	45	7.2	37	2.8	59	0	000		29.82	3	-0.03	30.01	FM-15	0.00	30.00
20	1954	6	CLR:00	10.00		49	9.4	44	6.7	38	3.3	66	3	150		29.83			30.03	FM-15	0.00	30.01
20	2054	7	CLR:00	10.00		47	8.3	43	6.1	38	3.3	71	0	000		29.85			30.04	FM-15	0.00	30.03
20	2154	7	CLR:00	10.00		46	7.8	42	5.6	38	3.3	73	0	000		29.87	3	-0.05	30.06	FM-15	0.00	30.05
20	2254	7	CLR:00	10.00		46	7.8	42	5.6	38	3.3	73	0	000		29.88			30.07	FM-15	0.00	30.06
20	2354	7	CLR:00	10.00		45	7.2	42	5.6	38	3.3	77	0	000		29.88			30.07	FM-15	0.00	30.06
21	0054	7	CLR:00	10.00		45	7.2	41	5.0	37	2.8	74	0	000		29.87	0	0.00	30.06	FM-15	0.00	30.05
21	0100	4		9.94		45	7.2	41	5.0	37	2.8	74	0	000		29.87	9	0.00	30.06	FM-12		
21	0154	7	CLR:00	10.00		44	6.7	41	5.0	37	2.8	76	0	000		29.87			30.06	FM-15	0.00	30.05
21	0254	7	CLR:00	10.00		42	5.6	40	4.4	37	2.8	82	7	140		29.86			30.06	FM-15	0.00	30.04
21	0354	7	CLR:00	10.00		42	5.6	40	4.4	37	2.8	82	0	000		29.88	3	-0.01	30.07	FM-15	0.00	30.06
21	0454	7	CLR:00	10.00		38	3.3	37	2.8	35	1.7	89	0	000		29.90			30.09	FM-15	0.00	30.08
21	0554	7	FEW:02 250	10.00		40	4.4	38	3.3	36	2.2	86	3	300		29.93			30.12	FM-15	0.00	30.11
21	0654	7	FEW:02 250	10.00		38	3.3	37	2.8	35	1.7	89	0	000		29.94	1	-0.06	30.14	FM-15	0.00	30.12

21	0700	4		9.94		38	3.3	37	2.8	35	1.7	89	0	000		29.94	1	-0.06	30.14	FM-12			
21	0754	7	CLR:00	10.00		46	7.8	43	6.1	40	4.4	79	0	000		29.97			30.16	FM-15	0.00	30.15	
21	0854	7	CLR:00	10.00		52	11.1	47	8.3	41	5.0	66	3	VRB		29.98			30.17	FM-15	0.00	30.16	
21	0954	7	CLR:00	10.00		57	13.9	49	9.4	40	4.4	53	5	110		29.98	0	-0.04	30.17	FM-15	0.00	30.16	
21	1054	7	CLR:00	10.00		62	16.7	50	10.0	38	3.3	41	0	000		29.97			30.16	FM-15	0.00	30.15	
21	1154	7	CLR:00	10.00		65	18.3	50	10.0	34	1.1	32	3	110		29.97			30.16	FM-15	0.00	30.15	
21	1254	7	CLR:00	10.00		67	19.4	50	10.0	32	0.0	27	6	VRB		29.95	8	+0.03	30.14	FM-15	0.00	30.13	
21	1300	4		9.94		67	19.4	50	10.0	32	0.0	27	6			29.95	8	+0.03	30.14	FM-12			
21	1354	7	CLR:00	10.00		67	19.4	49	9.4	29	-1.7	24	9	160		29.93			30.12	FM-15	0.00	30.11	
21	1454	7	CLR:00	10.00		68	20.0	50	10.0	29	-1.7	23	8	160		29.93			30.12	FM-15	0.00	30.11	
21	1554	7	CLR:00	10.00		67	19.4	49	9.4	29	-1.7	24	5	150		29.93	5	+0.02	30.12	FM-15	0.00	30.11	
21	1654	7	CLR:00	10.00		64	17.8	49	9.4	33	0.6	32	5	160		29.94			30.13	FM-15	0.00	30.12	
21	1754	7	FEW:02 250	10.00		56	13.3	47	8.3	38	3.3	51	0	000		29.94			30.14	FM-15	0.00	30.12	
21	1854	7	CLR:00	10.00		52	11.1	46	7.8	39	3.9	61	6	120		29.96	3	-0.03	30.15	FM-15	0.00	30.14	
21	1900	4		9.94		52	11.1	46	7.8	39	3.9	61	6	120		29.96	3	-0.03	30.15	FM-12			
21	1954	7	CLR:00	10.00		51	10.6	46	7.8	40	4.4	66	7	140		29.97			30.16	FM-15	0.00	30.15	
21	2054	7	CLR:00	10.00		50	10.0	45	7.2	40	4.4	68	5	130		29.99			30.18	FM-15	0.00	30.17	
21	2154	7	CLR:00	10.00		50	10.0	46	7.8	41	5.0	71	3	120		30.01	3	-0.05	30.20	FM-15	0.00	30.19	
21	2254	7	CLR:00	10.00		49	9.4	46	7.8	42	5.6	77	3	130		30.01			30.20	FM-15	0.00	30.19	
21	2354	7	CLR:00	10.00		49	9.4	47	8.3	44	6.7	83	3	130		30.01			30.20	FM-15	0.00	30.19	
22	0054	7	CLR:00	10.00		47	8.3	45	7.2	43	6.1	86	0	000		30.00	8	0.00	30.19	FM-15	0.00	30.18	
22	0100	4		9.94		47	8.3	45	7.2	43	6.1	86	0	000		30.00	8	0.00	30.19	FM-12			
22	0154	7	CLR:00	10.00		45	7.2	44	6.7	43	6.1	93	0	000		30.00			30.19	FM-15	0.00	30.18	
22	0254	7	CLR:00	6.00	BR:1	43	6.1	42	5.6	41	5.0	93	0	000		30.00			30.19	FM-15	0.00	30.18	
22	0328	7	CLR:00	2.50	BR:1	41	5.0	41	5.0	40	4.4	96	0	000		30.00				FM-16		30.18	
22	0333	7	CLR:00	6.00	BR:1	42	5.6	41	5.0	40	4.4	92	0	000		30.00				FM-16		30.18	
22	0354	7	CLR:00	7.00		42	5.6	41	5.0	40	4.4	92	0	000		30.00	3	0.00	30.19	FM-15	0.00	30.18	
22	0454	7	CLR:00	10.00		42	5.6	41	5.0	40	4.4	92	0	000		30.03			30.22	FM-15	0.00	30.21	
22	0554	7	FEW:02 55	10.00		40	4.4	40	4.4	39	3.9	97	0	000		30.04			30.24	FM-15	0.00	30.22	
22	0654	7	FEW:02 55	10.00		41	5.0	40	4.4	39	3.9	93	0	000		30.05	1	-0.05	30.25	FM-15	0.00	30.23	
22	0700	4	57	9.94		41	5.0	40	4.4	39	3.9	93	0	000		30.05	1	-0.05	30.25	FM-12			
22	0754	7	FEW:02 55	10.00		48	8.9	47	8.3	45	7.2	89	3	VRB		30.08			30.27	FM-15	0.00	30.26	
22	0854	7	CLR:00	10.00		56	13.3	52	11.1	48	8.9	75	3	VRB		30.09			30.28	FM-15	0.00	30.27	
22	0954	7	CLR:00	10.00		63	17.2	55	12.8	48	8.9	58	3	VRB		30.09	0	-0.04	30.28	FM-15	0.00	30.27	
22	1054	7	FEW:02 50	10.00		66	18.9	54	12.2	43	6.1	43	3	VRB		30.07			30.26	FM-15	0.00	30.25	
22	1154	7	FEW:02 50	10.00		69	20.6	55	12.8	41	5.0	36	6	VRB		30.06			30.25	FM-15	0.00	30.24	
22	1254	7	FEW:02 50 FEW:02 250	10.00		70	21.1	55	12.8	41	5.0	35	3	VRB		30.03	8	+0.06	30.22	FM-15	0.00	30.21	
22	1300	4	57	9.94		70	21.1	55	12.8	41	5.0	35	3			30.03	8	+0.06	30.22	FM-12			
22	1354	7	SCT:04 250	10.00		72	22.2	56	13.3	41	5.0	33	3	VRB		30.01			30.20	FM-15	0.00	30.19	
22	1454	7	SCT:04 250	10.00		70	21.1	55	12.8	42	5.6	37	3	VRB		30.01			30.21	FM-15	0.00	30.19	
22	1554	7	SCT:04 250	10.00		70	21.1	55	12.8	42	5.6	37	7	100		30.03	5	0.00	30.22	FM-15	0.00	30.21	
22	1654	7	SCT:04 250	10.00		66	18.9	55	12.8	45	7.2	47	10	110		30.01			30.21	FM-15	0.00	30.19	
22	1754	7	SCT:04 250	10.00		60	15.6	51	10.6	41	5.0	50	5	080		30.02			30.21	FM-15	0.00	30.20	
22	1854	7	SCT:04 250	10.00		57	13.9	50	10.0	42	5.6	58	5	060		30.04	3	-0.01	30.23	FM-15	0.00	30.22	
22	1900	4		9.94		57	13.9	50	10.0	42	5.6	58	5	060		30.04	3	-0.01	30.23	FM-12			
22	1954	7	SCT:04 250	10.00		55	12.8	49	9.4	43	6.1	64	0	000		30.05			30.24	FM-15	0.00	30.23	
22	2054	7	SCT:04 250	10.00		50	10.0	47	8.3	44	6.7	80	5	030		30.04			30.23	FM-15	0.00	30.22	
22	2154	7	SCT:04 250	10.00		51	10.6	48	8.9	44	6.7	77	0	000		30.04	2	0.00	30.24	FM-15	0.00	30.22	
22	2254	7	FEW:02 250	10.00		50	10.0	48	8.9	45	7.2	83	3	340		30.03			30.22	FM-15	0.00	30.21	
22	2354	7	FEW:02 300	10.00		48	8.9	46	7.8	44	6.7	86	3	360		30.03			30.22	FM-15	0.00	30.21	
23	0054	7	BKN:07 300	10.00		48	8.9	47	8.3	45	7.2	89	6	350		30.02	6	+0.02	30.22	FM-15	0.00	30.20	
23	0100	4		9.94		48	8.9	47	8.3	45	7.2	89	6	350		30.02	6	+0.02	30.22	FM-12			
23	0154	7	OVC:08 300	10.00		48	8.9	47	8.3	45	7.2	89	7	030		30.03			30.22	FM-15	0.00	30.21	
23	0254	7	OVC:08 300	10.00		48	8.9	47	8.3	45	7.2	89	7	010		30.03			30.22	FM-15	0.00	30.21	
23	0354	7	OVC:08 300	10.00		49	9.4	48	8.9	46	7.8	90	9	350		30.01	8	+0.01	30.20	FM-15	0.00	30.19	
23	0454	7	OVC:08 250	10.00		49	9.4	48	8.9	46	7.8	90	7	360		30.02			30.21	FM-15	0.00	30.20	

23	0554	7	BKN:07 250 OVC:08 300	10.00		50	10.0	48	8.9	46	7.8	86	9	360		30.02			30.21	FM-15	0.00	30.20
23	0654	7	FEW:02 23 BKN:07 250	10.00		49	9.4	48	8.9	46	7.8	90	11	350		30.00	8	+0.01	30.19	FM-15	0.00	30.18
23	0700	4	26	9.94		49	9.4	48	8.9	46	7.8	90	11	350		30.00	8	+0.01	30.19	FM-12		
23	0752	6	BKN:07 22 BKN:07 250	10.00		52	11.1	50	10.0	48	8.9	88	11	360		30.02				FM-16		30.20
23	0754	7	BKN:07 22 BKN:07 250	10.00		52	11.1	50	10.0	49	9.4	89	11	360		30.02			30.22	FM-15	0.00	30.20
23	0854	7	BKN:07 21 OVC:08 26	10.00		55	12.8	52	11.1	49	9.4	80	10	360		30.04			30.23	FM-15	0.00	30.22
23	0954	7	OVC:08 15	10.00		58	14.4	54	12.2	50	10.0	75	11	350		30.03	0	-0.03	30.23	FM-15	0.00	30.21
23	1007	7	OVC:08 13	10.00		58	14.4	54	12.2	50	10.0	75	10	010		30.03				FM-16		30.21
23	1054	7	BKN:07 13 OVC:08 20	3.00	-RA:02 BR:1 RA RA	57	13.9	55	12.8	53	11.7	87	14	360		30.03			30.22	FM-15	T	30.21
23	1116	7	BKN:07 8 OVC:08 13	10.00		59	15.0	56	13.3	53	11.7	81	15	350		30.02				FM-16	T	30.20
23	1152	6	OVC:08 11	10.00		59	15.0	56	13.3	54	12.2	82	10	360		30.02				FM-16		30.20
23	1154	7	OVC:08 11	10.00		59	15.0	56	13.3	54	12.2	83	9	350		30.01			30.21	FM-15	T	30.19
23	1254	7	OVC:08 10	10.00		59	15.0	56	13.3	54	12.2	83	11	350		30.00	8	+0.03	30.19	FM-15	0.00	30.18
23	1300	4	15	9.94		59	15.0	56	13.3	54	12.2	83	11	350		30.00	8	+0.03	30.19	FM-12		
23	1319	7	SCT:04 6 OVC:08 11	2.00	-RA:02 BR:1 RA RA	58	14.4	56	13.3	55	12.8	90	11	350		30.00				FM-16	T	30.18
23	1342	7	SCT:04 6 OVC:08 11	4.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	10	350		30.00				FM-16	0.01	30.18
23	1352	6	BKN:07 6 OVC:08 11	4.00	-RA:02 BR:1 RA RA	57	13.9	56	13.3	55	12.8	94	10	340		29.99				FM-16		30.17
23	1354	7	BKN:07 6 OVC:08 11	3.00	-RA:02 BR:1 RA RA	58	14.4	56	13.3	55	12.8	90	10	340		29.99			30.19	FM-15	0.01	30.17
23	1428	7	SCT:04 6 OVC:08 10	10.00		58	14.4	56	13.3	55	12.8	90	10	340		29.99				FM-16	0.01	30.17
23	1454	7	SCT:04 6 OVC:08 10	10.00		58	14.4	56	13.3	55	12.8	90	11	340		29.99			30.18	FM-15	0.01	30.17
23	1516	7	SCT:04 10 OVC:08 16	2.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	11	330		29.98				FM-16	T	30.16
23	1523	7	FEW:02 7 BKN:07 13 OVC:08 19	3.00	-RA:02 BR:1 RA RA	58	14.4	57	13.9	56	13.3	93	11	330		29.98				FM-16	T	30.16
23	1554	7	SCT:04 8 BKN:07 10 OVC:08 16	10.00		59	15.0	58	14.4	57	13.9	93	10	340		29.98	8	+0.02	30.17	FM-15	T	30.16
23	1654	7	SCT:04 21 BKN:07 26 OVC:08 50	10.00		59	15.0	57	13.9	56	13.3	90	10	350		29.97			30.16	FM-15	0.00	30.15
23	1754	7	OVC:08 27	10.00		59	15.0	57	13.9	56	13.3	90	7	360		29.97			30.16	FM-15	0.00	30.15
23	1854	7	OVC:08 22	10.00		60	15.6	57	13.9	55	12.8	84	10	020		29.98	3	0.00	30.17	FM-15	0.00	30.16
23	1900	4	26	9.94		60	15.6	57	13.9	55	12.8	84	10	020		29.98	3	0.00	30.17	FM-12		
23	1945	7	SCT:04 25 BKN:07 31 BKN:07 48	10.00		59	15.0	56	13.3	54	12.2	83	10	010		29.98				FM-16		30.16
23	1954	7	BKN:07 30 BKN:07 48	10.00		59	15.0	56	13.3	54	12.2	83	11	010		29.98			30.17	FM-15	0.00	30.16
23	2054	7	FEW:02 23 BKN:07 30 BKN:07 48	10.00		59	15.0	56	13.3	54	12.2	83	9	010		29.98			30.17	FM-15	0.00	30.16
23	2154	7	FEW:02 23 BKN:07 30	10.00		59	15.0	56	13.3	54	12.2	83	13	350		29.99	3	-0.01	30.18	FM-15	0.00	30.17
23	2212	7	BKN:07 14 BKN:07 30	10.00		59	15.0	56	13.3	54	12.2	83	8	350		29.98				FM-16		30.16
23	2254	7	BKN:07 14 BKN:07 30	10.00		58	14.4	56	13.3	55	12.8	90	10	360		29.98			30.17	FM-15	0.00	30.16
23	2324	7	OVC:08 9	10.00		58	14.4	56	13.3	55	12.8	90	8	340		29.98				FM-16		30.16
23	2354	7	OVC:08 9	10.00		58	14.4	56	13.3	55	12.8	90	8	350		29.97			30.16	FM-15	0.00	30.15

24	0038	7	OVC:08 10	10.00		58	14.4	56	13.3	55	12.8	90	7	340		29.97				FM-16		30.15
24	0054	7	OVC:08 10	10.00		58	14.4	56	13.3	54	12.2	87	10	350		29.97	8	+0.02	30.16	FM-15	0.00	30.15
24	0100	4	15	9.94		58	14.4	56	13.3	54	12.2	87	10	350		29.97	8	+0.02	30.16	FM-12		
24	0130	7	OVC:08 9	10.00		58	14.4	56	13.3	54	12.2	87	10	350		29.96				FM-16		30.14
24	0154	7	OVC:08 8	10.00		57	13.9	56	13.3	55	12.8	93	8	350		29.96			30.15	FM-15	0.00	30.14
24	0254	7	OVC:08 7	9.00		57	13.9	56	13.3	55	12.8	93	9	360		29.95			30.14	FM-15	0.00	30.13
24	0354	7	OVC:08 7	10.00		57	13.9	55	12.8	54	12.2	90	11	350		29.97	3	0.00	30.16	FM-15	0.00	30.15
24	0454	7	OVC:08 8	10.00		57	13.9	55	12.8	54	12.2	90	14	340	18	29.98			30.17	FM-15	0.00	30.16
24	0554	7	OVC:08 10	10.00		57	13.9	55	12.8	53	11.7	87	9	350		29.99			30.18	FM-15	0.00	30.17
24	0654	7	OVC:08 14	10.00		58	14.4	55	12.8	53	11.7	84	7	360		29.99	1	-0.02	30.18	FM-15	0.00	30.17
24	0700	4	15	9.94		58	14.4	55	12.8	53	11.7	84	7	360		29.99	1	-0.02	30.18	FM-12		
24	0754	7	OVC:08 14	10.00		59	15.0	56	13.3	53	11.7	81	11	360		30.00			30.19	FM-15	0.00	30.18
24	0854	7	BKN:07 13	10.00		61	16.1	57	13.9	54	12.2	78	9	010		30.00			30.19	FM-15	0.00	30.18
24	0954	7	BKN:07 14	10.00		64	17.8	58	14.4	54	12.2	70	8	320		30.00	1	-0.01	30.19	FM-15	0.00	30.18
24	1052	6	SCT:04 14	10.00		66	18.9	60	15.6	55	12.8	68	10	360		29.99				FM-16		30.17
24	1054	7	SCT:04 19	10.00		67	19.4	60	15.6	55	12.8	66	7	350		29.99			30.18	FM-15	0.00	30.17
24	1154	7	SCT:04 21	10.00		70	21.1	62	16.7	56	13.3	61	9	030		29.97			30.16	FM-15	0.00	30.15
24	1239	7	BKN:07 26	10.00		69	20.6	61	16.1	56	13.3	63	7	330		29.94				FM-16		30.12
24	1254	7	BKN:07 26	10.00		70	21.1	62	16.7	56	13.3	61	3	330		29.94	8	+0.06	30.13	FM-15	0.00	30.12
24	1300	4	26	9.94		70	21.1	62	16.7	56	13.3	61	3	330		29.94	8	+0.06	30.13	FM-12		
24	1354	7	BKN:07 28	10.00		73	22.8	63	17.2	57	13.9	57	0	000		29.93			30.11	FM-15	0.00	30.11
24	1454	7	BKN:07 29	10.00		72	22.2	63	17.2	57	13.9	59	0	000		29.92			30.11	FM-15	0.00	30.10
24	1506	7	SCT:04 31	10.00		70	21.1	62	16.7	56	13.3	61	8	050		29.91				FM-16		30.09
24	1554	7	FEW:02 31	10.00		70	21.1	62	16.7	57	13.9	64	7	070		29.91	6	+0.03	30.10	FM-15	0.00	30.09
24	1654	7	FEW:02 28	10.00		67	19.4	61	16.1	56	13.3	68	7	080		29.91			30.10	FM-15	0.00	30.09
24	1754	7	FEW:02 25	10.00		63	17.2	59	15.0	56	13.3	78	3	070		29.92			30.11	FM-15	0.00	30.10
24	1854	7	CLR:00	10.00		62	16.7	59	15.0	56	13.3	80	0	000		29.94	3	-0.03	30.13	FM-15	0.00	30.12
24	1900	4		9.94		62	16.7	59	15.0	56	13.3	80	0	000		29.94	3	-0.03	30.13	FM-12		
24	1954	7	CLR:00	10.00		58	14.4	56	13.3	55	12.8	90	5	060		29.94			30.14	FM-15	0.00	30.12
24	2054	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	0	000		29.95			30.14	FM-15	0.00	30.13
24	2154	7	CLR:00	10.00		55	12.8	54	12.2	54	12.2	96	0	000		29.94	0	0.00	30.13	FM-15	0.00	30.12
24	2207	7	FEW:02 2	3.00	BR:1	55	12.8	54	12.2	54	12.2	96	0	000		29.94				FM-16		30.12
24	2212	7	CLR:00	10.00	BC:3 FG:2 FG	54	12.2	53	11.7	53	11.7	97	0	000		29.94				FM-16		30.12
24	2254	7	CLR:00	10.00	BC:3 FG:2 FG	53	11.7	52	11.1	52	11.1	96	0	000		29.93			30.12	FM-15	0.00	30.11
24	2354	7	CLR:00	9.00	BC:3 FG:2 FG	52	11.1	51	10.6	51	10.6	97	0	000		29.93			30.12	FM-15	0.00	30.11
25	0054	7	CLR:00	4.00	BC:3 FG:2 FG	52	11.1	51	10.6	51	10.6	97	0	000		29.92	8	+0.02	30.11	FM-15	0.00	30.10
25	0100	4		3.73		52	11.1	51	10.6	51	10.6	97	0	000		29.92	8	+0.02	30.11	FM-12		
25	0152	6	FEW:02 3 SCT:04 13	4.00	BC:3 FG:2 FG	50	10.0	49	9.4	48	8.9	94	0	000		29.92				FM-16		30.10
25	0154	7	FEW:02 3 SCT:04 13	4.00	BC:3 FG:2 FG	50	10.0	49	9.4	49	9.4	96	0	000		29.92			30.12	FM-15	0.00	30.10
25	0225	7	FEW:02 3 OVC:08 10	5.00	BC:3 FG:2 FG	53	11.7	52	11.1	52	11.1	96	0	000		29.92				FM-16		30.10
25	0254	7	FEW:02 3 OVC:08 10	5.00	BC:3 FG:2 FG	53	11.7	52	11.1	52	11.1	96	0	000		29.92			30.11	FM-15	0.00	30.10
25	0316	7	OVC:08 9	10.00	BC:3 FG:2 FG	54	12.2	53	11.7	53	11.7	97	0	000		29.91				FM-16		30.09
25	0354	7	OVC:08 9	9.00	BC:3 FG:2 FG	56	13.3	55	12.8	54	12.2	93	0	000		29.91	8	+0.01	30.10	FM-15	0.00	30.09
25	0452	6	OVC:08 10	6.00	BR:1	57	13.9	56	13.3	55	12.8	94	0	000		29.92				FM-16		30.10
25	0454	7	OVC:08 10	6.00	BR:1	57	13.9	56	13.3	56	13.3	96	0	000		29.92			30.11	FM-15	0.00	30.10
25	0522	7	OVC:08 9	8.00		57	13.9	56	13.3	56	13.3	96	0	000		29.92				FM-16		30.10
25	0554	7	OVC:08 9	7.00		58	14.4	57	13.9	56	13.3	93	0	000		29.92			30.11	FM-15	0.00	30.10
25	0654	7	OVC:08 6	6.00	BR:1	58	14.4	57	13.9	56	13.3	93	0	000		29.93	1	-0.01	30.12	FM-15	0.00	30.11
25	0700	4	5	5.59		58	14.4	57	13.9	56	13.3	93	0	000		29.93	1	-0.01	30.12	FM-12		
25	0754	7	OVC:08 5	6.00	BR:1	58	14.4	57	13.9	56	13.3	93	5	060		29.93			30.13	FM-15	0.00	30.11
25	0805	7	OVC:08 4	6.00	BR:1	58	14.4	57	13.9	56	13.3	93	5	070		29.94				FM-16		30.12
25	0854	7	OVC:08 4	6.00	BR:1	59	15.0	58	14.4	57	13.9	93	3	360		29.94			30.14	FM-15	0.00	30.12
25	0954	7	OVC:08 4	5.00	BR:1	59	15.0	58	14.4	57	13.9	93	0	000		29.93	0	0.00	30.12	FM-15	0.00	30.11
25	1047	7	OVC:08 5	7.00		59	15.0	58	14.4	57	13.9	93	0	000		29.92				FM-16		30.10

25	1054	7	OVC:08 5	7.00		59	15.0	58	14.4	57	13.9	93	0	000		29.92			30.11	FM-15	0.00	30.10
25	1154	7	OVC:08 7	10.00		61	16.1	59	15.0	57	13.9	87	3	VRB		29.91			30.10	FM-15	0.00	30.09
25	1254	7	OVC:08 9	10.00		62	16.7	59	15.0	57	13.9	84	0	000		29.88	8	+0.05	30.07	FM-15	0.00	30.06
25	1300	4	8	9.94		62	16.7	59	15.0	57	13.9	84	0	000		29.88	8	+0.05	30.07	FM-12		
25	1340	7	OVC:08 10	10.00		63	17.2	60	15.6	57	13.9	81	5	020		29.86				FM-16		30.04
25	1354	7	OVC:08 10	10.00		62	16.7	59	15.0	57	13.9	84	0	000		29.85			30.05	FM-15	0.00	30.03
25	1454	7	OVC:08 11	10.00		64	17.8	60	15.6	57	13.9	78	0	000		29.84			30.03	FM-15	0.00	30.02
25	1554	7	OVC:08 12	10.00		63	17.2	60	15.6	57	13.9	81	3	130		29.82	6	+0.06	30.01	FM-15	0.00	30.00
25	1654	7	OVC:08 13	10.00		63	17.2	60	15.6	57	13.9	81	5	VRB		29.81			30.00	FM-15	0.00	29.99
25	1754	7	OVC:08 11	10.00		62	16.7	59	15.0	57	13.9	84	6	110		29.81			30.01	FM-15	0.00	29.99
25	1852	6	OVC:08 9	10.00		61	16.1	59	15.0	57	13.9	88	6	120		29.82				FM-16		30.00
25	1854	7	OVC:08 9	10.00		61	16.1	59	15.0	57	13.9	87	5	120		29.82	5	0.00	30.01	FM-15	0.00	30.00
25	1900	4	8	9.94		61	16.1	59	15.0	57	13.9	87	5	120		29.82	5	0.00	30.01	FM-12		
25	1954	7	OVC:08 7	10.00		60	15.6	58	14.4	57	13.9	90	6	110		29.81			30.00	FM-15	0.00	29.99
25	2045	7	OVC:08 4	2.00	-RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	5	140		29.80				FM-16	T	29.98
25	2054	7	OVC:08 4	2.00	-RA:02 BR:1 RA RA	60	15.6	59	15.0	58	14.4	93	5	130		29.80			29.99	FM-15	T	29.98
25	2154	7	OVC:08 2	1.25	BR:1	59	15.0	59	15.0	59	15.0	100	3	160		29.79	6	+0.03	29.98	FM-15	T	29.97
25	2248	7	VV:09 3	0.75	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.79				FM-16		29.97
25	2254	7	VV:09 2	0.75	BR:1	59	15.0	59	15.0	59	15.0	100	3	240		29.79			29.98	FM-15	0.00	29.97
25	2354	7	OVC:08 3	0.75	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.77			29.96	FM-15	0.00	29.95
26	0054	7	OVC:08 3	0.75	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.76	8	+0.03	29.95	FM-15	0.00	29.94
26	0100	4	2	0.75		59	15.0	59	15.0	59	15.0	100	0	000		29.76	8	+0.03	29.95	FM-12		
26	0154	7	VV:09 3	0.75	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.73			29.92	FM-15	0.00	29.91
26	0254	7	VV:09 3	0.75	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.72			29.91	FM-15	0.00	29.90
26	0354	7	OVC:08 2	0.75	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.70	6	+0.06	29.89	FM-15	0.00	29.88
26	0439	7	OVC:08 2	1.00	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.70				FM-16		29.88
26	0454	7	OVC:08 2	1.50	BR:1	59	15.0	59	15.0	59	15.0	100	6	220		29.70			29.89	FM-15	0.00	29.88
26	0527	7	OVC:08 3	2.00	BR:1	59	15.0	59	15.0	59	15.0	100	3	190		29.70				FM-16		29.88
26	0552	6	OVC:08 4	3.00	BR:1	59	15.0	59	15.0	59	15.0	100	3	200		29.70				FM-16		29.88
26	0554	7	OVC:08 4	3.00	BR:1	59	15.0	59	15.0	59	15.0	100	3	190		29.70			29.89	FM-15	0.00	29.88
26	0607	7	OVC:08 4	2.00	BR:1	59	15.0	59	15.0	59	15.0	100	0	000		29.69				FM-16		29.87
26	0640	7	OVC:08 4	6.00	BR:1	59	15.0	58	14.4	58	14.4	96	9	220		29.69				FM-16		29.87
26	0652	6	OVC:08 6	5.00	BR:1	59	15.0	58	14.4	57	13.9	94	7	220		29.69				FM-16		29.87
26	0654	7	OVC:08 6	5.00	BR:1	59	15.0	58	14.4	58	14.4	96	8	230		29.69	8	+0.01	29.88	FM-15	0.00	29.87
26	0700	4	5	4.97		59	15.0	58	14.4	58	14.4	96	8	230		29.69	8	+0.01	29.88	FM-12		
26	0754	7	OVC:08 8	8.00		60	15.6	59	15.0	58	14.4	93	5	230		29.70			29.90	FM-15	0.00	29.88
26	0852	6	OVC:08 10	10.00		61	16.1	59	15.0	57	13.9	88	6	200		29.70				FM-16		29.88
26	0854	7	OVC:08 10	10.00		61	16.1	59	15.0	58	14.4	90	7	200		29.70			29.90	FM-15	0.00	29.88
26	0954	7	BKN:07 11 BKN:07 16	10.00		62	16.7	60	15.6	58	14.4	86	8	200		29.70	0	-0.01	29.89	FM-15	0.00	29.88
26	1028	7	FEW:02 10 BKN:07 16 OVC:08 75	10.00		63	17.2	60	15.6	58	14.4	84	5	190		29.69				FM-16		29.87
26	1054	7	SCT:04 14 BKN:07 19 OVC:08 75	10.00		64	17.8	60	15.6	57	13.9	78	6	210		29.68			29.88	FM-15	0.00	29.86
26	1154	7	SCT:04 14 BKN:07 19 OVC:08 75	10.00		64	17.8	60	15.6	58	14.4	81	6	210		29.67			29.86	FM-15	0.00	29.85
26	1254	7	BKN:07 18 OVC:08 48	10.00		65	18.3	61	16.1	58	14.4	78	5	210		29.64	8	+0.05	29.84	FM-15	0.00	29.82
26	1300	4	15	9.94		65	18.3	61	16.1	58	14.4	78	5	210		29.64	8	+0.05	29.84	FM-12		
26	1345	7	SCT:04 17 BKN:07 43 OVC:08 60	10.00		67	19.4	62	16.7	58	14.4	73	7	170		29.63				FM-16		29.81
26	1354	7	BKN:07 17 OVC:08 60	10.00		67	19.4	62	16.7	59	15.0	76	8	190		29.63			29.82	FM-15	0.00	29.81
26	1454	7	BKN:07 20 OVC:08 30	10.00		67	19.4	62	16.7	58	14.4	73	7	200		29.62			29.81	FM-15	0.00	29.80

26	1507	7	FEW:02 20 OVC:08 31	10.00		67	19.4	62	16.7	58	14.4	73	9	180		29.62				FM-16		29.80
26	1554	7	SCT:04 20 OVC:08 33	10.00		67	19.4	62	16.7	58	14.4	73	6	210		29.63	5	+0.02	29.82	FM-15	0.00	29.81
26	1603	7	BKN:07 20 OVC:08 34	10.00		67	19.4	62	16.7	58	14.4	73	7	210		29.63				FM-16		29.81
26	1654	7	BKN:07 23 BKN:07 39	10.00		66	18.9	62	16.7	59	15.0	78	7	270		29.64			29.83	FM-15	0.00	29.82
26	1715	7	SCT:04 23 SCT:04 39	10.00		66	18.9	62	16.7	59	15.0	78	5	240		29.64				FM-16		29.82
26	1754	7	FEW:02 19 SCT:04 42	10.00		60	15.6	58	14.4	57	13.9	90	7	180		29.65			29.85	FM-15	0.00	29.83
26	1854	7	FEW:02 19	10.00		61	16.1	59	15.0	58	14.4	90	7	220		29.68	3	-0.05	29.87	FM-15	0.00	29.86
26	1900	4	15	9.94		61	16.1	59	15.0	58	14.4	90	7	220		29.68	3	-0.05	29.87	FM-12		
26	1954	7	CLR:00	8.00	MI:1 FG:2 FG	58	14.4	57	13.9	57	13.9	97	5	210		29.69			29.88	FM-15	0.00	29.87
26	2054	7	CLR:00	7.00	MI:1 FG:2 FG	58	14.4	57	13.9	57	13.9	97	0	000		29.71			29.90	FM-15	0.00	29.89
26	2154	7	FEW:02 70	6.00	BR:1	59	15.0	58	14.4	58	14.4	96	3	300		29.73	3	-0.05	29.92	FM-15	0.00	29.91
26	2254	7	FEW:02 34	5.00	BR:1	57	13.9	56	13.3	56	13.3	96	5	320		29.74			29.93	FM-15	0.00	29.92
26	2354	7	FEW:02 34	3.00	BR:1	55	12.8	55	12.8	55	12.8	100	6	340		29.76			29.95	FM-15	0.00	29.94
27	0054	7	CLR:00	7.00		56	13.3	55	12.8	55	12.8	97	7	340		29.78	3	-0.05	29.97	FM-15	0.00	29.96
27	0100	4		6.84		56	13.3	55	12.8	55	12.8	97	7	340		29.78	3	-0.05	29.97	FM-12		
27	0154	7	CLR:00	10.00		55	12.8	53	11.7	52	11.1	90	8	360		29.80			29.99	FM-15	0.00	29.98
27	0254	7	FEW:02 40	10.00		53	11.7	51	10.6	49	9.4	86	8	020		29.82			30.02	FM-15	0.00	30.00
27	0354	7	BKN:07 55	10.00		53	11.7	50	10.0	48	8.9	83	7	010		29.85	1	-0.07	30.04	FM-15	0.00	30.03
27	0454	7	BKN:07 55	10.00		54	12.2	50	10.0	46	7.8	75	13	360		29.88			30.07	FM-15	0.00	30.06
27	0554	7	BKN:07 60	10.00		54	12.2	49	9.4	45	7.2	72	8	350		29.91			30.10	FM-15	0.00	30.09
27	0654	7	BKN:07 60	10.00		54	12.2	49	9.4	44	6.7	69	7	350		29.93	1	-0.08	30.12	FM-15	0.00	30.11
27	0700	4	57	9.94		54	12.2	49	9.4	44	6.7	69	7	350		29.93	1	-0.08	30.12	FM-12		
27	0754	7	SCT:04 65	10.00		54	12.2	49	9.4	45	7.2	72	8	350		29.96			30.16	FM-15	0.00	30.14
27	0854	7	FEW:02 65	10.00		58	14.4	50	10.0	43	6.1	58	22	360	30	29.98			30.17	FM-15	0.00	30.16
27	0954	7	CLR:00	10.00		61	16.1	53	11.7	45	7.2	56	13	030	22	29.99	1	-0.06	30.19	FM-15	0.00	30.17
27	1054	7	SCT:04 20	10.00		64	17.8	54	12.2	44	6.7	48	15	030		30.00			30.20	FM-15	0.00	30.18
27	1154	7	BKN:07 39	10.00		62	16.7	53	11.7	44	6.7	52	11	030		30.00			30.20	FM-15	0.00	30.18
27	1254	7	SCT:04 40	10.00		66	18.9	55	12.8	45	7.2	47	9	340		29.99	8	0.00	30.18	FM-15	0.00	30.17
27	1300	4	41	9.94		66	18.9	55	12.8	45	7.2	47	9	340		29.99	8	0.00	30.18	FM-12		
27	1354	7	SCT:04 40	10.00		66	18.9	54	12.2	44	6.7	45	8	010		29.98			30.18	FM-15	0.00	30.16
27	1454	7	FEW:02 40	10.00		67	19.4	55	12.8	44	6.7	44	14	360		30.00			30.19	FM-15	0.00	30.18
27	1554	7	FEW:02 45	10.00		66	18.9	54	12.2	44	6.7	45	10	020		30.01	3	-0.02	30.20	FM-15	0.00	30.19
27	1654	7	FEW:02 45	10.00		62	16.7	52	11.1	43	6.1	50	8	010		30.03			30.22	FM-15	0.00	30.21
27	1754	7	FEW:02 40	10.00		57	13.9	50	10.0	43	6.1	60	7	360		30.05			30.24	FM-15	0.00	30.23
27	1854	7	CLR:00	10.00		56	13.3	49	9.4	42	5.6	60	6	010		30.07	1	-0.06	30.26	FM-15	0.00	30.25
27	1900	4		9.94		56	13.3	49	9.4	42	5.6	60	6	010		30.07	1	-0.06	30.26	FM-12		
27	1954	7	CLR:00	10.00		53	11.7	48	8.9	43	6.1	69	6	020		30.08			30.28	FM-15	0.00	30.26
27	2054	7	CLR:00	10.00		52	11.1	47	8.3	42	5.6	69	5	360		30.10			30.29	FM-15	0.00	30.28
27	2154	7	CLR:00	10.00		50	10.0	46	7.8	42	5.6	74	6	350		30.12	3	-0.06	30.32	FM-15	0.00	30.30
27	2254	7	CLR:00	10.00		48	8.9	45	7.2	42	5.6	80	6	360		30.13			30.32	FM-15	0.00	30.31
27	2354	7	CLR:00	10.00		47	8.3	44	6.7	41	5.0	80	7	360		30.13			30.32	FM-15	0.00	30.31
28	0054	7	CLR:00	10.00		48	8.9	44	6.7	40	4.4	74	9	360		30.14	3	-0.01	30.33	FM-15	0.00	30.32
28	0100	4		9.94		48	8.9	44	6.7	40	4.4	74	9	360		30.14	3	-0.01	30.33	FM-12		
28	0154	7	CLR:00	10.00		47	8.3	44	6.7	40	4.4	77	8	010		30.14			30.33	FM-15	0.00	30.32
28	0254	7	CLR:00	10.00		46	7.8	43	6.1	40	4.4	79	8	010		30.14			30.34	FM-15	0.00	30.32
28	0354	7	CLR:00	10.00		46	7.8	43	6.1	39	3.9	77	8	360		30.15	3	-0.01	30.35	FM-15	0.00	30.33
28	0454	7	CLR:00	10.00		45	7.2	42	5.6	39	3.9	80	9	360		30.17			30.37	FM-15	0.00	30.35
28	0554	7	CLR:00	10.00		45	7.2	42	5.6	39	3.9	80	10	010		30.18			30.37	FM-15	0.00	30.36
28	0654	7	FEW:02 60 FEW:02 300	10.00		46	7.8	43	6.1	40	4.4	79	9	360		30.20	2	-0.04	30.39	FM-15	0.00	30.38
28	0700	4	57	9.94		46	7.8	43	6.1	40	4.4	79	9	360		30.20	2	-0.04	30.39	FM-12		
28	0754	7	BKN:07 35	10.00		49	9.4	45	7.2	41	5.0	74	11	010		30.21			30.41	FM-15	0.00	30.39

28	0854	7	BKN:07 38	10.00		53	11.7	48	8.9	43	6.1	69	10	010		30.23			30.42	FM-15	0.00	30.41
28	0954	7	BKN:07 38	10.00		56	13.3	50	10.0	44	6.7	65	10	010		30.23	1	-0.04	30.43	FM-15	0.00	30.41
28	1054	7	SCT:04 24 BKN:07 42	10.00		60	15.6	53	11.7	46	7.8	60	14	010		30.23			30.42	FM-15	0.00	30.41
28	1152	6	BKN:07 26 OVC:08 33	10.00		61	16.1	54	12.2	48	8.9	63	10	030		30.22				FM-16		30.40
28	1154	7	BKN:07 26 OVC:08 33	10.00		61	16.1	54	12.2	48	8.9	63	9	040		30.22			30.41	FM-15	0.00	30.40
28	1254	7	OVC:08 27	10.00		61	16.1	55	12.8	49	9.4	65	11	040		30.20	8	+0.04	30.39	FM-15	0.00	30.38
28	1300	4	26	9.94		61	16.1	55	12.8	49	9.4	65	11	040		30.20	8	+0.04	30.39	FM-12		
28	1354	7	OVC:08 26	10.00		62	16.7	56	13.3	50	10.0	65	11	030		30.20			30.39	FM-15	0.00	30.38
28	1454	7	OVC:08 28	10.00		61	16.1	55	12.8	50	10.0	67	8	040		30.19			30.39	FM-15	0.00	30.37
28	1554	7	OVC:08 29	10.00		61	16.1	55	12.8	50	10.0	67	8	030		30.20	3	0.00	30.40	FM-15	0.00	30.38
28	1645	7	OVC:08 30	10.00		60	15.6	54	12.2	49	9.4	67	11	010		30.21				FM-16		30.39
28	1654	7	OVC:08 32	10.00		60	15.6	54	12.2	49	9.4	67	9	020		30.21			30.40	FM-15	0.00	30.39
28	1754	7	OVC:08 32	10.00		58	14.4	53	11.7	49	9.4	72	8	010		30.23			30.42	FM-15	0.00	30.41
28	1854	7	BKN:07 36 BKN:07 45 OVC:08 70	10.00		58	14.4	53	11.7	49	9.4	72	8	030		30.23	0	-0.02	30.42	FM-15	0.00	30.41
28	1900	4	41	9.94		58	14.4	53	11.7	49	9.4	72	8	030		30.23	9	+0.02	30.42	FM-12		
28	1954	7	FEW:02 45 BKN:07 70 OVC:08 250	10.00		56	13.3	52	11.1	49	9.4	77	8	050		30.22			30.42	FM-15	0.00	30.40
28	2054	7	SCT:04 70 OVC:08 250	10.00		55	12.8	51	10.6	48	8.9	77	6	030		30.24			30.43	FM-15	0.00	30.42
28	2154	7	FEW:02 70 SCT:04 250	10.00		52	11.1	49	9.4	47	8.3	83	6	010		30.25	3	-0.02	30.44	FM-15	0.00	30.43
28	2254	7	BKN:07 60 BKN:07 75	10.00		53	11.7	50	10.0	48	8.9	83	7	360		30.25			30.44	FM-15	0.00	30.43
28	2354	7	SCT:04 44 OVC:08 60	10.00		53	11.7	50	10.0	48	8.9	83	7	040		30.24			30.43	FM-15	0.00	30.42
29	0054	7	SCT:04 60	10.00		51	10.6	49	9.4	47	8.3	86	7	020		30.23	8	+0.01	30.42	FM-15	0.00	30.41
29	0100	4	57	9.94		51	10.6	49	9.4	47	8.3	86	7	020		30.23	8	+0.01	30.42	FM-12		
29	0154	7	BKN:07 60	10.00		50	10.0	48	8.9	46	7.8	86	8	010		30.22			30.42	FM-15	0.00	30.40
29	0254	7	BKN:07 60	10.00		50	10.0	48	8.9	46	7.8	86	7	010		30.22			30.42	FM-15	0.00	30.40
29	0354	7	SCT:04 55	10.00		48	8.9	47	8.3	45	7.2	89	8	360		30.22	6	+0.01	30.41	FM-15	0.00	30.40
29	0454	7	SCT:04 60	10.00		48	8.9	47	8.3	45	7.2	89	8	350		30.23			30.42	FM-15	0.00	30.41
29	0554	7	BKN:07 65	10.00		48	8.9	47	8.3	45	7.2	89	8	360		30.24			30.43	FM-15	0.00	30.42
29	0654	7	SCT:04 60 SCT:04 300	10.00		47	8.3	46	7.8	45	7.2	93	7	360		30.24	1	-0.02	30.43	FM-15	0.00	30.42
29	0700	4	57	9.94		47	8.3	46	7.8	45	7.2	93	7	360		30.24	1	-0.02	30.43	FM-12		
29	0754	7	FEW:02 60 FEW:02 300	10.00		51	10.6	49	9.4	46	7.8	83	8	010		30.25			30.44	FM-15	0.00	30.43
29	0854	7	FEW:02 60	10.00		56	13.3	51	10.6	47	8.3	72	9	030		30.26			30.45	FM-15	0.00	30.44
29	0954	7	FEW:02 35 FEW:02 45	10.00		59	15.0	52	11.1	46	7.8	62	11	010		30.26	1	-0.02	30.45	FM-15	0.00	30.44
29	1054	7	BKN:07 33	10.00		62	16.7	54	12.2	46	7.8	56	9	040		30.25			30.45	FM-15	0.00	30.43
29	1154	7	OVC:08 33	10.00		62	16.7	53	11.7	45	7.2	54	11	020		30.23			30.42	FM-15	0.00	30.41
29	1254	7	BKN:07 33	10.00		63	17.2	54	12.2	46	7.8	54	9	020		30.21	8	+0.05	30.40	FM-15	0.00	30.39
29	1300	4	26	9.94		63	17.2	54	12.2	46	7.8	54	9	020		30.21	8	+0.05	30.40	FM-12		
29	1354	7	BKN:07 31	10.00		60	15.6	52	11.1	45	7.2	58	14	030		30.20			30.39	FM-15	0.00	30.38
29	1454	7	SCT:04 33	10.00		61	16.1	52	11.1	44	6.7	54	3	VRB		30.19			30.39	FM-15	0.00	30.37
29	1554	7	FEW:02 40	10.00		62	16.7	53	11.7	44	6.7	52	5	050		30.18	8	+0.03	30.37	FM-15	0.00	30.36
29	1654	7	FEW:02 40 FEW:02 250	10.00		58	14.4	50	10.0	43	6.1	58	7	060		30.17			30.37	FM-15	0.00	30.35
29	1754	7	FEW:02 250	10.00		53	11.7	48	8.9	43	6.1	69	7	050		30.18			30.37	FM-15	0.00	30.36
29	1854	7	FEW:02 250	10.00		52	11.1	48	8.9	43	6.1	72	6	070		30.18	3	0.00	30.37	FM-15	0.00	30.36
29	1900	4		9.94		52	11.1	48	8.9	43	6.1	72	6	070		30.18			30.37	FM-12		
29	1954	7	FEW:02 250	10.00		50	10.0	47	8.3	43	6.1	77	6	040		30.18			30.37	FM-15	0.00	30.36
29	2054	7	FEW:02 250	10.00		48	8.9	46	7.8	43	6.1	83	6	050		30.17			30.37	FM-15	0.00	30.35

29	2154	7	CLR:00	10.00		47	8.3	45	7.2	42	5.6	83	0	000		30.17	8	+0.01	30.36	FM-15	0.00	30.35
29	2254	7	CLR:00	10.00		45	7.2	43	6.1	41	5.0	86	0	000		30.14			30.34	FM-15	0.00	30.32
29	2354	7	CLR:00	10.00		43	6.1	42	5.6	41	5.0	93	5	030		30.14			30.33	FM-15	0.00	30.32
30	0054	7	CLR:00	10.00		43	6.1	42	5.6	40	4.4	89	0	000		30.12	6	+0.05	30.31	FM-15	0.00	30.30
30	0100	4		9.94		43	6.1	42	5.6	40	4.4	89	0	000		30.12	6	+0.05	30.31	FM-12		
30	0154	7	SCT:04 300	10.00		41	5.0	40	4.4	39	3.9	93	3	340		30.11			30.30	FM-15	0.00	30.29
30	0254	7	FEW:02 300	10.00		43	6.1	42	5.6	40	4.4	89	5	320		30.10			30.29	FM-15	0.00	30.28
30	0343	7	BKN:07 25	10.00		41	5.0	40	4.4	39	3.9	93	0	000		30.09				FM-16		30.27
30	0354	7	BKN:07 26	10.00		42	5.6	41	5.0	39	3.9	89	5	340		30.09	8	+0.03	30.28	FM-15	0.00	30.27
30	0454	7	OVC:08 26	10.00		44	6.7	43	6.1	42	5.6	93	6	350		30.09			30.28	FM-15	0.00	30.27
30	0554	7	BKN:07 28	10.00		44	6.7	43	6.1	42	5.6	93	5	360		30.09			30.28	FM-15	0.00	30.27
30	0604	7	SCT:04 28	10.00		44	6.7	43	6.1	41	5.0	89	7	360		30.08				FM-16		30.26
30	0654	7	SCT:04 28	10.00		43	6.1	42	5.6	41	5.0	93	5	340		30.09	3	0.00	30.29	FM-15	0.00	30.27
30	0700	4	26	9.94		43	6.1	42	5.6	41	5.0	93	5	340		30.09	3	0.00	30.29	FM-12		
30	0754	7	BKN:07 30	10.00		47	8.3	46	7.8	44	6.7	90	5	360		30.11			30.30	FM-15	0.00	30.29
30	0854	7	BKN:07 30	10.00		51	10.6	48	8.9	44	6.7	77	6	360		30.11			30.30	FM-15	0.00	30.29
30	0954	7	FEW:02 30 SCT:04 300	10.00		58	14.4	52	11.1	46	7.8	65	3	050		30.09	8	0.00	30.29	FM-15	0.00	30.27
30	1054	7	FEW:02 30 BKN:07 300	10.00		62	16.7	54	12.2	46	7.8	56	5	050		30.06			30.26	FM-15	0.00	30.24
30	1154	7	BKN:07 300	10.00		64	17.8	55	12.8	47	8.3	54	3	VRB		30.03			30.23	FM-15	0.00	30.21
30	1254	7	FEW:02 180 BKN:07 300	10.00		64	17.8	55	12.8	47	8.3	54	6	140		30.00	8	+0.09	30.19	FM-15	0.00	30.18
30	1300	4		9.94		64	17.8	55	12.8	47	8.3	54	6	140		30.00	8	+0.09	30.19	FM-12		
30	1354	7	FEW:02 40 BKN:07 300	10.00		67	19.4	56	13.3	47	8.3	49	3	VRB		29.98			30.17	FM-15	0.00	30.16
30	1454	7	FEW:02 40 FEW:02 80 BKN:07 250	10.00		66	18.9	56	13.3	47	8.3	50	5	300		29.96			30.16	FM-15	0.00	30.14
30	1554	7	FEW:02 40 FEW:02 90 BKN:07 250	10.00		65	18.3	56	13.3	48	8.9	54	6	170		29.95	6	+0.05	30.14	FM-15	0.00	30.13
30	1654	7	FEW:02 40 BKN:07 250	10.00		63	17.2	55	12.8	49	9.4	60	0	000		29.94			30.14	FM-15	0.00	30.12
30	1754	7	FEW:02 80 BKN:07 250	10.00		59	15.0	54	12.2	50	10.0	72	0	000		29.96			30.15	FM-15	0.00	30.14
30	1854	7	FEW:02 40 BKN:07 250	10.00		57	13.9	53	11.7	50	10.0	78	0	000		29.96	3	-0.01	30.16	FM-15	0.00	30.14
30	1900	4	41	9.94		57	13.9	53	11.7	50	10.0	78	0	000		29.96	3	-0.01	30.16	FM-12		
30	1954	7	OVC:08 36	10.00		58	14.4	54	12.2	51	10.6	78	0	000		29.97			30.16	FM-15	0.00	30.15
30	2054	7	BKN:07 34	10.00		57	13.9	54	12.2	51	10.6	81	3	110		29.97			30.16	FM-15	0.00	30.15
30	2154	7	BKN:07 32	10.00		57	13.9	55	12.8	53	11.7	87	0	000		29.96	8	+0.01	30.15	FM-15	0.00	30.14
30	2254	7	SCT:04 32	10.00		56	13.3	54	12.2	53	11.7	90	0	000		29.94			30.13	FM-15	0.00	30.12
30	2335	7	FEW:02 7 SCT:04 32	10.00		55	12.8	54	12.2	53	11.7	93	3	130		29.93				FM-16		30.11
30	2354	7	OVC:08 6	10.00		55	12.8	54	12.2	53	11.7	93	0	000		29.93			30.12	FM-15	0.00	30.11
31	0023	7	OVC:08 4	10.00		56	13.3	55	12.8	54	12.2	93	3	160		29.93				FM-16		30.11
31	0054	7	OVC:08 3	7.00		57	13.9	56	13.3	55	12.8	93	5	150		29.93	6	+0.03	30.12	FM-15	0.00	30.11
31	0100	4	2	6.84		57	13.9	56	13.3	55	12.8	93	5	150		29.93	6	+0.03	30.12	FM-12		
31	0154	7	OVC:08 4	5.00	BR:1	57	13.9	56	13.3	55	12.8	93	3	200		29.92			30.11	FM-15	0.00	30.10
31	0217	7	BKN:07 6 OVC:08 28	10.00		57	13.9	56	13.3	55	12.8	93	5	200		29.92				FM-16		30.10
31	0230	7	SCT:04 8 OVC:08 29	10.00		57	13.9	56	13.3	55	12.8	93	5	190		29.91				FM-16		30.09
31	0254	7	SCT:04 5 OVC:08 28	10.00		57	13.9	56	13.3	55	12.8	93	3	180		29.91			30.10	FM-15	0.00	30.09
31	0313	7	BKN:07 5 OVC:08 27	10.00		56	13.3	55	12.8	55	12.8	97	3	190		29.91				FM-16		30.09
31	0354	7	BKN:07 5 OVC:08 26	10.00		56	13.3	55	12.8	55	12.8	97	5	160		29.90	6	+0.03	30.09	FM-15	0.00	30.08

31	0454	7	BKN:07 5 OVC:08 26	10.00		56	13.3	55	12.8	55	12.8	97	3	220		29.91			30.10	FM-15	0.00	30.09
31	0552	6	SCT:04 5 BKN:07 25	10.00		55	12.8	54	12.2	54	12.2	94	0	000		29.90				FM-16		30.08
31	0554	7	SCT:04 5 BKN:07 25	10.00		55	12.8	54	12.2	53	11.7	93	0	000		29.91			30.10	FM-15	0.00	30.09
31	0652	6	FEW:02 5 FEW:02 32 BKN:07 60	9.00		55	12.8	54	12.2	54	12.2	94	3	150		29.92				FM-16		30.10
31	0654	7	FEW:02 5 FEW:02 32 BKN:07 60	8.00		56	13.3	55	12.8	54	12.2	93	3	150		29.92	3	-0.02	30.11	FM-15	0.00	30.10
31	0700	4	5	7.46		56	13.3	55	12.8	54	12.2	93	3	150		29.92	3	-0.02	30.11	FM-12		
31	0754	7	SCT:04 22 BKN:07 70 BKN:07 200	10.00		57	13.9	56	13.3	55	12.8	93	5	180		29.93			30.12	FM-15	0.00	30.11
31	0854	7	FEW:02 35 BKN:07 70	10.00		60	15.6	57	13.9	55	12.8	84	7	200		29.94			30.13	FM-15	0.00	30.12
31	0954	7	FEW:02 50 SCT:04 70 BKN:07 200	10.00		64	17.8	59	15.0	55	12.8	73	5	210		29.93	0	-0.01	30.12	FM-15	0.00	30.11
31	1054	7	FEW:02 25 SCT:04 30 BKN:07 35	10.00		66	18.9	60	15.6	55	12.8	68	6	210		29.91			30.10	FM-15	0.00	30.09
31	1154	7	BKN:07 41	10.00		69	20.6	61	16.1	55	12.8	61	8	190		29.89			30.08	FM-15	0.00	30.07
31	1254	7	FEW:02 55 SCT:04 100	10.00		70	21.1	61	16.1	55	12.8	59	9	VRB		29.85	8	+0.08	30.04	FM-15	0.00	30.03
31	1300	4	57	9.94		70	21.1	61	16.1	55	12.8	59	9	160		29.85	8	+0.08	30.04	FM-12		
31	1354	7	FEW:02 55 BKN:07 100	10.00		70	21.1	62	16.7	56	13.3	61	8	210		29.84			30.03	FM-15	0.00	30.02
31	1454	7	FEW:02 55 SCT:04 100 BKN:07 250	10.00		72	22.2	63	17.2	57	13.9	59	9	200		29.83			30.01	FM-15	0.00	30.01
31	1554	7	FEW:02 38 FEW:02 110 OVC:08 160	10.00		71	21.7	63	17.2	57	13.9	61	7	170		29.82	6	+0.03	30.01	FM-15	0.00	30.00
31	1654	7	FEW:02 36 SCT:04 75 SCT:04 95	10.00	-RA:02 RA RA	68	20.0	62	16.7	58	14.4	70	3	150		29.82			30.01	FM-15	T	30.00
31	1754	7	FEW:02 36 FEW:02 70 SCT:04 90	10.00		66	18.9	61	16.1	58	14.4	75	7	130		29.83			30.02	FM-15	0.02	30.01
31	1854	7	FEW:02 35 BKN:07 75 OVC:08 95	10.00		67	19.4	62	16.7	58	14.4	73	10	150		29.83	3	-0.01	30.02	FM-15	0.02	30.01
31	1900	4	41	9.94		67	19.4	62	16.7	58	14.4	73	10	150		29.83	3	-0.01	30.02	FM-12		
31	1954	7	BKN:07 60 BKN:07 100 OVC:08 180	10.00		66	18.9	61	16.1	58	14.4	75	7	170		29.84			30.03	FM-15	0.00	30.02
31	2054	7	SCT:04 39 SCT:04 50 BKN:07 80	10.00		66	18.9	61	16.1	58	14.4	75	8	160		29.84			30.03	FM-15	0.00	30.02
31	2154	7	SCT:04 45 BKN:07 70 BKN:07 120	10.00		63	17.2	62	16.7	61	16.1	93	8	180		29.84	1	-0.01	30.03	FM-15	0.09	30.02
31	2254	7	FEW:02 42 BKN:07 75 BKN:07 90	10.00		62	16.7	61	16.1	61	16.1	96	6	170		29.83			30.03	FM-15	0.01	30.01
31	2354	7	SCT:04 10 BKN:07 90 OVC:08 140	10.00		63	17.2	62	16.7	62	16.7	97	10	180		29.82			30.01	FM-15	0.00	30.00

Local Climatological Data
Hourly Precipitation
October 2022

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 12/03/2022

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																						Date		
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID
01	0.02	0.01	0.01	0.01	T	0.04	T	T	T	0.01															01
02												0.06	0.02	0.03	0.03	0.06	0.05	0.01	T	M	M	M	M	M	02
03	0.02	0.02	0.03	0.01	0.01	0.02		T	T		T	T	T	T	M	T	T	T	M	T	M	M	M	M	03
04			M	M	M	M	M	M	M	M	M	M	M	M	M	T	T	T	M	M	M	M	M	M	04
05							T																		05
06																									06
07																									07
08																									08
09																									09
10																									10
11																									11
12																	T								12
13			0.01	T	0.01	0.03		T	T															T	13
14	0.02			T																					14
15																									15
16																T	T			0.12	0.28	0.03	0.04	0.12	16
17	0.06	0.10	0.03	0.01	T	0.03											0.25	T			0.01		T		17
18																									18
19																									19
20																									20
21																									21
22																									22
23											T	T		0.01	0.01	T									23
24																									24
25																						T	T		25
26																									26
27																									27
28																									28
29																									29
30																									30
31																	T	0.02	0.02				0.09	0.01	31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.30	0.30	0.30	0.30	0.30	0.30	0.34	0.41	0.42	0.43	0.43	0.47
Ending Date Time (yyyy-mm-dd hh:mi)	2022-10-17 16:22	2022-10-17 16:22	2022-10-17 16:22	2022-10-17 16:22	2022-10-17 16:22	2022-10-17 16:22	2022-10-16 20:51	2022-10-16 21:03	2022-10-16 21:24	2022-10-16 21:33	2022-10-16 21:33	2022-10-16 22:29

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing