

Local Climatological Data Daily Summary February 2023 Generated on 05/12/2023

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH					
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees			
												Peak Speed						Peak Dir			Sust. Speed	Sust. Dir		
	2	3	4	5	6	7	8	9	10	11	12	13		14	15	16	17	18	19	20	21	22	23	
01	43	30	37	-1.7	74	29	34	28	0	0713	1733	RA BR	0.25	0.0	0	30.06	30.28	7.9	19	350	15	360		
02	41	30	36	-2.8	75	29	34	29	0	0712	1734	RA SN	0.01	T	0	30.01	30.18	3.6	12	220	10	230		
03	43	22	33	-5.9	47	18	31	32	0	0711	1736		0.00	0.0	0	29.91	30.16	12.5	30	340	25	350		
04	36	16*	26	-13.1	37	3	20	39	0	0710	1737		0.00	0.0	0	30.40	30.60	8.3	23	210	17	210		
05	59	27	43	3.8	55	26	36	22	0	0710	1738		0.00	0.0	0	30.09	30.25	10.5	34	210	28	220		
06	59	36	48	8.7	60	33	41	17	0	0709	1739		0.00	0.0	0	29.88	30.10	10.3	31	340	24	320		
07	58	27	43	3.5	64	31	38	22	0	0708	1740		0.00	0.0	0	30.11	30.31	5.3	17	200	14	180		
08	73	46	60	20.4	47	37	48	5	0	0707	1741		0.00	0.0	0	30.03	30.23	7.1	17	230	13	120		
09	74	48	61	21.2	58	46	54	4	0	0706	1742		0.00	0.0	0	29.95	30.10	12.7	32	200	25	200		
10	71	48	60	20.1	51	42	52	5	0	0705	1743		0.00	0.0	0	29.81	30.03	10.9	28	290	17	210		
11	54	42	48	7.9	43	25	38	17	0	0703	1744		0.00	0.0	0	30.10	30.29	6.3	24	030	20	020		
12	42	38	40	-0.3	86	35	38	25	0	0702	1745	RA BR	1.00	0.0	0	29.78	29.90	12.8	33	020	23	030		
13	62	37	50	9.6	47	27	40	15	0	0701	1746	RA BR	0.09	0.0	0	29.55	29.77	10.8	29	350	24	340		
14	63	32	48	7.4	49	29	41	17	0	0700	1747		0.00	0.0	0	29.91	30.10	5.7	17	150	14	150		
15	72	43	58	17.2	54	40	49	7	0	0659	1749		T	0.0	0	29.92	30.11	11.8	31	220	24	220		
16	77	54	66	25.0	63	52	57	0	1	0658	1750		0.00	0.0	0	29.84	30.02	11.8	45	220	35	210		
17	67	35	51	9.8	76	48	52	14	0	0657	1751	RA BR	0.21	0.0	0	29.62	29.84	14.1	33	350	25	330		
18	49	27	38	-3.4	53	20	31	27	0	0655	1752		0.00	0.0	0	30.21	30.40	6.8	20	350	16	350		
19	64	33	49	7.4	59	34	42	16	0	0654	1753		0.00	0.0	0	30.06	30.25	12.5	36	190	30	190		
20	61	48	55	13.2	64	42	48	10	0	0653	1754	RA	T	0.0	0	29.67	29.83	9.1	24	220	17	220		
21	73	44	59	16.9	50	36	48	6	0	0652	1755		0.00	0.0	0	29.49	29.72	8.3	34	230	24	270		
22	67	42	55	12.7	59	39	47	10	0	0650	1756	RA	T	0.0	0	29.79	29.98	5.6	22	140	18	140		
23	83*	48	66	23.5	54	54	62	0	1	0649	1757		0.00	0.0	0	29.71	29.92	14.6	32	240	25	240		
24	70	45	58	15.3	34	28	47	7	0	0648	1758		0.00	0.0	0	30.01	30.25	12.8	34	310	26	310		
25	45	32	39	-4.0	73	31	37	26	0	0646	1759	RA FG BR	0.40	0.0	0	30.16	30.32	4.4	14	060	12	340		
26	54	38	46	2.8	85	39	41	19	0	0645	1800	BR	0.00	0.0	0	29.84	30.01	6.8	24	210	20	220		
27	57	33	45	1.5	74	37	42	20	0	0644	1801	RA FG BR	0.14	0.0	0	29.67	29.81	6.6	26	130	22	130		
28	68	45	57	13.3	76	45	49	8	0	0642	1802	FG BR	0.00	0.0	0	29.49	29.74	4.9	15	030	14	030		
	60.2	37.4	48.8							Monthly Averages Totals			2.10	T		29.90	30.09	9.2						
	8.9	6.9	7.9							Departure from Normal (1981-2010)			-0.66											
Degree Days										Number of days with...														
	Monthly				Season-to-date				Temperature				Precipitation			Snow		Weather						
	Total		Departure		Total		Departure		Max		Min		Precipitation		Snow		Weather							
Heating	455		-220		2430		>=90°		<=32°		<=32°		<=0°		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog	
Cooling	1		1		1		0		0		9		0		7		5		0				2	
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure					Greatest...											
N/A								Maximum		30.71		Date		04		Time		1054		24-Hr...			Snow Depth	
								Minimum		29.47		27		2354		1.08		Snowfall		T		0.0		
								Date																
													12-13			02-02								
Station Augmentation																								
Name: N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																								

Local Climatological Data Hourly Observations February 2023

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/12/2023

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press Tend	Net 3-Hr Change (inHg)	Sea Level Press (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	OVC:08 5	5.00	BR:1	38	3.3	37	2.8	36	2.2	93	8	050		29.97	8	+0.04	30.16	FM-15	T	30.15
01	0100	4	5	4.97		38	3.3	37	2.8	36	2.2	93	8	050		29.97	8	+0.04	30.16	FM-12		
01	0154	7	OVC:08 5	6.00	-RA:02 BR:1 RA RA	38	3.3	37	2.8	36	2.2	93	8	040		29.98			30.17	FM-15	0.01	30.16
01	0205	7	OVC:08 4	4.00	RA:02 BR:1 RA RA	38	3.3	37	2.8	36	2.2	93	7	060		29.96				FM-16	0.01	30.14
01	0252	6	BKN:07 5 OVC:08 9	6.00	-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	93	9	010		29.99				FM-16		30.17
01	0254	7	BKN:07 5 OVC:08 9	6.00	-RA:02 BR:1 RA RA	38	3.3	37	2.8	36	2.2	93	8	360		29.97			30.17	FM-15	0.06	30.15
01	0354	7	OVC:08 6	6.00	RA:02 BR:1 RA RA	37	2.8	36	2.2	35	1.7	93	10	360		29.99	3	-0.02	30.18	FM-15	0.06	30.17
01	0454	7	BKN:07 7 OVC:08 12	7.00	-RA:02 RA RA	37	2.8	36	2.2	34	1.1	89	9	030		29.98			30.18	FM-15	0.07	30.16
01	0554	7	BKN:07 8 OVC:08 15	6.00	-RA:02 BR:1 RA RA	36	2.2	35	1.7	34	1.1	93	10	030		30.00			30.19	FM-15	0.02	30.18
01	0654	7	BKN:07 7 OVC:08 14	5.00	-RA:02 BR:1 RA RA	36	2.2	35	1.7	33	0.6	89	11	010		30.04	3	-0.05	30.24	FM-15	0.01	30.22
01	0700	4	8	4.97	RA	36	2.2	35	1.7	33	0.6	89	11	010		30.04	3	-0.05	30.24	FM-12		
01	0752	6	BKN:07 5 OVC:08 11	2.50	-RA:02 BR:1 RA RA	36	2.2	35	1.7	34	1.1	93	10	010		30.09				FM-16		30.27
01	0754	7	BKN:07 5 OVC:08 11	2.50	-RA:02 BR:1 RA RA	35	1.7	34	1.1	33	0.6	93	10	020		30.09			30.28	FM-15	0.01	30.27
01	0827	7	BKN:07 8 OVC:08 15	3.00	-RA:02 BR:1 RA RA	35	1.7	34	1.1	33	0.6	93	8	030		30.09				FM-16	0.01	30.27
01	0854	7	BKN:07 8 OVC:08 16	6.00	BR:1	35	1.7	34	1.1	32	0.0	89	14	040		30.10			30.29	FM-15	0.01	30.28
01	0932	7	FEW:02 10 BKN:07 20 OVC:08 26	10.00		36	2.2	34	1.1	32	0.0	86	13	020		30.12				FM-16		30.30
01	0952	6	BKN:07 10 BKN:07 14 OVC:08 26	10.00		36	2.2	34	1.1	32	0.0	87	11	010		30.12				FM-16		30.30
01	0954	7	BKN:07 10 BKN:07 14 OVC:08 26	10.00		35	1.7	34	1.1	32	0.0	89	13	020		30.12	1	-0.08	30.32	FM-15	0.00	30.30
01	1046	7	FEW:02 10 BKN:07 20 OVC:08 70	10.00		37	2.8	34	1.1	30	-1.1	76	13	010		30.14				FM-16		30.32
01	1054	7	FEW:02 10 BKN:07 20 OVC:08 70	10.00		37	2.8	34	1.1	30	-1.1	76	11	020		30.14			30.34	FM-15	0.00	30.32
01	1154	7	BKN:07 21 BKN:07 70	10.00		42	5.6	37	2.8	31	-0.6	65	11	360		30.13			30.32	FM-15	0.00	30.31
01	1201	7	SCT:04 26 SCT:04 65 BKN:07 90	10.00		40	4.4	36	2.2	29	-1.7	65	11	010		30.12				FM-16		30.30
01	1252	6	BKN:07 26 OVC:08 65	10.00		39	3.9	35	1.7	28	-2.2	65	9	020		30.11				FM-16		30.29
01	1254	7	BKN:07 26 OVC:08 65	10.00		39	3.9	35	1.7	28	-2.2	65	8	360		30.11	8	+0.01	30.31	FM-15	0.00	30.29

01	1300	4	26	9.94		39	3.9	35	1.7	28	-2.2	65	8	360		30.11	8	+0.01	30.31	FM-12		
01	1354	7	BKN:07 28 BKN:07 65	10.00		41	5.0	36	2.2	27	-2.8	57	7	VRB		30.09			30.29	FM-15	0.00	30.27
01	1452	6	FEW:02 28 SCT:04 36 BKN:07 65	10.00		43	6.1	37	2.8	27	-2.8	53	10	VRB		30.09				FM-16		30.27
01	1454	7	FEW:02 28 SCT:04 36 BKN:07 65	10.00		43	6.1	37	2.8	27	-2.8	53	9	340		30.09			30.29	FM-15	0.00	30.27
01	1554	7	FEW:02 36 BKN:07 65 BKN:07 200	10.00		42	5.6	36	2.2	26	-3.3	53	9	010		30.10	5	+0.01	30.29	FM-15	0.00	30.28
01	1654	6	FEW:02 31 FEW:02 65 BKN:07 230	10.00		40	4.4	34	1.1	25	-3.9	55	7	020		30.11			30.30	FM-15	0.00	30.29
01	1754	7	BKN:07 230 BKN:07 300	10.00		38	3.3	33	0.6	23	-5.0	55	6	040		30.12			30.31	FM-15	0.00	30.30
01	1854	7	BKN:07 250 BKN:07 300	10.00		36	2.2	31	-0.6	23	-5.0	59	5	VRB		30.13	3	-0.04	30.33	FM-15	0.00	30.31
01	1900	4		9.94		36	2.2	31	-0.6	23	-5.0	59	5			30.13	3	-0.04	30.33	FM-12		
01	1954	7	BKN:07 240 BKN:07 300	10.00		34	1.1	29	-1.7	21	-6.1	59	6	050		30.13			30.33	FM-15	0.00	30.31
01	2054	7	BKN:07 240	10.00		34	1.1	29	-1.7	21	-6.1	59	3	050		30.15			30.35	FM-15	0.00	30.33
01	2154	7	BKN:07 240	10.00		32	0.0	29	-1.7	22	-5.6	66	0	000		30.14	3	-0.01	30.34	FM-15	0.00	30.32
01	2254	7	BKN:07 180 OVC:08 210	10.00		32	0.0	29	-1.7	24	-4.4	73	0	000		30.14			30.34	FM-15	0.00	30.32
01	2354	7	BKN:07 170 OVC:08 210	10.00		31	-0.6	29	-1.7	24	-4.4	76	3	170		30.13			30.33	FM-15	0.00	30.31
02	0054	7	BKN:07 180	10.00		32	0.0	29	-1.7	24	-4.4	73	0	000		30.13	8	+0.01	30.33	FM-15	0.00	30.31
02	0100	4		9.94		32	0.0	29	-1.7	24	-4.4	73	0	000		30.13	8	+0.01	30.33	FM-12		
02	0154	7	OVC:08 150	10.00		33	0.6	30	-1.1	26	-3.3	75	3	350		30.12			30.32	FM-15	0.00	30.30
02	0254	7	OVC:08 160	10.00		33	0.6	30	-1.1	26	-3.3	75	3	360		30.11			30.30	FM-15	0.00	30.29
02	0354	7	OVC:08 140	10.00		34	1.1	30	-1.1	24	-4.4	67	0	000		30.09	8	+0.04	30.29	FM-15	0.00	30.27
02	0454	7	BKN:07 55 OVC:08 110	10.00		34	1.1	31	-0.6	27	-2.8	75	0	000		30.09			30.29	FM-15	0.00	30.27
02	0554	7	BKN:07 55 BKN:07 120	10.00		35	1.7	31	-0.6	24	-4.4	64	0	000		30.09			30.29	FM-15	0.00	30.27
02	0654	7	BKN:07 50 OVC:08 75	10.00		35	1.7	31	-0.6	23	-5.0	61	0	000		30.09	8	0.00	30.29	FM-15	0.00	30.27
02	0700	4	57	9.94		35	1.7	31	-0.6	23	-5.0	61	0	000		30.09	8	0.00	30.29	FM-12		
02	0716	7	OVC:08 25	6.00		34	1.1	31	-0.6	26	-3.3	73	0	000		30.08				FM-16	T	30.26
02	0719	7	OVC:08 25	4.00		33	0.6	30	-1.1	25	-3.9	72	3	120		30.07				FM-16	T	30.25
02	0733	7	OVC:08 32	2.50V		32	0.0	29	-1.7	25	-3.9	75	6	150		30.07				FM-16	T	30.25
02	0740	7	BKN:07 36 OVC:08 60	4.00		32	0.0	30	-1.1	26	-3.3	79	6	170		30.07				FM-16	T	30.25
02	0754	7	BKN:07 40 BKN:07 65 OVC:08 110	6.00		32	0.0	30	-1.1	27	-2.8	82	7	190		30.07			30.27	FM-15	T	30.25
02	0852	6	SCT:04 38 BKN:07 46 OVC:08 65	2.50		34	1.1	31	-0.6	27	-2.8	75	0	000		30.09				FM-16		30.27
02	0854	7	SCT:04 36 OVC:08 44	2.50		33	0.6	31	-0.6	27	-2.8	78	0	000		30.09			30.29	FM-15	0.01	30.27
02	0937	7	FEW:02 29 BKN:07 33 OVC:08 100	3.00		33	0.6	31	-0.6	28	-2.2	82	5	130		30.08				FM-16	0.01	30.26
02	0954	7	FEW:02 29 SCT:04 33 OVC:08 100	10.00		33	0.6	31	-0.6	29	-1.7	85	5	120		30.08	6	0.00	30.28	FM-15	T	30.26
02	1054	7	BKN:07 30	10.00		35	1.7	33	0.6	29	-1.7	78	5	150		30.08			30.28	FM-15	0.00	30.26

			OVC:08 60																				
02	1138	7	BKN:07 24 OVC:08 60	10.00		35	1.7	33	0.6	29	-1.7	78	5	180		30.05				FM-16		30.23	
02	1154	7	OVC:08 24	10.00		35	1.7	33	0.6	29	-1.7	78	5	170		30.05			30.25	FM-15	0.00	30.23	
02	1254	7	OVC:08 22	10.00		37	2.8	34	1.1	30	-1.1	76	5	170		29.99	8	+0.10	30.19	FM-15	0.00	30.17	
02	1300	4	26	9.94		37	2.8	34	1.1	30	-1.1	76	5	170		29.99	8	+0.10	30.19	FM-12			
02	1354	7	OVC:08 21	10.00		38	3.3	34	1.1	29	-1.7	70	6	170		29.95			30.15	FM-15	0.00	30.13	
02	1454	7	OVC:08 21	10.00		39	3.9	35	1.7	29	-1.7	67	6	220		29.93			30.13	FM-15	0.00	30.11	
02	1554	7	OVC:08 20	10.00		39	3.9	35	1.7	29	-1.7	67	6	210		29.93	6	+0.06	30.12	FM-15	0.00	30.11	
02	1654	6	OVC:08 20	10.00		39	3.9	35	1.7	30	-1.1	70	3	200		29.91			30.10	FM-15	0.00	30.09	
02	1754	7	OVC:08 18	10.00		39	3.9	36	2.2	31	-0.6	73	0	000		29.88			30.07	FM-15	0.00	30.06	
02	1854	7	OVC:08 16	10.00		39	3.9	36	2.2	32	0.0	76	0	000		29.87	6	+0.06	30.06	FM-15	0.00	30.05	
02	1900	4	15	9.94		39	3.9	36	2.2	32	0.0	76	0	000		29.87	6	+0.06	30.06	FM-12			
02	1954	7	OVC:08 15	10.00		39	3.9	37	2.8	33	0.6	79	7	200		29.88			30.07	FM-15	0.00	30.06	
02	2016	7	OVC:08 14	10.00		39	3.9	37	2.8	33	0.6	79	5	190		29.85				FM-16		30.03	
02	2054	7	OVC:08 11	10.00		39	3.9	37	2.8	34	1.1	82	7	190		29.83			30.03	FM-15	0.00	30.01	
02	2154	7	OVC:08 9	10.00		40	4.4	38	3.3	35	1.7	83	6	210		29.81	8	+0.06	30.00	FM-15	0.00	29.99	
02	2254	7	OVC:08 9	10.00		41	5.0	39	3.9	37	2.8	86	7	210		29.81			30.00	FM-15	0.00	29.99	
02	2322	7	BKN:07 10 OVC:08 180	10.00		41	5.0	39	3.9	37	2.8	86	7	230		29.79				FM-16		29.97	
02	2341	7	SCT:04 9 OVC:08 150	10.00		41	5.0	39	3.9	37	2.8	86	9	210		29.78				FM-16		29.96	
02	2354	7	SCT:04 9 OVC:08 160	10.00		41	5.0	39	3.9	37	2.8	86	8	220		29.78			29.97	FM-15	0.00	29.96	
03	0054	7	FEW:02 9 OVC:08 140	10.00		42	5.6	40	4.4	38	3.3	85	8	250		29.75	8	+0.06	29.95	FM-15	0.00	29.93	
03	0100	4	8	9.94		42	5.6	40	4.4	38	3.3	85	8	250		29.75	8	+0.06	29.95	FM-12			
03	0154	7	OVC:08 140	10.00		42	5.6	40	4.4	37	2.8	82	10	250		29.75			29.94	FM-15	0.00	29.93	
03	0254	7	BKN:07 140 OVC:08 190	10.00		42	5.6	39	3.9	35	1.7	76	9	260		29.74			29.93	FM-15	0.00	29.92	
03	0354	7	BKN:07 140 OVC:08 200	10.00		42	5.6	38	3.3	33	0.6	71	8	260		29.72	8	+0.03	29.91	FM-15	0.00	29.90	
03	0454	7	SCT:04 140 BKN:07 200	10.00		41	5.0	37	2.8	30	-1.1	65	8	270		29.75			29.95	FM-15	0.00	29.93	
03	0554	7	OVC:08 220	10.00		40	4.4	35	1.7	28	-2.2	63	6	280		29.76			29.95	FM-15	0.00	29.94	
03	0654	7	OVC:08 210	10.00		41	5.0	35	1.7	26	-3.3	55	8	280		29.78	1	-0.06	29.98	FM-15	0.00	29.96	
03	0700	4		9.94		41	5.0	35	1.7	26	-3.3	55	8	280		29.78	1	-0.06	29.98	FM-12			
03	0754	7	BKN:07 220	10.00		40	4.4	35	1.7	26	-3.3	58	5	290		29.81			30.00	FM-15	0.00	29.99	
03	0854	7	FEW:02 140 BKN:07 220	10.00		41	5.0	35	1.7	25	-3.9	53	10	320		29.83			30.03	FM-15	0.00	30.01	
03	0954	7	FEW:02 100 BKN:07 220	10.00		42	5.6	35	1.7	22	-5.6	45	15	330	24	29.87	3	-0.09	30.06	FM-15	0.00	30.05	
03	1054	7	FEW:02 46 SCT:04 55 BKN:07 220	10.00		40	4.4	34	1.1	23	-5.0	51	20	010		29.91			30.10	FM-15	0.00	30.09	
03	1154	7	SCT:04 60 BKN:07 220	10.00		42	5.6	35	1.7	22	-5.6	45	13	350		29.92			30.12	FM-15	0.00	30.10	
03	1254	7	BKN:07 55 BKN:07 220	10.00		37	2.8	31	-0.6	19	-7.2	48	20	010		29.93	1	-0.07	30.13	FM-15	0.00	30.11	
03	1300	4	57	9.94		37	2.8	31	-0.6	19	-7.2	48	20	010		29.93	1	-0.07	30.13	FM-12			
03	1354	7	FEW:02 70 SCT:04 200	10.00		40	4.4	32	0.0	17	-8.3	40	20	360	24	29.95			30.14	FM-15	0.00	30.13	
03	1454	7	FEW:02 60 SCT:04 200	10.00		39	3.9	30	-1.1	11	-11.7	31	15	010		29.97			30.17	FM-15	0.00	30.15	
03	1554	7	FEW:02 60 FEW:02 200	10.00		38	3.3	29	-1.7	8	-13.3	29	16	350	28	30.01	3	-0.07	30.20	FM-15	0.00	30.19	
03	1654	6	CLR:00	10.00		35	1.7	27	-2.8	7	-13.9	31	16	350	29	30.06			30.25	FM-15	0.00	30.24	

03	1754	7	CLR:00	10.00		33	0.6	25	-3.9	4	-15.6	29	13	330		30.12			30.32	FM-15	0.00	30.30
03	1854	7	CLR:00	10.00		31	-0.6	24	-4.4	4	-15.6	31	13	340	22	30.17	1	-0.16	30.37	FM-15	0.00	30.35
03	1900	4		9.94		31	-0.6	24	-4.4	4	-15.6	31	13	340		30.17	1	-0.16	30.37	FM-12		
03	1954	7	CLR:00	10.00		29	-1.7	22	-5.6	1	-17.2	30	16	350		30.21			30.41	FM-15	0.00	30.39
03	2054	7	CLR:00	10.00		27	-2.8	21	-6.1	2	-16.7	34	14	010		30.26			30.46	FM-15	0.00	30.44
03	2154	7	CLR:00	10.00		25	-3.9	19	-7.2	1	-17.2	35	14	010		30.29	1	-0.12	30.48	FM-15	0.00	30.47
03	2254	7	CLR:00	10.00		24	-4.4	18	-7.8	1	-17.2	36	13	360		30.32			30.52	FM-15	0.00	30.50
03	2354	7	CLR:00	10.00		22	-5.6	17	-8.3	1	-17.2	40	11	020		30.34			30.54	FM-15	0.00	30.52
04	0054	7	CLR:00	10.00		21	-6.1	16	-8.9	0	-17.8	39	6	040		30.37	1	-0.09	30.57	FM-15	0.00	30.55
04	0100	4		9.94		21	-6.1	16	-8.9	0	-17.8	39	6	040		30.37	1	-0.09	30.57	FM-12		
04	0154	7	CLR:00	10.00		20	-6.7	15	-9.4	-1	-18.3	40	5	040		30.40			30.60	FM-15	0.00	30.58
04	0254	7	CLR:00	10.00		19	-7.2	15	-9.4	-1	-18.3	41	8	020		30.42			30.62	FM-15	0.00	30.60
04	0354	7	CLR:00	10.00		19	-7.2	15	-9.4	-1	-18.3	41	10	010		30.43	1	-0.05	30.63	FM-15	0.00	30.61
04	0454	7	CLR:00	10.00		18	-7.8	14	-10.0	-1	-18.3	43	8	010		30.46			30.66	FM-15	0.00	30.64
04	0554	7	CLR:00	10.00		17	-8.3	13	-10.6	0	-17.8	47	7	360		30.48			30.68	FM-15	0.00	30.66
04	0654	7	SCT:04 250	10.00		16	-8.9	12	-11.1	-1	-18.3	47	7	070		30.49	1	-0.06	30.69	FM-15	0.00	30.67
04	0700	4		9.94		16	-8.9	12	-11.1	-1	-18.3	47	7	070		30.49	1	-0.06	30.69	FM-12		
04	0754	7	SCT:04 250	10.00		19	-7.2	15	-9.4	-1	-18.3	41	6	030		30.50			30.70	FM-15	0.00	30.68
04	0854	7	SCT:04 250	10.00		21	-6.1	16	-8.9	-1	-18.3	38	7	080		30.51			30.71	FM-15	0.00	30.69
04	0954	7	SCT:04 250	10.00		23	-5.0	18	-7.8	-1	-18.3	35	0	000		30.51	1	-0.02	30.71	FM-15	0.00	30.69
04	1054	7	SCT:04 250	10.00		26	-3.3	20	-6.7	-2	-18.9	29	5	VRB		30.51			30.71	FM-15	0.00	30.69
04	1154	7	SCT:04 250	10.00		29	-1.7	22	-5.6	1	-17.2	30	5	190		30.48			30.68	FM-15	0.00	30.66
04	1254	7	SCT:04 250	10.00		30	-1.1	23	-5.0	2	-16.7	30	9	200		30.43	8	+0.09	30.63	FM-15	0.00	30.61
04	1300	4		9.94		30	-1.1	23	-5.0	2	-16.7	30	9	200		30.43	8	+0.09	30.63	FM-12		
04	1354	7	SCT:04 250	10.00		32	0.0	24	-4.4	4	-15.6	30	8	140		30.39			30.59	FM-15	0.00	30.57
04	1454	7	SCT:04 250	10.00		35	1.7	26	-3.3	4	-15.6	27	11	200		30.37			30.56	FM-15	0.00	30.55
04	1554	7	FEW:02 250	10.00		35	1.7	26	-3.3	3	-16.1	26	10	180		30.35	6	+0.08	30.55	FM-15	0.00	30.53
04	1654	7	FEW:02 250	10.00		35	1.7	26	-3.3	4	-15.6	27	13	190		30.34			30.53	FM-15	0.00	30.52
04	1754	7	FEW:02 250	10.00		32	0.0	25	-3.9	6	-14.4	33	10	180		30.33			30.53	FM-15	0.00	30.51
04	1854	7	FEW:02 250	10.00		30	-1.1	24	-4.4	8	-13.3	39	8	180		30.33	6	+0.01	30.53	FM-15	0.00	30.51
04	1900	4		9.94		30	-1.1	24	-4.4	8	-13.3	39	8	180		30.33	6	+0.01	30.53	FM-12		
04	1954	7	SCT:04 250	10.00		30	-1.1	24	-4.4	9	-12.8	41	9	180		30.32			30.52	FM-15	0.00	30.50
04	2054	7	SCT:04 250	10.00		31	-0.6	25	-3.9	9	-12.8	40	11	190		30.31			30.51	FM-15	0.00	30.49
04	2154	7	SCT:04 250	10.00		31	-0.6	25	-3.9	9	-12.8	40	10	190		30.29	8	+0.04	30.49	FM-15	0.00	30.47
04	2254	7	SCT:04 250	10.00		32	0.0	25	-3.9	10	-12.2	40	11	190		30.28			30.48	FM-15	0.00	30.46
04	2354	7	BKN:07 250	10.00		33	0.6	26	-3.3	11	-11.7	40	14	200		30.27			30.47	FM-15	0.00	30.45
05	0054	7	BKN:07 230	10.00		33	0.6	27	-2.8	12	-11.1	42	14	200		30.25	8	+0.05	30.45	FM-15	0.00	30.43
05	0100	4		9.94		33	0.6	27	-2.8	12	-11.1	42	14	200		30.25	8	+0.05	30.45	FM-12		
05	0154	7	BKN:07 230	10.00		32	0.0	26	-3.3	13	-10.6	45	11	200		30.23			30.42	FM-15	0.00	30.41
05	0254	7	BKN:07 230	10.00		32	0.0	26	-3.3	13	-10.6	45	10	200		30.22			30.42	FM-15	0.00	30.40
05	0354	7	BKN:07 230	10.00		31	-0.6	26	-3.3	14	-10.0	49	8	190		30.21	6	+0.04	30.41	FM-15	0.00	30.39
05	0454	7	BKN:07 200	10.00		31	-0.6	26	-3.3	14	-10.0	49	9	200		30.20			30.40	FM-15	0.00	30.38
05	0554	7	BKN:07 200	10.00		30	-1.1	25	-3.9	15	-9.4	54	9	190		30.19			30.39	FM-15	0.00	30.37
05	0654	7	FEW:02 200 SCT:04 300	10.00		28	-2.2	24	-4.4	15	-9.4	58	6	190		30.18	6	+0.03	30.38	FM-15	0.00	30.36
05	0700	4		9.94		28	-2.2	24	-4.4	15	-9.4	58	6	190		30.18	6	+0.03	30.38	FM-12		
05	0754	7	FEW:02 180 BKN:07 300	10.00		30	-1.1	26	-3.3	16	-8.9	56	7	190		30.16			30.36	FM-15	0.00	30.34
05	0854	7	BKN:07 300	10.00		35	1.7	29	-1.7	17	-8.3	48	10	200		30.17			30.37	FM-15	0.00	30.35
05	0954	7	FEW:02 70 BKN:07 150 BKN:07 300	10.00		39	3.9	32	0.0	18	-7.8	43	14	210		30.15	8	+0.03	30.35	FM-15	0.00	30.33
05	1054	7	FEW:02 70	10.00		43	6.1	34	1.1	18	-7.8	37	10	230		30.13			30.33	FM-15	0.00	30.31

			BKN:07 150 BKN:07 300																			
05	1154	7	FEW:02 65 BKN:07 300	10.00		48	8.9	37	2.8	19	-7.2	32	11	210		30.09			30.28	FM-15	0.00	30.27
05	1254	7	FEW:02 75 BKN:07 300	10.00		57	13.9	43	6.1	22	-5.6	26	13	210		30.02	8	+0.12	30.22	FM-15	0.00	30.20
05	1300	4	74	9.94		57	13.9	43	6.1	22	-5.6	26	13	210		30.02	8	+0.12	30.22	FM-12		
05	1354	7	SCT:04 50 BKN:07 120 BKN:07 300	10.00		58	14.4	46	7.8	32	0.0	38	21	210	31	29.97			30.16	FM-15	0.00	30.15
05	1454	7	BKN:07 50 BKN:07 120 OVC:08 300	10.00		57	13.9	47	8.3	36	2.2	45	21	210	31	29.95			30.15	FM-15	0.00	30.13
05	1554	7	FEW:02 50 SCT:04 120 BKN:07 300	10.00		57	13.9	48	8.9	37	2.8	47	18	200	25	29.93	6	+0.10	30.12	FM-15	0.00	30.11
05	1654	6	FEW:02 50 SCT:04 120 BKN:07 250	10.00		54	12.2	46	7.8	36	2.2	51	13	190		29.92			30.12	FM-15	0.00	30.10
05	1754	7	FEW:02 120 SCT:04 250	10.00		49	9.4	42	5.6	34	1.1	56	9	180		29.93			30.12	FM-15	0.00	30.11
05	1854	7	FEW:02 120 SCT:04 250	10.00		47	8.3	41	5.0	34	1.1	61	5	210		29.92	8	+0.01	30.11	FM-15	0.00	30.10
05	1900	4		9.94		47	8.3	41	5.0	34	1.1	61	5	210		29.92	8	+0.01	30.11	FM-12		
05	1954	7	BKN:07 17 BKN:07 120	10.00		45	7.2	41	5.0	37	2.8	74	6	190		29.91			30.10	FM-15	0.00	30.09
05	2011	7	BKN:07 13	10.00		48	8.9	44	6.7	40	4.4	74	8	170		29.90				FM-16		30.08
05	2054	7	SCT:04 10 SCT:04 120	10.00		47	8.3	45	7.2	43	6.1	86	10	200		29.89			30.09	FM-15	0.00	30.07
05	2154	7	BKN:07 8 BKN:07 120	10.00		46	7.8	45	7.2	44	6.7	93	5	200		29.88	6	+0.04	30.08	FM-15	0.00	30.06
05	2254	7	BKN:07 7 BKN:07 120	10.00		47	8.3	46	7.8	44	6.7	90	6	180		29.88			30.08	FM-15	0.00	30.06
05	2354	7	BKN:07 7 BKN:07 120	10.00		47	8.3	46	7.8	45	7.2	93	7	160		29.87			30.07	FM-15	0.00	30.05
06	0052	6	FEW:02 6 FEW:02 120	10.00		45	7.2	44	6.7	43	6.1	93	7	280		29.82				FM-16		30.00
06	0054	7	FEW:02 6 FEW:02 120	10.00		45	7.2	45	7.2	44	6.7	97	6	280		29.82	8	+0.06	30.01	FM-15	0.00	30.00
06	0100	4	5	9.94		45	7.2	45	7.2	44	6.7	97	6	280		29.82	8	+0.06	30.01	FM-12		
06	0154	7	CLR:00	10.00		45	7.2	44	6.7	43	6.1	93	7	260		29.78			29.98	FM-15	0.00	29.96
06	0254	7	FEW:02 300	10.00		44	6.7	43	6.1	41	5.0	89	6	280		29.77			29.96	FM-15	0.00	29.95
06	0354	7	FEW:02 300	10.00		44	6.7	42	5.6	39	3.9	83	9	290		29.76	6	+0.06	29.95	FM-15	0.00	29.94
06	0454	7	FEW:02 300	10.00		43	6.1	40	4.4	36	2.2	76	7	290		29.76			29.95	FM-15	0.00	29.94
06	0554	7	CLR:00	10.00		42	5.6	39	3.9	35	1.7	76	9	300		29.77			29.96	FM-15	0.00	29.95
06	0654	7	FEW:02 300	10.00		40	4.4	37	2.8	33	0.6	77	6	320		29.80	3	-0.04	29.99	FM-15	0.00	29.98
06	0700	4		9.94		40	4.4	37	2.8	33	0.6	77	6	320		29.80	3	-0.04	29.99	FM-12		
06	0754	7	FEW:02 150 FEW:02 300	10.00		40	4.4	37	2.8	34	1.1	79	5	330		29.83			30.02	FM-15	0.00	30.01
06	0854	7	FEW:02 150 SCT:04 200	10.00		48	8.9	42	5.6	35	1.7	61	8	340		29.85			30.05	FM-15	0.00	30.03
06	0954	7	SCT:04 65 SCT:04 150	10.00		55	12.8	46	7.8	35	1.7	47	18	360	23	29.86	1	-0.07	30.06	FM-15	0.00	30.04
06	1054	7	FEW:02 12 BKN:07 65	10.00		56	13.3	46	7.8	33	0.6	42	14	340		29.88			30.08	FM-15	0.00	30.06
06	1154	7	BKN:07 65	10.00		58	14.4	46	7.8	31	-0.6	36	17	330	31	29.89			30.08	FM-15	0.00	30.07
06	1254	7	OVC:08 65	10.00		56	13.3	45	7.2	32	0.0	40	20	350	26	29.89	1	-0.02	30.08	FM-15	0.00	30.07
06	1300	4	57	9.94		56	13.3	45	7.2	32	0.0	40	20	350		29.89	1	-0.02	30.08	FM-12		
06	1354	7	BKN:07 60	10.00		57	13.9	46	7.8	32	0.0	39	15	340		29.89			30.09	FM-15	0.00	30.07

06	1454	7	SCT:04 55	10.00		57	13.9	45	7.2	31	-0.6	37	17	010	24	29.90			30.09	FM-15	0.00	30.08
06	1554	7	FEW:02 55	10.00		55	12.8	44	6.7	30	-1.1	38	18	360	24	29.92	3	-0.04	30.12	FM-15	0.00	30.10
06	1654	7	FEW:02 55	10.00		52	11.1	42	5.6	29	-1.7	41	15	020		29.96			30.15	FM-15	0.00	30.14
06	1754	7	FEW:02 50	10.00		48	8.9	40	4.4	30	-1.1	50	11	010		29.99			30.19	FM-15	0.00	30.17
06	1854	7	CLR:00	10.00		45	7.2	38	3.3	29	-1.7	54	8	020		30.03	3	-0.10	30.22	FM-15	0.00	30.21
06	1900	4		9.94		45	7.2	38	3.3	29	-1.7	54	8	020		30.03	3	-0.10	30.22	FM-12		
06	1954	7	CLR:00	10.00		43	6.1	37	2.8	29	-1.7	58	8	360		30.05			30.25	FM-15	0.00	30.23
06	2054	7	CLR:00	10.00		41	5.0	36	2.2	29	-1.7	62	7	360		30.07			30.27	FM-15	0.00	30.25
06	2154	7	CLR:00	10.00		40	4.4	35	1.7	28	-2.2	63	5	340		30.10	3	-0.07	30.29	FM-15	0.00	30.28
06	2254	7	CLR:00	10.00		39	3.9	35	1.7	28	-2.2	65	6	350		30.11			30.30	FM-15	0.00	30.29
06	2354	7	CLR:00	10.00		36	2.2	33	0.6	28	-2.2	73	6	360		30.11			30.30	FM-15	0.00	30.29
07	0054	7	CLR:00	10.00		36	2.2	33	0.6	27	-2.8	70	3	330		30.11	2	-0.01	30.31	FM-15	0.00	30.29
07	0100	4		9.94		36	2.2	33	0.6	27	-2.8	70	3	330		30.11	2	-0.01	30.31	FM-12		
07	0154	7	CLR:00	10.00		33	0.6	30	-1.1	26	-3.3	75	0	000		30.14			30.34	FM-15	0.00	30.32
07	0254	7	FEW:02 300	10.00		33	0.6	30	-1.1	26	-3.3	75	0	000		30.15			30.34	FM-15	0.00	30.33
07	0354	7	FEW:02 300	10.00		30	-1.1	28	-2.2	25	-3.9	82	0	000		30.15	1	-0.04	30.35	FM-15	0.00	30.33
07	0454	7	FEW:02 300	10.00		31	-0.6	29	-1.7	26	-3.3	82	0	000		30.17			30.36	FM-15	0.00	30.35
07	0554	7	FEW:02 300	10.00		29	-1.7	28	-2.2	25	-3.9	85	0	000		30.18			30.37	FM-15	0.00	30.36
07	0654	7	FEW:02 300	10.00		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.19	1	-0.04	30.39	FM-15	0.00	30.37
07	0700	4		9.94		28	-2.2	26	-3.3	23	-5.0	81	0	000		30.19	1	-0.04	30.39	FM-12		
07	0754	7	BKN:07 300	9.00		29	-1.7	28	-2.2	26	-3.3	89	0	000		30.20			30.40	FM-15	0.00	30.38
07	0854	7	FEW:02 250 BKN:07 300	9.00		37	2.8	35	1.7	31	-0.6	79	0	000		30.21			30.40	FM-15	0.00	30.39
07	0954	7	FEW:02 180 SCT:04 250 BKN:07 300	10.00		41	5.0	37	2.8	31	-0.6	67	6	170		30.21	1	-0.02	30.41	FM-15	0.00	30.39
07	1054	7	FEW:02 180 SCT:04 250 BKN:07 300	10.00		45	7.2	39	3.9	30	-1.1	56	7	200		30.20			30.40	FM-15	0.00	30.38
07	1154	7	BKN:07 300	10.00		49	9.4	41	5.0	31	-0.6	50	6	210		30.18			30.38	FM-15	0.00	30.36
07	1254	7	FEW:02 180 BKN:07 250	10.00		52	11.1	43	6.1	32	0.0	47	10	190		30.14	8	+0.07	30.34	FM-15	0.00	30.32
07	1300	4		9.94		52	11.1	43	6.1	32	0.0	47	10	190		30.14	8	+0.07	30.34	FM-12		
07	1354	7	SCT:04 85 SCT:04 180 BKN:07 250	10.00		53	11.7	44	6.7	32	0.0	45	11	190		30.10			30.29	FM-15	0.00	30.28
07	1454	7	FEW:02 65 SCT:04 140 BKN:07 250	10.00		56	13.3	46	7.8	34	1.1	44	11	190		30.08			30.27	FM-15	0.00	30.26
07	1554	7	FEW:02 140 BKN:07 250	10.00		57	13.9	46	7.8	34	1.1	42	10	180		30.07	6	+0.07	30.26	FM-15	0.00	30.25
07	1654	7	BKN:07 240 OVC:08 300	10.00		55	12.8	46	7.8	36	2.2	49	7	170		30.05			30.24	FM-15	0.00	30.23
07	1754	7	BKN:07 220 BKN:07 300	10.00		50	10.0	43	6.1	35	1.7	57	8	180		30.03			30.23	FM-15	0.00	30.21
07	1854	7	BKN:07 220 BKN:07 300	10.00		51	10.6	44	6.7	36	2.2	56	6	180		30.03	5	+0.03	30.23	FM-15	0.00	30.21
07	1900	4		9.94		51	10.6	44	6.7	36	2.2	56	6	180		30.03	5	+0.03	30.23	FM-12		
07	1954	7	FEW:02 220 BKN:07 250	10.00		46	7.8	41	5.0	35	1.7	66	8	190		30.03			30.22	FM-15	0.00	30.21
07	2054	7	BKN:07 240 BKN:07 300	10.00		48	8.9	43	6.1	36	2.2	63	9	190		30.02			30.21	FM-15	0.00	30.20
07	2154	7	BKN:07 220	10.00		51	10.6	44	6.7	36	2.2	56	11	210		30.01	6	+0.02	30.21	FM-15	0.00	30.19
07	2254	7	BKN:07 210 BKN:07 250	10.00		48	8.9	42	5.6	35	1.7	61	7	200		30.01			30.20	FM-15	0.00	30.19
07	2354	7	OVC:08 220	10.00		48	8.9	42	5.6	35	1.7	61	6	190		30.00			30.19	FM-15	0.00	30.18
08	0054	7	BKN:07 180	10.00		47	8.3	42	5.6	36	2.2	66	9	200		29.98	8	+0.03	30.18	FM-15	0.00	30.16

			BKN:07 250																			
09	0854	7	OVC:08 65	10.00		55	12.8	49	9.4	42	5.6	62	10	190		30.04			30.23	FM-15	0.00	30.22
09	0954	7	OVC:08 70	10.00		58	14.4	51	10.6	44	6.7	60	10	200		30.02	8	+0.02	30.21	FM-15	0.00	30.20
09	1054	7	SCT:04 70 BKN:07 200 BKN:07 250	10.00		63	17.2	55	12.8	47	8.3	56	11	180		29.98			30.18	FM-15	0.00	30.16
09	1154	7	SCT:04 70 BKN:07 140 OVC:08 200	10.00		65	18.3	56	13.3	48	8.9	54	15	180		29.94			30.13	FM-15	0.00	30.12
09	1254	7	FEW:02 55 BKN:07 140 BKN:07 200	10.00		71	21.7	59	15.0	49	9.4	46	17	190	30	29.89	8	+0.13	30.08	FM-15	0.00	30.07
09	1300	4	57	9.94		71	21.7	59	15.0	49	9.4	46	17	190		29.89	8	+0.13	30.08	FM-12		
09	1354	7	FEW:02 55 BKN:07 140 BKN:07 200	10.00		74	23.3	59	15.0	47	8.3	38	23	200	30	29.85			30.04	FM-15	0.00	30.03
09	1454	7	FEW:02 55 BKN:07 140 BKN:07 200	10.00		74	23.3	59	15.0	47	8.3	38	22	200	28	29.84			30.03	FM-15	0.00	30.02
09	1554	7	SCT:04 60 BKN:07 140 BKN:07 200	10.00		72	22.2	58	14.4	47	8.3	41	17	190		29.81	6	+0.08	30.00	FM-15	0.00	29.99
09	1654	7	FEW:02 50 FEW:02 100 BKN:07 210	10.00		70	21.1	58	14.4	49	9.4	47	17	190	24	29.79			29.98	FM-15	0.00	29.97
09	1754	7	FEW:02 49 BKN:07 65 OVC:08 220	10.00		69	20.6	58	14.4	49	9.4	49	13	180		29.79			29.98	FM-15	0.00	29.97
09	1854	7	BKN:07 70 BKN:07 300	10.00		67	19.4	58	14.4	50	10.0	55	15	180		29.77	8	+0.04	29.96	FM-15	0.00	29.95
09	1900	4	74	9.94		67	19.4	58	14.4	50	10.0	55	15	180		29.77	8	+0.04	29.96	FM-12		
09	1954	7	SCT:04 65 BKN:07 300	10.00		66	18.9	58	14.4	51	10.6	59	17	190	24	29.76			29.95	FM-15	0.00	29.94
09	2054	7	FEW:02 60 BKN:07 300	10.00		66	18.9	59	15.0	54	12.2	65	18	200	28	29.75			29.94	FM-15	0.00	29.93
09	2154	7	FEW:02 45 SCT:04 250 BKN:07 300	10.00		65	18.3	59	15.0	55	12.8	70	15	200		29.75	6	+0.02	29.94	FM-15	0.00	29.93
09	2254	7	FEW:02 34 FEW:02 46 OVC:08 240	10.00		67	19.4	61	16.1	56	13.3	68	16	220		29.75			29.93	FM-15	0.00	29.93
09	2354	7	SCT:04 41 BKN:07 210	10.00		67	19.4	61	16.1	56	13.3	68	15	210		29.75			29.93	FM-15	0.00	29.93
10	0054	7	FEW:02 40 BKN:07 250	10.00		65	18.3	59	15.0	55	12.8	70	13	200		29.74	8	+0.01	29.93	FM-15	0.00	29.92
10	0100	4	41	9.94		65	18.3	59	15.0	55	12.8	70	13	200		29.74	8	+0.01	29.93	FM-12		
10	0154	7	OVC:08 220	10.00		63	17.2	58	14.4	55	12.8	75	11	200		29.74			29.93	FM-15	0.00	29.92
10	0254	7	BKN:07 220 OVC:08 300	10.00		63	17.2	58	14.4	55	12.8	75	10	200		29.74			29.93	FM-15	0.00	29.92
10	0354	7	BKN:07 190 OVC:08 300	10.00		63	17.2	58	14.4	55	12.8	75	13	210		29.74	2	-0.01	29.93	FM-15	0.00	29.92
10	0454	7	BKN:07 230	10.00		62	16.7	58	14.4	55	12.8	78	13	210		29.75			29.94	FM-15	0.00	29.93
10	0554	7	BKN:07 220	10.00		61	16.1	58	14.4	55	12.8	81	11	220		29.77			29.96	FM-15	0.00	29.95
10	0654	7	BKN:07 210 BKN:07 300	10.00		61	16.1	57	13.9	54	12.2	78	9	220		29.78	3	-0.04	29.98	FM-15	0.00	29.96
10	0700	4		9.94		61	16.1	57	13.9	54	12.2	78	9	220		29.78	3	-0.04	29.98	FM-12		
10	0754	7	BKN:07 140 BKN:07 210	10.00		62	16.7	58	14.4	54	12.2	75	10	230		29.80			29.99	FM-15	0.00	29.98
10	0854	7	BKN:07 150 BKN:07 200	10.00		63	17.2	56	13.3	51	10.6	65	13	260		29.81			30.00	FM-15	0.00	29.99
10	0954	7	SCT:04 220	10.00		66	18.9	55	12.8	45	7.2	47	15	290	22	29.82	1	-0.04	30.01	FM-15	0.00	30.00

10	1054	7	FEW:02 70 SCT:04 220	10.00		68	20.0	54	12.2	42	5.6	39	13	260		29.83			30.02	FM-15	0.00	30.01
10	1154	7	SCT:04 250	10.00		71	21.7	55	12.8	41	5.0	34	11	290	28	29.83			30.02	FM-15	0.00	30.01
10	1254	7	SCT:04 250	10.00		70	21.1	54	12.2	39	3.9	32	10	290	20	29.82	8	0.00	30.01	FM-15	0.00	30.00
10	1300	4		9.94		70	21.1	54	12.2	39	3.9	32	10	290		29.82	8	0.00	30.01	FM-12		
10	1354	7	BKN:07 250	10.00		70	21.1	52	11.1	34	1.1	27	13	310		29.81			30.00	FM-15	0.00	29.99
10	1454	7	BKN:07 250	10.00		69	20.6	52	11.1	34	1.1	27	9	330	21	29.81			30.00	FM-15	0.00	29.99
10	1554	7	BKN:07 250	10.00		67	19.4	51	10.6	33	0.6	28	11	310		29.84	3	-0.02	30.03	FM-15	0.00	30.02
10	1654	7	FEW:02 110 BKN:07 300	10.00		65	18.3	49	9.4	32	0.0	29	15	340		29.86			30.05	FM-15	0.00	30.04
10	1754	7	SCT:04 140 BKN:07 300	10.00		60	15.6	48	8.9	33	0.6	36	8	360		29.88			30.07	FM-15	0.00	30.06
10	1854	7	FEW:02 130 SCT:04 250 BKN:07 300	10.00		59	15.0	47	8.3	32	0.0	36	5	340		29.90	1	-0.06	30.09	FM-15	0.00	30.08
10	1900	4		9.94		59	15.0	47	8.3	32	0.0	36	5	340		29.90	1	-0.06	30.09	FM-12		
10	1954	7	FEW:02 230 SCT:04 300	10.00		54	12.2	45	7.2	35	1.7	49	10	040		29.94			30.13	FM-15	0.00	30.12
10	2054	7	BKN:07 240	10.00		53	11.7	44	6.7	32	0.0	45	11	020		29.96			30.16	FM-15	0.00	30.14
10	2154	7	BKN:07 210	10.00		51	10.6	42	5.6	31	-0.6	46	10	030		29.98	1	-0.08	30.17	FM-15	0.00	30.16
10	2254	7	FEW:02 180 OVC:08 230	10.00		50	10.0	41	5.0	30	-1.1	46	9	010		29.99			30.18	FM-15	0.00	30.17
10	2354	7	FEW:02 190 OVC:08 220	10.00		48	8.9	41	5.0	31	-0.6	52	6	360		30.00			30.20	FM-15	0.00	30.18
11	0054	7	OVC:08 200	10.00		47	8.3	40	4.4	31	-0.6	54	3	360		30.01	3	-0.03	30.20	FM-15	0.00	30.19
11	0100	4		9.94		47	8.3	40	4.4	31	-0.6	54	3	360		30.01	3	-0.03	30.20	FM-12		
11	0154	7	OVC:08 200	10.00		47	8.3	40	4.4	31	-0.6	54	0	000		30.02			30.21	FM-15	0.00	30.20
11	0254	7	OVC:08 200	10.00		48	8.9	41	5.0	31	-0.6	52	5	300		30.02			30.21	FM-15	0.00	30.20
11	0354	7	OVC:08 200	10.00		47	8.3	40	4.4	30	-1.1	52	5	320		30.01	0	0.00	30.21	FM-15	0.00	30.19
11	0454	7	OVC:08 200	10.00		47	8.3	40	4.4	29	-1.7	50	5	320		30.04			30.23	FM-15	0.00	30.22
11	0554	7	OVC:08 200	10.00		47	8.3	39	3.9	28	-2.2	48	0	000		30.06			30.26	FM-15	0.00	30.24
11	0654	7	BKN:07 210 OVC:08 250	10.00		43	6.1	38	3.3	32	0.0	65	3	040		30.09	3	-0.08	30.29	FM-15	0.00	30.27
11	0700	4		9.94		43	6.1	38	3.3	32	0.0	65	3	040		30.09	3	-0.08	30.29	FM-12		
11	0754	7	BKN:07 210 OVC:08 300	10.00		45	7.2	39	3.9	30	-1.1	56	10	030		30.13			30.32	FM-15	0.00	30.31
11	0854	7	SCT:04 210 BKN:07 250	10.00		46	7.8	39	3.9	28	-2.2	50	17	020		30.16			30.36	FM-15	0.00	30.34
11	0954	7	BKN:07 250	10.00		47	8.3	38	3.3	23	-5.0	39	15	020	21	30.17	1	-0.07	30.36	FM-15	0.00	30.35
11	1054	7	BKN:07 250	10.00		48	8.9	38	3.3	22	-5.6	36	8	010		30.17			30.37	FM-15	0.00	30.35
11	1154	7	BKN:07 250	10.00		50	10.0	39	3.9	22	-5.6	33	7	360		30.17			30.36	FM-15	0.00	30.35
11	1254	7	FEW:02 140 BKN:07 250	10.00		51	10.6	40	4.4	23	-5.0	33	3	330		30.16	8	+0.01	30.35	FM-15	0.00	30.34
11	1300	4		9.94		51	10.6	40	4.4	23	-5.0	33	3	330		30.16	8	+0.01	30.35	FM-12		
11	1354	7	SCT:04 200 BKN:07 250	10.00		53	11.7	41	5.0	22	-5.6	30	8	020		30.13			30.32	FM-15	0.00	30.31
11	1454	7	BKN:07 250	10.00		52	11.1	39	3.9	19	-7.2	27	9	010		30.10			30.29	FM-15	0.00	30.28
11	1554	7	BKN:07 200	10.00		51	10.6	39	3.9	19	-7.2	28	6	040		30.10	6	+0.06	30.29	FM-15	0.00	30.28
11	1654	7	OVC:08 200	10.00		50	10.0	38	3.3	17	-8.3	27	8	040		30.09			30.28	FM-15	0.00	30.27
11	1754	7	OVC:08 200	10.00		47	8.3	37	2.8	19	-7.2	33	7	060		30.11			30.30	FM-15	0.00	30.29
11	1854	7	OVC:08 220	10.00		46	7.8	37	2.8	21	-6.1	37	6	100		30.13	3	-0.03	30.33	FM-15	0.00	30.31
11	1900	4		9.94		46	7.8	37	2.8	21	-6.1	37	6	100		30.13	3	-0.03	30.33	FM-12		
11	1954	7	OVC:08 220	10.00		45	7.2	37	2.8	23	-5.0	42	0	000		30.13			30.33	FM-15	0.00	30.31
11	2054	7	OVC:08 200	10.00		43	6.1	36	2.2	24	-4.4	47	8	100		30.12			30.31	FM-15	0.00	30.30
11	2154	7	OVC:08 180	10.00		43	6.1	36	2.2	26	-3.3	51	7	100		30.11	8	+0.02	30.31	FM-15	0.00	30.29

11	2254	7	OVC:08 160	10.00		42	5.6	35	1.7	25	-3.9	51	6	100		30.08			30.27	FM-15	0.00	30.26	
11	2354	7	OVC:08 130	10.00		42	5.6	35	1.7	25	-3.9	51	5	120		30.08			30.27	FM-15	0.00	30.26	
12	0054	7	OVC:08 120	10.00		42	5.6	36	2.2	26	-3.3	53	3	070		30.05	6	+0.06	30.25	FM-15	0.00	30.23	
12	0100	4		9.94		42	5.6	36	2.2	26	-3.3	53	3	070		30.05	6	+0.06	30.25	FM-12			
12	0154	7	OVC:08 120	10.00		42	5.6	36	2.2	26	-3.3	53	0	000		30.04			30.23	FM-15	0.00	30.22	
12	0254	7	OVC:08 95	10.00		42	5.6	36	2.2	28	-2.2	58	7	040		30.01			30.21	FM-15	0.00	30.19	
12	0354	7	OVC:08 85	10.00		-RA:02 RA RA	40	4.4	36	2.2	31	-0.6	70	6	030		29.97	8	+0.08	30.16	FM-15	0.01	30.15
12	0454	7	OVC:08 75	8.00		RA:02 RA RA	39	3.9	37	2.8	34	1.1	82	7	020		29.95			30.14	FM-15	0.02	30.13
12	0554	7	OVC:08 70	6.00		RA:02 BR:1 RA RA	38	3.3	37	2.8	35	1.7	89	6	040		29.94			30.13	FM-15	0.08	30.12
12	0654	7	OVC:08 80	7.00		-RA:02 RA RA	38	3.3	37	2.8	35	1.7	89	9	040		29.90	8	+0.06	30.10	FM-15	0.09	30.08
12	0700	4	74	6.84		RA	38	3.3	37	2.8	35	1.7	89	9	040		29.90	8	+0.06	30.10	FM-12		
12	0754	7	BKN:07 38 BKN:07 55 OVC:08 75	6.00		-RA:02 BR:1 RA RA	38	3.3	36	2.2	34	1.1	86	16	030	21	29.86			30.06	FM-15	0.07	30.04
12	0852	6	FEW:02 10 BKN:07 28 OVC:08 60	4.00		-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	93	13	040		29.84				FM-16		30.02
12	0854	7	FEW:02 10 BKN:07 28 OVC:08 60	4.00		-RA:02 BR:1 RA RA	38	3.3	37	2.8	35	1.7	89	13	050		29.84			30.03	FM-15	0.02	30.02
12	0931	7	SCT:04 7 BKN:07 25 OVC:08 32	3.00		RA:02 BR:1 RA RA	38	3.3	37	2.8	36	2.2	93	11	030		29.83				FM-16	0.07	30.01
12	0952	6	BKN:07 7 OVC:08 26	5.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	87	11	040		29.82				FM-16		30.00
12	0954	7	BKN:07 7 OVC:08 26	4.00		RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	11	040		29.81	6	+0.09	30.01	FM-15	0.09	29.99
12	1037	7	BKN:07 8 BKN:07 20 OVC:08 40	1.50		+RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	16	040	26	29.80				FM-16	0.04	29.98
12	1052	6	BKN:07 9 BKN:07 20 OVC:08 65	4.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	18	030		29.78				FM-16		29.96
12	1054	7	BKN:07 9 BKN:07 20 OVC:08 65	4.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	37	2.8	89	15	030		29.78			29.98	FM-15	0.07	29.96
12	1154	7	BKN:07 9 OVC:08 15	7.00		-RA:02 RA RA	40	4.4	39	3.9	37	2.8	89	16	030		29.71			29.90	FM-15	0.02	29.89
12	1254	7	BKN:07 7 OVC:08 12	3.00		RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	13	020	23	29.67	8	+0.14	29.86	FM-15	0.04	29.85
12	1300	4	8	2.98		RA	39	3.9	38	3.3	37	2.8	93	13	020		29.67	8	+0.14	29.86	FM-12		
12	1354	7	BKN:07 6 OVC:08 12	3.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	23	030	30	29.59			29.78	FM-15	0.06	29.77
12	1434	7	OVC:08 7	2.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	20	020	29	29.56				FM-16	0.02	29.74
12	1454	7	OVC:08 7	2.00		+RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	16	020	24	29.55			29.74	FM-15	0.07	29.73
12	1554	7	OVC:08 7	2.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	17	020		29.52	6	+0.15	29.71	FM-15	0.11	29.70
12	1654	7	OVC:08 6	3.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	15	360		29.52			29.70	FM-15	0.07	29.69
12	1723	7	OVC:08 6	2.50		-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	15	010		29.50				FM-16	0.02	29.68
12	1754	7	BKN:07 7 OVC:08 13	3.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	17	010	24	29.49			29.68	FM-15	0.05	29.67
12	1854	7	OVC:08 8	4.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	37	2.8	89	20	010	26	29.48	8	+0.04	29.67	FM-15	0.03	29.66
12	1900	4	8	3.73		RA	40	4.4	39	3.9	37	2.8	89	20	010		29.48	8	+0.04	29.67	FM-12		
12	1954	7	OVC:08 9	4.00		RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	21	010	29	29.47			29.65	FM-15	0.01	29.64
12	2054	7	OVC:08 9	5.00		BR:1	39	3.9	38	3.3	36	2.2	89	14	010	25	29.47			29.65	FM-15	0.01	29.64
12	2154	7	OVC:08 7	5.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	14	010	24	29.47	5	+0.01	29.66	FM-15	T	29.64
12	2254	7	OVC:08 6	3.00		-RA:02 BR:1 RA RA	39	3.9	38	3.3	37	2.8	93	15	360	22	29.47			29.65	FM-15	0.04	29.64
12	2354	7	SCT:04 6 OVC:08 11	4.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	37	2.8	89	15	350	24	29.44			29.63	FM-15	0.04	29.62

13	0019	7	BKN:07 8 OVC:08 14	5.00	-RA:02 BR:1 RA RA	40	4.4	39	3.9	37	2.8	89	16	350		29.44				FM-16	T	29.62
13	0054	7	OVC:08 7	3.00	-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	15	340		29.45	5	+0.01	29.64	FM-15	0.02	29.63
13	0100	4	8	2.98	RA	40	4.4	39	3.9	38	3.3	93	15	340		29.45	5	+0.01	29.64	FM-12		
13	0154	7	OVC:08 8	3.00	-RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	14	340	25	29.47			29.66	FM-15	0.04	29.65
13	0221	7	FEW:02 8 BKN:07 17 OVC:08 33	5.00	-RA:02 BR:1 RA RA	39	3.9	38	3.3	36	2.2	89	17	340		29.48				FM-16	0.02	29.66
13	0247	7	FEW:02 18 SCT:04 25 OVC:08 34	10.00	-RA:02 RA RA	39	3.9	37	2.8	35	1.7	86	16	340		29.48				FM-16	0.03	29.66
13	0254	7	FEW:02 17 FEW:02 24 OVC:08 36	10.00	-RA:02 RA RA	39	3.9	37	2.8	35	1.7	86	18	350	29	29.48			29.67	FM-15	0.02	29.66
13	0354	7	FEW:02 33 OVC:08 45	10.00	-RA:02 RA RA	38	3.3	36	2.2	33	0.6	83	16	330	25	29.52	3	-0.06	29.70	FM-15	T	29.69
13	0454	7	SCT:04 60 OVC:08 80	10.00		39	3.9	36	2.2	32	0.0	76	13	320		29.52			29.71	FM-15	0.01	29.70
13	0554	7	FEW:02 80 SCT:04 300	10.00		38	3.3	34	1.1	29	-1.7	70	11	300		29.54			29.74	FM-15	0.00	29.72
13	0654	7	FEW:02 80 FEW:02 240 SCT:04 300	10.00		37	2.8	34	1.1	28	-2.2	70	9	320		29.56	2	-0.05	29.75	FM-15	0.00	29.74
13	0700	4	74	9.94		37	2.8	34	1.1	28	-2.2	70	9	320		29.56	2	-0.05	29.75	FM-12		
13	0754	7	FEW:02 240 FEW:02 300	10.00		39	3.9	35	1.7	29	-1.7	67	8	320		29.59			29.78	FM-15	0.00	29.77
13	0854	7	FEW:02 200	10.00		45	7.2	39	3.9	30	-1.1	56	11	320		29.62			29.81	FM-15	0.00	29.80
13	0954	7	FEW:02 200	10.00		49	9.4	41	5.0	30	-1.1	48	9	290		29.64	1	-0.09	29.84	FM-15	0.00	29.82
13	1054	7	BKN:07 200	10.00		53	11.7	42	5.6	28	-2.2	38	6	290		29.64			29.83	FM-15	0.00	29.82
13	1154	7	BKN:07 200	10.00		55	12.8	43	6.1	28	-2.2	35	8	280		29.62			29.81	FM-15	0.00	29.80
13	1254	7	BKN:07 200	10.00		57	13.9	43	6.1	23	-5.0	27	15	280	21	29.59	8	+0.05	29.78	FM-15	0.00	29.77
13	1300	4		9.94		57	13.9	43	6.1	23	-5.0	27	15	280		29.59	8	+0.05	29.78	FM-12		
13	1354	7	SCT:04 200	10.00		61	16.1	44	6.7	21	-6.1	21	11	270		29.57			29.76	FM-15	0.00	29.75
13	1454	7	BKN:07 200	10.00		60	15.6	45	7.2	25	-3.9	26	13	230		29.57			29.76	FM-15	0.00	29.75
13	1554	7	BKN:07 200	10.00		60	15.6	44	6.7	23	-5.0	24	11	260	21	29.57	6	+0.02	29.76	FM-15	0.00	29.75
13	1654	7	SCT:04 180 BKN:07 300	10.00		58	14.4	42	5.6	19	-7.2	22	10	250		29.57			29.76	FM-15	0.00	29.75
13	1754	7	FEW:02 120 SCT:04 190	10.00		55	12.8	42	5.6	24	-4.4	30	9	240		29.58			29.78	FM-15	0.00	29.76
13	1854	7	FEW:02 120 FEW:02 190	10.00		51	10.6	40	4.4	24	-4.4	35	6	230		29.60	3	-0.03	29.79	FM-15	0.00	29.78
13	1900	4		9.94		51	10.6	40	4.4	24	-4.4	35	6	230		29.60	3	-0.03	29.79	FM-12		
13	1954	7	CLR:00	10.00		51	10.6	40	4.4	23	-5.0	33	9	240		29.61			29.80	FM-15	0.00	29.79
13	2054	7	CLR:00	10.00		51	10.6	39	3.9	22	-5.6	32	11	250		29.62			29.82	FM-15	0.00	29.80
13	2154	7	CLR:00	10.00		50	10.0	39	3.9	23	-5.0	35	9	250		29.64	3	-0.04	29.83	FM-15	0.00	29.82
13	2254	7	CLR:00	10.00		49	9.4	39	3.9	24	-4.4	38	8	260		29.66			29.85	FM-15	0.00	29.84
13	2354	7	CLR:00	10.00		48	8.9	39	3.9	25	-3.9	41	7	250		29.68			29.87	FM-15	0.00	29.86
14	0054	7	CLR:00	10.00		47	8.3	39	3.9	26	-3.3	44	6	260		29.70	3	-0.06	29.90	FM-15	0.00	29.88
14	0100	4		9.94		47	8.3	39	3.9	26	-3.3	44	6	260		29.70	3	-0.06	29.90	FM-12		
14	0154	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	6	270		29.72			29.91	FM-15	0.00	29.90
14	0254	7	CLR:00	10.00		43	6.1	37	2.8	27	-2.8	53	0	000		29.75			29.94	FM-15	0.00	29.93
14	0354	7	CLR:00	10.00		38	3.3	34	1.1	27	-2.8	65	3	060		29.78	3	-0.08	29.98	FM-15	0.00	29.96
14	0454	7	CLR:00	10.00		36	2.2	33	0.6	27	-2.8	70	0	000		29.82			30.02	FM-15	0.00	30.00
14	0554	7	CLR:00	10.00		34	1.1	31	-0.6	27	-2.8	75	0	000		29.84			30.04	FM-15	0.00	30.02
14	0654	7	SCT:04 300	10.00		32	0.0	30	-1.1	27	-2.8	82	0	000		29.88	2	-0.10	30.08	FM-15	0.00	30.06
14	0700	4		9.94		32	0.0	30	-1.1	27	-2.8	82	0	000		29.88	2	-0.10	30.08	FM-12		

14	0754	7	SCT:04 300	10.00		35	1.7	33	0.6	30	-1.1	82	3	180		29.91			30.11	FM-15	0.00	30.09
14	0854	7	SCT:04 300	10.00		49	9.4	41	5.0	30	-1.1	48	0	000		29.94			30.14	FM-15	0.00	30.12
14	0954	7	FEW:02 300	10.00		54	12.2	43	6.1	27	-2.8	35	6	070		29.97	2	-0.09	30.16	FM-15	0.00	30.15
14	1054	7	FEW:02 300	10.00		57	13.9	44	6.7	27	-2.8	32	6	050		29.98			30.17	FM-15	0.00	30.16
14	1154	7	SCT:04 300	10.00		58	14.4	44	6.7	26	-3.3	29	0	000		29.98			30.17	FM-15	0.00	30.16
14	1254	7	BKN:07 300	10.00		61	16.1	46	7.8	28	-2.2	29	9	210		29.96	8	+0.01	30.15	FM-15	0.00	30.14
14	1300	4		9.94		61	16.1	46	7.8	28	-2.2	29	9	210		29.96	8	+0.01	30.15	FM-12		
14	1354	7	BKN:07 300	10.00		61	16.1	47	8.3	29	-1.7	30	7	130		29.93			30.12	FM-15	0.00	30.11
14	1454	7	BKN:07 300	10.00		62	16.7	47	8.3	30	-1.1	30	9	180		29.93			30.12	FM-15	0.00	30.11
14	1554	7	BKN:07 240	10.00		63	17.2	48	8.9	29	-1.7	28	10	210		29.92	6	+0.04	30.12	FM-15	0.00	30.10
14	1654	7	BKN:07 300	10.00		60	15.6	47	8.3	31	-0.6	33	7	170		29.94			30.13	FM-15	0.00	30.12
14	1754	7	BKN:07 250 BKN:07 300	10.00		56	13.3	45	7.2	32	0.0	40	7	150		29.95			30.14	FM-15	0.00	30.13
14	1854	7	OVC:08 200	10.00		53	11.7	44	6.7	34	1.1	48	11	130		29.98	3	-0.05	30.17	FM-15	0.00	30.16
14	1900	4		9.94		53	11.7	44	6.7	34	1.1	48	11	130		29.98	3	-0.05	30.17	FM-12		
14	1954	7	OVC:08 200	10.00		51	10.6	43	6.1	33	0.6	50	9	130		29.99			30.19	FM-15	0.00	30.17
14	2054	7	SCT:04 180 OVC:08 210	10.00		50	10.0	42	5.6	32	0.0	50	8	130		30.00			30.20	FM-15	0.00	30.18
14	2154	7	BKN:07 180 OVC:08 210	10.00		50	10.0	43	6.1	33	0.6	52	8	140		30.01	1	-0.03	30.20	FM-15	0.00	30.19
14	2254	7	BKN:07 170 BKN:07 240	10.00		49	9.4	42	5.6	34	1.1	56	10	140		29.98			30.18	FM-15	0.00	30.16
14	2354	7	BKN:07 180 BKN:07 240	10.00		50	10.0	43	6.1	33	0.6	52	10	150		29.98			30.17	FM-15	0.00	30.16
15	0054	7	OVC:08 170	10.00		49	9.4	42	5.6	33	0.6	55	9	150		29.97	6	+0.03	30.17	FM-15	0.00	30.15
15	0100	4		9.94		49	9.4	42	5.6	33	0.6	55	9	150		29.97	6	+0.03	30.17	FM-12		
15	0154	7	OVC:08 170	10.00		47	8.3	41	5.0	33	0.6	59	9	170		29.99			30.18	FM-15	0.00	30.17
15	0254	7	BKN:07 170 OVC:08 250	10.00		47	8.3	40	4.4	31	-0.6	54	5	170		29.99			30.18	FM-15	0.00	30.17
15	0354	7	BKN:07 160 OVC:08 250	10.00		47	8.3	41	5.0	32	0.0	56	10	170		29.96	8	+0.02	30.15	FM-15	0.00	30.14
15	0454	7	BKN:07 140 BKN:07 250	10.00		45	7.2	40	4.4	33	0.6	63	7	180		29.97			30.16	FM-15	0.00	30.15
15	0554	7	BKN:07 150 OVC:08 250	10.00		45	7.2	40	4.4	34	1.1	66	6	200		29.96			30.15	FM-15	0.00	30.14
15	0654	7	BKN:07 150 OVC:08 250	10.00		45	7.2	41	5.0	35	1.7	68	3	170		29.96	0	0.00	30.15	FM-15	0.00	30.14
15	0700	4		9.94		45	7.2	41	5.0	35	1.7	68	3	170		29.96	9	0.00	30.15	FM-12		
15	0754	7	BKN:07 150 OVC:08 250	10.00		47	8.3	43	6.1	37	2.8	69	5	190		29.98			30.17	FM-15	0.00	30.16
15	0854	7	BKN:07 150 OVC:08 250	10.00		50	10.0	45	7.2	40	4.4	68	10	180		29.96			30.15	FM-15	0.00	30.14
15	0954	7	SCT:04 70 OVC:08 95	10.00		51	10.6	47	8.3	42	5.6	71	8	190		29.96	1	-0.01	30.15	FM-15	T	30.14
15	1054	7	SCT:04 70 OVC:08 95	10.00		52	11.1	48	8.9	43	6.1	72	11	180		29.94			30.14	FM-15	T	30.12
15	1154	7	SCT:04 80 BKN:07 110 BKN:07 200	10.00		61	16.1	53	11.7	45	7.2	56	15	190		29.92			30.11	FM-15	0.00	30.10
15	1254	7	SCT:04 95 BKN:07 180 BKN:07 240	10.00		65	18.3	54	12.2	44	6.7	47	15	210		29.88	8	+0.08	30.07	FM-15	0.00	30.06
15	1300	4		9.94		65	18.3	54	12.2	44	6.7	47	15	210		29.88	8	+0.08	30.07	FM-12		
15	1354	7	FEW:02 65 SCT:04 120 BKN:07 200	10.00		69	20.6	56	13.3	44	6.7	41	20	200	26	29.85			30.04	FM-15	0.00	30.03
15	1454	7	FEW:02 65 SCT:04 120	10.00		71	21.7	56	13.3	43	6.1	36	17	210	26	29.84			30.03	FM-15	0.00	30.02

			SCT:04 200																			
15	1554	7	SCT:04 120 BKN:07 200	10.00		72	22.2	56	13.3	42	5.6	34	16	210	24	29.84	6	+0.04	30.03	FM-15	0.00	30.02
15	1654	7	SCT:04 250 BKN:07 300	10.00		68	20.0	54	12.2	41	5.0	38	16	210		29.86			30.05	FM-15	0.00	30.04
15	1754	7	SCT:04 240 BKN:07 300	10.00		65	18.3	53	11.7	42	5.6	43	15	210		29.87			30.06	FM-15	0.00	30.05
15	1854	7	FEW:02 240 BKN:07 300	10.00		63	17.2	52	11.1	42	5.6	47	14	210		29.88	1	-0.04	30.07	FM-15	0.00	30.06
15	1900	4		9.94		63	17.2	52	11.1	42	5.6	47	14	210		29.88	1	-0.04	30.07	FM-12		
15	1954	7	SCT:04 300	10.00		64	17.8	53	11.7	43	6.1	46	16	230		29.89			30.08	FM-15	0.00	30.07
15	2054	7	SCT:04 300	10.00		63	17.2	53	11.7	43	6.1	48	11	220		29.89			30.09	FM-15	0.00	30.07
15	2154	7	BKN:07 300	10.00		64	17.8	54	12.2	44	6.7	48	16	230		29.89	0	-0.01	30.08	FM-15	0.00	30.07
15	2254	7	BKN:07 300	10.00		64	17.8	54	12.2	44	6.7	48	14	230		29.90			30.09	FM-15	0.00	30.08
15	2354	7	BKN:07 220	10.00		63	17.2	55	12.8	47	8.3	56	14	230		29.90			30.09	FM-15	0.00	30.08
16	0054	7	SCT:04 220	10.00		62	16.7	54	12.2	47	8.3	58	13	230		29.90	0	-0.01	30.09	FM-15	0.00	30.08
16	0100	4		9.94		62	16.7	54	12.2	47	8.3	58	13	230		29.90	9	+0.01	30.09	FM-12		
16	0154	7	BKN:07 200	10.00		62	16.7	54	12.2	47	8.3	58	11	230		29.89			30.08	FM-15	0.00	30.07
16	0254	7	BKN:07 190	10.00		60	15.6	54	12.2	48	8.9	65	6	220		29.90			30.09	FM-15	0.00	30.08
16	0354	7	OVC:08 180	10.00		58	14.4	53	11.7	48	8.9	70	6	200		29.89	6	+0.01	30.08	FM-15	0.00	30.07
16	0454	7	BKN:07 180 OVC:08 250	10.00		57	13.9	52	11.1	47	8.3	69	7	170		29.89			30.08	FM-15	0.00	30.07
16	0554	7	BKN:07 180 BKN:07 250	10.00		55	12.8	50	10.0	46	7.8	72	6	190		29.89			30.09	FM-15	0.00	30.07
16	0654	7	BKN:07 180 BKN:07 250	10.00		56	13.3	51	10.6	47	8.3	72	7	190		29.89	6	0.00	30.09	FM-15	0.00	30.07
16	0700	4		9.94		56	13.3	51	10.6	47	8.3	72	7	190		29.89	6	0.00	30.09	FM-12		
16	0754	7	BKN:07 180 OVC:08 250	10.00		57	13.9	53	11.7	49	9.4	74	8	180		29.89			30.09	FM-15	0.00	30.07
16	0854	7	FEW:02 65 BKN:07 180 OVC:08 250	10.00		59	15.0	55	12.8	51	10.6	75	9	190		29.90			30.09	FM-15	0.00	30.08
16	0954	7	BKN:07 95 BKN:07 180 OVC:08 250	10.00		61	16.1	56	13.3	52	11.1	72	10	200		29.89	0	0.00	30.09	FM-15	0.00	30.07
16	1054	7	BKN:07 95 BKN:07 180 OVC:08 250	10.00		64	17.8	58	14.4	54	12.2	70	11	190		29.89			30.08	FM-15	0.00	30.07
16	1154	7	SCT:04 95 BKN:07 180 OVC:08 250	10.00		68	20.0	60	15.6	55	12.8	63	13	190		29.84			30.03	FM-15	0.00	30.02
16	1254	7	BKN:07 45 BKN:07 95 BKN:07 180	10.00		74	23.3	62	16.7	54	12.2	50	22	230	45	29.81	8	+0.09	29.99	FM-15	0.00	29.99
16	1300	4	41	9.94		74	23.3	62	16.7	54	12.2	50	22	230		29.81	8	+0.09	29.99	FM-12		
16	1354	7	SCT:04 50 BKN:07 95 BKN:07 200	10.00		77	25.0	63	17.2	53	11.7	43	28	210	33	29.78			29.97	FM-15	0.00	29.96
16	1454	7	BKN:07 48 BKN:07 60 BKN:07 180	10.00		74	23.3	62	16.7	54	12.2	50	26	230	38	29.77			29.96	FM-15	0.00	29.95
16	1554	7	BKN:07 48 BKN:07 180	10.00		74	23.3	63	17.2	55	12.8	52	20	210	24	29.76	6	+0.04	29.95	FM-15	0.00	29.94
16	1654	7	FEW:02 48 BKN:07 60 BKN:07 230	10.00		74	23.3	63	17.2	55	12.8	52	14	210		29.76			29.95	FM-15	0.00	29.94
16	1754	7	FEW:02 60 BKN:07 240 OVC:08 300	10.00		69	20.6	61	16.1	55	12.8	61	6	180		29.76			29.95	FM-15	0.00	29.94
16	1854	7	FEW:02 65	10.00		68	20.0	60	15.6	55	12.8	63	10	190		29.76	8	0.00	29.95	FM-15	0.00	29.94

			BKN:07 240 OVC:08 300																					
16	1900	4	57	9.94		68	20.0	60	15.6	55	12.8	63	10	190		29.76	8	0.00	29.95	FM-12				
16	1954	7	FEW:02 90 SCT:04 250 BKN:07 300	10.00		66	18.9	60	15.6	55	12.8	68	10	190		29.75			29.94	FM-15	0.00	29.93		
16	2054	7	OVC:08 230	10.00		68	20.0	59	15.0	53	11.7	59	10	200		29.76			29.95	FM-15	0.00	29.94		
16	2154	7	OVC:08 200	10.00		67	19.4	59	15.0	52	11.1	59	9	200		29.75	6	0.00	29.94	FM-15	0.00	29.93		
16	2254	7	BKN:07 190 OVC:08 300	10.00		67	19.4	59	15.0	52	11.1	59	10	210		29.75			29.94	FM-15	0.00	29.93		
16	2354	7	OVC:08 220	10.00		64	17.8	57	13.9	52	11.1	65	10	200		29.74			29.93	FM-15	0.00	29.92		
17	0054	7	BKN:07 60 OVC:08 250	10.00		65	18.3	58	14.4	52	11.1	63	13	190		29.71	8	+0.04	29.90	FM-15	0.00	29.89		
17	0100	4	57	9.94		65	18.3	58	14.4	52	11.1	63	13	190		29.71	8	+0.04	29.90	FM-12				
17	0154	7	SCT:04 60 BKN:07 250	10.00		63	17.2	57	13.9	53	11.7	70	8	180		29.68			29.87	FM-15	0.00	29.86		
17	0254	7	OVC:08 65	10.00		64	17.8	59	15.0	55	12.8	73	13	190		29.64			29.83	FM-15	0.00	29.82		
17	0354	7	FEW:02 65 BKN:07 170 OVC:08 250	10.00		64	17.8	60	15.6	57	13.9	78	13	200		29.61	6	+0.10	29.80	FM-15	0.00	29.79		
17	0454	7	FEW:02 65 OVC:08 180	10.00		63	17.2	60	15.6	58	14.4	84	11	190		29.59			29.78	FM-15	0.00	29.77		
17	0554	7	SCT:04 65 BKN:07 90 OVC:08 170	10.00		63	17.2	60	15.6	58	14.4	84	13	190		29.59			29.78	FM-15	0.00	29.77		
17	0654	7	BKN:07 49 OVC:08 160	10.00		64	17.8	60	15.6	57	13.9	78	14	180		29.55	8	+0.06	29.74	FM-15	0.00	29.73		
17	0700	4	41	9.94		64	17.8	60	15.6	57	13.9	78	14	180		29.55	8	+0.06	29.74	FM-12				
17	0754	7	FEW:02 75 BKN:07 100 OVC:08 150	10.00		-RA:02 RA RA	63	17.2	60	15.6	58	14.4	84	14	190		29.56			29.75	FM-15	T	29.74	
17	0854	7	SCT:04 23 BKN:07 36 OVC:08 100	3.00		-RA:02 BR:1 RA RA	62	16.7	60	15.6	59	15.0	90	16	200		29.56			29.75	FM-15	0.15	29.74	
17	0954	7	SCT:04 40 OVC:08 110	10.00		-RA:02 RA RA	63	17.2	61	16.1	60	15.6	90	18	200		29.53	8	+0.02	29.72	FM-15	0.02	29.71	
17	1052	6	BKN:07 14 BKN:07 60 OVC:08 95	10.00		-RA:02 RA RA	64	17.8	62	16.7	61	16.1	88	20	200	26	29.49				FM-16		29.67	
17	1054	7	BKN:07 14 BKN:07 90	10.00		-RA:02 RA RA	64	17.8	62	16.7	60	15.6	87	18	190		29.49			29.68	FM-15	0.02	29.67	
17	1154	7	BKN:07 14 BKN:07 60 OVC:08 90	10.00		-RA:02 RA RA	64	17.8	62	16.7	61	16.1	90	13	220		29.50			29.69	FM-15	0.01	29.68	
17	1254	7	BKN:07 16 OVC:08 23	10.00			65	18.3	62	16.7	60	15.6	84	13	220		29.47	6	+0.06	29.66	FM-15	0.01	29.65	
17	1300	4	15	9.94			65	18.3	62	16.7	60	15.6	84	13	220		29.47	6	+0.06	29.66	FM-12			
17	1354	7	BKN:07 20 OVC:08 26	10.00			66	18.9	62	16.7	60	15.6	81	10	230		29.44			29.63	FM-15	0.00	29.62	
17	1454	7	BKN:07 18 OVC:08 25	10.00		-RA:02 RA RA	58	14.4	55	12.8	52	11.1	81	21	330	30	29.49			29.68	FM-15	T	29.67	
17	1501	7	OVC:08 18	10.00		-RA:02 RA RA	57	13.9	54	12.2	51	10.6	81	16	330	26	29.50				FM-16	T	29.68	
17	1554	7	BKN:07 21 OVC:08 30	10.00		-RA:02 RA RA	56	13.3	54	12.2	52	11.1	87	15	360		29.55	3	-0.08	29.74	FM-15	T	29.73	
17	1601	7	BKN:07 9 BKN:07 22 OVC:08 40	10.00		-RA:02 RA RA	54	12.2	52	11.1	50	10.0	87	21	020		29.56				FM-16	T	29.74	
17	1614	7	BKN:07 11 BKN:07 29 OVC:08 43	10.00		-RA:02 RA RA	53	11.7	51	10.6	49	9.4	86	17	010		29.58				FM-16	T	29.76	
17	1627	7	FEW:02 9	10.00		-RA:02 RA RA	52	11.1	49	9.4	46	7.8	80	17	360	25	29.60				FM-16	T	29.78	

19	0654	7	BKN:07 190	10.00		38	3.3	34	1.1	27	-2.8	65	9	180		30.20	8	0.00	30.39	FM-15	0.00	30.38
19	0700	4		9.94		38	3.3	34	1.1	27	-2.8	65	9	180		30.20			30.39	FM-12		
19	0754	7	BKN:07 190 OVC:08 300	10.00		39	3.9	35	1.7	28	-2.2	65	10	200		30.22			30.41	FM-15	0.00	30.40
19	0854	7	BKN:07 190 BKN:07 300	10.00		43	6.1	37	2.8	29	-1.7	58	11	210		30.22			30.41	FM-15	0.00	30.40
19	0954	7	FEW:02 190 SCT:04 300	10.00		47	8.3	40	4.4	29	-1.7	50	13	230		30.21	0	-0.01	30.41	FM-15	0.00	30.39
19	1054	7	FEW:02 200	10.00		51	10.6	42	5.6	29	-1.7	43	15	200		30.15			30.35	FM-15	0.00	30.33
19	1154	7	FEW:02 200	10.00		54	12.2	43	6.1	29	-1.7	38	14	190		30.11			30.30	FM-15	0.00	30.29
19	1254	7	FEW:02 200	10.00		59	15.0	45	7.2	27	-2.8	29	15	200		30.05	8	+0.16	30.25	FM-15	0.00	30.23
19	1300	4		9.94		59	15.0	45	7.2	27	-2.8	29	15	200		30.05	8	+0.16	30.25	FM-12		
19	1354	7	FEW:02 200	10.00		62	16.7	47	8.3	28	-2.2	28	18	190	26	30.00			30.19	FM-15	0.00	30.18
19	1454	7	FEW:02 30 BKN:07 60 BKN:07 200	10.00		62	16.7	48	8.9	33	0.6	34	16	200		29.96			30.16	FM-15	0.00	30.14
19	1554	7	FEW:02 30 BKN:07 55 BKN:07 70	10.00		61	16.1	50	10.0	38	3.3	43	22	200	28	29.93	6	+0.12	30.12	FM-15	0.00	30.11
19	1654	7	BKN:07 48 BKN:07 70	10.00		60	15.6	51	10.6	41	5.0	50	22	190	29	29.90			30.09	FM-15	0.00	30.08
19	1754	7	SCT:04 46 BKN:07 60	10.00		56	13.3	51	10.6	46	7.8	70	17	200		29.90			30.09	FM-15	0.00	30.08
19	1854	7	BKN:07 38	10.00		55	12.8	50	10.0	46	7.8	72	13	200		29.90	6	+0.03	30.09	FM-15	0.00	30.08
19	1900	4	41	9.94		55	12.8	50	10.0	46	7.8	72	13	200		29.90	6	+0.03	30.09	FM-12		
19	1954	7	BKN:07 30 BKN:07 35	10.00		56	13.3	51	10.6	46	7.8	70	14	200		29.87			30.07	FM-15	0.00	30.05
19	2054	7	SCT:04 30 BKN:07 80	10.00		56	13.3	51	10.6	46	7.8	70	15	200		29.87			30.06	FM-15	0.00	30.05
19	2154	7	FEW:02 30 BKN:07 250	10.00		55	12.8	50	10.0	46	7.8	72	15	220		29.86	6	+0.04	30.05	FM-15	0.00	30.04
19	2254	7	BKN:07 250	10.00		54	12.2	50	10.0	47	8.3	77	16	210	28	29.84			30.03	FM-15	0.00	30.02
19	2354	7	BKN:07 250	10.00		53	11.7	49	9.4	46	7.8	77	11	210		29.82			30.01	FM-15	0.00	30.00
20	0054	7	OVC:08 250	10.00		53	11.7	49	9.4	45	7.2	74	11	200		29.80	6	+0.06	29.99	FM-15	0.00	29.98
20	0100	4		9.94		53	11.7	49	9.4	45	7.2	74	11	200		29.80	6	+0.06	29.99	FM-12		
20	0154	7	OVC:08 250	10.00		51	10.6	48	8.9	45	7.2	80	8	200		29.78			29.98	FM-15	0.00	29.96
20	0254	7	OVC:08 210	10.00		51	10.6	48	8.9	44	6.7	77	8	200		29.75			29.95	FM-15	0.00	29.93
20	0354	7	OVC:08 210	10.00		50	10.0	48	8.9	45	7.2	83	7	210		29.75	6	+0.05	29.94	FM-15	0.00	29.93
20	0454	7	OVC:08 190	10.00		50	10.0	48	8.9	45	7.2	83	8	230		29.73			29.92	FM-15	0.00	29.91
20	0554	7	OVC:08 190	10.00		52	11.1	48	8.9	44	6.7	75	13	250		29.72			29.91	FM-15	0.00	29.90
20	0654	7	OVC:08 200	10.00		51	10.6	47	8.3	43	6.1	74	9	250		29.71	6	+0.04	29.90	FM-15	0.00	29.89
20	0700	4		9.94		51	10.6	47	8.3	43	6.1	74	9	250		29.71	6	+0.04	29.90	FM-12		
20	0754	7	BKN:07 200 OVC:08 300	10.00		51	10.6	47	8.3	43	6.1	74	6	190		29.66			29.85	FM-15	0.00	29.84
20	0854	7	SCT:04 120 BKN:07 200 OVC:08 300	10.00		54	12.2	48	8.9	41	5.0	62	7	250		29.68			29.87	FM-15	0.00	29.86
20	0954	7	SCT:04 120 BKN:07 200 OVC:08 300	10.00		56	13.3	48	8.9	40	4.4	55	8	240		29.66	6	+0.05	29.85	FM-15	0.00	29.84
20	1054	7	FEW:02 90 BKN:07 110 BKN:07 200	10.00		57	13.9	48	8.9	38	3.3	49	9	260		29.67			29.86	FM-15	0.00	29.85
20	1154	7	OVC:08 100	10.00		58	14.4	48	8.9	37	2.8	46	10	240		29.65			29.84	FM-15	0.00	29.83
20	1254	7	OVC:08 100	10.00		60	15.6	49	9.4	36	2.2	41	14	230		29.62	8	+0.04	29.81	FM-15	0.00	29.80
20	1300	4		9.94		60	15.6	49	9.4	36	2.2	41	14	230		29.62	8	+0.04	29.81	FM-12		
20	1354	7	BKN:07 100	10.00		60	15.6	49	9.4	37	2.8	42	14	220		29.58			29.78	FM-15	0.00	29.76

			OVC:08 120																			
20	1454	7	BKN:07 100 OVC:08 200	10.00		60	15.6	49	9.4	38	3.3	44	17	220	24	29.58			29.77	FM-15	0.00	29.76
20	1554	7	SCT:04 80 BKN:07 90 OVC:08 120	10.00		59	15.0	49	9.4	39	3.9	48	13	220		29.57	6	+0.05	29.76	FM-15	0.00	29.75
20	1654	7	FEW:02 80 BKN:07 130 BKN:07 300	10.00		58	14.4	50	10.0	41	5.0	53	7	210		29.57			29.76	FM-15	0.00	29.75
20	1754	7	FEW:02 70 BKN:07 130 BKN:07 240	10.00		54	12.2	48	8.9	42	5.6	64	6	190		29.56			29.75	FM-15	0.00	29.74
20	1854	7	SCT:04 120 OVC:08 170	10.00		55	12.8	49	9.4	42	5.6	62	10	210		29.57	5	+0.01	29.76	FM-15	0.00	29.75
20	1900	4		9.94		55	12.8	49	9.4	42	5.6	62	10	210		29.57	5	+0.01	29.76	FM-12		
20	1954	7	FEW:02 70 FEW:02 170 BKN:07 300	10.00		53	11.7	48	8.9	43	6.1	69	7	220		29.56			29.75	FM-15	0.00	29.74
20	2054	7	BKN:07 65 OVC:08 80	10.00		55	12.8	49	9.4	44	6.7	67	8	230		29.56			29.75	FM-15	0.00	29.74
20	2154	7	BKN:07 60 OVC:08 70	10.00		55	12.8	50	10.0	45	7.2	69	8	210		29.54	8	+0.03	29.73	FM-15	T	29.72
20	2254	7	OVC:08 65	10.00		54	12.2	49	9.4	45	7.2	72	3	160		29.52			29.71	FM-15	T	29.70
20	2354	7	BKN:07 55 BKN:07 100	10.00		51	10.6	48	8.9	45	7.2	80	6	150		29.48			29.67	FM-15	0.00	29.66
21	0054	7	FEW:02 55 SCT:04 100	10.00		48	8.9	45	7.2	42	5.6	80	8	180		29.47	8	+0.08	29.65	FM-15	0.00	29.64
21	0100	4	57	9.94		48	8.9	45	7.2	42	5.6	80	8	180		29.46	8	+0.08	29.65	FM-12		
21	0154	7	FEW:02 55 FEW:02 100	10.00		47	8.3	45	7.2	42	5.6	83	6	190		29.44			29.64	FM-15	0.00	29.62
21	0254	7	FEW:02 100	10.00		47	8.3	45	7.2	42	5.6	83	9	210		29.44			29.62	FM-15	0.00	29.61
21	0354	7	FEW:02 100	10.00		50	10.0	47	8.3	43	6.1	77	3	280		29.44	6	+0.03	29.62	FM-15	0.00	29.61
21	0454	7	BKN:07 90	10.00		51	10.6	48	8.9	44	6.7	77	7	230		29.45			29.64	FM-15	0.00	29.63
21	0554	7	OVC:08 100	10.00		52	11.1	48	8.9	44	6.7	75	8	250		29.47			29.65	FM-15	0.00	29.64
21	0654	7	SCT:04 100 SCT:04 120 BKN:07 250	10.00		49	9.4	46	7.8	43	6.1	80	5	030		29.48	1	-0.05	29.67	FM-15	0.00	29.66
21	0700	4		9.94		49	9.4	46	7.8	43	6.1	80	5	030		29.48	1	-0.05	29.67	FM-12		
21	0754	7	FEW:02 120 SCT:04 300	10.00		50	10.0	48	8.9	45	7.2	83	0	000		29.48			29.67	FM-15	0.00	29.66
21	0854	7	FEW:02 120 SCT:04 300	10.00		56	13.3	50	10.0	45	7.2	67	0	000		29.52			29.70	FM-15	0.00	29.69
21	0954	7	FEW:02 120 SCT:04 300	10.00		60	15.6	52	11.1	45	7.2	58	7	270		29.52	3	-0.04	29.71	FM-15	0.00	29.70
21	1054	7	FEW:02 35 FEW:02 200	10.00		64	17.8	53	11.7	43	6.1	46	13	280		29.52			29.71	FM-15	0.00	29.69
21	1154	7	SCT:04 60 BKN:07 75 BKN:07 95	10.00		66	18.9	52	11.1	39	3.9	37	18	260	24	29.49			29.68	FM-15	0.00	29.67
21	1254	7	SCT:04 75 BKN:07 90 BKN:07 200	10.00		67	19.4	52	11.1	37	2.8	33	20	270	30	29.47	8	+0.06	29.65	FM-15	0.00	29.64
21	1300	4	74	9.94		67	19.4	52	11.1	37	2.8	33	20	270		29.46	8	+0.06	29.65	FM-12		
21	1354	7	FEW:02 80 SCT:04 100 SCT:04 200	10.00		70	21.1	53	11.7	36	2.2	29	16	270	23	29.44			29.63	FM-15	0.00	29.62
21	1454	7	FEW:02 80 SCT:04 100 SCT:04 200	10.00		73	22.8	53	11.7	31	-0.6	21	15	280	26	29.45			29.65	FM-15	0.00	29.63
21	1554	7	FEW:02 100	10.00		72	22.2	51	10.6	28	-2.2	19	14	270	26	29.47	3	-0.01	29.67	FM-15	0.00	29.65

			SCT:04 300																				
21	1654	7	FEW:02 100 FEW:02 300	10.00		71	21.7	50	10.0	26	-3.3	19	16	260		29.50			29.69	FM-15	0.00	29.68	
21	1754	7	FEW:02 300	10.00		67	19.4	49	9.4	27	-2.8	22	13	250		29.53			29.72	FM-15	0.00	29.71	
21	1854	7	FEW:02 300	10.00		65	18.3	48	8.9	27	-2.8	24	6	280		29.58	3	-0.11	29.77	FM-15	0.00	29.76	
21	1900	4		9.94		65	18.3	48	8.9	27	-2.8	24	6	280		29.58	3	-0.11	29.77	FM-12			
21	1954	7	FEW:02 300	10.00		63	17.2	47	8.3	26	-3.3	25	8	290		29.62			29.82	FM-15	0.00	29.80	
21	2054	7	CLR:00	10.00		54	12.2	43	6.1	28	-2.2	37	5	230		29.66			29.85	FM-15	0.00	29.84	
21	2154	7	CLR:00	10.00		51	10.6	42	5.6	29	-1.7	43	0	000		29.70	1	-0.11	29.89	FM-15	0.00	29.88	
21	2254	7	CLR:00	10.00		47	8.3	40	4.4	31	-0.6	54	0	000		29.73			29.92	FM-15	0.00	29.91	
21	2354	7	SCT:04 300	10.00		46	7.8	40	4.4	32	0.0	58	3	030		29.75			29.94	FM-15	0.00	29.93	
22	0054	7	SCT:04 300	10.00		46	7.8	39	3.9	30	-1.1	54	3	130		29.77	1	-0.08	29.96	FM-15	0.00	29.95	
22	0100	4		9.94		46	7.8	39	3.9	30	-1.1	54	3	130		29.77	1	-0.08	29.96	FM-12			
22	0154	7	BKN:07 300	10.00		48	8.9	42	5.6	34	1.1	58	6	140		29.81			30.00	FM-15	0.00	29.99	
22	0254	7	BKN:07 300	10.00		46	7.8	41	5.0	34	1.1	63	5	120		29.81			30.01	FM-15	0.00	29.99	
22	0354	7	FEW:02 300	10.00		43	6.1	39	3.9	34	1.1	71	8	070		29.81	0	-0.04	30.00	FM-15	0.00	29.99	
22	0454	7	BKN:07 120	10.00		46	7.8	41	5.0	35	1.7	66	0	000		29.84			30.04	FM-15	0.00	30.02	
22	0554	7	FEW:02 110	10.00		44	6.7	40	4.4	34	1.1	68	7	130		29.86			30.05	FM-15	0.00	30.04	
22	0654	7	SCT:04 110 SCT:04 300	10.00		43	6.1	39	3.9	34	1.1	71	0	000		29.85	0	-0.05	30.05	FM-15	0.00	30.03	
22	0700	4		9.94		43	6.1	39	3.9	34	1.1	71	0	000		29.85	9	+0.05	30.05	FM-12			
22	0754	7	BKN:07 80 BKN:07 150 BKN:07 300	10.00		48	8.9	43	6.1	38	3.3	68	6	110		29.88			30.07	FM-15	0.00	30.06	
22	0854	7	BKN:07 75 BKN:07 150 OVC:08 250	10.00		-RA:02 RA RA	50	10.0	45	7.2	39	3.9	66	0	000		29.94			30.14	FM-15	T	30.12
22	0954	7	OVC:08 65	10.00		52	11.1	45	7.2	37	2.8	57	6	080		29.92	0	-0.06	30.11	FM-15	0.00	30.10	
22	1054	7	BKN:07 60 BKN:07 200	10.00		55	12.8	46	7.8	36	2.2	49	13	120		29.88			30.07	FM-15	0.00	30.06	
22	1154	7	BKN:07 48 BKN:07 60 BKN:07 200	10.00		61	16.1	50	10.0	39	3.9	44	16	130		29.84			30.03	FM-15	0.00	30.02	
22	1254	7	OVC:08 38	10.00		61	16.1	50	10.0	39	3.9	44	10	140		29.81	6	+0.11	30.00	FM-15	0.00	29.99	
22	1300	4	41	9.94		61	16.1	50	10.0	39	3.9	44	10	140		29.81	6	+0.11	30.00	FM-12			
22	1354	7	OVC:08 33	10.00		62	16.7	51	10.6	41	5.0	46	8	120		29.76			29.95	FM-15	0.00	29.94	
22	1454	7	BKN:07 33 OVC:08 48	10.00		64	17.8	53	11.7	43	6.1	46	8	130		29.73			29.92	FM-15	0.00	29.91	
22	1554	7	FEW:02 50 OVC:08 200	10.00		66	18.9	54	12.2	44	6.7	45	6	100		29.72	6	+0.09	29.91	FM-15	0.00	29.90	
22	1654	7	FEW:02 48 OVC:08 300	10.00		66	18.9	55	12.8	46	7.8	49	5	060		29.71			29.91	FM-15	0.00	29.89	
22	1754	7	OVC:08 300	10.00		62	16.7	53	11.7	44	6.7	52	8	070		29.70			29.90	FM-15	0.00	29.88	
22	1854	7	FEW:02 45 OVC:08 300	10.00		59	15.0	51	10.6	43	6.1	56	5	010		29.72	3	0.00	29.91	FM-15	0.00	29.90	
22	1900	4	41	9.94		59	15.0	51	10.6	43	6.1	56	5	010		29.72	3	0.00	29.91	FM-12			
22	1954	7	OVC:08 300	10.00		58	14.4	50	10.0	43	6.1	58	0	000		29.72			29.91	FM-15	0.00	29.90	
22	2054	7	BKN:07 300	10.00		55	12.8	49	9.4	42	5.6	62	6	360		29.71			29.90	FM-15	0.00	29.89	
22	2154	7	SCT:04 300	10.00		53	11.7	48	8.9	42	5.6	66	0	000		29.73	3	-0.01	29.92	FM-15	0.00	29.91	
22	2254	7	SCT:04 300	10.00		49	9.4	46	7.8	42	5.6	77	3	150		29.71			29.90	FM-15	0.00	29.89	
22	2354	7	FEW:02 200 SCT:04 300	10.00		49	9.4	46	7.8	42	5.6	77	7	180		29.67			29.87	FM-15	0.00	29.85	
23	0054	7	BKN:07 190	10.00		57	13.9	54	12.2	51	10.6	81	8	190		29.66	6	+0.07	29.85	FM-15	0.00	29.84	
23	0100	4		9.94		57	13.9	54	12.2	51	10.6	81	8	190		29.66	6	+0.07	29.85	FM-12			
23	0154	7	BKN:07 180	10.00		58	14.4	55	12.8	52	11.1	81	6	190		29.66			29.85	FM-15	0.00	29.84	
23	0254	7	BKN:07 180	10.00		68	20.0	62	16.7	58	14.4	70	18	210	26	29.64			29.83	FM-15	0.00	29.82	

23	0354	7	OVC:08 150	10.00		69	20.6	62	16.7	58	14.4	68	16	210		29.64	6	+0.02	29.83	FM-15	0.00	29.82
23	0454	7	OVC:08 170	10.00		68	20.0	62	16.7	58	14.4	70	16	210		29.64			29.83	FM-15	0.00	29.82
23	0554	7	BKN:07 140	10.00		69	20.6	62	16.7	58	14.4	68	18	220		29.65			29.84	FM-15	0.00	29.83
23	0654	7	FEW:02 140 BKN:07 190	10.00		69	20.6	62	16.7	58	14.4	68	18	220	25	29.66	3	-0.03	29.85	FM-15	0.00	29.84
23	0700	4		9.94		69	20.6	62	16.7	58	14.4	68	18	220		29.66	3	-0.03	29.85	FM-12		
23	0754	7	BKN:07 140 BKN:07 200	10.00		70	21.1	63	17.2	58	14.4	66	17	230		29.69			29.88	FM-15	0.00	29.87
23	0854	7	BKN:07 140 BKN:07 200	10.00		72	22.2	64	17.8	58	14.4	61	21	230	28	29.71			29.90	FM-15	0.00	29.89
23	0954	7	BKN:07 110 BKN:07 200	10.00		76	24.4	65	18.3	58	14.4	54	20	250	25	29.72	1	-0.06	29.91	FM-15	0.00	29.90
23	1054	7	BKN:07 65 BKN:07 110	10.00		77	25.0	65	18.3	58	14.4	52	17	250		29.75			29.94	FM-15	0.00	29.93
23	1154	7	BKN:07 65 BKN:07 90	10.00		79	26.1	66	18.9	58	14.4	49	17	260		29.75			29.94	FM-15	0.00	29.93
23	1254	7	SCT:04 80 BKN:07 100 BKN:07 200	10.00		80	26.7	66	18.9	57	13.9	45	15	240		29.74	0	-0.01	29.93	FM-15	0.00	29.92
23	1300	4	74	9.94		80	26.7	66	18.9	57	13.9	45	15	240		29.74	9	+0.01	29.93	FM-12		
23	1354	7	BKN:07 110 BKN:07 200	10.00		80	26.7	63	17.2	52	11.1	38	14	250	24	29.73			29.92	FM-15	0.00	29.91
23	1454	7	SCT:04 90 BKN:07 200	10.00		83	28.3	64	17.8	50	10.0	32	18	240	26	29.74			29.93	FM-15	0.00	29.92
23	1554	7	BKN:07 90 BKN:07 110 BKN:07 200	10.00		81	27.2	62	16.7	48	8.9	32	14	240	25	29.74	5	0.00	29.93	FM-15	0.00	29.92
23	1654	7	FEW:02 80 BKN:07 110 BKN:07 300	10.00		80	26.7	63	17.2	51	10.6	37	18	240	25	29.75			29.94	FM-15	0.00	29.93
23	1754	7	BKN:07 110 BKN:07 300	10.00		78	25.6	62	16.7	50	10.0	37	13	230		29.76			29.95	FM-15	0.00	29.94
23	1854	7	SCT:04 110 BKN:07 300	10.00		75	23.9	60	15.6	49	9.4	40	11	230		29.78	1	-0.04	29.97	FM-15	0.00	29.96
23	1900	4		9.94		75	23.9	60	15.6	49	9.4	40	11	230		29.78	1	-0.04	29.97	FM-12		
23	1954	7	FEW:02 110 FEW:02 300	10.00		72	22.2	60	15.6	50	10.0	46	11	230		29.79			29.98	FM-15	0.00	29.97
23	2054	7	FEW:02 300	10.00		71	21.7	60	15.6	51	10.6	49	11	240		29.82			30.01	FM-15	0.00	30.00
23	2154	7	FEW:02 300	10.00		70	21.1	59	15.0	51	10.6	51	11	250		29.83	3	-0.06	30.02	FM-15	0.00	30.01
23	2254	7	CLR:00	10.00		68	20.0	59	15.0	52	11.1	57	10	240		29.83			30.02	FM-15	0.00	30.01
23	2354	7	CLR:00	10.00		65	18.3	58	14.4	52	11.1	63	9	230		29.82			30.01	FM-15	0.00	30.00
24	0054	7	CLR:00	10.00		65	18.3	58	14.4	53	11.7	66	9	230		29.81	8	+0.02	30.00	FM-15	0.00	29.99
24	0100	4		9.94		65	18.3	58	14.4	53	11.7	66	9	230		29.81	8	+0.02	30.00	FM-12		
24	0154	7	CLR:00	10.00		64	17.8	58	14.4	53	11.7	68	8	230		29.81			29.99	FM-15	0.00	29.99
24	0254	7	CLR:00	10.00		64	17.8	58	14.4	53	11.7	68	11	230		29.82			30.01	FM-15	0.00	30.00
24	0354	7	CLR:00	10.00		65	18.3	57	13.9	51	10.6	61	9	250		29.83	3	-0.02	30.01	FM-15	0.00	30.01
24	0454	7	CLR:00	10.00		65	18.3	57	13.9	51	10.6	61	10	280		29.86			30.05	FM-15	0.00	30.04
24	0554	7	SCT:04 250	10.00		64	17.8	56	13.3	50	10.0	60	9	260		29.88			30.07	FM-15	0.00	30.06
24	0654	7	FEW:02 160 BKN:07 250	10.00		63	17.2	56	13.3	50	10.0	63	8	240		29.91	1	-0.08	30.10	FM-15	0.00	30.09
24	0700	4		9.94		63	17.2	56	13.3	50	10.0	63	8	240		29.91	1	-0.08	30.10	FM-12		
24	0754	7	BKN:07 250	10.00		65	18.3	56	13.3	48	8.9	54	15	320		29.97			30.16	FM-15	0.00	30.15
24	0854	7	BKN:07 250	10.00		65	18.3	47	8.3	24	-4.4	21	16	310	30	30.02			30.21	FM-15	0.00	30.20
24	0954	7	BKN:07 180 BKN:07 250	10.00		65	18.3	46	7.8	20	-6.7	18	18	300	24	30.06	1	-0.15	30.25	FM-15	0.00	30.24
24	1054	7	SCT:04 150 SCT:04 250	10.00		67	19.4	46	7.8	12	-11.1	12	24	320	30	30.07			30.26	FM-15	0.00	30.25
24	1154	7	FEW:02 85	10.00		69	20.6	46	7.8	11	-11.7	10	17	320	26	30.08			30.27	FM-15	0.00	30.26

			FEW:02 110 SCT:04 200																					
24	1254	7	FEW:02 85 FEW:02 110 SCT:04 150	10.00		69	20.6	46	7.8	10	-12.2	10	15	310	28	30.07	0	-0.02	30.27	FM-15	0.00	30.25		
24	1300	4		9.94		69	20.6	46	7.8	10	-12.2	10	15	310		30.07	9	+0.02	30.27	FM-12				
24	1354	7	FEW:02 110 SCT:04 150 BKN:07 200	10.00		69	20.6	46	7.8	10	-12.2	10	22	320	31	30.08			30.27	FM-15	0.00	30.26		
24	1454	7	FEW:02 80 SCT:04 110 SCT:04 150	10.00		68	20.0	46	7.8	9	-12.8	10	14	310	26	30.10			30.29	FM-15	0.00	30.28		
24	1554	7	BKN:07 230	10.00		66	18.9	46	7.8	16	-8.9	14	11	360	21	30.12	3	-0.05	30.32	FM-15	0.00	30.30		
24	1654	7	BKN:07 190 BKN:07 240	10.00		59	15.0	44	6.7	24	-4.4	26	13	010		30.16			30.35	FM-15	0.00	30.34		
24	1754	7	BKN:07 190 BKN:07 250	10.00		55	12.8	42	5.6	22	-5.6	28	11	040		30.19			30.38	FM-15	0.00	30.37		
24	1854	7	BKN:07 200	10.00		53	11.7	40	4.4	18	-7.8	25	11	040		30.23	3	-0.11	30.42	FM-15	0.00	30.41		
24	1900	4		9.94		53	11.7	40	4.4	18	-7.8	25	11	040		30.23	3	-0.11	30.42	FM-12				
24	1954	7	OVC:08 210	10.00		52	11.1	39	3.9	17	-8.3	25	13	030		30.24			30.44	FM-15	0.00	30.42		
24	2054	7	FEW:02 190 OVC:08 240	10.00		50	10.0	38	3.3	18	-7.8	28	13	030		30.27			30.46	FM-15	0.00	30.45		
24	2154	7	OVC:08 220	10.00		49	9.4	38	3.3	19	-7.2	31	9	030		30.29	3	-0.06	30.48	FM-15	0.00	30.47		
24	2254	7	FEW:02 220 OVC:08 250	10.00		47	8.3	37	2.8	21	-6.1	36	8	040		30.32			30.51	FM-15	0.00	30.50		
24	2354	7	BKN:07 230	10.00		46	7.8	36	2.2	19	-7.2	34	10	040		30.32			30.51	FM-15	0.00	30.50		
25	0054	7	OVC:08 230	10.00		44	6.7	35	1.7	20	-6.7	38	6	050		30.32	1	-0.03	30.52	FM-15	0.00	30.50		
25	0100	4		9.94		44	6.7	35	1.7	20	-6.7	38	6	050		30.32	1	-0.03	30.52	FM-12				
25	0154	7	SCT:04 140 BKN:07 250	10.00		42	5.6	34	1.1	20	-6.7	41	6	060		30.30			30.50	FM-15	0.00	30.48		
25	0254	7	FEW:02 140 SCT:04 250	10.00		41	5.0	33	0.6	19	-7.2	41	7	050		30.29			30.48	FM-15	0.00	30.47		
25	0354	7	SCT:04 250	10.00		40	4.4	33	0.6	19	-7.2	43	3	030		30.29	6	+0.04	30.48	FM-15	0.00	30.47		
25	0454	7	SCT:04 250	10.00		36	2.2	31	-0.6	21	-6.1	55	7	040		30.28			30.48	FM-15	0.00	30.46		
25	0554	7	FEW:02 250	10.00		37	2.8	32	0.0	22	-5.6	54	5	040		30.27			30.47	FM-15	0.00	30.45		
25	0654	7	SCT:04 250 SCT:04 300	10.00		32	0.0	29	-1.7	23	-5.0	69	3	150		30.25	8	+0.04	30.44	FM-15	0.00	30.43		
25	0700	4		9.94		32	0.0	29	-1.7	23	-5.0	69	3	150		30.25	8	+0.04	30.44	FM-12				
25	0754	7	SCT:04 250 BKN:07 300	10.00		38	3.3	33	0.6	26	-3.3	62	0	000		30.23			30.42	FM-15	0.00	30.41		
25	0854	7	OVC:08 70	10.00		41	5.0	35	1.7	25	-3.9	53	5	360		30.24			30.44	FM-15	0.00	30.42		
25	0954	7	OVC:08 65	10.00		43	6.1	36	2.2	26	-3.3	51	7	090		30.17	8	+0.07	30.37	FM-15	0.00	30.35		
25	1054	7	OVC:08 65	10.00		44	6.7	38	3.3	28	-2.2	53	6	090		30.14			30.33	FM-15	0.00	30.32		
25	1154	7	OVC:08 55	7.00		43	6.1	38	3.3	32	0.0	65	6	340		30.17			30.37	FM-15	0.01	30.35		
25	1254	7	BKN:07 50 OVC:08 65	9.00		42	5.6	39	3.9	36	2.2	79	6	350		30.11	8	+0.06	30.31	FM-15	0.03	30.29		
25	1300	4	57	8.70		42	5.6	39	3.9	36	2.2	79	6	350		30.11	8	+0.06	30.31	FM-12				
25	1354	7	OVC:08 34	4.00		41	5.0	39	3.9	37	2.8	86	6	VRB		30.06			30.26	FM-15	0.05	30.24		
25	1414	7	SCT:04 28 OVC:08 34	2.00		40	4.4	39	3.9	37	2.8	89	5	360		30.06				FM-16	0.05	30.24		
25	1450	7	FEW:02 6 BKN:07 28 OVC:08 70	3.00		39	3.9	38	3.3	37	2.8	93	0	000		30.04				FM-16	0.15	30.22		
25	1454	7	FEW:02 6 BKN:07 28 OVC:08 47	3.00		40	4.4	39	3.9	38	3.3	93	0	000		30.05			30.25	FM-15	0.15	30.23		
25	1509	7	FEW:02 6 FEW:02 27	2.50		40	4.4	39	3.9	37	2.8	89	0	000		30.04				FM-16	0.03	30.22		

			BKN:07 14																			
26	1434	7	FEW:02 9 SCT:04 18 BKN:07 300	10.00		51	10.6	46	7.8	41	5.0	69	16	220		29.72				FM-16		29.90
26	1454	7	FEW:02 9 SCT:04 18 BKN:07 300	10.00		51	10.6	46	7.8	40	4.4	66	18	230		29.72			29.91	FM-15	0.00	29.90
26	1554	7	FEW:02 9 FEW:02 20 SCT:04 300	10.00		54	12.2	48	8.9	41	5.0	62	14	220		29.70	6	+0.10	29.90	FM-15	0.00	29.88
26	1654	7	SCT:04 250	10.00		54	12.2	48	8.9	42	5.6	64	10	210		29.68			29.87	FM-15	0.00	29.86
26	1754	7	FEW:02 250	10.00		49	9.4	46	7.8	42	5.6	77	8	180		29.68			29.87	FM-15	0.00	29.86
26	1854	7	FEW:02 250	10.00		47	8.3	44	6.7	41	5.0	80	5	130		29.69	5	+0.01	29.88	FM-15	0.00	29.87
26	1900	4		9.94		47	8.3	44	6.7	41	5.0	80	5	130		29.69	5	+0.01	29.88	FM-12		
26	1954	7	CLR:00	10.00		47	8.3	45	7.2	42	5.6	83	0	000		29.69			29.88	FM-15	0.00	29.87
26	2054	7	FEW:02 250	10.00		43	6.1	42	5.6	40	4.4	89	3	070		29.69			29.89	FM-15	0.00	29.87
26	2154	7	FEW:02 250	10.00		43	6.1	42	5.6	40	4.4	89	3	100		29.71	3	-0.02	29.91	FM-15	0.00	29.89
26	2254	7	FEW:02 250	1.00																		
																				BR:1		
26	2304	7	CLR:00	3.00		41	5.0	40	4.4	39	3.9	93	0	000		29.72			29.91	FM-15	0.00	29.90
26	2313	7	CLR:00	1.75		40	4.4	39	3.9	38	3.3	93	3	030		29.72				FM-16		29.90
26	2339	7	FEW:02 250	3.00		39	3.9	38	3.3	37	2.8	93	5	050		29.73				FM-16		29.91
26	2354	7	FEW:02 250	5.00		39	3.9	39	3.9	38	3.3	96	3	030		29.74			29.93	FM-15	0.00	29.92
27	0054	7	FEW:02 250	7.00		39	3.9	38	3.3	37	2.8	93	3	040		29.75	3	-0.05	29.95	FM-15	0.00	29.93
27	0100	4		6.84		39	3.9	38	3.3	37	2.8	93	3	040		29.75	3	-0.05	29.95	FM-12		
27	0133	7	FEW:02 2 FEW:02 250	5.00																BR:1		
						36	2.2	35	1.7	34	1.1	93	3	150		29.77				FM-16		29.95
27	0151	7	BKN:07 2 BKN:07 250	2.50																BR:1		
						36	2.2	35	1.7	34	1.1	93	0	000		29.77				FM-16		29.95
27	0152	6	BKN:07 2 BKN:07 250	2.50																BR:1		
						36	2.2	35	1.7	34	1.1	93	0	000		29.77				FM-16		29.95
27	0154	7	BKN:07 2 BKN:07 250	2.50																BR:1		
						36	2.2	35	1.7	34	1.1	93	0	000		29.77			29.96	FM-15	0.00	29.95
27	0201	7	BKN:07 1 BKN:07 250	1.00																BR:1		
						37	2.8	36	2.2	35	1.7	93	0	000		29.77				FM-16		29.95
27	0252	6	VV:09 1	0.50		36	2.2	35	1.7	34	1.1	93	0	000		29.77				FM-16		29.95
27	0254	7	VV:09 1	0.50		35	1.7	35	1.7	34	1.1	96	0	000		29.77			29.97	FM-15	0.00	29.95
27	0305	7	BKN:07 1	1.50																BR:1		
						35	1.7	34	1.1	33	0.6	93	0	000		29.77				FM-16		29.95
27	0310	7	BKN:07 1	3.00																BR:1		
						36	2.2	35	1.7	34	1.1	93	0	000		29.77				FM-16		29.95
27	0352	6	SCT:04 1 SCT:04 250	4.00																BR:1		
						36	2.2	35	1.7	34	1.1	93	0	000		29.77				FM-16		29.95
27	0354	7	SCT:04 1 SCT:04 250	4.00																BR:1		
						36	2.2	35	1.7	34	1.1	93	0	000		29.77	0	-0.02	29.97	FM-15	0.00	29.95
27	0454	7	SCT:04 2 SCT:04 250	3.00																BR:1		
						34	1.1	34	1.1	33	0.6	97	0	000		29.79			29.98	FM-15	0.00	29.97
27	0554	7	FEW:02 2 SCT:04 250	10.00																		
						35	1.7	34	1.1	33	0.6	93	0	000		29.79			29.99	FM-15	0.00	29.97
27	0654	7	SCT:04 250 BKN:07 300	7.00																		
						35	1.7	34	1.1	33	0.6	93	0	000		29.79	0	-0.02	29.98	FM-15	0.00	29.97
27	0700	4		6.84																		
						35	1.7	34	1.1	33	0.6	93	0	000		29.79	9	+0.02	29.98	FM-12		
27	0754	7	SCT:04 120 SCT:04 250 BKN:07 300	10.00																		
						39	3.9	38	3.3	37	2.8	93	0	000		29.77			29.97	FM-15	0.00	29.95
27	0854	7	FEW:02 85 SCT:04 110 BKN:07 250	10.00																		
						46	7.8	42	5.6	38	3.3	73	5	100		29.80			30.00	FM-15	0.00	29.98
27	0954	7	SCT:04 85 BKN:07 110 BKN:07 200	10.00																		
						48	8.9	44	6.7	39	3.9	71	8	090		29.77	8	+0.02	29.96	FM-15	0.00	29.95

27	1054	7	SCT:04 85 BKN:07 100 OVC:08 200	10.00	-RA:02 RA RA	49	9.4	45	7.2	40	4.4	71	5	120		29.78			29.97	FM-15	T	29.96
27	1154	7	BKN:07 70 OVC:08 100	10.00		53	11.7	46	7.8	37	2.8	55	10	110		29.76			29.95	FM-15	T	29.94
27	1254	7	OVC:08 60	10.00		54	12.2	46	7.8	36	2.2	51	10	160		29.72	8	+0.05	29.91	FM-15	0.00	29.90
27	1300	4	57	9.94		54	12.2	46	7.8	36	2.2	51	10	160		29.72	8	+0.05	29.91	FM-12		
27	1354	7	OVC:08 60	10.00		55	12.8	46	7.8	35	1.7	47	16	130		29.66			29.86	FM-15	T	29.84
27	1454	7	OVC:08 60	10.00		56	13.3	46	7.8	34	1.1	44	14	140		29.61			29.81	FM-15	0.00	29.79
27	1554	7	OVC:08 50	10.00		55	12.8	46	7.8	36	2.2	49	16	130		29.55	8	+0.16	29.75	FM-15	0.00	29.73
27	1654	7	BKN:07 46 BKN:07 130 OVC:08 180	10.00		54	12.2	46	7.8	36	2.2	51	13	120		29.49			29.68	FM-15	0.00	29.67
27	1754	7	BKN:07 42 OVC:08 120	10.00	-RA:02 RA RA	54	12.2	46	7.8	36	2.2	51	13	130		29.47			29.66	FM-15	T	29.64
27	1854	7	OVC:08 39	10.00		52	11.1	45	7.2	38	3.3	59	10	120		29.42	6	+0.14	29.61	FM-15	T	29.60
27	1900	4	41	9.94		52	11.1	45	7.2	38	3.3	59	10	120		29.42	6	+0.14	29.61	FM-12		
27	1954	7	BKN:07 38 OVC:08 49	10.00	-RA:02 RA RA	51	10.6	46	7.8	40	4.4	66	13	120		29.36			29.54	FM-15	T	29.53
27	2017	7	BKN:07 25 OVC:08 38	10.00	-RA:02 RA RA	51	10.6	46	7.8	40	4.4	66	6	130		29.34				FM-16	T	29.52
27	2054	7	OVC:08 24	4.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	44	6.7	90	9	360		29.36			29.55	FM-15	0.13	29.54
27	2154	7	OVC:08 20	10.00		46	7.8	45	7.2	43	6.1	89	6	060		29.33	6	+0.09	29.52	FM-15	0.01	29.50
27	2219	7	FEW:02 19 SCT:04 25 OVC:08 37	10.00		46	7.8	45	7.2	43	6.1	89	5	060		29.31				FM-16		29.48
27	2252	6	BKN:07 24 OVC:08 37	10.00		46	7.8	45	7.2	43	6.1	87	3	040		29.29				FM-16		29.47
27	2254	7	BKN:07 23 OVC:08 37	10.00		46	7.8	45	7.2	43	6.1	89	3	040		29.29			29.48	FM-15	0.00	29.47
27	2320	7	FEW:02 5 OVC:08 21	10.00		46	7.8	45	7.2	43	6.1	89	0	000		29.28				FM-16		29.46
27	2354	7	FEW:02 5 OVC:08 17	10.00		46	7.8	45	7.2	43	6.1	89	3	330		29.28			29.47	FM-15	0.00	29.46
28	0054	7	SCT:04 6 OVC:08 15	10.00		46	7.8	45	7.2	43	6.1	89	9	340		29.31	5	+0.02	29.49	FM-15	0.00	29.48
28	0100	4	5	9.94		46	7.8	45	7.2	43	6.1	89	9	340		29.30	5	+0.02	29.49	FM-12		
28	0105	7	BKN:07 6 OVC:08 15	10.00		46	7.8	45	7.2	43	6.1	89	9	340		29.31				FM-16		29.49
28	0154	7	BKN:07 6 OVC:08 13	10.00		46	7.8	45	7.2	43	6.1	89	6	320		29.31			29.49	FM-15	0.00	29.48
28	0252	6	SCT:04 6 OVC:08 10	10.00		45	7.2	44	6.7	43	6.1	93	8	340		29.31				FM-16		29.48
28	0254	7	SCT:04 6 OVC:08 10	10.00		45	7.2	44	6.7	43	6.1	93	8	350		29.31			29.50	FM-15	0.00	29.49
28	0352	6	OVC:08 6	9.00		45	7.2	44	6.7	43	6.1	93	6	340		29.33				FM-16		29.50
28	0354	7	OVC:08 6	9.00		45	7.2	44	6.7	43	6.1	93	5	320		29.33	3	-0.02	29.51	FM-15	0.00	29.50
28	0425	7	OVC:08 4	4.00	BR:1	45	7.2	44	6.7	43	6.1	93	0	000		29.34				FM-16		29.52
28	0454	7	OVC:08 3	3.00	BR:1	45	7.2	44	6.7	43	6.1	93	0	000		29.36			29.54	FM-15	0.00	29.53
28	0554	7	OVC:08 4	6.00	BR:1	46	7.8	45	7.2	44	6.7	93	3	260		29.37			29.57	FM-15	0.00	29.55
28	0639	7	OVC:08 3	0.75	BR:1	46	7.8	45	7.2	44	6.7	93	3	320		29.41				FM-16		29.58
28	0654	7	OVC:08 3	0.50	FG:2 FG	46	7.8	45	7.2	44	6.7	93	0	000		29.41	3	-0.09	29.60	FM-15	0.00	29.59
28	0700	4	2	0.50	FG	46	7.8	45	7.2	44	6.7	93	0	000		29.41	3	-0.09	29.60	FM-12		
28	0754	7	OVC:08 2	0.50	FG:2 FG	46	7.8	46	7.8	45	7.2	96	0	000		29.44			29.63	FM-15	0.00	29.62
28	0854	7	OVC:08 2	0.50	FG:2 FG	47	8.3	47	8.3	46	7.8	97	6	030		29.47			29.67	FM-15	0.00	29.65
28	0915	7	OVC:08 2	1.50	BR:1	47	8.3	46	7.8	45	7.2	93	0	000		29.49				FM-16		29.67
28	0930	7	OVC:08 2	3.00	BR:1	48	8.9	47	8.3	45	7.2	89	3	360		29.49				FM-16		29.67