

Local Climatological Data Daily Summary March 2023

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/12/2023

Station: RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH					
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type			TLC	Snow Fall		Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir
	2	3	4	5	6	7	8	9	10	11	12	13			14	15	16	17	18	19	20	21	22	23
01	59	40	50	6.1	77	42	46	15	0	0641	1803				0.00	0.0	0	29.87	30.04	3.5	16	160	10	160
02	67	48	58	14.0	76	50	54	7	0	0640	1804	RA			0.07	0.0	0	29.59	29.78	5.9	16	180	14	330
03	67	46	57	12.7	82	44	47	8	0	0638	1805	RA DZ FG BR			0.07	0.0	0	29.65	29.79	9.1	35	180	28	180
04	65	42	54	9.4	48	37	48	11	0	0637	1806		T		0.0	0	29.52	29.74	13.8	40	310	29	290	
05	67	33	50	5.2	48	29	42	15	0	0635	1807				0.00	0.0	0	29.98	30.19	3.8	23	310	16	300
06	66	41	54	8.9	53	34	44	11	0	0634	1808				0.00	0.0	0	29.96	30.11	5.8	16	180	13	240
07	60	42	51	5.6	44	31	44	14	0	0633	1809				0.00	0.0	0	29.72	29.94	15.2	36	360	26	010
08	55	34	45	-0.7	39	20	35	20	0	0631	1810				0.00	0.0	0	30.03	30.24	13.5	34	340	26	340
09	60	38	49	3.0	45	26	39	16	0	0630	1811				0.00	0.0	0	30.03	30.22	8.2	23	010	18	010
10	50	40	45	-1.3	76	38	42	20	0	0628	1812	RA BR			0.05	0.0	0	29.76	29.91	7.0	23	170	17	180
11	52	37	45	-1.6	51	27	37	20	0	0627	1813				0.00	0.0	0	29.66	29.88	12.7	38	310	29	340
12	43	32	38	-8.9	75	30	35	27	0	0625	1814	RA DZ BR			0.12	0.0	0	29.83	30.01	3.7	19	360	15	010
13	52	39	46	-1.2	78	37	41	19	0	0624	1815	RA BR			0.11	0.0	0	29.68	29.87	7.0	30	350	23	330
14	50	33	42	-5.5	39	17	32	23	0	0622	1815				0.00	0.0	0	29.75	29.96	17.0	37	310	30	300
15	56	31	44	-3.8	30	11	32	21	0	0621	1816				0.00	0.0	0	29.90	30.11	13.2	33	330	26	320
16	66	27	47	-1.1	32	16	37	18	0	0619	1817				0.00	0.0	0	29.95	30.12	7.8	23	210	17	220
17	66	47	57	8.5	58	42	50	8	0	0618	1818	RA			0.03	0.0	0	29.62	29.78	14.0	34	230	26	220
18	60	44	52	3.2	48	29	42	13	0	0616	1819	RA BR			0.11	0.0	0	29.62	29.84	10.3	29	330	23	330
19	46	31	39	-10.1	34	12	31	26	0	0615	1820				0.00	0.0	0	29.93	30.16	9.2	26	300	18	360
20	53	24*	39	-10.4	41	15	31	26	0	0613	1821				0.00	0.0	0	30.15	30.36	4.5	19	060	13	030
21	64	26	45	-4.8	41	21	37	20	0	0612	1822				0.00	0.0	0	30.22	30.42	4.6	17	180	13	180
22	65	44	55	4.9	49	34	44	10	0	0610	1823				0.00	0.0	0	30.16	30.32	8.7	24	220	20	210
23	84*	49	67	16.6	58	50	57	0	2	0609	1824				0.00	0.0	0	29.87	30.02	16.0	39	230	30	230
24	77	50	64	13.2	63	51	57	1	0	0607	1825				0.00	0.0	0	29.73	29.92	10.5	35	020	26	020
25	76	47	62	10.9	75	51	55	3	0	0606	1826	RA BR			0.04	0.0	0	29.65	29.81	9.9	28	210	21	200
26	74	52	63	11.6	45	40	52	2	0	0604	1826				0.00	0.0	0	29.76	29.97	7.2	21	140	15	170
27	70	50	60	8.2	87	54	55	5	0	0603	1827	TS RA FG BR			0.08	0.0	0	29.73	29.92	5.7	16	270	14	350
28	62	44	53	0.9	71	43	48	12	0	0601	1828	RA BR			0.30	0.0	0	29.88	30.09	5.2	19	030	15	120
29	61	42	52	-0.4	57	34	43	13	0	0600	1829	RA			0.13	0.0	0	29.97	30.16	7.1	22	360	17	360
30	61	39	50	-2.8	51	30	41	15	0	0558	1830				0.00	0.0	0	30.09	30.31	7.9	23	030	17	120
31	70	39	55	1.9	70	45	50	10	0	0557	1831	RA			0.13	0.0	0	30.04	30.19	13.0	38	210	31	220
	62.1	39.7	50.9							Monthly Averages Totals					1.24			29.85	30.04	9.2				
	2.1	2.6	2.3							Departure from Normal (1981-2010)					-2.80									
	Degree Days										Number of days with...													
	Monthly				Season-to-date				Temperature				Precipitation			Snow		Weather						
	Total		Departure		Total		Departure		Max		Min		>=0.01"		>=0.1"	>=1"	T-Storms	Heavy Fog						
Heating	438		-78		2869				>=90°		<=32°		<=32°		<=0°		12	6	0	1	3			
Cooling	1		-5		2				0		0		6		0		12	6	0	1	3			
	Date of 5-sec to 3-sec wind equipment change							Sea Level Pressure					Greatest...											
	N/A							Maximum		30.48		Date	21	Time	1131	24-Hr...		Precip	Snowfall	Snow Depth				
	N/A							Minimum		29.34		Date	04	Time	0212	0.43		0.0		0.0				
													Date											
													28-29											
	Station Augmentation																							
	Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																							

Local Climatological Data Hourly Observations March 2023

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/12/2023

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press Tend	Net 3-Hr Change (inHg)	Sea Level Press (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0054	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	0	000		29.88	3	-0.06	30.07	FM-15	0.00	30.06
01	0100	4		9.94		46	7.8	44	6.7	42	5.6	86	0	000		29.88	3	-0.06	30.07	FM-12		
01	0154	7	CLR:00	10.00		44	6.7	43	6.1	41	5.0	89	5	080		29.88			30.07	FM-15	0.00	30.06
01	0254	7	CLR:00	10.00		43	6.1	42	5.6	40	4.4	89	3	090		29.88			30.07	FM-15	0.00	30.06
01	0354	7	CLR:00	9.00		43	6.1	42	5.6	40	4.4	89	0	000		29.90	3	-0.02	30.09	FM-15	0.00	30.08
01	0454	7	BKN:07 120	7.00		41	5.0	40	4.4	39	3.9	93	3	350		29.92			30.11	FM-15	0.00	30.10
01	0554	7	BKN:07 120	8.00		40	4.4	39	3.9	38	3.3	93	0	000		29.94			30.13	FM-15	0.00	30.12
01	0654	7	FEW:02 13 SCT:04 110	8.00		41	5.0	40	4.4	38	3.3	89	3	VRB		29.94	1	-0.05	30.14	FM-15	0.00	30.12
01	0700	4	15	7.46		41	5.0	40	4.4	38	3.3	89	3			29.94	1	-0.05	30.14	FM-12		
01	0754	7	BKN:07 110	8.00		43	6.1	41	5.0	39	3.9	86	6	070		29.95			30.15	FM-15	0.00	30.13
01	0854	7	SCT:04 110	10.00		47	8.3	44	6.7	40	4.4	77	5	080		29.96			30.16	FM-15	0.00	30.14
01	0954	7	BKN:07 47 BKN:07 110	10.00		50	10.0	45	7.2	40	4.4	68	7	120		29.96	0	-0.01	30.15	FM-15	0.00	30.14
01	1054	7	BKN:07 45 BKN:07 110	10.00		52	11.1	46	7.8	40	4.4	64	6	080		29.94			30.13	FM-15	0.00	30.12
01	1154	7	OVC:08 34	10.00		54	12.2	47	8.3	40	4.4	59	3	160		29.91			30.10	FM-15	0.00	30.09
01	1254	7	OVC:08 30	10.00		55	12.8	48	8.9	40	4.4	57	0	000		29.89	8	+0.07	30.08	FM-15	0.00	30.07
01	1300	4	26	9.94		55	12.8	48	8.9	40	4.4	57	0	000		29.89	8	+0.07	30.08	FM-12		
01	1354	7	OVC:08 30	10.00		57	13.9	49	9.4	41	5.0	55	5	150		29.85			30.04	FM-15	0.00	30.03
01	1454	7	OVC:08 30	10.00		58	14.4	50	10.0	43	6.1	58	8	200		29.83			30.02	FM-15	0.00	30.01
01	1554	7	BKN:07 30 BKN:07 180 BKN:07 300	10.00		59	15.0	51	10.6	44	6.7	58	7	VRB		29.80	6	+0.09	29.99	FM-15	0.00	29.98
01	1620	7	BKN:07 28 BKN:07 260	10.00		58	14.4	51	10.6	44	6.7	60	8	160		29.78				FM-16		29.96
01	1652	6	SCT:04 26 BKN:07 270	10.00		59	15.0	52	11.1	45	7.2	59	5	160		29.78				FM-16		29.96
01	1654	7	SCT:04 26 BKN:07 270	10.00		59	15.0	52	11.1	45	7.2	60	5	180		29.78			29.97	FM-15	0.00	29.96
01	1754	7	FEW:02 250 BKN:07 300	10.00		54	12.2	49	9.4	45	7.2	72	8	190		29.77			29.97	FM-15	0.00	29.95
01	1854	7	BKN:07 300	10.00		53	11.7	49	9.4	46	7.8	77	3	160		29.77	6	+0.03	29.97	FM-15	0.00	29.95
01	1900	4		9.94		53	11.7	49	9.4	46	7.8	77	3	160		29.77	6	+0.03	29.97	FM-12		
01	1954	7	BKN:07 300	10.00		50	10.0	48	8.9	45	7.2	83	3	170		29.75			29.95	FM-15	0.00	29.93
01	2054	7	BKN:07 300	10.00		49	9.4	47	8.3	45	7.2	86	0	000		29.73			29.93	FM-15	0.00	29.91
01	2154	7	SCT:04 300	10.00		49	9.4	47	8.3	45	7.2	86	3	170		29.72	6	+0.06	29.91	FM-15	0.00	29.90
01	2254	7	BKN:07 220	10.00		48	8.9	47	8.3	45	7.2	89	0	000		29.69			29.88	FM-15	0.00	29.87
01	2354	7	OVC:08 190	10.00		47	8.3	46	7.8	44	6.7	90	0	000		29.65			29.84	FM-15	0.00	29.83
02	0054	7	SCT:04 180 OVC:08 230	10.00		50	10.0	48	8.9	47	8.3	89	5	210		29.61	8	+0.10	29.80	FM-15	0.00	29.79
02	0100	4		9.94		50	10.0	48	8.9	47	8.3	89	5	210		29.61	8	+0.10	29.80	FM-12		
02	0154	7	BKN:07 180 OVC:08 230	10.00		50	10.0	48	8.9	47	8.3	89	6	210		29.59			29.78	FM-15	0.00	29.77

02	0254	7	FEW:02 95 OVC:08 180	10.00		51	10.6	49	9.4	48	8.9	89	3	180		29.57			29.76	FM-15	0.00	29.75
02	0354	7	SCT:04 50 BKN:07 95 OVC:08 180	10.00		51	10.6	49	9.4	47	8.3	86	0	000		29.55	6	+0.06	29.75	FM-15	0.00	29.73
02	0454	7	SCT:04 41 BKN:07 85 OVC:08 110	9.00	-RA:02 RA RA	51	10.6	49	9.4	48	8.9	89	6	220		29.55			29.75	FM-15	T	29.73
02	0554	7	FEW:02 41 SCT:04 80 OVC:08 100	9.00	-RA:02 RA RA	53	11.7	51	10.6	50	10.0	89	3	190		29.57			29.77	FM-15	0.01	29.75
02	0654	7	OVC:08 85	8.00	-RA:02 RA RA	53	11.7	52	11.1	51	10.6	93	7	200		29.58	3	-0.03	29.78	FM-15	0.02	29.76
02	0700	4		7.46	RA	53	11.7	52	11.1	51	10.6	93	7	200		29.58	3	-0.03	29.78	FM-12		
02	0754	7	SCT:04 80 OVC:08 100	7.00	-RA:02 RA RA	54	12.2	53	11.7	52	11.1	93	6	170		29.57			29.77	FM-15	0.04	29.75
02	0854	7	SCT:04 80 BKN:07 120 OVC:08 180	7.00		56	13.3	55	12.8	54	12.2	93	6	VRB		29.54			29.73	FM-15	T	29.72
02	0954	7	SCT:04 80 BKN:07 120 BKN:07 200	10.00		59	15.0	56	13.3	54	12.2	83	5	250		29.55	5	+0.04	29.74	FM-15	0.00	29.73
02	1054	7	OVC:08 110	10.00		62	16.7	59	15.0	56	13.3	80	9	230		29.55			29.74	FM-15	0.00	29.73
02	1154	7	BKN:07 120 OVC:08 180	10.00		64	17.8	58	14.4	54	12.2	70	9	230		29.56			29.75	FM-15	0.00	29.74
02	1254	7	BKN:07 120 OVC:08 180	10.00		66	18.9	59	15.0	54	12.2	65	11	260		29.54	8	+0.01	29.73	FM-15	0.00	29.72
02	1300	4		9.94		66	18.9	59	15.0	54	12.2	65	11	260		29.54	8	+0.01	29.73	FM-12		
02	1354	7	SCT:04 120 OVC:08 180	10.00		66	18.9	59	15.0	54	12.2	65	10	240		29.53			29.72	FM-15	0.00	29.71
02	1454	7	SCT:04 120 OVC:08 180	10.00		66	18.9	59	15.0	53	11.7	63	9	260		29.53			29.72	FM-15	0.00	29.71
02	1554	7	BKN:07 120 OVC:08 180	10.00		67	19.4	59	15.0	53	11.7	61	9	270		29.53	5	+0.01	29.72	FM-15	0.00	29.71
02	1654	6	BKN:07 180 OVC:08 210	10.00		66	18.9	58	14.4	52	11.1	61	7	240		29.55			29.75	FM-15	0.00	29.73
02	1754	6	FEW:02 40 OVC:08 210	10.00		64	17.8	57	13.9	52	11.1	65	7	250		29.59			29.78	FM-15	0.00	29.77
02	1854	6	FEW:02 40 OVC:08 220	10.00		59	15.0	55	12.8	51	10.6	75	3	240		29.60	1	-0.06	29.79	FM-15	0.00	29.78
02	1954	6	OVC:08 220	10.00		58	14.4	54	12.2	51	10.6	78	0	000		29.62			29.81	FM-15	0.00	29.80
02	2054	6	OVC:08 220	10.00		58	14.4	54	12.2	51	10.6	78	0	000		29.64			29.83	FM-15	0.00	29.82
02	2154	6	SCT:04 210 BKN:07 240	10.00		57	13.9	53	11.7	49	9.4	74	8	040		29.66	3	-0.06	29.85	FM-15	0.00	29.84
02	2254	7	SCT:04 250	10.00		55	12.8	49	9.4	43	6.1	64	8	030		29.70			29.89	FM-15	0.00	29.88
02	2354	6	BKN:07 230	10.00		55	12.8	47	8.3	39	3.9	55	5	050		29.71			29.90	FM-15	0.00	29.89
03	0054	7	SCT:04 230	10.00		53	11.7	46	7.8	39	3.9	59	5	050		29.72	1	-0.05	29.91	FM-15	0.00	29.90
03	0154	7	SCT:04 230	10.00		52	11.1	46	7.8	40	4.4	64	3	040		29.73			29.92	FM-15	0.00	29.91
03	0254	7	SCT:04 230	10.00		50	10.0	45	7.2	40	4.4	68	5	050		29.72			29.91	FM-15	0.00	29.90
03	0354	7	SCT:04 230	10.00		49	9.4	44	6.7	39	3.9	69	5	030		29.73	1	-0.01	29.93	FM-15	0.00	29.91
03	0454	7	BKN:07 190	10.00		49	9.4	44	6.7	39	3.9	69	3	060		29.74			29.93	FM-15	0.00	29.92
03	0554	7	SCT:04 90 BKN:07 170	10.00		47	8.3	43	6.1	39	3.9	74	5	100		29.74			29.93	FM-15	0.00	29.92
03	0654	7	SCT:04 95 BKN:07 160	10.00		48	8.9	43	6.1	37	2.8	66	5	080		29.76	3	-0.03	29.95	FM-15	0.00	29.94
03	0700	4		9.94		48	8.9	43	6.1	37	2.8	66	5	080		29.76	3	-0.03	29.95	FM-12		
03	0754	7	OVC:08 85	10.00	-RA:02 RA RA	49	9.4	44	6.7	37	2.8	64	3	050		29.80			29.99	FM-15	T	29.98
03	0854	7	SCT:04 46 SCT:04 60 OVC:08 85	10.00	-RA:02 RA RA	47	8.3	44	6.7	40	4.4	77	9	060		29.79			29.98	FM-15	0.01	29.97

03	0954	7	BKN:07 60 OVC:08 70	10.00	-RA:02 RA RA	47	8.3	45	7.2	42	5.6	83	13	050		29.79	0	-0.03	29.98	FM-15	T	29.97
03	1029	7	BKN:07 12 BKN:07 37 OVC:08 55	8.00	-RA:02 RA RA	47	8.3	46	7.8	44	6.7	90	11	050	20	29.78				FM-16	0.01	29.96
03	1054	7	FEW:02 10 BKN:07 14 OVC:08 37	9.00		48	8.9	47	8.3	45	7.2	89	10	070		29.77			29.97	FM-15	0.01	29.95
03	1154	7	OVC:08 14	10.00		48	8.9	46	7.8	44	6.7	86	11	090		29.76			29.96	FM-15	T	29.94
03	1254	7	OVC:08 13	6.00	-RA:02 BR:1 RA RA	47	8.3	45	7.2	43	6.1	86	11	080		29.73	8	+0.06	29.93	FM-15	T	29.91
03	1300	4	15	5.59	RA	47	8.3	45	7.2	43	6.1	86	11	080		29.73	8	+0.06	29.93	FM-12		
03	1323	7	OVC:08 11	2.00	-RA:02 BR:1 RA RA	47	8.3	45	7.2	43	6.1	86	14	100	21	29.71				FM-16	0.01	29.89
03	1342	7	OVC:08 11	3.00	-RA:02 BR:1 RA RA	46	7.8	45	7.2	43	6.1	89	15	100		29.69				FM-16	0.02	29.87
03	1354	7	OVC:08 10	4.00	-RA:02 BR:1 RA RA	46	7.8	45	7.2	43	6.1	89	13	090	21	29.68			29.88	FM-15	0.02	29.86
03	1421	7	OVC:08 8	5.00	-RA:02 BR:1 RA RA	46	7.8	45	7.2	43	6.1	89	15	090		29.65				FM-16	0.01	29.83
03	1454	7	OVC:08 7	7.00	-RA:02 RA RA	46	7.8	45	7.2	43	6.1	89	7	100		29.65			29.85	FM-15	0.01	29.83
03	1554	7	OVC:08 7	7.00	-RA:02 RA RA	46	7.8	45	7.2	43	6.1	89	10	090		29.61	6	+0.12	29.80	FM-15	0.01	29.79
03	1654	7	OVC:08 5	10.00		46	7.8	45	7.2	43	6.1	89	10	090		29.55			29.74	FM-15	0.00	29.73
03	1754	7	OVC:08 4	6.00	-RA:02 BR:1 RA RA	47	8.3	46	7.8	45	7.2	93	6	110		29.53			29.72	FM-15	T	29.71
03	1810	7	OVC:08 3	2.50	-DZ:01 BR:1 DZ DZ	47	8.3	46	7.8	45	7.2	93	8	100		29.50				FM-16	T	29.68
03	1830	7	OVC:08 2	1.25	-DZ:01 BR:1 DZ DZ	47	8.3	47	8.3	46	7.8	97	11	100		29.44				FM-16	T	29.62
03	1852	6	OVC:08 2	0.75	-DZ:01 BR:1 DZ DZ	48	8.9	47	8.3	46	7.8	94	10	100		29.39				FM-16		29.57
03	1854	7	OVC:08 2	0.75	-DZ:01 BR:1 DZ DZ	48	8.9	48	8.9	47	8.3	96	10	100		29.39	8	+0.21	29.59	FM-15	T	29.57
03	1900	4	2	0.75	DZ	48	8.9	48	8.9	47	8.3	96	10	100		29.39	8	+0.21	29.59	FM-12		
03	1929	7	VV:09 2	0.25	-DZ:01 FG:2 FG DZ DZ	49	9.4	48	8.9	48	8.9	97	7	090		29.39				FM-16	T	29.56
03	1954	7	VV:09 2	0.25	-DZ:01 FG:2 FG DZ DZ	50	10.0	49	9.4	49	9.4	96	8	090		29.34			29.53	FM-15	T	29.52
03	2035	7	VV:09 2	0.50	-DZ:01 FG:2 FG DZ DZ	53	11.7	52	11.1	52	11.1	96	10	130		29.28				FM-16	T	29.46
03	2054	7	OVC:08 2	0.50	-DZ:01 FG:2 FG DZ DZ	55	12.8	54	12.2	53	11.7	93	13	140		29.28			29.47	FM-15	T	29.46
03	2115	6	BKN:07 3 OVC:08 60	1.75	-DZ:01 BR:1 DZ DZ	57	13.9	56	13.3	56	13.3	96	17	160	32	29.23				FM-16		29.40
03	2128	7	BKN:07 3 OVC:08 60	9.00	-RA:02 RA RA	58	14.4	57	13.9	57	13.9	97	21	160	31	29.22				FM-16	T	29.39
03	2130	7	BKN:07 7 BKN:07 39 BKN:07 55	9.00	RA RA	58	14.4	57	13.9	57	13.9	97	18	160	31	29.22				FM-16	T	29.39
03	2154	7	SCT:04 6 BKN:07 65 OVC:08 90	10.00		59	15.0	58	14.4	57	13.9	93	14	160	23	29.20	8	+0.20	29.38	FM-15	T	29.37
03	2254	7	BKN:07 60 BKN:07 90 OVC:08 120	10.00	-RA:02 RA RA	65	18.3	61	16.1	59	15.0	81	22	180	33	29.17			29.35	FM-15	T	29.34
03	2339	7	BKN:07 24 OVC:08 40	10.00	-RA:02 RA RA	66	18.9	62	16.7	59	15.0	78	11	260	22	29.18				FM-16	T	29.36
03	2354	7	BKN:07 24 OVC:08 34	10.00	-RA:02 RA RA	64	17.8	61	16.1	59	15.0	84	16	260		29.21			29.39	FM-15	0.01	29.38
04	0052	6	SCT:04 29 BKN:07 34 OVC:08 47	10.00		61	16.1	59	15.0	57	13.9	88	10	240		29.18				FM-16		29.36
04	0054	7	BKN:07 29 BKN:07 36 OVC:08 48	10.00		61	16.1	58	14.4	56	13.3	84	11	240		29.18	6	+0.01	29.37	FM-15	T	29.36
04	0100	4	26	9.94		61	16.1	58	14.4	56	13.3	84	11	240		29.18	6	+0.01	29.37	FM-12		
04	0152	6	FEW:02 50 SCT:04 300	10.00		59	15.0	57	13.9	55	12.8	88	16	210	26	29.15				FM-16		29.33
04	0154	7	FEW:02 50 SCT:04 300	10.00		59	15.0	57	13.9	55	12.8	87	16	210	26	29.15			29.34	FM-15	0.00	29.33
04	0254	7	SCT:04 300	10.00		60	15.6	57	13.9	55	12.8	84	21	230	29	29.18			29.37	FM-15	0.00	29.36
04	0354	7	CLR:00	10.00		59	15.0	54	12.2	49	9.4	69	17	240	29	29.23	3	-0.04	29.41	FM-15	0.00	29.40

04	0454	7	CLR:00	10.00		58	14.4	51	10.6	45	7.2	62	16	250	25	29.26			29.45	FM-15	0.00	29.44
04	0554	7	CLR:00	10.00		58	14.4	50	10.0	43	6.1	58	18	250	28	29.31			29.49	FM-15	0.00	29.48
04	0654	7	CLR:00	10.00		56	13.3	49	9.4	42	5.6	60	17	260	25	29.36			29.55	FM-15	0.00	29.54
04	0700	4		9.94		56	13.3	49	9.4	42	5.6	60	17	260		29.36	3	-0.14	29.55	FM-12		
04	0754	7	CLR:00	10.00		57	13.9	49	9.4	40	4.4	53	20	270	29	29.44			29.62	FM-15	0.00	29.61
04	0854	7	FEW:02 50	10.00		58	14.4	48	8.9	37	2.8	46	16	300	28	29.48			29.67	FM-15	0.00	29.66
04	0954	7	FEW:02 50	10.00		59	15.0	47	8.3	34	1.1	39	18	300	28	29.52	1	-0.15	29.70	FM-15	0.00	29.69
04	1054	7	CLR:00	10.00		59	15.0	46	7.8	31	-0.6	35	18	300	29	29.54			29.73	FM-15	0.00	29.72
04	1154	7	FEW:02 40	10.00		62	16.7	48	8.9	33	0.6	34	18	320	25	29.57			29.76	FM-15	0.00	29.75
04	1254	7	FEW:02 40	10.00		64	17.8	49	9.4	32	0.0	30	17	280	28	29.57	1	-0.06	29.76	FM-15	0.00	29.75
04	1300	4	41	9.94		64	17.8	49	9.4	32	0.0	30	17	280		29.57	1	-0.06	29.76	FM-12		
04	1354	7	FEW:02 40	10.00		64	17.8	49	9.4	32	0.0	30	16	310	29	29.59			29.78	FM-15	0.00	29.77
04	1454	7	FEW:02 40	10.00		64	17.8	49	9.4	32	0.0	30	14	310	25	29.61			29.80	FM-15	0.00	29.79
04	1554	7	CLR:00	10.00		64	17.8	49	9.4	32	0.0	30	15	320	22	29.63	3	-0.06	29.83	FM-15	0.00	29.81
04	1654	7	CLR:00	10.00		64	17.8	49	9.4	31	-0.6	29	15	300		29.67			29.86	FM-15	0.00	29.85
04	1754	7	CLR:00	10.00		59	15.0	47	8.3	32	0.0	36	11	330		29.71			29.90	FM-15	0.00	29.89
04	1854	7	CLR:00	10.00		56	13.3	44	6.7	29	-1.7	36	13	350		29.76	3	-0.12	29.95	FM-15	0.00	29.94
04	1900	4		9.94		56	13.3	44	6.7	29	-1.7	36	13	350		29.76	3	-0.12	29.95	FM-12		
04	1954	7	CLR:00	10.00		52	11.1	42	5.6	29	-1.7	41	7	360		29.81			30.00	FM-15	0.00	29.99
04	2054	7	CLR:00	10.00		51	10.6	42	5.6	31	-0.6	46	10	010		29.86			30.05	FM-15	0.00	30.04
04	2154	7	CLR:00	10.00		47	8.3	40	4.4	30	-1.1	52	6	020		29.88	1	-0.12	30.07	FM-15	0.00	30.06
04	2254	7	CLR:00	10.00		46	7.8	39	3.9	30	-1.1	54	0	000		29.90			30.09	FM-15	0.00	30.08
04	2354	7	CLR:00	10.00		43	6.1	38	3.3	30	-1.1	60	0	000		29.91			30.10	FM-15	0.00	30.09
05	0054	7	CLR:00	10.00		41	5.0	37	2.8	31	-0.6	67	0	000		29.92	1	-0.04	30.11	FM-15	0.00	30.10
05	0100	4		9.94		41	5.0	37	2.8	31	-0.6	67	0	000		29.92	1	-0.04	30.11	FM-12		
05	0154	7	CLR:00	10.00		40	4.4	36	2.2	31	-0.6	70	3	320		29.93			30.12	FM-15	0.00	30.11
05	0254	7	CLR:00	10.00		38	3.3	35	1.7	30	-1.1	73	0	000		29.93			30.12	FM-15	0.00	30.11
05	0354	7	CLR:00	10.00		36	2.2	34	1.1	30	-1.1	79	0	000		29.95	3	-0.04	30.14	FM-15	0.00	30.13
05	0454	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		29.97			30.16	FM-15	0.00	30.15
05	0554	7	CLR:00	10.00		35	1.7	33	0.6	29	-1.7	78	0	000		29.98			30.18	FM-15	0.00	30.16
05	0654	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	0	000		30.02	3	-0.06	30.21	FM-15	0.00	30.20
05	0700	4		9.94		34	1.1	32	0.0	29	-1.7	82	0	000		30.02	3	-0.06	30.21	FM-12		
05	0754	7	FEW:02 250	10.00		44	6.7	41	5.0	36	2.2	73	0	000		30.04			30.23	FM-15	0.00	30.22
05	0854	7	FEW:02 250	10.00		50	10.0	43	6.1	33	0.6	52	6	210		30.05			30.24	FM-15	0.00	30.23
05	0954	7	FEW:02 250	10.00		53	11.7	44	6.7	32	0.0	45	5	220		30.05	1	-0.04	30.24	FM-15	0.00	30.23
05	1054	7	FEW:02 250	10.00		58	14.4	46	7.8	31	-0.6	36	6	300		30.04			30.24	FM-15	0.00	30.22
05	1154	7	CLR:00	10.00		62	16.7	47	8.3	29	-1.7	29	5	VRB		30.03			30.22	FM-15	0.00	30.21
05	1254	7	CLR:00	10.00		63	17.2	47	8.3	27	-2.8	26	8	220		30.00	8	+0.05	30.19	FM-15	0.00	30.18
05	1300	4		9.94		63	17.2	47	8.3	27	-2.8	26	8	220		30.00	8	+0.05	30.19	FM-12		
05	1354	7	CLR:00	10.00		66	18.9	48	8.9	24	-4.4	20	9	260		29.99			30.18	FM-15	0.00	30.17
05	1454	7	FEW:02 250	10.00		67	19.4	48	8.9	25	-3.9	20	13	280	20	29.98			30.17	FM-15	0.00	30.16
05	1554	7	CLR:00	10.00		67	19.4	48	8.9	25	-3.9	20	13	320	20	29.98	6	+0.03	30.17	FM-15	0.00	30.16
05	1654	7	SCT:04 250	10.00		66	18.9	48	8.9	25	-3.9	21	6	290		29.97			30.16	FM-15	0.00	30.15
05	1754	7	SCT:04 250 BKN:07 300	10.00		64	17.8	47	8.3	24	-4.4	22	0	000		29.97			30.16	FM-15	0.00	30.15
05	1854	7	BKN:07 250	10.00		57	13.9	45	7.2	29	-1.7	34	0	000		29.97	5	0.00	30.17	FM-15	0.00	30.15
05	1900	4		9.94		57	13.9	45	7.2	29	-1.7	34	0	000		29.97	5	0.00	30.17	FM-12		
05	1954	7	BKN:07 250	10.00		52	11.1	42	5.6	29	-1.7	41	0	000		29.99			30.19	FM-15	0.00	30.17
05	2054	7	BKN:07 250	10.00		50	10.0	42	5.6	32	0.0	50	0	000		30.01			30.20	FM-15	0.00	30.19
05	2154	7	SCT:04 250	10.00		47	8.3	41	5.0	32	0.0	56	0	000		30.01	1	-0.04	30.21	FM-15	0.00	30.19
05	2254	7	SCT:04 250	10.00		50	10.0	41	5.0	30	-1.1	46	8	020		30.03			30.22	FM-15	0.00	30.21
05	2354	7	SCT:04 250	10.00		50	10.0	41	5.0	28	-2.2	43	10	020		30.03			30.22	FM-15	0.00	30.21

06	0054	7	SCT:04 250	10.00		49	9.4	40	4.4	28	-2.2	44	5	030		30.04	2	-0.03	30.24	FM-15	0.00	30.22
06	0100	4		9.94		49	9.4	40	4.4	28	-2.2	44	5	030		30.04	2	-0.03	30.24	FM-12		
06	0154	7	FEW:02 250	10.00		47	8.3	40	4.4	30	-1.1	52	6	010		30.05			30.24	FM-15	0.00	30.23
06	0254	7	FEW:02 250	10.00		44	6.7	38	3.3	30	-1.1	58	8	040		30.05			30.24	FM-15	0.00	30.23
06	0354	7	FEW:02 250	10.00		43	6.1	38	3.3	31	-0.6	63	8	050		30.04	0	0.00	30.24	FM-15	0.00	30.22
06	0454	7	FEW:02 250	10.00		43	6.1	38	3.3	30	-1.1	60	5	040		30.06			30.25	FM-15	0.00	30.24
06	0554	7	FEW:02 250	10.00		41	5.0	37	2.8	30	-1.1	65	5	050		30.05			30.24	FM-15	0.00	30.23
06	0654	7	SCT:04 250	10.00		41	5.0	37	2.8	31	-0.6	67	3	VRB		30.06	1	-0.01	30.25	FM-15	0.00	30.24
06	0700	4		9.94		41	5.0	37	2.8	31	-0.6	67	3			30.06	1	-0.01	30.25	FM-12		
06	0754	7	SCT:04 250	10.00		45	7.2	40	4.4	33	0.6	63	5	050		30.07			30.26	FM-15	0.00	30.25
06	0854	7	BKN:07 250	10.00		50	10.0	43	6.1	33	0.6	52	7	050		30.08			30.27	FM-15	0.00	30.26
06	0954	7	BKN:07 250	10.00		53	11.7	43	6.1	31	-0.6	43	6	VRB		30.07	0	-0.01	30.27	FM-15	0.00	30.25
06	1054	7	BKN:07 250	10.00		55	12.8	44	6.7	30	-1.1	38	5	090		30.04			30.23	FM-15	0.00	30.22
06	1154	7	BKN:07 250	10.00		57	13.9	45	7.2	30	-1.1	36	5	090		30.01			30.20	FM-15	0.00	30.19
06	1254	7	BKN:07 250	10.00		61	16.1	48	8.9	33	0.6	35	8	190		29.95	8	+0.12	30.14	FM-15	0.00	30.13
06	1300	4		9.94		61	16.1	48	8.9	33	0.6	35	8	190		29.95	8	+0.12	30.14	FM-12		
06	1354	7	BKN:07 250	10.00		61	16.1	48	8.9	32	0.0	34	6	180		29.92			30.11	FM-15	0.00	30.10
06	1454	7	SCT:04 250	10.00		63	17.2	49	9.4	33	0.6	33	6	VRB		29.87			30.06	FM-15	0.00	30.05
06	1554	7	BKN:07 250	10.00		65	18.3	51	10.6	35	1.7	33	11	230		29.83	8	+0.12	30.02	FM-15	0.00	30.01
06	1654	7	FEW:02 300	10.00		65	18.3	51	10.6	36	2.2	34	6	210		29.80			29.99	FM-15	0.00	29.98
06	1754	7	FEW:02 300	10.00		63	17.2	50	10.0	37	2.8	38	5	160		29.78			29.97	FM-15	0.00	29.96
06	1854	7	FEW:02 300	10.00		57	13.9	48	8.9	39	3.9	51	6	130		29.77	6	+0.06	29.96	FM-15	0.00	29.95
06	1900	4		9.94		57	13.9	48	8.9	39	3.9	51	6	130		29.77	6	+0.06	29.96	FM-12		
06	1954	7	FEW:02 300	10.00		51	10.6	46	7.8	40	4.4	66	7	160		29.73			29.93	FM-15	0.00	29.91
06	2054	7	CLR:00	10.00		51	10.6	46	7.8	40	4.4	66	6	140		29.71			29.90	FM-15	0.00	29.89
06	2154	7	CLR:00	10.00		49	9.4	45	7.2	41	5.0	74	6	120		29.69	6	+0.08	29.88	FM-15	0.00	29.87
06	2254	7	CLR:00	10.00		47	8.3	44	6.7	40	4.4	77	5	130		29.66			29.85	FM-15	0.00	29.84
06	2354	7	BKN:07 120	10.00		47	8.3	44	6.7	40	4.4	77	5	140		29.62			29.81	FM-15	0.00	29.80
07	0054	7	SCT:04 100	10.00		51	10.6	47	8.3	42	5.6	71	11	200		29.57	8	+0.12	29.76	FM-15	0.00	29.75
07	0100	4		9.94		51	10.6	47	8.3	42	5.6	71	11	200		29.57	8	+0.12	29.76	FM-12		
07	0154	7	FEW:02 100	10.00		56	13.3	50	10.0	44	6.7	65	16	220		29.53			29.72	FM-15	0.00	29.71
07	0254	7	CLR:00	10.00		59	15.0	52	11.1	46	7.8	62	15	230		29.52			29.70	FM-15	0.00	29.69
07	0354	7	CLR:00	10.00		58	14.4	52	11.1	47	8.3	67	10	240		29.52	5	+0.05	29.70	FM-15	0.00	29.69
07	0432	7	CLR:00	10.00		54	12.2	49	9.4	44	6.7	69	20	360	36	29.58				FM-16		29.76
07	0454	7	CLR:00	10.00		50	10.0	45	7.2	39	3.9	66	20	350		29.59			29.79	FM-15	0.00	29.77
07	0554	7	BKN:07 95	10.00		49	9.4	43	6.1	36	2.2	61	13	350		29.62			29.81	FM-15	0.00	29.80
07	0654	7	FEW:02 95	10.00		47	8.3	41	5.0	34	1.1	61	14	350		29.65	1	-0.13	29.84	FM-15	0.00	29.83
07	0700	4		9.94		47	8.3	41	5.0	34	1.1	61	14	350		29.65	1	-0.13	29.84	FM-12		
07	0754	7	FEW:02 95	10.00		49	9.4	42	5.6	34	1.1	56	13	010		29.68			29.87	FM-15	0.00	29.86
07	0854	7	FEW:02 35 FEW:02 95	10.00		52	11.1	44	6.7	35	1.7	53	18	360	28	29.72			29.91	FM-15	0.00	29.90
07	0954	7	FEW:02 45	10.00		55	12.8	46	7.8	36	2.2	49	20	010	24	29.73	1	-0.08	29.92	FM-15	0.00	29.91
07	1054	7	FEW:02 75	10.00		56	13.3	47	8.3	36	2.2	47	22	010	29	29.75			29.94	FM-15	0.00	29.93
07	1154	7	FEW:02 70	10.00		58	14.4	48	8.9	36	2.2	44	17	010	26	29.77			29.96	FM-15	0.00	29.95
07	1254	7	FEW:02 70	10.00		59	15.0	48	8.9	36	2.2	42	20	VRB	26	29.77	0	-0.04	29.96	FM-15	0.00	29.95
07	1300	4	74	9.94		59	15.0	48	8.9	36	2.2	42	20	360		29.77	9	+0.04	29.96	FM-12		
07	1354	7	FEW:02 50	10.00		58	14.4	48	8.9	36	2.2	44	11	350	23	29.77			29.96	FM-15	0.00	29.95
07	1454	7	FEW:02 50	10.00		59	15.0	47	8.3	34	1.1	39	22	350	31	29.78			29.97	FM-15	0.00	29.96
07	1554	7	FEW:02 50	10.00		58	14.4	47	8.3	33	0.6	39	15	340	30	29.80	3	-0.04	29.99	FM-15	0.00	29.98
07	1654	7	FEW:02 60 FEW:02 300	10.00		57	13.9	45	7.2	29	-1.7	34	20	340	29	29.82			30.01	FM-15	0.00	30.00
07	1754	7	FEW:02 65	10.00		54	12.2	41	5.0	23	-5.0	30	16	320	26	29.86			30.05	FM-15	0.00	30.04

			FEW:02 300																			
07	1854	7	CLR:00	10.00		52	11.1	40	4.4	20	-6.7	28	16	320		29.88	3	-0.08	30.08	FM-15	0.00	30.06
07	1900	4		9.94		52	11.1	40	4.4	20	-6.7	28	16	320		29.88	3	-0.08	30.08	FM-12		
07	1954	7	CLR:00	10.00		51	10.6	38	3.3	18	-7.8	27	18	320	24	29.90			30.09	FM-15	0.00	30.08
07	2054	7	CLR:00	10.00		48	8.9	37	2.8	17	-8.3	29	5	320		29.93			30.12	FM-15	0.00	30.11
07	2154	7	CLR:00	10.00		46	7.8	35	1.7	14	-10.0	27	13	320		29.95	3	-0.06	30.14	FM-15	0.00	30.13
07	2254	7	CLR:00	10.00		44	6.7	33	0.6	13	-10.6	28	9	330		29.97			30.16	FM-15	0.00	30.15
07	2354	7	CLR:00	10.00		43	6.1	32	0.0	9	-12.8	25	13	340		29.99			30.18	FM-15	0.00	30.17
08	0054	7	CLR:00	10.00		43	6.1	33	0.6	12	-11.1	28	21	350	32	30.01	1	-0.06	30.20	FM-15	0.00	30.19
08	0100	4		9.94		43	6.1	33	0.6	12	-11.1	28	21	350		30.01	1	-0.06	30.20	FM-12		
08	0154	7	CLR:00	10.00		40	4.4	32	0.0	15	-9.4	36	18	360	32	30.02			30.21	FM-15	0.00	30.20
08	0254	7	CLR:00	10.00		38	3.3	31	-0.6	16	-8.9	41	20	360	29	30.03			30.22	FM-15	0.00	30.21
08	0354	7	CLR:00	10.00		37	2.8	30	-1.1	16	-8.9	42	16	330		30.03	1	-0.02	30.23	FM-15	0.00	30.21
08	0454	7	CLR:00	10.00		35	1.7	28	-2.2	14	-10.0	42	14	320		30.05			30.24	FM-15	0.00	30.23
08	0554	7	CLR:00	10.00		35	1.7	28	-2.2	14	-10.0	42	20	340	25	30.04			30.24	FM-15	0.00	30.22
08	0654	7	CLR:00	10.00		35	1.7	28	-2.2	15	-9.4	44	14	340		30.07	3	-0.04	30.26	FM-15	0.00	30.25
08	0700	4		9.94		35	1.7	28	-2.2	15	-9.4	44	14	340		30.07	3	-0.04	30.26	FM-12		
08	0754	7	CLR:00	10.00		38	3.3	31	-0.6	16	-8.9	41	16	340	23	30.09			30.29	FM-15	0.00	30.27
08	0854	7	CLR:00	10.00		40	4.4	32	0.0	17	-8.3	40	16	350	29	30.08			30.28	FM-15	0.00	30.26
08	0954	7	FEW:02 300	10.00		44	6.7	35	1.7	19	-7.2	37	15	350	25	30.08	1	-0.01	30.28	FM-15	0.00	30.26
08	1054	7	FEW:02 300	10.00		46	7.8	36	2.2	20	-6.7	35	15	340	23	30.08			30.28	FM-15	0.00	30.26
08	1154	7	SCT:04 300	10.00		49	9.4	38	3.3	22	-5.6	35	18	350	23	30.07			30.27	FM-15	0.00	30.25
08	1254	7	FEW:02 300	10.00		51	10.6	40	4.4	22	-5.6	32	7	330		30.04	8	+0.04	30.23	FM-15	0.00	30.22
08	1300	4		9.94		51	10.6	40	4.4	22	-5.6	32	7	330		30.04	8	+0.04	30.23	FM-12		
08	1354	7	FEW:02 300	10.00		53	11.7	41	5.0	23	-5.0	31	14	360	23	30.01			30.21	FM-15	0.00	30.19
08	1454	7	FEW:02 300	10.00		54	12.2	41	5.0	23	-5.0	30	11	350	21	30.00			30.20	FM-15	0.00	30.18
08	1554	7	FEW:02 180 FEW:02 300	10.00		55	12.8	42	5.6	24	-4.4	30	8	310		30.01	5	+0.03	30.20	FM-15	0.00	30.19
08	1654	7	FEW:02 300	10.00		54	12.2	42	5.6	24	-4.4	31	16	010		30.02			30.21	FM-15	0.00	30.20
08	1754	7	FEW:02 170 FEW:02 300	10.00		51	10.6	40	4.4	24	-4.4	35	10	340		30.03			30.22	FM-15	0.00	30.21
08	1854	7	FEW:02 180 FEW:02 300	10.00		47	8.3	38	3.3	25	-3.9	42	5	360		30.04	3	-0.04	30.24	FM-15	0.00	30.22
08	1900	4		9.94		47	8.3	38	3.3	25	-3.9	42	5	360		30.04	3	-0.04	30.24	FM-12		
08	1954	7	FEW:02 300	10.00		44	6.7	37	2.8	25	-3.9	47	8	350		30.05			30.25	FM-15	0.00	30.23
08	2054	7	FEW:02 300	10.00		44	6.7	37	2.8	25	-3.9	47	8	350		30.07			30.26	FM-15	0.00	30.25
08	2154	7	CLR:00	10.00		45	7.2	37	2.8	25	-3.9	46	9	350		30.07	1	-0.03	30.26	FM-15	0.00	30.25
08	2254	7	CLR:00	10.00		45	7.2	37	2.8	24	-4.4	44	11	360		30.07			30.26	FM-15	0.00	30.25
08	2354	7	CLR:00	10.00		45	7.2	37	2.8	24	-4.4	44	14	350		30.07			30.27	FM-15	0.00	30.25
09	0054	7	CLR:00	10.00		44	6.7	36	2.2	24	-4.4	45	13	350		30.07	3	-0.01	30.27	FM-15	0.00	30.25
09	0100	4		9.94		44	6.7	36	2.2	24	-4.4	45	13	350		30.07	3	-0.01	30.27	FM-12		
09	0154	7	CLR:00	10.00		42	5.6	35	1.7	24	-4.4	49	10	350		30.08			30.27	FM-15	0.00	30.26
09	0254	7	CLR:00	10.00		41	5.0	35	1.7	24	-4.4	51	10	350		30.07			30.27	FM-15	0.00	30.25
09	0354	7	CLR:00	10.00		41	5.0	35	1.7	24	-4.4	51	10	350		30.06	8	+0.01	30.26	FM-15	0.00	30.24
09	0454	7	CLR:00	10.00		40	4.4	34	1.1	24	-4.4	53	8	340		30.07			30.26	FM-15	0.00	30.25
09	0554	7	CLR:00	10.00		39	3.9	33	0.6	24	-4.4	55	11	340		30.07			30.27	FM-15	0.00	30.25
09	0654	7	FEW:02 300	10.00		39	3.9	34	1.1	25	-3.9	57	9	350		30.08	3	-0.01	30.27	FM-15	0.00	30.26
09	0700	4		9.94		39	3.9	34	1.1	25	-3.9	57	9	350		30.08	3	-0.01	30.27	FM-12		
09	0754	7	FEW:02 300	10.00		42	5.6	35	1.7	25	-3.9	51	15	360		30.09			30.28	FM-15	0.00	30.27
09	0854	7	FEW:02 300	10.00		45	7.2	37	2.8	25	-3.9	46	10	350		30.09			30.28	FM-15	0.00	30.27
09	0954	7	SCT:04 300	10.00		47	8.3	39	3.9	26	-3.3	44	8	360		30.09	0	-0.01	30.28	FM-15	0.00	30.27
09	1054	7	BKN:07 300	10.00		52	11.1	42	5.6	27	-2.8	38	11	350	18	30.06			30.26	FM-15	0.00	30.24

09	1154	7	BKN:07 300	10.00		54	12.2	43	6.1	28	-2.2	37	7	300		30.05			30.24	FM-15	0.00	30.23
09	1254	7	BKN:07 300	10.00		56	13.3	44	6.7	27	-2.8	33	5	330		30.02	8	+0.06	30.22	FM-15	0.00	30.20
09	1300	4		9.94		56	13.3	44	6.7	27	-2.8	33	5	330		30.02	8	+0.06	30.22	FM-12		
09	1354	7	BKN:07 300	10.00		58	14.4	45	7.2	27	-2.8	31	11	330	18	30.00			30.19	FM-15	0.00	30.18
09	1454	7	SCT:04 300	10.00		59	15.0	45	7.2	27	-2.8	29	7	330		29.97			30.16	FM-15	0.00	30.15
09	1554	7	SCT:04 300	10.00		59	15.0	45	7.2	27	-2.8	29	9	330		29.96	6	+0.06	30.15	FM-15	0.00	30.14
09	1654	7	SCT:04 250	10.00		57	13.9	44	6.7	27	-2.8	32	7	360		29.97			30.16	FM-15	0.00	30.15
09	1754	7	SCT:04 250	10.00		54	12.2	43	6.1	27	-2.8	35	7	010		29.98			30.18	FM-15	0.00	30.16
09	1854	7	SCT:04 250	10.00		52	11.1	42	5.6	27	-2.8	38	5	030		29.98	1	-0.02	30.18	FM-15	0.00	30.16
09	1900	4		9.94		52	11.1	42	5.6	27	-2.8	38	5	030		29.98	1	-0.02	30.18	FM-12		
09	1954	7	SCT:04 250	10.00		47	8.3	40	4.4	29	-1.7	50	6	VRB		29.99			30.18	FM-15	0.00	30.17
09	2054	7	SCT:04 250	10.00		48	8.9	39	3.9	27	-2.8	44	3	070		29.99			30.18	FM-15	0.00	30.17
09	2154	7	SCT:04 250	10.00		44	6.7	38	3.3	29	-1.7	55	0	000		29.99	2	-0.01	30.19	FM-15	0.00	30.17
09	2254	7	SCT:04 250	10.00		41	5.0	37	2.8	30	-1.1	65	8	060		29.99			30.18	FM-15	0.00	30.17
09	2354	7	SCT:04 250	10.00		42	5.6	37	2.8	29	-1.7	60	6	090		29.97			30.17	FM-15	0.00	30.15
10	0054	7	BKN:07 180	10.00		42	5.6	37	2.8	29	-1.7	60	0	000		29.97	6	+0.03	30.16	FM-15	0.00	30.15
10	0100	4		9.94		42	5.6	37	2.8	29	-1.7	60	0	000		29.97	6	+0.03	30.16	FM-12		
10	0154	7	BKN:07 180	10.00		40	4.4	37	2.8	32	0.0	73	3	150		29.95			30.14	FM-15	0.00	30.13
10	0254	7	OVC:08 150	10.00		41	5.0	38	3.3	33	0.6	73	3	100		29.92			30.11	FM-15	0.00	30.10
10	0354	7	OVC:08 140	10.00		42	5.6	39	3.9	34	1.1	73	0	000		29.93	5	+0.04	30.12	FM-15	0.00	30.11
10	0454	7	OVC:08 100	10.00		42	5.6	39	3.9	36	2.2	79	0	000		29.92			30.11	FM-15	0.00	30.10
10	0554	7	OVC:08 85	10.00		42	5.6	39	3.9	36	2.2	79	3	170		29.89			30.08	FM-15	0.00	30.07
10	0654	7	BKN:07 85 OVC:08 110	10.00		43	6.1	40	4.4	36	2.2	76	5	190		29.88	6	+0.05	30.07	FM-15	0.00	30.06
10	0700	4		9.94		43	6.1	40	4.4	36	2.2	76	5	190		29.88	6	+0.05	30.07	FM-12		
10	0754	7	BKN:07 85 OVC:08 110	10.00		44	6.7	40	4.4	36	2.2	73	7	120		29.85			30.05	FM-15	0.00	30.03
10	0854	7	OVC:08 75	10.00		46	7.8	41	5.0	34	1.1	63	9	130		29.81			30.01	FM-15	0.00	29.99
10	0954	7	BKN:07 60 OVC:08 70	10.00		46	7.8	42	5.6	36	2.2	68	9	130		29.80	6	+0.08	29.99	FM-15	T	29.98
10	1054	7	BKN:07 45 OVC:08 55	10.00		47	8.3	42	5.6	35	1.7	63	8	170		29.78			29.98	FM-15	T	29.96
10	1154	7	SCT:04 26 BKN:07 40 OVC:08 60	10.00		48	8.9	43	6.1	37	2.8	66	11	150		29.73			29.93	FM-15	T	29.91
10	1254	7	FEW:02 30 OVC:08 40	10.00		49	9.4	44	6.7	38	3.3	66	10	170		29.67	8	+0.12	29.87	FM-15	0.00	29.85
10	1300	4	26	9.94		49	9.4	44	6.7	38	3.3	66	10	170		29.67	8	+0.12	29.87	FM-12		
10	1354	7	SCT:04 24 OVC:08 34	10.00		49	9.4	45	7.2	41	5.0	74	16	180	20	29.62			29.82	FM-15	0.00	29.80
10	1454	7	SCT:04 24 OVC:08 34	5.00		48	8.9	46	7.8	43	6.1	83	9	190		29.61			29.80	FM-15	T	29.79
10	1552	6	BKN:07 17 OVC:08 30	2.00		48	8.9	47	8.3	46	7.8	94	10	170		29.56				FM-16		29.74
10	1554	7	BKN:07 17 OVC:08 30	2.00		48	8.9	47	8.3	45	7.2	89	10	180		29.56	6	+0.07	29.75	FM-15	0.02	29.74
10	1556	7	BKN:07 7 OVC:08 15	2.00		48	8.9	47	8.3	45	7.2	89	9	170		29.55				FM-16	T	29.73
10	1632	7	BKN:07 7 OVC:08 15	3.00		48	8.9	47	8.3	46	7.8	93	9	170		29.54				FM-16	T	29.72
10	1654	7	BKN:07 7 OVC:08 11	6.00		48	8.9	47	8.3	46	7.8	93	9	180		29.53			29.72	FM-15	T	29.71
10	1754	7	OVC:08 6	8.00		49	9.4	48	8.9	46	7.8	90	6	190		29.54			29.74	FM-15	0.00	29.72
10	1854	7	OVC:08 6	9.00		49	9.4	48	8.9	47	8.3	93	7	210		29.53	6	+0.03	29.72	FM-15	T	29.71
10	1900	4	5	8.70		49	9.4	48	8.9	47	8.3	93	7	210		29.53	6	+0.03	29.72	FM-12		
10	1954	7	SCT:04 6	9.00		50	10.0	48	8.9	47	8.3	89	6	250		29.54			29.74	FM-15	0.03	29.72

12	0854	7	SCT:04 150 OVC:08 250	10.00		39	3.9	34	1.1	27	-2.8	62	0	000		29.86			30.05	FM-15	0.00	30.04	
12	0954	7	FEW:02 70 BKN:07 110 OVC:08 250	10.00		41	5.0	36	2.2	28	-2.2	60	5	090		29.86	1	0.00	30.05	FM-15	0.00	30.04	
12	1054	7	OVC:08 90	10.00		42	5.6	37	2.8	29	-1.7	60	7	120		29.83			30.03	FM-15	0.00	30.01	
12	1154	7	BKN:07 90 OVC:08 150	10.00		43	6.1	37	2.8	29	-1.7	58	0	000		29.82			30.02	FM-15	0.00	30.00	
12	1254	7	BKN:07 42 OVC:08 50	10.00		43	6.1	37	2.8	29	-1.7	58	5	150		29.82	6	+0.04	30.01	FM-15	T	30.00	
12	1300	4	41	9.94		43	6.1	37	2.8	29	-1.7	58	5	150		29.82	6	+0.04	30.01	FM-12			
12	1354	7	SCT:04 21 BKN:07 30 OVC:08 35	10.00		-RA:02 RA RA	41	5.0	38	3.3	34	1.1	76	6	270		29.81			30.01	FM-15	0.01	29.99
12	1411	7	BKN:07 19 OVC:08 24	7.00		-RA:02 RA RA	40	4.4	37	2.8	34	1.1	79	8	230		29.81				FM-16	T	29.99
12	1454	7	BKN:07 19 OVC:08 24	6.00		-RA:02 RA RA	40	4.4	38	3.3	35	1.7	83	6	230		29.82			30.02	FM-15	0.03	30.00
12	1506	7	BKN:07 11 OVC:08 19	7.00		-RA:02 RA RA	40	4.4	38	3.3	35	1.7	83	5	270		29.81				FM-16	T	29.99
12	1535	7	BKN:07 9 OVC:08 14	6.00		-RA:02 BR:1 RA RA	39	3.9	37	2.8	35	1.7	86	3	230		29.81				FM-16	0.01	29.99
12	1554	7	BKN:07 9 OVC:08 14	6.00		-RA:02 RA RA	39	3.9	37	2.8	34	1.1	82	0	000		29.81	8	+0.01	30.01	FM-15	0.03	29.99
12	1654	7	OVC:08 9	4.00		BR:1	39	3.9	37	2.8	35	1.7	86	0	000		29.80			29.99	FM-15	0.01	29.98
12	1754	7	BKN:07 8 OVC:08 12	5.00		-RA:02 BR:1 RA RA	38	3.3	37	2.8	36	2.2	93	3	090		29.80			30.00	FM-15	0.01	29.98
12	1841	7	SCT:04 8 OVC:08 11	6.00		-RA:02 BR:1 RA RA	38	3.3	37	2.8	36	2.2	93	3	080		29.79				FM-16	0.01	29.97
12	1854	7	SCT:04 8 OVC:08 11	6.00		-RA:02 BR:1 RA RA	38	3.3	37	2.8	36	2.2	93	3	080		29.79	6	+0.02	29.99	FM-15	0.01	29.97
12	1900	4	8	5.59		RA	38	3.3	37	2.8	36	2.2	93	3	080		29.79	6	+0.02	29.99	FM-12		
12	1954	7	FEW:02 8 BKN:07 13 OVC:08 35	9.00		-RA:02 RA RA	39	3.9	38	3.3	36	2.2	89	5	070		29.78			29.98	FM-15	T	29.96
12	2052	6	BKN:07 8 OVC:08 13	5.00		-RA:02 BR:1 RA RA	37	2.8	37	2.8	36	2.2	93	6	110		29.77				FM-16		29.95
12	2054	7	BKN:07 8 OVC:08 13	5.00		-RA:02 BR:1 RA RA	38	3.3	37	2.8	36	2.2	93	6	110		29.77			29.96	FM-15	T	29.95
12	2154	7	BKN:07 6 OVC:08 14	4.00		-DZ:01 BR:1 DZ DZ	39	3.9	38	3.3	37	2.8	93	5	100		29.76	6	+0.03	29.96	FM-15	T	29.94
12	2254	7	OVC:08 6	4.00		-RA:02 BR:1 RA RA	39	3.9	39	3.9	38	3.3	96	0	000		29.76			29.95	FM-15	0.01	29.94
12	2354	7	OVC:08 7	3.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	3	090		29.74			29.93	FM-15	0.01	29.92
13	0032	7	OVC:08 4	2.50		-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	0	000		29.74				FM-16	T	29.92
13	0054	7	OVC:08 4	2.50		-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	0	000		29.73	8	+0.04	29.92	FM-15	0.01	29.91
13	0100	4	5	2.49		RA	40	4.4	39	3.9	38	3.3	93	0	000		29.73	8	+0.04	29.92	FM-12		
13	0154	7	OVC:08 4	2.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	5	020		29.71			29.91	FM-15	0.02	29.89
13	0219	7	OVC:08 4	3.00		BR:1	40	4.4	39	3.9	38	3.3	93	6	010		29.71				FM-16	T	29.89
13	0254	7	BKN:07 4 OVC:08 12	3.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	6	360		29.71			29.90	FM-15	0.01	29.89
13	0354	7	BKN:07 4 OVC:08 28	3.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	6	020		29.69	6	+0.03	29.89	FM-15	0.02	29.87
13	0454	7	OVC:08 4	3.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	3	360		29.70			29.90	FM-15	0.01	29.88
13	0554	7	BKN:07 4 BKN:07 23 OVC:08 38	3.00		-RA:02 BR:1 RA RA	40	4.4	39	3.9	38	3.3	93	7	360		29.69			29.89	FM-15	0.02	29.87
13	0654	7	BKN:07 4 OVC:08 12	8.00			40	4.4	39	3.9	38	3.3	93	7	340		29.71	3	-0.02	29.91	FM-15	0.01	29.89
13	0700	4	5	7.46			40	4.4	39	3.9	38	3.3	93	7	340		29.71	3	-0.02	29.91	FM-12		

13	0754	7	BKN:07 4 OVC:08 12	7.00		41	5.0	40	4.4	39	3.9	93	7	010		29.71			29.91	FM-15	T	29.89
13	0819	7	BKN:07 6 OVC:08 12	10.00	-RA:02 RA RA	41	5.0	40	4.4	39	3.9	93	8	360		29.71				FM-16	T	29.89
13	0854	7	BKN:07 6 OVC:08 12	10.00		43	6.1	42	5.6	40	4.4	89	6	360		29.71			29.91	FM-15	T	29.89
13	0954	7	BKN:07 6 OVC:08 12	10.00		43	6.1	42	5.6	40	4.4	89	8	330		29.70	8	+0.01	29.89	FM-15	0.00	29.88
13	1054	7	BKN:07 8 OVC:08 12	10.00		45	7.2	43	6.1	40	4.4	83	9	320		29.70			29.89	FM-15	0.00	29.88
13	1145	7	SCT:04 8 OVC:08 12	10.00		45	7.2	43	6.1	40	4.4	83	7	360		29.67				FM-16		29.85
13	1154	7	SCT:04 8 BKN:07 12 OVC:08 32	10.00		47	8.3	44	6.7	40	4.4	77	9	350		29.67			29.86	FM-15	0.00	29.85
13	1224	7	FEW:02 8 BKN:07 15 OVC:08 32	10.00		46	7.8	43	6.1	39	3.9	77	10	330		29.67				FM-16		29.85
13	1254	7	FEW:02 8 BKN:07 15 OVC:08 32	10.00		47	8.3	43	6.1	39	3.9	74	10	340		29.66	8	+0.04	29.85	FM-15	0.00	29.84
13	1300	4	8	9.94		47	8.3	43	6.1	39	3.9	74	10	340		29.66	8	+0.04	29.85	FM-12		
13	1354	7	SCT:04 15 BKN:07 23 OVC:08 32	10.00		49	9.4	44	6.7	38	3.3	66	8	350		29.63			29.83	FM-15	0.00	29.81
13	1454	7	SCT:04 19 BKN:07 26 OVC:08 40	10.00		49	9.4	44	6.7	37	2.8	64	13	340		29.63			29.82	FM-15	0.00	29.81
13	1504	7	FEW:02 21 BKN:07 30 BKN:07 43	10.00		49	9.4	44	6.7	37	2.8	64	13	340		29.63				FM-16		29.81
13	1554	7	FEW:02 26 SCT:04 38 BKN:07 55	10.00		50	10.0	44	6.7	36	2.2	59	13	340		29.63	6	+0.03	29.82	FM-15	0.00	29.81
13	1654	7	FEW:02 30 BKN:07 70	10.00		50	10.0	44	6.7	36	2.2	59	8	340		29.63			29.82	FM-15	0.00	29.81
13	1754	7	FEW:02 30 BKN:07 70	10.00		49	9.4	43	6.1	36	2.2	61	7	340		29.63			29.83	FM-15	0.00	29.81
13	1854	7	BKN:07 49 OVC:08 80	10.00		48	8.9	43	6.1	37	2.8	66	3	330		29.64	3	-0.01	29.84	FM-15	0.00	29.82
13	1900	4	41	9.94		48	8.9	43	6.1	37	2.8	66	3	330		29.64	3	-0.01	29.84	FM-12		
13	1954	7	BKN:07 50 OVC:08 75	10.00	-RA:02 RA RA	48	8.9	43	6.1	37	2.8	66	5	330		29.65			29.85	FM-15	T	29.83
13	2054	7	FEW:02 27 BKN:07 60 BKN:07 80	10.00		44	6.7	40	4.4	35	1.7	71	8	330		29.67			29.87	FM-15	0.01	29.85
13	2154	7	FEW:02 85	10.00		42	5.6	39	3.9	35	1.7	76	6	290		29.67	1	-0.03	29.87	FM-15	0.00	29.85
13	2254	7	FEW:02 85	10.00		40	4.4	38	3.3	36	2.2	86	7	300		29.68			29.88	FM-15	0.00	29.86
13	2354	7	BKN:07 80	10.00		40	4.4	36	2.2	30	-1.1	68	8	310		29.69			29.89	FM-15	0.00	29.87
14	0054	7	SCT:04 80	10.00		40	4.4	35	1.7	26	-3.3	58	13	310	24	29.71	3	-0.04	29.90	FM-15	0.00	29.89
14	0100	4	74	9.94		40	4.4	35	1.7	26	-3.3	58	13	310		29.71	3	-0.04	29.90	FM-12		
14	0154	7	FEW:02 80	10.00		38	3.3	31	-0.6	19	-7.2	46	15	300	26	29.73			29.92	FM-15	0.00	29.91
14	0254	7	FEW:02 80	10.00		37	2.8	30	-1.1	17	-8.3	44	14	300		29.73			29.92	FM-15	0.00	29.91
14	0354	7	CLR:00	10.00		36	2.2	30	-1.1	17	-8.3	46	10	280		29.72	0	-0.01	29.92	FM-15	0.00	29.90
14	0454	7	CLR:00	10.00		35	1.7	29	-1.7	17	-8.3	48	11	270		29.73			29.93	FM-15	0.00	29.91
14	0554	7	CLR:00	10.00		33	0.6	28	-2.2	18	-7.8	54	7	260		29.75			29.94	FM-15	0.00	29.93
14	0654	7	CLR:00	10.00		34	1.1	29	-1.7	18	-7.8	52	10	260		29.76	3	-0.04	29.96	FM-15	0.00	29.94
14	0700	4		9.94		34	1.1	29	-1.7	18	-7.8	52	10	260		29.76	3	-0.04	29.96	FM-12		
14	0754	7	CLR:00	10.00		37	2.8	31	-0.6	19	-7.2	48	9	260		29.77			29.96	FM-15	0.00	29.95

14	0854	7	CLR:00	10.00		40	4.4	33	0.6	19	-7.2	43	18	290	25	29.77			29.97	FM-15	0.00	29.95
14	0954	7	FEW:02 35	10.00		43	6.1	34	1.1	19	-7.2	38	22	280	25	29.77	0	-0.01	29.97	FM-15	0.00	29.95
14	1054	7	SCT:04 60	10.00		47	8.3	37	2.8	19	-7.2	33	15	300	31	29.76			29.95	FM-15	0.00	29.94
14	1154	7	SCT:04 65	10.00		47	8.3	36	2.2	17	-8.3	30	23	320	32	29.74			29.94	FM-15	0.00	29.92
14	1254	7	SCT:04 65	10.00		48	8.9	37	2.8	17	-8.3	29	17	300	28	29.73	6	+0.04	29.93	FM-15	0.00	29.91
14	1300	4	57	9.94		48	8.9	37	2.8	17	-8.3	29	17	300		29.73	6	+0.04	29.93	FM-12		
14	1354	7	SCT:04 65	10.00		50	10.0	38	3.3	17	-8.3	27	22	300	31	29.70			29.90	FM-15	0.00	29.88
14	1454	7	FEW:02 65	10.00		49	9.4	37	2.8	16	-8.9	27	22	290	31	29.71			29.91	FM-15	0.00	29.89
14	1554	7	SCT:04 70	10.00		48	8.9	36	2.2	15	-9.4	27	24	270	36	29.71	5	+0.01	29.91	FM-15	0.00	29.89
14	1654	7	SCT:04 70	10.00		46	7.8	35	1.7	15	-9.4	29	21	290	34	29.74			29.94	FM-15	0.00	29.92
14	1754	7	SCT:04 70	10.00		43	6.1	33	0.6	15	-9.4	32	25	290	30	29.77			29.96	FM-15	0.00	29.95
14	1854	7	FEW:02 65	10.00		40	4.4	31	-0.6	14	-10.0	35	21	300	28	29.80	3	-0.09	30.00	FM-15	0.00	29.98
14	1900	4	57	9.94		40	4.4	31	-0.6	14	-10.0	35	21	300		29.80	3	-0.09	30.00	FM-12		
14	1954	7	CLR:00	10.00		38	3.3	30	-1.1	14	-10.0	37	24	300	31	29.83			30.03	FM-15	0.00	30.01
14	2054	7	CLR:00	10.00		36	2.2	29	-1.7	14	-10.0	40	18	290	25	29.85			30.04	FM-15	0.00	30.03
14	2154	7	CLR:00	10.00		35	1.7	28	-2.2	14	-10.0	42	16	300		29.86	1	-0.06	30.06	FM-15	0.00	30.04
14	2254	7	CLR:00	10.00		34	1.1	28	-2.2	14	-10.0	44	16	300		29.86			30.05	FM-15	0.00	30.04
14	2354	7	CLR:00	10.00		34	1.1	28	-2.2	14	-10.0	44	13	290	23	29.84			30.04	FM-15	0.00	30.02
15	0054	7	CLR:00	10.00		33	0.6	27	-2.8	14	-10.0	45	15	290	24	29.84	8	+0.02	30.03	FM-15	0.00	30.02
15	0100	4		9.94		33	0.6	27	-2.8	14	-10.0	45	15	290		29.84	8	+0.02	30.03	FM-12		
15	0154	7	CLR:00	10.00		33	0.6	27	-2.8	15	-9.4	47	11	300		29.86			30.06	FM-15	0.00	30.04
15	0254	7	CLR:00	10.00		32	0.0	27	-2.8	15	-9.4	50	9	310		29.85			30.04	FM-15	0.00	30.03
15	0354	7	CLR:00	10.00		32	0.0	27	-2.8	15	-9.4	50	7	310		29.86	1	-0.02	30.05	FM-15	0.00	30.04
15	0454	7	CLR:00	10.00		31	-0.6	26	-3.3	15	-9.4	52	8	290		29.87			30.06	FM-15	0.00	30.05
15	0554	7	CLR:00	10.00		31	-0.6	26	-3.3	16	-8.9	54	10	300		29.89			30.09	FM-15	0.00	30.07
15	0654	7	CLR:00	10.00		32	0.0	27	-2.8	17	-8.3	54	7	300		29.91	3	-0.06	30.11	FM-15	0.00	30.09
15	0700	4		9.94		32	0.0	27	-2.8	17	-8.3	54	7	300		29.91	3	-0.06	30.11	FM-12		
15	0754	7	CLR:00	10.00		36	2.2	30	-1.1	17	-8.3	46	10	310		29.93			30.13	FM-15	0.00	30.11
15	0854	7	CLR:00	10.00		40	4.4	32	0.0	16	-8.9	38	18	300	22	29.95			30.14	FM-15	0.00	30.13
15	0954	7	CLR:00	10.00		43	6.1	33	0.6	14	-10.0	31	17	310	25	29.95	0	-0.03	30.14	FM-15	0.00	30.13
15	1054	7	CLR:00	10.00		47	8.3	35	1.7	13	-10.6	25	18	310		29.94			30.14	FM-15	0.00	30.12
15	1154	7	CLR:00	10.00		51	10.6	37	2.8	10	-12.2	19	20	310	26	29.93			30.13	FM-15	0.00	30.11
15	1254	7	CLR:00	10.00		53	11.7	37	2.8	7	-13.9	15	20	340	28	29.92	8	+0.03	30.11	FM-15	0.00	30.10
15	1300	4		9.94		53	11.7	37	2.8	7	-13.9	15	20	340		29.92	8	+0.03	30.11	FM-12		
15	1354	7	CLR:00	10.00		54	12.2	38	3.3	6	-14.4	14	17	340	26	29.89			30.09	FM-15	0.00	30.07
15	1454	7	CLR:00	10.00		55	12.8	38	3.3	4	-15.6	12	24	310	31	29.89			30.09	FM-15	0.00	30.07
15	1554	7	CLR:00	10.00		55	12.8	38	3.3	3	-16.1	12	22	300	32	29.89	5	+0.02	30.09	FM-15	0.00	30.07
15	1654	7	CLR:00	10.00		54	12.2	37	2.8	3	-16.1	12	17	340	29	29.90			30.09	FM-15	0.00	30.08
15	1754	7	CLR:00	10.00		52	11.1	37	2.8	6	-14.4	15	16	300		29.91			30.11	FM-15	0.00	30.09
15	1854	7	CLR:00	10.00		49	9.4	35	1.7	6	-14.4	17	10	290		29.94	3	-0.04	30.13	FM-15	0.00	30.12
15	1900	4		9.94		49	9.4	35	1.7	6	-14.4	17	10	290		29.94	3	-0.04	30.13	FM-12		
15	1954	7	CLR:00	10.00		48	8.9	35	1.7	8	-13.3	19	13	310		29.96			30.15	FM-15	0.00	30.14
15	2054	7	CLR:00	10.00		45	7.2	33	0.6	9	-12.8	23	6	310		29.97			30.16	FM-15	0.00	30.15
15	2154	7	CLR:00	10.00		44	6.7	33	0.6	10	-12.2	25	6	320		29.97	0	-0.03	30.16	FM-15	0.00	30.15
15	2254	7	CLR:00	10.00		42	5.6	32	0.0	11	-11.7	28	7	320		29.98			30.18	FM-15	0.00	30.16
15	2354	7	CLR:00	10.00		40	4.4	31	-0.6	11	-11.7	30	8	320		29.99			30.19	FM-15	0.00	30.17
16	0054	7	CLR:00	10.00		39	3.9	30	-1.1	11	-11.7	31	6	300		30.00	1	-0.03	30.19	FM-15	0.00	30.18
16	0100	4		9.94		39	3.9	30	-1.1	11	-11.7	31	6	300		30.00	1	-0.03	30.19	FM-12		
16	0154	7	CLR:00	10.00		33	0.6	27	-2.8	15	-9.4	47	3	120		29.99			30.19	FM-15	0.00	30.17
16	0254	7	CLR:00	10.00		32	0.0	27	-2.8	16	-8.9	52	0	000		29.98			30.18	FM-15	0.00	30.16
16	0354	7	CLR:00	10.00		30	-1.1	26	-3.3	16	-8.9	56	0	000		30.00	5	0.00	30.19	FM-15	0.00	30.18
16	0454	7	FEW:02 250	10.00		29	-1.7	25	-3.9	16	-8.9	58	0	000		30.01			30.21	FM-15	0.00	30.19

16	0554	7	FEW:02 250	10.00		30	-1.1	26	-3.3	17	-8.3	58	0	000		30.03			30.22	FM-15	0.00	30.21
16	0654	7	SCT:04 250 BKN:07 300	10.00		28	-2.2	25	-3.9	18	-7.8	66	3	200		30.02	0	-0.03	30.22	FM-15	0.00	30.20
16	0700	4		9.94		28	-2.2	25	-3.9	18	-7.8	66	3	200		30.02	9	+0.03	30.22	FM-12		
16	0754	7	SCT:04 250	10.00		41	5.0	33	0.6	19	-7.2	41	6	250		30.03			30.22	FM-15	0.00	30.21
16	0854	7	SCT:04 250	10.00		48	8.9	37	2.8	17	-8.3	29	6	220		30.03			30.22	FM-15	0.00	30.21
16	0954	7	FEW:02 250	10.00		53	11.7	38	3.3	12	-11.1	19	13	210		30.02	8	0.00	30.21	FM-15	0.00	30.20
16	1054	7	FEW:02 250	10.00		57	13.9	40	4.4	8	-13.3	14	13	210		30.01			30.20	FM-15	0.00	30.19
16	1154	7	FEW:02 250	10.00		60	15.6	41	5.0	6	-14.4	11	14	180	20	29.97			30.16	FM-15	0.00	30.15
16	1254	7	SCT:04 250	10.00		62	16.7	42	5.6	7	-13.9	11	15	210	22	29.94	8	+0.08	30.13	FM-15	0.00	30.12
16	1300	4		9.94		62	16.7	42	5.6	7	-13.9	11	15	210		29.94	8	+0.08	30.13	FM-12		
16	1354	7	SCT:04 250	10.00		63	17.2	43	6.1	7	-13.9	11	9	210		29.89			30.09	FM-15	0.00	30.07
16	1454	7	SCT:04 250	10.00		65	18.3	44	6.7	9	-12.8	11	14	230		29.87			30.06	FM-15	0.00	30.05
16	1554	7	BKN:07 300	10.00		64	17.8	44	6.7	11	-11.7	12	15	190		29.85	6	+0.09	30.04	FM-15	0.00	30.03
16	1654	7	FEW:02 150 BKN:07 300	10.00		63	17.2	44	6.7	13	-10.6	14	11	200		29.84			30.03	FM-15	0.00	30.02
16	1754	7	FEW:02 150 BKN:07 300	9.00		60	15.6	43	6.1	16	-8.9	18	10	210		29.84			30.03	FM-15	0.00	30.02
16	1854	7	FEW:02 200 BKN:07 300	10.00		52	11.1	39	3.9	18	-7.8	26	7	190		29.82	8	+0.02	30.02	FM-15	0.00	30.00
16	1900	4		9.94		52	11.1	39	3.9	18	-7.8	26	7	190		29.82	8	+0.02	30.02	FM-12		
16	1954	7	BKN:07 210 BKN:07 300	10.00		52	11.1	40	4.4	22	-5.6	31	8	190		29.83			30.02	FM-15	0.00	30.01
16	2054	7	BKN:07 190 BKN:07 300	10.00		52	11.1	41	5.0	24	-4.4	34	8	180		29.82			30.01	FM-15	0.00	30.00
16	2154	7	OVC:08 190	10.00		52	11.1	41	5.0	25	-3.9	35	8	180		29.82	8	0.00	30.01	FM-15	0.00	30.00
16	2254	7	SCT:04 170	10.00		50	10.0	40	4.4	26	-3.3	39	9	190		29.79			29.98	FM-15	0.00	29.97
16	2354	7	OVC:08 150	10.00		50	10.0	40	4.4	27	-2.8	41	9	200		29.76			29.96	FM-15	0.00	29.94
17	0054	7	BKN:07 150	10.00		50	10.0	40	4.4	27	-2.8	41	11	190		29.74	6	+0.08	29.93	FM-15	0.00	29.92
17	0100	4		9.94		50	10.0	40	4.4	27	-2.8	41	11	190		29.74	6	+0.08	29.93	FM-12		
17	0154	7	OVC:08 160	10.00		49	9.4	40	4.4	28	-2.2	44	10	200		29.73			29.92	FM-15	0.00	29.91
17	0254	7	SCT:04 140 OVC:08 300	10.00		49	9.4	40	4.4	28	-2.2	44	9	200		29.70			29.90	FM-15	0.00	29.88
17	0354	7	SCT:04 190 BKN:07 300	10.00		48	8.9	40	4.4	28	-2.2	46	9	190		29.69	6	+0.04	29.89	FM-15	0.00	29.87
17	0454	7	BKN:07 300	10.00		50	10.0	41	5.0	29	-1.7	44	15	200		29.68			29.87	FM-15	0.00	29.86
17	0554	7	FEW:02 150 BKN:07 300	10.00		49	9.4	41	5.0	30	-1.1	48	13	190		29.67			29.86	FM-15	0.00	29.85
17	0654	7	FEW:02 150 OVC:08 300	10.00		49	9.4	42	5.6	32	0.0	52	13	190		29.66	6	+0.04	29.85	FM-15	0.00	29.84
17	0700	4		9.94		49	9.4	42	5.6	32	0.0	52	13	190		29.66	6	+0.04	29.85	FM-12		
17	0754	7	FEW:02 200 OVC:08 250	10.00		52	11.1	44	6.7	33	0.6	49	16	200		29.66			29.85	FM-15	0.00	29.84
17	0854	7	BKN:07 160 OVC:08 250	10.00		54	12.2	45	7.2	34	1.1	47	15	210		29.65			29.84	FM-15	0.00	29.83
17	0954	7	BKN:07 110 OVC:08 200	10.00		56	13.3	47	8.3	37	2.8	49	15	190		29.63	8	+0.02	29.83	FM-15	0.00	29.81
17	1054	7	SCT:04 140 OVC:08 200	10.00		59	15.0	49	9.4	39	3.9	48	18	210		29.60			29.80	FM-15	0.00	29.78
17	1154	7	FEW:02 50 OVC:08 100	10.00		60	15.6	51	10.6	42	5.6	52	14	220		29.60			29.79	FM-15	T	29.78
17	1254	7	BKN:07 32 OVC:08 60	10.00		63	17.2	54	12.2	47	8.3	56	14	240	31	29.57	6	+0.06	29.76	FM-15	T	29.75
17	1300	4	26	9.94		63	17.2	54	12.2	47	8.3	56	14	240		29.57	6	+0.06	29.76	FM-12		
17	1354	7	OVC:08 70	10.00		61	16.1	56	13.3	52	11.1	72	17	230	24	29.54			29.73	FM-15	0.01	29.72
17	1454	7	SCT:04 43 OVC:08 75	10.00		63	17.2	56	13.3	50	10.0	63	14	220		29.52			29.71	FM-15	T	29.70

17	1554	7	BKN:07 33 BKN:07 95 OVC:08 130	10.00		66	18.9	58	14.4	52	11.1	61	16	230	33	29.52	6	+0.06	29.70	FM-15	0.00	29.69
17	1654	7	BKN:07 34 BKN:07 95 OVC:08 300	10.00		65	18.3	58	14.4	52	11.1	63	18	220	28	29.50			29.69	FM-15	0.00	29.68
17	1754	7	BKN:07 35 BKN:07 50 OVC:08 220	10.00		65	18.3	58	14.4	52	11.1	63	21	220	26	29.50			29.69	FM-15	0.00	29.68
17	1854	7	OVC:08 35	10.00		64	17.8	57	13.9	51	10.6	63	15	210		29.49	6	+0.01	29.69	FM-15	0.00	29.67
17	1900	4	41	9.94		64	17.8	57	13.9	51	10.6	63	15	210		29.49	6	+0.01	29.69	FM-12		
17	1954	7	OVC:08 33	10.00	-RA:02 RA RA	64	17.8	57	13.9	51	10.6	63	11	200		29.50			29.69	FM-15	T	29.68
17	2052	6	OVC:08 29	10.00	-RA:02 RA RA	63	17.2	58	14.4	54	12.2	73	13	210	24	29.50				FM-16		29.68
17	2054	7	OVC:08 29	10.00		63	17.2	57	13.9	53	11.7	70	13	210	24	29.50			29.69	FM-15	T	29.68
17	2154	7	OVC:08 23	10.00		64	17.8	58	14.4	54	12.2	70	17	220	24	29.50	0	0.00	29.69	FM-15	0.00	29.68
17	2221	7	SCT:04 18 BKN:07 35 OVC:08 60	10.00	-RA:02 RA RA	61	16.1	58	14.4	56	13.3	84	13	230		29.52				FM-16	T	29.69
17	2254	7	FEW:02 18 BKN:07 32 OVC:08 60	10.00		61	16.1	59	15.0	57	13.9	87	10	210		29.50			29.70	FM-15	T	29.68
17	2354	7	FEW:02 19 SCT:04 24 OVC:08 75	10.00	-RA:02 RA RA	60	15.6	58	14.4	57	13.9	90	10	230		29.52			29.70	FM-15	0.02	29.69
18	0054	7	FEW:02 10 OVC:08 60	10.00	-RA:02 RA RA	59	15.0	58	14.4	57	13.9	93	11	240		29.52	3	-0.02	29.71	FM-15	0.02	29.70
18	0100	4	15	9.94	RA	59	15.0	58	14.4	57	13.9	93	11	240		29.52	3	-0.02	29.71	FM-12		
18	0124	7	FEW:02 9 BKN:07 28 OVC:08 60	10.00	-RA:02 RA RA	59	15.0	57	13.9	56	13.3	90	11	270		29.52				FM-16	T	29.69
18	0141	7	FEW:02 14 SCT:04 28 OVC:08 60	10.00		58	14.4	56	13.3	54	12.2	87	8	280		29.50				FM-16	T	29.68
18	0154	7	FEW:02 19 OVC:08 60	10.00	-RA:02 RA RA	58	14.4	56	13.3	54	12.2	87	8	280		29.52			29.70	FM-15	T	29.69
18	0219	7	FEW:02 9 BKN:07 24 OVC:08 55	8.00	-RA:02 RA RA	57	13.9	55	12.8	54	12.2	90	17	330	24	29.52				FM-16	T	29.70
18	0252	6	SCT:04 6 BKN:07 9 OVC:08 19	4.00	-RA:02 BR:1 RA RA	48	8.9	47	8.3	45	7.2	87	18	350		29.55				FM-16		29.73
18	0254	7	BKN:07 7 BKN:07 11 OVC:08 19	4.00	-RA:02 BR:1 RA RA	48	8.9	47	8.3	45	7.2	89	18	350		29.55			29.74	FM-15	0.02	29.73
18	0352	6	FEW:02 7 SCT:04 29 BKN:07 38	7.00	-RA:02 RA RA	46	7.8	45	7.2	43	6.1	87	8	010		29.57				FM-16		29.75
18	0354	7	FEW:02 7 SCT:04 29 BKN:07 38	6.00	-RA:02 BR:1 RA RA	46	7.8	45	7.2	43	6.1	89	9	010		29.57	3	-0.06	29.77	FM-15	0.05	29.75
18	0454	7	OVC:08 50	10.00		45	7.2	43	6.1	41	5.0	86	8	020		29.60			29.79	FM-15	0.02	29.78
18	0554	7	OVC:08 50	10.00		45	7.2	43	6.1	40	4.4	83	7	020		29.61			29.80	FM-15	0.00	29.79
18	0654	7	OVC:08 50	10.00		44	6.7	40	4.4	35	1.7	71	9	360		29.65	3	-0.07	29.84	FM-15	0.00	29.83
18	0700	4	57	9.94		44	6.7	40	4.4	35	1.7	71	9	360		29.65	3	-0.07	29.84	FM-12		
18	0754	7	FEW:02 55 OVC:08 70	10.00		44	6.7	39	3.9	32	0.0	63	13	010		29.66			29.85	FM-15	0.00	29.84
18	0854	7	OVC:08 70	10.00		45	7.2	39	3.9	32	0.0	61	9	360		29.67			29.87	FM-15	0.00	29.85
18	0954	7	BKN:07 70	10.00		47	8.3	40	4.4	30	-1.1	52	11	330		29.69	2	-0.05	29.88	FM-15	0.00	29.87
18	1054	7	FEW:02 42 SCT:04 70 BKN:07 250	10.00		51	10.6	42	5.6	30	-1.1	44	10	350		29.69			29.88	FM-15	0.00	29.87

18	1154	7	FEW:02 47 SCT:04 250	10.00		52	11.1	42	5.6	29	-1.7	41	9	270		29.66			29.86	FM-15	0.00	29.84
18	1254	7	FEW:02 50 SCT:04 250	10.00		53	11.7	42	5.6	28	-2.2	38	3	VRB		29.64	8	+0.05	29.84	FM-15	0.00	29.82
18	1300	4	57	9.94		53	11.7	42	5.6	28	-2.2	38	3			29.64	8	+0.05	29.84	FM-12		
18	1354	7	FEW:02 50 SCT:04 250	10.00		56	13.3	43	6.1	24	-4.4	29	15	280	18	29.62			29.81	FM-15	0.00	29.80
18	1454	7	FEW:02 50 SCT:04 250	10.00		57	13.9	43	6.1	23	-5.0	27	11	290		29.62			29.81	FM-15	0.00	29.80
18	1554	7	FEW:02 55 SCT:04 250	10.00		58	14.4	43	6.1	23	-5.0	26	11	270	20	29.61	6	+0.04	29.80	FM-15	0.00	29.79
18	1654	7	FEW:02 50 SCT:04 250	10.00		57	13.9	41	5.0	16	-8.9	20	13	270		29.62			29.81	FM-15	0.00	29.80
18	1754	7	SCT:04 250	10.00		55	12.8	40	4.4	17	-8.3	22	15	270		29.64			29.83	FM-15	0.00	29.82
18	1854	7	FEW:02 250	10.00		52	11.1	39	3.9	18	-7.8	26	8	270		29.67	3	-0.06	29.86	FM-15	0.00	29.85
18	1954	7	FEW:02 250	10.00		50	10.0	38	3.3	18	-7.8	28	6	270		29.71			29.90	FM-15	0.00	29.89
18	2054	7	FEW:02 250	10.00		49	9.4	38	3.3	19	-7.2	31	8	260		29.72			29.92	FM-15	0.00	29.90
18	2154	7	SCT:04 250	10.00		49	9.4	37	2.8	16	-8.9	27	14	310		29.74	1	-0.07	29.94	FM-15	0.00	29.92
18	2254	7	SCT:04 250	10.00		47	8.3	36	2.2	16	-8.9	29	9	320		29.77			29.96	FM-15	0.00	29.95
18	2354	7	FEW:02 300	10.00		45	7.2	35	1.7	16	-8.9	31	9	320		29.77			29.97	FM-15	0.00	29.95
19	0054	7	SCT:04 300	10.00		44	6.7	34	1.1	17	-8.3	34	9	310		29.79	1	-0.05	29.98	FM-15	0.00	29.97
19	0100	4		9.94		44	6.7	34	1.1	17	-8.3	34	9	310		29.79	1	-0.05	29.98	FM-12		
19	0154	7	SCT:04 300	10.00		43	6.1	33	0.6	16	-8.9	34	10	310		29.80			29.99	FM-15	0.00	29.98
19	0254	7	CLR:00	10.00		41	5.0	33	0.6	17	-8.3	38	10	320		29.82			30.01	FM-15	0.00	30.00
19	0354	7	FEW:02 250	10.00		40	4.4	32	0.0	17	-8.3	40	8	320		29.83	3	-0.04	30.03	FM-15	0.00	30.01
19	0454	7	FEW:02 250	10.00		39	3.9	31	-0.6	15	-9.4	38	10	320		29.87			30.06	FM-15	0.00	30.05
19	0554	7	FEW:02 250	10.00		36	2.2	29	-1.7	15	-9.4	42	10	340		29.90			30.10	FM-15	0.00	30.08
19	0654	7	FEW:02 200	10.00		36	2.2	29	-1.7	14	-10.0	40	9	350		29.93	1	-0.09	30.12	FM-15	0.00	30.11
19	0700	4		9.94		36	2.2	29	-1.7	14	-10.0	40	9	350		29.93	1	-0.09	30.12	FM-12		
19	0754	7	FEW:02 200	10.00		36	2.2	29	-1.7	14	-10.0	40	16	360		29.97			30.16	FM-15	0.00	30.15
19	0854	7	CLR:00	10.00		37	2.8	29	-1.7	13	-10.6	37	13	020		29.99			30.18	FM-15	0.00	30.17
19	0954	7	CLR:00	10.00		40	4.4	31	-0.6	12	-11.1	32	15	350	22	30.01	1	-0.08	30.20	FM-15	0.00	30.19
19	1054	7	CLR:00	10.00		41	5.0	31	-0.6	10	-12.2	28	13	350	21	30.01			30.20	FM-15	0.00	30.19
19	1154	7	CLR:00	10.00		40	4.4	31	-0.6	11	-11.7	30	3	VRB		30.01			30.20	FM-15	0.00	30.19
19	1254	7	CLR:00	10.00		44	6.7	33	0.6	9	-12.8	24	15	300	25	29.98	8	+0.02	30.18	FM-15	0.00	30.16
19	1300	4		9.94		44	6.7	33	0.6	9	-12.8	24	15	300		29.98	8	+0.02	30.18	FM-12		
19	1354	7	CLR:00	10.00		45	7.2	33	0.6	10	-12.2	24	13	270		29.97			30.17	FM-15	0.00	30.15
19	1454	7	CLR:00	10.00		45	7.2	33	0.6	9	-12.8	23	10	290		29.97			30.17	FM-15	0.00	30.15
19	1554	7	CLR:00	10.00		46	7.8	34	1.1	10	-12.2	23	9	310		29.98	5	+0.01	30.17	FM-15	0.00	30.16
19	1654	7	CLR:00	10.00		45	7.2	33	0.6	8	-13.3	22	9	310		29.99			30.18	FM-15	0.00	30.17
19	1754	7	CLR:00	10.00		43	6.1	31	-0.6	6	-14.4	22	8	320		30.01			30.21	FM-15	0.00	30.19
19	1854	7	CLR:00	10.00		39	3.9	29	-1.7	8	-13.3	28	7	330		30.04	3	-0.06	30.23	FM-15	0.00	30.22
19	1900	4		9.94		39	3.9	29	-1.7	8	-13.3	28	7	330		30.04	3	-0.06	30.23	FM-12		
19	1954	7	CLR:00	10.00		35	1.7	28	-2.2	11	-11.7	37	8	350		30.06			30.26	FM-15	0.00	30.24
19	2054	7	CLR:00	10.00		36	2.2	28	-2.2	12	-11.1	37	5	360		30.07			30.27	FM-15	0.00	30.25
19	2154	7	CLR:00	10.00		32	0.0	26	-3.3	13	-10.6	45	0	000		30.08	1	-0.04	30.28	FM-15	0.00	30.26
19	2254	7	CLR:00	10.00		33	0.6	28	-2.2	17	-8.3	52	3	360		30.11			30.30	FM-15	0.00	30.29
19	2354	7	SCT:04 210	10.00		33	0.6	27	-2.8	13	-10.6	43	6	030		30.11			30.30	FM-15	0.00	30.29
20	0054	7	BKN:07 210	10.00		32	0.0	26	-3.3	12	-11.1	43	9	030		30.11	1	-0.03	30.31	FM-15	0.00	30.29
20	0100	4		9.94		32	0.0	26	-3.3	12	-11.1	43	9	030		30.11	1	-0.03	30.31	FM-12		
20	0154	7	SCT:04 210	10.00		31	-0.6	25	-3.9	12	-11.1	45	0	000		30.13			30.32	FM-15	0.00	30.31
20	0254	7	SCT:04 210	10.00		28	-2.2	24	-4.4	14	-10.0	56	0	000		30.13			30.33	FM-15	0.00	30.31
20	0354	7	FEW:02 210	10.00		28	-2.2	24	-4.4	15	-9.4	58	3	040		30.13	1	-0.02	30.33	FM-15	0.00	30.31

20	0454	7	FEW:02 300	10.00		27	-2.8	23	-5.0	14	-10.0	58	0	000		30.16			30.36	FM-15	0.00	30.34
20	0554	7	FEW:02 210 FEW:02 300	10.00		24	-4.4	21	-6.1	14	-10.0	65	0	000		30.17			30.37	FM-15	0.00	30.35
20	0654	7	CLR:00	10.00		28	-2.2	25	-3.9	17	-8.3	63	3	020		30.19	1	-0.06	30.39	FM-15	0.00	30.37
20	0700	4		9.94		28	-2.2	25	-3.9	17	-8.3	63	3	020		30.19	1	-0.06	30.39	FM-12		
20	0754	7	CLR:00	10.00		34	1.1	29	-1.7	18	-7.8	52	5	070		30.21			30.41	FM-15	0.00	30.39
20	0854	7	CLR:00	10.00		39	3.9	31	-0.6	16	-8.9	39	11	040		30.22			30.42	FM-15	0.00	30.40
20	0954	7	CLR:00	10.00		42	5.6	33	0.6	14	-10.0	32	7	060		30.22	0	-0.03	30.41	FM-15	0.00	30.40
20	1054	7	FEW:02 200	10.00		44	6.7	33	0.6	10	-12.2	25	5	VRB		30.21			30.40	FM-15	0.00	30.39
20	1154	7	CLR:00	10.00		46	7.8	34	1.1	11	-11.7	24	8	350		30.20			30.39	FM-15	0.00	30.38
20	1254	7	FEW:02 200	10.00		48	8.9	35	1.7	11	-11.7	22	6	210		30.18	8	+0.04	30.37	FM-15	0.00	30.36
20	1300	4		9.94		48	8.9	35	1.7	11	-11.7	22	6	210		30.18	8	+0.04	30.37	FM-12		
20	1354	7	FEW:02 200	10.00		49	9.4	36	2.2	12	-11.1	22	8	230		30.15			30.35	FM-15	0.00	30.33
20	1454	7	CLR:00	10.00		50	10.0	37	2.8	13	-10.6	22	5	VRB		30.12			30.32	FM-15	0.00	30.30
20	1554	7	CLR:00	10.00		52	11.1	38	3.3	12	-11.1	20	8	300		30.12	6	+0.06	30.31	FM-15	0.00	30.30
20	1654	7	CLR:00	10.00		52	11.1	38	3.3	11	-11.7	19	3	330		30.11			30.31	FM-15	0.00	30.29
20	1754	7	CLR:00	10.00		49	9.4	36	2.2	10	-12.2	21	3	190		30.12			30.32	FM-15	0.00	30.30
20	1854	7	CLR:00	10.00		44	6.7	34	1.1	16	-8.9	32	3	100		30.13	3	-0.01	30.33	FM-15	0.00	30.31
20	1900	4		9.94		44	6.7	34	1.1	16	-8.9	32	3	100		30.13	3	-0.01	30.33	FM-12		
20	1954	7	CLR:00	10.00		40	4.4	33	0.6	20	-6.7	45	0	000		30.14			30.34	FM-15	0.00	30.32
20	2054	7	CLR:00	10.00		36	2.2	30	-1.1	19	-7.2	50	8	120		30.16			30.36	FM-15	0.00	30.34
20	2154	7	CLR:00	10.00		38	3.3	32	0.0	21	-6.1	51	3	150		30.18	3	-0.04	30.37	FM-15	0.00	30.36
20	2254	7	CLR:00	10.00		36	2.2	32	0.0	24	-4.4	62	3	190		30.19			30.38	FM-15	0.00	30.37
20	2354	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	3	190		30.19			30.39	FM-15	0.00	30.37
21	0054	7	CLR:00	10.00		33	0.6	29	-1.7	23	-5.0	66	0	000		30.19	0	-0.01	30.39	FM-15	0.00	30.37
21	0100	4		9.94		33	0.6	29	-1.7	23	-5.0	66	0	000		30.19	9	+0.01	30.39	FM-12		
21	0154	7	CLR:00	10.00		32	0.0	29	-1.7	22	-5.6	66	0	000		30.19			30.38	FM-15	0.00	30.37
21	0254	7	CLR:00	10.00		30	-1.1	27	-2.8	22	-5.6	72	0	000		30.18			30.38	FM-15	0.00	30.36
21	0354	7	CLR:00	10.00		28	-2.2	26	-3.3	21	-6.1	75	3	140		30.18	6	+0.01	30.38	FM-15	0.00	30.36
21	0454	7	CLR:00	10.00		29	-1.7	26	-3.3	21	-6.1	72	0	000		30.19			30.39	FM-15	0.00	30.37
21	0554	7	FEW:02 250	10.00		27	-2.8	25	-3.9	20	-6.7	75	3	160		30.22			30.41	FM-15	0.00	30.40
21	0654	7	FEW:02 250	10.00		28	-2.2	26	-3.3	22	-5.6	78	3	190		30.25	3	-0.07	30.45	FM-15	0.00	30.43
21	0700	4		9.94		28	-2.2	26	-3.3	22	-5.6	78	3	190		30.25	3	-0.07	30.45	FM-12		
21	0754	7	FEW:02 250	10.00		39	3.9	34	1.1	26	-3.3	60	0	000		30.26			30.45	FM-15	0.00	30.44
21	0854	7	BKN:07 200	10.00		47	8.3	37	2.8	20	-6.7	34	3	230		30.27			30.47	FM-15	0.00	30.45
21	0954	6	BKN:07 200	10.00		54	12.2	40	4.4	18	-7.8	24	3	280		30.28	1	-0.04	30.48	FM-15	0.00	30.46
21	1054	7	BKN:07 200	10.00		57	13.9	42	5.6	17	-8.3	21	8	210		30.28			30.48	FM-15	0.00	30.46
21	1154	7	BKN:07 200	10.00		59	15.0	42	5.6	16	-8.9	18	0	000		30.27			30.47	FM-15	0.00	30.45
21	1254	7	SCT:04 200	10.00		61	16.1	44	6.7	17	-8.3	18	0	000		30.25	8	+0.03	30.45	FM-15	0.00	30.43
21	1300	4		9.94		61	16.1	44	6.7	17	-8.3	18	0	000		30.25	8	+0.03	30.45	FM-12		
21	1354	7	FEW:02 200	10.00		62	16.7	44	6.7	16	-8.9	17	7	170		30.22			30.41	FM-15	0.00	30.40
21	1454	7	FEW:02 200	10.00		62	16.7	43	6.1	14	-10.0	15	3	190		30.20			30.40	FM-15	0.00	30.38
21	1554	7	FEW:02 200 BKN:07 300	10.00		63	17.2	44	6.7	15	-9.4	15	10	200		30.19	6	+0.06	30.39	FM-15	0.00	30.37
21	1654	7	BKN:07 190 BKN:07 300	10.00		63	17.2	44	6.7	16	-8.9	16	10	180		30.18			30.37	FM-15	0.00	30.36
21	1754	7	SCT:04 190 BKN:07 300	10.00		60	15.6	43	6.1	17	-8.3	19	7	160		30.20			30.40	FM-15	0.00	30.38
21	1854	7	FEW:02 170 BKN:07 300	10.00		53	11.7	41	5.0	23	-5.0	31	9	140		30.21	3	-0.01	30.40	FM-15	0.00	30.39
21	1900	4		9.94		53	11.7	41	5.0	23	-5.0	31	9	140		30.21	3	-0.01	30.40	FM-12		
21	1954	7	SCT:04 300	10.00		50	10.0	40	4.4	24	-4.4	36	10	130		30.21			30.40	FM-15	0.00	30.39
21	2054	7	BKN:07 300	10.00		46	7.8	38	3.3	26	-3.3	46	9	140		30.21			30.40	FM-15	0.00	30.39

21	2154	7	BKN:07 300	10.00		45	7.2	38	3.3	27	-2.8	49	8	140		30.22	3	-0.01	30.41	FM-15	0.00	30.40
21	2254	7	BKN:07 180 OVC:08 300	10.00		46	7.8	38	3.3	27	-2.8	47	6	160		30.23			30.42	FM-15	0.00	30.41
21	2354	7	BKN:07 200	10.00		45	7.2	38	3.3	27	-2.8	49	5	170		30.23			30.42	FM-15	0.00	30.41
22	0054	7	BKN:07 140	10.00		45	7.2	38	3.3	28	-2.2	52	6	180		30.24	3	-0.02	30.43	FM-15	0.00	30.42
22	0100	4		9.94		45	7.2	38	3.3	28	-2.2	52	6	180		30.24	3	-0.02	30.43	FM-12		
22	0154	7	OVC:08 140	10.00		46	7.8	38	3.3	26	-3.3	46	7	180		30.22			30.41	FM-15	0.00	30.40
22	0254	7	BKN:07 120	10.00		46	7.8	38	3.3	26	-3.3	46	3	210		30.20			30.40	FM-15	0.00	30.38
22	0354	7	BKN:07 110	10.00		45	7.2	38	3.3	27	-2.8	49	3	200		30.20	6	+0.04	30.39	FM-15	0.00	30.38
22	0454	7	OVC:08 120	10.00		46	7.8	38	3.3	27	-2.8	47	5	140		30.19			30.38	FM-15	0.00	30.37
22	0554	7	OVC:08 120	10.00		46	7.8	38	3.3	27	-2.8	47	3	140		30.19			30.39	FM-15	0.00	30.37
22	0654	7	OVC:08 110	10.00		46	7.8	39	3.9	30	-1.1	54	3	140		30.19	6	+0.01	30.39	FM-15	0.00	30.37
22	0700	4		9.94		46	7.8	39	3.9	30	-1.1	54	3	140		30.19	6	+0.01	30.39	FM-12		
22	0754	7	BKN:07 110 BKN:07 160 OVC:08 180	10.00		49	9.4	41	5.0	29	-1.7	46	5	180		30.20			30.40	FM-15	0.00	30.38
22	0854	7	SCT:04 44 BKN:07 110 BKN:07 160	10.00		53	11.7	43	6.1	30	-1.1	41	8	170		30.19			30.38	FM-15	0.00	30.37
22	0954	7	SCT:04 44 BKN:07 110 BKN:07 160	10.00		58	14.4	46	7.8	32	0.0	38	8	190		30.19	8	0.00	30.38	FM-15	0.00	30.37
22	1054	7	FEW:02 44 SCT:04 110 BKN:07 160	10.00		60	15.6	48	8.9	35	1.7	39	11	210		30.18			30.37	FM-15	0.00	30.36
22	1154	7	FEW:02 44 SCT:04 110 BKN:07 160	10.00		63	17.2	50	10.0	37	2.8	38	8	VRB		30.16			30.35	FM-15	0.00	30.34
22	1254	7	FEW:02 44 SCT:04 110 BKN:07 160	10.00		62	16.7	49	9.4	34	1.1	35	14	210		30.14	8	+0.05	30.33	FM-15	0.00	30.32
22	1300	4	41	9.94		62	16.7	49	9.4	34	1.1	35	14	210		30.14	8	+0.05	30.33	FM-12		
22	1354	7	FEW:02 44 SCT:04 110 BKN:07 160	10.00		63	17.2	48	8.9	31	-0.6	30	15	230		30.11			30.30	FM-15	0.00	30.29
22	1454	7	SCT:04 110 BKN:07 140 BKN:07 160	10.00		63	17.2	48	8.9	31	-0.6	30	17	210	24	30.09			30.28	FM-15	0.00	30.27
22	1554	7	FEW:02 95 BKN:07 160 BKN:07 300	10.00		62	16.7	49	9.4	35	1.7	37	13	200		30.06	6	+0.08	30.26	FM-15	0.00	30.24
22	1654	7	BKN:07 110 BKN:07 160 BKN:07 300	10.00		60	15.6	49	9.4	36	2.2	41	11	220		30.06			30.25	FM-15	0.00	30.24
22	1754	7	FEW:02 100 SCT:04 240 BKN:07 300	10.00		59	15.0	49	9.4	39	3.9	48	9	210		30.05			30.24	FM-15	0.00	30.23
22	1854	7	FEW:02 240 SCT:04 300	10.00		55	12.8	48	8.9	40	4.4	57	9	200		30.05	5	+0.01	30.24	FM-15	0.00	30.23
22	1900	4		9.94		55	12.8	48	8.9	40	4.4	57	9	200		30.05	5	+0.01	30.24	FM-12		
22	1954	7	BKN:07 230	10.00		52	11.1	47	8.3	41	5.0	66	9	200		30.05			30.24	FM-15	0.00	30.23
22	2054	7	SCT:04 220	10.00		51	10.6	46	7.8	41	5.0	69	9	190		30.05			30.24	FM-15	0.00	30.23
22	2154	7	FEW:02 50 FEW:02 220	10.00		50	10.0	46	7.8	41	5.0	71	9	200		30.05	8	+0.01	30.24	FM-15	0.00	30.23
22	2254	7	FEW:02 50	10.00		50	10.0	46	7.8	42	5.6	74	11	200		30.04			30.24	FM-15	0.00	30.22
22	2354	7	FEW:02 200	10.00		51	10.6	47	8.3	43	6.1	74	10	210		30.04			30.23	FM-15	0.00	30.22
23	0054	7	FEW:02 200	10.00		50	10.0	47	8.3	44	6.7	80	7	210		30.04	6	+0.01	30.23	FM-15	0.00	30.22
23	0100	4		9.94		50	10.0	47	8.3	44	6.7	80	7	210		30.04	6	+0.01	30.23	FM-12		
23	0154	7	FEW:02 200	10.00		50	10.0	48	8.9	45	7.2	83	10	200		30.00			30.19	FM-15	0.00	30.18

23	0254	7	FEW:02 200	10.00		50	10.0	47	8.3	44	6.7	80	8	210		29.98			30.17	FM-15	0.00	30.16
23	0354	7	BKN:07 75	10.00		49	9.4	47	8.3	44	6.7	83	9	200		29.96	6	+0.08	30.15	FM-15	0.00	30.14
23	0454	7	FEW:02 70 BKN:07 85	10.00		50	10.0	48	8.9	45	7.2	83	13	210		29.95			30.14	FM-15	0.00	30.13
23	0554	7	SCT:04 85	10.00		51	10.6	49	9.4	46	7.8	83	9	220		29.95			30.14	FM-15	0.00	30.13
23	0644	7	BKN:07 12 BKN:07 85	10.00		52	11.1	50	10.0	48	8.9	86	9	200		29.94				FM-16		30.12
23	0654	7	BKN:07 12 BKN:07 85	10.00		52	11.1	50	10.0	48	8.9	86	10	210		29.94	6	+0.02	30.14	FM-15	0.00	30.12
23	0700	4	15	9.94		52	11.1	50	10.0	48	8.9	86	10	210		29.94	6	+0.02	30.14	FM-12		
23	0716	7	SCT:04 12 SCT:04 85 BKN:07 200	10.00		53	11.7	51	10.6	49	9.4	86	9	200		29.94				FM-16		30.12
23	0754	7	SCT:04 12 SCT:04 85 BKN:07 200	10.00		56	13.3	52	11.1	49	9.4	77	11	210		29.93			30.12	FM-15	0.00	30.11
23	0854	7	SCT:04 120 BKN:07 180 OVC:08 220	10.00		59	15.0	54	12.2	49	9.4	69	14	220		29.92			30.11	FM-15	0.00	30.10
23	0954	7	SCT:04 120 BKN:07 180 OVC:08 220	10.00		64	17.8	57	13.9	51	10.6	63	16	230		29.90	8	+0.04	30.10	FM-15	0.00	30.08
23	1054	7	SCT:04 120 BKN:07 180 OVC:08 220	10.00		69	20.6	59	15.0	52	11.1	55	21	220	28	29.87			30.06	FM-15	0.00	30.05
23	1154	7	SCT:04 120 BKN:07 180 BKN:07 220	10.00		73	22.8	61	16.1	53	11.7	50	24	220	30	29.83			30.03	FM-15	0.00	30.01
23	1254	7	SCT:04 120 SCT:04 180 BKN:07 220	10.00		79	26.1	64	17.8	53	11.7	41	22	250	33	29.80	7	+0.11	29.98	FM-15	0.00	29.98
23	1300	4		9.94		79	26.1	64	17.8	53	11.7	41	22	250		29.80	7	+0.11	29.98	FM-12		
23	1354	7	FEW:02 120 SCT:04 180 BKN:07 220	10.00		81	27.2	65	18.3	54	12.2	39	24	230	39	29.76			29.95	FM-15	0.00	29.94
23	1454	7	SCT:04 120 BKN:07 180 BKN:07 220	10.00		80	26.7	64	17.8	53	11.7	39	22	240	32	29.73			29.92	FM-15	0.00	29.91
23	1554	7	FEW:02 65 SCT:04 230 BKN:07 300	10.00		83	28.3	65	18.3	53	11.7	36	25	240	34	29.70	6	+0.10	29.88	FM-15	0.00	29.88
23	1654	7	FEW:02 65 FEW:02 230 BKN:07 300	10.00		82	27.8	64	17.8	51	10.6	34	28	230	33	29.70			29.88	FM-15	0.00	29.88
23	1754	7	FEW:02 70 FEW:02 230 OVC:08 300	10.00		80	26.7	63	17.2	51	10.6	37	20	240		29.71			29.89	FM-15	0.00	29.89
23	1854	7	BKN:07 300	10.00		77	25.0	62	16.7	52	11.1	42	14	220		29.70	0	-0.01	29.89	FM-15	0.00	29.88
23	1900	4		9.94		77	25.0	62	16.7	52	11.1	42	14	220		29.70	9	+0.01	29.89	FM-12		
23	1954	7	BKN:07 300	10.00		75	23.9	62	16.7	53	11.7	46	11	220		29.72			29.91	FM-15	0.00	29.90
23	2054	7	BKN:07 300	10.00		73	22.8	61	16.1	53	11.7	50	14	220		29.73			29.92	FM-15	0.00	29.91
23	2154	7	BKN:07 300	10.00		72	22.2	61	16.1	54	12.2	53	16	220		29.71	0	-0.01	29.90	FM-15	0.00	29.89
23	2254	7	SCT:04 300	10.00		72	22.2	61	16.1	53	11.7	52	18	220		29.71			29.90	FM-15	0.00	29.89
23	2354	7	SCT:04 300	10.00		72	22.2	61	16.1	52	11.1	50	16	230		29.72			29.91	FM-15	0.00	29.90
24	0054	7	SCT:04 300	10.00		72	22.2	61	16.1	52	11.1	50	10	240		29.72	3	-0.01	29.91	FM-15	0.00	29.90
24	0100	4		9.94		72	22.2	61	16.1	52	11.1	50	10	240		29.72	3	-0.01	29.91	FM-12		
24	0154	7	CLR:00	10.00		70	21.1	60	15.6	52	11.1	53	10	240		29.72			29.91	FM-15	0.00	29.90
24	0254	7	FEW:02 300	10.00		68	20.0	59	15.0	52	11.1	57	8	230		29.70			29.89	FM-15	0.00	29.88
24	0354	7	FEW:02 300	10.00		65	18.3	57	13.9	51	10.6	61	7	220		29.69	8	+0.03	29.88	FM-15	0.00	29.87
24	0454	7	FEW:02 300	10.00		60	15.6	55	12.8	51	10.6	72	7	200		29.69			29.88	FM-15	0.00	29.87

24	0554	7	SCT:04 300	10.00		61	16.1	56	13.3	51	10.6	70	8	220		29.70			29.88	FM-15	0.00	29.88
24	0654	7	BKN:07 250	10.00		65	18.3	58	14.4	52	11.1	63	8	230		29.71	3	-0.02	29.90	FM-15	0.00	29.89
24	0700	4		9.94		65	18.3	58	14.4	52	11.1	63	8	230		29.71	3	-0.02	29.90	FM-12		
24	0754	7	SCT:04 90 BKN:07 250	10.00		69	20.6	60	15.6	53	11.7	57	13	230		29.71			29.90	FM-15	0.00	29.89
24	0854	7	SCT:04 90 OVC:08 200	10.00		71	21.7	61	16.1	53	11.7	53	14	230		29.70			29.89	FM-15	0.00	29.88
24	0954	7	BKN:07 65 BKN:07 90	10.00		73	22.8	61	16.1	53	11.7	50	13	340		29.74	3	-0.03	29.93	FM-15	0.00	29.92
24	1054	7	SCT:04 65 SCT:04 90 BKN:07 200	10.00		75	23.9	63	17.2	55	12.8	50	5	030		29.73			29.92	FM-15	0.00	29.91
24	1154	7	FEW:02 65 SCT:04 90 BKN:07 200	10.00		76	24.4	64	17.8	56	13.3	50	10	VRB	21	29.73			29.91	FM-15	0.00	29.91
24	1254	7	SCT:04 40 SCT:04 90 BKN:07 200	10.00		76	24.4	64	17.8	57	13.9	52	10	030		29.72	8	+0.01	29.91	FM-15	0.00	29.90
24	1300	4	41	9.94		76	24.4	64	17.8	57	13.9	52	10	030		29.72	8	+0.01	29.91	FM-12		
24	1354	7	SCT:04 40 SCT:04 90 BKN:07 200	10.00		74	23.3	63	17.2	56	13.3	54	8	040		29.70			29.89	FM-15	0.00	29.88
24	1454	7	SCT:04 40 SCT:04 90 BKN:07 200	10.00		75	23.9	64	17.8	56	13.3	52	11	040		29.68			29.87	FM-15	0.00	29.86
24	1554	7	SCT:04 37 SCT:04 230 BKN:07 300	10.00		70	21.1	60	15.6	53	11.7	55	15	080		29.68	6	+0.05	29.86	FM-15	0.00	29.86
24	1654	7	FEW:02 37 FEW:02 130 SCT:04 230	10.00		69	20.6	59	15.0	52	11.1	55	14	080		29.69			29.88	FM-15	0.00	29.87
24	1754	7	FEW:02 12 BKN:07 32 BKN:07 41	10.00		63	17.2	56	13.3	50	10.0	63	21	020	30	29.78			29.97	FM-15	0.00	29.96
24	1810	7	BKN:07 18 OVC:08 31	10.00		58	14.4	54	12.2	50	10.0	75	26	020	34	29.79				FM-16		29.97
24	1816	7	BKN:07 12 OVC:08 31	10.00		55	12.8	52	11.1	49	9.4	80	21	010	34	29.80				FM-16		29.98
24	1827	7	BKN:07 9 BKN:07 31 OVC:08 43	10.00		54	12.2	51	10.6	49	9.4	83	18	010	26	29.82				FM-16		30.00
24	1841	7	SCT:04 9 BKN:07 48 OVC:08 300	10.00		53	11.7	50	10.0	48	8.9	83	14	050		29.79				FM-16		29.97
24	1854	7	FEW:02 9 BKN:07 49 OVC:08 300	10.00		52	11.1	49	9.4	47	8.3	83	11	060		29.79	1	-0.12	29.98	FM-15	0.00	29.97
24	1900	4	8	9.94		52	11.1	49	9.4	47	8.3	83	11	060		29.79	1	-0.12	29.98	FM-12		
24	1954	7	FEW:02 50 BKN:07 300	10.00		52	11.1	49	9.4	47	8.3	83	6	070		29.78			29.97	FM-15	0.00	29.96
24	2054	7	SCT:04 10 OVC:08 60	10.00		53	11.7	50	10.0	47	8.3	80	10	040		29.82			30.01	FM-15	0.00	30.00
24	2132	7	BKN:07 10 BKN:07 60 OVC:08 90	10.00		52	11.1	49	9.4	47	8.3	83	9	040		29.82				FM-16		30.00
24	2154	7	BKN:07 10 OVC:08 60	10.00		52	11.1	50	10.0	48	8.9	86	11	040		29.83	3	-0.04	30.02	FM-15	0.00	30.01
24	2254	7	SCT:04 12 BKN:07 85	10.00		51	10.6	48	8.9	45	7.2	80	11	060		29.81			30.00	FM-15	0.00	29.99
24	2354	7	FEW:02 23 OVC:08 85	10.00		51	10.6	47	8.3	43	6.1	74	9	070		29.80			29.99	FM-15	0.00	29.98
25	0011	7	BKN:07 23	10.00		50	10.0	47	8.3	43	6.1	77	7	080		29.79				FM-16		29.97

			OVC:08 85																				
25	0054	7	FEW:02 14 OVC:08 24	10.00		50	10.0	47	8.3	44	6.7	80	7	090		29.79	6	+0.04	29.98	FM-15	0.00	29.97	
25	0100	4	15	9.94		50	10.0	47	8.3	44	6.7	80	7	090		29.79	6	+0.04	29.98	FM-12			
25	0147	7	BKN:07 14 OVC:08 24	10.00		49	9.4	47	8.3	44	6.7	83	11	090		29.75				FM-16		29.93	
25	0154	7	BKN:07 14 OVC:08 24	10.00		50	10.0	47	8.3	44	6.7	80	6	090		29.76			29.95	FM-15	0.00	29.94	
25	0254	7	OVC:08 14	10.00		49	9.4	47	8.3	44	6.7	83	7	090		29.74			29.93	FM-15	0.00	29.92	
25	0354	7	OVC:08 13	10.00		49	9.4	46	7.8	43	6.1	80	7	080		29.72	6	+0.06	29.92	FM-15	0.00	29.90	
25	0454	7	OVC:08 11	10.00		48	8.9	45	7.2	42	5.6	80	8	100		29.70			29.89	FM-15	0.00	29.88	
25	0554	7	OVC:08 10	10.00		47	8.3	45	7.2	43	6.1	86	9	090		29.71			29.90	FM-15	0.00	29.89	
25	0608	7	OVC:08 8	10.00		47	8.3	45	7.2	43	6.1	86	7	100		29.70				FM-16		29.88	
25	0654	7	OVC:08 6	9.00		47	8.3	46	7.8	44	6.7	90	8	100		29.68	8	+0.05	29.87	FM-15	0.00	29.86	
25	0700	4	5	8.70		47	8.3	46	7.8	44	6.7	90	8	100		29.68	8	+0.05	29.87	FM-12			
25	0732	7	OVC:08 4	3.00		48	8.9	47	8.3	45	7.2	89	11	120		29.66				FM-16		29.84	
25	0754	7	OVC:08 4	3.00		48	8.9	47	8.3	46	7.8	93	5	130		29.70			29.89	FM-15	0.00	29.88	
25	0854	7	OVC:08 4	3.00		50	10.0	48	8.9	47	8.3	89	0	000		29.69			29.88	FM-15	0.00	29.87	
25	0920	7	OVC:08 4	2.50		50	10.0	49	9.4	48	8.9	93	0	000		29.68				FM-16	T	29.86	
25	0939	7	OVC:08 4	3.00		50	10.0	49	9.4	48	8.9	93	7	130		29.65				FM-16	0.02	29.83	
25	0954	7	OVC:08 3	3.00		51	10.6	50	10.0	49	9.4	92	10	150		29.63	8	+0.05	29.82	FM-15	0.03	29.81	
25	1054	7	OVC:08 4	5.00		54	12.2	53	11.7	52	11.1	93	9	200		29.61			29.80	FM-15	T	29.79	
25	1108	7	OVC:08 7	5.00		55	12.8	54	12.2	53	11.7	93	9	190		29.60				FM-16		29.78	
25	1154	7	BKN:07 6 OVC:08 11	4.00		56	13.3	54	12.2	53	11.7	90	6	170		29.58			29.78	FM-15	0.01	29.76	
25	1217	7	SCT:04 11 BKN:07 23 BKN:07 55	8.00		59	15.0	57	13.9	56	13.3	90	7	200		29.58				FM-16	0.01	29.76	
25	1241	7	BKN:07 11 OVC:08 17	8.00		61	16.1	59	15.0	57	13.9	87	8	280		29.59				FM-16	0.01	29.77	
25	1252	6	BKN:07 6 OVC:08 10	8.00		61	16.1	59	15.0	57	13.9	88	6	250		29.58				FM-16		29.76	
25	1254	7	BKN:07 6 OVC:08 10	8.00		61	16.1	59	15.0	57	13.9	87	6	250		29.58	5	+0.04	29.78	FM-15	T	29.76	
25	1300	4	5	7.46		61	16.1	59	15.0	57	13.9	87	6	250		29.58	5	+0.04	29.78	FM-12			
25	1329	7	BKN:07 10 OVC:08 25	9.00		63	17.2	60	15.6	58	14.4	84	7	230		29.56				FM-16		29.74	
25	1352	6	FEW:02 10 BKN:07 25 BKN:07 120	10.00		64	17.8	61	16.1	59	15.0	83	5	250		29.56				FM-16		29.74	
25	1354	7	FEW:02 10 BKN:07 25 BKN:07 120	10.00		65	18.3	61	16.1	59	15.0	81	5	260		29.56			29.75	FM-15	0.00	29.74	
25	1420	7	SCT:04 25 BKN:07 150	10.00		68	20.0	63	17.2	60	15.6	76	5	230		29.54				FM-16		29.72	
25	1454	7	FEW:02 25 BKN:07 200	10.00		71	21.7	64	17.8	60	15.6	68	14	200		29.53			29.72	FM-15	0.00	29.71	
25	1554	7	FEW:02 30 SCT:04 200	10.00		76	24.4	64	17.8	57	13.9	52	14	200		29.50	7	+0.09	29.69	FM-15	0.00	29.68	
25	1654	7	FEW:02 30 SCT:04 200	10.00		75	23.9	64	17.8	56	13.3	52	20	200		29.52			29.70	FM-15	0.00	29.69	
25	1754	7	FEW:02 40 FEW:02 200	10.00		72	22.2	62	16.7	55	12.8	55	13	190		29.52			29.70	FM-15	0.00	29.69	
25	1854	7	FEW:02 50 FEW:02 200	10.00		70	21.1	61	16.1	55	12.8	59	14	190		29.52	3	-0.02	29.71	FM-15	0.00	29.70	
25	1900	4	57	9.94		70	21.1	61	16.1	55	12.8	59	14	190		29.52	3	-0.02	29.71	FM-12			
25	1954	7	FEW:02 200	10.00		69	20.6	61	16.1	56	13.3	63	15	190		29.54			29.73	FM-15	0.00	29.72	
25	2054	7	SCT:04 50	10.00		69	20.6	61	16.1	56	13.3	63	15	200	26	29.56			29.75	FM-15	0.00	29.74	

			SCT:04 200																			
25	2154	7	FEW:02 50 SCT:04 200	10.00		69	20.6	61	16.1	56	13.3	63	17	220		29.58	2	-0.06	29.78	FM-15	0.00	29.76
25	2254	7	FEW:02 60 FEW:02 200	10.00		68	20.0	60	15.6	55	12.8	63	14	220		29.60			29.79	FM-15	0.00	29.78
25	2354	7	FEW:02 200	10.00		67	19.4	59	15.0	53	11.7	61	11	230		29.62			29.82	FM-15	0.00	29.80
26	0054	7	FEW:02 120 FEW:02 200	10.00		63	17.2	57	13.9	52	11.1	68	7	230		29.64	3	-0.06	29.83	FM-15	0.00	29.82
26	0100	4		9.94		63	17.2	57	13.9	52	11.1	68	7	230		29.64	3	-0.06	29.83	FM-12		
26	0154	7	FEW:02 120 FEW:02 200	10.00		62	16.7	56	13.3	52	11.1	70	7	230		29.65			29.85	FM-15	0.00	29.83
26	0254	7	FEW:02 200	10.00		62	16.7	56	13.3	51	10.6	67	5	260		29.67			29.86	FM-15	0.00	29.85
26	0354	7	FEW:02 120	10.00		60	15.6	55	12.8	50	10.0	70	8	290		29.69	3	-0.05	29.88	FM-15	0.00	29.87
26	0454	7	FEW:02 110	10.00		59	15.0	51	10.6	44	6.7	58	7	310		29.73			29.91	FM-15	0.00	29.91
26	0554	7	FEW:02 110	10.00		59	15.0	50	10.0	42	5.6	54	7	300		29.77			29.96	FM-15	0.00	29.95
26	0654	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	5	330		29.79	1	-0.10	29.98	FM-15	0.00	29.97
26	0754	7	FEW:02 100	10.00		64	17.8	51	10.6	37	2.8	37	13	330		29.81			30.00	FM-15	0.00	29.99
26	0854	7	FEW:02 150	10.00		67	19.4	51	10.6	34	1.1	30	13	340		29.82			30.01	FM-15	0.00	30.00
26	0954	7	FEW:02 110	10.00		68	20.0	50	10.0	30	-1.1	24	8	330		29.82	1	-0.03	30.01	FM-15	0.00	30.00
26	1054	7	FEW:02 110 BKN:07 150	10.00		68	20.0	50	10.0	30	-1.1	24	7	310		29.83			30.01	FM-15	0.00	30.01
26	1154	7	FEW:02 70 BKN:07 150	10.00		69	20.6	51	10.6	30	-1.1	23	7	290		29.82			30.01	FM-15	0.00	30.00
26	1254	7	BKN:07 110 BKN:07 180	10.00		69	20.6	51	10.6	30	-1.1	23	8	230		29.83	3	-0.01	30.02	FM-15	0.00	30.01
26	1300	4		9.94		69	20.6	51	10.6	30	-1.1	23	8	230		29.83	3	-0.01	30.02	FM-12		
26	1354	7	SCT:04 120 BKN:07 180	10.00		70	21.1	51	10.6	29	-1.7	22	6	210		29.82			30.01	FM-15	0.00	30.00
26	1454	7	FEW:02 120 SCT:04 180	10.00		73	22.8	53	11.7	32	0.0	22	14	190		29.79			29.98	FM-15	0.00	29.97
26	1554	7	FEW:02 120 FEW:02 200	10.00		73	22.8	54	12.2	35	1.7	25	8	170		29.77	8	+0.06	29.96	FM-15	0.00	29.95
26	1654	7	FEW:02 120 FEW:02 250	10.00		71	21.7	54	12.2	38	3.3	30	9	200		29.77			29.96	FM-15	0.00	29.95
26	1754	7	FEW:02 250	10.00		68	20.0	53	11.7	39	3.9	35	8	190		29.76			29.95	FM-15	0.00	29.94
26	1854	7	FEW:02 250	10.00		62	16.7	51	10.6	40	4.4	44	8	180		29.78	3	-0.01	29.97	FM-15	0.00	29.96
26	1900	4		9.94		62	16.7	51	10.6	40	4.4	44	8	180		29.78	3	-0.01	29.97	FM-12		
26	1954	7	CLR:00	10.00		56	13.3	48	8.9	40	4.4	55	5	150		29.79			29.98	FM-15	0.00	29.97
26	2054	7	CLR:00	10.00		57	13.9	49	9.4	41	5.0	55	0	000		29.81			30.00	FM-15	0.00	29.99
26	2154	7	CLR:00	10.00		55	12.8	48	8.9	41	5.0	59	8	140		29.83	3	-0.05	30.02	FM-15	0.00	30.01
26	2254	7	SCT:04 250	10.00		54	12.2	49	9.4	43	6.1	67	3	150		29.82			30.02	FM-15	0.00	30.00
26	2354	7	SCT:04 250	10.00		53	11.7	49	9.4	46	7.8	77	5	140		29.83			30.02	FM-15	0.00	30.01
27	0054	7	SCT:04 190	10.00		51	10.6	48	8.9	45	7.2	80	0	000		29.83	6	0.00	30.02	FM-15	0.00	30.01
27	0100	4		9.94		51	10.6	48	8.9	45	7.2	80	0	000		29.83	6	0.00	30.02	FM-12		
27	0154	7	CLR:00	10.00		52	11.1	50	10.0	48	8.9	86	6	150		29.82			30.01	FM-15	0.00	30.00
27	0211	7	FEW:02 7	10.00		51	10.6	49	9.4	48	8.9	89	5	140		29.81				FM-16		29.99
27	0233	7	BKN:07 7	10.00		52	11.1	50	10.0	48	8.9	86	5	150		29.80				FM-16		29.98
27	0254	7	OVC:08 7	10.00		52	11.1	50	10.0	49	9.4	89	3	110		29.78			29.97	FM-15	0.00	29.96
27	0325	7	SCT:04 5 SCT:04 180	10.00		52	11.1	50	10.0	48	8.9	86	3	050		29.77				FM-16		29.95
27	0352	7	BKN:07 4 OVC:08 180	10.00		52	11.1	50	10.0	48	8.9	88	0	000		29.78				FM-16		29.96
27	0354	7	BKN:07 4 OVC:08 180	10.00		52	11.1	50	10.0	49	9.4	89	0	000		29.78	6	+0.04	29.97	FM-15	0.00	29.96
27	0444	7	VV:09 2	0.75		52	11.1	51	10.6	51	10.6	97	6	110		29.78				FM-16		29.96
27	0452	6	VV:09 2	0.25		52	11.1	52	11.1	52	11.1	100	6	120		29.78				FM-16		29.96

27	0454	7	VV:09 2	0.25	FG:2 FG	52	11.1	51	10.6	51	10.6	97	7	120		29.79			29.98	FM-15	0.00	29.97
27	0516	7	VV:09 2	0.50	FG:2 FG	52	11.1	51	10.6	51	10.6	97	7	150		29.79				FM-16		29.97
27	0539	7	VV:09 2	0.25	FG:2 FG	53	11.7	52	11.1	52	11.1	96	7	130		29.78				FM-16		29.96
27	0550	7	VV:09 2	0.25	FG:2 FG	54	12.2	53	11.7	52	11.1	94	5	080		29.77				FM-16		29.95
27	0554	7	VV:09 2	0.25	FG:2 FG	53	11.7	52	11.1	52	11.1	96	5	070		29.77		29.96		FM-15	0.00	29.95
27	0633	7	VV:09 2	0.12	FG:2 FG	53	11.7	52	11.1	52	11.1	96	7	050		29.76				FM-16		29.94
27	0654	7	VV:09 2	0.12	FG:2 FG	53	11.7	52	11.1	52	11.1	96	5	040		29.76	6	+0.02	29.96	FM-15	0.00	29.94
27	0700	4	2	0.12	FG	53	11.7	52	11.1	52	11.1	96	5	040		29.76	6	+0.02	29.96	FM-12		
27	0712	7	VV:09 2	0.25	FG:2 FG	53	11.7	52	11.1	52	11.1	96	3	130		29.77				FM-16		29.95
27	0741	7	VV:09 2	0.50	FG:2 FG	53	11.7	52	11.1	52	11.1	96	5	090		29.75				FM-16		29.93
27	0752	6	OVC:08 2	1.25	BR:1	54	12.2	53	11.7	52	11.1	94	5	080		29.74				FM-16		29.92
27	0754	7	OVC:08 2	1.50	BR:1	53	11.7	52	11.1	52	11.1	96	6	090		29.74		29.93		FM-15	0.00	29.92
27	0854	7	OVC:08 2	1.50	-RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	6	080		29.73		29.93		FM-15	T	29.91
27	0904	7	OVC:08 2	2.00	-RA:02 BR:1 RA RA	54	12.2	53	11.7	53	11.7	97	6	050		29.74				FM-16	T	29.92
27	0954	7	OVC:08 3	2.00	-RA:02 BR:1 RA RA	56	13.3	55	12.8	54	12.2	93	8	100		29.72	6	+0.04	29.91	FM-15	0.02	29.90
27	1021	7	OVC:08 5	4.00	BR:1	57	13.9	56	13.3	55	12.8	93	0	000		29.72				FM-16	T	29.90
27	1054	7	OVC:08 5	3.00	BR:1	58	14.4	56	13.3	55	12.8	90	3	140		29.72		29.91		FM-15	T	29.90
27	1154	7	OVC:08 5	4.00	BR:1	59	15.0	57	13.9	56	13.3	90	5	180		29.71		29.90		FM-15	0.00	29.89
27	1254	7	OVC:08 4	4.00	BR:1	60	15.6	58	14.4	57	13.9	90	5	230		29.69	8	+0.03	29.88	FM-15	0.00	29.87
27	1300	4	5	3.73		60	15.6	58	14.4	57	13.9	90	5	230		29.69	8	+0.03	29.88	FM-12		
27	1320	7	OVC:08 6	6.00	BR:1	61	16.1	59	15.0	57	13.9	87	7	250		29.68				FM-16		29.86
27	1354	7	OVC:08 7	9.00		63	17.2	60	15.6	57	13.9	81	8	220		29.66		29.85		FM-15	0.00	29.84
27	1424	7	OVC:08 10	10.00		64	17.8	60	15.6	58	14.4	81	9	240		29.65				FM-16		29.83
27	1454	7	OVC:08 12	10.00		64	17.8	60	15.6	57	13.9	78	10	250		29.66		29.85		FM-15	0.00	29.84
27	1538	7	OVC:08 15	10.00		65	18.3	60	15.6	57	13.9	76	7	240		29.64				FM-16		29.82
27	1554	7	BKN:07 17 BKN:07 300	10.00		66	18.9	61	16.1	58	14.4	75	9	220		29.64	6	+0.05	29.83	FM-15	0.00	29.82
27	1604	7	SCT:04 17 BKN:07 300	10.00		67	19.4	61	16.1	57	13.9	71	11	240		29.63				FM-16		29.81
27	1654	7	FEW:02 20 SCT:04 300	10.00		69	20.6	62	16.7	58	14.4	68	9	230		29.63		29.82		FM-15	0.00	29.81
27	1754	7	FEW:02 23 SCT:04 300	10.00		69	20.6	62	16.7	58	14.4	68	5	VRB		29.64			29.83	FM-15	0.00	29.82
27	1854	7	FEW:02 20 FEW:02 100 SCT:04 300	10.00		65	18.3	60	15.6	57	13.9	76	5	360		29.66	3	-0.02	29.85	FM-15	0.00	29.84
27	1900	4	26	9.94		65	18.3	60	15.6	57	13.9	76	5	360		29.66	3	-0.02	29.85	FM-12		
27	1934	7	FEW:02 20 BKN:07 100 OVC:08 130	10.00	TS:7 TS TS	63	17.2	60	15.6	57	13.9	81	9	040		29.68				FM-16		29.86
27	1954	7	FEW:02 13 SCT:04 33	10.00	TS	62	16.7	60	15.6	58	14.4	86	10	020		29.70			29.89	FM-15	0.06	29.88
27	2003	7	FEW:02 14 BKN:07 41 BKN:07 110	10.00		61	16.1	59	15.0	57	13.9	87	8	040		29.70				FM-16	T	29.88
27	2054	7	FEW:02 15 FEW:02 50 BKN:07 100	10.00		60	15.6	58	14.4	57	13.9	90	8	010		29.74		29.93		FM-15	T	29.92
27	2154	7	FEW:02 55 SCT:04 90	10.00		58	14.4	56	13.3	55	12.8	90	5	320		29.77	1	-0.12	29.97	FM-15	0.00	29.95
27	2254	7	FEW:02 90	9.00		56	13.3	55	12.8	54	12.2	93	5	360		29.79		29.98		FM-15	0.00	29.97
27	2258	7	FEW:02 2	10.00	BC:3 FG:2 FG	55	12.8	54	12.2	54	12.2	96	5	360		29.79				FM-16		29.97
27	2354	7	FEW:02 2 FEW:02 300	4.00	BR:1	51	10.6	50	10.0	50	10.0	96	6	030		29.80		29.99		FM-15	0.00	29.98
28	0054	7	FEW:02 300	4.00	BR:1	52	11.1	51	10.6	51	10.6	97	0	000		29.82	3	-0.04	30.01	FM-15	0.00	30.00
28	0100	4		3.73		52	11.1	51	10.6	51	10.6	97	0	000		29.82	3	-0.04	30.01	FM-12		

28	0108	7	FEW:02 3 FEW:02 300	4.00	BR:1	49	9.4	48	8.9	48	8.9	97	7	020	29.81				FM-16		29.99
28	0154	7	CLR:00	10.00		52	11.1	50	10.0	49	9.4	89	8	020	29.82			30.02	FM-15	0.00	30.00
28	0254	7	CLR:00	9.00		50	10.0	49	9.4	48	8.9	93	5	020	29.83			30.03	FM-15	0.00	30.01
28	0354	7	CLR:00	4.00	BR:1	47	8.3	46	7.8	45	7.2	93	6	020	29.85	3	-0.03	30.04	FM-15	0.00	30.03
28	0454	7	CLR:00	8.00		49	9.4	48	8.9	46	7.8	90	0	000	29.88			30.07	FM-15	0.00	30.06
28	0543	7	FEW:02 3 SCT:04 250	4.00	BR:1	45	7.2	44	6.7	43	6.1	93	0	000	29.89				FM-16		30.07
28	0554	6	FEW:02 3 SCT:04 250	4.00	BR:1	45	7.2	44	6.7	43	6.1	93	0	000	29.90			30.09	FM-15	0.00	30.08
28	0654	7	SCT:04 3 SCT:04 250	4.00	BR:1	45	7.2	45	7.2	45	7.2	100	0	000	29.92	1	-0.08	30.12	FM-15	0.00	30.10
28	0700	4	2	3.73		45	7.2	45	7.2	45	7.2	100	0	000	29.92	1	-0.08	30.12	FM-12		
28	0754	7	SCT:04 180 BKN:07 300	10.00		52	11.1	50	10.0	48	8.9	86	0	000	29.94			30.14	FM-15	0.00	30.12
28	0854	7	BKN:07 180 OVC:08 300	10.00		55	12.8	50	10.0	44	6.7	67	8	010	29.95			30.14	FM-15	0.00	30.13
28	0954	7	FEW:02 45 OVC:08 150	10.00		56	13.3	48	8.9	40	4.4	55	13	360	29.95	0	-0.02	30.14	FM-15	0.00	30.13
28	1054	7	FEW:02 35 SCT:04 55 OVC:08 150	10.00		57	13.9	48	8.9	39	3.9	51	6	020	29.95			30.14	FM-15	0.00	30.13
28	1154	7	SCT:04 42 OVC:08 150	10.00		59	15.0	49	9.4	38	3.3	46	9	360	29.93			30.13	FM-15	0.00	30.11
28	1254	7	SCT:04 46 BKN:07 150 BKN:07 300	10.00		59	15.0	49	9.4	38	3.3	46	0	000	29.91	8	+0.04	30.10	FM-15	0.00	30.09
28	1300	4	41	9.94		59	15.0	49	9.4	38	3.3	46	0	000	29.91	8	+0.04	30.10	FM-12		
28	1354	7	FEW:02 48 BKN:07 150 BKN:07 300	10.00		61	16.1	49	9.4	37	2.8	41	6	330	29.90			30.09	FM-15	0.00	30.08
28	1454	7	BKN:07 60 BKN:07 130 BKN:07 300	10.00		61	16.1	49	9.4	37	2.8	41	6	310	29.90			30.09	FM-15	0.00	30.08
28	1554	7	SCT:04 65 SCT:04 130 BKN:07 300	10.00		61	16.1	49	9.4	36	2.2	39	3	VRB	29.88	8	+0.03	30.08	FM-15	0.00	30.06
28	1654	7	FEW:02 55 SCT:04 80 BKN:07 110	10.00		60	15.6	49	9.4	38	3.3	44	5	160	29.88			30.08	FM-15	0.00	30.06
28	1754	7	FEW:02 35 BKN:07 60 BKN:07 95	10.00	RA	56	13.3	50	10.0	44	6.7	65	6	160	29.87			30.06	FM-15	0.01	30.05
28	1854	7	BKN:07 50 BKN:07 70 OVC:08 100	10.00	-RA:02 RA RA	55	12.8	48	8.9	41	5.0	59	7	070	29.88	5	+0.01	30.07	FM-15	0.01	30.06
28	1900	4	57	9.94	RA	55	12.8	48	8.9	41	5.0	59	7	070	29.88	5	+0.01	30.07	FM-12		
28	1954	7	OVC:08 49	10.00	-RA:02 RA RA	52	11.1	49	9.4	45	7.2	77	9	090	29.90			30.10	FM-15	T	30.08
28	2054	7	OVC:08 46	10.00	-RA:02 RA RA	49	9.4	47	8.3	44	6.7	83	9	120	29.92			30.11	FM-15	0.08	30.10
28	2154	7	OVC:08 43	9.00	-RA:02 RA RA	48	8.9	46	7.8	44	6.7	86	7	080	29.90	0	-0.02	30.09	FM-15	0.06	30.08
28	2254	7	SCT:04 36 OVC:08 48	10.00	-RA:02 RA RA	47	8.3	46	7.8	44	6.7	90	0	000	29.91			30.10	FM-15	0.04	30.09
28	2354	7	OVC:08 34	6.00	RA:02 BR:1 RA RA	46	7.8	45	7.2	43	6.1	89	13	360	29.96			30.15	FM-15	0.10	30.14
29	0054	7	FEW:02 30 OVC:08 39	10.00	-RA:02 RA RA	44	6.7	42	5.6	40	4.4	85	14	360	29.95	0	-0.05	30.14	FM-15	0.07	30.13
29	0100	4	26	9.94	RA	44	6.7	42	5.6	40	4.4	85	14	360	29.95	9	+0.05	30.14	FM-12		
29	0154	7	OVC:08 48	10.00	-RA:02 RA RA	43	6.1	41	5.0	39	3.9	86	9	040	29.96			30.15	FM-15	0.04	30.14
29	0254	7	SCT:04 39 BKN:07 60 OVC:08 90	10.00		43	6.1	42	5.6	40	4.4	89	5	010	29.97			30.16	FM-15	0.02	30.15

29	0354	7	FEW:02 45 OVC:08 65	10.00		43	6.1	41	5.0	39	3.9	86	0	000		29.97	0	-0.02	30.16	FM-15	0.00	30.15
29	0454	7	BKN:07 65	10.00		44	6.7	42	5.6	40	4.4	85	5	290		29.98			30.17	FM-15	0.00	30.16
29	0554	7	SCT:04 90	10.00		42	5.6	41	5.0	39	3.9	89	8	320		30.00			30.19	FM-15	0.00	30.18
29	0654	7	FEW:02 90	10.00		43	6.1	41	5.0	38	3.3	82	7	350		30.01	3	-0.05	30.21	FM-15	0.00	30.19
29	0700	4		9.94		43	6.1	41	5.0	38	3.3	82	7	350		30.01	3	-0.05	30.21	FM-12		
29	0754	7	CLR:00	10.00		46	7.8	43	6.1	39	3.9	77	9	340		30.03			30.22	FM-15	0.00	30.21
29	0854	7	CLR:00	10.00		51	10.6	45	7.2	39	3.9	64	9	020		30.03			30.23	FM-15	0.00	30.21
29	0954	7	FEW:02 30	10.00		54	12.2	45	7.2	34	1.1	47	8	010		30.04	1	-0.03	30.24	FM-15	0.00	30.22
29	1054	7	SCT:04 30	10.00		55	12.8	44	6.7	31	-0.6	40	3	VRB		30.04			30.23	FM-15	0.00	30.22
29	1154	7	SCT:04 30	10.00		58	14.4	46	7.8	31	-0.6	36	0	000		30.01			30.20	FM-15	0.00	30.19
29	1254	7	SCT:04 60	10.00		59	15.0	46	7.8	29	-1.7	32	8	320		29.99	8	+0.06	30.18	FM-15	0.00	30.17
29	1300	4	57	9.94		59	15.0	46	7.8	29	-1.7	32	8	320		29.99	8	+0.06	30.18	FM-12		
29	1354	7	SCT:04 60 BKN:07 200	10.00		59	15.0	46	7.8	30	-1.1	33	3	VRB		29.97			30.16	FM-15	0.00	30.15
29	1454	7	BKN:07 70 BKN:07 200	10.00		61	16.1	47	8.3	29	-1.7	30	3	VRB		29.95			30.14	FM-15	0.00	30.13
29	1554	7	SCT:04 70 BKN:07 300	10.00		59	15.0	46	7.8	29	-1.7	32	6	VRB		29.93	6	+0.06	30.12	FM-15	0.00	30.11
29	1654	7	SCT:04 70 SCT:04 230 BKN:07 300	10.00		58	14.4	45	7.2	29	-1.7	33	9	190		29.92			30.11	FM-15	0.00	30.10
29	1754	7	FEW:02 70 FEW:02 230	10.00		57	13.9	45	7.2	30	-1.1	36	10	200		29.92			30.11	FM-15	0.00	30.10
29	1854	7	FEW:02 230	10.00		50	10.0	42	5.6	32	0.0	50	8	200		29.93	3	0.00	30.13	FM-15	0.00	30.11
29	1900	4		9.94		50	10.0	42	5.6	32	0.0	50	8	200		29.93			30.13	FM-12		
29	1954	7	CLR:00	10.00		47	8.3	41	5.0	33	0.6	59	8	190		29.94			30.13	FM-15	0.00	30.12
29	2054	7	CLR:00	10.00		47	8.3	41	5.0	34	1.1	61	11	200		29.94			30.14	FM-15	0.00	30.12
29	2154	7	CLR:00	10.00		51	10.6	43	6.1	34	1.1	52	13	210		29.94	0	-0.01	30.13	FM-15	0.00	30.12
29	2254	7	CLR:00	10.00		50	10.0	43	6.1	34	1.1	54	8	230		29.94			30.14	FM-15	0.00	30.12
29	2354	7	CLR:00	8.00		49	9.4	42	5.6	34	1.1	56	9	230		29.95			30.14	FM-15	0.00	30.13
30	0054	7	CLR:00	10.00		44	6.7	40	4.4	34	1.1	68	3	170		29.96	3	-0.02	30.15	FM-15	0.00	30.14
30	0100	4		9.94		44	6.7	40	4.4	34	1.1	68	3	170		29.96	3	-0.02	30.15	FM-12		
30	0154	7	CLR:00	10.00		42	5.6	38	3.3	33	0.6	71	5	230		29.96			30.15	FM-15	0.00	30.14
30	0254	7	CLR:00	10.00		44	6.7	40	4.4	34	1.1	68	15	350	21	30.00			30.19	FM-15	0.00	30.18
30	0354	7	CLR:00	10.00		43	6.1	38	3.3	32	0.0	65	7	020		30.04	3	-0.08	30.23	FM-15	0.00	30.22
30	0454	7	CLR:00	10.00		42	5.6	38	3.3	32	0.0	68	8	040		30.07			30.26	FM-15	0.00	30.25
30	0554	7	FEW:02 200	10.00		40	4.4	36	2.2	31	-0.6	70	6	010		30.11			30.30	FM-15	0.00	30.29
30	0654	7	FEW:02 250	10.00		43	6.1	38	3.3	31	-0.6	63	11	020		30.15	3	-0.11	30.34	FM-15	0.00	30.33
30	0700	4		9.94		43	6.1	38	3.3	31	-0.6	63	11	020		30.15	3	-0.11	30.34	FM-12		
30	0754	7	FEW:02 250	10.00		45	7.2	38	3.3	29	-1.7	54	10	020		30.17			30.37	FM-15	0.00	30.35
30	0854	7	FEW:02 250	10.00		47	8.3	39	3.9	27	-2.8	46	15	030		30.18			30.38	FM-15	0.00	30.36
30	0954	6	CLR:00	10.00		49	9.4	40	4.4	26	-3.3	41	11	020		30.19	1	-0.05	30.39	FM-15	0.00	30.37
30	1054	6	FEW:02 200	10.00		52	11.1	41	5.0	26	-3.3	37	7	090		30.19			30.39	FM-15	0.00	30.37
30	1154	7	FEW:02 200	10.00		52	11.1	41	5.0	26	-3.3	37	5	VRB		30.18			30.37	FM-15	0.00	30.36
30	1254	7	FEW:02 60 FEW:02 200	10.00		55	12.8	43	6.1	27	-2.8	34	5	VRB		30.17	8	+0.03	30.36	FM-15	0.00	30.35
30	1300	4	57	9.94		55	12.8	43	6.1	27	-2.8	34	5			30.17	8	+0.03	30.36	FM-12		
30	1354	7	FEW:02 60 SCT:04 200	10.00		58	14.4	44	6.7	26	-3.3	29	8	280		30.14			30.33	FM-15	0.00	30.32
30	1454	7	FEW:02 60 FEW:02 140 SCT:04 200	10.00		60	15.6	45	7.2	26	-3.3	27	0	000		30.13			30.32	FM-15	0.00	30.31
30	1554	7	FEW:02 75	10.00		59	15.0	45	7.2	26	-3.3	28	3	290		30.11	6	+0.05	30.30	FM-15	0.00	30.29
30	1654	7	FEW:02 70	10.00		59	15.0	45	7.2	28	-2.2	31	3	220		30.11			30.30	FM-15	0.00	30.29

30	1754	7	FEW:02 65	10.00		57	13.9	44	6.7	28	-2.2	33	5	150		30.11			30.31	FM-15	0.00	30.29
30	1854	7	FEW:02 300	10.00		52	11.1	43	6.1	30	-1.1	43	15	130		30.11	3	0.00	30.31	FM-15	0.00	30.29
30	1900	4		9.94		52	11.1	43	6.1	30	-1.1	43	15	130		30.11	3	0.00	30.31	FM-12		
30	1954	7	FEW:02 300	10.00		49	9.4	42	5.6	33	0.6	55	10	120		30.13			30.33	FM-15	0.00	30.31
30	2054	7	CLR:00	10.00		46	7.8	40	4.4	33	0.6	61	11	120		30.15			30.34	FM-15	0.00	30.33
30	2154	7	CLR:00	10.00		44	6.7	40	4.4	34	1.1	68	8	120		30.15	1	-0.04	30.35	FM-15	0.00	30.33
30	2254	7	CLR:00	10.00		43	6.1	39	3.9	34	1.1	71	8	120		30.16			30.35	FM-15	0.00	30.34
30	2354	7	CLR:00	10.00		43	6.1	39	3.9	33	0.6	68	8	140		30.16			30.36	FM-15	0.00	30.34
31	0054	7	FEW:02 300	10.00		41	5.0	38	3.3	33	0.6	73	8	140		30.16	1	-0.01	30.36	FM-15	0.00	30.34
31	0100	4		9.94		41	5.0	38	3.3	33	0.6	73	8	140		30.16	1	-0.01	30.36	FM-12		
31	0154	7	FEW:02 300	10.00		41	5.0	38	3.3	33	0.6	73	8	150		30.16			30.35	FM-15	0.00	30.34
31	0254	7	FEW:02 300	10.00		39	3.9	37	2.8	33	0.6	79	7	130		30.14			30.34	FM-15	0.00	30.32
31	0354	7	SCT:04 300	10.00		40	4.4	37	2.8	34	1.1	79	7	140		30.13	8	+0.03	30.33	FM-15	0.00	30.31
31	0454	7	SCT:04 300	10.00		40	4.4	38	3.3	35	1.7	83	8	140		30.12			30.32	FM-15	0.00	30.30
31	0554	7	BKN:07 250	10.00		41	5.0	39	3.9	36	2.2	82	7	160		30.12			30.31	FM-15	0.00	30.30
31	0654	7	OVC:08 250	10.00		42	5.6	40	4.4	37	2.8	82	6	160		30.12	5	+0.01	30.32	FM-15	0.00	30.30
31	0700	4		9.94		42	5.6	40	4.4	37	2.8	82	6	160		30.12	5	+0.01	30.32	FM-12		
31	0754	7	OVC:08 250	10.00		47	8.3	44	6.7	40	4.4	77	8	180		30.12			30.32	FM-15	0.00	30.30
31	0854	7	OVC:08 250	10.00		51	10.6	47	8.3	43	6.1	74	9	190		30.11			30.30	FM-15	0.00	30.29
31	0954	7	OVC:08 250	10.00		55	12.8	50	10.0	44	6.7	67	10	180		30.09	8	+0.04	30.28	FM-15	0.00	30.27
31	1054	7	SCT:04 160 OVC:08 250	10.00		63	17.2	55	12.8	47	8.3	56	16	190	24	30.05			30.24	FM-15	0.00	30.23
31	1154	7	SCT:04 100 BKN:07 160 OVC:08 200	10.00		67	19.4	56	13.3	47	8.3	49	17	210	25	30.01			30.20	FM-15	0.00	30.19
31	1254	7	FEW:02 60 SCT:04 110 BKN:07 160	10.00		69	20.6	57	13.9	47	8.3	45	21	220	28	29.99	6	+0.10	30.18	FM-15	0.00	30.17
31	1300	4	57	9.94		69	20.6	57	13.9	47	8.3	45	21	220		29.99	6	+0.10	30.18	FM-12		
31	1354	7	FEW:02 50 SCT:04 110 BKN:07 160	10.00		69	20.6	57	13.9	47	8.3	45	21	220	30	29.95			30.14	FM-15	0.00	30.13
31	1454	7	FEW:02 50 BKN:07 110 OVC:08 160	10.00		70	21.1	57	13.9	45	7.2	41	17	220	29	29.92			30.11	FM-15	0.00	30.10
31	1554	7	FEW:02 55 BKN:07 80 OVC:08 100	10.00		69	20.6	57	13.9	46	7.8	44	24	210	33	29.90	6	+0.09	30.09	FM-15	0.00	30.08
31	1654	7	FEW:02 65 BKN:07 80 OVC:08 100	10.00		67	19.4	55	12.8	45	7.2	45	24	240	38	29.91			30.10	FM-15	T	30.09
31	1754	7	FEW:02 55 SCT:04 75 OVC:08 100	10.00		62	16.7	56	13.3	51	10.6	67	11	240		29.92			30.11	FM-15	0.01	30.10
31	1854	7	BKN:07 90 OVC:08 110	10.00		60	15.6	57	13.9	55	12.8	84	15	210		29.91	0	-0.01	30.10	FM-15	0.05	30.09
31	1900	4		9.94		60	15.6	57	13.9	55	12.8	84	15	210		29.91	9	+0.01	30.10	FM-12		
31	1954	7	BKN:07 75 BKN:07 90 OVC:08 110	9.00		58	14.4	56	13.3	55	12.8	90	6	190		29.90			30.10	FM-15	0.04	30.08
31	2054	7	FEW:02 47 OVC:08 70	10.00		59	15.0	57	13.9	56	13.3	90	14	180		29.87			30.06	FM-15	0.03	30.05
31	2154	7	FEW:02 45 FEW:02 80 BKN:07 100	10.00		60	15.6	58	14.4	57	13.9	90	17	190		29.83	8	+0.08	30.02	FM-15	0.00	30.01
31	2246	7	FEW:02 7 FEW:02 95 OVC:08 110	10.00		61	16.1	59	15.0	58	14.4	90	16	200		29.82				FM-16	T	30.00

31	2254	7	FEW:02 7 FEW:02 95 OVC:08 120	10.00		61	16.1	59	15.0	58	14.4	90	14	200		29.82			30.01	FM-15	T	30.00
31	2316	7	FEW:02 7 BKN:07 15 OVC:08 110	10.00		62	16.7	60	15.6	59	15.0	90	18	200	26	29.81				FM-16		29.99
31	2352	7	FEW:02 7 BKN:07 12 OVC:08 110	10.00		63	17.2	61	16.1	59	15.0	88	15	210		29.79				FM-16	T	29.97
31	2354	7	FEW:02 7 BKN:07 12 OVC:08 110	10.00		63	17.2	61	16.1	59	15.0	87	17	210		29.79			29.98	FM-15	T	29.97

Local Climatological Data Hourly Precipitation March 2023

Current Location: Elev: 166 ft. Lat: 37.5115° N Lon: -77.3234° W

Generated on 05/12/2023

Station: **RICHMOND INTERNATIONAL AIRPORT, VA US WBAN: 72401013740 (KRIC)**

Date	For Hour (LST) Ending at																							Date	
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM		MID
01																									01
02					T	0.01	0.02	0.04	T																02
03								T	0.01	T	0.01	T	T	0.02	0.01	0.01			T	T	T	T	T	0.01	03
04	T																								04
05																									05
06																									06
07																									07
08																									08
09																									09
10										T	T	T			T	0.02	T		T	0.03					10
11																									11
12													T	0.01	0.03	0.03	0.01	0.01	0.01	T	T	T	0.01	0.01	12
13	0.01	0.02	0.01	0.02	0.01	0.02	0.01	T	T											T	0.01				13
14																									14
15																									15
16																									16
17												T	T	0.01	T					T	T		T	0.02	17
18	0.02	T	0.02	0.05	0.02																				18
19																									19
20																									20
21																									21
22																									22
23																									23
24																									24
25										0.03	T	0.01	T												25
26																									26
27									T	0.02	T									0.06	T				27
28																		0.01	0.01	T	0.08	0.06	0.04	0.10	28
29	0.07	0.04	0.02																						29
30																									30
31																	T	0.01	0.05	0.04	0.03		T	T	31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.06	0.06	0.06	0.06	0.07	0.10	0.11	0.14	0.16	0.18	0.21	0.23
Ending Date Time (yyyy-mm-dd hh:mi)	2023-03-27 19:54	2023-03-27 19:54	2023-03-27 19:54	2023-03-27 19:54	2023-03-28 23:53	2023-03-29 00:09	2023-03-29 00:26	2023-03-29 00:41	2023-03-29 01:02	2023-03-29 01:18	2023-03-29 01:29	2023-03-29 01:29

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing